

# INDEX

## A

Activated complex component  
 activated zones, 292  
 calculation, 290–294  
 cracking (s,s)  $C_{16,3} \rightarrow C_{5,1} + C_{11,1}$ ,  
     homologous activated complexes, 292  
 description, 291  
 homologous activated complexes, 293  
 side chains, 293  
 Additive models, for  $C_1$ – $C_4$  alkane  
     oxidation, 189–193  
     applicability, 192  
     GRI-Mech approach, 192  
     phases, 189  
         auto-accelerating chain-branched re-  
         action, 189  
         quasi-stationary chain-branched pro-  
         cess, 190  
         self-acceleration of reaction, 190  
 Alkylperoxy radicals, transformations of,  
     243–246  
 Alkyl radicals and oxygen, reactions be-  
     tween, 243–246  
 Aromatics, pyrolysis of, 89–90  
 Arrhenius equation, 206  
     Arrhenius A-factor, 17  
 Asphaltenes, 132  
 Atmospheric equivalent initial boiling  
     point (AEBPI), 96  
 Auto-accelerating chain-branched  
     reaction, 189  
 Automated model-construction software,  
     12–13  
 Automatic generation of pyrolysis  
     mechanism, 64–72  
     Boolean algebra, 65  
     combinatorial algorithm, 64  
     EXGAS software, 65

GAPP program, 66  
 Graph theory, 65  
 LISP programming language, 65  
 lumping of reactions, 69–71  
 lumping of species, 71–72  
 MAMA program, 66  
 NetGen program, 65  
 primary propagation reactions of  
     *n*-decyl radicals, 67  
 reference kinetic parameters, 68  
 specific reaction class based, 64  
 substitution matrices, 65  
 THERGAS software, 66  
 THERM program, 66  
 XMG (Exxon Mobil Mechanism  
     Generation), 65

## B

Benson group values, 7, 10  
 Bifunctional catalysis mechanisms, 270  
 Boltzmann constant, 99  
 Boolean algebra, for pyrolysis mechanism,  
     65  
 Branched alkanes, pyrolysis of, 74–78  
 ‘Burning out’ of two hydrocarbons, 238

## C

$C_1$ – $C_4$  alkane oxidation, kinetic models of,  
     167–258  
     additive models, 189–193, *see also*  
         *separate entry*  
     alkyl radicals and oxygen, reactions  
         between, 243–246  
     alkylperoxy radicals, transformations of,  
         243–246  
      $C_1$ – $C_2$  joint description, 237–239  
     ‘burning out’ of two hydrocarbons,  
         238

- capabilities of process influencing,
    - governing and design, 246–250
  - circumscription of subject and area of parameters, 176–179
  - combinatorial models, 193–194
  - complex reacting systems, modeling
    - purposes and expectations, 172–176
  - comprehensive modeling, ruling principles for, 194–199, *see also under* Ruling principles
  - elemental base, 203–231, *see also separate entry*
  - elevated (moderate) temperatures, 177
  - expansion on higher hydrocarbons, 239–243
    - propyl radicals, 241
  - heterogeneous processes, 179–183
  - heterogeneous–homogeneous catalytic reactions, modeling of, 201–203
  - high-temperature oxidation, 177–179
  - low-temperature oxidation, 176–177
  - macro-kinetic parameters, 183–187
  - modeling and experimentation, 231–237, *see also separate entry*
  - reduction of models, 200–201, *see also separate entry*
  - Carbonaceous deposits and soot particles,
    - formation, 100–124, *see also under* Fouling processes
  - Catalytic processes, in petroleum process engineering, 261
  - CCR (Conradson carbon residue), 96
  - Chemical activation and fall-off, 22–23
  - Chemical reactions and properties, new data model for, 13–26
    - functional group trees
      - for reaction rate estimation, 17–23, *see also under* Reaction rate estimation
    - reaction types represented using, 24–25
  - hierarchical tree structure
    - for functional group parameters, 14–17
  - CHEMKIN<sup>®</sup> software, 3–4, 9–10, 53
  - Combinatorial models, 193–194
  - Complex reacting systems, modeling
    - kinetic scheme and kinetic parameters determination, 174
    - purposes and expectations, 172–176
  - Computational fluid dynamics (CFD) simulation, 34
  - Computer-assisted molecular structure construction (CAMSC), 93
  - Continuously varying steady state (CVSS), 144–145
  - Crude distillation residues, 96
  - Crude oil fractionation, 264
  - Cyclo-alkanes and alkenes, pyrolysis of, 78–88
    - $\beta$ -decomposition reactions, 82
    - 1-hexene reactions, 86
    - 1-methyl-4-alkyl-cyclo-hexanes, 86
    - cyclo-alkyl radicals, 79
    - cyclo-hexane components, 79
    - cyclo-hexanes, 79, 87
    - cyclo-hexyl radical
      - decomposition mechanism, 84
      - primary propagation path of, 80
      - radical isomerization, 84
    - cyclo-pentanes, 79, 87
    - decomposition reactions, 82
    - dehydrogenation reactions, 82
    - isomerization reactions, 82
    - methyl-cyclo-hexane, 80, 84
    - reference kinetic parameters for, 85
  - Cyclopentadienyl ( $C_5H_5\cdot$ ) radical, 118
- D**
- DAEPACK software, 31, 36
  - Data models for chemical kinetics
    - 9–11
    - list-of-reactions
      - automated construction of, 11
      - data model, deficiencies, 9
  - Delayed coking processes, 129–136
  - Density functional theory (DFT), 203
  - Diels–Alder reactions, 105–106
  - Differential-algebraic equations (DAEs), 31
  - Direct oxidation of methane-to-methanol (DOMM), 189–190, 246–247
  - Discrete sectional method (DSM), 122, 145

**E**

- Elemental base, 203–231  
  elementary reactions, 206–209  
  high-pressure regime, 212  
  limitations of species taken into account, 203–205  
  low-pressure limit approximation, 212  
  on metal catalysts  
    heterogeneous–homogeneous  
      catalytic reactions on, 227–231,  
      *see also under* Heterogeneous–  
      homogeneous catalytic reactions  
  oxide catalysts  
    heterogeneous–homogeneous  
      catalytic reactions on, 213–227,  
      *see also under* Heterogeneous–  
      homogeneous catalytic reactions  
  pressure-dependent reactions, 210–213  
  selection of rate constants, 210  
Eley–Rideal models, 202  
Equilibrium constants, 209  
Error bars on model predictions,  
  estimation, 42–46  
  correlated uncertainties in model input  
  parameters, 44–45  
  first-order sensitivity analysis, beyond, 44  
  model truncation error, 45  
Evans–Polanyi parameters, 44  
  Evans–Polanyi modified Arrhenius  
  form, 20  
EXGAS software, for pyrolysis  
  mechanism, 65  
Eyring theory, 99

**F**

- Feedstocks and effluents analysis, in  
  petroleum processes, 262, 268  
Fouling processes  
  addition reactions, 105–106  
  carbonaceous deposits and soot  
  particles, formation, 100–124  
  pyrolysis coils and TLE's, fouling and  
  coking mechanisms in, 101–106  
  catalytic mechanism and initial growth,  
  103–104

- mechanisms and features of, 102  
    initial catalytic mechanism, 102  
    radical mechanism, 102–103  
  radical and concerted path growth,  
  105–106  
  soot formation, 114–124, *see also*  
    *separate entry*  
  structure and properties of the deposit,  
  evolution of, 107–113  
    comparison with “rapid pyrolysis”  
    data, 113  
    comparisons with experimental data,  
    112–113  
    kinetic modelling, 108–112  
    poly-aromatic structure of, 107  
    radical degradation mechanism,  
    109  
Functional group trees/parameters  
  for addition reactions, 19–20  
  hierarchical tree structure for, 14–17

**G**

- GAPP program, for pyrolysis mechanism,  
  66  
Gas-phase pyrolysis processes, 51–166, *see*  
  *also under* Pyrolysis processes  
  characterization, 54  
Global dynamic optimization code  
  (GDOC) software, 41  
Graph theory, for pyrolysis mechanism, 65  
Graphical user interface (GUI), 14, 16  
GRI-Mech approach, 192–193

**H**

- H-abstraction reactions, 57–61  
Heavy gasoils, pyrolysis of, 93–95  
  model components selected, 94–95  
  *n*-d-M method (refractive index, density  
  and molecular weight), 93  
Heavy paraffinic waxes, 294–299  
  carbon atoms, hydrocracking of,  
  294–299  
  experimental results, 296–297  
  extrapolation vs. experiment  
  comparisons, 298–299  
  feeds and analysis, 296  
  single-events modelling, 295

extrapolation capacities in, 294–299  
*n*-paraffin mixtures composed of, 20–30  
Heterogeneous processes, 179–183  
Heterogeneous–homogeneous catalytic reactions, modeling of, 201–203  
light alkanes, characteristics of, 204  
on metal catalysts, 227–231  
    complications in, 227–230  
    progress in, 230  
oxide catalysts, 213–227  
    limiting selectivity ( $S_{\text{LIM}}$ ), 215–216  
    OCM window, 214  
    Polanyi–Semenov-correlation, 220  
Hierarchical tree structure, for functional group parameters, 14–17  
High-temperature  $\text{C}_1$ – $\text{C}_4$  alkane oxidation, 177–179  
Hydrocarbons  
    hydrocarbon gases processing  
     $\text{C}_1$ – $\text{C}_4$  alkane oxidation as applied to, 167–258, *see also under*  $\text{C}_1$ – $\text{C}_4$  alkane oxidation  
    structural isomers of, 265  
Hydrogen bond increments (HBI), 17

## I

Internal isomerization reactions, 62–63  
Intramolecular reactions, 23–26  
Isomerization reactions, internal, 62–63

## J

Jacobian sparse, 31

## K

Kerosene feed, pyrolysis of, 90–93  
Kinetic models, chemical  
    construction, fundamental inputs for, 12–13  
    estimations and generalizations, 13  
    for predicting reaction systems, 3  
    goal of, 5–7  
    historical applications of, 2–5  
    in petroleum process engineering, 259–304, *see also under* Petroleum process engineering  
    model-prediction-data loop, 6

of pyrolysis processes in gas and condensed phase, 51–166, *see also under* Pyrolysis processes  
predictive vs. postdictive models, 2–3  
steps involved, 6  
Krestenin mechanism, 121

## L

Langmuir–Hinshelwood expressions, 202, 282  
Large hydrocarbons, pyrolysis of, 72–90  
    aromatics, 89–90  
    branched alkanes, 74–78  
    *cyclo*-alkanes and alkenes, 78–88, *see also separate entry*  
    normal alkanes, 72–74  
Large kinetic simulations, solving, 29–38  
    sparsity, 31–32  
    using reduced chemistry models, 32–34, *see also separate entry*  
Light gasoil fractions feed, pyrolysis of, 90–93  
Lindemann approach, 213  
Liquid feeds, characterization, 90–96  
    heavy gasoils, 93–95, *see also separate entry*  
    naphtha, kerosene and light gasoil fractions, 90–93  
    PINA analysis, 92  
Liquid-phase pyrolysis, modelling, 96–100  
    Arabian residues, 97  
    aromatic carbon atoms and H/C in residues, 97  
    C–C bond cleavage, 98  
LISP programming language, for pyrolysis mechanism, 65  
Lists-of-reactions, automated construction of, 11–13  
Low-temperature  $\text{C}_1$ – $\text{C}_4$  alkane oxidation, 176–177  
Lumping approaches, in petroleum process engineering, 267  
    early lumping, 267  
    late lumping kinetic model, 279–286  
        catalytic act, 280–281  
        composition of the reaction intermediates, 281

- lumped kinetics, 282–285
  - lumped reforming network, 285
  - lumping by families in equilibrium, 284
  - lumping by families, 281–282
  - regrouped kinetics, 285
  - summing up, 285–286
  - three-phase model, 280
  - lumping coefficients, simplified equation of, 289–290
- M**
- MAMA program, 152–161
    - database structure, 157–159
    - end-product composition, evaluation, 152–155
    - for pyrolysis mechanism, 66, 73, 76, 84–88
    - kinetic generator, functionality of, 160–161
    - lumping of components, 155–157
    - molecule homomorphism algorithm, 159–160
  - Mars–van Krevelen models, 202
  - Maxwell–Boltzman distribution for gas species, 207
  - MERT (Mixing Element Radiant Tube), 125
    - CFD representation of MERT, 125
  - Method of moments, 145–147
  - Microkinetic concept, single-events, 273–275
  - Model predictions and experimental data, 38–46
    - error bars estimation, 42–46, *see also under* Error bars
    - inconsistency, proving, 39–41
    - standard operating practice, need for change in, 41–42
  - Model truncation error, 45
  - Modeling and experimentation, C<sub>1</sub>–C<sub>4</sub>
    - alkane oxidation, 231–237
    - comparison with experiment, 231–233
      - adequacy, problem of, 232
    - requirements of experiment, 233–237
      - ‘wall-less’ reactor approach, 234
      - ‘yield (or selectivity) vs. conversion’, 234
  - Molecular weight distribution (MWD), 140
  - Multidimensional simulations, reduced chemistry models in, 32–34
- N**
- Naphtha feed, pyrolysis of, 90–93
  - n*-Butane pyrolysis, 56–60
  - n*-Decane, H-abstraction reactions of, 61
  - n*-Decyl radicals
    - primary propagation reactions of, 67
      - $\beta$ -decomposition reactions, 67
      - dehydrogenation reactions, 67
      - isomerization reactions, 67
  - n*-d-M method (refractive index, density and molecular weight), 93
  - NetGen program, for pyrolysis mechanism, 65
  - n*-Hexadecane, hydrocracking of, 286–287
    - model vs. experiment comparison, 287–288
      - cracking products, 288
      - yields and C16 fraction, 287–288
  - Normal alkanes, pyrolysis of, 72–74
- O**
- Ordinary differential equation (ODE) systems, 30, 53
  - Oxidative coupling of methane (OCM), 182, 192, 202, 217–221
    - OCM window, 214
- P**
- Petroleum process engineering, kinetic methods in, 259–304
    - analytical set, 265
    - catalytic processes, 261
    - crude oil fractionation, 264
    - extension to heavy paraffins, 289–294
      - activated complex component, calculation, 290–294, *see also under* Activated complex component
      - extrapolation capacities in number of carbon atoms, 294–299, *see also under* Heavy paraffinic waxes

- extrapolation to heavy cuts, 286–299
  - estimation of kinetic parameters, 286–288
  - n*-hexadecane, hydrocracking of, 286–288
- feedstocks and effluents, analysis, 262
- hydrocarbons, structural isomers of, 265
  - paraffins and naphthalenes, composition, 266
- kinetic modelling by single-events, 269–271, *see also under* Single-events theory
- kinetics modeling, 267
  - lumping approaches, 267
- perspectives, 299–302
  - extensions, 300
- petroleum cuts, 261
- reaction networks, generation of, 271–273
  - late lumping kinetic model, 279–286, *see also under* Lumping approaches
  - n*C8 to *n*C15, computer generation of networks from, 273
  - n*-hexane cracking, elementary steps network for, 272
  - species and chemical reactions, computer representation, 273
- refining operations, 261
- PINA analysis, of liquid feeds, 92
- Planck's constant, 207
- Polanyi–Semenov equation, 184, 220
- Poly-aromatic hydrocarbons (PAH), 54
- Polymers, thermal degradation of, 136–150, *see also under* Thermal degradation
- Predictive kinetics, 1–50
  - chemical kinetic models, 2, *see also separate entry*
  - computation of reaction rates, 5
  - construction, 7–29
    - chemical reactions and properties, new data model for, 13–26, *see also separate entry*
  - computer-aided model-construction, 7–8
  - data models for chemical kinetics, 9–11, *see also separate entry*
  - documenting large simulations, challenge of, 8–9
  - reaction mechanism generator (RMG), 26–27
  - large kinetic simulations, efficiently and accurately solving, 29–38, *see also separate entry*
  - model predictions and experimental data, 38–46
  - new data model for, 13–26, *see also under* Chemical reactions and properties
  - rate parameters estimation, 4
  - technical hurdles in the 20th century, 3–5, *see also* Technical hurdles
- Pressure-dependent reactions, 210–213
- Pyrolysis mechanism, using RMG, 27–29
- Pyrolysis processes in gas and condensed phase, kinetic modelling, 51–166
  - applications, 124–150
  - automatic generation of mechanism, 64–72, *see also under* Automatic generation
  - Chemkin package, 53
  - crude distillation residues, 96
  - fouling processes, 100–124, *see also separate entry*
  - high-temperature pyrolysis, 54
  - liquid feeds, characterization, 90–96, *see also separate entry*
  - liquid-phase pyrolysis, modelling, 96–100, *see also separate entry*
  - n*-butane pyrolysis, 56
  - pyrolysis of large hydrocarbons, 72–90, *see also under* Large hydrocarbons
  - reaction classes during pyrolysis, 55
    - ethyl radical H-abstraction reactions, 59
    - H-abstraction reactions, 57
    - initiation and termination, 55–56
    - internal isomerization reactions, 62
    - propagation reactions, 55
  - steam cracking process and pyrolysis coils, 124–129

visbreaking and delayed coking  
processes, 129–136, *see also separate entry* thermal degradation of polymers, 136–150, *see also separate entry*

## Q

Quantum chemistry techniques, 5  
Quantum Rice-Ramsberger-Kassel (QRRK), 23  
Quasi-stationary chain-branched process, 190  
Quasi-steady-state approximation (QSSA), 30

## R

Rate constants, 210  
Rate parameters estimation, 4  
Reaction mechanism generator (RMG)  
program, 14, 26–27  
applications of, 27–29  
laser-initiated oxidation of neopentane, 27  
pyrolysis (steamcracking) of *n*-hexane, 27  
supercritical water oxidation of methane, 27  
Reaction rate estimation  
functional group rate estimation, difficulties with, 21–26  
chemical activation and fall-off, 22–23  
intramolecular reactions, 23–26  
paucity of reliable data, 21–22  
functional group trees for, 17–23  
for addition reactions, 19  
‘Reaction Recipe’ for radical addition to a double bond, 18  
Reduced chemistry models, 32–34  
construction, 34–38  
reaction elimination via optimization, 36–37  
with user-specified valid ranges, 37–38  
Reduction of models, in C<sub>1</sub>–C<sub>4</sub> alkane oxidation, 200–201  
importance criterion, 200  
minimization (even neglect) of chemical differences criterion, 200–201  
partial equilibrium criterion, 200

similarity criterion, 201  
utility criterion, 201  
Refining operations, in petroleum processes, 261–263  
Ruling principles for comprehensive modeling, 194–199  
independence of kinetic parameters, 197  
model fullness, 196–197  
openness of the description, 199  
parameter optimization algorithms, 195  
thermodynamic consistency, 196

## S

Single-events theory, of petroleum process  
kinetic modeling, 269–271  
bifunctional catalysis mechanisms, 270  
14/14 hydrogenations/dehydrogenations, 270  
18/18 protonations/deprotonations, 270  
acid phase, 270  
metallic phase, 270  
kinetics by single-events, 273–279  
free enthalpies of reactants and activated complexes, 276–278  
intrinsic free enthalpy and ion type, 277–278  
intrinsic free enthalpy and number of carbon atoms, 278  
separation of chemical and structural contributions, 275–276  
thermochemical restrictions and constraints, 278–279  
single-events microkinetic concept, 273–275  
Soot formation, in fouling processes, 114–124  
benzene flame, 115  
ethylene flame, 115  
formation of the first aromatic rings and aromatic growth, 116–121  
reactions involved, rate constants of, 119 PAH  
structures, growth of, 121  
soot inception and growth, 122–124  
steps involved, 114, 116

- Sparsity  
  fast solution of large systems of  
    chemistry equations using, 31–32
- SSITKA (Steady-State Isotopic Transient  
  Kinetic Analysis), 216
- Stabilized combustion, 182
- Steam cracking process and pyrolysis coils,  
  124–129  
  coil model and model validation, 126–129  
  reference compounds involved in, 127
- Stein–Rabinovitch method, 23
- Stokes–Einstein theory, 99
- Substitution matrices, for pyrolysis  
  mechanism, 65
- Substitutive addition reaction, 131
- T**
- Taylor models, 35, 37
- Technical hurdles, in chemical kinetic  
  modeling, 3–5  
  numerical problems, 3
- THERGAS software, for pyrolysis  
  mechanism, 66
- THERM program, for pyrolysis mechan-  
  ism, 66
- Thermal cracking, 124
- Thermal degradation of polymers, 136–150  
  balance equations, 144–147  
  continuously varying steady state  
    (CVSS), 144–145  
  discrete section method, 145  
  method of moments, 145–147  
  mechanism considerations, 137–144  
  initiation reactions, 137  
  propagation reactions, 138  
  termination, 139  
  model validation and comparisons with  
    experimental data, 147–150  
  polyethylene, pyrolysis of, 148  
  polypropylene, thermal decomposition  
    of, 148  
  polystyrene, pyrolysis of, 148
- PVC pyrolysis, 141–142  
  initiation reactions, 141  
  molecular reactions, 142  
  propagation reactions, 141  
  reference components in the kinetic  
    model of, 143  
  termination or radical recombination  
    reactions, 142
- Thermochemical restrictions and  
  constraints, of single-events theory,  
  278–279
- Thermodynamic consistency, 196
- Three-body processes, 211, 213
- Transfer line heat exchangers (TLE),  
  101–106, 128
- U**
- Unity Bond Index-Quadratic  
  Exponential Potential (UBI-QEP)  
  method, 203
- V**
- Visbreaking and delayed coking processes,  
  129–136  
  kinetic mechanism, 130–132  
     $\beta$ -scission, 130  
    H-abstraction, 130  
  model validation and comparisons with  
    experimental data, 133–136  
  poly-aromatic radicals, internal  
    dehydrogenation and demethylation  
    of, 132  
  poly-aromatic species, 131  
  substitutive addition reaction, 131  
  visbroken residue and pyrolysis severity,  
    stability of, 132–133
- W**
- ‘Wall-less’ reactor approach, 234
- X**
- XMG (Exxon Mobil Mechanism  
  Generation), for pyrolysis  
  mechanism, 65
- Z**
- Ziegler–Natta catalysts, 103