

# SUBJECT INDEX

**Note:** The letters 'f' and 't' following locators refer to figures and tables respectively.

- "Active" or "end-functionalized" chains, 144
- Applications of mesoscale field-based models
  - interaction of two grafted monolayers by attractive chains
    - creation of stable dispersion, aim, 155
    - stable *vs.* unstable dispersion of tethered chains, 156f
  - interaction of two grafted monolayers by end-functionalized chains
    - analysis of density profiles at different gallery heights, 158–159, 160f
    - calculated free energy profiles, SCFT approaches, 157–158, 157f
    - calculated nanocomposite phase diagram, 160f
    - Flory–Huggins interaction parameters used, 156t
    - practical implications of the model, 161
    - predictions of the "compressible model," 161
  - interaction of two grafted monolayers with different segment sizes, 154, 155f
  - interaction of two grafted monolayers with equal segment sizes
    - density profiles of grafted/free polymers at separations, 148, 149f
    - interpenetration of grafted monolayers/free polymer, 148
    - SCFT/iSAFT calculations, comparison, 148–154, 150f–153f
  - of micro- and nanostructured materials, 132–133
  - structure of grafted polymer monolayers in a polymer melt, 147–148
    - comparison of density profiles, cases, 147f
- Bioengineering, 76
- Branched polymers
  - gelation, 174–175
    - calculation of cyclic rank of polymer network (Flory theory), 175
  - gel point, 175
  - mathematical modeling of branched polymerization, objectives, 175
  - stochastic branching process, 173–174
    - Galton–Watson process, 174
  - Gordonian polymers, algorithm for, 174
  - tree/molecular forest, molecular graph representation, 174
- Canonical-ensemble statistical mechanics, 88
- CG-MC. *See* Coarse-grained Monte Carlo (CG-MC)
- CG-MD. *See* Coarse-grained molecular dynamics (CG-MD)
- Chapman–Enskog method, 122
- Chemical correlators, 172–173
- Chemical equilibrium, 90
- Chemical modification of polymers
  - PAR outlined theory for good/poor solvent, 187–188
- PARs, example
  - esterification of polymethacrylic acid, 186
  - neighboring-group (NG) model, 187
  - saponification of polyvinyl acetate, 186

- Classical equilibrium thermodynamics, 2, 6, 8, 78–79, 81, 88, 106, 116–117
- Clausius inequality, 4
- Coal burning, interrelated processes  
   burning of coke, 63–64  
   burning of volatiles, 63  
   coal pyrolysis, 63
- Coal pyrolysis, 63
- Coarse-grained molecular dynamics (CG-MD), 134
- Coarse-grained Monte Carlo (CG-MC), 134
- “Coarse-graining” process, 110
- Coke burning, 63–64
- Complex fluids, 76, 95, 110–111, 127
- Contact geometry, 76–78, 80, 120
- Continuous stirred tank reactor (CSTR), 190
- Conventional free-radical copolymerization  
   copolymerization of some monomers, anomalies in, 185–186  
   mathematical modeling, considerations, 186  
   quantitative theory of copolymerization  
     short-range effects, types of kinetic models, 185
- Convex programming (CP), 19
- CSTR. *See* Continuous stirred tank reactor (CSTR)
- Denbigh, 190–191
- Density functional theory (DFT), 134
- DFT. *See* Density functional theory (DFT), 134
- Dissipative macroscopic systems,  
   equilibrium thermodynamic modeling of  
   analysis of equilibrium models (Euler and Lagrange), 3
- MEIS  
   geometrical interpretations, 33–38  
   of spatially inhomogeneous systems, 26–28  
   with variable flows, 20–26  
   with variable parameters, 17–20  
   variants of kinetic constraints  
     formalization, 29–33
- MEIS application, examples of  
   formation of nitrogen oxides during  
     coal combustion, 54–64  
   isomerization, 50–54
- stationary flow distribution in  
   hydraulic circuits, 64–66
- MEIS *vs.* models of nonequilibrium thermodynamics  
   areas of computational efficiency, 46–50  
   areas of effective applications, 39–46  
   “Model Engineering” (Gorban), 5  
   reversible and irreversible processes (Galileo), 3–4  
   substantiation for irreversible processes  
     equilibrium and reversibility, interpretations, 8–11  
     equilibrium approximations, 16–17  
     experience of classics, 5–8  
     nonequilibrium thermodynamics, equilibrium interpretations of, 12–16  
   thermodynamics, emergence of  
     principle of entropy (second law of thermodynamics), 3  
   thermodynamics of nonconservative systems, problems of  
     analysis and development of MEISs, 70  
     analysis of computational problems in MEIS application, 70–71  
     reduction of models of irreversible motion to models of rest, 69–70  
     solution of specific theoretical/applied problems on MEIS, 71
- Dissipative particle dynamics (DPD), 134
- Distribution of the residence time (DRT), 191, 197
- DPD. *See* Dissipative particle dynamics (DPD)
- DRT. *See* Distribution of the residence time (DRT)
- Equations of motion, 6
- Equilibrium models, analysis of (Euler and Lagrange), 3
- Equilibrium states, 91
- Euler–Lagrange equations, 137
- Extended Flory principle, 176–177, 184
- Fenimore mechanism, 55–56
- “Field-based” mesoscale theories. *See* Density functional theory (DFT)

- Flory–Huggins interaction parameters, 156t
- Flory principle, 176, 180, 184
- Fluid mechanics, 105–113, 117–118, 122–127
- “Free” or “matrix” homopolymer chains, 144
- Fuel nitrogen oxides, formation of, 54–55
  
- Galileo, 3
- Galton–Watson branching process, 174
- Gel, 175
- Gelation, 174–175
- Gel point, 175, 183
- Gibbs paradox, 77
- Gibbs phase rule, 16, 19, 47, 67
- Gordonian polymers, 174–175, 178, 180, 183
- Grafted polymer monolayers
  - interaction by attractive chains
    - creation of stable dispersion, aim, 155
    - stable *vs.* unstable dispersion of
      - tethered chains, 156f
  - interaction by end-functionalized chains
    - analysis of density profiles at different gallery heights, 158–159, 160f
    - calculated free energy profiles, SCFT approaches, 157–158, 157f
    - calculated nanocomposite phase diagram, 160f
    - Flory–Huggins interaction parameters used, 156t
    - practical implications of the model, 161
    - predictions of the “compressible model,” 161
  - interaction of, with different segment sizes, 154, 155f
  - interaction of, with equal segment sizes
    - density profiles of grafted/free polymers at separations, 148, 149f
  - interpenetration of grafted monolayers/free polymer, 148
  - SCFT/iSAFT calculations, comparison, 148–154, 150f–153f
  - structure in a polymer melt, 147–148
    - comparison of density profiles, cases, 147f
  
- Henry law, 16
- H-theorem, 3, 6
- Hydraulic circuit theory, 24
- Hydrodynamic fields, 106
  
- Hydrodynamic stirring effects on properties of polymers
  - effect on composition inhomogeneity, 195–196
  - general considerations
    - advantages of continuous commercial processes over batch processes, 190
    - control of inhomogeneity of polymer, factors, 190
    - conventional radical polymerization systems, 191
    - degree of hydrodynamic stirring in PFR/CSTR, 190
    - living anionic polymerization systems, 191
    - statistical characteristics of a polymer, hierarchy, 189
  - microsegregation, 197
  - polycondensation, 194–195
  - polymer-analogous reactions, 196–197
  - radical polymerization, 191–194
  
- Ideal kinetic model, 175–176
- Irreversible processes, equilibrium thermodynamic modeling of
  - equilibrium and reversibility, interpretations, 8–11
    - Boltzmann trajectories of motion, 9
    - dynamics of a system with periodic agitation (Gorban), 10, 10f
  - equilibrium approximations, 11
  - equilibrium, main feature in mechanics, 8–9
  - “far from equilibrium,” meaning (Gorban), 11
- equilibrium approximations, 16–17
  - “damnation of dimension,” 17
- experience of classics, 5–8
  - classical equilibrium thermodynamics, computational tool used, 8
- equilibrium and reversibility, analysis of interrelations, 6
- equilibrium trajectories study and mathematical relations (Gibbs), 6–7
- law of Fick, 8
- partial equilibria notion, irreversible process of light diffusion, 8

- Irreversible processes, equilibrium thermodynamic modeling of (*Continued*)
  - principle of entropy increase (Boltzmann), 6
  - theory of electric circuits (Kirchhoff), 7
- nonequilibrium thermodynamics, equilibrium interpretations of, 12–16
  - equilibrium interpretation of Prigogine theorem, situations (entropy equations), 12–14
- Onsager reciprocal relations, 14–16
- ISAF model
  - classical DFT, tool
    - application in modeling interfacial properties of LJ fluid, 135–136
  - Helmholtz free energy as function of density distribution, basis, 136
  - prediction of microscopic structure/thermodynamics/phase behavior, 135
- extension to grafted polymer chains, 140–141
- homogeneous systems
  - PRISM, application, 136
  - Wertheim's TPT1, development of SAFT equation, 136
- modeling of polyatomic molecules
  - application in heterogeneous polymer systems, features, 140
  - density profile, expression, 139
  - ideal gas free energy functional, 138
  - linear polymer chain formation of  $m$  segments from  $m$  associating spheres, 137–140, 138f
  - open system in canonical ensemble, free energy computation, 137–140
- quantum DFT, 135
- Isolated systems, study of (Gorban), 10, 10f
- Kinetic block of model, thermodynamic approaches
  - constraint on process rate determined only by one reaction, 31–32
- thermodynamic analysis of kinetic equations
  - constraints used, 30–31
- unity of thermodynamics and kinetics
  - constraints used, 29–30
- Kinetic models of macromolecular reactions
  - ideal kinetic model
    - Flory principle, assumptions, 176
    - process of radical polymerization, 175–176
  - models allowing for the deviations from ideality
    - extended Flory principle, 176–177
    - polymer nature of reagents, long-range effects, 177
    - substitution effects, short-range effects, 176
- "Kink" mechanism, 161
- Kirchhoff theorem of minimum heat production, 23
- "Labeling-erasing" procedure, 181, 184, 185
- Lagrange equilibrium equation, 6
- Law of Fick, 8
- Least action principle (PLA), 7, 16
- Le Chatelier–Brown principle, 16
- Legendre transformation, 76, 78–81, 83–85, 89, 92
- Lennard–Jones (LJ) fluid, 136
- "Living" radical polymerization (LRP), 193–194
- LJ fluid. *See* Lennard–Jones (LJ) fluid
- LRP. *See* "Living" radical polymerization (LRP)
- Mass action laws, 16, 77, 99, 101, 175
- Maximum entropy principle, 76, 81
- 'Mechanics,' 8
- Mechanisms of NO formation, 54–56
- MEIS. *See* Model of extreme intermediate states (MEIS)
- MEIS application, examples of
  - formation of nitrogen oxides during coal combustion
    - advantages of MEIS-based modeling, 64
    - coal burning, interrelated processes (kinetic models), 63–64
  - formulation of inequality by kinetic equations, 59
  - fuel nitrogen oxides, formation of, 54–55
  - kinetic constraints formulations in slow/fast subsystem, 57

- NO formation from dinitrogen oxide, 56
- prompt nitrogen oxides, formation of (Fenimore mechanism), 55–56
- rate of nitrogen oxide formation, equation, 58
- theoretical/experimental NO emissions at coal combustion, calculations, 61–62, 62f
- thermal nitrogen oxides, formation of (Zeldovich mechanism), 55
- isomerization, 50–54
  - computational methods/accuracy, 52–54
  - constraint used, 50–51
  - graphical interpretation of isomerization process, 51f
  - interpretation of studied problem, advantage, 52
  - kinetic equations for isomerization process, curves of, 53f
  - “physico-economic” self-organization problem, analysis, 52
  - study of multistage processes, difficulties, 53
- stationary flow distribution in hydraulic circuits, 64–66
  - final equilibrium model, form, 65
  - isothermal flow of incompressible fluid in three-loop circuit, example, 64–66
  - Prigogine theorem, application, 66
  - results of flow distribution calculation, 66t
  - scheme of the hydraulic circuit, 65f
- MEISs isomerization, 50–54
- MEIS *vs.* models of nonequilibrium thermodynamics
  - areas of computational efficiency, 46–50
  - areas of effective applications, 39–46
- Mesoscale approaches, 134
- Mesoscale field-based models, applications in polymer melts
  - applications
    - interaction of two grafted monolayers in presence of attractive chains, 154–155
  - interaction of two grafted monolayers in presence of end-functionalized chains, 156–161
  - interaction of two grafted monolayers with different segment sizes, 154
  - interaction of two grafted monolayers with equal segment sizes, 148–154
  - of micro- and nanostructured materials, 132–133
  - structure of grafted polymer monolayers in a polymer melt, 147–148
- modeling of polymeric systems
  - mesoscale approaches, 134
  - problems, 133
  - short-range structure, role in applications, 133
- theory
  - extension of iSAFT model to grafted polymer chains, 140–141
  - iSAFT model, 135–140
  - self-consistent field theory, 141–146
- Microcanonical-ensemble statistical mechanics, 88
- Microsegregation, 197
- “Model Engineering,” 5, 29, 39, 40, 68, 70
- Model of extreme intermediate states (MEIS), 2
  - geometrical interpretations, 33–38, 35f
    - hexane isomerization reaction, analysis, 36f, 37
  - idea of tree in formalization of macroscopic kinetic constraints, 38
  - notion of thermodynamic tree (Gorban), 36–38, 36f
  - polyhedron of material balance, 34, 36f
  - use of tree notion in constructing algorithms, 38
- of spatially inhomogeneous systems, 26–28
  - equations, 26–28
  - graph of spatially inhomogeneous system, 27f
  - indication of harmful substance distribution in vertical air column, 28
  - macroscopic kinetics constraints
    - inclusion, difficulties, 28
  - material balances in model, 28
  - parametric and flow MEIS features, 28
- with variable flows, 20–26
  - construction of flow models of hydraulic systems, 24–26

- Model of extreme intermediate states (MEIS)  
 (*Continued*)  
 "equilibrium" derivation, hydraulic  
   circuit theory, 24  
 flow modifications, groups, 20  
 interpretation of flows as coordinates of  
   states, 20  
 nonstationary flow distribution,  
   equations, 23–24  
 stationary flow distribution in closed  
   circuit, equations, 20–22  
 thermodynamic model of passive  
   circuit, 22–23  
 with variable parameters, 17–20  
   convex programming (CP), 19  
   list of stages in model, need for  
     indication, 19  
   model equations, assumptions, 18–19  
 variants of kinetic constraints  
   formalization, 29–33  
   Boltzmann assumption, basis, 29  
   kinetic block of model, thermodynamic  
     approaches, 29–32  
   MEIS modifications, difficulties, 32–33  
   "Model Engineering," 29  
   optimal description of constraints on  
     macroscopic kinetics, issues, 33
- Monads, 184
- Multiscale equilibrium thermodynamics  
 classical equilibrium thermodynamics,  
   78–79  
 mesoscopic equilibrium thermodynamics  
   contact geometry, applications, 80–81  
   example: equilibrium kinetic theory  
     (ideal gas), 81–84  
   example: equilibrium kinetic theory  
     (van der Waals gas), 84–86  
   example: Gibbs equilibrium statistical  
     mechanics, 86–89  
   example: multicomponent isothermal  
     systems, 89–91  
   example: multicomponent  
     nonisothermal systems, 91  
   fundamental thermodynamic relation,  
     79–80  
   Gibbs and Gibbs–Legendre manifolds,  
     81, 82f
- Multiscale nonequilibrium thermodynamics  
 combination of scales  
   example: direct molecular simulations,  
     111–116  
 single scale realizations  
   example: a simple illustration, 96–98  
   example: chemically reacting  
     isothermal systems, 98–101  
   example: complex fluids, 110–111  
   example: fluid mechanics, 105–109  
   example: kinetic theory of chemically  
     reacting systems, 101–105  
   example: particle dynamics, 109–110
- Multiscale thermodynamics in chemical  
 engineering  
 Gibbs formulation of classical  
   thermodynamics, 76  
 macroscopic/microstructure behavior of  
   multicomponent systems, 76–77  
 multiscale equilibrium thermodynamics  
   classical equilibrium thermodynamics,  
     78–79  
   mesoscopic equilibrium  
     thermodynamics, 79–91  
 multiscale nonequilibrium  
   thermodynamics  
     combination of scales, 111–116  
     single scale realizations, 95–111  
 multiscale nonequilibrium  
   thermodynamics of driven systems  
     example: a simple illustration, 120–122  
     example: Chapman–Enskog reduction  
       of kinetic theory to fluid mechanics,  
       122–127
- Nano-engineering, 76
- Neighboring-group (NG) model, 187
- Nonconservative systems, 6, 9, 66, 69–71
- Nonequilibrium thermodynamics, 4
- Nonideal kinetic models, 180, 183
- Opalescence phenomenon, 8
- PARs. *See* Polymer-analogous reactions  
 (PARs)
- "Particle-based" mesoscale simulations. *See*  
 Dissipative particle dynamics (DPD)
- Paul Flory, 167, 178

- PFR. *See* Plug flow reactor (PFR)
- PLA. *See* Least action principle (PLA)
- Plug flow reactor (PFR), 190
- Polycondensation, 182–184, 194–195
- choice of ideal kinetic model, 182–183
  - cross-linking of reactive oligomers, 182–183
  - extension of “substitution effect,” 184
- Gordonian polymers (branching process)
- “labeling-erasing” procedure, 183–184
  - monads, kinetically independent elements, 184
- nonideal kinetic models, 183
- statistical description of sol/gel molecules, 183
- Polymer adsorption, 132
- Polymer-analogous reactions (PARs), 186, 196–197
- Polymer–clay nanocomposites, 134
- dispersion in clay platelets, stabilization of, 135
  - equilibrium morphology of, 135
  - synthesis of, 134–135
- Polymer properties, hydrodynamic stirring
- effects on
  - effect on composition inhomogeneity, 195–196
  - general considerations
    - advantages of continuous commercial processes over batch processes, 190
    - control of inhomogeneity of polymer, factors, 190
    - conventional radical polymerization systems, 191
    - degree of hydrodynamic stirring in PFR/CSTR, 190
    - living anionic polymerization systems, 191
    - statistical characteristics of a polymer, hierarchy, 189  - microsegregation, 197
  - polycondensation, 194–195
  - polymer-analogous reactions, 196–197
  - radical polymerization, 191–194
- Polymer reference interaction site model (PRISM), 136
- Polymers, chemical modification of
- PAR outlined theory for good/poor solvent, 187–188
  - PARs, example
    - esterification of polymethacrylic acid, 186
    - neighboring-group (NG) model, 187
    - saponification of polyvinyl acetate, 186
- Polymers, kinetic modeling of
- choice of model, considerations, 166–167
  - chemical modification of polymers, 167
  - polydispersity of products for synthesis, 167
- description of polymers, peculiarities
- chemical correlators, 172–173
  - microstructure parameters, 171–172
  - quantitative description of macromolecules, problems, 168–169
  - statistical approach, 169–171
- general theoretical results
- chemical modification of polymers, 186–188
  - conventional free-radical copolymerization, 184–186
  - polycondensation, 182–184
- hydrodynamic stirring effects on
- properties of polymers
  - effect of stirring on composition inhomogeneity, 195–196
  - microsegregation, 197
  - polycondensation, 194–195
  - polymer-analogous reactions, 196–197
  - radical polymerization, 191–194
- kinetic models of macromolecular reactions
- ideal kinetic model, 175–176
  - models allowing for the deviations from ideality, 176–177
- methods of calculations
- extension of statistical and kinetic methods, 180–182
  - kinetic method, 179–180
  - statistical method, 178–179
- specificity of branched polymers
- gelation, 174–175
  - stochastic branching process, 173–174
- Polymers, peculiar features in
- chemical correlators, 172–173
  - microstructure parameters, 171–172
  - statistical approach

- Polymers, peculiar features in (*Continued*)  
 isomerisms, types, 171  
 Markovian copolymers, features, 170  
 mathematical modeling for non-Markovian copolymers, 170  
 microstructure of copolymer molecules, characteristics of second group, 171  
 SCD function, characteristics of first group, 170
- Principle of entropy, 3, 6
- Principle of the least energy dissipation (Rayleigh), 7
- Principles of statistical chemistry applied to kinetic modeling of polymers  
 choice of model, considerations, 166–167  
 chemical modification of polymers, 167  
 polydispersity of products for synthesis, 167
- description of polymers, peculiarities  
 chemical correlators, 172–173  
 microstructure parameters, 171–172  
 quantitative description of macromolecules, problems, 168–169  
 statistical approach, 169–171
- general theoretical results  
 chemical modification of polymers, 186–188  
 conventional free-radical copolymerization, 184–186  
 polycondensation, 182–184
- hydrodynamic stirring effects on properties of polymers  
 effect of stirring on composition inhomogeneity, 195–196  
 microsegregation, 197  
 polycondensation, 194–195  
 polymer-analogous reactions, 196–197  
 radical polymerization, 191–194
- kinetic models of macromolecular reactions  
 ideal kinetic model, 175–176  
 models, allowing for the deviation from ideality, 176
- methods of calculations  
 extension of statistical and kinetic methods, 180–182  
 kinetic method, 179–180  
 statistical method, 178–179
- specificity of branched polymers  
 gelation, 174–175  
 stochastic branching process, 173–174
- PRISM. *See* Polymer reference interaction site model (PRISM)
- Prompt nitrogen oxides, formation of, 55–56
- Quantum theory of radiation (Beiträge), 16
- Quasiparticles/"ghost" particles, 116
- Radiation thermodynamics, 7–8
- Radical polymerization, 175–176, 191–194
- The Raoult law, 16
- SCD. *See* Size–composition distribution (SCD)
- SCFT. *See* Self-consistent field theory (SCFT)
- Self-consistent field theory (SCFT), 134, 141–146  
 applications, 141  
 de Gennes–Edwards description of polymer molecule, 141  
 exfoliated/intercalated/immiscible morphologies, theories, 142  
 lattice model, schematic depiction, 143f  
 free/active/grafted chain polymers, evaluation of propagators, 144–145  
 free energy/density profile, expressions, 143–145  
 nanocomposite phase diagrams, generation, 142
- Single scale realizations in multiscale nonequilibrium thermodynamics  
 example: a simple illustration, 96–98  
 example: chemically reacting isothermal systems, 98–101  
 example: complex fluids, 110–111  
 example: fluid mechanics, 105–109  
 example: kinetic theory of chemically reacting systems, 101–105  
 exchange-of-identity collisions, 105  
 inelastic collisions, 105  
 multicomponent systems with binary chemical reactions, 105  
 spatially nonlocal collisions, 105



- example: particle dynamics, 109–110
- Size–composition distribution (SCD), 170
- Spatially inhomogeneous systems, 17, 26–28, 67, 70, 71
- Stoichiometric coefficients, 90
- Synergetics, 4, 12, 39, 46, 66, 67, 69
- Theory of dynamic systems, 4, 12, 39, 67, 69, 167
- Theory of electric circuits (Kirchhoff), 7
- Thermal nitrogen oxides, formation of, 55
- Thermodynamic Lyapunov functions, 3
- Thermodynamic perturbation theory (TPT1), 136
- ‘Thermodynamics,’ 3
- TPT1. *See* Thermodynamic perturbation theory (TPT1)
- WAXS. *See* Wide-angle X-ray scattering (WAXS)
- Wertheim’s thermodynamic perturbation theory, 136
- Wide-angle X-ray scattering (WAXS), 142
- Zeldovich mechanism, 55