

INDEX

A

Absorption, 97–100
 Acid coagulation, 165, 166
 Acid-curd cheese, 178–193
 Acid gel formation, 182–188
 Acidification, 166, 174–177, 258
 Adsorption, 99, 100
 Aflatoxin, 286–287
 Africa
 cheese, 167
 IM meat, 79–80, 89
 Air drying, IM meat, 102, 144
 Albacore, 339
 Americas
 cheese, 167
 IM meat, 80–83
 Amines, biogenic, *see* Biogenic amines
 Amino acids, *see also* Biogenic amines
 cheese, 227, 231–234
 fish, 336–346
 IM meat, 136–137
 Amorphous food, 117
 Anchovy, 340
 Apparent viscosity, 5–6, 25, 274
 Appellation d'Origine Contrôlée, 236
 Aroma, *see also* Flavor
 cheese, 206, 237
 IM meat, 131, 132
 Asia
 fish, 345–346
 IM meat, *see* China; Indonesia; Malaysia
 Astringency, cheese, 240–241
 a_w , *see* Water activity

B

Bacteria, *see also* Contamination;
 Fermentation; Microbial control;
 Ripening
 histamine-forming bacteria, 331–336

lactic acid bacteria, 164–165, 174–175
 peptidases, 215, 216–218
 proteolysis, 211
 nonstarter lactic acid bacteria, 198, 199,
 211, 219–220, 230
 future research, 295
 quality, 250–251
 temperature, 256–257
 starter bacteria, 196, 201, 203, 215–225,
 250
 modified, 258–259
 Bande, 80
 Basturma, 74–75
 Beef, 75, 80, 81–82, 83
 Biaxial extension, 16–17, 58, 59
 Biltong, 79–80, 89, 124
 Bingham plastic behavior, 6
 Biogenic amines, cheese, 290–292
 Biogenic amines, fish and shellfish,
 329–365; *see also* names of amines;
 names of fish
 amine detoxification, 330–331
 amine formation, nonvolatile, 330
 amine occurrence, 336–346
 finfish, 336–344
 seafood products, 346
 shellfish, 344–345
 analytical techniques, 353–358
 chromatography, 336, 339, 340, 341,
 353–356
 electrophoresis, 357–358
 enzymic tests, 356–357
 background information, 330
 decarboxylase-forming bacteria, 331–336
 definition, 330
 ecosystem, 336
 flavor, 349
 freshness indicator, 348–351

Biogenic amines, fish and shellfish

(continued)

limits, 351–352

quality control, 351–352

quality index, 350

scombrototoxicosis, 337, 346–348

Biopolymeric material, 48–53

Bird-Carreau model, 37–39, 49–52, 54

Bitterness

cheese, 239–240

fish, 349

Blue cheese

contamination, 288

flavor, 206, 208

lipolysis, 201, 205, 206–207, 208

peptides, 231

proteinases, 223, 224

proteolysis, 226

salting, 177

texture, 254

ultrafiltration, 194

Bologna, 81–82

Boltzmann superposition principle, 10–12

Bound moisture, 98

Brazil, IM meat, 82

Brick cheese, 287

Brie cheese, 199, 200, 224, 288

Browning, 128–129, 132, 134, 135, 141, 275

Buffering capacity, 175–176

C

Cadaverine

cheese, 234

fish, 337–345, 349–356, 358

Calcium sequestration, 263–265, 270

Camembert cheese

contamination, 287, 288

lactate, 198, 199, 200

proteinases, 224

ripening, 255

texture, 254

ultrafiltration, 194

Capicola, 79

Capillary, IM meat drying, 104

Capillary tube geometry, 24–26

Carbohydrate nutrition, 278

Caries, 283–285

Case hardening, 109

Casein, 165, 169–173, 175–176

fresh acid-curd cheese, 178, 182–184

hydration, 270

para-, 264, 265–267

proteolysis, 212–214, 219–230

Casson model, 34, 46

Cathepsin D, 214–215

Cecina, 82–83

Cervelat, 78

Charqui, 82

Cheddar cheese

amino acids, 231

citrate, 201

contamination, 289

dental caries, 285

flavor, 209, 235, 241–245

lactate, 198, 199

lipolysis, 201, 205, 208, 209

NSLAB, 211, 219–220

peptides, 226, 227, 237

quality, 250–251, 252

ripening, 255, 256

salting, 177, 178

texture, 176, 254

ultrafiltration, 194

volatile compounds, 238

Cheese, 163–328; *see also names of cheeses*

acid gel formation, 182–188

acidification, 166, 174–177, 258

analytical techniques

chromatography, 210, 237–238,

243–247, 354–355

electrophoresis, 210, 226, 230–231,

242–243

mass spectrometry, 227, 231, 238

background material, 164–168

consumption, 166, 179

history, 164–165

manufacturing, 166, 168

production, 165–166, 260

composition, 180

flavor, 232, 233, 235–254

analytical methods, 236–254

astringency, 240–241

bitterness, 239–240

defects, 236, 239–242

development, 166, 168, 169

emulsifying salts, 272

fatty acid catabolism, 206, 208–209

fruitiness, 241

- quality factors, 246–254
- varietal comparisons, 242–246
- future research, 293–296
- grading scheme, 252, 295–296
- image, 292–293
- milk constituents, 168–169
- milk conversion to curd, 164–165, 166, 169–195
 - fresh acid-curd varieties, 178–193
 - rennet addition, 188
 - rennet coagulation, 169–178, 249–250
 - ultrafiltration, 193–195
- nonvolatile compounds, 236–237
- nutrition, 277–283
 - carbohydrate, 278
 - fat and cholesterol, 278–280
 - minerals, 280, 282–283
 - protein, 277
 - vitamins, 280–281
- pH
 - milk conversion, 165, 172, 175–176, 178, 182–183
 - processed cheese, 265, 270, 276
 - quality, 251–252
 - texture, 254
- processed products, 259–277
 - blend ingredients, 272–276
 - classification, 261
 - cooling, 266–267
 - emulsifying salts, 263, 267–272
 - manufacturing, 262–266
 - structure formation, 266–267
 - texture, 272–277
- quality attributes, 184–193; *see also*
 - Cheese, flavor; Cheese, texture
- gelation, 186–188, 191–193
- rheology, 186
- sensory characteristics, 186
- syneresis, 174, 185–186, 190–191
- quality factors, 246–254
- ripening, 166, 178, 195–234
 - accelerated, 255–259
 - agents, 196–197, 210–211
 - amino acids, 227, 231–234
 - assessment, 209–210
 - characterization, 226–232
 - citrate metabolism, 200–201
 - contamination, 286–288
 - glycolysis, 196, 198–201, 255
 - lactose metabolism, 174–177, 198–200
 - lipolysis, 201–209, 255
 - proteinases, 211–225, 257–258
 - proteolysis, 176–177, 209–234, 236, 255
 - temperature, 253–254, 256–257
 - varietal comparisons, 242–246
- safety, 283–292
 - additives, 283
 - biogenic amines, 290–292
 - dental caries, 283–285
 - mycotoxins, 285–290
- salting, 166, 177–178
- slurries, 259
- technology, 166, 168
 - ultrafiltration, 193–195
- texture, 168, 169, 254–255
 - flavor perception, 236
 - milk-curd conversion, 176
 - processed products, 272–277
 - processing factors, 188–190
- volatile compounds, 237–239, 244–246
- Cheese base, 274
- Cheshire cheese, 176, 254
- Chicken, 75
- China, IM meat
 - production problems, 90
 - traditional methods, 75–77, 119, 123–124
- Cholesterol, 278–280
- Chopped meat, 94
- Chorizos, 110
- Chromatography
 - cheese, 210, 237–238, 243–247, 354–355
 - fish, 336, 339, 340, 341, 353–356
 - meat, 354
- Chymosin, 170–172, 177, 211–213, 249–250
- Citrate, 200–201, 267–269
- Coagulation, 165, 166
 - future research, 293–294
 - rennet action, 169–178, 197, 249–250, 293
- Coefficient, stress, 13, 23
- Coefficient of viscosity, 4–5
- Color, IM meat, 127–130
- Complex viscosity, 23
- Compliance, creep test, 20
- Compressive stress, 7–8
- Concentrated solution/melt theory, 37–41
- Concentration, kinetic modeling, 141
- Concentric cylinder geometry, 31–33
- Cone-plate geometry, 27–28
- Consistency index, 6, 56
- Constitutive models, rheology, 33–44, 62

- Contamination
 biogenic amines, 290–292, 330–358
 casein precipitation, 184
 control, 119–121
 mycotoxins, 285–290
 pet food production, 85
 process improvement, 89–90
 quality factor, 248–249
 sources, 164
 synergistic stabilization, 149
 traditional production, 75, 77, 78, 80, 82
- Cost
 drying, 102
 energy, 143–147
 refrigeration, 74
- Cottage cheese, 178, 201
 contamination, 292
 sludge formation, 184
 syneresis, 190, 191
- Couette cylinder geometry, 31
- Crab, 350, 351
- Cream cheese, 187, 190, 193
- Creaming action, 273, 276–277
- Creep test, 20, 43, 56–57
- Critical control point, 151
- Critical moisture content, 105–106
- Cross equation, 34, 46
- Crustaceans, 345
- Crystallization, 117–118, 135
- Cubed meat, 75
- Curd, 169–195
 buffering capacity, 175–176
 fresh acid-curd varieties, 178–193
 rennet coagulation, 169–178
 rennet inactivation, 197
 syneresis, 174
 ultrafiltration, 193–195
- Curing, meat, *see* Dehydration control, IM meat
- Cylinder geometry, rheology, 31–33
- D**
- Danish blue cheese, 201
- Darcy's law, 185
- Decarboxylase, 331–336
- Decarboxylation
 cheese, 232
 fish, 330, 331, 336
- Defect, flavor, 236, 239–242
- Deformation, 3–4; *see also* Rheology,
 semiliquid foods
- Dehydration, cheese manufacturing, 166
- Dehydration control, IM meat, 71–161; *see also names of meats*
 absorption, 97–100
 bound and unbound water, 97–98
 protein denaturation, 100
 sorption phenomena, 99–100
 vapor pressure, 98
 background information, 73–74
 dryer selection, 146–147
 drying equipment, 145–146, 150–151
 energy costs, 143–147
 hazard analysis and critical control point, 151
 mechanisms, 100–114
 cooking, raw meat, 107–108
 drying rate curves, 102–105
 fermentation, 95, 108–110, 118–119, 148–149
 moisture removal, 100–102
 osmosis, 110–113
 physical changes, 105–107
 muscle-meat conversion, 90–97
 chopping or grinding, 94
 drying rate curves, 102–105
 freezing, 93, 148
 heating, 95–96
 morphological changes, 113–114
 myofibers, 92, 94–95, 96
 osmotic treatment, 96–97, 101, 149–150
 prerigor processing, 93–94, 147–148
 rigor mortis, 91–93
 storage, 93
 tumbling, 103
 pet food production, 83–85, 118, 126
 predrying treatment, 94–97, 102–105
 preservation, 85–88, 93, 118–119
 process optimization, 138–143
 production problems, 88–90
 quality attributes, 114–138
 aroma and flavor, 110, 118, 119, 122, 130–136
 color, 127–130
 microbial control, 119–124
 nonheated versus heated meats, 121–124
 nonthermodynamic factors, 116–118
 nutritive value, 136–138
 oxidation control, 133–136
 oxygen effects, 121
 pH effects, 121, 123, 124, 126, 148

- precooking, 126, 130
 - product acceptability, 118–119
 - temperature effects, 119–121
 - texture, 124–126
 - water activity, 73, 87, 100, 119–127, 139–142
 - definition, 98
 - energy costs, 143
 - equilibrium, 115–116
 - microbial control, 119, 120–124
 - process optimization, 139–142
 - research needs, 147–151
 - traditional production, 74–83, 145–146
 - Africa, 79–80, 89
 - China, 75–77, 90, 119, 123–124
 - contamination, 75, 77, 78, 80, 82, 89
 - Europe, 77–79, 118
 - Indonesia, 75, 89, 119, 136
 - Latin America, 82–83
 - Malaysia, 75, 89
 - North America, 80–82
 - Turkey, 74–75
 - Dehydration profile, 106
 - Denaturation, protein, 100
 - Dending, 75, 89, 119
 - Dental caries, 283–285
 - Detoxification, histamine, 330–331
 - Diffusion, Fickian, 140
 - Diffusion coefficient, 132, 135, 142
 - Dilatant behavior, 5, 6
 - Dilute solution molecular theory, 35–37
 - Doi-Edwards model, 39–41, 52–53
 - Dolphin, 337
 - Dough, 53–55, 58–59
 - Dried pork floss, 76
 - Dry heat, 120
 - Drying, 101–102; *see also* Dehydration
 - control, IM meat
 - convective heating, 113–114
 - energy costs, 146–147
 - process optimization, 140–143
 - rate data, 102–105
 - research needs, 150–151
 - theories, 106
 - Dynamic viscosity, 4–5
- E**
- Edam cheese, 243, 245
 - Eh hurdle, 122–123
 - Elasticity, 7–8, 9–12
 - Elastic modulus, 7
 - Electrical stunning, 125
 - Electrophoresis
 - cheese, 210, 226, 230–231, 242–243
 - fish, 357–358
 - Emmental cheese, 177, 200, 254
 - Emulsification, 265–266
 - Emulsifying salts, 263, 267–272
 - Emulsion, rheology, 55–58
 - Endomysial network, 91–92
 - Energy cost, IM meat production, 143–147
 - Engineering property, rheology, 44–61
 - Entanglement, rheology, 48–53
 - Enzyme, *see also* Proteolysis
 - cheese curd, 176–177
 - cheese ripening, 211–225, 257–258
 - future research, 293
 - milk quality, 249
 - Enzymic test, 356–357
 - Equilibrium, water activity, 115–116
 - Error sources, rheological instrumentation, 26, 28, 33
 - Esterase, 203–205
 - Europe
 - cheese production, 166, 167, 193
 - traditional IM meat, 77–79, 118
 - Evaporation, 101, 107, 117
 - Experimental methods, rheology, 12–23
 - Extensional flow, 14–17, 58–59
 - Extensional viscosity, 16, 17
- F**
- Fat, nutrition, 278–280
 - Fatty acid, 203, 205–209
 - Fermentation, 95; *see also* Cheese; Salami; Sausage
 - dehydration mechanisms, 108–110
 - dehydration quality attributes, 118–119
 - milk-based foods, 164–165, 174–175
 - research needs, 148–149
 - sardines, 346
 - Feta cheese, 177, 193–194
 - FFA, *see* Free fatty acid
 - Fickian diffusion, 140
 - Finfish, amine occurrence, 336–344
 - Fish, biogenic amines, *see* Biogenic amines, fish and shellfish
 - Fish paste, 346
 - Flavor
 - cheese, *see* Cheese, flavor
 - fish, 349

Flavor (*continued*)

- IM meat, 110, 122, 130–136
- milk, 118
- Floss, dried pork, 76
- Flow index, 6, 56
- Food poisoning, 290–292, 337, 346–348; *see also* Contamination
- Formulations development, rheology, 59–61
- Frankfurter, 108
- Free fatty acid, 203, 205–206, 208
- Freeze drying, 144, 146
- Freezing, IM meat, 93
- Fresh acid-curd cheese, 178–193
- Freshness indicator, seafood, 348–351
- Fromage frais, 178, 179
- Fruitiness, cheese, 241
- Fruit juice, viscosity, 45–46

G

- GC, *see* Chromatography
- Gelation
 - cheese, 173–174, 182–188, 191–193
 - IM meat, 108, 150
 - milk, 165
 - versus precipitation, 183–184
 - rheology, 41–43, 60–61
 - sorption, 99
- Gel electrophoresis, 242–243
- Geometry, rheological instrumentation, 23–33
- Glass transition, 117–118, 134–135, 150
- Glycolysis, 196, 198–201, 255
- Gouda cheese
 - contamination, 289
 - flavor, 243, 245
 - lipolysis, 201, 205
 - proteinases, 231
 - salting, 177
 - texture, 176, 254
 - ultrafiltration, 194
- Grading scheme, cheese, 252, 295–296
- Ground meat, 94
- Gruyère cheese, 243, 254
- Guar gum, 34–35
- Guar solution, 49–51

H

- HACCP, *see* Hazard analysis and critical control point

- Haddock, 341–342, 349
- Ham, 79, 81, 110, 123
- Havarti cheese, 194
- Hazard analysis and critical control point, 151
- Heating, 101–102, 106–107, 187, 262; *see also* Temperature
 - convective, 113–114
 - effects, 95–96
 - flavor, 131–132
 - microbial control, 120–121
 - osmosis, 110–113
 - preservation, 85–88
 - process optimization, 138–143
 - research needs, 149
 - ripening, 196–197
- Hencky strain rate, 15
- Herring, 339, 341–343, 348–349
- Herschel-Bulkley model, 6, 34, 46
- Histamine
 - cheese, 234, 346
 - defect action level, 351–352
 - fish, 337, 341–344, 346, 350–357
- Histamine detoxification, 330–331
- Histamine-forming bacteria, 331–336
- Histamine poisoning, 290, 291, 337, 346–348
- Homogenization, cheese, 192
- Hookean body, 7–8
- Hooke's law, 7
- Horse mackerel, 344
- HPLC, *see* Chromatography
- Humectant, 84, 85, 126–127
- Hurdle, microbial control, 122–123
- Hydrolysis, 271
- Hysteresis loop, 9, 57

I

- IM meat, *see* Dehydration control, IM meat
- Indonesia, IM meat, 75, 89, 119, 136
- Infusion, 112
- Instrumentation, rheology, 23–33
- Intermediate-moisture meat, *see* Dehydration control, IM meat
- Intrinsic viscosity, 116
- Isotropic pressure, 13

J

- Jerky, 81
- Junction zone, polymer, 42

K

- Kahawai, 339
- Kelvin model, 9–10
- Kilishi, 80
- Kinetic modeling, process optimization, 141–143
- Kingfish, 339

L

- LAB, *see* Lactic acid bacteria
- Labneh cheese, 190
- Lactate metabolism, 198–200
- Lactic acid bacteria, 164–165, 174–175; *see also* Nonstarter lactic acid bacteria
 - peptidases, 215, 216–218
 - proteolysis, 211
- Lactose metabolism, 174–177, 198–200
- Latin America, IM meat, 82–83
- La Zang, 76–77
- Lebanon bologna, 81–82
- Leonov model, 59
- Linear viscoelasticity, 10, 18–23
- Lipase, 201–205
- Lipid oxidation, 134
- Lipolysis, 201–209, 255
- Lipoprotein lipase, 201–202
- Loading pattern, 18
- Lobster, 355
- Loss modulus, 23
- Low acid IM meat, 79
- LPL, *see* Lipoprotein lipase
- Lup Cheong, 76–77

M

- Maasdam cheese, 243
- Mackerel, 337, 341, 344, 352
- Mahi-mahi, 337
- Maillard browning, 128–129, 132, 135
- Malaysia, IM meat, 75, 89
- Manufacturing technology, cheese, 166, 168, 193–195
- Margules equations, 32
- Marine ecosystem, 336; *see also* Biogenic amines, fish and shellfish
- Mass spectrometry, 227, 231, 238
- Mass transfer, 140–141, 151
 - dehydration mechanisms, 101–102, 107, 110, 112

- Material function, rheology, 23
- Mathematical modeling, 139–143, 150
- Maxwell model, 9–10, 43, 58
- Meat, dehydration, *see* Dehydration control, IM meat
- Melt theory, rheology, 37–41
- Methyl ketone, 206–208
- Mexico, IM meat, 82–83
- Microbial control, 119–124, 271–272; *see also* Contamination
- Milk, *see also* Cheese
 - cheese quality, 248–249
 - citrate, 200–201
 - conversion to cheese, 164–165, 166, 169–195
 - crystallization, 117–118
 - enzymes, 213–215, 249, 257–258
 - fermentation, 164–165, 174–175
 - heat treatment, 187
 - lactate, 198–200
 - lactose, 174–177, 198–200
 - skim, sorption, 99
 - viscosity, 44–45
- Minerals, nutrition, 280, 282–283
- Modulus
 - elastic, 7
 - loss, 23
 - molecular models, 35–37
 - rigidity, 8
 - shear, 8, 56
 - storage, 22–23
 - Young's, 7, 254
- Moisture, *see also* Dehydration control, IM meat
 - cheese, 178, 198, 251–253
 - IM meat, 73, 100–102, 105–106, 141–142
- Molecular model, 35–37
- Mortadella, 78
- Mozzarella cheese
 - contamination, 287
 - flavor, 235
 - proteolysis, 211, 226
 - ultrafiltration, 194
- Muscle-meat conversion, 90–97; *see also* Dehydration control, IM meat
- Mycostat, 85
- Mycotoxin, 285–290
- Myofiber, 92, 94–96, 124, 125

N

- Newtonian fluid, 4–6, 34
- Newtonian viscosity, 5
- Newtonian zone, 34
- Nisin, 283
- Nitrite, microbial control, 121, 122–123, 124
- Nonstarter lactic acid bacteria, 198, 199, 211, 219–220, 230
 - future research, 295
 - quality, 250–251
 - temperature, 256–257
- Normal stress, 13–14, 23
- North America, IM meat, 80–82
- NSLAB, *see* Nonstarter lactic acid bacteria
- Nutritive value
 - cheese, 277–283
 - IM meat, 136–138

O

- Octopus, 344
- Off-flavor
 - cheese, 236, 239–242
 - fish, 349
- Oil, viscosity, 45
- Optimization, IM meat processing, 138–143
- Orthophosphates, 268–269
- Oscillatory shearing, 20–23
- Osmoregulatory capacity, 119
- Osmotic treatment, 96–97, 101, 110–113, 149–150
- Oxidation
 - IM meat, 133–136
 - lactate, 199
- Oxygen, microbial control, 121

P

- PAGE, *see* Electrophoresis
- para*-casein, 264, 265–267
- Parmesan cheese
 - contamination, 287
 - flavor, 243, 245
 - lipolysis, 205
 - peptides, 230–231
 - ripening, 255
 - texture, 254
- Pasteurization
 - cheese products, 259–277
 - IM meat, 121
- Pastirma, 74–75, 123
- PCPs, *see* Cheese, processed products
- Pelagic fish, 351
- Pemmican, 81
- Pepperoni, 78
- Peptidase, 215, 216–218, 220, 223–225
- Peptization, 265
- Perch, 340
- Permeability coefficient, 185–186
- Pet food production, 83–85, 118, 126
- PGE, *see* Pregastric esterase
- pH
 - cheese, *see* Cheese, pH
 - IM meat, 121, 123, 124, 126, 148
- Phosphates, 269
- Plasmin, 213–214
- Plate-plate geometry, 29–31
- Polymer
 - junction zone, 42
 - rheological properties, 48–53
- Polyphosphates, 267–269
- Polysaccharide dispersion, 46
- Pork, 75, 76, 79, 83
 - energy costs, 145
 - heat processing, 107
 - microbial control, 123–124
 - process techniques, 90
 - structural alteration, 93
 - texture, 125
- Porosity, IM meat, 110
- Power law, rheology, 5–6, 34, 46, 56
- Precipitation, versus gelation, 183–184
- Pregastric esterase, 202
- Prerigor processing, IM meat, 93
- Preservation, IM meat, 85–88, 93, 118–119
- Processed cheese products, 259–277
- Proosdij cheese, 243
- Prosciutti, 79
- Protein, *see also* Casein
 - gel-forming, 186–187
 - nutrition, 277
 - surface area-to-volume ratio, 195
- Proteinase, 211–225, 257–258
- Protein denaturation, 100
- Protein efficiency ratio, 137
- Protein matrix, 124, 125, 266–267
- Protein quality, IM meat, 136–137
- Proteolysis
 - cheese, 176–177, 209–234, 236, 255

- fish, 337
- IM meat, 131
- Pseudoplastic behavior, 5, 6
- Pseudoplastic fluid, 56
- Putrescine
 - cheese, 234
 - fish, 337–339, 341–346, 349–351, 353–356, 358

Q

- Quality
 - cheese, 184–193, 246–254
 - fish, 350–352
 - IM meat, 114–138
- Quarg cheese, 178
- citrate, 201
- syneresis, 190
- ultrafiltration, 193

R

- Rainbow trout, 349
- Raoult's law, 99
- Recovery response, creep test, 20
- Ree-Eyring equation, 34, 46
- Relative humidity, 98, 108, 109; *see also*
 - Water activity
 - equilibrium, 115–116
- Relaxation test, rheology, 19–20, 58
- Rennet
 - addition, 188
 - coagulation, 169–178, 249–250, 293
 - inactivation, 197
 - lipases, 202
 - substitutes, 172
- Reptation, 39–40
- Rework, processed cheese, 273
- Rheology, cheese, 186, 254–255, 273; *see also* Cheese, texture
- Rheology, semiliquid foods, 1–69
 - background information, 2–3
 - basic concepts, 3–12
 - ideal elastic behavior, 7–8
 - shear rate, 4–6
 - shear stress, 4–6
 - time effects, 8–9
 - viscoelasticity, 9–12
 - viscous flow, 4–6
 - constitutive models, 33–44
 - Bird-Carreau, 37–39, 49–52, 54

- Casson, 34, 46
- concentrated solution/melt theories, 37–41
- Cross equation, 34, 46
- dilute solution molecular theories, 35–37
- Doi-Edwards, 39–41, 52–53
- Herschel-Bulkley, 6, 34, 46
- Leonov, 59
- Maxwell, 9–10, 43, 58
- power law, 5–6, 34, 46, 56
- Ree-Eyring equation, 34, 46
- rigid rod, 36–37
- solid foods, 41–44
- steady shear flow, 33–35
- usefulness, 62
- definition, 2, 3
- engineering properties, 44–61
 - dough, 53–55, 58–59
 - emulsions, 55–58
 - entanglement, 48–53
 - extensional flow, 58–59
 - formulations development, 59–61
 - polymers, 48–53
 - steady shear viscosity, 44–46
 - yield stress, 6, 46, 48
- experimental methods, 12–23
 - biaxial extension, 16–17, 58, 59
 - creep test, 20, 43, 56–57
 - extensional flow, 14–17
 - linear viscoelasticity, 10, 18–23
 - sinusoidal oscillatory shearing, 20–23
 - steady shear measurement, 12–14
 - stress relaxation test, 19–20, 58
 - transient flow, 17
 - uniaxial extension, 14–16
- gelation, 41–43, 60–61
- instrumentation, 23–33
 - capillary tube geometry, 24–26
 - concentric cylinder geometry, 31–33
 - cone-plate geometry, 27–28
 - error sources, 26, 28, 33
 - plate-plate geometry, 29–31
- research needs, 62
- Rheometer, 23–24, 48
 - capillary, 26, 59
 - cylinder, 33
- Ricotta cheese, 178, 193
- Rigidity, modulus, 8
- Rigid rod model, 36–37

Rigor mortis, 91–93
 Ripening
 cheese, *see* Cheese, ripening
 IM meat, 108–110, 122, 130–131
 Rockfish, 355
 Romano cheese, 199, 205
 Rouse-segmented chain model, 40
 RP-HPLC, *see* Chromatography

S

Safety, 283–292; *see also* Contamination;
 Food poisoning
 Sailfish, 352
 Salad dressing, 56–58
 Salami, 77–78, 85, 118, 122
 Salchichon, 83
 Salmon, 355
 Salt, emulsifying, 263, 267–272
 Salting, cheese, 166, 177–178
 Salt-in-moisture, cheese, 198, 251–253
 Sardine, 339, 346, 352
 Sausage, 76–79, 83
 energy costs, 146
 fermentation, 95, 109–110, 122, 125
 preservation, 118–119
 production problems, 88–89
 Scallop, 345, 349
 Scombrototoxicosis, 337, 346–348
 Seafood, *see* Biogenic amines, fish and
 shellfish
 Searle cylinder geometry, 31
 Semidry meat production, *see* Dehydration
 control, IM meat
 Shaping, cheese, 166
 Shear
 oscillatory, 20–23
 steady, 12–14, 33–35, 44–48
 Shear force, 103
 Shear history, 59–60
 Shear modulus, 8, 56
 Shear rate, 4–6, 12–14
 rheological instrumentation, 24–33
 Shear resistance, 95–96
 Shear strain, 10–12
 Shear stress, 4–6, 24–33, 28
 Shear thickening, 5–6
 Shear thinning, 5–6
 Shelf life, 90, 118, 164; *see also* Preservation

Shellfish, biogenic amines, *see* Biogenic
 amines, fish and shellfish
 Shrimp, 346, 355
 Simple extension, 15
 Skipjack tuna, 350, 351, 354
 Slice-cured meat, 75
 Slippage, rheological instrumentation, 26,
 30–31
 Slurries, cheese, 259
 S/M, *see* Salt-in-moisture
 Sobrasada, 79
 Solid foods, rheology model, 41–44
 Sorption, 99–100, 125
 Spanish mackerel, 337
 Spermidine, 337, 341–343, 350, 352
 analytical techniques, 354–356
 Spermine, 337–339, 341–343, 350, 352
 analytical techniques, 354–356
 Spoilage, *see* Contamination
 Spreadability, 275
 Squid, 344
 Stabilization, IM meat preservation, 85–88
 Starch, 60
 Starter bacteria, 196, 201, 203, 215–225, 250
 modified, 258–259
 Steady shear flow, 33–35, 44–48
 Steady shear measurement, 12–14
 Sterilization, IM meat, 86
 Sticky point, 117
 Storage, IM meat, 93
 Storage modulus, 22–23
 Strain
 Hencky rate, 15
 oscillatory, 21–22
 shear, 10–12
 Stress
 compressive, 7–8
 oscillatory, 21–23
 shear, 4–6, 24–33, 28
 tensile, 7–8, 16
 yield, 6, 46, 48
 Stress coefficient, 13, 23
 Stress difference, 13–14
 Stress overshoot, 17
 Stress relaxation test, 19–20, 58
 Stunning, electrical, 125
 Sun-drying, 73–74
 Surface area-to-volume ratio, 195
 Surimi, 351

Swiss cheese

- flavor, 245
- histamine poisoning, 346
- lactate, 198, 200
- lipolysis, 201, 205
- peptidases, 224
- peptides, 231
- proteolytic agents, 211
- ripening, 255
- texture, 176

Syneresis, 174, 185–186, 190–191

T

Taste, *see* Flavor

Temperature, *see also* Heating

- creaming action, 276–277
- energy costs, 144
- flavor, 131–132
- freshness, 349–350
- gelation, 192
- glass transition, 117–118, 134–135, 150
- histamine poisoning, 348
- microbial control, 119–121
- process optimization, 139, 140
- quality factor, 187–188, 253–254
- ripening, 253–254, 256–257

Tenderness, IM meat, 91

Tensile stress, 7–8, 16

Texture

- cheese, *see* Cheese, texture
- IM meat, 124–126

Texturized cheese, 261

Thickening, shear, 5–6

Thinning, shear, 5–6

Tilsit cheese, 287

TLC, *see* Chromatography

Training, food science, 119

Transient flow, 17

Trout, 349

Tumbling, IM meat, 103

Tuna fish, 337, 338, 350

- chromatography, 353–354, 355
- quality control, 351–352

Turkey (country), IM meat, 74–75

Tyramine poisoning, 290, 291–292

U

Ultrafiltration, cheese, 193–195

Unbound moisture, definition, 97–98

Uniaxial extension, 14–16

V

Vapor pressure, 97–98

Viscoelasticity, 9–12

- biopolymetric materials, 48–53
- definition, 9
- emulsions, 56–57
- linear, 10, 18–23

Viscometer, 26, 30

Viscosity

- apparent, 5–6, 25, 274
- cheese, 189
- coefficient, 4–5
- complex, 23
- definition, 4
- dynamic, 4–5
- extensional, 16, 17
- glass transition, 117
- intrinsic, 116
- Newtonian, 5
- rework, 274
- rheological instrumentation, 24–33
- selected foods, 44–46
- transient, 17

Viscous drag, 24

Viscous flow, 4–6

Vitamins, 280–281

W

Water

- bound and unbound, 97–98, 265
- diffusion coefficient, 132, 135, 142
- holding capacity, 100, 125–126
- sausage fermentation, 109–110
- vapor pressure, 97–98

Water activity, a_w

- cheese ripening, 178
- definition, 98
- IM meat, *see* Dehydration control, IM meat

Water adsorption, 100

Water holding capacity, 100, 125–126

Weight loss, IM meat, 101

Wet heat, 120

WHC, *see* Water holding capacity

Wheat dough, 53–55, 58–59

Y

Yield stress, 6, 46, 48

Yogurt, 187, 189

Young's modulus, 7, 254

Z

- Zousoon, 76, 137
 - color, 128–129
 - energy costs, 145–146, 147
 - flavor, 132, 133, 136
 - microbial control, 124
 - osmosis, 111–113
 - prerigor treatment, 93, 147
 - process improvement, 89–90
 - texture, 125