

INDEX

A

Absorption, *see also* Membrane vesicle
 β -carotene, 32, 41, 58–60, 69–70, 71
 folate, 82
 population kinetics, 273
 Accumulation, folate, 101–104
para-Acetamidobenzoylglutamate,
 86, 91
 Action potential, 331–332
 Adaptive control, 270
 Adipose tissue
 β -carotene, 49, 61
 microdialysis, 194
 Adrenals, vitamin A, 9, 11
 Alcoholism, 84–85, 91
 Amino acids
 dose-response, 157–160, 162–166
 protein quality improvement, 161–162
 substitution, 150
para-Aminobenzoylglutamate, 86, 91
 Amyloidosis, 150–155
 Amyloid protein, 150; *see also*
 Transthyretin metabolism
 Analyte recovery, 187–190
 Antioxidant status, 58
 apABG, *see para*-
 Acetamidobenzoylglutamate
 APE, *see* Atom percentage excess
 Area under concentration-time curve,
 50–52, 60, 70
 Area under moment curve, 50–52
 Atom percentage excess, 67, 68, 71–72
 Attractor, strange, 327
 AUC, *see* Area under concentration-time
 curve
 AUMC, *see* Area under moment curve

B

Basolateral membrane, 198–200
 Bayesian estimation, 269–270
 Biochemical systems theory, 233, 236–238
 Biological rhythm, *see* Bioperiodicity
 Bioperiodicity, 217–226
 categories, 219–220
 characterization, 218–220
 food intake, weight gain, 220–226
 human subject, 225
 Brain
 neural network model, 333–334
 vitamin B6, 112
 Break-point approach, *see* Linear system;
 Rectilinear approach
 Brush border membrane, 197–199, 200–204
 BS integrator, *see* Bulirsch Stoer integrator
 Bulirsch Stoer integrator, 290, 297, 299–303

C

Calorimetry
 indirect, 171, 172, 178–179
 room, 171, 172
 Cancer, 57
 Capillary membrane, 184; *see also*
 Membrane transport; Membrane
 vesicle
 Carbon dioxide, energy expenditure,
 173–175, 177–178
 Carbon-13 tracer, 64–75, 171–172
 Cardiovascular disease, 57–58
 β -Carotene metabolism, 25–54, 55–79; *see*
also Retinol; Retinol-binding protein;
 Retinyl ester; Vitamin A metabolism
 absorption, 32, 41, 58–60, 69–70, 71

- β -Carotene metabolism (*continued*)
 adipose tissue, 49, 61
 animal model limitations, 61–62
 antioxidant status, 58
 background information, 26–29, 56
 bioconversion, 59–60
 biological effects, 57–58
 cancer, 57
 cardiovascular disease, 57–58
 catabolic rate, 61
 chylomicrons, 32, 37, 41, 62–63, 69, 71
 compartmental modeling, 26–54
 behavior predicted, 43–50
 construction, 32–35
 empirical descriptions, 45, 50–52
 final version, 41, 43
 iteration, 35–43
 materials, methods, constraints, 29–32
 statistical evaluation, 40–43
 unobservable behavior, 46–50
 dietary factors, 59, 60
 distribution, 69–70
 enterocyte, 36–37, 38–39
 gastrointestinal delay, 36–37
 human subject, 29–32, 62–67
 immune function, 58
 organs, 33, 49
 liver, 38–40, 46–48, 60, 69, 71
 tracer methods, 26, 30–31, 42–43, 63–75
 carbon-13, 64–75
 dosage, 65
 GC-C-IRMS analysis, 66–68, 71, 73–74
 GC-C-IRMS data, 68–70
 nontracer versus, 62–64
 plasma analysis, 65–66
 utility, 64, 70–75
 transport, 60–61
 vitamin A conversion, 49–50, 59
 Carotenoid, 59–61; *see also* β -Carotene metabolism
 Carrier-mediated transport, 251–257, 261–262
 Casein, 231–232, 238–240
 Catabolic rate
 β -carotene, 61
 folate, 88–89, 90
 vitamin A, 7, 13
 CBCCDS integrator, 297, 299–303
 cDNA, *see* Complementary DNA
 Chaos, 324–326
 Cholesterol, 57–58; *see also* Lipoprotein
 Chromatography
 GC-C-IRMS, 66–70, 71, 73–74, 177
 HPLC, 29, 60, 66, 72, 74
 Chronobiologic rhythm, 218; *see also* Bioperiodicity
 Chronobiology, 224–226; *see also* Bioperiodicity
 Chu Berman integrator, 290–292
 Chylomicrons
 β -carotene, 32, 37, 41, 62–63, 69, 71
 vitamin A, 4, 16
 Circadian rhythm, 219; *see also* Bioperiodicity
 β -C metabolism, *see* β -Carotene metabolism
 Commutator, differential equation, 329–330
 Compartment, definition, 13
 Compartmental modeling
 β -carotene, 26–54
 dynamic systems, 333
 folate, 100–101
 graph theory, 340–341, 348–351
 identifiability, 306, 307, 309–310, 312
 membrane transport, 244
 parameters, 34, 40–43
 population kinetics, 267
 transthyretin, 152–154
 vitamin A, 9–21
 Complementary DNA, 96, 99, 101; *see also* Genetic transfection
 Computational modeling, *see* Dynamic system; Graph theory; Identifiability problem; Kinetic parameter distribution; Linear integrator; Neural network
 Concentration-time curve, 50–52, 60, 70
 Conditional identifiability, 314
 Conductance, membrane, 248–249, 252–257, 331–332
 Connectivity, modeling, 27, 32, 43
 identifiability, 306, 315
 CONSAM software, 6, 9, 21, 32, 274, 290
 Corn gluten meal, 160
 Cosinor method, 221
 Covariate, population kinetics, 272–273
 Creatinine, ultrafiltration, 192–193
 Curvilinear approach, *see* Nonlinear system
 CVD, *see* Cardiovascular disease

Cytosolic folate, 99, 100–101
Cytotoxicity, 104

D

DASSL integrator, 290
Deuterium, 116, 173–174
DG uptake, *see* Glucose, transport
Diabetes, 191–192
Dialysis
 micro-, 183–190, 194–195
 retrograde, 190
Dialysis fiber, 184, 185–186
Difference method, microdialysis, 188–189
Differential equation
 background information, 283–290
 commutator, 329–330
 dynamic system, 328–333
 graph model, 344–348
 linear integrators, 283–292
Differential operator, 258–259
Diffusion, passive, 248–251
Dimensionality, 325–333
 fractional, 326–328
 Hausdorff-Besicovic, 328
 reduction, 328–333
Diminishing return, 157–166
Directed graph, 229–230, 340–341
Distribution, *see also* Kinetic parameter
 distribution
 posterior, 268
 prior, 268, 269–271, 273–276
DNA, *see* Complementary DNA; Genetic
 transfection
Dose-response, amino acids, 157–160,
 162–166
Doubly labeled water method, 171–180
 assumptions, 173–174
 equations, 174–175
 isotopes, 175–176
 mass spectrometry, 176–178
 validations, 178–179
Down syndrome, 113
Dynamic system, 323–338
 differential equations, 328–333
 geometric interpretation, 328–333
 linear modeling, 324
 neural networks, 333–337
 nonlinear modeling, 324–328

E

Eating disorder, 225
EHT, *see* Extrahepatic tissue
Elasticity coefficient, 234–236
Endogenous rhythm, 219, 226; *see also*
 Bioperiodicity
Endothelial cell, 245, 246, 248, 250
Energy metabolism, 171–180, 227; *see also*
 Nutrient-response curve
Enrichment ratio method, 45
Enterocyte, 36–37, 38–39
Enzyme, metabolic control theory, 233–236;
 see also Substrate
Epilepsy, 333
Epithelial tissue
 cell membrane, 197–204
 mammary cells, 207–212
 vitamin A, 20
Equilibration, vitamin B6 metabolism, 126
Error measurement, 307
Error model, 268
Erythrocyte
 folate, 87–88
 vitamin B6, 111
Escherichia coli, 97–101, 105
Estimation
 likelihood, 268–269
 parameter, 311–312
 population kinetics, 266–277
 prior, 273–276
Exogenous rhythm, 219; *see also*
 Bioperiodicity
Extrahepatic tissue, *see also names of*
 specific organs
 β -carotene, 32, 49, 61
 vitamin A, 9, 11, 17–21
Extrapolation, zero flow, 189
Eyes, vitamin A, 9, 11, 19

F

Familial amyloidotic polyneuropathy,
 150–155
FAP, *see* Familial amyloidotic
 polyneuropathy
Feedback, neural network, 335
Flow algorithm, 247–248
Flow diagram, 340
Flow rate, 342–345, 348–351

Folate metabolism, 81–93, 95–106
 absorption, 82
 alcoholism, 84–85, 91
 background information, 81–83, 95–97
 catabolism, 85–90
 cytosolic, 99, 100–101
 dietary factors, 82, 89
 erythrocytes, 87–88
Escherichia coli, 97–101, 105
 folypolyglutamate chain length, 97–100
 folypolyglutamate synthetase, 97–101
 accumulation, 101–104
 chain length, 97–100
 compartmentation, 100–101
 cytotoxicity, 104
 effectiveness, 98–100
 retention, 97–98
 genetic transfection, 95, 96–101, 105
 human subject, 86–90
 intestines, 82, 201
 membrane vesicles, 201
 mitochondrial, 99, 100–101
 pregnancy, 86, 91
 RDAs, 83
 stable-isotopic studies, 86–90
 tracer methods, 86–90
 turnover, 83–85, 89–90
 Folic acid, 82, 83, 87–88; *see also* Folate metabolism
 Folypolyglutamate synthetase, 97–101
 Food intake, bioperiodicity, 220–226
 Food record, 171
 Forcing function method, 19–21
 Fractal, 327–328
 Fractional catabolic rate
 β -carotene, 61
 folate, 88–89, 90
 population kinetics, 273
 transthyretin, 152
 vitamin A, 7, 13
 Fractional dimension, 326–328
 Fractional standard deviation, 29, 41
 Fractional transfer coefficient, 31, 40–43, 267–268, 312
 FSD, *see* Fractional standard deviation
 FTC, *see* Fractional transfer coefficient

G

Gas chromatography, IRMS, 66–70, 71, 73–74, 177

Gastric cancer, 57
 Gastrointestinal delay, 36–37
 GC-C-IRMS, *see* Gas chromatography, IRMS
 Genetic transfection, 95, 96–101, 105
 GI delay, *see* Gastrointestinal delay
 Global identifiability, 313
 Glucose
 transport, 207–213
 ultrafiltration, 191–192
 Glycine, 98–99
 Glycogenolysis, 136
 Glycogen phosphorylase metabolism, 135–147; *see also* Vitamin B6 metabolism
 cofactor
 labeling, 137–140
 role, 135–136
 growth, muscle, 142
 labeling methods, 137–140
 radiolabeling, 137–138
 stable isotope, 138–140
 McArdle's disease, 142–145
 messenger RNA, 141, 144, 145
 model systems, 140–142
 pyridoxal phosphate, 135–136
 turnover, 124, 137–140, 142
 vitamin B6, 115–116, 118, 121
 wasting, muscle, 140–141
 Graded levels, nutrient, 157–166
 Graph, definition, 339
 Graph theory, 339–352
 computer implementation, 348
 model analysis, 348–351
 model building, 340–348

H

Hausdorff-Besicovic dimension, 328
 HDL, *see* Lipoprotein
 Heart, membrane transport, 259
 High-performance liquid chromatography, 29, 60, 66, 72, 74
 Hippocampus, modeling, 333
 Hodgkin-Huxley equations, 331–332
 Hollow fiber, 184
 HPLC, *see* High-performance liquid chromatography
 Human subject
 bioperiodicity, 225

β -carotene metabolism, 29–32, 62–67
 energy metabolism, 176, 178
 folate metabolism, 86–90
 total energy expenditure, 171–180
 transthyretin metabolism, 150–154
 vitamin B6 metabolism, 115, 121, 145

I

Identifiability
 conditional, 314
 global, 313
 interval, 314
 local, 313, 318–320
 quasi, 314
 structural, 313
 Identifiability problem, 305–321
 background information, 305–310
 checking methods, 314–317
 linear systems, 315–317
 nonlinear systems, 317
 classification of identifiability, 313–314
 classification of parameters, 310–311
 correlations, 320
 estimation problem, compared to,
 311–312
 nutrient-response analysis, 235, 240
 population kinetics, 276–277
 single point, 318–320
 Identifiable parameter, 311
 IDENT software, 318
 IDL, *see* Lipoprotein
 Immune function, 58
 Incidence matrix, graph theory, 342–347
 Indirect calorimetry, 171, 172, 178–179
 Infradian rhythm, 219, 225, 226; *see also*
 Bioperiodicity
 Initial value problem, 284, 325; *see also*
 Differential equation
 Insensible parameter, 311, 319
 Integrator, linear, *see* Linear integrator
 Intestines
 β -carotene, 49
 folate, 82, 201
 membrane transport, 245–251, 255–257,
 259
 membrane vesicle, 198–199
 vitamin A, 9, 11, 19
 vitamin B6, 109–110, 115, 121
 Iodination, 8

IRMS, *see* Isotope ratio mass spectrometry
 Irreversible utilization, 12
 Ischemia, 194–195
 Isotope ratio mass spectrometry, GC,
 66–70, 71, 73–74, 177
 Isotope tracer, stable, *see* Stable isotope
 tracer

J

Jejunum, 82, 115; *see also* Intestines

K

Kidneys
 β -carotene, 33, 49
 membrane vesicle, 197, 200, 201, 202
 microdialysis, 194–195
 vitamin A, 4, 9, 11, 20–21
 vitamin B6, 201
 Kinetic parameter distribution, 265–279
 adaptive control, 270
 applications, 271–273
 Bayesian estimation, 269–270
 covariates, 272–273
 identifiability, 276–277
 missing values, 271–272
 Monte Carlo simulations, 270–271
 prior, estimation, 273–276
 naive data pooling, 273
 nonparametric, 276
 parametric, 275
 semiparametric, 275–276
 two-stage methods, 273–274
 prior, uses, 268, 269–271
 sparse data, 265–266, 272
 theory, 266–269
 error model, 268
 likelihood, 268–269
 parameter estimation, 269
 system model, 267–268

L

Lactation, 112–113
 LaGrangian flow, 247
 Laplace transform, identifiability, 316–317
 LDL, *see* Lipoprotein
 Learning problem, 333–335

- Least squares
 - bioperiodicity, 221–224
 - identifiability, 318
 - Leukoplakia, oral, 57
 - Ligand binding, 122–127
 - Likelihood estimation, 268–269
 - Linear integrator, 281–303
 - background information, 281–283
 - Bulirsch Stoer, 290, 297, 299–303
 - CBCCDS, 297, 299–303
 - Chu Berman, 290–292
 - DASSL, 290
 - differential equations, 283–292
 - evaluation, 293–300
 - Petzold, 297, 299–303
 - Runge Kutta, 290, 291, 297, 299–303
 - Linear system, *see also* Rectilinear approach
 - graph model, 349–351
 - identifiability, 315–317
 - limitations, 324, 335, 337
 - membrane transport model, 246
 - Lipid uptake, 197, 198, 202–203
 - Lipoprotein
 - HDL, 38–39, 57
 - IDL, 69
 - LDL, 38–39, 58, 62, 69
 - VLDL, 38–39, 69
 - Liver
 - β -carotene, 38–40, 46–48, 60, 69, 71
 - vitamin A, 4, 21
 - compartmental modeling, 14–18
 - empirical compartmental analysis, 12–14
 - whole-body models, 9–11
 - vitamin B6, 108, 110–112, 115, 121
 - Local identifiability, 313
 - Logistic equation, nutrient response, 159–160
 - Lungs
 - cancer, 57
 - β -carotene, 49
 - vitamin A, 9, 11
- M**
- Mammary tissue culture, 207–213
 - Manipulation facilities, modeling, 282, 283
 - Maple software, 330
 - Mass spectrometry
 - β -carotene, 66–70, 71, 73–74
 - total energy expenditure, 176–178
 - Mathematical modeling, importance, 26, 244, 261
 - Mathematica software, 330
 - Matrices
 - graph theory, 342–347
 - identifiability, 315–316
 - McArdle's disease, 142–145
 - Mean residence time, *see* Residence time
 - Membrane conductance, *see* Membrane transport, conductance
 - Membrane probe, 183–184, 185–186
 - Membrane transport, 243–262
 - background information, 243–245
 - carrier-mediated, 251–257, 261–262
 - saturability, 251, 261
 - single-site, 252–255
 - tracer studies, 255–257
 - conductance, 248–249, 252–257, 331–332
 - differential operators, 258–259
 - multiregion model, 245–248
 - assumptions, 246
 - solution methods, 247–248
 - organ models, 259
 - passive diffusion, 248–251
 - potential, 331–332
 - tracer washout rate, 249–250
 - whole-body models, 259–260
 - Membrane vesicle, 197–206
 - brush border, 197–199, 200–204
 - intestinal basolateral, 198–200
 - intestinal luminal, 198–199
 - lipid uptake, 197, 198, 202–203
 - preparation, 199–200
 - structure, 202–203
 - transport, 200–202, 203, 204
 - MESOSAUR software, 221, 223
 - Messenger RNA, 141, 144, 145
 - Metabolic control theory, 233–236
 - Metabolic pathway, 107–110, 227, 233–234, 240
 - Methionine
 - FAP disease, 150–155
 - supplementation, 161–162
 - Met30 transthyretin, 150–155
 - MG uptake, *see* Glucose, transport
 - Michaelis constant, 234

Michaelis-Menten kinetics
 enzyme substrate, 158
 initial velocity, 307–309
 population kinetics, 268
 vitamin B6, 117
 Microdialysis, 183–190, 194–195
 Microgravity, 121
 Missing values, 271–272
 Mitochondrial folate, 99, 100–101
 Modal matrix, identifiability, 315–316
 Modeling, *see also* Compartmental
 modeling; Parameter; Software
 connectivity, 27, 32, 43, 306, 315
 constructs, 282
 dynamic systems, 323–338
 Modeling, computational aspects, *see*
 Dynamic system; Graph theory;
 Identifiability problem; Kinetic
 parameter distribution; Linear
 integrator; Neural network
 Moment curve, 50–52
 Monte Carlo simulation, 270–271
 Mormon cricket meal, 160–163
 mRNA, *see* Messenger RNA
 Mucosal cell, 245, 246, 250
 Muscle, *see also* Glycogen phosphorylase
 metabolism
 growth, 142
 ultrafiltration, 193
 vitamin B6 metabolism, 115–116,
 120–121
 wasting, 140–141

N

Naive data pooling, 273
 Neural network, 333–337
 Nitrogen
 dose-response, 157–160, 164–166
 protein quality, 160–162
 NLMIX software, 275
 Nonidentifiable parameter, 311
 Nonlinear system
 advantages, 158, 317, 337
 chaos, 324–326
 dimensionality, 325–328
 identifiability, 317
 linear differential equations, 285–289
 neural networks, 335–336

 nutrient response analyses, 157–166,
 228–229
 NONMEM software, 275
 NPEM2 software, 276
 Nucleic acid synthesis, 81
 Nutrient-response curve, 157–166, 227–241
 biochemical systems theory, 233, 236–238
 data analysis, 238–240
 equation derivation, 229–232
 graded level intake, 157–166
 metabolic control theory, 233–236
 perturbation response, 285–289
 rational polynomials, 228–229, 231

O

Oral leukoplakia, 57
 Oxygen-18, energy metabolism, 173–178

P

pABG, *see para*-Aminobenzoylglutamate
 Parameter, *see also* Kinetic parameter
 distribution
 classification, 310–311
 definition, 34
 estimation, 311–312
 evaluation, 40–43
 identifiable, 311
 insensible, 311, 319
 nonidentifiable, 311
 sensible, 311, 320
 Parameter sharing, 159–160
 Parenchymal cell, 15–17, 40
 Passive diffusion, 248–251
 PC, *see* Parenchymal cell
 Peanut protein, 231–232, 238–240
 Perturbation response, 285–289
 Petzold integrator, 297, 299–303
 Pharmacokinetics
 graph theory, 339
 population analysis, 265–278
 Phloretin, 208–209, 211
 Phlorizin, 208–209
 Phosphorylase, *see* Glycogen phosphorylase
 metabolism
 Physiologic rhythm, 217; *see also*
 Bioperiodicity
 PLP, *see* Pyridoxal phosphate
 Poisson flow, 247

Polyglutamate, 97, 99
 Polyglutamylation, 91, 103
 Popov-Belevitch-Hautus tests, 350–351
 Population kinetics, *see* Kinetic parameter distribution
 Posterior distribution, 268
 Potential, action, 331–332
 Pregnancy, 86, 91, 112–113
 Prior distribution, 268, 269–271, 273–276
 Probe, sampling, 183–184, 185–186, 188, 190
 Processing support, modeling, 282–283
 Protein, *see also* Glycogen phosphorylase metabolism; Retinol-binding protein; Transthyretin metabolism
 amyloid, 150
 binding, 117, 122–127
 nutrient-response, 231–232, 238–240
 peanut, 231–232, 238–240
 quality, 160–162, 165–166
 recombinant, 8
 Pt, *see* Phloretin
 Pterin, 86, 91
 Pteroylglutamate, 81–82, 97, 99, 103; *see also* Folate metabolism
 Pteroylglutamic acid, 82; *see also* Folic acid
 Pyridoxal phosphate, 121–122, 123, 135; *see also* Vitamin B6 metabolism
 as phosphorylase cofactor, 136–140, 142–145
 Pyridoxamine metabolism, 121–122, 123; *see also* Vitamin B6 metabolism
 Pyridoxic acid, 112, 116, 117, 120–125, 127
 Pyridoxine metabolism, 121–122, 123; *see also* Vitamin B6 metabolism
 PZ, *see* Phlorizin

Q

Quasi-identifiability, 314

R

Radical exchange, computation, 248
 Radioactive tracer, 64; *see also* Stable isotope tracer
 glycogen phosphorylase, 137–138
 membrane vesicles, 200, 203
 transthyretin, 150–152

 by vitamin B6, 137–138
 for vitamin B6, 114–116
 RBP, *see* Retinol-binding protein
 Recombinant protein, 8
 Recommended daily allowance, folate, 83
 Recovery, analyte, 187–190
 Rectilinear approach, 157–158; *see also* Linear system
 Reduce software, 330
 Residence time
 β -carotene, 44–46, 61
 folate, 88–89, 90
 transthyretin, 152–155
 Respiratory quotient, 175
 Response curve, *see* Nutrient-response curve
 Retinoid, 38–39, 44, 47–49
 Retinol
 β -carotene, 30, 31, 33, 66
 empirical data, 50–52
 final model, 43–47
 intermediate models, 39
 vitamin A, 3, 9, 11, 14, 15–16
 pool size, 21–22
 turnover, 12–13, 14, 19, 21
 Retinol-binding protein
 β -carotene, 32–33, 38, 46
 vitamin A, 4, 8, 9, 11, 14, 16–17
 kidneys, 21
 Retinyl ester
 β -carotene, 32, 59, 66, 69
 intermediate models, 38–40
 turnover, 47
 vitamin A, 4, 11, 16
 Retrograde dialysis, 190
 Rhythm, biological, *see* Bioperiodicity
 RK integrator, *see* Runge Kutta integrator
 RNA, *see* Messenger RNA
 Room calorimetry, 171, 172
 Runge Kutta integrator, 290, 291, 297, 299–303

S

SAAM software, 6, 9, 31, 61, 126–127, 274
 linear integrator, 290, 296, 303
 modeling construct, 282
 Sampling probe, 183–184, 185–186, 188, 190
 SAS software, 50, 160

Saturability, membrane transport, 251, 261
 SC, *see* Stellate cell
 Sensible parameter, 311, 320
 Sensitivity analysis, 7, 234–235, 238–240
 Separation technique, *see* Microdialysis;
 Ultrafiltration
 Shannon criterion, 224
 Similarity transformation, identifiability,
 315, 317
 Simulation, *see also* Bioperiodicity;
 Membrane transport; Nutrient-
 response curve
 graph model, 348
 population kinetics, 270–271
 Skin, 9, 49
 Software, 281–283; *see also* Linear
 integrator
 CONSAM, 6, 9, 21, 32, 274, 290
 IDENT, 318
 Maple, 330
 Mathematica, 330
 MESOSAUR, 221, 223
 NLMIX, 275
 NONMEM, 275
 NPEM2, 276
 Reduce, 330
 SAAM, *see* SAAM software
 SAS, 50, 160
 SYSTAT, 221
 USC*PACL, 276
 Sojourn time
 β -carotene, 44–46, 49, 51–52, 61
 vitamin A, 12–13
 Sparse data situation, 265–266, 272; *see also*
 Kinetic parameter distribution
 Spectrometry, mass, *see* Mass spectrometry
 Stable isotope tracer, *see also* Radioactive
 tracer
 β -carotene, 64, 72, 74
 folate, 86–90
 glycogen phosphorylase, 138–140
 total energy expenditure, 175–176
 by vitamin B₆, 138–140
 for vitamin B₆, 116
 Standard deviation, fractional, 29, 41
 Stellate cell, 16–17, 40
 Strange attractor, 327
 Structural identifiability, 313

Subcutaneous analysis, ultrafiltration,
 191–193
 Substrate, 158, 244–245, 260–261; *see also*
 Membrane transport
 Supplementation, methionine, 161–162
 Synchronizer, bioperiodicity, 219–220
 SYSTAT software, 221

T

TEE, *see* Total energy expenditure
 Testes, vitamin A, 9, 11
 Timing, food intake, 225–226
 Total energy expenditure, 171–180
 Tracer, *see also* Radioactive tracer; Stable
 isotope tracer
 carbon-13, 64–75, 171–172
 extraction, 256–257
 modeled, 245–251, 255–257
 Tracer method
 β -carotene, 26, 30–31, 42–43, 63–75
 energy expenditure, 175–176
 folate, 86–90
 glycogen phosphorylase, 137–140
 membrane transport, 249–250, 255–257
 membrane vesicles, 200, 203
 transthyretin metabolism, 150–152
 vitamin A, 5, 7–8
 by vitamin B₆, 137–140
 for vitamin B₆, 114–116
 Tracer washout rate, 249–250
 Transfection, genetic, 95, 96–101, 105
 Transfer coefficient, fractional, 31, 40–43,
 267–268, 312
 Transfer function, identifiability, 316–317
 Transthyretin metabolism, 4, 13–14,
 149–155
 human subject, 150–154
 MET30, 150–155
 modeling, 151–154
 tracer methods, 150–152
 Triglyceride, 62–63
 TTR, *see* Transthyretin metabolism
 Turnover
 folate, 83–85, 89–90
 glycogen phosphorylase, 124, 137–140,
 142
 vitamin A, 12–13, 14, 19, 21

- Turnover (*continued*)
 vitamin B6, 114–127
 water, 173
 Two-stage methods, population analysis,
 273–274

U

- Ultradian rhythm, 219; *see also*
 Bioperiodicity
 Ultrafiltration, 183–193, 195
 Urea, ultrafiltration, 192–193
 USC*PACL software, 276

V

- Vacutainer, 185, 190
 Visual guide, modeling, 282, 283
 Vitamin A metabolism, 3–24; *see also* β -
 Carotene metabolism; Retinol;
 Retinol-binding protein; Retinyl ester
 background information, 3–5
 catabolic rate, 7, 13
 chylomicrons, 4, 16
 compartmental analysis, 9–21
 empirical, 11–14
 model, 14–21
 disposal rate, 4–5, 7, 12, 21–22
 experimental design, 5–7
 organs, 4, 9, 11, 19–21; *see also* Liver
 tracer, 5, 7–8
 turnover, 12–13, 14, 19, 21
 whole-body models, 8–11
 Vitamin B6 metabolism, 107–132; *see also*
 Glycogen phosphorylase metabolism
 brain, 112
 clearance values, 110–111
 compartmental modeling, 114–116
 conservation effect, 117, 120–121, 127
 dietary factors, 117
 doses, 117–118, 119–120
 equilibration, 126
 erythrocytes, 111
 flushing effect, 122, 127
 glycogen phosphorylase, 115–116, 118,
 121
 human subject, 115, 121, 145
 intestines, 109–110, 115, 121

- kidneys, 201
 kinetics, 113–127, 137–140
 growth requirements, 116–117
 tracers, radioactive, 114–116
 tracers, stable isotope, 116
 lactation, 112–113
 liver, 108, 110–111, 112, 115, 121
 McArdle's disease, 142–145
 membrane vesicles, 201
 metabolic pathways, 107–110
 model refinement, 117–127
 dosing protocols, 119–120
 fasting, 120–121
 form comparisons, 121–122, 123
 microgravity, 121
 physiological observations, 118–119
 protein-binding, 122–127
 muscle, 115–116, 120–121
 oral versus intravenous intake, 115, 127
 plasma, 110–111
 pregnancy, 112–113
 protein binding, 117, 122–127
 protein intake, 117
 tissue distribution, 112
 turnover, 114–127
 Vitamin D status, 197, 198, 201–202
 Vitamin transport, membrane vesicle,
 201–202, 203, 204
 VLDL, *see* Lipoprotein
 Volume change, tissue sample, 186–187

W

- Water, doubly labeled, *see* Doubly labeled
 water method
 Water turnover, 173
 Weight gain, bioperiodicity, 220–226
 Wheat gluten, 231–232, 238–240
 Whole-body model
 folate, 83
 membrane transport, 259–260
 vitamin A, 8–11
 vitamin B6, 116–117
 World Wide Web, semiparametric tools,
 275

Z

- Zero flow, extrapolation, 189