

REFERENCES

- Aebi, M., Hornig, H., and Weissman, C. 1987. 5' Cleavage site in eucaryotic pre-mRNA splicing is determined by the overall 5' splice region, not by the conserved 5' GU. *Cell* **50**, 237-246.
- Ainsworth, C., Travis, M., and Clark, J. 1993. Isolation and analysis of a cDNA clone encoding the small subunit of ADP-glucose pyrophosphorylase from wheat. *Plant Mol. Biol.* **23**, 23-33.
- Akazawa, T., Pozueta-Romero, J., and Ardila, F. 1991. New aspects of starch biosynthesis in the plant cell. In "Compartmentation and Metabolic Regulation" (A. H. C. Huang and L. Taiz, eds.), pp. 74-85. American Society of Plant Physiologists, Rockville, MD.
- Anderson, J. M., Hnilo, J., Larson, R., Okita, T. W., Morell, M., and Preiss, J. 1989. The encoded primary sequence of a rice seed ADP-glucose pyrophosphorylase subunit and its homology to the bacterial enzyme. *J. Biol. Chem.* **264**, 12238-12242.
- Anderson, J. M., Larsen, R., Laudencia, D., Kim, W. T., Morrow, Okita, T. W., and Preiss, J. 1991. Molecular characterization of the gene encoding a rice endosperm-specific ADP-glucose pyrophosphorylase subunit and its developmental pattern of transcription. *Gene* **97**, 199-205.
- Anderson, J. M., Okita, T. W., and Preiss, J. 1990. Enhancing carbon flow into starch: the role of ADPglucose pyrophosphorylase. In "Molecular and Cellular Biology of the Potato" (W. C. Park and M. E. Vayda, eds.), pp. 159-180. C. A. B. International, Wallingford, United Kingdom.
- ap Rees, T. 1987. Compartmentation of plant metabolism. In "The Biochemistry of Plants" (D. D. Davies, ed.), Vol. 12, pp. 87-115. Academic Press, New York.
- ap Rees, T. 1988. Hexose phosphate metabolism by nonphotosynthetic tissues of higher plants. *Biochem. Plants* **14**, 1-33.
- ap Rees, T. 1995. Where do plants make ADP-Glc? In "Sucrose Metabolism, Biochemistry, Physiology and Molecular Biology" (H. Pontis, G. Salerno, and E. Echeverria, eds.), pp. 143-155. ASPP, Rockville, MD.
- ap Rees, T., and Entwistle, G. 1989. Entry in the amyloplasts of carbon for starch synthesis. In "Physiology, Biochemistry and Genetics of Non-Green Plastids" (C. D. Boyer, J. C. Shannon, R. C. Hardison, eds.), pp. 49-62. American Society of Plant Physiologists, Rockville, MD.
- ap Rees, T., Leja, M., Macdonald, F. D., and Green, J. H. 1984. Nucleotide sugars and starch synthesis in spadix of *Arum maculatum* and suspension cultures of *Glycine max*. *Phytochemistry* **23**, 2463-2468.
- Archbold, H. K. 1940. Fructosans in the monocotyledons: A review. *New Phytol.* **39**, 185-219.
- Ardila, F., and Tandecarz, J. S. 1992. Potato tuber UDP-glucose: Protein transglucosylase catalyses its own glucosylation. *Plant Physiol.* **99**, 1342-1347.
- Asp, N.-G. 1985. Cereal carbohydrates in human nutrition. In "New approaches to Research in Cereal Carbohydrates." (R. D. Hill and L. Munck, eds.) pp. 339-343. Elsevier Sc. Pub. Amsterdam.

- Baba, T., Kimura, K., Mizuno, K., Etoh, H., Ishida, Y., Shida, O., and Arai, Y. 1991. Sequence conversion of the catalytic regions of the amylolytic enzymes in maize branching enzyme. *Biochem. Biophys. Res. Commun.* **181**, 87–94.
- Baba, T., Nishihara, M., Mizuno, K., Kawasaki, T., Shimada, H., Kobayashi, E., Ohnishi, S., Tanaka, K., and Arai, Y. 1993. Identification, cDNA cloning and gene expression of soluble starch synthase in rice (*Oryza sativa* L.) immature seeds. *Plant Physiol.* **103**, 565–573.
- Baba, T., Yoshii, M., and Kainuma, K. 1987. Acceptor molecule of granular-bound starch synthase from sweet potato roots. *Starch/Stärke* **39**, 52–56.
- Bae, J. M., Giroux, J., and Hannah, L. C. 1990. Cloning and characterization of the *brittle-2* gene of maize. *Maydica* **35**, 317–322.
- Baecker, P. A., Greenberg, E., and Preiss, J. 1986. Biosynthesis of bacterial glycogen: Primary structure of *Escherichia coli* 1,4- α -D-glucan: 1,4- α -D-glucan 6- α -D-(glucano)-transferase as deduced from the nucleotide sequence of the *glgB* gene. *J. Biol. Chem.* **261**, 8738–8743.
- Bailey, J. M., and Whelan, W. J. 1961. Physical properties of starch. I. Relationship between iodine stain and chain length. *J. Biol. Chem.* **236**, 969–973.
- Ball, K. L., and Preiss, J. 1992. Evidence for an arginine residue at the allosteric sites of spinach leaf ADPglucose pyrophosphorylase. *J. Protein Chem.* **11**, 231–237.
- Ball, K. L., and Preiss, J. 1994. Allosteric sites of the large subunit of the spinach leaf adenosine diphosphate glucose pyrophosphorylase. *J. Biol. Chem.* **269**, 24706–24711.
- Ball, S., Dirick, L., Decq, A., Martiat, J. C., and Matagne, R. F. 1990. Physiology of starch storage in the monocellular algae *Chlamydomonas reinhardtii*. *Plant Sci.* **66**, 1–9.
- Ball, S., Guan, H.-P., James, M., Myers, A., Keeling, P., Mouille, G., Buléon, A., Colonna, P., and Preiss, J. 1996. From glycogen to amylopectin: A model for the biogenesis of the plant, starch granule. *Cell* **86**, 349–352.
- Ball, S., Marianne, T., Dirick, L., Fresnoy, M., Delrue, B., and Decq, A. 1991. A *Chlamydomonas reinhardtii* low-starch mutant is defective for 3-phosphoglycerate activation and orthophosphate inhibition of ADP-glucose pyrophosphorylase. *Planta* **185**, 17–26.
- Ballicora, M. A., Fu, Y., Wu, M.-X., Sheng, J., Nesbitt, N. M., and Preiss, J. 1996. Studies on the catalytic and regulatory sites of bacterial and plant ADPGlc pyrophosphorylase. In "Regulation and Manipulation of Starch and Sucrose Metabolism in Plants" (Y. Nakamura, ed.), pp. 5–11. National Institute of Agrobiological Resources of Japan, Tokyo.
- Ballicora, M. A., Laughlin, M. J., Fu, Y., Okita, T. W., Barry, G. F., and Preiss, J. 1995. ADPglucose from potato tuber: Significance of the N-terminal of the small subunit for catalytic properties and heat stability. *Plant Physiol.* **109**, 245–251.
- Banks, W., and Greenwood, C. T. 1975. "Starch and Its Components." Edinburgh Univ. Press, Scotland.
- Banks, W., and Muir, D. D. 1980. Structure and chemistry of the starch granule. In "The Biochemistry of Plants" (J. Preiss, ed.), Vol 3, pp 321–369. Academic Press, New York.
- Barry, G. F., Kishore, G., Stark, D. M., and Zalewsky, J. C. 1994. "Method of improving the quality of stored potatoes." (PCT/US94/05275). World Intellectual Property Organization, International Bureau.
- Barton, C., Yang, L., Galvin, M., Sengupta-Gopalan, C., and Borelli, T. 1986. Isolation of the *Shrunken-2* and *Brittle-2* genes from maize. In "Regulation of Carbon and Nitrogen Reduction and Utilization in Maize" (J. C. Shannon, D. P. Knievel, and C. D. Boyer, eds.), pp. 363–365. American Society of Plant Physiologists, Rockville, MD.
- Bassham, J. A., and Calvin, M. 1957. "The Path of Carbon in Photosynthesis." Prentice-Hall, Englewood Cliffs, NJ.
- Bassham, J. A., and Krause, G. H. 1969. Free energy changes and metabolic regulation in steady-state photosynthetic carbon reduction. *Biochim. Biophys. Acta* **153**, 211–218.

- Batz, O., Maus, U., Henrichs, G., Scheibe, R., Neuhaus, H.-E. 1994. Glucose and ADPGlc-dependent starch synthesis in isolated cauliflower-bud amyloplasts: Analysis of the interaction of various potential precursors. *Biochim. Biophys. Acta* **1200**, 148–154.
- Beck, E., and Ziegler, P. 1989. Biosynthesis and degradation of starch in higher plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **40**, 95–117.
- BeMiller, J. N. 1997. Structure of the starch granule. *J. Appl. Glycosci.* **44**, 43–49.
- Benson, A. A., Bassham, J. A., Calvin, M., Goodale, T. C., Haas, V. A., and Stepka, W. 1950. The path of carbon in photosynthesis: V. Paper chromatography and radioautography of the products. *J. Am. Chem. Soc.* **72**, 1710–1718.
- Benson, A. A., Bassham, J. A., Calvin, M., Hall, A. G., Hirsch, H. E., Kawaguchi, S., Lynch, V., and Tolbert, N. E. 1952. The path of carbon in photosynthesis. XV. Ribulose and sedoheptulose. *J. Biol. Chem.* **196**, 703–716.
- Benson, A. A., and Calvin, M. 1950. Carbon dioxide fixation by green plants. *Ann. Rev. Plant Physiol.* **1**, 25–42.
- Bhattacharyya, M. K., Smith, A. M., Noel-Ellis, T. H., Hedley, C., and Martin, C. 1990. The wrinkled-seed character of pea described by Mendel is caused by a transposon-like insertion in a gene encoding starch-branching enzyme. *Cell* **60**, 115–122.
- Bhave, M. R., Lawrence, S., Barton, C., and Hannah, L. C. 1990. Identification and molecular characterization of *Shrunken-2* cDNA clones of maize. *Plant Cell* **2**, 581–588.
- Binderup, K. 1997. Site directed mutagenesis studies and crystallization experiments in the *E. coli* branching enzyme. Master's thesis. Århus University, Denmark.
- Binderup, K., and Preiss, J. In press. Glu-459 is important in function of *E. coli* branching enzyme. *Biochemistry*.
- Bird, I. F., Cornelius, M. J., Keys, A. J., and Whittingham, C. P. 1974. Intracellular site of sucrose synthesis in leaves. *Phytochem.* **13**, 59–64.
- Blennow, A., and Johnson, G. 1991. Isolation of Q-enzyme with Mr 103,000 from potato tubers. *Phytochem.* **30**, 437–444.
- Bocca, S. N., Rothschild, A., and Tandecarz, J. S. 1997. Initiation of starch biosynthesis: Purification and characterization of UDP-glucose. Protein transglucosylase from potato tubers. *Plant Physiol. Biochem.* **35**, 305–312.
- Booma, M., Selke, S. E., and Giacini, J. R. 1994. Biodegradable plastics. *J. Elastom. Plastics* **26**, 104–142.
- Borchert, S., Grosse, H., and Heldt, H. W. 1989. Specific transport of inorganic phosphate, glucose 6-phosphate, dihydroxyacetone phosphate and 3-phospho-glycerate into amyloplasts from pea roots. *Fed. Eur. Biochem. Soc.* **253**, 183–186.
- Borchert, S., Harbroth, J., Schünemann, D., Hoferichter, P., and Heldt, H. W. 1993. Studies of the enzymic capacities and transport properties of pea root plastids. *Plant Physiol.* **101**, 303–312.
- Borovsky, D., Smith, E. E., and Whelan, W. J. 1975. Purification and properties of potato 1,4- α -D-glucan: 1,4- α -D-glucan, 6- α -(1,4- α -D-glucano)-transferase. Evidence a dual catalytic function in amylose branching enzyme. *Eur. J. Biochem.* **59**, 615–625.
- Bourne, E. J., and Peat, S. 1945. The enzymic synthesis and degradation of starch. I. The synthesis of amylopectin. *J. Chem. Soc.* 877–882.
- Boyer, C., and Preiss, J. 1979. Properties of citrate stimulated starch synthesis catalyzed by starch synthase I of developing maize kernels. *Plant Physiol.* **64**, 1039–1042.
- Boyer, C. D. 1985b. Synthesis and breakdown of starch. In "Biochemical Basis of Plant Breeding" (C. A. Neyra, ed.), Vol. 1, pp. 133–153. CRC Press, Boca Raton, FL.
- Boyer, C. D., and Preiss, J. 1978a. Multiple forms of (1 $\rightarrow$ 4)- α -D-glucan 6-glycosyl transferase from developing *Zea mays* L. kernels. *Carbohydr. Res.* **61**, 321–334.

- Boyer, C. D., and Preiss, J. 1978b. Multiple forms of starch branching enzyme of maize: Evidence for independent genetic control. *Biochem. Biophys. Res. Commun.* **80**, 169–175.
- Boyer, C. D., and Preiss, J. 1981. Evidence for independent genetic control of the multiple forms of maize endosperm branching enzymes and starch synthases. *Plant Physiol.* **67**, 1141–1145.
- Boyer, C. D., Shannon, J. C., and Hardison, R. C., eds. 1989. "Physiology, Biochemistry and Genetics of Nongreen Plastids." American Society of Plant Physiologists, Rockville, MD.
- Brangeon, J., Reyss, A., and Prioul, J.-L. 1997. In situ detection of ADPglucose pyrophosphorylase expression during maize endosperm development. *Plant Physiol. Biochem.* **35**, 847–858.
- Breathnach, R., and Chambon, P. 1981. Organization and expression of eucaryotic split genes coding for proteins. *Ann. Rev. Biochem.* **50**, 349–383.
- Brinson, K., and Dey, P. M. 1985. Polysaccharides containing xylose, arabinose, and galactose in higher plants. In "Biochemistry of Storage Carbohydrates in Green Plants" (P. M. Dey and R. A. Dixon, eds.), pp. 349–371. Academic Press, New York.
- Brown, J. W. S. 1986. A catalogue of splice junction and putative branch-point sequences from plant introns. *Nucl. Acid Res.* **14**, 9549–9559.
- Bucke, C., and Oliver, I. R. 1975. Location of enzymes metabolising sucrose and starch in the grasses *Pennisetum purpureum* and *Muhlenbergia montana*. *Planta* **122**, 45–52.
- Burns, J. A., Cornish-Bowden, A., Groen, A. K., Heinrich, R., Kasser, H., Porteous, J. W., Rapoport, S. M., Rapoport, T. A., Stucki, J. W., Tager, J. M., Wanders, R. J. A., and Westerhoff, H. V. 1985. Control analysis of metabolic systems. *TIBS*. **10**, 16.
- Callis, J., Fromm, M., and Walbot, V. 1987. Introns increase gene expression in cultured maize cells. *Genes and Devel.* **1**, 1183–1200.
- Campbell, D. G., and Cohen, P. 1989. The amino acid sequence of rabbit skeletal muscle glycogenin. *Eur. J. Biochem.* **185**, 119–125.
- Cao, H., and Preiss, J. 1996. Evidence for essential arginine residues at the active site of maize branching enzymes. *J. Protein Chem.* **15**, 291–304.
- Cao, H., Sullivan, T. D., Boyer, C. D., and Shannon, J. C. 1995. Bt1, a structural gene for the major 39–44 kDa amyloplast membrane polypeptides. *Physiol. Plant.* **95**, 176–186.
- Cardini, C. E., Leloir, L. F., and Chiriboga, J. 1955. The biosynthesis of sucrose. *J. Biol. Chem.* **214**, 149–155.
- Carter, J., and Smith, E. E. 1978. Actions of glycogen synthase and phosphorylase of rabbit-skeletal muscle on modified glycogens. *Carbohydr. Res.* **61**, 395–406.
- Caspar, C., Huber, S. C., and Somerville, C. 1986. Alterations in growth, photosynthesis and respiration in a starch mutant of *Arabidopsis thaliana* (L.). Heynh deficient in chloroplast phosphoglucomutase activity. *Plant Physiol.* **79**, 1–7.
- Caspar, T. 1994. Genetic dissection of the biosynthesis, degradation and biological functions of starch. In "Arabidopsis" (Monograph 27) (E. M. Meyerowitz and C. Somerville, eds.), pp. 913–936. Cold Spring Harbor Lab. Press, Cold Spring Harbor, New York.
- Caspar, T., and Pickard, B. G. 1989. Gravitropism in a starchless mutant of *Arabidopsis* implications for the starch-statolith theory of gravity sensing. *Planta* **177**, 185–197.
- Chang, Y.-Y., Iglesias, A. A., and Preiss, J. 1994. Structure–function relationships of cyanobacterial ADP-glucose pyrophosphorylase: Site-directed mutagenesis and chemical modification of the activator-binding sites of ADP-glucose pyrophosphorylase from *Anabaena* PCC 7120. *J. Biol. Chem.* **269**, 24107–24113.
- Chang, Y.-Y., Kakefuda, G., Iglesias, A. A., Buikema, W. J., and Preiss, J. 1992. Molecular cloning and expression of the gene encoding ADP-glucose pyrophosphorylase from cyanobacterium *Anabaena* sp. strain PCC 7120. *Plant Mol. Biol.* **20**, 37–47.

- Charg, Y.-Y., Sheng, J., and Preiss, J. 1995. Mutagenesis of an amino acid residue in the activator-binding site of ADP-glucose pyrophosphorylase causes alteration in activator specificity. *Arch. Biochem. Biophys.* **318**, 476–480.
- Chen, T. M., Ditttrich, P., Campbell, W. H., and Black, C. C. 1974. Metabolism of epidermal tissues, mesophyll cells and bundle sheath strands resolved from mature nutsedge leaves. *Arch. Biochem. Biophys.* **163**, 246–262.
- Ching, T. M., Poklemba, C. J., and Metzger, R. J. 1983. Starch synthesis in shriveled and plump *Triticale* seeds. *Plant Physiol.* **73**, 652–657.
- Clark, J. R., Robertson, M., and Ainsworth, C. C. 1991. Nucleotide sequence of a wheat (*Triticum aestivum* L.) cDNA clone encoding the waxy protein. *Plant Mol. Biol.* **16**, 1099–1101.
- Coates, S. A., and ap Rees, T. 1994. Metabolism of glucose monophosphates by leucoplasts and amyloplasts from soybean suspension cultures. *Phytochemistry* **35**, 881–883.
- Cohn, M. 1961. In “The Enzymes” (P. D. Boyer, H. Lardy, and K. Myrback, eds.) 2nd. ed., Vol 5, pp. 179–206. Academic Press. New York.
- Dang, P. L., and Boyer, C. D. 1988. Maize leaf and kernel starch synthases and branching enzymes. *Phytochemistry* **27**, 1255–1259.
- de Fekete, M. A. R., and Cardini, C. E. 1964. Mechanism of glucose transfer from sucrose into the starch granule of sweet corn. *Arch. Biochem. Biophys.* **104**, 173–184.
- Dedio, W., Simmonds, D. H., Hill, R. D., and Shealy, H. 1975. Distribution of alpha-amylase in the triticale kernel during development. *Can. J. Plant Sci.* **55**, 29–36.
- Delrue, B., Fontaine, T., Routier, F., Decq. A., Wieruszski, J.-M., Van Den Koornhuysse, N., Maddelein, M.-L., Fournet, B., and Ball, S. 1992. Waxy *Chlamydomonas reinhardtii*: Monocellular algal mutants defective in amylose synthesis and granule-bound starch synthase activity accumulate a structurally modified amylopectin. *J. Bacteriol.* **174**, 3612–3620.
- Dennis, D. T., Heckman, W. E., Thomson, A., Ireland, R. J., Botha, F. C., and Kruger, N. J. 1985. In “Regulation of Carbon Partitioning in Photosynthetic Tissue” (R. Heath, and J. Preiss, eds.), pp. 127–146. American Society of Plant Physiologist Rockville, MD.
- Denyer, K., Dunlap, F., Thorbjørtnsen, T., Keeling, P., and Smith, A. M. 1996. The major form of ADPglucose pyrophosphorylase in maize endosperm is extra-plastidial. *Plant Physiol.* **112**, 779–785.
- Denyer, K., Sidebottom, C., Hylton, C. M., and Smith, A. M. 1993. Soluble isoforms of starch synthase and starch-branching enzyme also occur within starch granules in developing pea embryos. *Plant J.* **4**, 191–196.
- Denyer, C., and Smith, A. 1988. The capacity of plastids from developing pea cotyledons to synthesize acetyl CoA. *Planta* **173**, 172–182.
- Dickinson, D. B., and Preiss, J. 1969a. ADPglucose pyrophosphorylase from maize endosperm. *Arch. Biochem. Biophys.* **130**, 119–128.
- Dickinson, D. B., and Preiss, J. 1969b. Presence of ADP-glucose pyrophosphorylase in *Shrunken-2* and *Brittle-2* mutants of maize endosperm. *Plant Physiol.* **44**, 1058–1062.
- Dohlert, D. C., and Knutson, C. A. 1991. Two classes of starch debranching enzymes from developing maize kernels. *J. Plant Physiol.* **138**, 566–572.
- Downey, K., Voellmy, R., Ahmad, F., and Schultz, J. (Eds.) 1983. “Advances in Gene Technology: Molecular Genetics of Plants and Animals.” Academic Press New York.
- Downton, W. J. S., and Hawker, J. 1973. Enzymes of starch and sucrose metabolism in *Zea mays* leaves. *Phytochem.* **12**, 1551–1556.
- Dry, I., Smith, A., Edwards, A., Bhattarcharya, M., Dunn, P., and Martin, C. 1992. Characterization of cDNAs encoding two isoforms of granule-bound starch synthase which show differential expression in developing storage organs of pea and potato. *Plant J.* **2**, 193–202.

- Echeverria, E., and Boyer, C. D. 1986. Localization of starch synthetic and degradative enzymes in maize leaves. *Am. J. Bot.* **73**, 167–171.
- Echeverria, E., Boyer, C. D., Liu, K.-C. and Shannon, J. C. 1985. Isolation of amyloplasts from developing maize endosperm. *Plant Physiol.* **77**, 513–519.
- Echeverria, E., Boyer, C. D., Thomas, P. A., Liu, K.-C., and Shannon, J. C. 1988. Enzyme activities associated with maize kernel amyloplasts. *Plant Physiol.* **86**, 786–792.
- Edwards A., Marshall, J., Denyer, K., Sidebottom, C., Visser, R. G., Martin, C., and Smith, A. M. 1996. Evidence that a 77-kilodalton protein from the starch of pea embryos is an isoform of starch synthase that is both soluble and granule-bound. *Plant Physiol.* **112**, 89–97.
- Edwards, G., and Walker, D. A. 1983. "C₃, C₄: Mechanisms, Cellular and Environmental Regulation of Photosynthesis." Blackwell Scientific Publishers, Oxford, England.
- Edwards, J., Green, J. H., and ap Rees, T. 1988. Activity of branching enzyme as a cardinal feature of the Ra locus in *Pisum sativum*. *Phytochem.* **27**, 1615–1620.
- Entwistle, G., and ap Rees, T. 1988. Enzyme capacities of amyloplasts from wheat (*Triticum aestivum*) endosperm. *Biochem. J.* **255**, 391–396.
- Entwistle, G., Tyson, R. H., and ap Rees, T. 1988. Isolation of amyloplasts from wheat endosperm. *Phytochemistry* **25**, 2033–2039.
- Erlander, S. 1958. Proposed mechanism for the synthesis of starch from glycogen. *Enzymol.* **19**, 273–283.
- Espada, J. 1962. Enzymic synthesis of adenosine diphosphate glucose from glucose 1-phosphate and adenosine triphosphate. *J. Biol. Chem.* **237**, 3577–3581.
- Fahrendorf, T., Holtum, J. A. M., Muckerjee, U., and Latzko, E. 1987. Fructose 2,6-biphosphate, carbohydrate partitioning, and crassulacean acid metabolism. *Plant Physiol.* **84**, 182–187.
- Fales, F. W. 1980. The linear relationship between iodine staining and average chain length of the unbranched amyloglucans. *Biopolymers* **19**, 1535–1542.
- Fanta, G. F., and Doane, W. M. 1986. In "Modified Starches: Properties and Uses" (O. B. Wurzburg, ed.) pp. 149–178. CRC Press, Boca Raton, FL.
- Farris, P. 1984. Economics and future of the starch industry. In "Starch: Chemistry and Technology" (R. L. Whistler, J. N. BeMiller, and E. F. Paschall, eds.), 2nd ed., pp. 11–24. Academic Press, New York.
- Fedoroff, N., Wessler, S., and Shure, M. 1983. Isolation of the transposable maize controlling elements *Ac* and *Ds*. *Cell* **35**, 235–242.
- Fekete, M. A. R. de, Leloir, L. F., and Cardini, C. E. 1960. Mechanism of starch biosynthesis. *Nature* (London), **187**, 918–919.
- Fekete, M. A. R. de, Leloir, L. F., and Cardini, C. E. 1961. Starch and oligosaccharide synthesis from uridine diphosphate glucose. *J. Biol. Chem.* **236**, 636–641.
- Feldman, K. A., and Marks, M. D. 1987. *Mol. Gen. Genet.* **208**, 1–9.
- Fisher, D. K., Boyer, C. D., and Hannah, L. C. 1993. Starch branching enzyme II from maize endosperm. *Plant Physiol.* **102**, 1053–1054.
- Fisher, D. K., Gao, M., Kim, K.-N., Boyer, C. D., and Guiltinan, M. J. 1996a. Allelic analysis of the maize *amylose-extender* locus suggests that independent genes encode starch branching enzymes IIa and IIb. *Plant Physiol.* **110**, 611–619.
- Fisher, D. K., Gao, M., Kim, K.-N., Boyer, C. D., and Guiltinan, M. J. 1996b. Two closely related cDNAs encoding starch branching enzyme from *Arabidopsis thaliana*. *Plant Mol. Biol.* **30**, 97–108.
- Fisher, M. B., and Boyer, C. D. 1983. Immunological characterization of starch branching enzymes. *Plant Physiol.* **72**, 813–816.

- Fitt, L. E., and Snyder, E. M. 1984. Photomicrographs of starch. In "Starch, Chemistry and Technology" (R. L. Whistler, J. N. BeMiller, and E. F. Paschall, eds.), 2nd ed., pp. 675-689. Academic Press, New York.
- Fontaine, T., D'Hulst, C., Maddelein, M.-L., Routier, F., Pepin, T. M., Decq, A., Wieruszeski, J.-M., Delrue, B., Van Den Koornhuysen, N., Bossu, J.-P., Fournet, B., and Ball, S. 1993. Toward an understanding of the biogenesis of the starch granule; Evidence that *Chlamydomonas* soluble starch synthase II controls the synthesis of intermediate size glucans of amylopectin. *J. Biol. Chem.* **268**, 16223-16230.
- Fox, J., Kawaguchi, K., Greenberg, E., and Preiss, J. 1976. Biosynthesis of bacterial glycogen. Purification and properties of the *Escherichia coli* B ADPglucose: 1,4- α -D-glucan 4- α -glucosyltransferase. *Biochem.* **15**, 849-857.
- French, D. 1972. Fine structure of starch and its relationship to the organization of starch granules. *J. Jpn. Soc. Starch Sci.* **19**, 8-25.
- French, D. 1984. Organization of starch granules. In "Starch, Chemistry and Technology" (R. L. Whistler, J. N. BeMiller, and E. F. Paschall, eds.), 2nd ed., pp. 183-247. Academic Press, New York.
- Frydman, R. B., and Cardini, C. E. 1966. Studies on the biosynthesis of starch II. *J. Biol. Chem.* **242**, 312-317.
- Furbank, R. T., Stitt, M., and Foyer, C. H. 1985. Intercellular compartmentation of sucrose synthesis in leaves of *Zea mays*. *Planta*. **164**, 172-178.
- Furlong, C. E., and Preiss, J. 1969. Biosynthesis of bacterial glycogen synthesis. VII. Purification and properties of adenosine diphosphoglucose pyrophosphorylase of *Rhodospirillum rubrum*. *J. Biol. Chem.* **244**, 2539-2548.
- Furukawa, K., Tagaya, M., Inouye, M., Preiss, J., and Fukui, T. 1990. Identification of lysine 15 at the active site in *Escherichia coli* glycogen synthase: Conservation of a Lys-X-Gly-Gly sequence in the bacterial and mammalian enzymes. *J. Biol. Chem.* **265**, 2086-2090. 871.
- Furukawa, K., Tagaya, M., Tanizawa, K., and Fukui, T. 1993. Role of the conserved Lys-X-Gly-Gly sequence at the ADP-glucose-binding site in *Escherichia coli* glycogen synthase. *J. Biol. Chem.* **268**, 23837-23842.
- Furukawa, K., Tagaya, M., Tanizawa, K., and Fukui, T. 1994. Identification of Lys²⁷⁷ at the active site of *Escherichia coli* glycogen synthase. *J. Biol. Chem.* **269**, 868-871.
- Galliard, T. 1987. "Starch: Properties and Potential." John Wiley and Sons, New York.
- Gamanetz, L. V., and Gamburg, K. Z. 1981. The effect of adenine on growth, starch and ADPG adenosine-5'-(α -D-glucopyranosyl)-pyrophosphate and ADPG pyrophosphorylase content in suspension cultures tobacco cells. *Z. Pflanzenphysiol.* **104**, 61-69.
- Gardiol, A., and Preiss, J. 1990. *Escherichia coli* E-39 ADPglucose synthetase has different activation kinetics from the wild type allosteric enzyme. *Arch. Biochem. Biophys.* **280**, 175-180.
- Geddes, R., Greenwood, C. T., and Mackenzie, S. 1965. Studies on the biosynthesis of starch granules. Part III. The properties of the components of starches from the growing potato tubers. *Carbohydr. Res.* **1**, 71-82.
- Gentner, N., Greenberg, E., and Preiss, J. 1969. TPNH and pyridoxal-5'-phosphate: Activators of ADP-glucose pyrophosphorylase of *Escherichia coli* B. *Biochem. Biophys. Res. Commun.* **36**, 373-380.
- Ghosh, P., Meyer, C., Remy, E., Peterson, D., and Preiss, J. 1992. Biosynthesis of bacterial glycogen: Cloning, expression and nucleotide sequence of *glg C* Gene from an allosteric mutant of *Escherichia coli* B. *Arch. Biochem. Biophys.* **296**, 122-128.
- Ghosh, H. P., and Preiss, J. 1966. Adenosine diphosphate glucose pyrophosphorylase: A regulatory enzyme in the biosynthesis of starch in spinach chloroplasts. *J. Biol. Chem.* **241**, 4491-4505.

- Giroux, M. J., Shaw, J., Barry, G., Cobb, B. G., Greene, T., Okita, T., and Hannah, L. C. 1996. A single gene mutation that increases maize seed weight. *Proc. Natl. Acad. Sci. USA*, **93**, 5824–5829.
- Goldner, W., and Beevers, H. 1989. Starch synthase and starch branching enzyme from germinating castor bean endosperm. *Phytochemistry* **28**, 1809–1812.
- Gough, B. M., Greenwell, P., and Russell, P. L. 1985. On the interaction of sodium dodecyl sulphate with starch granules. In "New Approaches to Research on Cereal Carbohydrates" (R. D. Hill and L. Munck, eds.), pp. 99–108. Elsevier Scientific Publishers, Amsterdam, The Netherlands.
- Gracey, M., Kretchmer, N., and Rossi, E. 1991. "Sugars in Nutrition." Raven Press, New York.
- Greenberg, E., Preiss, J. E., VanBoldrick, M., and Preiss, J. 1983. Biosynthesis of bacterial glycogen: Activator specificity of the ADPglucose pyrophosphorylase of *Rhodospseudomonads*. *Arch. Biochem. Biophys.* **220**, 594–604.
- Greene, T. W., Chantler, S. E., Kahn, M. L., Barry, G. F., Preiss, J., and Okita, T. W. 1996. "Mutagenesis of the potato ADPglucose pyrophosphorylase and characterization of an allosteric mutant defective in 3-phosphoglycerate activation." *Proc. Natl. Acad. Sci.* **93**, 1509–1513.
- Greene, T. W., Chantler, S. E., Kahn, M. L., Barry, G. F., Preiss, J., and Okita, T. W. 1996a. *Proc. Natl. Acad. Sci. USA* **93**, 1509–1513.
- Greene, T. W., Woodbury, R. L., and Okita, T. O. 1996b. *Plant Physiol.* **112**, 1315–1320.
- Greenwell, P., Evers, A. D., Gough, B. M., and Russell, P. L. 1985. Amyloglucose-catalysed erosion of native, surface-modified and chlorine-treated wheat starch granules: The influence of surface protein. *J. Cereal Sci.* **3**, 279–293.
- Greenwood, C. T., and Thomson, J. 1961. Physicochemical studies on starches. Part XXIII. Some physical properties of floridean starch and the characterization of structure-type of branched α -1,4-glucans. *J. Chem. Soc.* 1534–1537.
- Guan, H. P., Baba, T., and Preiss, J. 1994a. Expression of branching enzyme I of maize endosperm in *Escherichia coli*. *Plant Physiol.* **104**, 1449–1453.
- Guan, H. P., Baba, T., and Preiss, J. 1994b. Expression of branching enzyme II of maize endosperm in *Escherichia coli*. *Cellul. and Molec. Biol.* **40**, 981–987.
- Guan, H. P., Kuriki, T., Sivak, M., and Preiss, J. 1995. Maize branching enzyme catalyzes synthesis of glycogen-like polysaccharide in *glgB*-deficient *Escherichia coli*. *Proc. Natl. Acad. Science USA* **92**, 964–967.
- Guan, H. P., and Preiss, J. 1993. Differentiation of the properties of the branching isozymes from maize (*Zea mays*). *Plant Physiol.* **102**, 1269–1273.
- Guthrie, R. D., and Honeyman, J. 1968. "Introduction to the Chemistry of Carbohydrates." 3rd ed. Clarendon Press, Oxford, England.
- Hall, D. O. 1972. Nomenclature for isolated chloroplasts. *Nature New Biol.* **235**, 125–126.
- Hallberg, M., and Larsson, C. 1983. Metabolism of labelled 3-phosphoglycerate with mesophyll protoplasts and purified mesophyll chloroplasts from the C₄ plant *Digitaria sanguinalis*. In "Proceedings of the VIth International Congress on Photosynthesis" (C. Sybesma, ed.), Vol. III, pp. 417–420. The Hague, M. Nijhoff/W. Junk.
- Hammond, J. B., and Preiss, J. 1983. Spinach leaf intra and extrachloroplastic phosphorylase activities during growth. *Plant Physiol.* **73**, 709–712.
- Hanes, C. S. 1940. The reversible formation of starch from glucose-1-phosphate catalyzed by potato phosphorylase. *Proc. R. Soc. Lond. Ser. B.* **120**, 174–208.
- Hatch, M. D., and Osmond, C. B. 1976. Compartmentalization and transport in C₄ photosynthesis. In "Encyclopedia of Plant Physiology" (C. R. Stocking and U. Heber, eds.), Vol. 3, pp. 144–184. Transport in Plants III. Springer-Verlag, New York.

- Hatzfeldt, W. D., and Stitt, M. 1990. A study on the rate of recycling of triose phosphates in heterotrophic *Chenopodium rubrum* cells, potato tubers, and maize endosperm. *Planta* **180**, 198–204.
- Haugen, T., Ishaque, A., and Preiss, J. 1976. ADP-glucose pyrophosphorylase: Evidence for a lysine residue at the activator site of the *Escherichia coli* B enzyme. *Biochem. Biophys. Res. Commun.* **69**, 346–353.
- Hawker, J. S., and Downton, W. J. S. 1974. Starch synthetases from *Vitis vinifera* and *Zea mays*. *Phytochem.* **13**, 893–900.
- Hawker, J. S., and Jenner, C. F. 1993. High temperature affects the activity of enzymes in the committed pathway of starch synthesis in developing wheat endosperm. *Austr. J. Plant Physiol.* **20**, 197–209.
- Hawker, J. S., Ozbun, J. L., Ozaki, H., Greenberg, E., and Preiss, J. 1974. Interaction of spinach leaf adenosine diphosphate glucose α -1,4-glucan α -4-glucosyl transferase and α -1,4-glucan, α -1,4-glucan-6-glucosyl transferase in synthesis of branched α -glucan. *Arch. Biochem. Biophys.* **160**, 530–551.
- Heber, U., and Heldt, H. W. 1981. The chloroplast envelope: Structure function and role in leaf metabolism. *Ann. Rev. Plant Physiol.* **25**, 393–421.
- Heber, U., and Santarius, K. A. 1965. Compartmentation and reduction of pyridine nucleotides in relation to photosynthesis. *Biochim. Biophys. Acta* **109**, 390–408.
- Hedman, K. D., and Boyer, C. D. 1982. Gene dosage at the *amylose-extender* locus of maize: Effects on the levels of starch branching enzymes. *Biochem. Genet.* **20**, 483–492.
- Heinrich, R., and Rapoport, T. A. 1974. A linear steady-state treatment of enzymatic chains, general properties, control and effector strength. *Eur. J. Biochem.* **42**, 89–95.
- Heldt, H. W. 1969. Adenine nucleotide translocation in spinach chloroplasts. *FEBS Lett.* **5**, 11–14.
- Heldt, H. W., Flügge, I., and Borchert, S. 1991. Diversity of specificity and function of phosphate translocators in various plastids. *Plant Physiol.* **95**, 341–343.
- Hendry, G. 1987. The ecological significance of fructan in a contemporary flora. *New Phytol.* **106**, 201–216.
- Hendry, G. 1993. Evolutionary origins and natural fractions of fructans: A climatological, biogeographic and mechanistic approach. *New Phytol.* **123**, 3–14.
- Hendry, G., and Wallace, R. K. 1993. The origin, distribution and evolutionary significance of fructans. In "Science and Technology of Fructans," (M. Susuki and N. J. Chatterton, eds.) pp. 120–139. CRC Press, Boca Raton, FL.
- Henrissat, B., and Bairoch, A. 1993. New families in the classification of glycosyl hydrolases based on amino acid sequence similarities. *Biochem. J.* **293**, 781–788.
- Hesse, H., Willmitzer, L., and Sonnewald, U. 1995. Cloning and expression analysis of sucrose-P synthase from sugar beet (*Beta vulgaris* L.). *Mol. Gen. Genet.* **247**, 515–520.
- Hill, L. M., and Smith, A. M. 1991. Evidence that glucose-6-phosphate is imported as the substrate for starch synthesis by the plastids of developing pea embryos. *Planta* **185**, 91–96.
- Hill, M. A., Kaufmann, K., Otero, J., and Preiss, J. 1991. Biosynthesis of bacterial glycogen: Mutagenesis of a catalytic site residue of ADPglucose pyrophosphorylase from *Escherichia coli*. *J. Biol. Chem.* **266**, 12455–12460.
- Hixon, R. M., and Brimhall, B. 1953. The waxy cereals and starches which stain red with iodine. In "Starch and Its Derivatives," (J. A. Radley, ed.), pp. 252–290. Chapman and Hall, London.
- Hizukuri, S. 1985. Relationship between the distribution of the chain length of amylopectin and crystalline structure of starch granule. *Carbohydr. Res.* **141**, 295.
- Hizukuri, S. 1986. Polymodal distribution of the chain lengths of amylopectins and its significance. *Carbohydr. Res.* **147**, 342–347.

- Hizukuri, S. 1995. Starch: Analytical aspects. In "Carbohydrates in Food" (A. C. Eliason, ed.), pp. 347–429. Marcel Dekker, New York.
- Hizukuri, S., Fujii, M., and Nikuni, Z. 1961. Effect of temperature during germination on the crystalline type of starch in soybean seedlings. *Nature (Lond.)* **192**, 239–240.
- Hizukuri, S., Kaneko, T., and Takeda, Y. 1983. Measurement of the chain length of amylopectin and its relevance to the origin of polymorphism of starch granules. *Biochim. Biophys. Acta* **760**, 188–191.
- Hobson, P. N., Whelan, W. J., and Peat, S. 1950. The enzymic synthesis and degradation of starch. X. The phosphorylase and Q enzyme of broad bean. The Q enzyme of wrinkled pea. *J. Chem. Soc.*, pp. 3566–3573.
- Holmes, E., and Preiss, J. 1979. Characterization of *Escherichia coli* B glycogen synthase enzymatic reactions and products. *Arch. Biochem. Biophys.* **196**, 436–448.
- Hopfer, U. 1997. Digestion and absorption of basic nutritional constituents. In *Textbook of Biochemistry with Clinical implications*. T. Devlin (ed.) pp. 1055–1086.
- Hoseney, R. C. 1990. "Principles of Cereal Science and Technology." American Association of Cereal Chemists, St. Paul, MN.
- Hovenkamp-Hermelink, J. H. M., Jacobsen, E., Ponstein, A. S., Visser, R. G. F., Vos-Scheperkeuter, G. H., Bijmolt, E. W., de Vries, J. N., Witholt, B., and Feenstra, W. J. 1987. Isolation of an amylose-free starch mutant of the potato (*Solanum tuberosum* L.). *Theor. Appl. Genet.* **75**, 217–221.
- Huber, W., de Fekete, A., and Ziegler, H. 1969. Enzymes of starch metabolism in chloroplasts of the bundle sheath and palisade cells of *Zea mays*. *Planta* **87**, 360–364.
- Hylton, C., and Smith, A. M. 1992. The rb mutation of peas causes structural and regulatory changes in ADPGlc, pyrophosphorylase from developing embryos. *Plant Physiol.* **99**, 1626–1634.
- Iglesias, A. A., Barry, G. F., Meyer, C., Bloksberg, L., Nakata, P. A., Greene, T., Laughlin, M. J., Okita, T. W., Kishore, G. M., and Preiss, J. 1993. Expression of the potato tuber ADP-glucose pyrophosphorylase in *Escherichia coli*. *J. Biol. Chem.* **268**, 1081–1086.
- Iglesias, A. A., Kakefuda, G., and Preiss, J. 1991. Regulatory and structural properties of the cyanobacterial. ADPglucose pyrophosphorylases. *Plant Physiol.* **97**, 1187–1195.
- Imberty, A., Buléon, A., Tran, V., and Pérez, S. 1991. Recent advances in knowledge of starch structure. *Starch/Stärke* **43**, 375–384.
- Imberty, A., Chanzy, H., Pérez, S., Buléon, A., and Tran, V. 1987. New tridimensional structure for A-type starch. *Macromolecules* **20**, 2634–2636.
- Imberty, A., Chanzy, H., Pérez, S., Buléon, A., and Tran, V. 1988. The double-helical nature of the crystalline part of A-starch. *J. Mol. Biol.* **20**, 2634–2636.
- James, D. W., Jr., Preiss, J., and Elbein, A. D. 1985. Biosynthesis of Polysaccharides. In "The Polysaccharides" (G. O. Aspinall, ed.), Vol. 3, pp. 107–207. Academic Press, New York.
- James, M. G., Robertson, D. S., and Meyers, A. M. 1995. Characterization of the maize gene *sugary 1*, a determinant of starch composition in kernels. *Plant Cell* **7**, 417–429.
- Jefford, T. G., and Edelman, J. 1961. Changes in content and composition of the fructose polymers of *Helianthus tuberosus* L. *J. Exp. Bot.* **12**, 177–187.
- Jenkins, P. J., Cameron, R. E., and Donald, A. M. 1993. A universal feature in the starch granules from different botanical sources. *Stärke* **45**, 417–420.
- Jenner, C. F. 1982. Storage of starch. In "Encyclopedia of Plant Physiology Vol. 13A. Intracellular Carbohydrates" (F. A. Loewus and W. Tanner, eds.) pp. 700–747. Springer-Verlag, Berlin, Germany.
- Jenner, C. F. 1994. Starch synthesis in the kernel of wheat under high temperature conditions. *Aust. J. Plant Physiol.* **21**, 791–806.

- Jespersen, H. M., MacGregor, A., Henrissat, B., Sierks, M. R., and Svensson, B. 1993. Starch- and glycogen-debranching and branching enzymes; prediction of structural features of the catalytic (β/α)₈-barrel domain and evolutionary relationship to other amylolytic enzymes. *J. Protein Chem.* **12**, 781–805.
- Journet, E. P., Bligny, R., and Douce, R. 1986. Biochemical changes during sucrose deprivation in higher plant cells. *J. Biol. Chem.* **261**, 3193–3199.
- Journet, E. P., and Douce, R. 1985. Enzymatic capacities of purified cauliflower bud plastids for lipid synthesis and carbohydrate metabolism. *Plant Physiol.* **79**, 458–467.
- Kacser, H. 1987. Control of metabolism. In "The Biochemistry of Plants" (D. D. Davies, ed.), Vol. 11, pp. 39–67. Academic Press, New York.
- Kacser, H., and Burns, J. A. 1973. Control of flux. *Symp. Soc. Exper. Biol.* **27**, 65–107.
- Kainuma, K. 1984. Starch oligosaccharides: linear, branched and cyclic. In "Starch Chemistry and Technology" (R. L. Whistler, J. N. BeMiller, and E. F. Paschall, eds.), 2nd ed. pp. 125–152. Academic Press, New York.
- Kainuma, K. 1988. Structure and chemistry of the starch granule. In "The Biochemistry of Plants" (J. Preiss, ed.), Vol. 14, pp. 141–180. Academic Press, New York.
- Kainuma, K., and French, D. 1972. Naegeli amyloextrin and its relationships to starch granule structure. II. Role of water in crystallization of B-starch. *Biopolymers* **11**, 2241.
- Kakefuda, G., Charng, Y.-Y., Iglesias, A. A., McIntosh, L., and Preiss, J. 1992. Molecular cloning and sequencing of ADP-glucose pyrophosphorylase from *Synechocystis* PCC6803. *Plant Physiol.* **99**, 344–347.
- Kakefuda, G., and Preiss, J. 1997. Partial purification and characterization of a diurnally fluctuating novel endoamylase from *Arabidopsis thaliana* leaves. *Plant Physiol. Biochem.* **35**, 907–913.
- Karrer, E. E., and Rodriguez, R. L. 1992. Metabolic regulation of rice α -amylase and sucrose synthase genes in planta. *Plant J.* **2**, 517–523.
- Kasemsuwan, T., and Jane, J. 1994. Location of amylose in normal starch granules. II. Location of phosphodiester cross-linking revealed by phosphorus-31 nuclear magnetic resonance. *Cereal Chem.* **71**, 282–286.
- Katz, F. R. 1991. In "Biotechnology and Food Ingredients" (I. Goldberg and R. Williams, eds.), pp. 315–326. Van Nostrand Reinhold, New York.
- Keeling, P. L., Bacon, P. J., and Holt, D. C. 1993. Elevated temperature reduces starch deposition in wheat endosperm by reducing the activity of soluble starch synthase. *Planta* **191**, 342–348.
- Keeling, P. L., Banisadr, R., Barone, L., Wasserman, B. P., and Singletary, G. W. 1994. Effects of temperature on enzymes in the pathway of starch biosynthesis in developing wheat and maize grain. *Aust. J. Plant Physiol.* **21**, 807–827.
- Keeling, P. L., Wood, J. R., Tyson, R. H., and Bridges, I. G. 1988. Starch biosynthesis in developing wheat grain: Evidence against the direct involvement of triose phosphates in the metabolic pathway. *Plant Physiol.* **87**, 311–319.
- Keiller, D. R., Paul, M. J., and Cockburn, W. 1987. Regulation of reserve carbohydrate metabolism in *Mesembryanthemum crystallinum* exhibiting C3 and CAM photosynthesis. *New Phytol.* **107**, 1–13.
- Khoshnoodi, J., Ek, B., Rask, L., and Larsson, H. 1993. Characterization of the 97 and 103-KDa forms of starch branching enzymes from potato tubers. *FEBS Lett.* **332**, 132–138.
- Kiel, J. A. K. W., Boels, J. M., Beldman, G., and Venema, G. 1990. Nucleotide sequence of the *Synechococcus* sp. PCC7942 branching enzyme (*glgB*) expression in *Bacillus subtilis*. *Gene* **89**, 77–84.
- Kiel, J. A. K. W., Elgersma, H. S. A., Beldman, G., Vossen, J. P. M. J., and Venema, G. 1989. Cloning and expression of the branching enzyme gene (*glgB*) from the *Cyanobacterium Synechococcus* sp. PCC7942 in *Escherichia coli*. *Gene* **78**, 9–17.

- Kiesselbach, T. A. 1949. The structure and reproduction of corn. *Nebr. Agric. Exp. Stn. Res. Bull.* **161**, 1–96.
- Kim, W. T., Franceschi, V. R., Okita, T. W., Robinson, N. L., Morell, M., and Preiss, J. 1989. Immunocytochemical localization of ADPglucose pyrophosphorylase in developing potato tuber cells. *Plant Physiol.* **91**, 217–220.
- Kiss, J. Z., Hertel, R., and Sack, F. D. 1989. Amyloplasts are necessary for full gravitropic sensitivity in roots of *Arabidopsis thaliana*. *Planta*. **177**, 198–206.
- Kleczkowski, L. A., Villand, P., Lüthi, E., Olsen, O.-A., and Preiss, J. 1993. Insensitivity of barley endosperm ADPGlc PPase pyrophosphorylase to 3-phosphoglycerate and orthophosphate regulation. *Plant Physiol.* **101**, 179–186.
- Klösgen, R. F., Gierl, A., Schwarz-Sommer, Z., and Saedler, H. 1986. Molecular analysis of the waxy locus of *Zea mays*. *Mol. Gen. Genet.* **203**, 237–244.
- Kossmann, J., Visser, R. F., Müller-Röber, B. T., Willmitzer, L., and Sonnewald, U. 1991. Cloning and expression analysis of a potato cDNA that encodes branching enzyme: Evidence for coexpression of starch biosynthetic genes. *Mol. Gen. Genet.* **230**, 39–44.
- Koch, K. E. 1996. Carbohydrate-modulated gene expression in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **47**, 509–540.
- Koch, K. E., Nolte, K. D., Duke, E. R., McCarty, D. R., and Avigne, W. T. 1992. Sugar levels modulate differential expression of maize sucrose synthase genes. *Plant Cell* **4**, 59–69.
- Koch, K. E., Xu, J., Duke, E. R., McCarty, D. R., and Yuan, C. X. 1995. Sucrose provides a long distance signal for coarse control of its genes affecting its metabolism. In "Sucrose Metabolism, Biochemistry and Molecular Biology" (H. G. Pontis, G. Salerno, and E. Eccheverria, eds.), pp. 266–277. American Society of Plant Physiologists, Rockville, MD.
- Koizumi, K., Kubota, Y., Tanimoto, T., and Okada, Y. 1991. Estimation of the distribution of chain length of amylopectin by high-performance liquid chromatography with pulse amperometric detection. *J. Chromatogr.* **585**, 233.
- Kram, A. 1995. "Structure and Biosynthesis of Starch: The Localization of Starch Synthesizing Enzymes with the Use of Immunoelectron Microscopy." PhD thesis. University of Groningen, The Netherlands.
- Kram, A., Oostergetel, G. T., and van Bruggen, E. F. J. 1993. Localization of branching enzyme in potato tuber cells with the use of immunoelectron microscopy. *Plant Physiol.* **101**, 237–243.
- Krapp, A., and Stitt, M. 1995. An evaluation of direct and indirect mechanisms for the "Sink regulation" of photosynthesis of spinach: Changes in gas exchange, carbohydrates metabolites, enzyme activities and steady state transcript levels after cold-girdling source leaves. *Planta* **195**, 313–323.
- Krishnan, H. B., Reeves, C. D., and Okita, T. W. 1986. ADPglucose pyrophosphorylase is encoded by different mRNA Transcripts in leaf and endosperm of cereals. *Plant Physiol.* **81**, 642–645.
- Krisman, C. R. 1962. A method for the colorimetric estimation of glycogen with iodine. *Anal. Biochem.* **4**, 17–23.
- Krisman, C. R. 1972. A possible intermediate in the initiation of glycogen biosynthesis. *Biochem. Biophys. Res. Commun.* **46**, 1206–1216.
- Kruckeberg, A. L., Neuhaus, H. E., Feil, R., Gottlieb, L. D., and Stitt, M. 1989. Decreased-activity mutants of phosphoglucose isomerase in the cytosol and chloroplast of *Clarkia xantiana*: Impact on mass-action ratios and fluxes to sucrose and starch and estimation of flux control coefficients and elasticity coefficients. *Biochem. J.* **261**, 457–467.
- Kruger, N. J., and ap Rees, T. 1983. Properties of α -glucan phosphorylase from pea chloroplasts. *Biochemistry* **22**, 1891–1898.

- Kumar, A., Larsen, C. E., and Preiss, J. 1986. Biosynthesis of bacterial glycogen. Primary structure of *Escherichia coli* ADPglucose: α -1,4-glucan, 4-glycosyltransferase deduced from the nucleotide sequence of the *glg A* gene. *J. Biol. Chem.* **261**, 16256–16259.
- Kumar, A., Ghosh, P., Lee, Y. M., Hill, M. A., and Preiss, J. 1989. Biosynthesis of bacterial glycogen: determination of the amino acid changes that alter the regulatory properties of a mutant *Escherichia coli* ADPglucose synthetase. *J. Biol. Chem.* **264**, 10464–10471.
- Kumar, A., Tanaka, T., Lee, Y. M., and Preiss, J. 1988. Biosynthesis of bacterial glycogen: Use of site-directed mutagenesis to probe the role of tyrosine 114 in the catalytic mechanism of ADPglucose synthetase from *Escherichia coli*. *J. Biol. Chem.* **263**, 14634–14639.
- Kuriki, T., Guan, H., Sivak, M. N., and Preiss, J. 1996. Analysis of the active center of branching enzyme II from maize endosperm. *J. Prot. Chem.* **15**, 305–313.
- Kuriki, T., Stewart, D. C., and Preiss, J. 1997. Construction of chimeric enzymes out of maize endosperm branching enzymes I and II: Activity and properties. *J. Biol. Chem.* **272**, 28999–29004.
- Lavintman, N., and Cardini, C. E. 1973. Particulate UDP-glucose:protein transglucosylase from potato tuber. *FEBS Lett.* **29**, 43–46.
- Lavintman, N., Tandecarz, J., Carceller, M., Mendiara, S., and Cardini, C. E. 1974. Role of uridine diphosphate glucose in the biosynthesis of starch: Mechanism of formation and enlargement of a glucoproteic acceptor. *Eur. J. Biochem.* **50**, 145–155.
- Lea, P. J., and Leegood, R. C. 1993. In "Plant Biochemistry and Molecular Biology." John Wiley & Sons.
- Lee, Y. M., Marshall, and Whelan, 1971. The substrate specificity of amylopectin-debranching enzymes from sweet corn. *Arch. Biochem. Biophys.* **143**, 365.
- Lee, Y. M., and Preiss, J. 1986. Covalent modification of substrate binding sites of *E. coli* ADPglucose synthetase: Isolation and structural characterization of 8-azido ADPglucose incorporated peptides. *J. Biol. Chem.* **261**, 1058–1064.
- Leegood, R. C. 1985. The inter-cellular compartmentation of metabolites in leaves of *Zea mays*. *Planta*. **164**, 163–171.
- Leegood, R. C. 1996. Primary photosynthetic production: Physiology and metabolism. In "Photoassimilate distribution in Plants and Crops. Source–Sink Relationships" (E. Zamsky, and A. A. Schaeffer, eds.), pp. 21–42. Marcel Dekker, New York.
- Leegood, R. C., and von Caemmerer, S. 1988. The relationship between content of photosynthetic metabolites and the rate of photosynthetic carbon assimilation in leaves of *Amaranthus edulis*. *Planta*. **174**, 253–262.
- Leloir, L. F., and Cardini, C. E. 1955. The biosynthesis of sucrose phosphate. *J. Biol. Chem.* **214**, 157–165.
- Leloir, L. F., de Fekete, M. A. R., and Cardini, C. E. 1961. Starch and oligosaccharide synthesis from uridine diphosphate glucose. *J. Biol. Chem.* **236**, 636–641.
- Lemesle-Varloot, L., Henrissat, B., Gaboriaud, C., Bissery, V., Morgat, A., and Mornon, J. P. 1990. Hydrophobic cluster analysis: procedures to derive structural and functional information from 2-D-representation of protein sequences. *Biochimie* **72**, 555–574.
- Leung, P., Lee, Y. M., Greenberg, E., Esch, K., Boylan, S., and Preiss, J. 1986. Cloning and expression of the *Escherichia coli glg C* gene from a mutant containing an ADPglucose pyrophosphorylase with altered allosteric properties. *J. Bacteriol.* **167**, 82–88.
- Leung, P., and Preiss, J. 1987. Biosynthesis of bacterial glycogen. Primary structure of *Salmonella typhimurium* ADPglucose synthetase as deduced from the nucleotide sequence of the *glg C* gene. *J. Bacteriol.* **169**, 4355–4360.
- Levi, C., and Preiss, J. 1976. The regulatory properties of the ADPglucose pyrophosphorylase of the blue-green bacterium, *Synechococcus* 6301. *Plant Physiol.* **58**, 753–756.

- Levi, C., and Preiss, J. 1978. Amylopectin degradation in pea chloroplast extracts. *Plant Physiol.* **61**, 218–220.
- Li, L., and Preiss, J. 1992. Characterization of ADPGlucose pyrophosphorylase from a starch-deficient mutant of *Arabidopsis thaliana* (L.). *Carbohydr. Res.* **227**, 227–239.
- Libessart, N., Maddelein, M. L., Van den Koornhuise, N., Decq., A., Delrue, B., and Ball, S. 1995. Storage, photosynthesis and growth: The conditional nature of mutations affecting starch synthesis and structure in *Chlamydomonas reinhardtii*. *Plant Cell* **7**, 1117–1127.
- Lim, S., and Seib, P. A. 1993. Location of phosphate esters in wheat starch phosphate by ³¹P-nuclear magnetic resonance spectroscopy. *Cereal Chem.* **70**, 145.
- Lin, T. P., Caspar, T., Somerville, C., and Preiss, J. 1988a. A starch deficient mutant of *Arabidopsis thaliana* with low ADPGlucose pyrophosphorylase activity lacks one of the two subunits of the enzyme. *Plant Physiol.* **88**, 1175–1181.
- Lin, T. P., Caspar, T., Somerville, C., and Preiss, J. 1988b. Isolation and characterization of a starchless mutant of *Arabidopsis thaliana* L. Henyh lacking ADPGlucose pyrophosphorylase activity. *Plant Physiol.* **86**, 1131–1135.
- Loewus, F., and Labarca, C. 1973. In "Biogenesis of the Plant Cell Wall Polysaccharides" (F. Loewus, ed.) pp. 175–193. Academic Press, New York.
- Lomako, J., Lomako, W. M., and Whelan, W. J. 1988. A self-glucosylating protein is the primer for rabbit muscle glycogen biosynthesis. *FASEB. J.* **2**, 3097–3103.
- Love, J., Mackie, W., McKinell, J. W. and Percival, E. 1963. *J. Chem. Soc.* 4177–4182.
- Macdonald, F. D., and ap Rees, T. 1983. Enzymatic properties of amyloplasts from suspension cultures of soybean. *Biochim. Biophys. Acta.* **755**, 81–89.
- Macdonald, F. D., and Preiss, J. 1983. Solubilization of the starch-granule-bound starch synthases of normal maize kernels. *Plant Physiol.* **73**, 175–178.
- Macdonald, F. D., and Preiss, J. 1985. Partial purification and characterization of granule-bound starch synthases from normal and waxy maize. *Plant. Physiol.* **78**, 849–852.
- Macheral, D., Kobayashi, H., Akazawa, T., Kawano, S., and Kuioiwa, T. 1985. Amyloplast nucleoids in sycamore cells and presence of amyloplast DNA of homologous sequences to chloroplast genes. *Biochem. Biophys. Res. Commun.* **133**, 140–146.
- MacMasters, M. M. 1964. Microscopic techniques for determining starch granule properties. In "Methods in Carbohydrate Chemistry." (R. L. Whistler, ed.), Academic Press, New York.
- Maddelein, M.-L., Bellanger, F., Delrue, B., Libessart, N., D'hulst, C., Van den Koornhuise, N., Fontaine, T., Wieruszeski, J.-M., Decq. A., and Ball, S. 1994a. Genetic dissection of starch metabolism in the monocellular alga *Chlamydomonas reinhardtii*: Determination of granule-bound and soluble starch synthases functions in amylopectin biosynthesis. *J. Biol. Chem.* **269**, 25150–25157.
- Maddelein, M.-L., Libessart, N., Bellanger, F. Delrue, B., D'Hulst, C., Van Den Koornhuise, N., Fontaine, T., Wieruszeski, J.-M., T. M., Decq, A., and Ball, S. 1994b. Toward an understanding of the biogenesis of the starch granule: Determination of granule-bound and soluble starch synthase functions in amylopectin synthesis. *J. Biol. Chem.* **269**, 25150–25157.
- Manners, D. J. 1985. Starch. In "Biochemistry of Storage Carbohydrates in Green Plants" (P. M. Dey and K. A. Dixon, eds.), pp. 149–203. Academic Press, New York.
- Manners, D. J. 1989. Recent developments in our understanding of amylopectin structure. *Carbohydr. Polym* **11**, 87–112.
- Manners, D. J. 1997. Observations on the specificity and nomenclature of starch debranching enzymes. *J. Appl. Glycosci.* **44**, 83–85.
- Manners, D. J., and Matheson, N. K. 1981. The fine structure of amylopectin. *Carbohydr. Res.* **90**, 99–110.

- Manners, D. J., and Sturgeon, R. J. 1982. Reserve carbohydrates of algae, fungi and lichens. In "Encyclopedia of Plant Physiology: Vol. 13A. Intracellular Carbohydrates" (F. A. Loewus and W. Tanner, eds.) pp. 472-514. Springer-Verlag, Berlin, Germany.
- Marcus, A. 1989. "Molecular Biology. Vol. 15. The Biochemistry of Plants, a Comprehensive Treatise." Academic Press, New York.
- Mares, D. J., Hawker, J. S., and Possingham, J. V. 1978. Starch synthesizing enzymes in chloroplasts of developing leaves of spinach (*Spinacea oleracea* L.). *J. Exp. Bot.* **29**, 829-835.
- Mbaku, S. B., Fritz, G. J., and Bowes, G. 1978. Photosynthetic and carbohydrate metabolism in isolated leaf cells of *Digitaria pentzii*. *Plant Physiol.* **62**, 510-515.
- Meeuse, B. J. D., Andries, M., and Wood, J. A. 1960. *J. Exp. Bot.* **11**, 129-140.
- Meeuse, J. D., and Kreger, D. R. 1954. On the nature of floridean starch and *Ulva* starch. *Biochim. Biophys. Acta* **13**, 593-595.
- Meier, H., and Reid, J. S. G. 1982. Reserve polysaccharides other than starch in higher plants. In "Encyclopedia of Plant Physiology: Vol. 13A. Intracellular Carbohydrates" (F. A. Loewus and W. Tanner, eds.), pp. 418-471. Springer-Verlag, Berlin, Germany.
- Meuser, F., Manners, D. J. and Seibel, W. 1993. "Plant Polymeric Carbohydrates" CRC Press, Boca Raton, FL.
- Mengel, K., and Judel, G.-K. 1981. Effect of light intensity on the activity of starch synthesizing enzymes and starch synthesis in developing wheat grains. *Physiol. Plant* **51**, 13-18.
- Miller, M. E., and Chourey, P. 1995. Intracellular immunolocalization of adenosine 5'-diphosphoglucose pyrophosphorylase in developing endosperm cells of maize (*Zea mays* L.). *Planta* **197**, 522-527.
- Mizuno, K., Kawasaki, T., Shimada, H., Satoh, H., Kobayashi, E., Okamura, S., Arai, Y., and Baba, T. 1993. Alteration of the structural properties of starch components by the lack of an isoform of starch branching enzyme in rice seeds. *J. Biol. Chem.* **268**, 19084-19091.
- Mizuno, K., Kimura, K., Arai, Y., Kawasaki, T., Shimada, H., and Baba, T. 1992. Starch branching enzymes from immature rice seeds. *J. Biochem.* **112**, 643-651.
- Mohabir, G., and John, F. 1988. Effect of temperature on starch synthesis in potato tissue and in amyloplasts. *Plant Physiol.* **88**, 1222-1228.
- Moore, C. J., and Turner, J. F. 1969. ADP-glucose pyrophosphorylase in wheat grains. *Nature (London)* **223**, 303-304.
- Morell, M. K., Bloom, M., Knowles, V., and Preiss, J. 1987. Subunit structure of spinach leaf ADPglucose pyrophosphorylase. *Plant Physiol.* **85**, 185-187.
- Morell, M., Bloom, M., Larsen, R., Okita, T. W., and Preiss, J. 1987. Biochemistry and molecular biology of starch synthesis. In "Plant Gene Systems and Their Biology" (J. L. Key and L. McIntosh, eds.), pp. 227-242. Alan R. Liss, New York.
- Morell, M., Bloom, M., and Preiss, J. 1988. Affinity labeling of the allosteric activator site(s) of spinach leaf ADP-glucose pyrophosphorylase. *J. Biol. Chem.* **263**, 633-637.
- Moreno, S., Cardini, C. E., and Tandecarz, J. S. 1986. α -Glucan synthesis on a protein primer. A reconstituted system for the formation of protein-bound α -glucan. *Eur. J. Biochem.* **162**, 609-614.
- Morrison, W. R., and Karkalas, J. 1990. Starch. In "Methods in Plant Biochemistry," (P. M. Dey, ed.), pp. 323-352. Vol. 2, Academic Press, New York.
- Mouille, G., Maddelein, M.-L., Libessart, N., Talaga, P., Decq, A., Delrus, B., and Ball, S. 1996. Preamylopectin processing: A mandatory step for starch biosynthesis in plants. *Plant Cell* **8**, 1353-1366.
- Mount, S. M. 1982. A catalogue of splice junction sequences. *Nucl. Acid Res.* **10**, 459-462.
- Mu, C., Harn, C., Ko, Y.-T., Singletary, G. W., Keeling, P. L., and Wasserman, B. P. 1994. Association of a 76 KDa polypeptide with soluble starch synthase I activity in maize (CV73) endosperm. *Plant J.* **6**, 151-159.

- Mu-Forster, C., Huang, R., Powers, J. R., Harriman, R. W., Knight, M., Singletary, G. W., Keeling, P., and Wasserman, B. P. 1996. Physical association of starch biosynthetic enzymes with starch granules of maize endosperm. *Plant Physiol.* **111**, 821–829.
- Mulichak, A. M., Skrzypczak-Jankum, E., Rydel, T. J., Tulinsky, A., and Preiss, J. 1988. Crystallization and preliminary diffraction data, of *Escherichia coli* ADPglucose pyrophosphorylase. *J. Biol. Chem.* **263**, 17237–17238.
- Müller-Röber, B. and Kossman, J. 1994. Approaches to influence starch quantity and starch quality in transgenic plants. *Plant Cell Environ.* **17**, 601–613.
- Müller-Röber, B. T., Kossman, J., Hannah, L. C., Willmitzer, L., and Sonnewald, U. 1990. One of two different ADP-glucose pyrophosphorylase genes from potato responds strongly to elevated levels of sucrose. *Mol. Gen. Genet.* **224**, 136–146.
- Müller-Röber, B. T., Sonnewald, U., and Willmitzer, L. 1992. Inhibition of ADPglucose pyrophosphorylase in transgenic potatoes leads to sugar-storing tubers and influences tuber formation and expression of tuber storage protein genes. *EMBO J.* **11**, 1229–1238.
- Nakamura, Y., Umemoto, T., Ogata, N., Kuboki, Y., Yano, M., and Sasaki, T. 1996a. Starch debranching enzyme (R-enzyme or pullulanase) from developing rice endosperm: Purification, cDNA and chromosomal localization of the gene. *Planta* **199**, 203–218.
- Nakamura, Y., Umemoto, T., Takahata, Y., Komae, K., Amano, E., and Satoh, H. 1996b. Changes in structure of starch and enzyme activities affected by *sugary* mutation in developing rice endosperm: Possible role of starch debranching enzyme in amylopectin biosynthesis. *Physiol. Plant.*
- Nakamura, Y., and Yamanouchi, H. 1992. Nucleotide sequence of a cDNA encoding starch-branching enzyme or Q-enzyme I from rice endosperm. *Plant Physiol.* **99**, 1265–1266.
- Nakata, P. A., Greene, T. W., Anderson, J. M., Smith-White, B. J., Okita, T. W., and Preiss, J. 1991. Comparison of the primary sequences of two potato tuber ADP-glucose pyrophosphorylase subunits. *Plant Mol. Biol.* **17**, 1089–1093.
- Nelson, O. 1985. Genetic control of starch synthesis in maize endosperm—a review. In “New Approaches to Research in Cereal Carbohydrates.” (R. D. Hill and L. Munck, eds.) Elsevier Science Pub, Amsterdam, pp. 19–28.
- Nelson, O. E. 1962. The *waxy* locus in maize. I. Intralocus recombination frequency estimates by pollen and by conventional analyses. *Genetics* **47**, 737–742.
- Nelson, O. E. 1987. The *waxy* locus in maize twenty five years later. *Genetics* **116**, 339–342.
- Nelson, O. E., Chourey, P. S., and Chang, M. T. 1978. Nucleoside diphosphate sugar-starch glucosyl transferase activity in *wx* starch granules. *Plant Physiol.* **62**, 383–386.
- Nelson, O. E., and Pan, D. 1995. Starch synthesis in maize endosperms. *Ann. Rev. Plant Physiol. Mol. Biol.* **46**, 475–496.
- Nelson, O. E., and Rines, H. W. 1962. The enzyme deficiency in the *waxy* mutant of maize. *Biochem. Biophys. Res. Commun.* **9**, 297–300.
- Neuffer, M. G., Coe, E. H., and Wessler, S. R. 1997. “Mutants of Maize.” Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.
- Neuhaus, H. E., Henrichs, G., and Scheibe, R. 1993. Characterization of glucose-6-P incorporation into starch by isolated intact cauliflower-bud plastids. *Plant Physiol.* **101**, 573–578.
- Neuhaus, H. E., Kruckeberg, A. L., Feil, R., and Stitt, M. 1989. Reduced activity mutants of phosphoglucose isomerase in the cytosol and chloroplast of *Clarkia xantiana*. II. Studies of the mechanisms which regulate photosynthate partitioning. *Planta* **178**, 110–122.
- Neuhaus, H. E., and Stitt, M. 1990. Control analysis of photosynthate partitioning: Impact of reduced activity of ADPglucose pyrophosphorylase or plastid phosphoglucomutase on the fluxes to starch and sucrose in *Arabidopsis*. *Planta* **182**, 445–454.
- Nishimura, M., and Beevers, H. 1979. Subcellular distribution of gluconeogenic enzymes in germinating castor bean endosperm. *Plant Physiol.* **64**, 31–37.

- Nishimura, M., Graham, D., and Akazawa, T. 1976. Isolation of intact chloroplasts and other cell organelles from spinach leaf protoplasts. *Plant Physiol.* **58**, 309–314.
- Obata-Sasamoto, H., and Suzuki, H. 1979. Activities of enzymes relating to starch synthesis and endogenous levels of growth regulators in potato stolon tips during tuberization. *Physiol. Plant* **45**, 320–324.
- Ohsumi, R., and Huber, S. C. 1987. Light modulation and localization of sucrose phosphate synthase activity between mesophyll cells and bundle sheath cells in C4 species. *Plant Physiol.* **84**, 1096–1101.
- Okamoto, K., and Akazawa, T. 1979. Enzymatic mechanism of starch breakdown in germination of rice *Oryza sativa* cultivar kimmaze seeds. 8. Immunohistochemical localization of β -amylase. *Plant Physiol.* **64**, 337–340.
- Okita, T. 1992. Is there an alternative pathway for starch synthesis? *Plant Physiol.* **100**, 560–564.
- Okita, T. W., Greenberg, E., Kuhn, D. N., and Preiss, J. 1979. Subcellular localization of the starch degradative and biosynthetic enzymes of spinach leaves. *Plant Physiol.* **64**, 187–192.
- Okita, T. W., Nakata, P. A., Anderson, J. M., Sowokinos, J., Morell, M., and Preiss, J. 1990. The subunit structure of potato tuber ADPglucose pyrophosphorylase. *Plant Physiol.* **93**, 785–790.
- Okuno, K., and Sakaguchi, S. 1982. Inheritance of starch characteristics in perisperm of *Amaranthus hypochondriacus*. *J. Hered.* **73**, 467.
- Olive, M. R., Ellis, R. J., and Schuch, W. W. 1989. Isolation and nucleotide sequence of cDNA clones encoding ADPglucose pyrophosphorylase polypeptides from wheat leaf and endosperm. *Plant Mol. Biol.* **12**, 525–538.
- Oostergetel, G. T., and van Bruggen, E. F. J. 1989. On the origin of a low angle spacing in starch. *Stärke* **41**, 331–335.
- Oostergetel, G. T., and van Bruggen, E. F. J. 1993. The crystalline domains in potato starch granules are arranged in a helical fashion. *Carbohydr. Polym.* **21**, 7–12.
- Ou-Lee, T.-M., and Setter, T. 1985a. Effect of increased temperature in apical regions of maize ears on starch synthesis enzymes and accumulation of sugars and starch. *Plant Physiol.* **79**, 852–855.
- Ou-Lee, T.-M., and Setter, T. 1985b. Enzyme activities of starch and sucrose pathways and growth of apical and basal maize kernels. *Plant Physiol.* **79**, 848–851.
- Ozbun, J. L., Hawker, J. S., Greenberg, E., Lammel, C., Preiss, J., and Lee, E. Y. C. 1973. Starch synthetase, phosphorylase, ADPglucose pyrophosphorylase and UDP-glucose pyrophosphorylase in developing maize kernels. *Plant Physiol.* **51**, 1–5.
- Ozbun, J. L., Hawker, J. S., and Preiss, J. 1971. Multiple forms of α -1,4 glucan synthetase from spinach leaves. *Biochem. Biophys. Res. Commun.* **43**, 631–636.
- Paladini, A. C. 1995. The early days of the Instituto de Investigaciones Bioquímicas, Fundación Campomar. In “Sucrose Metabolism, Biochemistry, Physiology, and Molecular Biology” (H. Pontis, G. Salerno, and E. Echeverría, eds.), pp. 1–3. American Society of Plant Physiologists, Rockville, MD.
- Pan, D., and Nelson, O. E. 1984. A debranching enzyme deficiency in endosperms of the *sugary 1* mutants of maize. *Plant Physiol.* **74**, 324–328.
- Peat, S., Whelan, W. J., and Thomas, G. J. 1952. The enzymic synthesis and degradation of starch. *J. Chem. Soc.* 4546–4548.
- Percival, E., and McDowell, R. H. 1985. Algal polysaccharides. In “Biochemistry of Storage Carbohydrates in Green Plants” (P. M. Dey and R. A. Dixon, eds.), pp. 305–348. Academic Press, New York.
- Perez, C. M., Perdon, A. A., Resurrección, A. P., Villareal, R. M., and Juliano, B. O. 1975. Enzymes of carbohydrate metabolism in developing rice grain. *Plant Physiol.* **56**, 579–586.

- Pettersson, G., and Ryde-Pettersson, U. 1989. Metabolites controlling the rate of starch synthesis in the chloroplast of C₃ Plants. *Eur. J. Biochem.* **179**, 169–172.
- Pitcher, J., Smythe, C., Campbell, D. G., and Cohen, P. 1987. Identification of the 38-kDa subunit of rabbit skeletal muscle glycogen synthase as glycogenin. *Eur. J. Biochem.* **169**, 497–502.
- Pitcher, J., Smythe, C., and Cohen, P. 1988. Glycogenin is the priming glucosyltransferase required for the initiation of glycogen biogenesis in rabbit skeletal muscle. *Eur. J. Biochem.* **176**, 391–395.
- Plaxton, W. C., and Preiss, J. 1987. Purification and properties of nonproteolytically degraded ADPglucose pyrophosphorylase from maize endosperm. *Plant Physiol.* **83**, 105–112.
- Pollock, C. J., Cairns, A. J., Sims, I. M., and Housley, T. L. 1996. In "Photoassimilate Distribution in Plants and Crops: Source–Sink Relationships" (E. Zamsky and A. A. Schaeffer, eds.), pp. 97–113. Marcel Dekker, New York.
- Pollock, C. J., and Chatterton, N. J. 1988. Fructans. In "The Biochemistry of Plants: Vol. 14. Carbohydrates" (J. Preiss, ed.), pp. 109–140.
- Pollock, C., and Preiss, J. 1980. The citrate-stimulated starch synthase of starchy maize kernels: Purification and properties. *Arch. Biochem. Biophys.* **204**, 578–588.
- Pontis, H. G., and del Campillo, E. 1985. Fructans. In "The Biochemistry of Storage Carbohydrates in Green Plants" (P. M. Dey and R. A. Dixon, eds.), pp. 205–227. Academic Press, New York.
- Pontis, H. G., Salerno, G. L., and Echeverria, E. J., eds. 1995. "Sucrose Metabolism, Biochemistry, Physiology and Molecular Biology" American Society of Plant Physiologists, Rockville, MD.
- Pozueta-Romero, J., Frehner, M., Viale, A. M., and Akazawa, T. 1991. Comparative analysis of mitochondrial and amyloplast adenylate translocators. *FEBS Lett.* **287**, 62–66.
- Preiss, J. 1969. The regulation of the biosynthesis of α -1,4 glucans in bacteria and plants. In "Current Topics of Cellular Regulation" (E. R. Stadtman and B. L. Horecker, eds.) Vol. 1, pp. 125–161. Academic Press, New York.
- Preiss, J. 1982a. Biosynthesis of starch and its regulation. In "Encyclopedia of Plant Physiology: Plant Carbohydrates" (W. Tanner and F. Loewus, eds.), Vol. 13A, pp. 397–417. Springer-Verlag, Berlin, Germany.
- Preiss, J. 1982b. Regulation of the biosynthesis and degradation of starch. *Ann. Rev. Plant Physiol.* **54**, 431–454.
- Preiss, J. 1984. Bacterial glycogen and its regulation. *Ann. Rev. Microbiol.* **38**, 419–458.
- Preiss, J. 1988. Biosynthesis of starch and its regulation. In "The Biochemistry of Plants" (J. Preiss, ed.), pp. 181–254. Academic Press, New York.
- Preiss, J. 1991. Starch biosynthesis and its regulation. In "Oxford Surveys of Plant Molecular and Cell Biology" (B. J. Miflin, ed.), Vol. 7, pp. 59–114. Oxford University Press, Oxford, England.
- Preiss, J. 1996. ADPglucose pyrophosphorylase: Basic science and applications in biotechnology. In "Biotechnology Annual Review" (M. R. El-Gewely, ed.), pp. 259–279. Elsevier Science, New York.
- Preiss, J. In press. Regulation of glycogen synthesis. In: "*Escherichia coli* and *Salmonella typhimurium*: Cellular and Molecular Biology" (F. C. Neidhardt, ed.), 2nd ed. Washington, DC, American Society of Microbiologist.
- Preiss, J., Ball, K., Charny, Y. Y., and Iglesias, A. 1992. Structure–function relationships of ADPglucose pyrophosphorylase regulatory sites and *in vivo* evidence that ADPglucose is synthesized only in the chloroplast via ADPglucose pyrophosphorylase. In "Research in Photosynthesis" (N. Murata, ed.), Vol. III, pp. 697–700. Kluwer Academic Publishers, Dordrecht, The Netherlands.

- Preiss, J., and Boyer, C. D. 1980. Evidence of independent control of the multiple forms of maize endosperm branching enzymes and starch synthases. In "Mechanisms of Saccharide Polymerization and Depolymerization" (J. J. Marshall, ed.), pp. 161–174. Academic Press, New York.
- Preiss, J., Cress, D., Hutny, J., Morell, M., Bloom, M., Okita, T., and Anderson, J. 1989. Regulation of starch synthesis: Biochemical and genetic studies. In "Biocatalysis in Agricultural Biotechnology" (J. R. Whitaker and P. E. Sonnet, eds.), pp. 84–92. American Chemical Society.
- Preiss, J., Danner, S., Summers, P. S., Morell, M., Barton, C. R., Yang, L., and Nieder, M. 1990. Molecular characterization of the brittle-2 gene effect on maize endosperm ADPglucose Pyrophosphorylase subunits. *Plant Physiol.* **92**, 881–885.
- Preiss, J., Ghosh, H. P., and Wittkop, J. 1967. Regulation of the biosynthesis of starch in spinach leaf chloroplasts. In "Biochemistry of Chloroplasts" (T. Goodwin, ed.), Vol. II, p. 131. Academic Press, New York.
- Preiss, J., and Levi, C. 1980. Starch biosynthesis and degradation. In "The Biochemistry of Plants" (J. Preiss, ed.), Vol. 3, pp. 371–423. Academic Press, New York.
- Preiss, J., Robinson, N., Spilatro, S., and McNamara, K. 1985. Starch Synthesis and Its Regulation. In "Regulation of Carbon Partitioning in Photosynthetic Tissue" (R. L. Heath and J. Preiss, eds.), pp. 1–26. American Society of Plant Physiologists, Rockville, MD.
- Preiss, J., and Romeo, T. 1989. Physiology, biochemistry and genetics of bacterial glycogen synthesis. *Adv. Microb. Physiol.* **30**, 184–238.
- Preiss, J., and Romeo, T. 1994. Molecular biology and regulatory aspects of glycogen biosynthesis in bacteria. In *Progress nucl. acid res. molec. biology.* (W. E. Cohn and K. Moldave, eds.), Vol. 47, pp. 299–329. Academic Press, New York.
- Preiss, J., Sheng, J., Fu, Y., and Ballicora, M. A. 1996. In *Proc. 10th Intl. Photosynthesis Congress* (P. Mathis, ed.), Vol. 5, pp. 47–52. Kluwer Academic Publishing.
- Preiss, J., and Sivak, M. N. 1996. Starch synthesis in sinks and sources. In "Photoassimilate Distribution in Plants and Crops: Source–Sink relationships." (E. Zamski and A. A. Schaffer, eds.), pp. 63–96. Marcel Dekker, New York.
- Preiss, J., and Walsh, D. A. 1981. The comparative biochemistry of glycogen and starch. In "Biology of Carbohydrates" (V. Ginsburg, ed.), Vol. 1., pp. 199–314. John Wiley & Sons, New York.
- Quick, W. P., and Stitt, M. 1996. Sucrose metabolism in sinks and sources. In "Photoassimilate Distribution in Plants and Crops: Source–Sink Relationships" (E. Zamsky and A. A. Schaeffer, eds.), pp. 115–156. Marcel Dekker, New York.
- Rabinowitch, E. I. 1945. "Photosynthesis and Related Processes." Vol. 1. John Wiley & Sons (Interscience), New York.
- Rabinowitch, E. I. 1956. "Photosynthesis and Related Processes." Vol. II, Part 2. John Wiley & Sons (Interscience), New York.
- Recondo, E., Dankert, M., and Leloir, L. F. 1963. Isolation of adenosine diphosphate D-glucose from corn grains. *Biochem. Biophys. Res. Commun.* **12**, 204–207.
- Recondo, E., and Leloir, L. F. 1961. Adenosine diphosphate glucose and starch synthesis. *Biochem. Biophys. Res. Commun.* **6**, 85–88.
- Reibach, P. H., and Benedict, C. R. 1982. Biosynthesis of starch in proplastids of germinating *Ricinus communis* endosperm tissue. *Plant Physiol.* **70**, 252–256.
- Reeves, C. D., Krishnan, H. B., and Okita, T. W. 1986. Gene expression in developing wheat endosperm. Accumulation of gliadin and ADPglucose pyrophosphorylase messenger RNAs and polypeptides. *Plant Physiol.* **82**, 34–40.
- Rhode, W., Becker, D., and Salamini, F. 1988. Structural analysis of the waxy locus from *Hordeum vulgare*. *Nucl. Acids Res.* **16**, 7185–7186.

- Rismeier, J. W., Flugge, U. I., Schultz, B., Heinecke, D., Heldt, H. W., Wilmitzer, L., and Frommer, W. B. 1993. Antisense repression of the chloroplast triose phosphate translocator affects carbon partitioning in transgenic potato plants. *Proc. Natl. Acad. Sci. USA* **90**, 6160–6164.
- Robin, J. P., Mercier, C., Charbonnière, R., and Guibot, A. 1974. Lintnerized starches: Gel filtration and enzymatic studies of insoluble residues from prolonged acid treatment of potato starch. *Cereal Chem.* **51**, 389–406.
- Robinson, N., and Preiss, J. 1987. Localization of carbohydrate metabolizing enzymes in guard cells of *Commelina communis*. *Plant Physiol.* **85**, 360–364.
- Robinson, S. P., and Walker, D. A. 1979. The site of sucrose synthesis in isolated leaf protoplasts. *FEBS Lett.* **107**, 295–299.
- Rohde, W., Becker, D., and Salamini, F. 1988. Structural analysis of the waxy locus from *Hordeum vulgare*. *Nucl. Acids Res.* **16**, 7185–7186.
- Rossmann, M. G., Moras, D., and Olsen, K. W. 1974. Chemical and biological evolution of a nucleotide-binding protein. *Nature*, **250**, 194–199.
- Rost, B., and Sander, R. 1993. Improved prediction of protein secondary structure by use of sequence profiles and neural networks. *Proc. Natl. Acad. Sci. USA* **90**, 7558–7562.
- Sack, F. D., and Kiss, J. Z. 1989. Plastids and gravity perception. In "Physiology, biochemistry and genetics of nongreen plastids" (C. T. Boyer, J. C. Shannon, and R. C. Hardison, eds.), Vol. 2. A.A.S.P.P. Rockville, MD.
- Sanwal, G. G., Greenberg, E., Hardie, J., Cameron, E., and Preiss, J. 1968. Regulation of starch biosynthesis in plant leaves: Activation and inhibition of ADP-glucose Pyrophosphorylase. *Plant Physiol.* **43**, 417–427.
- Schultz, B., Frommer, W. B., Flugge, U. I., Hummel, S., Fischer, K., and Wilmitzer, L. 1993. Expression of the triose phosphate translocator gene from potato is light dependent and restricted to green tissues. *Mol. Gen. Genet.* **238**, 357–361.
- Scofield, J. D., and Greenwell, P. 1987. Wheat starch granule proteins and their technological significance. In "Cereals in a European Context. Proc. First Conference on Food Science and Technology" (I. D. Morton, ed.), pp. 407–419. Ellis Horwood Publishers City, St.
- Shannon, J. C., and Garwood, D. L. 1984. Genetics and physiology of starch development. In "Starch: Chemistry and Technology" (R. L. Whistler, J. N. BeMiller, and E. F. Paschall, eds.), pp. 26–86. Academic Press, New York.
- Shannon, J. C., Pien, F.-M., and Lui, K.-C. 1996. *Plant Physiol.* **110**, 835–843.
- Sheng, J., Charng, Y.-Y., and Preiss, J. 1996. Site-directed mutagenesis of Lysine³⁸², the activator binding site, of ADP-glucose pyrophosphorylase from *Anabaena* PCC 7120. *Biochem.* **35**, 3115–3121.
- Sheng, J., and Preiss, J. 1998. Arginine²⁹⁴ is essential for the inhibition of anabaena PCC 7120 ADP-glucose pyrophosphorylase by phosphate. *Biochemistry* **36**, 13077–13084.
- Sheridan, W. (ed.) 1982. Maize for biological research. *Plant Mol. Biol. Assoc.* University of North Dakota Press, 434 pp.
- Shively, J. M. 1988. Inclusions: Granules of polyglucose, polyphosphate and poly- β -hydroxybutyrate. In "The Cyanobacteria" (L. Packer, and A. N. Glazer, eds.), Vol. 167, pp. 196–199. Academic Press, New York.
- Shure, N., Wessler, S., and Federoff, N. 1983. Molecular identification and isolation of the Waxy Locus in maize. *Cell* **35**, 225–233.
- Singh, B. K., and Preiss, J. 1985. Starch branching enzymes from maize: Immunological characterization using polyclonal and monoclonal antibodies. *Plant Physiol.* **79**, 34–40.
- Singh, M. B., Hough, T., Theerakulpisut, P., Avjioglu, A., Davies, S., Smith, P. M., Taylor, P., Simpson, R. J., Ward, L. D., McCluskey, J., Puy, R., and Knox, R. B. 1991. Isolation

- of cDNA encoding a newly identified major allergenic protein of rye-grass pollen: intracellular targeting to the amyloplast. *Proc. Natl. Acad. Sci. USA* **88**, 1384–1388.
- Singh, M. B., Smith, P. M., and Knox, R. B. 1990. Molecular biology of rye-grass pollen allergens. In "Molecular Approaches to the Study of Allergens" (B. A. Baldo, ed.), Vol. 28., pp. 101–120. S. Karger, Basel, Switzerland.
- Sinnot. 1990.
- Singletary, G. W., Banisadr, R., and Keeling, P. L. 1994. Heat stress during grain filling in maize: Effects on carbohydrate storage and metabolism. *Austr. J. Plant Physiol.* **21**, 829–841.
- Sivak, M. N., 1992. (1→4)- α -D-Glucan synthesis by a chloroplastic phosphorylase isolated from spinach leaves is independent of added primer. *Carbohydr. Res.* **227**, 241–255.
- Sivak, M. N., and Preiss, J. 1994. Starch synthesis in seeds. In "Seed Development and Germination" (J. Kigel and G. Galili, eds.), pp. 139–168. Marcel Dekker, New York.
- Sivak, M. N., and Preiss, J. 1995. Progress in the genetic manipulation of crops aimed at changing starch structure and increasing starch accumulation. *J. Environm. Polymer Degradation.* **3**, 145–152.
- Sivak, M. N., Wagner, M., and Preiss, J. 1993. Biochemical evidence for the role of the waxy protein from pea (*Pisum sativum* L.) as a granule-bound starch synthase. *Plant Physiol.* **103**, 1355–1359.
- Sivak, M. N., and Walker, D. A. 1986. Photosynthesis in vivo can be limited by phosphate supply. *New Phytol.* **102**, 499–512.
- Skoog, F., and Miller, C. O. 1957. Chemical regulation of growth and organ formation in plant tissue cultured *in vitro*. *Symp. Soc. Exper. Biol.* **11**, 118–130.
- Smith, A. M. 1988. Major differences in isoforms of starch-branching enzyme between developing embryos of round and wrinkled-seeded peas (*Pisum sativum* L.). *Planta* **175**, 270–279.
- Smith, A. M., Bettey, M., and Bedford, I. D. 1989. Evidence that the *rb* locus alters the starch content of developing pea embryos through an effect on ADPglucose pyrophosphorylase. *Plant Physiol.* **89**, 1279–1284.
- Smith, A. M., Denyer, K., and Martin, C. 1997. The synthesis of the starch granule. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* **48**, 67–87.
- Smith, A. M., Neuhaus, H. E., and Stitt, M. 1990. The impact of decreased activity of starch-branching enzyme on photosynthetic starch synthesis in leaves of wrinkled-seeded peas. *Planta*. **181**, 310–315.
- Smith, P. K., Khron, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Provenzano, M. D., Fujimoto, E. K., Goeke, N. M., Olson, B. J., and Kenk, D. C. 1985. *Anal. Biochem.* **150**, 76–85.
- Smith-White, B., and Preiss, J. 1992. Comparison of proteins of ADP-glucose pyrophosphorylase from diverse sources. *J. Molec. Evolu.* **34**, 449–464.
- Smyth, D. A. 1988. Some properties of starch branching enzyme from indica rice endosperm (*Oryza sativa* L.). *Plant Sci.* **57**, 1–8.
- Smythe, C., Caudwell, F. B., Ferguson, M., and Cohen, P. 1988. Isolation and structural analysis of a peptide containing the novel tyrosyl–glucosyl linkage in glycogenin. *EMBO J.* **7**, 2681–2686.
- Soll, J., Worzer, C., and Buchanan, B. B. 1983. Fructose-2,6-biphosphate and C4 plants. *Adv. Photosynth. Res.* **3**, 145–148.
- Sonnenwald, U., and Willmitzer, L. 1992. Molecular approaches to sink-source interactions. *Plant Physiol.* **99**, 1267–1270.
- Sonnenwald, U., Lerchl, J., Zrenner, R., and Frommer, W. 1994. Manipulation of Sink–Source relations in transgenic plant. *Plant Cell Environ.* **17**, 649–658.
- Sowokinos, J. R. 1976. Pyrophosphorylase in *Solanum tuberosum*. I. Changes in ADP-glucose and UDP-glucose pyrophosphorylase. *Plant Physiol.* **57**, 63–68.

- Sowokinos, J. R., and Preiss, J. 1982. Pyrophosphorylases in *Solanum tuberosum*. III. Purification, structural and catalytic properties of potato tuber ADP-glucose pyrophosphorylase. *Plant Physiol.* **69**, 1459–1466.
- Spilatro, S. R., and Preiss, J. 1987. Regulation of starch synthesis in the bundle sheath and mesophyll of *Zea mays* L. Intercellular compartmentalization of enzymes of starch metabolism and the properties of the ADPglucose Pyrophosphorylases. *Plant Physiol.* **83**, 621–627.
- St. Pierre, B., and Brisson, N. 1995. Induction of the plastidic starch phosphorylase gene in potato storage sink tissue: Effect of sucrose and evidence for coordinated regulation of phosphorylase and starch biosynthetic genes. *Planta*. **195**, 339–344.
- Stark, D. M., Timmerman, K. P., Barry, G. F., Preiss, J., and Kishore, G. M. 1992. Role of ADPglucose pyrophosphorylase in regulating starch levels in plant tissues. *Science* **258**, 287–292.
- Steup, M. 1984. Starch degradation. In "The Biochemistry of Plants: Vol. 14. Carbohydrates" (J. Preiss, ed.) pp. 255–296. Academic Press, New York.
- Steup, M. 1990. Starch degrading enzymes. In "Methods in plant biochemistry" (P. M. Dey and J. B. Harborne, eds.), Vol. 3, pp. 103–128. Academic Press, New York.
- Steup, M., Robenek, H., and Melkonian, M. 1983. In vitro degradation of starch granules isolated from spinach chloroplasts. *Planta* **158**, 428–436.
- Stitt, M. and ap Rees, T. 1980. Carbohydrate breakdown by chloroplasts of *Pisum sativum*. **627**, 131–143.
- Stitt, M., and Heldt, H. W. 1985. Control of photosynthetic sucrose synthesis by fructose-2,6 biphosphate. *Planta* **164**, 179–188.
- Stitt, M., Huber, S. C., and Kerr, P. 1987a. Control of photosynthetic sucrose formation. In "The Biochemistry of Plants" (M. D. Hatch and N. K. Boardman, eds.), Vol. 10, pp. 327–409. Academic Press, New York.
- Stitt, M., Huber, S. C., and Kerr, P. 1987b. Regulation of photosynthetic sucrose synthesis. In "The Biochemistry of Plants" (M. D. Hatch and N. K. Boardman, eds.), Vol. 13, pp. 327–409. Academic Press, New York.
- Stitt, M., and Steup, M. 1984. Starch and sucrose degradation. In "Encyclopedia of Plant Physiology" (R. Douce and D. Day, eds.) Vol. 18, pp. 347–390. Springer-Verlag, Berlin, Germany.
- Sullivan, T., and Kaneko, 1995. The maize brittle 1 gene encodes amyloplast membrane polypeptides. *Planta* **196**, 477–484.
- Sullivan, T., Strelow, L. I., Illingworth, C. A., Phillips, C. A., and Nelson, O. E. 1991. The maize brittle-1 locus: Molecular characterization based on c-DNA clones isolated using the dSpm-tagged brittle-1-mutable allele. *Plant Cell*. **3**, 1337–1348.
- Svensson, B. 1994. Protein engineering in the α -amylase family: Catalytic mechanism, substrate specificity and stability. *Plant Molec. Biol.* **25**, 141–157.
- Swinkels, J. J. 1989. Differences between commercial native starches. AVEBE brochure. Foxhol, The Netherlands.
- Takata, H., Kuriki, T., Okada, S., Takesada, Y., Iizuka, M., Minamiura, N., and Imanaka, T. 1992. Action of neopullulanase. Neopullulanase catalyzes both hydrolysis and transglycosylation at α -(1,4) and α -(1,6)-glucosidic linkages. *J. Biol. Chem.* **267**, 18447–18452.
- Takeda Y., Guan H. P., and Preiss J. 1993. Branching of amylose by the branching isoenzymes of maize endosperm. *Carbohydr. Res.* **240**, 253–263.
- Takeda, Y., and Hizukuri, S. 1987. Structures of rice amylopectins with low and high affinities for iodine. *Carbohydr. Res.* **168**, 79–88.
- Takeda, Y., Hizukuri, S., Ozono, Y., and Suetake, M. 1983. Actions of porcine pancreatic and *Bacillus subtilis* α -amylase and *Aspergillus niger* glucoamylase on phosphorylated (1 $\rightarrow$ 4)- α -D-glucan. *Biochim. Biophys. Acta* **749**, 302–311.

- Takeda, Y., Takeda, C., Suzuki, A., and Hizukuri, S. 1993. Structure of the amylopectin of amylomaize. *Carbohydr. Res.* **246**, 273–283.
- Tandecarz, J. S., and Cardini, C. E. 1978. A two-step enzymatic formation of a glucoprotein in potato tuber. *Biochim. Biophys. Acta.* **543**, 423–429.
- Tandecarz, J. S., and Cardini, C. E. 1979. Effect of 1,5 gluconolactone on the formation of a glucoprotein in potato tuber. *Plant Sci. Letters.* **15**, 151–158.
- Tetlow, I. J., Blissett, K. J., and Emes, M. J. 1993. A rapid method for the isolation of purified amyloplasts from wheat endosperm. *Planta* **189**, 597–600.
- Thorbjørnsen, T., Villand, P., Denyer, K., Olsen, O.-A., and Smith, A. M. 1996. Distinct isoforms of ADPglucose pyrophosphorylase occur inside and outside the amyloplasts in barley endosperm. *Plant J.* **10**, 243–250.
- Tong, L. A., de Vos, A. M., Milburn, M. V., and Kim, S. H. 1991. Crystal structures at 2.2 Å resolution of the catalytic domains of normal *ras* protein and an oncogenic mutant complexed with GDP. *J. Mol. Biol.* **217**, 503–516.
- Tsai, C. Y. 1974. The function of the *waxy* locus in starch synthesis in maize endosperm. *Biochem. Genet.* **11**, 83–96.
- Tsai, C. Y., and Nelson, O. E. 1966. Starch-deficient maize mutant lacking adenosine diphosphate glucose pyrophosphorylase activity. *Science* **151**, 341–343.
- Turner, J. F. 1969. Physiology of pea fruits. VI. Changes in uridine diphosphate glucose pyrophosphorylase and adenosine diphosphate glucose pyrophosphorylase in the developing seed. *Aust. J. Biol. Sci.* **22**, 1321–1327.
- Tyson, R. H., and ap Rees, T. 1988. Starch synthesis by isolated amyloplasts from wheat endosperm. *Planta* **175**, 33–38.
- Van den Koornhuise, N., Libessart, N., Delrue, B., Zabawinski, C., Decq, A., Iglesias, A., Carton, A., Preiss, J., and Ball, S. 1996. Control of starch composition and structure supply in the monocellular alga *Chlamydomonas reinhardtii*. *J. Biol. Chem.* **271**, 16281–16287.
- van der Leij, F. R., Visser, R. G. F., Ponstein, A. S., Jacobsen, E., and Feenstra, W. J. 1991. Sequence of the structural gene for granule-bound starch synthase of potato (*Solanum tuberosum* L.) and evidence of a single point deletion in the *amf* allele. *Mol. Gen. Genet.* **228**, 240–248.
- Villand, P., Olsen, O.-A., Kilian, A., and Kleczkowski, L. A. 1992. ADP-glucose pyrophosphorylase large subunit cDNA from barley endosperm. *Plant Physiol.* **100**, 1617–1618.
- Villand, P., and Kleczkowski, L. A. 1994. Is there an alternative pathway for starch biosynthesis in cereal seeds? *Z. Naturforsch.* **49c**, 215–219.
- Viola, R., Davies, H. V., and Chudeck, A. R. 1991. Pathways of starch and sucrose biosynthesis in developing tubers of potato (*Solanum tuberosum* L.) and seeds of faba bean (*Vicia faba* L.): Elucidation by ¹³C-nuclear magnetic-resonance spectroscopy. *Planta* **183**, 202–208.
- Visser, R. G. F., Somhorst, I., Kuipers, G. J., Ruys, N. J., Feenstra, W. J., and Jacobsen, E. 1991. Inhibition of the gene for granule-bound starch synthase in potato by antisense constructs. *Mol. Gen. Genet.* **225**, 289–296.
- Vos-Scheperkeuter, G. H., De Boer, W., Visser, R. G. F., Feenstra, W. J., and Witholt, B. 1986. Identification of granule-bound starch synthase in potato tubers. *Plant Physiol.* **82**, 411–416.
- Vos-Scheperkeuter, G. H., de Wit, J. G., Ponstein, A. S., Feenstra, W. J., and Witholt, B. 1989. Immunological comparison of the starch branching enzymes from potato tubers and maize kernels. *Plant Physiol.* **90**, 75–84.
- Walden, R., Koncz, C., and Schell, J. 1990. The use of gene vectors in plant molecular biology. *Methods Molec. Cell Biol.* **1**, 175–194.
- Walker, D. A. 1971. Chloroplasts (and grana): Aqueous (including high carbon fixation ability). *Meth. Enzymol.* **5**, 211–220.

- Weber, H., Heim, U., Borisjuk, L., and Wobus, U. 1995. Cell-type specific, coordinate expression of two ADPglucose pyrophosphorylase genes in relation to starch biosynthesis during seed development in *Vicia faba* L. *Planta* **195**, 352–361.
- Werr, W., Frommer, W. B., Maas, C., and Starlinger, P. 1985. Structure of the sucrose synthase gene on chromosome 9 of *Zea-mays* L. *EMBO J.* **4**, 1373–1380.
- Wessler S. R., Baran, G., Varagona, M., and Dellaporta, S. L. 1986. The excision of *Ds* produces waxy proteins with a range of enzymatic activities. *EMBO J.* **5**, 2424–2432.
- Whatley, J. B. 1978. A suggested cycle of plastid development interrelationships. *New Phytol.* **80**, 489–502.
- Whistler, R. L. 1984. In "Starch: Chemistry and Technology" (R. L. Whistler, J. N. BeMiller, and E. F. Paschall, eds.), 2nd ed. Academic Press, New York.
- Wurzburg, O. B. 1986. "Properties and Uses for Modified Starches." CRC Press, Boca Raton, Florida.
- Yamamoto, T. (ed.) 1995. Enzyme chemistry and molecular biology of amylases and related enzymes: CRC Press, Boca Raton, FL.
- Yamanouchi, H., and Nakamura, Y. 1992. Organ specificity of isoforms of starch branching enzymes (Q-enzyme) in rice. *Plant Cell Physiol.* **33**, 981–985.
- Yang, H., Liu, M. Y., and Romeo, T. 1996. Coordinate genetic regulation of glycogen catabolism and biosynthesis in *Escherichia coli* via the CSRA gene product. *J. Bacteriol.* **178**, 1012–1017.
- Zamski, E., and Schaffer, A. A. 1996. Photoassimilate distribution in plants and crops. Source–sink relationships. Marcel Dekker, Inc. New York. 905 pp.
- Ziegler, P. 1995. Carbohydrate degradation during germination. In "Seed Development and Germination" (J. Kigel and G. Galili, eds.), pp. 447–476. Marcel Dekker, New York.
- Zrenner, R., Wilmitzer, I., and Sonnewald, U. 1993. Analysis of the expression of potato uridinediphosphate glucose pyrophosphorylase and its inhibition by antisense RNA. *Planta* **190**, 247–252.