

INDEX

A

- ADPGlc, *see* ADPglucose pyrophosphorylase
- ADPglucose
 - synthesis
 - glycogen, 125
 - pathway *in vivo*, 34–37
 - role, 39–40
- ADPglucose pyrophosphorylase
 - amyloplasts, 118–119
 - amyloplasts transport, 119–120
 - antisense, 129–130
 - cloning, 59–68
 - cold storage and, 136
 - genomic DNA, 73–74
 - higher plant subunits, 50–51
 - hydrophobic cluster analysis, 68–72
 - localization, 123–124, 143
 - regulation, 46–47, 145–148
 - sink strength, 136
 - structure-function, 49–50
 - substrate binding sites, 51–59
 - subunit structure, 47–49
 - synthesis
 - pathway, 43–46
 - regulation, 131–134
 - role, 35–38
 - transcription, 72–73
- Agrobacterium tumefaciens*, 126
- Allergens, 32
- Amylase
 - conservation, 102–103
 - mechanisms, 159–160
 - starch degradation, 153–154
- α -Amylase, 157–158
- β -Amylase, 157
- Amylograph, Brabender, 167
- α -Amylolysis, 156
- Amylopectin
 - branching enzymes, 95
 - Chlamydomonas reinhardtii*, 85–86
 - granule bound synthases, 79
 - granules, 13, 16, 20–23
 - molecule size, 164
 - orientation, 28
 - SSS in, 76–77
 - structure, 23–25
- Amyloplasts
 - biosynthesis
 - analysis, 116–117
 - characterization, 115–116
 - carbon transport, 119–124
 - cell fractionation, 117–119
- Amylose
 - branching enzymes, 93–95
 - Chlamydomonas reinhardtii*, 85–86
 - granules, 13, 16, 20–23
 - molecule size, 164
 - orientation, 28
 - processing, 169–170
- Amylotytic enzymes, 135–136
- Antisense, 129–130
- Apical kernels, 38–39
- Arabidopsis thaliana*
 - branching enzymes, 100
 - as starch model, 10
- Autocatalysis, 140

B

- Baking products, 165
- Biosynthesis
 - ADPglucose, 34–37
 - alternative pathways, 37–38
 - amyloplasts, 115–116

Biosynthesis (*continued*)

- CAM plants, 150–152
 - complete pathway, 111–113
 - enzymes, limiting, 134–135
 - glg C* and, 131–134
 - immunocytochemical studies, 116–117
 - leaves, 148
 - manipulation, 135–136
 - microscopy, 116–117
 - rate, 38–39
 - studies, 33–34
- Birefringence, 27–28
- Brabender amylograph, 167
- Branching enzymes
 - assay, 89, 91–92
 - characterization, 89
 - C₄ plants, 150
 - genes, 95–98
 - mode of action, 93–95
 - purification, 92–93
 - structure-function, 101–103
- Branching-linkage assay, 91–92
- Brush border, 158
- Btl* gene, 120
- Bundle sheath, 150

C

- Callus, 128
- Calorimetry, differential scanning, 167–168
- CAM plants, 150–152
- Carbohydrate metabolism, 144–145
- Carbon transport, 119–124
- Caryopsis
 - defination, 1–2
 - development, 7
- Cassava, 99
- Cauliflower mosaic virus S25, 128
- Cell fractionation, 117–119
- Cellulose, 158
- Chlamydomonas reinhardtii*
 - mutants, 85–87
 - as starch model, 11
- Chloroplasts
 - ADPGlc PPase, 145–148
 - characterization, 115
 - phosphoglucose isomerase mutants, 146
 - starch degradation outside, 156–157
 - as transporting organelle, 143–144
- C₄ plants, 148–150

- Crosslinking, 168
- Cyanobacteria, 6

D

- Debranching enzymes
 - degradation, 154–155
 - granule formation, 110–111
- Degradation
 - amylase, 153–154
 - debranching enzymes, 154–155
 - outside chloroplast, 156–157
 - pathway, 155–156
 - phosphorylase, 153–154
- Dextrins, 158, 169
- Differential scanning calorimetry, 167–168
- Digestion, human, 157–158
- Dissociation, 9
- DNA
 - ADPGlc, 73–74
 - exogenous
 - characterization, 125–126
 - T_i-plasmid, 126–128

E

- Escherichia coli*, 43

F

- Flordean starch, 5–6
- Fructans, 5

G

- GBSS, *see* Granule-bound starch synthase
- Gelatinization, 165–168
- Gene disruption, 10
- Genetic engineering, 125–126
- glg C* gene, 132–134
- Glucans
 - reserve, 5
 - starch degradation, 153
- Glucose-6-P dihydroxyacetone-P, 120
- Glucose 6-phosphate, 30–31
- Glucose transport, 159
- α -1,4-Glucosidic linkages, 33–34
- Glycogen
 - characterization, 6
 - synthesis, 125

Glycogen synthase, 100
 characterization, 107–108
 sequences, 85
 Glycogen-synthesizing enzymes, 110
 Grains, *see* Caryopsis
 Granule-bound starch synthases
 antisense, 129
 characterization, 78–81, 111–113
 Granules
 amylopectin, 13, 16, 20–23
 amylose, 13, 16, 20–23
 dried, 165
 formation, 110–111
 lipids in, 30
 minor constituents, 30
 orientation, 27–29
 phosphorus in, 30
 proteins in, 31–32
 starch synthases bound, 78–81
 structure, 13
 Grasses, 2
 Green algae, 4

H

HCA, *see* Hydrophobic cluster analysis
 Hexose-P, 122
 Hydrophobic cluster analysis, 68–72

J

Jumping genes, 7

K

Kernels, *see* Caryopsis

L

Laminarin, 5
 Leaves, 3–4, 148
 Legumes, 2
 Light microscopy, 167
 Lintnerized starch, 168
 Lipids, 30
 Lysine, 53–55

M

Maize
 biosynthesis rate, 38–39, 135

branching enzymes in, 92–93
 enzymes, 47–48
 SSS in, 76–77
 as starch model, 7–9
 starch synthases, 80–81
 waxy gene, 82
 Male sterility, 131
 Mannans, 5
 Mesophyll, 150
 Metabolic pathway
 altering, 125–126
 vectors, 126–127
 Metabolism
Arabidopsis thaliana model, 10
 carbohydrate, 144–145
Chlamydomonas reinhardtii model, 11
 maize model, 7–9
 model comparisons, 6–7
 potato model, 9–10
 snapdragon model, 10–11
 wheat model, 6–7
 Microscopy, 167
 Microvilli, 158
 Mouth-feel, 165

N

Naegeli starch, 168
 Neutralization, 95–96
 Nomenclature, 29

O

Organelles
 expression specific to, 128–129
 transporting, 143–144

P

Pancreatic amylase, 158
 Pasting behavior, 165–166
 Peas
 branching enzymes, 100–101
 SSS in, 84–85
 Phosphoglucose isomerase mutants, 146
 3-Phospho-glycerate, 145–148
 Phosphorus starch granules, 30
 Phosphorylase
 mechanisms, 159–160
 starch degradation, 135–136, 153–154

Phosphorylase-stimulation assay, 89
 Photosynthesis cells, 139–140
 Plants, *see also specific species*
 C₄, 148–150
 regeneration, 128
 starch degradation pathway, 155–156
 transformation, 131–134
 Polarimetry, 167
 Polysaccharides, *see also specific types*
 degradation, 160
 reserve, 4–6
 Porin, 144
 Potatoes
 ADPGlc PPase, 48–49
 branching enzymes, 98–99
 branching enzymes in, 93
 characteristics, 164
 life cycle, 10
 modification, 129
 starch in, 3
 as starch model, 9–10
 Prepared foods, 165
 Promoters, 128–129
 Proteins
 expression, 128–129
 starch granules, 31–32
 Protoplast transformation, 127–128
 Pyridoxal phosphate, 53–55
 Pyrophosphatase, 130

R

rbcS gene, 132
 Reductive pentose phosphate pathway,
 140–141, 143
 Regeneration, 128
 Reserve glucans, 5
 Reserve polysaccharides, 4–6
 Retrogradation, 20, 166
r gene, 100–101
Rhodobacter spheroides, 44
Rhodospirillum rubrum, 43
 Rice
 branching enzymes, 99–100
 SSS in, 78
 Roots, 3
 RPPP, *see* Reductive pentose phosphate
 pathway
rr gene, 134

S

Salivary α -amylase, 158
 Seeds, 1–2
 Shear thinning, 165
 Snapdragons, 10–11
 Soluble starch synthases
 characterization, 76
 classification, 80–81
 forms, 75–78
 granule bound, *see* Granule-bound starch
 synthase
 starch biosynthesis, 111–113
 waxy gene, 81–82, 84–85
 Spinach leaf enzyme, 47–48
 SSS, *see* Soluble starch synthase
 Starch
 biosynthesis
 ADPGlucose, 34–37
 alternative pathways, 37–38
 CAM plants, 150–152
 complete pathway, 111–113
 C₄ plants, 148–150
 enzymes, limiting, 134–135
 glg C and, 131–134
 initiation, 107–110
 leaves, 148
 manipulation, 135–136
 rate, 38–39
 studies, 33–34
 caryopsis, 1–2
 characterization, 1
 degradation, 135–136
 amylase, 153–154
 debranching enzymes, 154–155
 outside chloroplast, 156–157
 pathway, 155–156
 phosphorylase, 153–154
 dextrins, 158
 digestion, human, 157–158
 granules
 amylopectin, 13, 16, 20–23
 amylose, 13, 16, 20–23
 dried, 165
 formation, 110–111
 lipids in, 30
 minor constituents, 30
 orientation, 27–29
 phosphorus in, 30
 proteins in, 31–32
 structure, 13

green algae, 4
 industrial
 analysis, 167–168
 applications, 163–164
 leaves, 3–4
 lintnerized, 168
 manufacturing, 164–166
 metabolism
 Arabidopsis thaliana model, 10
 Chlamydomonas reinhardtii model, 11
 maize model, 7–9
 model comparisons, 6–7
 potato model, 9–10
 snapdragon model, 10–11
 wheat model, 6–7
 methodology, 29
 modification, 168–169
 molecules, crosslinking, 168
 Naegeli, 168
 nomenclature, 29
 photosynthesis cells, 139–140
 polymers, biodegradable, 169–170
 properties, 164–166
 roots, 3
 seeds, 1–2
 soluble, *see* Soluble starch
 storage tissues, 117
 sweetener conversion, 169
 synthesis
 genetic engineering, 125–126,
 130–131
 vectors, 126–127
 tubers, 3
 Sterility, 131
 Storage substance, 4
 Storage tissues, 117
 Sucrose synthesis, 148–150
Sugary 1
 characterization, 110–111
 debranching, 154–155
 effects, 40
 Sweetener conversion, 169
 Swimming cells, 11

Syneresis, 166
 Syrup production, 163–164

T

TCA, *see* Trichloroacetic acid
 T_i-plasmid, 126–128
 Tissue-specific expression, 128–129
 Transgene, 126
 Transporting organelles, 143–144
 Trichloroacetic acid, 108
 Triose-P isomerase, 120, 122
 Triticale, 38
 Tubers, 3

U

UDP-glucose
 regulation, 125
 role, 35–36, 39–40
 UDPglucose:protein transglucosylase,
 109–110
 UPTG, *see* UDPglucose:protein
 transglucosylase

V

Vegetative cells, 11
 Viscosity, 165, 167

W

Waxy gene, 81–82, 84–85
 Wheat
 breeding, 131
 characterization, 6–7
 gene families, 59
 glycemic response, 159
 modification, 130–131
 starch synthesis, 121

X

X-ray analysis cap, 167