

## INDEX

### A

- Adenylyl cyclase cascade, involvement in sugar-taste transduction, 219–223
- Agarose, molecular shapes and interactions, 184–185
- Alginic acid, molecular shapes and interactions, 172–175
- Allergenicity, proteins, *see* Amino acid sequence alignments, allergenicity potential assessment
- Allergies, *see* Food allergies and intolerance
- Amiloride, sweet-taste transduction, 229–230
- Amino acids
  - hydrophilicity/hydrophobicity, 100–102
  - sequence alignments, allergenicity potential, 64–65
  - algorithms, 46
  - assessment, 45–91
  - BLAST, with transgene proteins, 56–57, 59
  - databases, 47–48, 59, 63–91
    - food allergen sequences, 69–74
    - nonfood allergen sequences, 75–84
    - number of accessions, 67
    - summary, 88
    - wheat gluten sequences, 85–87
  - extending local alignments, 57–59
  - FASTA, 50, 52–53, 59–60
    - with transgene proteins, 53–56
  - methods, 47–50, 65–67
  - Needleman and Wunsch algorithm, 50–51
  - positive control sequence construction, 48
  - transgene test sequences, 48–50

- Amphiphilicity, graphical representations, 99–102
- Amylopectin, molecular shapes and interactions, 161
- Amylose, molecular shapes and interactions, 156–168
  - amylopectin, 161
  - A-amylose, 157–160
  - B-amylose, 160–163
  - V-amylose, 161–165
  - derivatives, 165, 167–168
  - KOH-amylose complex, 165–166
- Analphylactoid reactions, 10–11
- Anaphylactic shock, 5
- Antioxidant activity, *see* Labiatae
- Apolipoprotein IV, energy-minimized structures, 109–111
- Arabinan, molecular shapes and interactions, 198–201
- Asthma, sulfite-induced, 12–13
- Avoidance diet, 6

### B

- Balsam of Peru, contact sensitivity, 24–26
- BLAST, with transgene proteins, 56–57, 59

### C

- Calcium pectate, molecular shapes and interactions, 169–172
- cAMP, as second messenger in sweet-taste transduction, 223
- Caraway, monoterpenes, 250
- Carnosic acid, conversion to rosmanol, 259, 261
- Carnosol, conversion to rosmanol, 260

Carrageenans, molecular shapes and interactions, 180–184  
 Carvacrol, 249–250  
 $\alpha$ S1–Casein, 94  
   energy-minimized structures, 109–111  
 $\text{Ca}^{2+}$ , intracellular, imaging following stimulation by sweeteners, 225, 227  
 Celiac disease, 9  
 Cell-mediated allergies, 8–9  
 Cellulose, molecular shapes and interactions, 148–153  
 Challenge tests, 32, 34–35  
 Chemoprevention, rosemary and carnosol, 266  
 Circular dichroism measurements, emulsification peptides, 116, 118, 120–121  
 Contact dermatitis, spices, 29  
 Contact sensitivities, 9–10, 24–26  
 Cumin, monoterpenes, 250  
 Curdlan, molecular shapes and interactions, 175–179

## D

Difference Fourier maps, 143, 146  
 Diterpenes, heat stability, 263  
 Double-blind, placebo-controlled food challenge, 34

## E

Edmundson wheels, 99, 101–102  
 Emulsification assay, 116–117  
 Emulsification peptides, 93–122  
   amino acid sequences, 107–109  
   circular dichroism measurements, 116, 118, 120–121  
   design, 104–111  
   future directions, 119, 121–122  
   model peptide 4, 116, 118  
   model peptide 5, 116, 119  
   model peptide 6, 113–115, 116, 119  
   synthesis, 112–115  
   testing of properties, 115–121  
 Emulsifiers, 115–116  
 Emulsion instability, 94  
 Emulsion stability, 115–116

Essential oils, role in food preservation, 249

## F

FASTA, 50, 52–53, 59–60  
   with transgene proteins, 53–56  
 Favism, 11  
 Flavor enhancers, intolerances, 30  
 Flavoring substances, 1–37, *see also* Food allergies and intolerance  
   acting as haptens, 28  
   allergic reactions, published examples, 24–28  
   appropriate diagnostic tests, sensitivity to, 31–36  
   assessment strategy, 33  
   challenge tests, 32, 34–35  
   patch tests, 36  
   skin tests, 35  
 classes, 15  
 formation, 15  
 labeling, 20–21, 24  
 manufacturing, 16–18  
 mucosal contact sensitization reactions, 28–29  
 nature and composition, 14–15  
 occupational sensitivities, 31  
 physical classification, 13–14  
 physical or technical functional effects, 21, 24  
 protein content, 17–20  
 sulfur-containing, 17–18  
 usage levels, 20, 22–23  
 volatile components, 14  
 Food allergies and intolerance  
   allergic reactions  
     cell-mediated, 8–9  
     delayed-type, 3–4  
     IgE-mediated, 4–8, 26–27  
     incidence, 63  
     likelihood, flavoring substances, 28–29  
     oral allergy syndrome, 5, 7  
   avoidance diet, 6  
   classification, 3  
   common allergenic foods, 5  
   contact sensitivities, 9–10, 24–26  
   definitions, 2

diagnostic tests, sensitivity to flavoring  
     substances, 31–36  
     assessment strategy, 33  
     challenge tests, 32, 34–35  
     patch tests, 36  
     skin tests, 35  
 idiosyncratic reactions, 12–13  
 immediate allergic reactions, 3  
 intolerances, likelihood, flavoring  
     substances, 30–31  
 metabolic food disorders, 11  
 non-IgE-mediated histamine release,  
     10–11  
 oral sensitivities, 24–25  
 proteins as, 6–7, 46, 64  
     removed or rendered nonallergenic by  
     processing, 6  
     published examples, flavoring substances,  
     24–28  
 Food, Drug and Cosmetic Act, 20–21  
 Food polysaccharides, *see* Polysaccharides  
 Food preservation, essential oils role,  
     249

## G

Galactomannans, molecular shapes and  
     interactions, 155–156  
 GenPept database, 66  
 $\beta$ -Glucan, molecular shapes and  
     interactions, 175–179  
 Gluten-sensitive enteropathy, 9  
 G-protein, involvement in mediation of  
     cellular cAMP formation, 220  
 $G_{\alpha}$ -subunit, GTPase activity,  
     230–231  
 Gustducin, involvement in sweetener-  
     induced taste, 227–229, 234–235

## H

Helix capping, 96  
 Histamine poisoning, 10  
 Histamine release reactions, non-IgE-  
     mediated, 10–11  
 Hydrolyzed proteins, idiosyncratic  
     reactions, 31  
 Hydrophobic moment, 101–102

## I

Idiosyncratic reactions, 12–13  
     MSG, 30–31  
 IgE-mediated allergic reactions, 4–8, 26–27  
 Intolerance, *see* Food allergies and  
     intolerance

## K

KOH–amylose complex, molecular shapes  
     and interactions, 165

## L

Labeling, flavoring substances, 20–21, 24  
 Labiatae, 245–267, *see also* Rosemary  
     compound activities, 256–261  
     essential oils as antioxidants, 249–252  
     evolution as antioxidant sources, 247  
     health implications, 263–267  
     plant tissue studies, 247–249  
     species, active compounds, 246–247  
 Lactose intolerance, 11  
 Linalool, 251  
 Linalyl acetate, 251  
 Linked-atom least squares analysis, 145

## M

Mannan, molecular shapes and interactions,  
     152–155  
 Marjoram, antioxidant activity, 248  
 Melittin  
     amino acid sequences, 107–109  
     amphipathic structures, 102  
     emulsion stability, 116, 118  
 Metabolic food disorders, 11  
 Methanol extract, rosemary, 253  
 Milk, as allergen, 26–27  
 Monosaccharide unit, atom labeling,  
     146–147  
 Monoterpenes, Labiatae, 249–250  
 MSG  
     idiosyncratic reactions, 30–31  
     role in food-borne illness, 13  
 Multipoint attachment theory, sweeteners,  
     215, 217

**N**

Needleman and Wunsch algorithm,  
50–51

**O**

Occupational sensitivities, 31  
Oral allergy syndrome, 5, 7  
Oral sensitivities, flavors or flavoring  
substances, 24–25  
Oregano, health implications, 264–267

**P**

Papain, as allergen, 7–8  
Patch tests, 36  
Peanuts, as allergens, 27  
Pectic acid, molecular shapes and  
interactions, 169, 171  
Pectinic acid, molecular shapes and  
interactions, 169–172  
Pectin, molecular shapes and interactions,  
167, 169–172  
calcium pectate, 169–172  
pectic acid, 169, 171  
pectinic acid, 169–172  
sodium pectate, 169–170  
Penicillin, as food allergen, 8  
Peptides, *see also* Emulsification peptides  
amphiphilic  
design, 99–100  
graphical representations, 99–102  
computer-aided design, 103–104  
secondary structure, 95–99  
aliphatic side chains, 98–99  
amino acid sequences, 96–97  
 $\beta$ -sheet formation, 98  
helix formation, 97–99  
hydrophobic and hydrophilic  
residues, 96  
Phenolic acids, cinnamic acid based,  
252  
Phosphoinositide transduction pathway,  
role in taste induced by saccharin and  
SC45647 sweeteners, 224–227  
Phospholipase C, activity, sweetener-  
induced taste, 224–226  
Plasma membrane, sweet taste receptors,  
217–219

Poly( $\alpha$ -L-guluronic acid, molecular shapes  
and interactions, 173–175  
Poly( $\beta$ -D-mannuronic acid, molecular  
shapes and interactions, 172–173  
Polysaccharides, 131–204  
importance, 131–132  
mixed, 200, 202  
molecular shapes and interactions,  
146–201  
(1 $\rightarrow$ 3)-linked polysaccharides,  
175–180  
 $\beta$ -glucan, 175–179  
scleroglucan, 179–180  
(1 $\rightarrow$ 4)-linked polysaccharides,  
147–175  
alginic acid, 172–175  
amylose, 156–168  
cellulose, 148–153  
galactomannans, 155–156  
mannan, 152–155  
pectin, 167, 169–172  
alternating (1 $\rightarrow$ 3) and (1 $\rightarrow$ 4)-linked  
polysaccharides, 180–185  
agarose, 184–185  
carrageenans, 180–184  
arabinan, 198–201  
branched polysaccharides, 194–199  
*Rhizobium trifolii* CPS, 194–197  
xanthan, 196–199  
gellan family, 185–194  
potassium native gellan, 186–188  
welan, 191–194  
potassium gellan, 187–191  
morphology to macroscopic properties,  
202–203  
structure–function–property correlations,  
132–133  
x-ray diffraction, 133–146  
crystal systems, 136  
electron density, 143  
equator and meridian, 142  
helical, 144  
model building and refinement  
techniques, 145–146  
ordered molecules, 137–144  
single crystals, oriented fibers, and  
powder specimens, 134–137  
structure factor, 143  
unit cell, 135–136, 138

Potassium gellan, molecular shapes and interactions, 187–191  
 Potassium native gellan, molecular shapes and interactions, 186–188  
 Proteins, *see also* Amino acid sequence alignments, allergenicity potential assessment  
     amino acid sequences, 47–48  
     flavoring substance content, 17–20  
     as food allergens, 6–7, 46, 64  
     functional domains, 65  
     hydrophilic side chains, 94  
     transferred, 45–46

## R

*Rhizobium trifolii* CPS, molecular shapes and interactions, 194–197  
 Rosemary  
     antioxidant activity, 248, 258  
     compounds  
         isolation and identification, 254–256  
         relative antioxidant activity levels, 257  
     extracts  
         antioxidant activity, 251–254  
         heat stability, 262–263  
     health implications, 264–267  
     monoterpenes, 250  
     oleoresin, 253–254  
     synergisms and heat stabilities, 258–263  
 Rosmariquinone, 262  
     chemoprevention, 266

## S

Saccharin, sweetener-induced taste, phosphoinositide transduction pathway, 224–227  
 Sage  
     antioxidant activity, 248, 258  
     antioxidant compounds, 257–258  
     health implications, 264–267  
     monoterpenes, 250  
 Scleroglucan, molecular shapes and interactions, 179–180  
 Scombroid fish poisoning, 10

SC45647 sweeteners, sweetener-induced taste, phosphoinositide transduction pathway, 224–227  
 Shallenberger/Acree AH–B model, 215  
 Skin pick test, 35  
 Skin tests, food allergy, 35  
 Sodium pectate, molecular shapes and interactions, 169–170  
 Soy products, allergenicity, 7  
 Spices  
     as allergens, 27–28  
     contact dermatitis, 29  
 Strawberry, allergy, 11  
 Structure factor, 143  
 Sugar, high intake, linkage to metabolic disorders, 212  
 Sulfites, induced asthma, 12–13  
 Supercritical carbon dioxide extraction, 253  
 Sweetener-induced taste, 211–236  
     gustducin/transducin involvement, 227–229  
     multiple transduction pathways, 233–234  
     proposed pathways, 234–235  
     receptor-independent activation, 230–232  
     transduction pathway, downstream components, 219–227  
         adenyl cyclase cascade involvement, 219–223  
         phosphoinositide transduction pathway role, 224–227  
 Sweeteners  
     amphipathic nonsugar, receptor-independent activation, 230–232  
     chemical structures, 216  
     multipoint attachment theory, 215, 217  
     Nofre–Tinti model, 217  
     recognition by taste-receptor cells, 214–219  
     responses of mammalian species to, 213  
     Shallenberger/Acree AH–B model, 215  
 Sweet molecule, chemical aspects, 215–217

Sweet-taste transduction, amiloride-sensitive, 229–230

## T

Taste bud, 213–214

Taste-receptor cell, recognition stage, 214–219

Thyme

antioxidant activity, 248–249

health implications, 264–267

monoterpenes, 250

Thymol, 249–250

T lymphocytes, activation by allergens, 8

$\alpha$ -Tocopherol, antioxidant effectiveness, heat stability, 258–263

Transducin, involvement in sweetener-induced taste, 227–229

Transgenic foods, concerns regarding allergenicity, 64

2,2,2-Trifluoroethanol, 96

Tumor initiation, inhibition by rosemary, 264–266

## W

Welan, molecular shapes and interactions, 191–194

Wheat gluten, amino acid sequences, 85–87

## X

Xanthan, molecular shapes and interactions, 196–199

X-ray diffraction, polysaccharides, 133–146

ISBN 0-12-016442-6



9 780120 164424