

INDEX

A

- Abalone, 152–153, 157–160, 163, 165
- Aberrant antigen expression, 5
- Absorption barriers, nutritargeting, 202–210
- A. carbonarius* and *A. japonicus*, calmodulin gene-targeted primers, 116–117
- Adenosine triphosphate (ATP)
 - production, 275
- Adequate intake (AI), 223
- Adrenaline, 149
- Aflatoxin producers, detection, 102–103
- Alkaline phosphatase (AP), 19
- Allergenic protein, *see* Tropomyosin
- Alternaria* spp., phytotoxin and antibiotic activity, 82
- Alternaria tenuissima*, 102
- Alveolar bone resorption, 299
- Alveolar ridge bone, 299
- Amplified fragment length polymorphism (AFLP), 110, 112
- Anaphylactic reactions, 149, 152
- Angioedema, 147, 154–155, 157
- Antibodies
 - anti-fluorescent, 20
 - horseradish peroxidase, 21
 - monoclonal, 5
 - polyclonal, 5
 - use for pathogen capture, concentration, and detection purposes, 5
- Anti-fluorescent antibody, 20
- Antigen-specific antibody, 5
- Antihistamines, 149
- Anti-idiotypic antibodies, 65
- Antimicrobial preservatives, 5
- Antisecretory lectins, 54
- Aquaculture, 142
- Arachidonic acid (AA), 61
- Area under the curve, 205–206
- Aspergillus* species
 - A. aculeatus*, 116
 - A. bombycis*, 103
 - A. carbonarius*, 111, 113
 - A. ellipticus*, 115
 - A. flavus*, 102, 115, 117
 - A. heteromorphus*, 115
 - A. melleus*, 120
 - A. niger*, 110, 113–115
 - A. nomius*, 103
 - A. ochraceoroseus*, 103
 - A. ochraceus*, 111–112, 116, 120
 - and *A. carbonarius* with cDNA AFLP-based primers, detection, 112
 - markers for, 111
 - A. parasiticus*, 116
 - A. pseudotamari*, 103
 - A. tubingensis*, 112, 115
 - A. versicolor*, 105
 - species-specific detection systems, 115
- asphPN* gene, 118
- Asthma, 147–148, 150–152, 157–159
- Atomic absorption spectrophotometry, 240, 279
- ATP-based luminescence, 4
- Atrophic rhinitis therapy, 188, 194
- AUC, *see* Area under the curve

B

- Baccharis cordifolia*, 103
- Bacillus anthracis*, 11
- Bacillus subtilis*, 20
- Bacillus thuringiensis*, 13
- Bacterial antigens, 63
- Bacteria-specific generic rapid methods, 4
- BaP, *see* Benzo(a)pyrene
- Basolateral membrane, 256
- BDP, *see* Bronchopulmonary dysplasia
- Benzo(a)pyrene, 181–182
- BIACORE system, detection *E. coli*, 16
- Bifidogenic carbohydrates, 56
- Bifidogenic peptides, 56
- Biochemical characterization, 4
- Biology-based microelectrical-mechanical systems (Bio-MEMS), 27
- Bioluminescent protein, 30

Biomolecular interaction analysis, 13

Biosensors

- detection system based on, 8–9
- electrochemical immunosensors, 19–22
- fiber optic, 9–13
- impedance-based biochip sensor, 24–28
- piezoelectric (PZ) biosensors, 18–19
- SPR sensor, 13–18
- tools, applications of, 2, 4

Bioterrorism, threat, 2

Biotinylated protein layer, 11

Biowarfare agents (BWA), detection, 11

Bivalvia, 141

BLAST tool, 114

Blatella germanica, 166

Blood and urinary biochemical tests, 296

Blood pressure (BP) management, 304

BMCs, *see* Buccal mucosal cells*B. nivea*, 125

Body mass index (BMI), 281

Bone mineral density (BMD), 280

Bone(s)

- density studies, 278
- dissolution, risk of, 293
- fracture risk in elderly men and women, 294
- maintenance in adults, 289–290
- metabolism, 230
 - biochemical markers of, 294
- mineral accretion, 226
- mineralization deficits, 287
- in postmenopausal women, 290
- remodeling of, 223
- resorption markers, 273, 294

Bovine incisor enamel, 303

Bovine lactadherin, 55

Bovine lactoferrin, 51

Bovine serum albumen, 11

Bovine spongiformencephalopathy (BSE), 3

Breast-feeding

- beneficial role of, 46
- for preventing onset of atopic illness, 63
- for promoting oral tolerance in infant, 63

Breast milk, *see* Human milk

Bronchial epithelium

- morphological changes, 182
- progressive changes, 184

Bronchopulmonary dysplasia (BDP), 188

Buccal mucosal cells, 195

Byssoschlamys, 124–125

C

Ca absorption and bioavailability, isotopic labeling method, 271

Ca²⁺/calmodulin-dependent protein kinases, 116

Ca: citrate: malate molar ratios, 261

Ca fumarate (CF), 269

Calcium

aqueous solubility of, 235

concentration in breast milk, 226

dietary intake and sources of, 222, 243

factors influencing absorption of, 256

fractional absorption of, 261, 263, 280

health benefit of, 272

blood pressure reduction, 304–305

effect on serum lipids, 319

no effect on status of other minerals

(Fe, Zn, Se, and Mg), 308

no increase in risk of kidney stones, 306–308

tooth erosion, 301–304

tooth retention, 298–299

intestinal absorption of, 244

requirements by human body, 223

retention and bone building in children and adolescents, 276

role in human body, 222

role in presence of oxalate, 307

Se antagonist, 316

solubility and sensory characteristics of, 236

specific needs

by adults, 228–229

by children, 227

by infants, 224–226

by middle-aged adults, 229

by older adults, 229–230

by preadolescence and adolescence, 227–228

pregnancy and lactation, 230–231

transcellular absorption, 256

in vitro solubility characteristics of, 266

Calcium citrate malate (CCM)

animal studies with, 269

benefits of, 323

biochemical changes in urine associated with, 308

chemical formula of CCM and its

component anions, 232

comparison with Ca carbonate, 325–326

in dietary supplements, 242–244

- effect of phytates consumed by
 - animals, 274
 - factors influencing absorption of, 243
 - formation of, 234–235
 - in fortified foods and beverages, 237
 - health benefits pertaining to, 220, 300
 - influencing factors-human studies
 - age and life stage, 264–266
 - Ca intake, 257–258
 - food/beverage matrices, 261–264
 - interfering substances, 268–269
 - meal effects, 267
 - methodologies for measuring Ca
 - absorption, 258–259
 - supplemental Ca source and form, 259–261
 - various other factors, 269
 - limitations of, 323–324
 - Calcium modulated protein, 116
 - Calmodulin, 116
 - Ca malate fumarate (CMF), 269
 - Campylobacter*, 3, 27
 - Campylobacter jejuni*, 13, 52
 - Ca:phytate complex formation, 275
 - β -Carotene, activity of, 201–202
 - α -Carotene, analysis of, 189
 - β -Carotene, AUCs, 206
 - CCM-fortified apple juice (CCM-AJ), 273
 - CCM-fortified beverages, 238
 - CCM-fortified orange (CCM-OJ), 273
 - C. dendroides*, 107
 - Cell-based assays (CBAs), 28
 - Cell-based sensor, 28
 - Cell communication and immune system
 - activation, 59
 - Cephalopoda, 141
 - Charge-coupled device (CCD), 9
 - Childhood hypertension, 304
 - Chinones, 82
 - Chlamydia trachomatis*, 53
 - Chronic obstructive pulmonary diseases, 181, 183
 - C-4 hydroxylation of trichothecenes, 106
 - Chylomicrons, role of, 209
 - Citric acid, 232
 - Citrinin, 82, 120
 - Cladosporium* spp., 104–105, 110
 - Clostridium botulinum*, 11
 - Clostridium difficile*, 49
 - cmdA* gene, 116
 - Cockles, food allergy, 155
 - Codex Alimentarius Commission, 144
 - Coenzyme Q10 (CoQ10)
 - bioavailability of, 206–210
 - biological activity of, 207
 - Colon cancer, 321
 - Colony forming units (cfu), 118
 - Complimentary metal oxide silicon (CMOS), 9
 - COPD, *see* Chronic obstructive pulmonary diseases
 - Coprophilic fungi, 124, *see also* Patulin
 - CoQ₁₀, *see* Coenzyme Q10
 - Cortical bone, 286, 296
 - Corticosteroids, 269
 - Coumarins, 82
 - CRABP, *see* Cytoplasmatic retinoic acid-binding protein
 - Cra g 1 epitope region, *see* Tropomyosin
 - Crohn's disease, 269
 - Cross-reactions, *see also* Molluscan shellfish, allergies
 - molluscan and crustacean shellfish
 - species, 165–166
 - molluscan shellfish and mites or insects, 166–167
 - molluscan shellfish species, 163–165
 - processing on allergenicity, effect, 167
 - residues detection, 167–168
 - Crustacean shellfish, 143
 - Cuttlefish, allergic reactions, 157
 - Cyclopeptides, 82
 - Cytokines, 59–60
 - Cytopathogenic effects, 4
 - Cytoplasmatic retinoic acid-binding protein (CRABP), 184
 - Cytoplasmatic retinol-binding protein (CRBP), 184
- ## D
- Dental enamel, erosion, 301, *see also* Oral health
 - Deoxynivalenol, 82, 103
 - Dexonivalenol (DON), 18
 - Diacetoxyscirpenol (DAS), 103
 - DIAPOPS technology, for detection of trichothecene producers, 107
 - Diarrheal diseases, 48
 - Diastolic BP (DBP), 305
 - Dicalcium phosphate (DCP), 275
 - Dielectrophoresis (DEP), 5
 - Dietary nucleotides, 61
 - Dietary reference intake (DRI), 225
 - Diet-induced bone loss, 293

Differential polarization light scattering (DPLS), 24
 Differential pulse voltammetry, 21
 Diketopiperazines, 82
 DNA Detection Test Strips™, 107
 Docosahexaenoic acid (DHA), 61
 Double-blind, placebo-controlled food challenge (DBPCFC), 148, 154
 Drug targeting approaches, 180 and technology, 210
 Dual x-ray absorptiometry (DEXA), 280
 Dynabeads, separation of selected microorganism, 6
 Dysplasia, biopsy-proven diagnosis, 185–186

E

EDC/NHS-coupling chemistry, 16
 Eennitiins, 82
 Electrical impedance (EI), 28
 Electrochemical cyclic voltammetry, 21
 Electrochemical immunosensors, 19–22
 Endogenous phytase synthesis, 257
 Enterotoxin, detection methods, 15
 Entrez Nucleotide database, 114
 Enzyme-linked immunomagnetic chemiluminescence assay (ELIMCL), 20
 Enzyme-linked immunosorbent assays (ELISA), 168
 Enzyme-linked oligosorbent assay (ELOSA), 124
 Epinephrine, 149
 Epithelial lining fluid (ELF), 201
 Ergot alkaloids, 82
 Ergovalin, 82
Escherichia coli, 3, 7, 49
 Ethylenediaminetetraacetic acid (EDTA), 309
Eupenicillium, 124
 Excreta-recovery methods, Ca retention, 278
 Extracellular fluids (ECFs), 222

F

Fast atom bombardment mass spectrophotometry, 280
 Fat-soluble components and antioxidants activity, 201–202
 dietary components, 203
 substances absorption, 204
 vitamins, 204

Fiber optic biosensor
 basic principle of, 9
 biowarfare agents, detection of, 11
 for foodborne pathogens, 9
 Fiber optic waveguides, 12
 Fluorescein reporter dye, 22
 Fluorescence amadite (FAM), 12
 Fluorescence detector, 9
 Fluorescence resonance energy transfer (FRET), 22
 Focal plane array (FPA) detector, 23
 Fok1 gene polymorphisms, 269
 Food allergies, 143–150, 154, 156–157
 Food/beverage matrices, 261
 Food biosecurity, 2
 Foodborne pathogens
 detection of, 2, 15
 elimination of, 2
 methods for detection, 8
 Food-induced asthma, 148
 Food-processing plant, for monitoring pathogens, 4
 Food source, isotopic labeling of, 258
 Food supply, safety of, 2
 Fourier transform infrared spectroscopy (FT-IR), 23
 Fracture risk and risk of falls, in elders, 294
Francisella tularensis, 11
 French Allergy Vigilance Network, 153–156
 Fructooligosaccharide (FOS), 263
 FT-IR photoacoustic spectroscopy, 23
fum1 genes, 123
 Fumonisin producers, detection, 120–124
 Furofuranes, 82
Fusarium species, 82, 124, 109
F. avenaceum, 108
F. crookwellense, 104, 109
F. culmorum, 104, 106, 108–109
F. equiseti, 108
F. graminearum, 104–105, 109
F. nygamai, 120
F. oxysporum, 108
F. proliferatum, 120–122
F. pseudograminearum, 104–105, 107
F. sambucinum, 104, 108
F. sporotrichioides, 103–104, 108
F. subglutinans, 120
F. verticillioides, 120, 122

G

Galactose oxidase, 104, 107
 gaoA gene, 107

Gastrointestinal allergies, 63
 Gastrointestinal mucosal injury, 67
 Gastrointestinal oxalate absorption, 307
 Gastrointestinal regulatory peptides, 61
 Gastropoda, 141
 Generally regard as safe (GRAS), 110, 238
 Genetic polymorphisms, 63
G. fujikuroi, 120, 122
Gibberella zeae, 107
 Glutathione peroxidase system
 (GSH-Px), 315
 Gram-positive bacteria, 51
 Granulocyte-colony stimulating factor, 62
 Gut-associated lymphoid tissue (GALT), 49

H

Haemophilus influenzae, 49
Haliotis midae, 163
 Hal m 2, allergen, 163
 Hazard analysis critical control points
 (HACCP), 2, 4, 16
 Hemoglobin, 310
 High resolution fast-atom-bombardment
 mass spectrometry, 261
 High-temperature, short-time (HTST)
 pasteurized milk, 239
 Histamine, 147, 149
 Histomorphometry analysis, 273
 Horseradish peroxidase (HRP)-labeled
 antibody, 21
 Human β -defensin-1, 54
 Human milk
 anti-inflammatory factors in, 66
 antioxidants, 68
 anti-proteases, 68
 cytokines, 67
 LCPUFAs, 68–69
 antimicrobial components in
 components of maternal innate and
 acquired immune system, 54
 fats and fatty acids, 53
 immunoglobulins, 48–50
 lactoferrin and related peptides, 50–51
 lysozymes and other enzymes, 51–52
 oligosaccharides, 52–53
 other non-antibody protein defense
 agents, 54–55
 aqueous and lipid layer of, 64
 compounds for inducing tolerance in
 infants
 N-6 and n-3 fatty acids, 64–65
 TGF- β and IL-10, 64

compounds with antimicrobial
 properties, 49
 development of infant's immune
 system, 47
 feeding regimens recommended for
 infants, 46
 immune development, effect on
 cytokines, 59–60
 hormones and bioactive peptides, 61
 immune cells present in human
 milk, 58
 in infants, 56–57
 long-chain polyunsaturated fatty acids
 (LCP), 61–62
 nucleotides, 61
 other immune components, 62
 immunological compounds in, 46
 impact on infectious diseases, 48
 influence on infant's immunity, 46
 protective effect of, 48
 Hydrothermal cooking, 275
 Hyperparathyroidism, 264, 296
 Hyperphosphatemia, 243
 Hypersensitivity reactions, 146, 148, 158
 Hypocalcemia, 223, 243
 Hypothalamic-pituitarygonadal axis, 230

I

idh gene, 125, *see also* Patulin
 IgE-activated cells, 31
 IgE antibodies, 146–148, 161, 166
 IgE-mediated allergic reactions,
 symptoms, 147
 IgE-mediated food allergy, 146, 149
 IL-1 receptor antagonist, 67
 Immune bacteriolysis, 54
 Immune cells, in human milk
 B-cells and immunoglobulins, 59
 macrophages, 58
 neutrophils, 58
 T-Cells, 59
 Immune system, priming of, 65
 Immunoglobulins, 50–51
 Immunomagnetic separation (IMS), 5–6
 Impedance-based biochip sensor, 24–28
 Impedance immunosensor method, for
 E. coli, 28
 Impedance microbiology, 24
 Infectious disease, mortality caused by, 48
 Interdigitated electrode structures
 (IDES), 29
 Intergenic region (IGS), 122

International Union of Immunological Societies (IUIS), 163
 Intestinal enterocytes, 256
 Intestinal immune system, 57, 60
 Intestinal mucosa and cells, 264, 310
 Intracellular CoQ10 in BMC, 208–209
 Intra-oral appliances, 303
 Isoeopoxidon dehydrogenase, 125
 Italian Collaborative Group on Preterm Delivery (ICGPd), 190

K

Klebsiella pneumoniae, 55
 Krebs cycle intermediate, 307

L

Lactate dehydrogenase (LDH) enzyme, 30
Lactobacillus acidophilus, 18
 Lactoferrin, 50–51
 Lactones, 82
 Langmuir-Blodgett method, immobilization of anti-Salmonella antibody, 18
Legionella pneumophila, 16
 Leukotrienes, 147
 Light addressable potentiometric sensor (LAPS), 19
 LightCyclerTM, 111
 Light scattering, for detection of bacteria, 23
 Limit of detection (LOD), 16
 Lipopolysaccharide (LPS), 52
 Liquid scintillation spectrometry, 240
Listeria adhesion protein (LAP), 18
Listeria electrical detection (LED), 27
Listeria monocytogenes, 3, 7
 Long-chain polyunsaturated fatty acids (LCP), 61–62
 Long-chain polyunsaturated fatty acids (LCPUFAs), 47
 Low conductive growth medium (LCGM), 27
 Low density lipoprotein (LDL), 319
 Lumbar spinal bone density, 291
 Luminal iron chelators, 309
 Luminal mucosal surface, 310
 Lysozymes, 51–52

M

Magnetic remnance, 6
 Magnetic separator, 6
 Malic acid, 232
 Mammalian cell-based biosensors, 28

Mammalian cells, physiological activities, 28
 Mammary epithelial cells, 54
Mangifera indica, 122
 Maternal cytokines, 60
 Maternal mucosal immune system, 59
 Membrane-binding transport proteins, 256
 Metabolic fingerprinting, 4, *see also* Biochemical characterization
 Metaplasia, biopsy-proven diagnosis, 185–186
 Met e 1, allergen, 161
 Microbial metabolism, 25
 Micronutrients, role and activities, 210
 Microorganisms, genetic properties of, 4
 Milk fat globule, 53
 Molluscan shellfish
 allergies, 142, 145, 149, 151
 allergens, 159–163
 allergic reactions, 151
 to bivalves, 153–155
 to cephalopods, 155–157
 cross-reactions, 163–168
 diagnosis and treatment of, 148–159
 food-dependent, exercise-induced, 157–159
 to gastropods, 151–153
 natural history of, 150
 severity of allergic reactions, 149–150
 classification and importance as food, 141–142
 worldwide production and catch of, 142
Monascus ruber, 120
 Monoclonal antibody (MAb), 5
 Mucociliary clearance
 impairment of, 194
 reduction of, 183
 Mucosal immunity in infant, development of, 62
 Multianalyte array biosensor (MAAB), 12
 Muscle atrophy, 289
Mus musculus, 113
 Mussel allergy, 155
Mycobacterium tuberculosis, 18
 Mycotoxins, 18, 82, 106, 116, 120, 124, 127
 Mycotoxin-producing fungi and toxins, PCR assays for, 85–101

N

Necrotizing enterocolitis, 66
Nectria haematococca, 113
 Neonatal innate immune system, 62
 Neosolaniol (NEOS), 103

Nivalenol (NIV), 103
 Nonlinear regression model, 278
 Nonpathogenic microbes, 65
npsPN gene, 118
 NRL array biosensor, 12
 Nucleotide-nucleotide BLAST search, 120
 Nucleotides, 61
 Nutrient deficiency
 iron, 309–313
 magnesium, 317–319
 selenium, 315–317
 zinc, 313–315
 Nutritargeting
 pathways, 202–210
 role of, 190

O

Obstructive respiratory diseases,
 development of, 183
 Occupational allergies, 158–159, *see also*
 Molluscan shellfish, allergies
 Ochratoxin, 109–110, 112, 118
 Ochratoxin A, 118
 producers, detection, 109–110
 Ochratoxin polyketide synthase, 119
 ODC, activity of, 202
 Oligosaccharides, 52–53, 263
 Optical fiber biosensors, 11
 Optically transparent waveguide, 13
 Oral bone loss, 301
 Oral health, 298–304
 Organic chelates, molecular weight
 (MW), 259
 Ornithine-decarboxylase (ODC), 201
 Osmotic stress, 5
 Osteocalcin (OC), 283
 Osteopenia, 298
 Osteoporosis, 230, 244, 257, 276, 289, 295, 300
 medical treatments, 298
 Osteoprotegerin (OPG), 62
 OTA biosynthetic pathway genes, primers,
 117–120
otapsPN gene, 118
 Ovarian estrogen, 230
 Oxalate loading (OL), 307
 Oyster, 142, 145, 150, 156, 159, 161, 163, 165

P

Paecilomyces, 125, *see also idh* gene
 Pan-allergen, 160, 163
 Parathyroid hormone (PTH), 222

Pathogenic microorganisms, 3
 Pathogens
 biosensor-based detection methods, 8–9
 controlling strategies, 2
 food-processing plant for monitoring, 4
 outbreak of, 2
 potential source of, 3
 separation and concentration of, 4–5
 strategies for detecting, 5
 use of antibody for capture,
 concentration, and detection
 purposes, 5
 Pathologic bone fractures, 299
 Patulin, 82
 fungal species from silage, 124
 fungi producing and detection, 124–126
Penicillium spp., 111
 Periodontal disease in humans, 299
 Peripheral quantitative tomography
 (pQCT), 286
Periplaneta americana, 166
 Phenotypic expression analysis, of signature
 molecules, 4
 Phylostine, 125
 Piezoelectric (PZ) biosensors, 18–19
pksL2 gene, 117
 Planar optic biosensor, 12
 Planar waveguide, 9
 Plasma CoQ10 concentrations, 208
 Pneumonitis, 159
P. nordicum, 112, 118–119, *see also* OTA
 biosynthetic pathway genes, primers
 Polarized monochromatic light source, 23
 Polyacrylamide gel electrophoresis
 (PAGE), 111
 Polyclonal antibodies (PABs), 5
 Polyclonal anti-*Listeria* antibody, 7
 Polyhalogenated compounds, in local
 vitamin A, 184
 Polyketide synthase gene, 117, 120
 Polymerase chain reaction (PCR), 83
 assays for, detection mycotoxin-
 producing fungi and toxins, 85–101
 detection systems, for mycotoxin
 producing-fungi, 84
 fungi producing OTA and mycotoxin,
 citrinin, 120
 IMS coupled with, 7
 Polystyrene optical fibers, 10
 Postnatal development of lung, 188–190
 Potentiometric alternating biosensing (PAB)
 system, 20

Potentiometric sensor, 30
P. purpureogenum, 105, *see also* Trichothecene
 Premenstrual syndrome, 223
 Primers
 anonymous genomic markers, targeted to, 110
 genetically defined sequences, targeted to, 114
 Pro-inflammatory prostaglandin-E₂ (PGE₂), 68
P. roqueforti, 125–126, *see also* Patulin
 Prostaglandins, 69, 147
 Protein allergens, 146
 Protein calorie malnutrition (PCM), 192
 Proteolytic enzymes, 48
 PTH biochemical, 298
P. verrucosum, 117–119, *see also* OTA
 biosynthetic pathway genes, primers
P. viridicatum, in detection fungi producing OTA, 120
Pyrenopeziza brassicae, 110

Q

Quantitative computed tomography (QCT), 281
 Quantitative real-time PCR (qRT-PCR), 118
 Quartz crystal microbalance (QCM) immunosensor, 16

R

Radioallergosorbent tests (RASTs), 148–149, 155, 157–158
 Radiocalcium tracers, 259
 Radioimmunoassay (RIA), 312
 Radiolabeling method, 269
 Randomly amplified polymorphic DNA (RAPD), 108
 A. carbonarius and *A. niger*, marker-based primers for, 113
 F. culmorum-specific 472-bp RAPD fragment, 109
 F. verticillioides and *F. subglutinans*, PCR-based detection, 121
 screening of *F. subglutinans*, RAPD-based PCR, 121–122
 species within *G. fujikuroi* complex, analysis of, 121
 RAPD marker-based primers, for
 A. carbonarius and *A. niger*, 113–114
 Rapid Automated Bacterial Impedance Technique (RABIT) system, 25

Respiratory mucosa, alteration of, 183
 Respiratory syncytial virus, 183
 Restriction endonucleases, EcoRI, 111
 Retinoic acid (RA), 181, 187
 Retinoids
 deficiency effect, 197
 importance for, 200
 role of, 196
 Retinol
 biological activity, 185
 formation and in plasma, 196
 Retinol-binding protein (RBP), 189
 Retinyl esters application, 191
 Retinyl palmitate, 181
 Rice-based beverages, 240
 Roquefortine C, 82
Rotavirus, 51, 66
 RP, *see* Retinyl palmitate
 rRNA genes, 114
 for PCR diagnosis of OTA-producing fungi, 114–116
 RSV, *see* Respiratory syncytial virus

S

Salmonella, 3, *see also* Human milk;
 Oligosaccharides; Polymerase chain reaction (PCR)
 enterica, 7
 fyris, 52
 typhimurium, 55
S. atra, *see* *S. chartarum*
 Saturated fatty acids (SFA), 319
S. chartarum, 105, *see also* Trichothecene
 Self-assembly monolayer (SAM), 10
 Sensitization, 144, 146–148, 166–167, *see also*
 Molluscan shellfish, allergies
 Serological tests, for isolating bacterial cells, 3
 Sesquiterpenes, 82
 Shellfish species, 141
Shigella, 3, 49
 Shrimp allergy, 156
 Sick building syndrome, 105
 Simulation Application for the Analysis of Models (SAAM), 318
 Skeletal fragility, 289
 Skeletal maturation, 276
 Skin prick tests (SPTs), 145, 157
 SPR-angular modulation, 14
 SPR sensor, 13–18
 SPR-wavelength modulation, 14
 Squamous metaplasia, treatment, 184–186

Squid, allergenic food, 145
 Staphylococcal enterotoxin (SE), 11
Staphylococcus aureus, 11, 51, *see also*
 Lactoferrin
Streptococcus, *see also* Lysozymes
 cremoris, 52
 pneumoniae, 51
 Surface immobilization, 14
 Surface plasmon resonance (SPR), 11
 Systemic bone loss, rate of, 298
 Systolic BP (SBP), 305

T

TaqMan[®], 118
 TaqMan quantitative real-time PCR
 assay, 105
 Tartrate resistant acid phosphatase
 (TRAP), 283
 T-cell-dependent immune responses, 58
T. cornutus, 161
 Tenuazonic acid, 82, 103
 2,3,7,8-Tetrachlorodibenzo-p-dioxin
 (TCDD), 181–182
 Tibia dyschondroplasia (TD), 275
 α -Tocopherol, AUCs, 206
Todarodes pacificus, 156
 Toll-like receptor 2 (TLR2), 54
 Topoisomerase II gene, 113
 Total body bone mass (TB-BMD), 281
 Toxic shock syndrome, 11
 Toxins detection, PCR assays for, 85–101
 Trabecular bone volume (TBV), 273
 Tricalcium phosphate (TCP), 322
Trichoderma harzianum, 104
 Trichothecene, 104
 biosynthesis cluster genes, 103–106
 producers, detection, 103
 sequence sources for, 106–109
tri5, 6, 7, 13 gene, 104–106
 Tropomyosin, 159, 161, 163–164, 167
 allergens, 160
 percent identity matrix for, 162
 β -Tubulin, 107, 116, 126

U

Ultra-high temperature (UHT) treated milk
 products, 324
 Urinary bone resorption biomarkers, 280
 Urticaria, 147, 155, 157–159
Ustilaginoides virens, 82
 Ustiloxins, 82

V

Vaccinia virus, 13
 Vitamin A
 application effects of, 194, 197–202
 chemoprevention, 184
 comparative bioavailability of, 205–206
 deficiency
 diseases, 181
 local, 183–184, 188
 marginal, 181, 183, 187
 treatment, 191–194
 deficient diet effect, 197
 effects evaluation of, 197–202
 ester, application of, 184
 influence of, 182, 188–190
 inhalation of, 185, 187–188, 191–194
 insufficient supply of, 188–190
 palmitate, activity of, 198
 pharmacological activity, 199
 prevention and therapy of, 190–191
 role of, 181, 194–197
 significance of, 181–184
 target tissue of, 181
 toxic effects, 188
 Vitamin C
 area under the curve (AUCs), 206
 comparative bioavailability of, 205–206
 Vitamin D
 supplementation, 269
 synthesis of, 290
 Vitamin D receptor (VDR), 257, 269
 Vitamin E
 accumulation of, 202
 comparative bioavailability of, 205–206
 inhalation of, 201
 Vitamins administration, nanocolloids
 method, 203

W

Whole-body gamma counter, 278
 Whole body retention (WBR), 269

Y

Yersinia enterocolitica, 3, 16

Z

Zearalenone, 82, 126
 Zernike moment invariants, 24
 Zinc finger proteins, 113