

INDEX

A

Adherent invasive *E. coli* (AIEC), 9
 Anterior cingulate cortex (ACC), 81
 Anxiety disorders, 66

C

Carbon stable isotope ratio test (SIRA), 138
 C2Bbe1 epithelial cells, 7
 Chinese hamster ovary (CHO) cells, 161
 chlorinated PVC (cPVC) food-packaging, 38
 Conjugated linoleic acids (CLA), 10
 Contemporary maple syrup evaporator
 ancillary equipment, 110
 arch, 108–109
 fuel source, 108
 pans, 109–110
 Coping, 76

D

De novo sphingolipid metabolism
 biochemical pathway, 164
 sphinganine levels, 163
 DNA-microarray analysis, 4

E

Enterohaemorrhagic *E. coli* (EHEC), 4
 Extended shelf-life (ESL), 27, 52, 54

F

Folate binding protein 1 (Folr1), 150
 Folate receptor-alpha (FR α), 150
 Food allergy
 biopsychosocial development, stress
 impact, 80–81
 comorbid anxiety disorders, 66
 developmental pathways
 avoidant and minimizing strategies, 90
 awareness, 89
 emotional development, 86–87
 event control, 88
 parental views and management, 91–92

precipitating events, 87
 transition points, 90–91
 gender impact
 influence, 83–84
 vs. sex impact, 81
 HRQL impact, research
 disease-specific measures, 74–75
 generic measures, 73–74
 neurocognitive development, 67–68
 parental perceptions
 developmental issues, 78
 IAT measures, 78–79
 prevalence, mechanisms and clinical
 manifestations
 allergic diseases, 69
 anaphylaxis, 72
 atopy, 68–69
 food hypersensitivity, 70–72
 psychological burden
 adaptational processes, 77
 coping, 76–77
 research
 biopsychosocial framework, 94
 children, 68
 literature issues, 93
 risk behavior
 factors, 85
 health belief models (HBMs), 86
 perception, 85
 sex impact
 vs. gender impact, 81
 influence, 82–83
 social support, 79–80
 Food allergy quality of life-parental burden
 (FAQL-PB), 74–76
 Food-packaging interactions
 consumer perception
 interactions, 20–21
 sensory problem, 21
 evaluation, 18
 packaging materials, 19
 quality improvement
 antimicrobial ingredients, 53–54
 flavor and odor absorbers, 54–55

- Food-packaging interactions (*cont.*)
 oxidation control, 55–56
 quality protection
 light, 50–52
 moisture loss prevention, 52–53
 package characteristics, 49–50
 yogurt package, 50
 scalping/sorption
 color and appearance, 48
 polymers and, 49
 properties, 47–48
 sensory effects
 discrimination testing, 26
 evaluation, 23
 flavor chemistry, 22–23
 gas chromatography–mass
 spectroscopy (GC–MS), 25
 negative sensory impacts, 24
 packaging materials, 22
 scalping/sorption, 24–25
 sensory methodology books, 26–27
 taints, 23–24
 taints
 contact materials, 27–45
 potential migrants, 27
 technical representatives communication,
 20
 threshold concept
 detection/absolute, 22
 sensory response, 21
- Fumonisin exposure and toxicity
 animal studies, 155–156
 bioactive sphingoid base-1-phosphates
 fumonisin and accumulation, 164–166
 neural tube closure, 166
 porcine pulmonary edema, 165–166
 signaling functions, 164
 SIP gradients and SIP receptors,
 164–165
 chemical structural considerations
 ceramide synthase, 159
 corn cooking, 160
de novo sphingolipid biosynthetic
 pathway, 159–160
de novo sphingolipid metabolism
 biochemical pathway, 163
 sphinganine levels, 162
in vitro and *in vivo*, 162–163
 folate transport disruption
 folate uptake, 168
 receptor levels, 168–169
 glycosphingolipids fumonisin depletion
 GPI-anchored protein, 166
 LM/Bc *in vivo* mouse model, 167
 treatments, 168–169
 vitamin uptake, 169
 measurements, 154–155
 and regulatory policy, 153–154
 reproductive toxicology
 animal studies, 155–156
 mouse models, 156–158
 sphingolipids, 160–161
- ## G
- GI tract mucins, 5
 Glycosylphosphatidylinositol (GPI), 150
- ## H
- Health belief models (HBMs), 85
 Health related quality of life (HRQL)
 disease-specific measures, 74–76
 generic measures, 73–74
 Human b-defensin-2 (hBD-2) gene
 expression, 6
- ## I
- IBD. *See* Inflammatory bowel disease
 Immunomodulation, 8–10
 Implicit association test (IAT), 78
 Inflammatory bowel disease (IBD), 10
 Insulin-dependant diabetes mellitus
 (IDDM), 74
- ## L
- Lactobacillus acidophilus* R0052, 4–5
Lactobacillus rhamnosus GG (LGG), 11
Lactobacillus rhamnosus R0011, 5
- ## M
- Maple candy, 136
 Maple cream, 136
 Maple syrup
 adulteration
 bleaching treatment, 137–139
 carbon stable isotope ratio test (SIRA),
 138
 screening method, 137–139
 annual production, 110–111
 chemistry
 composition values and ranges,
 129–130
 conductivity and color, 127

density and carbohydrates, 126
 flavor compounds, 131–133
 flavor sensory evaluation, 133–134
 inorganic composition, 128, 131
 nutritional aspects, 135–136
 off-flavors, 134–135
 organic acids, 131
 pH, 126
 rheology, 127–128
 vitamins, 136
 contamination, 137
 cream and candy, 136–137
 and decolorizing resin, 139
 history
 maple trees sap, 102–103
 sap processing, 103–104
 maple sap flow
 phenomenon, 105
 physiological process, 104–105
 sap chemistry
 evaporation by heating and
 transformation, 117–121
 inorganic composition, 112–113
 organic acids, 113–115
 phenolic compounds, 115
 pH range, 111
 reverse osmosis/nanofiltration
 transformation, 116–117
 storage transformation, 115–116
 sugar composition, 111–112
 transmission profile, 114
 sap collection
 plastic tubing, 106–107
 tapholes, 107
 sap processing, evaporation, 107–110
 scale/sugar sand formation
 composition and variation, 122
 evaporator surfaces, 123
 niter, 121
 standards
 color, flavor and purity, 125
 grades, 124
 Maple tubing system, 106–107

N

Neural tube defects (NTDs)
 environmental risk factors, fumonisins,
 148–149
 fumonisin-induced mouse models
 in cultured mouse embryos, 156–157
 maternal fumonisin exposure, 157–158
 genetic risk factors

DNA methylation, 153
 folic acid, 152–153
 genes—genes candidate, 152
 syndromes, 151
 nutritional risk factors, folic acid
 folate mechanisms, 150
 maize consumption, 151
 overview, 148
 spina bifida, 148

P

Paraformaldehyde (PFA), 107
 Peripheral blood mononuclear cell (PBMC),
 8
 Polyamides (PA) food-packaging, 38
 Polyethylene terephthalate (PETE)
 food-packaging, 33–34, 38–39, 49, 54
 bottles
 contaminant analysis, 47
 light-exposed and protected milk, 41
 ozonated water, 40
 high-density poly ethylene (HDPE),
 51–52
 Polyolefins food-packaging, 38
 acetaldehyde, 41
 aeration, 39
 chlorinated and nonchlorinated water, 42
 HDPE and epoxy, 43–44
 off-odor development, 44
 oxidation products, 40
 packaging flavor, 43
 sensory characteristics, 39–40
 water distribution, 41–42
 Polystyrene (PS) food-packaging
 monomer thresholds, 37
 refrigerated storage, 36
 signal detection method, 37–38
 storage temperature, 35–36
 styrene monomer concentration, 35
 styrene taint, 38
 Polyvinyl chloride (PVC) food-packaging,
 38
 Probiotics, gastrointestinal pathogens
 mechanisms, 2, 4
 acid production and inhibitory
 substances secretion, 7–8
 epithelial barrier function and
 probiotic signaling, 4–6
 immunomodulation, 8–10
 virulence factor expression, 10–11
 strains
 adhesion ability, 6

Probiotics, gastrointestinal pathogens (*cont.*)
 and beneficial effects, 3
 immunomodulation, 9–10
 potential mechanism of action, 10–11
 VSL#3, 5
 Provisional maximum tolerated daily intake
 (PMTDI), 153
 Pyrazines, 132

R

Reverse osmosis (RO), 116–117
 Robinson test, taints, 28–29

S

Shiga toxin-producing *E. coli* (STEC), 7
 Short-chain fatty-acids (SCFAs), 5
 Single nucleotide repeat polymorphisms
 (SNPs), 152
 SIRA. *See* Stable isotope ratio test
 Small-medium sized enterprises (SMEs), 75
 Sphingosine-1-phosphate (S1P), 161, 164
 Stable isotope ratio test (SIRA), 138
 Study specific questionnaire (SSQ), 79

T

Taints, food-packaging
 additives/noncontacting materials
 coloring agents and antioxidants, 46
 printing inks, varnishes, 45–46
 contact materials, 27
 epoxy, 44–45
 polyamides (PA), 38
 polyolefins, 34–44
 polystyrene (PS), 35–38
 PVC and cPVC, 44
 Robinson test, 28–29
 sensory active components, 28
 sensory descriptors, 29–34
 definition, 23–24
 recycled materials
 absorbed odorous, 46
 PETE, 47
 T84 epithelial cells, 4
 Triangle test, food-packaging
 antioxidant level, 55
 basil taint, cheese, 53–54
 squashes and fruit beverages, 49
 Tumor necrosis factor α (TNF α), 161