


Organic Dyes

P. Chithra, R. Varghese, K. P. Divya,
A. Ajayaghosh*

Solvent Induced Aggregation and Cation Controlled Self-assembly of Tripodal Squaraine Dyes: Optical, Chiroptical and Morphological Properties

Chem. Asian J.

DOI: 10.1002/asia.200800133



Cation control: Squaraine dyes attached to an aromatic tripodal platform, resulted in different architectures such as vesicles, aggregates, and helical fibres in pure acetonitrile and acetonitrile–water solutions in the presence of Ca^{2+} or Mg^{2+} ions, respectively. Simple aggregates of a tripodal dye are optically inactive by circular dichroism, whereas cation bound self-assemblies are optically active.


Directed Evolution

M. T. Reetz,* J. Sanchis

Constructing and Analyzing the Fitness Landscape of an Experimental Evolutionary Process

ChemBioChem

DOI: 10.1002/cbic.200800371



An inside view: Iterative saturation mutagenesis, which was used to enhance the enantioselectivity of an enzyme in five steps, has been illuminated by constructing the $5! = 120$ pathways leading from the wild-type to the final mutant. This type of analysis can be used to assess mutagenesis methods in directed evolution.


Surface Chemistry

A. R. Wise, J. A. Nye, J. T. Groves*

Discrete Arrays of Liquid-Crystal-Supported Proteolipid Monolayers as Phantom Cell Surfaces

ChemPhysChem

DOI: 10.1002/cphc.200800257



Perfect support: Microfabrication techniques to create arrays of identical liquid-crystalline areas for membrane support and protein display are demonstrated. A new method using a network of small proteins is employed to stabilize the liquid–liquid interface and make it biofunctional. The obtained surface is then used as a support for an immunological T cell synapse (see figure).

Nanoparticles


C. K. Weiss,* M.-V. Kohnle,
K. Landfester, T. Hauk, D. Fischer,
J. Schmitz-Wienke, V. Mailänder

The First Step into the Brain: Uptake of NIO-PBCA Nanoparticles by Endothelial Cells in vitro and in vivo, and Direct Evidence for their Blood–Brain Barrier Permeation


ChemMedChem

DOI: 10.1002/cmdc.200800130

Enter the brain. Fluorescent polysorbate 80 coated PBCA nanoparticles, prepared in miniemulsion, were investigated for their capacity to permeate blood–tissue barriers in vivo and in vitro. Direct evidence for a concentration-dependent permeation of the blood–brain barrier as well as the blood–retina barrier was obtained.



High-pressure NMR spectroscopic studies performed during the course of a reaction shed some light on the behaviour of diphosphite-stabilized rhodium nanoparticles used as catalysts in styrene hydroformylation reaction.




Rhodium Nanoparticles

M. R. Axet,* S. Castellón, C. Claver,*
K. Philippot,* P. Lecante, B. Chaudret

Chiral Diphosphite-Modified Rhodium(0)
Nanoparticles: Catalyst Reservoir for
Styrene Hydroformylation

Eur. J. Inorg. Chem.
DOI: 10.1002/ejic.200800421



Biphenylacetylene-based mesogens are prepared by Sonogashira coupling and their mesomorphic properties are related to the structural (linear vs. trigonal) and electronic features of the target compounds. While the C₃-symmetric tris-(alkynyl) compound is non-mesogenic, the linear biphenylacetylene forms a smectic liquid-crystal phase.


Disc-Rod Mesogens

G. Hennrich,* P. D. Ortiz, E. Cavero,
R. E. Hanes, J. L. Serrano

Biphenyl-Based Disc- vs. Rod-Shaped
Phenylacetylenes: Mesomorphism and
Electronic Properties

Eur. J. Org. Chem.
DOI: 10.1002/ejoc.200800568

New P,S-hybrids: The design, preparation (see scheme), and characterization of three types of bithiophene-fused benzo[c]phospholes are described. The structural, optical, and electrochemical properties of these compounds vary considerably depending on the π -conjugation modes at the bithiophene subunits and the substituents of the heterole components.




Fused-Ring Systems

Y. Matano,* T. Miyajima, T. Fukushima,
H. Kaji, Y. Kimura, H. Imahori

Comparative Study on the Structural,
Optical, and Electrochemical Properties
of Bithiophene-Fused Benzo[c]phos-
pholes

Chem. Eur. J.
DOI: 10.1002/chem.200801017

So small, but so much potential: Oriented nanostructures show promising properties for energy-storage and -conversion applications such as photovoltaics and thermo/electrochemical energy storage owing to their high surface areas, optimum dimensions and architecture, controlled pore channels, and alignment of their nanocrystalline phases.



Nanostructures

J. Liu,* G. Cao,* Z. Yang,* D. Wang,
D. Dubois, X. Zhou, G. L. Graff,
L. R. Pederson, J.-G. Zhang

Oriented Nanostructures for Energy
Conversion and Storage

ChemSusChem
DOI: 10.1002/cssc.200800087



Auf diesen beiden Seiten weisen wir auf wichtige aktuelle Beiträge in unseren Schwesterzeitschriften hin. Wenn Sie die Seiten online lesen, dann können Sie die

Artikel mit einem Klick direkt aufrufen, ansonsten sind sie durch Eingabe der DOIs über Wiley InterScience leicht online zugänglich.