

Angewandte Chemie

Eine Zeitschrift der Gesellschaft Deutscher Chemiker

GDCh

2008–120

www.angewandte.de



 WILEY-VCH

JAHRESREGISTER

DOI: 10.1002/ange.200812345

Erscheinungsdaten und Seitenzahlen 2008

Heft-Nr.	Seitenzahlen	Erscheinungstermine gedruckte Ausgabe*	Heft-Nr.	Seitenzahlen	Erscheinungstermine gedruckte Ausgabe*
1	1 – 224	17. Dezember	27	5017 – 5172	23. Juni
2	225 – 426	28. Dezember	28	5173 – 5340	27. Juni
3	427 – 622	4. Januar	29	5341 – 5556	7. Juli
4	623 – 814	11. Januar	30	5557 – 5758	14. Juli
5	815 – 1002	18. Januar	31	5759 – 5944	21. Juli
6	1003 – 1168	25. Januar	32	5945 – 6178	28. Juli
7	1169 – 1360	1. Februar	33	6179 – 6396	4. August
8	1361 – 1546	8. Februar	34	6397 – 6594	11. August
9	1547 – 1812	15. Februar	35	6595 – 6828	18. August
10	1813 – 1992	22. Februar	36	6829 – 7030	25. August
11	1993 – 2182	28. Februar	37	7031 – 7250	1. September
12	2183 – 2352	7. März	38	7251 – 7478	8. September
13	2353 – 2548	14. März	39	7479 – 7676	15. September
14	2549 – 2748	25. März	40	7677 – 7886	22. September
15	2749 – 2934	28. März	41	7887 – 8084	29. September
16	2935 – 3110	7. April	42	8085 – 8252	6. Oktober
17	3111 – 3334	14. April	43	8253 – 8444	13. Oktober
18	3335 – 3520	21. April	44	8445 – 8662	20. Oktober
19	3521 – 3706	28. April	45	8663 – 8878	27. Oktober
20	3707 – 3900	5. Mai	46	8879 – 9104	3. November
21	3901 – 4092	13. Mai	47	9105 – 9300	10. November
22	4093 – 4306	19. Mai	48	9301 – 9496	17. November
23	4307 – 4520	26. Mai	49	9497 – 9716	24. November
24	4521 – 4686	2. Juni	50	9717 – 9928	1. Dezember
25	4687 – 4838	9. Juni	51	9929 – 10148	8. Dezember
26	4839 – 5016	16. Juni	52	10149 – 10460	15. Dezember

* Alle Beiträge waren vorab online verfügbar.

Autorenregister

Bei Korrespondenzautoren sind die vollständigen Angaben zum Beitrag genannt, bei Nichtkorrespondenzautoren nur der Beitragstyp und die Seitenzahlen. Die in eckigen Klammern stehenden Seitenzahlen beziehen sich auf die internationale Ausgabe (*Angew. Chem. Int. Ed.* **2008**, 47) der *Angewandten Chemie*.

(A) = Aufsatz (E) = Essay (H) = Highlight (K) = Korrespondenz (M) = Kurzaufsatz (N) = Nachruf (T) = Tagungsbericht (Z) = Zuschrift



- Abbott, N. L.
– Nanofibers and Lyotropic Liquid Crystals from a Class of Self-Assembling β -Peptides (Z) 1261–1264 [1241–1244]
DOI: 10.1002/ange.200704372
- Abboud, K. A. (Z) 6796–6800 Berichtigung: 9732 [6694–6698 Berichtigung: 9590]
- Abdel-Rahman, A. A.-H. Berichtigung: 5357
- Abe, T. (Z) 7195–7198 [7087–7090], 9918–9920 [9772–9774]
- Abel, M. (Z) 7102–7106 [6994–6998]
- Abell, C. (Z) 2072–2075 [2042–2045]
- Abelló, S. (Z) 8031–8035 [7913–7917]
- Abild-Pedersen, F. (Z) 4761–4764 [4683–4686], 9439–9442 [9299–9302]
- Abramovitch, A. (Z) 6971–6974 [6865–6868]
- Abu Bakar, F. B. (Z) 7548–7551 [7438–7441]
- Abu-Omar, M. M.
– Bioinspired Dismutation of Chlorite to Dioxigen and Chloride Catalyzed by a Water-Soluble Iron Porphyrin (Z) 7811–7814 [7697–7700]
DOI: 10.1002/ange.200801521
- Acharya, G. (Z) 1067–1069 [1051–1053]
- Acharya, S. (Z) 7364–7367 [7254–7257]
- Achilefu, S.
– Near-Infrared Dichromic Fluorescent Carbocyanine Molecules (Z) 3640–3643 [3584–3587]
DOI: 10.1002/ange.200800475
- Ackermann, D. (Z) 981–984 [967–970], 985–987 [971–973]
- Adachi, A. (Z) 1451–1453 [1429–1431]
- Adak, A. K. (Z) 8755–8758 [8627–8630]
- Adamczyk, K. (Z) 9184–9188 [9044–9048]
- Adams, C. J. (Z) 3886–3889 [3826–3829], 4426–4429 [4354–4357]
- Adams, H. (Z) 1717–1721 [1693–1697]
- Adams, M. M. (Z) 6495–6498 [6395–6398]
- Adams, R. D.
– Aktivierung von Wasserstoff durch ungesättigte gemischte Metallcluster und -komplexe (M) 258–263 [252–257]
DOI: 10.1002/ange.200702407
- Aelvoet, K. (Z) 780–782 [768–770]
- Affronte, M. (Z) 9841–9845 [9695–9699]
- Afonin, S. (Z) 5849–5851 [5765–5767]
- Aggarwal, V. K.
– An Annulation Reaction for the Synthesis of Morpholines, Thiomorpholines, and Piperazines from β -Heteroatom Amino Compounds and Vinyl Sulfonium Salts (Z) 3844–3846 [3784–3786]
DOI: 10.1002/ange.200800373
- Ahijado, M. (Z) 2996–3000 [2954–2958]
- Ahijado Salomon, M. (Z) 8999–9003 [8867–8871]
- Ahmad, M. (Z) 7738–7742 [7626–7630]
- Ahmad, O. K. (Z) 9041–9044 [8909–8912]
- Ahmed, A. (Z) 4649–4652 [4573–4576]
- Ahn, C.-H.
– A Near-Infrared-Fluorescence-Quenched Gold-Nanoparticle Imaging Probe for In Vivo Drug Screening and Protease Activity Determination (Z) 2846–2849 [2804–2807]
DOI: 10.1002/ange.200705240
- Ahn, J.-H. (A) 5606–5624 [5524–5542]
- Ahrenstorf, K. (Z) 9078–9082 [8946–8949]
- Aida, T.
– Conductive One-Handed Nanocoils by Coassembly of Hexabenzocoronenes: Control of Morphology and Helical Chirality (Z) 1696–1699 [1672–1675]
DOI: 10.1002/ange.200704747
- “Conformational” Solvatochromism: Spatial Discrimination of Nonpolar Solvents by Using a Supramolecular Box of a π -Conjugated Zinc Bisporphyrin Rotamer (Z) 5231–5234 [5153–5156]
DOI: 10.1002/ange.200801332
- Directed 1D Assembly of a Ring-Shaped Inorganic Nanocluster Templated by an Organic Rigid-Rod Molecule: An Inorganic/Organic Polypseudorotaxane (Z) 2100–2103 [2070–2073]
DOI: 10.1002/ange.200705308
- Aili, D. (Z) 5636–5638 [5554–5556]
- Aimi, J. (Z) 5231–5234 [5153–5156]
- Aitken, D. J.
– Total Synthesis of Cyclotheonamide C using a Tandem Backbone-Extension–Coupling Methodology (Z) 6946–6948 [6840–6842]
DOI: 10.1002/ange.200802005
- Ajami, D. (Z) 6148–6150 [6059–6061]
- Ajayaghosh, A.
– A Near-Infrared Squaraine Dye as a Latent Ratiometric Fluorophore for the Detection of Amino Thiol Content in Blood Plasma (Z) 8001–8005 [7883–7887]
DOI: 10.1002/ange.200803194
- Bioinspired Superhydrophobic Coatings of Carbon Nanotubes and Linear π Systems Based on the “Bottom-up” Self-Assembly Approach (Z) 5834–5838 [5750–5754]
DOI: 10.1002/ange.200802097
- Carbon Nanotube Triggered Self-Assembly of Oligo(*p*-phenylene vinylene)s to Stable Hybrid π -Gels (Z) 5830–5833 [5746–5749]
DOI: 10.1002/ange.200801000
- Toroidal Nanoobjects from Rosette Assemblies of Melamine-Linked Oligo(*p*-phenyleneethynylene)s and Cyanurates (Z) 4769–4772 [4691–4694]
DOI: 10.1002/ange.200800417
- Akai, S.
– Synthesis of Biaryl Compounds through Three-Component Assembly: Ambidentate Effect of the *tert*-Butyldimethylsilyl Group for Regioselective Diels–Alder and Hiyama Coupling Reactions (Z) 7787–7790 [7673–7676]
DOI: 10.1002/ange.200803011
- Akar, A.
– Poly(methyl methacrylate)s with Pendant Calixpyrroles and Crown Ethers: Polymeric Extractants for Potassium Halides (Z) 9794–9798 [9648–9652]
DOI: 10.1002/ange.200803970
- Akasaka, T.
– Bis-Carbene Adducts of Non-IPR La_2C_{72} : Localization of High Reactivity around Fused Pentagons and Electrochemical Properties (Z) 8770–8773 [8642–8645]
DOI: 10.1002/ange.200803529
- [2 + 1] Cycloaddition of Nitrene onto C_{60} Revisited: Interconversion between an Aziridinofullerene and an Azafulleroid (Z) 1318–1320 [1298–1300]
DOI: 10.1002/ange.200704410
- Observation of ^{13}C NMR Chemical Shifts of Metal Carbides Encapsulated in Fullerenes: $\text{Sc}_2\text{C}_2\text{@C}_{82}$, $\text{Sc}_2\text{C}_2\text{@C}_{84}$, and $\text{Sc}_3\text{C}_2\text{@C}_{80}$ (Z) 8023–8026 [7905–7908]
DOI: 10.1002/ange.200802584
- Akatsuka, T. (Z) 1713–1716 [1689–1692]
- Akatsuka, Y. (Z) 9392–9395 [9252–9255]
- Akita, T. (Z) 9405–9408 [9265–9268]
- Akiyama, R. (Z) 5709–5712 [5627–5630]
- Akiyama, T.
– Chiral Phosphoric Acid Catalyzed Enantioselective Friedel–Crafts Alkylation of Indoles with Nitroalkenes: Cooperative Effect of 3 Å Molecular Sieves (Z) 4080–4082 [4016–4018]
DOI: 10.1002/ange.200800770
- Aksenov, N. V. (Z) 3306–3310 [3262–3266]
- Al-Baldawi, D. (Z) 5900–5903 [5816–5819]
- Al-Zoubi, R. M. (Z) 2918–2921 [2876–2879]
- Alam, M. A. (Z) 2100–2103 [2070–2073]
- Alauzun, J. (Z) 8782–8784 [8654–8656]
- Alavi, A. (Z) 2456–2460 [2422–2426]
- Alayon, E. M. C. (Z) 9400–9404 [9260–9264]
- Albahily, K. (Z) 5900–5903 [5816–5819]
- Albers, A. (Z) 9680–9684 [9537–9541]
- Albert, B.
– Die η^6, η^1 -Koordination von Berylliumatomen im Graphit-Analogon BeB_2C_2

- (Z) 2333–2336 [2301–2303]
DOI: 10.1002/ange.200705023
- Albini, A. (H) 10172–10175 [10022–10025]
- Albinsson, B. (Z) 5071–5074 [4993–4996]
- Albrecht-Schmitt, T. E.
– Capitalizing on Differing Coordination Environments and Redox Potentials to Prepare an Ordered Heterobimetallic U^{VI}/Np^{IV} Diphosphonate (Z) 6348–6350 [6252–6254]
DOI: 10.1002/ange.200801981
- Albu, S. P. (Z) 1942–1945 [1916–1919]
- Alcaide, B.
– Organokatalytische Reaktionen mit Acetaldehyd (H) 4710–4712 [4632–4634]
DOI: 10.1002/ange.200801231
- Alcarazo, M. (Z) 3254–3258 [3210–3214], 8426–8430 [8302–8306]
- Aldridge, S.
– Ein homoleptischer oktaedrischer Nickel(IV)-Komplex mit sehr starken Zinn(II)- σ -Donorliganden (H) 2382–2384 [2348–2350]
DOI: 10.1002/ange.200705764
- Alekseev, E. V. (Z) 559–561 [549–551]
- Alemán, J. (Z) 127–131 [121–125], 6942–6945 [6836–6839], 8059–8062 [7941–7944]
- Alemdaroglu, F. E. (Z) 988–991 [974–976]
- Alex, K. (Z) 2337–2340 [2304–2307]
- Alexakis, A.
– Kupferkatalysierte asymmetrische konjugierte Addition von Arylaluminiumreagentien an cyclische Enone: Aufbau aryl-substituierter quartärer Stereozentren (Z) 8334–8337 Berichtigung: 9315 [8211–8214 Berichtigung: 9176]
DOI: 10.1002/ange.200803436
- Regiodivergent 1,4 versus 1,6 Asymmetric Copper-Catalyzed Conjugate Addition (Z) 9262–9264 [9122–9124]
DOI: 10.1002/ange.200803735
- Alexander, C.
– Selbstzerlegende Polymere (H) 7921–7924 [7804–7806]
DOI: 10.1002/ange.200802474
- Sweet Talking Double Hydrophilic Block Copolymer Vesicles (Z) 4925–4928 [4847–4850]
DOI: 10.1002/ange.200801098
- Alexandrov, K.
– Development of Selective RabGGTase Inhibitors and Crystal Structure of a RabGGTase–Inhibitor Complex (Z) 3807–3810 [3747–3750]
DOI: 10.1002/ange.200705795
- Ali, M. M. (M) 6428–6436 [6330–6337]
- Alibrandi, G.
– Cryptand 111: A Chemical Device for Variable-pH Kinetic Experiments (Z) 3068–3070 [3026–3028]
DOI: 10.1002/ange.200800180
- Alker, A. (Z) 4588–4591 [4512–4515]
- Allard, S. (A) 4138–4167 [4070–4098]
- Allemand, J.-F. (Z) 3804–3806 [3744–3746]
- Allen, M. D. (Z) 510–512 [500–502]
- Allouche, L. (Z) 2267–2271 [2235–2239]
- Almendros, P.
– Organokatalytische Reaktionen mit Acetaldehyd (H) 4710–4712 [4632–4634]
DOI: 10.1002/ange.200801231
- Almond, P. M. (Z) 304–308 [298–302]
- Aloni, S. (Z) 5890–5895 [5806–5811]
- Alonso, D. A. (Z) 4664–4667 [4588–4591]
- Alonso, J. L.
– Rotational Probes of Six Conformers of Neutral Cysteine (Z) 6312–6316 [6216–6220]
DOI: 10.1002/ange.200801337
- Alonso, J. M. (Z) 3236–3239 [3192–3195]
- Alt, H. G.
– Katalytische Dehydrierung von Isopentan mit Iridiumkatalysatoren (Z) 2659–2661 [2619–2621]
DOI: 10.1002/ange.200704856
- Altmann, K.-H.
– Totalsynthese des marinen Diterpenoids Blumliolid C (Z) 10235–10239 [10081–10085]
DOI: 10.1002/ange.200804004
- Altmannshofer, S. (K) 7914–7917 [7798–7801]
- Álvarez, E. (Z) 4452–4455 [4380–4383]
- Álvarez-Dorta, D. (Z) 9049–9051 [8917–8919]
- Amabilino, D. B.
– Shaping Supramolecular Nanofibers with Nanoparticles Forming Complementary Hydrogen Bonds (Z) 1887–1891 [1861–1865]
DOI: 10.1002/ange.200704864
- Amajjahe, S. (Z) 3484–3486 [3435–3437]
- Amano, S. (Z) 8365–8369 [8241–8245]
- Amantonico, A. (Z) 5462–5465 [5382–5385]
- Amara, P. Berichtigung: 638
- Amat, M.
– A Biomimetic Enantioselective Approach to the Decahydroquinoline Class of Denrobatid Alkaloids (Z) 3396–3399 [3348–3351]
DOI: 10.1002/ange.200705888
- Amatore, C.
– Electrochemically Driven Release of Picomole Amounts of Calcium Ions with Temporal and Spatial Resolution (Z) 5289–5292 [5211–5214]
DOI: 10.1002/ange.200705274
- Amatore, M. (Z) 2119–2122 [2089–2092]
- Amelia, M. (Z) 6336–6339 [6240–6243]
- Ametamey, S. M.
– Siliciumbausteine für eine einstufige ¹⁸F-Radiomarkierung von Peptiden für die PET-Bildgebung (Z) 5000–5003 [4922–4925]
DOI: 10.1002/ange.200705854
- Amin, S. B. (A) 2034–2054 [2006–2025]
- Amorós, P. (Z) 4279–4284 [4211–4216]
- Amouri, H.
– Supramolekulare Aggregate mit metallorganischen Chinon-Linkern: eine neue Klasse von Koordinationsnetzwerken (M) 1392–1400 [1372–1380]
DOI: 10.1002/ange.200701980
- Amsharov, K. Yu. (Z) 6379–6381 Berichtigung: 9732 [6283–6285 Berichtigung: 9590]
- An, M. J. (Z) 2263–2266 [2231–2234], 5245–5248 [5167–5170]
- An, S. E. (Z) 2295–2298 [2263–2266]
- An, X.-L. (Z) 2523–2526 [2489–2492]
- Ananchenko, G. S.
– A Channel-Free Soft-Walled Capsular Calixarene Solid for Gas Adsorption (Z) 5698–5700 [5616–5618]
DOI: 10.1002/ange.200800071
- Ananda, K. (Z) 6530–6532 [6430–6432]
- Ananias, D. (Z) 1096–1099 [1080–1083]
- Andersen, C. S. (Z) 5651–5654 [5569–5572]
- Andersen, J. N. (Z) 2161–2164 [2131–2134]
- Anderson, E. A. (Z) 3058–3062 [3016–3020], 3063–3067 [3021–3025]
- Anderson, H. L.
– Enhanced π Conjugation around a Porphyrin[6] Nanoring (Z) 5071–5074 [4993–4996]
DOI: 10.1002/ange.200801188
- Porphyrin Dimer Carbocations with Strong Near Infrared Absorption and Third-Order Optical Nonlinearity (Z) 7203–7206 [7095–7098]
DOI: 10.1002/ange.200802687
- Anderson, J. C. (Z) 734–737 [722–725]
- Anderson, K. B.
– Chemischer Fingerabdruck von fossilen Harzen und rezenten Pflanzenexsudaten (M) 9750–9760 [9608–9616]
DOI: 10.1002/ange.200705973
- Anderson, K. M. (Z) 1074–1078 [1058–1062]
- Anderson, M. W.
– Fundamental Crystal Growth Mechanism in Zeolite L Revealed by Atomic Force Microscopy (Z) 5407–5410 [5327–5330]
DOI: 10.1002/ange.200800977
- Anderson, M. W. (Z) 8653–8656 [8525–8528]
- Anderson, O. P. (Z) 6300–6303 [6204–6207]
- Anderson, T. M. (Z) 4922–4924 [4844–4846], (K) 9520–9522 [9380–9382]
- Andersson, O. (Z) 3076–3078 [3034–3036]
- André, G. (Z) 5824–5829 [5740–5745]
- Andreotto, E. (Z) 7222–7227 [7114–7118]
- Andrei, H.-S. (Z) 401–403 [395–397]
- Andreichenko, E. V. (Z) 1686–1691 [1662–1667]
- Andrews, L.
– Simple N≡UF₃ and P≡UF₃ Molecules with Triple Bonds to Uranium (Z) 5446–5450 [5366–5370]
DOI: 10.1002/ange.200801120
- Andrews, W. J. (Z) 5506–5509 [5426–5429]
- Andrioletti, B. (Z) 1139–1142 [1123–1126]
- Angelici, G. (Z) 8195–8198 [8075–8078]
- Angelos, S. (Z) 2254–2258 [2222–2226]
- Anson, C. E. (Z) 1346–1351 [1326–1331], 8323–8328 [8201–8206], 8416–8420 [8292–8296]
- Anstrom, D. M. (Z) 4831–4833 [4753–4755]
- Anthon, C. (Z) 2721–2724 [2681–2684]
- Anthony, J. E.
– Höhere Acene: vielseitige organische Halbleiter (A) 460–492 [452–483]
DOI: 10.1002/ange.200604045
- Anthony-Cahill, S. J. (Z) 3433–3435 [3385–3387]
- Antoku, Y. (Z) 2855–2858 [2813–2816]
- Antonchick, A. P. (Z) 5920–5922 [5836–5838], 10244–10247 [10090–10093]
- Antonelli, D.
– Sulfated Mesoporous Tantalum Oxides in the Shape Selective Synthesis of Linear Alkyl Benzene (Z) 4974–4977 [4896–4899]
DOI: 10.1002/ange.200800721
- Antonietti, M. (Z) 1669–1673 [1645–1649], 3499–3502 [3450–3453]
- Antonucci, D. (Z) 517–520 [507–510]
- Anwander, R.
– Eine Seltenerdmetallvariante des Tebbe-Reagens

- (Z) 9702–9706 [9560–9564]
DOI: 10.1002/ange.200803856
- Kationische Halbsandwichkomplexe der Seltenerdmetalle für die lebende *trans*-1,4-Isoprenpolymerisation (Z) 787–790 [775–778]
DOI: 10.1002/ange.200703514
 - Anxolabéhère-Mallart, E.
 - Cobalt Clathrocholate Complexes as Hydrogen-Producing Catalysts (Z) 10096–10098 [9948–9950]
DOI: 10.1002/ange.200803643
 - Anzenbacher Jr., P. (Z) 1139–1142 [1123–1126]
 - Aoki, H. (Z) 6166–6168 [6077–6079]
 - Aoki, M. (Z) 2834–2837 [2792–2795]
 - Aouadi, K. (Z) 4504–4507 [4432–4435]
 - Aouba, S. (Z) 1275–1279 [1255–1259]
 - Apeloig, Y.
 - The Synthesis and Isolation of a Metal-Substituted Bis-silene (Z) 4415–4417 [4343–4345]
DOI: 10.1002/ange.200800973
 - Apperley, D. C. (Z) 8802–8805 [8674–8677]
 - Appukkuttan, P. (Z) 6907–6911 [6802–6806]
 - Arai, K. (Z) 6745–6748 [6643–6646]
 - Arai, M. (Z) 6991–6993 [6885–6887]
 - Arai, N. (Z) 1794–1797 [1770–1773], 7567–7570 [7457–7460]
 - Arai, T.
 - Tandem Catalytic Asymmetric Friedel–Crafts/Henry Reaction: Control of Three Contiguous Acyclic Stereocenters (Z) 5067–5070 [4989–4992]
DOI: 10.1002/ange.200801373
 - Arakawa, Y. (Z) 8356–8359 Berichtigung: 9119 [8232–8235 Berichtigung: 8983]
 - Araki, H. (Z) 9592–9595 [9450–9453]
 - Araki, K.
 - Highly Stable Giant Supramolecular Vesicles Composed of 2D Hydrogen-Bonded Sheet Structures of Guanosine Derivatives (Z) 1054–1057 [1038–1041]
DOI: 10.1002/ange.200704535
 - Switching of Polymorph-Dependent ESIPT Luminescence of an Imidazo-[1,2-*a*]pyridine Derivative (Z) 9664–9666 [9522–9524]
DOI: 10.1002/ange.200803975
 - Arango, D. C. (Z) 2671–2674 [2631–2634]
 - Aratake, S. (Z) 2112–2114 [2082–2084]
 - Aratani, N. (Z) 693–696 [681–684], 6093–6096 [6004–6007]
 - Arayama, K. (Z) 6966–6970 [6860–6864]
 - Archetti, G. (Z) 4605–4608 [4529–4532]
 - Arduengo III, A. J. (Z) 6518–6521 [6418–6421]
 - Arends, I. W. C. E. (Z) 9685–9689 [9542–9546]
 - Arfaoui, I. (Z) 8540–8543 [8412–8415]
 - Ariga, K.
 - A Layered Mesoporous Carbon Sensor Based on Nanopore-Filling Cooperative Adsorption in the Liquid Phase (Z) 7364–7367 [7254–7257]
DOI: 10.1002/ange.200802820
 - Arita, Sachiko (Z) 2481–2483 [2447–2449]
 - Arita, Shusuke (Z) 8056–8058 [7938–7940]
 - Armstrong, G. D. (Z) 684–688 [672–676]
 - Arnbjerg, J. (Z) 6114–6116 [6025–6027]
 - Arndt, H.-D.
 - Synthese mariner Alkaloide aus der Oroidin-Reihe (H) 4864–4867 [4785–4788]
DOI: 10.1002/ange.200801793
 - Totalsynthese von Chondramid C und Bindung an F-Aktin (Z) 6573–6577 [6473–6477]
DOI: 10.1002/ange.200801010
 - Arndt, M.
 - Materiewelleninterferometrie ergänzt die Massenspektrometrie (Z) 6290–6293 [6195–6198]
DOI: 10.1002/ange.200801942
 - Arndt, S. (Z) 3807–3810 [3747–3750]
 - Arndtsen, B. A.
 - Palladium Catalyzed Synthesis of Münchnones from α -Amidoethers: A Mild Route to Pyrroles (Z) 5510–5513 [5430–5433]
DOI: 10.1002/ange.200801385
 - Arnold, J. (Z) 6556–6560 [6456–6460]
 - Arnold, K. (Z) 2713–2716 [2673–2676]
 - Arnold, P. L.
 - C_3 -Symmetric Lanthanide Tris(alkoxide) Complexes Formed by Preferential Complexation and Their Stereoselective Polymerization of *rac*-Lactide (Z) 6122–6125 [6033–6036]
DOI: 10.1002/ange.200801279
 - Arora, P. S.
 - Inhibition of HIV-1 Fusion by Hydrogen-Bond-Surrogate-Based α Helices (Z) 1905–1908 [1879–1882]
DOI: 10.1002/ange.200704227
 - Arseniyadis, S. (Z) 10291–10294 [10137–10140]
 - Artero, V.
 - Cobaloxime-Based Photocatalytic Devices for Hydrogen Production (Z) 574–577 [564–567]
DOI: 10.1002/ange.200702953
 - Arzumanov, S. S. (Z) 4635–4638 [4559–4562]
 - Asano, Y. (Z) 5536–5540 [5456–5460]
 - Asay, M. (Z) 7640–7643 [7530–7533]
 - Ashenurst, J. A. (Z) 1507–1509 [1485–1487], 9017–9020 [8885–8888]
 - Ashkenasy, G.
 - Der Weg zu nichtenzymatischen molekularen Netzwerken (M) 6221–6230 [6128–6136]
DOI: 10.1002/ange.200702552
 - Askin, D. (Z) 4202–4204 [4134–4136]
 - Assenmacher, W. (Z) 7236–7240 [7127–7131]
 - Athans, A. J. (Z) 4241–4244 [4173–4176]
 - Atienzar, P. (Z) 1096–1099 [1080–1083]
 - Attfield, M. P.
 - Crystal Growth of the Nanoporous Metal–Organic Framework HKUST-1 Revealed by In Situ Atomic Force Microscopy (Z) 8653–8656 [8525–8528]
DOI: 10.1002/ange.200803460
 - Attias, A.-J.
 - Periodic Positioning of Multilayered [2.2]Paracyclophane-Based Nanopillars (Z) 8540–8543 [8412–8415]
DOI: 10.1002/ange.200801335
 - Atwood, J. L. (Z) 6462–6466 [6362–6366]
 - Au-Yeung, T. T.-L. (Z) 1300–1303 [1280–1283]
 - Aubé, J.
 - Highly Stereoselective Ring Expansion Reactions Mediated by Attractive Cation– π Interactions (Z) 6329–6331 [6233–6235]
DOI: 10.1002/ange.200801591
 - Aubert, V. (Z) 587–590 [577–580]
 - Auchterlonie, G. J. (Z) 6772–6775 [6670–6673]
 - Aue, D. H.
 - Synthesis of Activated Alkenylboronates from Acetylenic Esters by CuH-Catalyzed 1,2-Addition/Transmetalation (Z) 10337–10340 [10183–10186]
DOI: 10.1002/ange.200804912
 - Augusti, R. (Z) 3470–3473 [3422–3425]
 - Augustine, S. (Z) 10052–10055 [9904–9907]
 - Aujard, I. (Z) 3804–3806 [3744–3746]
 - Aukauloo, A.
 - Cobalt Clathrocholate Complexes as Hydrogen-Producing Catalysts (Z) 10096–10098 [9948–9950]
DOI: 10.1002/ange.200803643
 - Aurich, A. (Z) 1984–1986 [1958–1960]
 - Austin, R. N.
 - Cage Escape Competes with Geminate Recombination during Alkane Hydroxylation by the Diiron Oxygenase AlkB (Z) 5310–5312 [5232–5234]
DOI: 10.1002/ange.200801184
 - Autrey, T.
 - In Situ Multinuclear NMR Spectroscopic Studies of the Thermal Decomposition of Ammonia Borane in Solution (Z) 7603–7606 [7493–7496]
DOI: 10.1002/ange.200802100
 - Avenier, F. (Z) 727–729 [715–717]
 - Aversa, R. J. (A) 7292–7335 [7182–7225]
 - Aviram, M.
 - Amphiphilic/Bipolar Metalloporphyrins That Catalyze the Decomposition of Reactive Oxygen and Nitrogen Species, Rescue Lipoproteins from Oxidative Damage, and Attenuate Atherosclerosis in Mice (Z) 8014–8018 [7896–7900]
DOI: 10.1002/ange.200801149
 - Awaga, K. (Z) 9622–9625 [9480–9483]
 - Axet, M. R. (Z) 2104–2108 [2074–2078]
 - Aydogan, A. (Z) 9794–9798 [9648–9652]
 - Ayres, L. (Z) 2465–2468 [2431–2434]
 - Aznar, F. (Z) 6696–6699 [6594–6597]
 - Azuma, K. (Z) 7567–7570 [7457–7460]
 - Azuma, M. (Z) 7140–7143 [7032–7035]



- Baas, B.-J. (Z) 2307–2310 [2275–2278]
- Baba, A.
- Germanium(II)-Mediated Reductive Mannich-Type Reaction of α -Bromoketones to *N*-Alkylimines (Z) 6722–6725 [6620–6623]
DOI: 10.1002/ange.200800194
 - Babai, A. (Z) 7743–7746 [7631–7634]
 - Babu, S. S. (Z) 5830–5833 [5746–5749]
 - Baca, A. J. (A) 5606–5624 [5524–5542]
 - Baccile, N. (Z) 8561–8565 [8433–8437]
 - Baceiredo, A.
 - Synthesis and Ligand Properties of a Stable Five-Membered-Ring Vinylidenephosphorane (Z) 7640–7643 [7530–7533]
DOI: 10.1002/ange.200802741
 - Baceiredo, A. (Z) 5470–5473 [5390–5393]

- Bach, T.
- Bi(OTf)₃-katalysierte, diastereoselektive S_N1-artige Reaktionen chiraler Propargylacetate (Z) 10260–10263 [10106–10109] DOI: 10.1002/ange.200804025
 - Ein polymergebundenes chirales Templat für enantioselektive Photoreaktionen (Z) 8075–8077 [7957–7959] DOI: 10.1002/ange.200802479
 - Enantioselektive Totalsynthese des *Melodinus*-Alkaloids (+)-Meloscin (Z) 5160–5162 [5082–5084] DOI: 10.1002/ange.200800693
 - Kurze stereoselektive Synthese von (–)-Podophyllotoxin durch eine intermolekulare Eisen(III)-katalysierte Friedel-Crafts-Alkylierung (Z) 7668–7670 [7557–7559] DOI: 10.1002/ange.200802611
 - Totalsynthese des tetracyclischen Sesquiterpens (±)-Punctaporonin C (Z) 6284–6286 [6189–6191] DOI: 10.1002/ange.200801534
- Bachmann, J.
- Selbstkatalytische Atomlagenabscheidung von Siliciumdioxid (Z) 6272–6274 [6177–6179] DOI: 10.1002/ange.200800245
- Bäckvall, J.-E.
- Katalytische Oxidation von organischen Substraten durch molekularen Sauerstoff und Wasserstoffperoxid über einen mehrstufigen Elektronentransfer – ein biometrischer Ansatz (A) 3558–3576 [3506–3523] DOI: 10.1002/ange.200700604
- Badet, B. (Z) 4442–4444 [4370–4372]
- Badiei, Y. M. (Z) 10109–10112 [9961–9964]
- Bae, H. J. (Z) 2295–2298 [2263–2266]
- Bae, Y. H.
- A Virus-Mimetic Nanogel Vehicle (Z) 2452–2455 [2418–2421] DOI: 10.1002/ange.200704121
- Baek, K. (Z) 5839–5841 [5755–5757]
- Baerlocher, C. (Z) 4473–4477 [4401–4405]
- Baffert, C. (Z) 574–577 [564–567], 2082–2084 [2052–2054]
- Bagryanskaya, E.
- Light-Induced Excited Spin State Trapping in an Exchange-Coupled Nitroxide-Copper(II)-Nitroxide Cluster (Z) 7003–7005 [6897–6899] DOI: 10.1002/ange.200801400
- Bahshi, L. (Z) 1700–1703 [1676–1679]
- Bähz, C. (Z) 2333–2336 [2301–2303]
- Bai, F. (Z) 1070–1073 [1054–1057]
- Bai, J. (Z) 2473–2476 [2439–2442]
- Bai, M. (Z) 3640–3643 [3584–3587]
- Bai, Y.-L. (Z) 5424–5427 [5344–5347]
- Baik, C. (Z) 333–336 [327–330]
- Baik, M.-H.
- Mechanistic Insight into the Diastereoselective Rhodium-Catalyzed Pauson–Khand Reaction: Role of Coordination Number in Stereocontrol (Z) 348–351 [342–345] DOI: 10.1002/ange.200702822
- Baik, M.-H. (Z) 10298–10300 [10144–10146]
- Baiker, A. (Z) 9396–9399 [9256–9259]
- Bailey, A. J. (Z) 8762–8765 [8634–8637]
- Bailo, E. (Z) 1682–1685 [1658–1661]
- Baily, S. A. (Z) 5852–5855 [5768–5771]
- Baisch, U. (Z) 6158–6161 [6069–6072]
- Baitinger, M. (Z) 6895–6898 [6790–6793]
- Baker, R. T.
- Lösliche hochpolymere Bor-Stickstoff-Verbindungen durch Metallkomplex-katalysierte Dehydrierungen von Amin-Boran-Addukten (H) 9742–9744 [9600–9602] DOI: 10.1002/ange.200803089
- Baker, R. T. (Z) 7603–7606 [7493–7496]
- Baker, T. M. (Z) 5713–5715 [5631–5633]
- Balaran, P.
- Hybrid $\alpha\gamma$ Polypeptides: Structural Characterization of a C₁₂/C₁₀ Helix with Alternating Hydrogen-Bond Polarity (Z) 6530–6532 [6430–6432] DOI: 10.1002/ange.200801665
- Balasubramanian, S.
- Exploring the Differential Recognition of DNA G-Quadruplex Targets by Small Molecules Using Dynamic Combinatorial Chemistry (Z) 2717–2720 [2677–2680] DOI: 10.1002/ange.200705589
- Bald, I.
- Probing Biomolecules by Laser-Induced Acoustic Desorption: Electrons at Near Zero Electron Volts Trigger Sugar–Phosphate Cleavage (Z) 8646–8648 [8518–8520] DOI: 10.1002/ange.200803382
- Bald, I. (Z) 9651–9654 [9509–9512]
- Baldrige, K. K.
- Synthesis of 2,6-Diarylphenyldimethylsilyl Cations: Polar- π Distribution of Cation Character (Z) 1743–1746 [1719–1722] DOI: 10.1002/ange.200705291
- Baldrige, K. K. (Z) 5112–5115 [5034–5037]
- Baldwin, A. J. (Z) 3433–3435 [3385–3387]
- Balija, A. M. (Z) 8192–8194 [8072–8074]
- Balke, B. (Z) 7747–7750 [7635–7638]
- Ballav, N. (Z) 1443–1446 [1421–1424], 6891–6894 [6786–6789], 7348–7351 [7238–7241]
- Ballester, P.
- Quantitative Evaluation of Anion– π Interactions in Solution (Z) 4182–4186 [4114–4118] DOI: 10.1002/ange.200800636
- Ballesteros, A. (Z) 6321–6324 [6225–6228]
- Ballico, M. (Z) 4434–4437 [4362–4365]
- Ballmann, J. (Z) 9680–9684 [9537–9541]
- Balogh, E. (Z) 4922–4924 [4844–4846]
- Baltes, C. (Z) 3240–3245 [3196–3201]
- Baltzer, L. (Z) 5636–5638 [5554–5556]
- Balzani, V. (Z) 5502–5505 [5422–5425]
- Balzarini, J. (Z) 8847–8850 [8719–8722]
- Ban, L. (Z) 3444–3447 [3396–3399]
- Bandini, M.
- Enantioselektive Phase-Transfer-Catalyzed Intramolecular Aza-Michael Reaction: Effective Route to Pyrazino-Indole Compounds (Z) 3282–3285 [3238–3241] DOI: 10.1002/ange.200705685
- Bandmann, H. (Z) 6386–6391 [6290–6295]
- Bando, Y. (Z) 92–95 [86–89]
- Banerji, N. (Z) 3787–3789 [3727–3729], 9184–9188 [9044–9048]
- Bang-Andersen, B. (Z) 902–904 [888–890], 1750–1752 [1726–1728]
- Bannenberg, T. (Z) 7538–7542 [7428–7432]
- Banner, L. T. (Z) 7144–7147 [7036–7039]
- Bánsági Jr., T. (Z) 10048–10051 [9900–9903]
- Banse, F.
- Proton- and Reductant-Assisted Dioxxygen Activation by a Nonheme Iron(II) Complex to Form an Oxoiron(IV) Intermediate (Z) 7172–7175 [7064–7067] DOI: 10.1002/ange.200801832
- Bao, C. (Z) 1739–1742 [1715–1718], 4221–4224 [4153–4156]
- Bao, Jianli (Z) 4597–4600 [4521–4524], 9857–9862 [9711–9716]
- Bao, Jun (Z) 359–362 [353–356]
- Bao, M.
- Carbocycle Synthesis through Facile and Efficient Palladium-Catalyzed Allylative De-aromatization of Naphthalene and Phenanthrene Allyl Chlorides (Z) 4438–4441 [4366–4369] DOI: 10.1002/ange.200800529
- Bar, A. K. (Z) 8583–8587 [8455–8459]
- Bar-Nahum, I. (Z) 543–546 [533–536]
- Baran, P. S.
- Ein einfacher Zugang zu Vinigrol (Z) 3097–3099 [3054–3056] DOI: 10.1002/ange.200800167
 - Synthesis of 1,9-Dideoxy-pre-axinellamine (Z) 3634–3636 [3578–3580] DOI: 10.1002/ange.200705913
 - Total Synthesis of (±)-Axinellamines A and B (Z) 3637–3639 [3581–3583] DOI: 10.1002/ange.200801138
 - Über den biologischen Ursprung der Haouamin-Alkaloide (Z) 211–215 [205–208] DOI: 10.1002/ange.200704576
- Barats, D. (Z) 10056–10060 [9908–9912]
- Baratta, W.
- Osmium(II) CNN Pincer Complexes as Efficient Catalysts for Both Asymmetric Transfer and H₂ Hydrogenation of Ketones (Z) 4434–4437 [4362–4365] DOI: 10.1002/ange.200800339
- Barbaro, P. (Z) 3826–3828 [3766–3768], 4497–4499 [4425–4427]
- Barbarow, J. E. (Z) 8220–8223 [8100–8103]
- Barbas III, C. F.
- Die verlorene Organokatalyse: moderne Chemie, klassische Chemie und ein unbenutzter Biosynthesemechanismus (E) 44–50 [42–47] DOI: 10.1002/ange.200702210
 - Towards Organocatalytic Polyketide Syntheses with Diverse Electrophile Scope: Trifluoroethyl Thioesters as Nucleophiles in Organocatalytic Michael Reactions and Beyond (Z) 4664–4667 [4588–4591] DOI: 10.1002/ange.200801088
- Barends, T. R. M. (Z) 10230–10234 [10076–10080]
- Baret, J.-C.
- Tropfenbasierte Mikroreaktoren für die Synthese von magnetischen Eisenoxid-Nanopartikeln (Z) 6923–6926 [6817–6820] DOI: 10.1002/ange.200801360
- Bareyt, S. (Z) 187–190 [181–184]
- Barker, P. D. (Z) 3433–3435 [3385–3387]
- Barluenga, J.
- [1,5]-Hydride Transfer/Cyclizations on Alkynyl Fischer Carbene Complexes: Synthesis of 1,2-Dihydroquinolinyl Carbene Complexes and Cascade Reactions (Z) 6696–6699 [6594–6597] DOI: 10.1002/ange.200802268

- Metal Carbene Dimerization: Versatile Approach to Polyalkynylethenes (Z) 6321–6324 [6225–6228]
DOI: 10.1002/ange.200801584
- Synthesis of Spiroquinolines through a One-Pot Multicatalytic and Multicomponent Cascade Reaction (Z) 7152–7155 [7044–7047]
DOI: 10.1002/ange.200802582
- Barluenga, S. (Z) 4504–4507 [4432–4435]
- Barnard, P. J. (Z) 8544–8547 [8416–8419]
- Barnes, J. (Z) 3324–3328 [3279–3282]
- Baroncini, M. (Z) 6336–6339 [6240–6243]
- Barrell, M. J. (Z) 8156–8159 [8036–8039]
- Barrett, C. J. (Z) 5064–5066 [4986–4988]
- Barron, L. D.
- Solution Structures of β Peptides from Raman Optical Activity (Z) 6492–6494 [6392–6394]
DOI: 10.1002/ange.200801111
- Bartels, L.
- A Surface Coordination Network Based on Substrate-Derived Metal Adatoms with Local Charge Excess (Z) 8570–8573 [8442–8445]
DOI: 10.1002/ange.200802543
- Bartoli, G. (A) 6232–6265 [6138–6171], (Z) 8828–8830 [8700–8702], 8831–8834 [8703–8706], 8835–8838 [8707–8710]
- Barton, J. K.
- Ping-Pong Electron Transfer through DNA (Z) 9207–9210 [9067–9070]
DOI: 10.1002/ange.200803556
- Bartoschek, S. (Z) 7850–7854 [7736–7740]
- Bartsch, S. (Z) 1531–1534 [1508–1511]
- Baruah, H. (Z) 7126–7129 [7018–7021]
- Barwell, N. P. (Z) 2733–2736 [2693–2696]
- Bashir, A. (Z) 5328–5331 [5250–5252]
- Baskar, B. (Z) 2295–2298 [2263–2266]
- Basset, J.-M. (Z) 2147–2150 [2117–2120], 8782–8784 [8654–8656]
- Basuli, F. (Z) 8630–8633 [8502–8505]
- Batchelar, E. T. (Z) 9428–9465 [9322–9325]
- Bates, M. A. (Z) 9203–9206 [9063–9066]
- Batey, R. A.
- Enamide Synthesis by Copper-Catalyzed Cross-Coupling of Amides and Potassium Alkenyltrifluoroborate Salts (Z) 2139–2142 [2109–2112]
DOI: 10.1002/ange.200704711
- Bats, J. W. (Z) 7649–7653 [7539–7542]
- Batsanov, A. S. (Z) 780–782 [768–770], 8802–8805 [8674–8677]
- Battershill, C. N. (Z) 8210–8212 [8090–8092]
- Bau, R. (Z) 5153–5156 [5075–5078]
- Baudouin, A. (Z) 2147–2150 [2117–2120]
- Baudrin, E. (Z) 6541–6544 [6441–6444]
- Bauer, E. (Z) 5852–5855 [5768–5771]
- Bauer, J. C. (Z) 6317–6320 [6221–6224]
- Bauer, R. E. (Z) 8416–8420 [8292–8296]
- Bauer, Walter (Z) 9073–9077 [8941–8945]
- Bauer, Wolfgang (Z) 10252–10255 [10098–10101]
- Baum, D. A. (Z) 1777–1781 [1753–1757]
- Baumann, K. (Z) 3494–3498 [3445–3449]
- Baumann, W. (Z) 9672–9675 [9530–9532]
- Baumeister, U. (Z) 6169–6172 [6080–6083], 6998–7002 [6892–6896], 9203–9206 [9063–9066]
- Bäumer, M.
- Kolloidchemisch präparierte Nanopartikel zur Herstellung wohldefinierter und hochaktiver Heterogenkatalysatoren (Z) 9078–9082 [8946–8949]
DOI: 10.1002/ange.200802188
- Baumgarten, M. (Z) 8416–8420 [8292–8296]
- Baumgartner, A. (Z) 1664–1668 [1640–1644]
- Baumstark, D. (Z) 2652–2654 [2612–2614]
- Bawohl, M. (Z) 5736–5739 [5654–5657]
- Bayly, S. R. (Z) 8544–8547 [8416–8419]
- Bazan, G. C.
- Design organischer optoelektronischer Materialien durch laterale Borylsubstitution (H) 846–850 [834–838]
DOI: 10.1002/ange.200703722
- Bazdi, B. (Z) 7625–7629 [7515–7519]
- Beauchemin, A. M.
- Intermolecular Cope-Type Hydroamination of Alkenes and Alkynes (Z) 1432–1435 [1410–1413]
DOI: 10.1002/ange.200703495
- Bechtel, H. A. (Z) 3011–3014 [2969–2972]
- Beck, E. M. (Z) 3046–3049 [3004–3007]
- Beck, I. E. (Z) 1514–1517 [1492–1495]
- Beck, S. C. (Z) 3240–3245 [3196–3201]
- Becker, C. F. W.
- Semisynthese eines Glycosylphosphatidyl-inositol-verankerten Prionproteins (Z) 8338–8343 [8215–8219]
DOI: 10.1002/ange.200802161
- Becker, J. (Z) 1678–1681 [1654–1657]
- Becker, S. (Z) 3604–3607 [3548–3551], 5163–5166 [5085–5088]
- Beckers, H. (Z) 10268–10272 [10114–10118]
- Beckmann, J.
- Wohldefinierte Stibonsäuren und Tellurinsäuren (Z) 10130–10133 [9982–9984]
DOI: 10.1002/ange.200803997
- Beebe, K. (Z) 4504–4507 [4432–4435]
- Beeby, A. (Z) 9642–9645 [9500–9503]
- Bégin-Colin, S. (Z) 6923–6926 [6817–6820]
- Begley, T. P.
- Trapping of a Chromophoric Intermediate in the Pdx1-Catalyzed Biosynthesis of Pyridoxal 5'-Phosphate (Z) 2132–2135 [2102–2105]
DOI: 10.1002/ange.200704390
- Behenna, D. C. (A) 2400–2421 [2365–2386]
- Beil, A. (Z) 1352–1355 [1332–1334]
- Beil, W. (Z) 3302–3305 [3258–3261]
- Bein, T.
- Directing the Structure of Metal–Organic Frameworks by Oriented Surface Growth on an Organic Monolayer (Z) 5861–5863 [5777–5779]
DOI: 10.1002/ange.200704034
- Belardi, J. K. (Z) 4069–4072 [4005–4008]
- Bell, K. J. (Z) 1769–1772 [1745–1748]
- Bell, R. G. (Z) 8615–8619 [8487–8491]
- Bell, S. E. J.
- Sheets of Large Superhydrophobic Metal Particles Self Assembled on Water by the Cheerios Effect (Z) 5121–5123 [5043–5045]
DOI: 10.1002/ange.200705833
- Bell III, C. B. (Z) 9211–9214 [9071–9074]
- Bellemin-Laponnaz, S.
- Self-Assembly of a Cyclic Zn_4O_4 Tetramer by Aerobic Oxidation of a Bisoxazoline: A Molecular “Nest” for Nucleophilic OH^- (Z) 4622–4626 [4546–4550]
DOI: 10.1002/ange.200800870
- Beller, M.
- Eisenkatalyse – ein nachhaltiges Prinzip mit Perspektive? (H) 3363–3367 [3317–3321]
DOI: 10.1002/ange.200800012
- Iron-Catalyzed Enantioselective Hydro-silylation of Ketones (Z) 2531–2535 [2497–2501]
DOI: 10.1002/ange.200705624
- Kontrollierte Wasserstoffierung aus Ameisensäure-Amin-Addukten bei Raumtemperatur und direkte Nutzung in H_2/O_2 -Brennstoffzellen (Z) 4026–4029 [3962–3965]
DOI: 10.1002/ange.200705972
- Palladium Catalysts for the Formylation of Vinyl Triflates To Form α,β -Unsaturated Aldehydes (Z) 4965–4969 [4887–4891]
DOI: 10.1002/ange.200800994
- Zinkvermittelte Hydrohydrazinierung von terminalen Alkinen – eine effiziente Dominosynthese von Indolen (Z) 2337–2340 [2304–2307]
DOI: 10.1002/ange.200703823
- Beloeil, J.-C. (Z) 4442–4444 [4370–4372]
- Belozero, A. V. (Z) 3306–3310 [3262–3266]
- Ben-Asuly, A. (Z) 6522–6525 [6422–6425]
- Bénard, M. (Z) 5679–5681 [5597–5599]
- Benbrahim, C. (Z) 3804–3806 [3744–3746]
- Bencivenni, G. (Z) 8831–8834 [8703–8706]
- Bender, A. (Z) 2850–2854 [2808–2812]
- Bendikov, M. (Z) 4415–4417 [4343–4345]
- Bendix, J.
- Superhyperfine Interaction in $[\text{MnF}_6]^{3-}$ (Z) 154–156 [148–150]
DOI: 10.1002/ange.200703771
- Bénéchie, M. (Z) 5498–5501 [5418–5421]
- Benedetti, M. (Z) 517–520 [507–510]
- Benet-Buchholz, J. (Z) 4182–4186 [4114–4118]
- Benetollo, F. (Z) 5411–5414 [5331–5334]
- Benítez, D. (Z) 7580–7584 [7470–7474]
- Benito-Garagorri, D. (Z) 9282–9285 [9142–9145]
- Benjauthrit, K. (Z) 6556–6560 [6456–6460]
- Bennati, M.
- Structure of the Tyrosyl Biradical in Mouse R2 Ribonucleotide Reductase from High-Field PELDOR (Z) 1244–1247 [1224–1227]
DOI: 10.1002/ange.200703753
- Bensimon, D. (Z) 3804–3806 [3744–3746]
- Benter, T. (Z) 10138–10142 [9989–9992]
- Bera, T. K. (Z) 7946–7950 [7828–7832]
- Beranek, R. (Z) 1340–1342 [1320–1322]
- Berberich, M. (Z) 6718–6721 [6616–6619]
- Bercaw, J. E.
- C–H Bond Activation by $[(\text{Diimine})\text{Pd}(\mu\text{-OH})_2]^{2+}$ Dimers: Mechanism-Guided Catalytic Improvement (Z) 10089–10091 [9941–9943]
DOI: 10.1002/ange.200804455
- Berezin, M. Y. (Z) 3640–3643 [3584–3587]
- Bergander, K. (Z) 1678–1681 [1654–1657]
- Bergenti, I. (Z) 8724–8728 [8596–8600]
- Berger, R. (Z) 988–991 [974–976]
- Berger, T. (Z) 1518–1522 [1496–1499]
- Berghold, J. (Z) 3100–3104 [3057–3061]
- Bergia, A. (Z) 2465–2468 [2431–2434]
- Bergman, R. G.
- Catalysis of 6π Electrocyclizations (Z) 8220–8223 [8100–8103]
DOI: 10.1002/ange.200803336
- Synthesis, Structural Characterization, and Quantitative Basicity Studies of Lithium Zirconimide Complexes

- (Z) 6162–6165 [6073–6076]
DOI: 10.1002/ange.200801463
Berkfeld, A. (H) 2572–2576 [2538–2542]
Berkessel, A.
– Asymmetrische Epoxidierung von Olefinen mit Wasserstoffperoxid – Katalyse durch ein Aspartat enthaltendes Tripeptid (H) 3735–3737 [3677–3679]
DOI: 10.1002/ange.200705326
Berlin, J. M. (Z) 7156–7158 [7048–7050]
Berná, A. (Z) 4952–4955 [4874–4877]
Berná, J. (Z) 4464–4468 [4392–4396]
Bernardes, G. J. L. (Z) 2276–2279 [2244–2247]
Bernardi, J. (Z) 1518–1522 [1496–1499]
Bernardi, L.
– Organocatalytic Asymmetric Diels–Alder Reactions of 3-Vinylindoles (Z) 9376–9379 [9236–9239]
DOI: 10.1002/ange.200804275
Bernasconi, M. (Z) 4588–4591 [4512–4515]
Bernhart, V. (Z) 3508–3510 [3458–3460]
Bernier, M. (Z) 4442–4444 [4370–4372]
Berry, J. F.
– Delokalisierte Metall–Metall- und Metall–Ligand–Mehrfachbindungen in einer linearen Ru–Ru≡N–Einheit: Verlängerung einer normalerweise kurzen Ru≡N–Bindung (Z) 10256–10259 [10102–10105]
DOI: 10.1002/ange.200804397
Berry, M. (Z) 2315–2318 [2283–2286]
Berryman, O. B. (Z) 123–126 [117–120]
Bertelsen, S. (Z) 127–131 [121–125]
Berthet, J.-C.
– Polyimido Uranium(IV) Clusters: Imido-metalates with an M₂(μ₃-N)₆(μ₂-N)₆ Core Analogous to the Anderson-Type Polyoxometalate Motif (Z) 5668–5671 [5586–5589]
DOI: 10.1002/ange.200801420
Bertini, I.
– Water-Based Ligand Screening for Paramagnetic Metalloproteins (Z) 4609–4613 [4533–4537]
DOI: 10.1002/ange.200800327
Bertoni, C. (A) 6638–6650 [6538–6549]
Bertozzi, C. (Z) 5926–5929 [5842–5845]
Bertozzi, C. R.
– A FRET-Based Fluorogenic Phosphine for Live-Cell Imaging with the Staudinger Ligation (Z) 2428–2431 [2394–2397]
DOI: 10.1002/ange.200704847
– Biocompatible Carbon Nanotubes Generated by Functionalization with Glycodendrimers (Z) 5100–5103 [5022–5025]
DOI: 10.1002/ange.200705363
Bertozzi, C. R. (Z) 8601–8605 [8473–8477]
Bertrand, E. (Z) 5310–5312 [5232–5234]
Bertrand, G.
– Homogeneous Catalytic Hydroamination of Alkynes and Allenes with Ammonia (Z) 5302–5306 [5224–5228]
DOI: 10.1002/ange.200801136
– Palladium–Oxygen and Palladium–Arene Interactions in Complexes Derived from Biaryl Aminocarbenes: Comparison with Biaryl Phosphanes (Z) 2303–2306 [2271–2274]
DOI: 10.1002/ange.200704927
– Synthesis and Ligand Properties of a Stable Five-Membered-Ring Vinylidenephosphorane (Z) 7640–7643 [7530–7533]
DOI: 10.1002/ange.200802741
– Synthesis and Ligand Properties of Stable Five-Membered-Ring Allenes Containing Only Second-Row Elements (Z) 5491–5494 [5411–5414]
DOI: 10.1002/ange.200801176
– Synthesis of an Extremely Bent Acyclic Allene (A “Carbodicarbene”): A Strong Donor Ligand (Z) 3250–3253 [3206–3209]
DOI: 10.1002/ange.200705620
– The Existence of Two Short-Bond Isomers for Bicyclo[1.1.0]butane Derivatives Based on Boron and Phosphorus (Z) 161–165 [155–159]
DOI: 10.1002/ange.200704008
Bertrand, P. (Z) 2082–2084 [2052–2054]
Bertz, M.
– Mechanische Kontrolle des Entfaltungspfadens des grün fluoreszierenden Proteins (Z) 8314–8317 [8192–8195]
DOI: 10.1002/ange.200802987
Besenbacher, F.
– Specificity of Watson–Crick Base Pairing on a Solid Surface Studied at the Atomic Scale (Z) 9819–9822 [9673–9676]
DOI: 10.1002/ange.200803333
Besenbacher, F. (Z) 4478–4482 [4406–4410], 9248–9251 [9108–9111]
Besseling, N. A. M. (Z) 4260–4263 [4192–4195]
Bethge, L. (Z) 9697–9701 [9555–9559]
Bettinger, H. F.
– Metallfreie Umwandlung von Methan und Cycloalkanen in Amine oder Amide mithilfe eines Borylnitrens (Z) 4822–4825 [4744–4747]
DOI: 10.1002/ange.200705936
Betts, H. M. (Z) 8544–8547 [8416–8419]
Beuerle, F. (Z) 4055–4058 [3991–3994]
Beutner, G. L. (A) 1584–1663 [1560–1638]
Beving, D. E. (Z) 535–538 [525–528]
Beyeh, K. (Z) 8421–8425 [8297–8301]
Beyer, M. (Z) 7241–7244 [7132–7135]
Beyer, M. K. (Z) 1972–1976 [1946–1950]
Beyermann, M.
– Synthese von Proteinmimetika mit nichtlinearer Rückgratstruktur durch Kombination von molekularbiologischen, enzymatischen und chemischen Methoden (Z) 3698–3701 [3642–3645]
DOI: 10.1002/ange.200705718
Bharatam, P. V.
– A Study of BF₃-Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions (Z) 4781–4784 [4703–4706]
DOI: 10.1002/ange.200705967
Bhatia, S. N. (Z) 7394–7398 [7284–7288]
Bhattacharjee, A. (Z) 6533–6537 [6433–6437]
Bhole, G. (Z) 4996–4999 [4918–4921]
Bhunia, A. K. (Z) 7621–7624 [7511–7514]
Bhunia, S. (Z) 5141–5144 [5063–5066]
Bhuvanesh, N. (Z) 9634–9637 [9492–9495]
Bi, X. (Z) 9707–9710 [9565–9568]
Biagini, S. C. G.
– Cryo Electron Tomography Reveals Confined Complex Morphologies of Tripeptide-Containing Amphiphilic Double-Comb Diblock Copolymers (Z) 8991–8994 [8859–8862]
DOI: 10.1002/ange.200802834
Bickelhaupt, F. M.
– Attraktiv und überzeugend (K) 7284 [7172]
DOI: 10.1002/ange.200802330
Biechy, A. (Z) 1458–1460 [1436–1438]
Bielawski, C. W.
– Diaminocarbenes[3]ferrocenophanes and Their Transition-Metal Complexes (Z) 2299–2302 [2267–2270]
DOI: 10.1002/ange.200704978
– Poly(methyl methacrylate)s with Pendant Calixpyrroles and Crown Ethers: Polymeric Extractants for Potassium Halides (Z) 9794–9798 [9648–9652]
DOI: 10.1002/ange.200803970
Bienert, M. (Z) 3698–3701 [3642–3645]
Bigall, N. C. (Z) 7994–7997 [7876–7879]
Biglino, D. (Z) 1244–1247 [1224–1227]
Bilke, J. L. (H) 2774–2776 [2734–2736]
Bill, E. (Z) 1248–1251 [1228–1231], 3015–3019 [2973–2977], 6484–6487 [6384–6387], 7218–7221 [7110–7113], 9680–9684 [9537–9541]
Billingsley, K. L. (Z) 4773–4776 [4695–4698]
Binder, W. H.
– Polymerinduzierte transiente Poren in Lipidmembranen (H) 3136–3139 [3092–3095]
DOI: 10.1002/ange.200800269
Bircher, R. (Z) 2870–2873 [2828–2831]
Birk, T. (Z) 154–156 [148–150]
Biron, E. (Z) 2633–2637 [2595–2599]
Biros, S. M. (Z) 6151–6153 [6062–6064]
Bischoff, F. R.
– Kombinatorische Synthese von Peptidarrays mit einem Laserdrucker (Z) 7241–7244 [7132–7135]
DOI: 10.1002/ange.200801616
Bisello, A. (Z) 5411–5414 [5331–5334]
Bishop, L. M. (Z) 8220–8223 [8100–8103]
Bismarck, A.
– High Internal Phase Emulsions Stabilized Solely by Functionalized Silica Particles (Z) 8401–8403 [8277–8279]
DOI: 10.1002/ange.200802244
Bisschops, T. (Z) 5744–5748 [5661–5665]
Bistri, O. (Z) 596–598 [586–588]
Bitter, J. H. (Z) 5080–5082 [5002–5004]
Björrefors, F.
– Formation of Molecular Gradients on Bipolar Electrodes (Z) 3076–3078 [3034–3036]
DOI: 10.1002/ange.200705824
Blackburn, N. J. (Z) 9224–9227 [9084–9087]
Blacquiere, J. M. (Z) 309–312 [303–306]
Blair, V. L. (Z) 6304–6307 [6208–6211]
Blake, A. J. (Z) 1769–1772 [1745–1748], 6122–6125 [6033–6036]
Blakey, S.
– Enantioselective C–H Amination Using Cationic Ruthenium(II)–pybox Catalysts (Z) 6931–6934 [6825–6828]
DOI: 10.1002/ange.200801445
Blanc, B. (Z) 8561–8565 [8433–8437]
Blanchot, M. (Z) 8620–8623 [8492–8495]
Blanco, S. (Z) 6312–6316 [6216–6220]
Blanco-Canosa, J. B. (Z) 6957–6961 [6851–6855]
Blankenfeldt, W. (Z) 3807–3810 [3747–3750]
Blatch, A. J. (Z) 780–782 [768–770]
Blaudeck, R. P. (Z) 6122–6125 [6033–6036]
Blay, G. (Z) 5675–5678 [5593–5596]

- Blechert, S.
- Alternierende Copolymerisation durch einen Grubbs-Initiator mit einem unsymmetrischen chiralen N-heterocyclischen Carbenliganden (Z) 2655–2658 [2615–2618] DOI: 10.1002/ange.200704822
- Bléger, D. (Z) 8540–8543 [8412–8415]
- Bleuzen, A.
- Controlled Synthesis of Photomagnetic Nanoparticles of a Prussian Blue Analogue in a Silica Xerogel (Z) 7864–7866 [7750–7752] DOI: 10.1002/ange.200802273
- Bligaard, T. (Z) 4761–4764 [4683–4686], 4913–4917 [4835–4839], 9439–9442 [9299–9302]
- Blixt, O. (Z) 5100–5103 [5022–5025]
- Bloch Jr., C. (Z) 7971–7974 [7853–7856]
- Block, I. (Z) 7241–7244 [7132–7135]
- Blöcker, H. (Z) 4671–4676 [4595–4599]
- Blom, D. A. (Z) 2830–2833 [2788–2791]
- Bluhm, H. (Z) 9025–9028 [8893–8896]
- Blüm, M.-C. (Z) 1092–1095 [1076–1079]
- Bo, Z.
- Hierarchical Supramolecular Self-Assembly of Nanotubes and Layered Sheets (Z) 6104–6107 [6015–6018] DOI: 10.1002/ange.200801404
- Bobbio, C. (Z) 8045–8048 [7927–7930]
- Bock, M. (Z) 2341–2344 [2308–2311], 9274–9277 [9134–9137]
- Böcking, T. (Z) 2737–2739 [2697–2699]
- Böckmann, A.
- Bestimmung hochaufgelöster dreidimensionaler Proteinstrukturen anhand der Festkörper-NMR-Spektren (H) 6200–6204 [6110–6113] DOI: 10.1002/ange.200801352
 - Polarisationstransfer über die Wasser-Protein-Grenzfläche im Festkörper (Z) 5935–5938 [5851–5854] DOI: 10.1002/ange.200801110
- Bockstaller, M. R.
- Imidazoliumbasierte ionische Flüssigkeiten als effiziente forminduzierende Lösungsmittel für die Synthese von Gold-Nanostäbchen (Z) 7751–7755 [7639–7643] DOI: 10.1002/ange.200802185
- Boddien, A. (Z) 4026–4029 [3962–3965]
- Bode, H. B.
- Biosynthese eines multipotenten bakteriellen Stilbens (Z) 1968–1971 [1942–1945] DOI: 10.1002/ange.200705148
- Bodnarchuk, M. I. (Z) 3071–3075 [3029–3033]
- Boersma, M. D. (Z) 2895–2898 [2853–2856]
- Boese, R. (Z) 10268–10272 [10114–10118]
- Boesecke, P. (Z) 9203–9206 [9063–9066]
- Boffa, V. (Z) 5487–5490 [5407–5410]
- Bogdanski, A. (Z) 927–930 [913–916]
- Böhme, B. (Z) 6895–6898 [6790–6793]
- Böhmer, I. K. (Z) 2659–2661 [2619–2621]
- Bois-Choussy, M. (Z) 4235–4240 [4167–4172]
- Boissel, J.-P. (Z) 4826–4830 [4748–4752]
- Boisson, C. (Z) 9451–9453 [9311–9313]
- Boisson, F. (Z) 9451–9453 [9311–9313]
- Bojase, G. (Z) 924–926 [910–912]
- Boldog, I. (Z) 6533–6537 [6433–6437]
- Boldt, G. E. (Z) 3983–3986 [3919–3922]
- Bolinger, P.-Y. (Z) 5626–5631 [5544–5549]
- Bollermann, T. (Z) 9290–9295 [9150–9154]
- Bolm, C.
- Highly Enantioselective Synthesis of Optically Active Ketones by Iridium-Catalyzed Asymmetric Hydrogenation (Z) 9052–9055 [8920–8923] DOI: 10.1002/ange.200803709
 - Iron-Catalyzed C–O Cross-Couplings of Phenols with Aryl Iodides (Z) 596–598 [586–588] DOI: 10.1002/ange.200704018
 - Iron-Catalyzed S-Arylation of Thiols with Aryl Iodides (Z) 2922–2925 [2880–2883] DOI: 10.1002/ange.200705668
 - Iron-Catalyzed Sonogashira Reactions (Z) 4940–4943 [4862–4865] DOI: 10.1002/ange.200801539
- Bolshan, Yu. (Z) 2139–2142 [2109–2112]
- Boltalina, O. V.
- $C_{1-}(C_{84}-C_{2}(11))(CF_3)_{12}$: Trifluoromethylation Yields Structural Proof of a Minor C_{84} Cage and Reveals a Principle of Higher Fullerene Reactivity (Z) 6300–6303 [6204–6207] DOI: 10.1002/ange.200801777
- Bolte, M. (Z) 603–606 [593–596], 1535–1537 [1512–1514]
- Bolze, F.
- Molecular Engineering of Photoremovable Protecting Groups for Two-Photon Uncaging (Z) 9667–9671 [9525–9529] DOI: 10.1002/ange.200803964
- Bolze, P. (Z) 127–131 [121–125]
- Bomans, P. H. H. (Z) 8991–8994 [8859–8862]
- Bombis, C. (Z) 4478–4482 [4406–4410]
- Bomparola, R. (Z) 5896–5899 [5812–5815]
- Bon, R. S. (Z) 3807–3810 [3747–3750]
- Bonazzi, S. (Z) 7232–7235 [7123–7126]
- Bonchio, M.
- Chiral Strandberg-Type Molybdates $[(RPO_3)_2Mo_5O_{15}]^{2-}$ as Molecular Gelators: Self-Assembled Fibrillar Nanostructures with Enhanced Optical Activity (Z) 7385–7389 [7275–7279] DOI: 10.1002/ange.200801629
- Bond, A. M. (Z) 4456–4459 [4384–4387]
- Bonesi, S. M.
- Biarylbindung mithilfe von C-Abgangsgruppen: Warum nicht? (H) 10172–10175 [10022–10025] DOI: 10.1002/ange.200803777
- Bongers, N. (H) 2208–2211 [2178–2181]
- Bonifazi, D.
- Trimodular Engineering of Linear Supramolecular Miniatures on Ag(111) Surfaces Controlled by Complementary Triple Hydrogen Bonds (Z) 7840–7844 [7726–7730] DOI: 10.1002/ange.200802325
- Bonilla, A. (Z) 8031–8035 [7913–7917]
- Bonneau, C. (Z) 7986–7989 [7868–7871]
- Bonnesen, P. V. (Z) 1892–1896 [1866–1870]
- Bonnet, E. (Z) 6994–6997 [6888–6891]
- Bonnette, F. (Z) 5470–5473 [5390–5393]
- Bontemps, S. (Z) 1503–1506 [1481–1484]
- Booker, C. (Z) 7845–7849 [7731–7735]
- Booker-Milburn, K. I.
- Product Selection through Photon Flux: Laser-Specific Lactone Synthesis (Z) 2315–2318 [2283–2286] DOI: 10.1002/ange.200704816
- Boons, G.-J.
- Visualizing Metabolically Labeled Glycoconjugates of Living Cells by Copper-Free and Fast Huisgen Cycloadditions (Z) 2285–2287 [2253–2255] DOI: 10.1002/ange.200705456
- Bootz, F. (Z) 3240–3245 [3196–3201]
- Borchert, H. (Z) 9078–9082 [8946–8949]
- Bordiga, S. (Z) 9409–9413 [9269–9273]
- Bordusa, F.
- D-Aminosäure-spezifische Proteasen und native All-L-Proteine: eine zweckmäßige Kombination für die Semisynthese (Z) 5536–5540 [5456–5460] DOI: 10.1002/ange.200800340
- Borgia, A. (Z) 7006–7009 [6900–6903]
- Born, B. (Z) 6586–6589 [6486–6489]
- Bornemann, H. (Z) 4822–4825 [4744–4747]
- Börner, H. G. (Z) 5749–5752 [5666–5668]
- Bornmann, L.
- Die Effektivität des Peer-Review-Verfahrens: Übereinstimmungsreliabilität und Vorhersagevalidität der Manuskriptbegutachtung bei der *Angewandten Chemie* (E) 7285–7290 [7173–7178] DOI: 10.1002/ange.200800513
- Bornscheuer, U. T.
- Vollständige Umkehrung der Enantioselektivität gegen acetylierte tertiäre Alkohole durch eine Doppelmutation in einer Esterase aus *Bacillus subtilis* (Z) 1531–1534 [1508–1511] DOI: 10.1002/ange.200704606
- Börsch, M. (Z) 988–991 [974–976]
- Borsodi, J. (Z) 9414–9418 [9274–9278]
- Bosch, J.
- A Biomimetic Enantioselective Approach to the Decahydroquinoline Class of Den-drobatid Alkaloids (Z) 3396–3399 [3348–3351] DOI: 10.1002/ange.200705888
- Boshra, R. (Z) 1150–1153 [1134–1137]
- Bošković, Ž. V. (Z) 10337–10340 [10183–10186]
- Botar, B.
- An All-Inorganic, Stable, and Highly Active Tetra Ruthenium Homogeneous Catalyst for Water Oxidation (Z) 3960–3963 [3896–3899] DOI: 10.1002/ange.200705652
- Bothe, E. (Z) 6484–6487 [6384–6387], 9680–9684 [9537–9541]
- Botoshansky, M. (Z) 4415–4417 [4343–4345], 4631–4634 [4555–4558]
- Bottari, G. (Z) 2056–2061 [2026–2031]
- Böttcher, T. (Z) 4677–4680 [4600–4603]
- Botting, C. H. (Z) 5437–5441 [5357–5361], 7971–7974 [7853–7856]
- Boudebous, H. (Z) 3511–3514 [3461–3463]
- Boudet, N. (Z) 6931–6934 [6825–6828]
- Bouhadir, G. (Z) 1503–1506 [1481–1484]
- Boulard, Y. (Z) 747–749 [735–737]
- Boulon, M.-E. (Z) 8815–8819 [8687–8691]
- Bour, C. (Z) 8010–8013 [7892–7895]
- Bourg, J.-B. (Z) 161–165 [155–159]
- Bourgeois, C. (Z) 500–505 [490–495], 9667–9671 [9525–9529]
- Bourissou, D.
- Metallaboratranes Derived from a Triphosphanyl-Borane: Intrinsic C_3 Symmetry Supported by a Z-Type Ligand (Z) 1503–1506 [1481–1484] DOI: 10.1002/ange.200705024
 - Palladium–Oxygen and Palladium–Arene Interactions in Complexes Derived

- from Biaryl Aminocarbenes: Comparison with Biaryl Phosphanes
(Z) 2303–2306 [2271–2274]
DOI: 10.1002/ange.200704927
- Bourlès, E. (Z) 6994–6997 [6888–6891]
- Bourrelly, S. (Z) 6713–6717 [6611–6615]
- Bousseksou, A.
– Towards the Ultimate Size Limit of the Memory Effect in Spin-Crossover Solids (Z) 8360–8364 [8236–8240]
DOI: 10.1002/ange.200802906
- Bowden, N. B.
– Cascade Reactions Using LiAlH_4 and Grignard Reagents in the Presence of Water (Z) 949–953 [935–939]
DOI: 10.1002/ange.200703002
- Bowen, S. (Z) 5313–5315 [5235–5237]
- Bower, J. F. (Z) 5298–5301 [5220–5223]
- Boyerskikh, V. (Z) 5454–5457 [5374–5377]
- Boyd, T. (Z) 6987–6990 [6881–6884]
- Boyer, A. (A) 9542–9570 [9402–9429]
- Boyle, P. D. (Z) 738–742 [726–730]
- Boyron, O. (Z) 9451–9453 [9311–9313]
- Bozhikov, G. A. (Z) 3306–3310 [3262–3266]
- Bozhilov, K. N. (Z) 5264–5267 [5186–5189]
- Bozonnet, M. (E) 3368–3374 [3322–3328]
- Brachmann, A. O. (Z) 1968–1971 [1942–1945]
- Braeckmans, K. (Z) 3420–3423 [3372–3375]
- Brammer, L.
– Ligand Substitution within Nonporous Crystals of a Coordination Polymer: Elimination from and Insertion into Ag–O Bonds by Alcohol Molecules in a Solid–Vapor Reaction (Z) 1717–1721 [1693–1697]
DOI: 10.1002/ange.200703194
- Branda, N. R.
– Modulating the Lewis Acidity of Boron Using a Photoswitch (Z) 5112–5115 [5034–5037]
DOI: 10.1002/ange.200800869
- Regulation der Aktivität von humaner Carboanhydrase I (hCAI) durch einen photochromen Inhibitor (Z) 7756–7759 [7644–7647]
DOI: 10.1002/ange.200802242
- Brandhorst, K. (Z) 800–804 [788–792]
- Brandt, B. (Z) 9430–9434 [9289–9293]
- Brasche, G. (Z) 1958–1960 [1932–1934]
- Bräse, S.
– Ein fluorierend spaltbarer Linker für die kombinatorische Festphasensynthese (Z) 8240–8242 [8120–8122]
DOI: 10.1002/ange.200802126
- Highlights der Steroidchemie: chemische Totalsynthese versus Semisynthese (H) 9529–9531 [9389–9391]
DOI: 10.1002/ange.200803720
- Brasile, G. (Z) 1307–1310 [1287–1290]
- Bratlie, K. M. (Z) 9025–9028 [8893–8896]
- Bratton, D. (Z) 2072–2075 [2042–2045]
- Braun, T.
– Rhodium Derivatives of Peroxoboronic Acids and Peroxoboric Acid: Formation of Metallatrioxaborolanes from an η^2 -Peroxo Complex (Z) 2996–3000 [2954–2958]
DOI: 10.1002/ange.200705715
- Stepwise Oxygenation of Pinacolborane by a Rhodiumperoxo Complex: Detection of an Intermediate Metal Borate and Perborate (Z) 8999–9003 [8867–8871]
DOI: 10.1002/ange.200803768
- Braunschweig, A. B. (Z) 132–136 [126–130]
- Braunschweig, H.
– B^+ in der Koordinationssphäre zweier Übergangsmetalle (Z) 5009–5011 [4931–4933]
DOI: 10.1002/ange.200800533
- Ein linearer anionischer Dimetallborylenkomplex (Z) 5732–5735 [5650–5653]
DOI: 10.1002/ange.200801848
- Intramolekulare Aktivierung eines Disila-[2]molybdänocenophandihydrids – Synthese und Struktur eines [1],[1]Metalloarenophans (Z) 10127–10129 [9979–9981]
DOI: 10.1002/ange.200803223
- Struktureller Nachweis der Antiaromatizität in freien Borolen (Z) 1977–1980 [1951–1954]
DOI: 10.1002/ange.200704771
- Synthese eines paramagnetischen Polymers durch ringöffnende Polymerisation eines gespannten [1]Vanadoarenophans (Z) 3886–3889 [3826–3829]
DOI: 10.1002/ange.200800081
- Thermischer Borylentransfer zur Synthese von Rhodium- und Iridiumborylenkomplexen (Z) 6070–6072 [5981–5983]
DOI: 10.1002/ange.200801756
- Zur Reaktivität eines terminalen Chromborylenkomplexes gegenüber Olefinen – Boryleneinschub in eine C–H-Bindung (Z) 6067–6069 [5978–5980]
DOI: 10.1002/ange.200801579
- Braunschweig, H. (Z) 4393–4397 [4321–4325]
- Braunstein, P.
– Diphosphinite Ag^{I} and Pd^{II} Dinuclear Complexes as Adaptable Anion Receptors: An Unprecedented Bridging Mode for the PF_6^- Ion (Z) 6962–6965 [6856–6859]
DOI: 10.1002/ange.200801850
- Bravo-Zhivotovskii, D.
– The Synthesis and Isolation of a Metal-Substituted Bis-silene (Z) 4415–4417 [4343–4345]
DOI: 10.1002/ange.200800973
- Bray, T. H. (Z) 6348–6350 [6252–6254]
- Brázdilová, P. (Z) 2089–2092 [2059–2062]
- Brazel, C. C. (Z) 5324–5327 [5246–5249]
- Brechin, E. K.
– $[\text{Mn}_6]$ under Pressure: A Combined Crystallographic and Magnetic Study (Z) 2870–2873 [2828–2831]
DOI: 10.1002/ange.200705819
- Brechin, E. K. (Z) 5691–5694 [5609–5612]
- Brecht, V. (Z) 7772–7776 [7659–7663]
- Breder, A. (Z) 8642–8645 [8514–8517]
- Breen, J. M. (Z) 7010–7014 [6904–6908]
- Breinbauer, R. (Z) 4493–4496 [4421–4424]
- Breit, B.
– A Supramolecular Catalyst for Regioselective Hydroformylation of Unsaturated Carboxylic Acids (Z) 317–321 [311–315]
DOI: 10.1002/ange.200703192
- A Supramolecular Catalyst for the Decarboxylative Hydroformylation of α,β -Unsaturated Carboxylic Acids (Z) 4010–4013 [3946–3949]
DOI: 10.1002/ange.200800956
- Branched-Regioselective Hydroformylation with Catalytic Amounts of a Reversibly Bound Directing Group (Z) 7456–7459 [7346–7349]
DOI: 10.1002/ange.200802296
- Zink-katalysierte enantiospezifische sp^3 - sp^3 -Kreuzkupplung von α -Hydroxyestertriflaten mit Grignard-Reagentien (Z) 5531–5535 [5451–5455]
DOI: 10.1002/ange.200800733
- Breitenlechner, S. (Z) 8075–8077 [7957–7959]
- Breitling, F.
– Kombinatorische Synthese von Peptidarrays mit einem Laserdrucker (Z) 7241–7244 [7132–7135]
DOI: 10.1002/ange.200801616
- Bremer, M. A. (Z) 1257–1260 [1237–1240]
- Brennan, J. G.
– Intense Near-IR Emission from Nanoscale Lanthanoid Fluoride Clusters (Z) 6138–6140 [6049–6051]
DOI: 10.1002/ange.200801530
- Brent, R. (Z) 5407–5410 [5327–5330]
- Bressy, C. (Z) 10291–10294 [10137–10140]
- Breu, J.
– Zugang zu mikroporösen Materialien durch oxidatives Pillaring von Glimmern (Z) 1664–1668 [1640–1644]
DOI: 10.1002/ange.200704790
- Brichacek, M. (Z) 9592–9595 [9450–9453]
- Brickmann, J. (Z) 5060–5063 [4982–4985]
- Brillas, E. (M) 2024–2032 [1998–2005]
- Brimblecombe, R. (Z) 7445–7448 [7335–7338]
- Briquel, R. (Z) 9451–9453 [9311–9313]
- Britton, J. D. (Z) 8820–8823 [8692–8695]
- Brizard, A. (Z) 2093–2096 [2063–2066]
- Brockmann, K. J. (Z) 10138–10142 [9989–9992]
- Brodovitch, J.-C. (Z) 9918–9920 [9772–9774]
- Broekmann, P. (Z) 981–984 [967–970]
- Brook, M. A.
– Rolling-Circle-Amplifikation: Anwendungen in der Nanotechnologie und in der Biodetektion mit funktionellen Nucleinsäuren (M) 6428–6436 [6330–6337]
DOI: 10.1002/ange.200705982
- Brooker, S.
– Mixed Spin-State [HS–LS] Pairs in a Dinuclear Spin-Transition Complex: Confirmation by Variable-Temperature ^{57}Fe Mössbauer Spectroscopy (Z) 3039–3041 [2997–2999]
DOI: 10.1002/ange.200705778
- Brookhart, M.
– Structural and Spectroscopic Characterization of an Unprecedented Cationic Transition-Metal η^1 -Silane Complex (Z) 4209–4211 [4141–4143]
DOI: 10.1002/ange.200705359
- Bröring, M.
– Norcorrol: die kleinste Porphyrin-Strukturvariante mit N_4 -Kern (Z) 5740–5743 [5658–5660]
DOI: 10.1002/ange.200801196
- Brown, D. F. J. (Z) 2850–2854 [2808–2812]
- Brown, J. M.
– Catalytic Amide-Mediated Methyl Transfer from Silanes to Alkenes in Fujiwara–Moritani Oxidative Coupling (Z) 4296–4298 [4228–4230]
DOI: 10.1002/ange.200800815

- Brown, M. K. (Z) 7468–7472 [7358–7362]
Brozik, S. M.
– Electrically Addressable Cell Immobilization Using Phenylboronic Acid Diazonium Salts
(Z) 2671–2674 [2631–2634]
DOI: 10.1002/ange.200704597
- Bruce, D. W.
– Phosphorescent, Terdentate, Liquid-Crystalline Complexes of Platinum(II): Stimulus-Dependent Emission
(Z) 6382–6385 [6286–6289]
DOI: 10.1002/ange.200802101
- Bruce, P. G.
– α -MnO₂ Nanowires: A Catalyst for the O₂ Electrode in Rechargeable Lithium Batteries
(Z) 4597–4600 [4521–4524]
DOI: 10.1002/ange.200705648
– Nanomaterialien für wiederaufladbare Lithiumbatterien
(A) 2972–2989 [2930–2946]
DOI: 10.1002/ange.200702505
– Synthesis of Ordered Mesoporous Li–Mn–O Spinel as a Positive Electrode for Rechargeable Lithium Batteries
(Z) 9857–9862 [9711–9716]
DOI: 10.1002/ange.200803431
- Brückner, R.
– Totalsynthese von natürlich konfigurierem Pyrrhoxanthin, einem Carotinoid-Butenolid aus Plankton
(Z) 7777–7782 [7664–7668]
DOI: 10.1002/ange.200801638
- Brueggen, J. (Z) 2633–2637 [2595–2599]
Brunelli, M. (Z) 1717–1721 [1693–1697]
Brunet, V. A. (H) 1198–1201 [1179–1182]
Bruntner, C. (Z) 3302–3305 [3258–3261]
Brust, M. (Z) 1887–1891 [1861–1865]
Brustad, E. (Z) 8344–8347 [8220–8223]
Brutschy, B.
– Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Condensed Phase and in Supersonic Jets
(Z) 6126–6129 [6037–6040]
DOI: 10.1002/ange.200801350
- Bryant, C. (Z) 2850–2854 [2808–2812]
Bryant, D. E. (Z) 8036–8038 [7918–7920]
Bryce, D. L.
– Ultrahochfeld-⁵⁹Co-Festkörper-NMR-Spektroskopie zur Untersuchung des 1,2-Polybutadien-Katalysators [Co(C₆H₁₃)(C₄H₉)]
(Z) 3503–3507 [3454–3457]
DOI: 10.1002/ange.200705204
- Brynda, M. (Z) 9255–9257 [9115–9117]
Bu, W. (Z) 916–919 [902–905]
Bu, X.
– Multiple Functions of Ionic Liquids in the Synthesis of Three-Dimensional Low-Connectivity Homochiral and Achiral Frameworks
(Z) 5514–5517 [5434–5437]
DOI: 10.1002/ange.200801838
- Bu, X. (Z) 119–122 [113–116]
Bubnov, V. P. (Z) 6300–6303 [6204–6207]
Buccella, D. (Z) 3024–3027 [2982–2985]
Buch, F. (Z) 9576–9580 [9434–9438]
Bucher, G.
– Hydroxycarben: einem molekularen Maulwurf bei der Arbeit zugeschaut
(H) 7064–7065 [6957–6958]
DOI: 10.1002/ange.200803195
- Buchgraber, P. (Z) 8578–8582 [8450–8454]
Buchini, S. (Z) 2740–2743 [2700–2703]
Buchmeiser, M. R.
– Alternierende Copolymerisation durch einen Grubbs-Initiator mit einem unsymmetrischen chiralen N-heterocyclischen Carbenliganden
(Z) 2655–2658 [2615–2618]
DOI: 10.1002/ange.200704822
– Kationische Ru^{II}-Komplexe mit N-heterocyclischem Carbenliganden für die UV-induzierte ringöffnende Metathesepolymerisation
(Z) 3311–3314 [3267–3270]
DOI: 10.1002/ange.200705220
– Monolithische Polymere als Trägermaterial für Zellkultivierung, Zelldifferenzierung und Tissue-Engineering
(Z) 9278–9281 [9138–9141]
DOI: 10.1002/ange.200801872
- Buchwald, S. L.
– A General and Efficient Method for the Suzuki–Miyaura Coupling of 2-Pyridyl Nucleophiles
(Z) 4773–4776 [4695–4698]
DOI: 10.1002/ange.200801465
– Asymmetric Palladium-Catalyzed Intramolecular α -Arylation of Aldehydes
(Z) 8228–8231 [8108–8111]
DOI: 10.1002/ange.200803809
– Biarylphosphanliganden in der palladium-katalysierten Aminierung
(A) 6438–6461 [6338–6361]
DOI: 10.1002/ange.200800497
– C–H Functionalization/C–N Bond Formation: Copper-Catalyzed Synthesis of Benzimidazoles from Amidines
(Z) 1958–1960 [1932–1934]
DOI: 10.1002/ange.200705420
– Palladium-Catalyzed γ -Arylation of β,γ -Unsaturated Ketones: Application to a One-Pot Synthesis of Tricyclic Indolines
(Z) 183–186 [177–180]
DOI: 10.1002/ange.200704529
- Buckel, W.
– Der stereochemische Verlauf der enzymatischen Wassereliminierung von 4-Hydroxybutyryl-Coenzym A zu Crotonyl-Coenzym A
(Z) 3298–3301 [3254–3257]
DOI: 10.1002/ange.200705473
- Buckl, A. (Z) 4588–4591 [4512–4515]
Buder, J. (Z) 8404–8408 [8280–8284]
Budynina, E. M. (Z) 1123–1126 [1107–1110]
Buffet, J.-C. (Z) 6122–6125 [6033–6036]
Bugaut, A. (Z) 2717–2720 [2677–2680]
Buhro, W. E.
– The Use of Single-Source Precursors for the Solution–Liquid–Solid Growth of Metal Sulfide Semiconductor Nanowires
(Z) 3259–3262 [3215–3218]
DOI: 10.1002/ange.200705142
- Bui, J. M. (Z) 7377–7379 [7267–7269]
Bukhtiyarov, V. I. (Z) 1514–1517 [1492–1495]
Bukowski, M. R. (Z) 1922–1925 [1896–1899]
Bulic, B. (Z) 4757–4760 [4679–4682]
Buller, F. (Z) 3240–3245 [3196–3201]
Bultman, M. S. (Z) 6927–6930 [6821–6824]
Buma, W. J.
– Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Condensed Phase and in Supersonic Jets
(Z) 6126–6129 [6037–6040]
DOI: 10.1002/ange.200801350
- Shaping of a Conformationally Flexible Molecular Structure for Spectroscopy
(Z) 3218–3223 [3174–3179]
DOI: 10.1002/ange.200705627
- Bundle, D. R.
– An Entropically Efficient Supramolecular Inhibition Strategy for Shiga Toxins
(Z) 684–688 [672–676]
DOI: 10.1002/ange.200704064
- Buntin, K. (Z) 2341–2344 [2308–2311], 4671–4676 [4595–4599]
Buntowsky, G. (Z) 2104–2108 [2074–2078]
Bunz, U. H. F.
– Effiziente Erkennung von Bakterien mit Goldnanopartikel-Poly(*para*-phenylene-thinylene)-Konstrukten
(Z) 2628–2632 [2590–2594]
DOI: 10.1002/ange.200703369
- Burchell, T. J. (Z) 5900–5903 [5816–5819], 8980–8983 [8848–8851], 9863–9867 [9717–9721]
Burda, E. (Z) 9693–9696 [9551–9554]
Bureekaew, S. (Z) 3451–3454 [3403–3406]
Burgard, M. D. (Z) 1717–1721 [1693–1697]
Burghard, M.
– Ein Güterzug aus Nanoröhren zum Lastentransport auf der Nanoskala
(H) 8694–8695 [8565–8566]
DOI: 10.1002/ange.200803021
- Burghart, J. (Z) 7777–7782 [7664–7668]
Burkholder, E. (Z) 5691–5694 [5609–5612]
Burlat, B. (Z) 2082–2084 [2052–2054]
Burns, N. Z. (Z) 211–215 [205–208]
Burns, P. C.
– Metal–Oxygen Isopolyhedra Assembled into Fullerene Topologies
(Z) 2866–2869 [2824–2827]
DOI: 10.1002/ange.200705563
– The Structure of the Plutonium Oxide Nanocluster [Pu₃₈O₅₆Cl₅₄(H₂O)₈]^{14–}
(Z) 304–308 [298–302]
DOI: 10.1002/ange.200704420
- Burrell, A. K. (Z) 5852–5855 [5768–5771], 7442–7444 [7332–7334]
Burrows, A. D.
– Post-Synthetic Modification of Tagged Metal–Organic Frameworks
(Z) 8610–8614 [8482–8486]
DOI: 10.1002/ange.200802908
- Bury, W. (Z) 583–586 [573–576]
Buzler, M. (Z) 4393–4397 [4321–4325], 5732–5735 [5650–5653]
Busalmen, J. P.
– C-Type Cytochromes Wire Electricity-Producing Bacteria to Electrodes
(Z) 4952–4955 [4874–4877]
DOI: 10.1002/ange.200801310
- Buschiazio, A. (Z) 2740–2743 [2700–2703]
Bush, K. J. (Z) 9244–9247 [9104–9107]
Bushey, M. L. (Z) 8344–8347 [8220–8223]
Busker, M. (Z) 10248–10251 [10094–10097]
Busse, C. (Z) 4478–4482 [4406–4410]
Bussi, G. (Z) 3592–3595 [3536–3539]
Butcher, D. R. (Z) 9025–9028 [8893–8896]
Butenschön, H.
– Oxazaborolidine als Katalysatoren für enantioselektive Cycloadditionen: Jetzt auch [2 + 2]!
(H) 3544–3547 [3492–3495]
DOI: 10.1002/ange.200800574
– Siebenringe durch Cyclisierungen an Übergangsmetall-Komplexen: [4 + 3], [3 + 2 + 2] und [5 + 2]
(H) 5367–5370 [5287–5290]
DOI: 10.1002/ange.200801738

- Buth, G. (Z) 5157–5159 [5079–5081]
 Butovskii, M. V. (Z) 6569–6572 [6469–6472]
 Butt, H.-J. (Z) 4785–4788 [4707–4710]
 Butti, P. (Z) 4956–4959 [4878–4881]
 Büttner, T. (Z) 3289–3293 [3245–3249]
 Buttrey, D. J.
 – Direct Imaging of the MoVTeNbO M1 Phase Using An Aberration-Corrected High-Resolution Scanning Transmission Electron Microscope (Z) 2830–2833 [2788–2791]
 DOI: 10.1002/ange.200705700
 Buzdygon, R. S. (Z) 5310–5312 [5232–5234]
 Byrne, C. M. (Z) 4043–4047 [3979–3983]
 Byrne, P. (Z) 1074–1078 [1058–1062], 5845–5848 [5761–5764]



- Cabedo, N. (Z) 5138–5140 [5060–5062]
 Cabeza, J. A.
 – From an *N*-Methyl *N*-Heterocyclic Carbene to Carbyne and Carbide Ligands via Multiple C–H and C–N Bond Activations (Z) 1946–1948 [1920–1922]
 DOI: 10.1002/ange.200705154
 Cabrera, S. (Z) 127–131 [121–125]
 Cadalbert, R. (Z) 5926–5929 [5842–5845]
 Cadamuro, S. A. (Z) 2174–2177 [2143–2146]
 Cademartiri, L. (Z) 3874–3877 [3814–3817]
 Cadenbach, T. (Z) 3487–3490 [3438–3441], 9286–9289 [9146–9149], 9290–9295 [9150–9154]
 Cador, O. (Z) 8815–8819 [8687–8691]
 Cadot, E. (Z) 1487–1490 [1465–1468]
 Caemmerer, S. B. (Z) 3847–3850 [3787–3790]
 Cahová, H. (Z) 2089–2092 [2059–2062]
 Cai, K.
 – Cell-Specific Gene Transfection from a Gene-Functionalized Poly(D,L-lactic acid) Substrate Fabricated by the Layer-by-Layer Assembly Technique (Z) 7589–7591 [7479–7481]
 DOI: 10.1002/ange.200800412
 Cai, R. (Z) 535–538 [525–528]
 Cai, S. (Z) 5655–5658 [5573–5576]
 Cai, Yan (Z) 946–948 [932–934]
 Cai, Ye (Z) 8039–8041 [7921–7923]
 Cai, Z.-p. (Z) 758–761 [746–749]
 Caillat, T. (Z) 8746–8750 [8618–8622]
 Coleman, C. (Z) 1439–1442 [1417–1420]
 Calle, C. (Z) 2638–2642 [2600–2603]
 Calmettes, B.
 – Bicomponent Supramolecular Packing in Flexible Phthalocyanine Networks (Z) 7102–7106 [6994–6998]
 DOI: 10.1002/ange.200802628
 Calvo, F. (Z) 8329–8333 [8207–8210]
 Camaioni, D. M. (Z) 7603–7606 [7493–7496]
 Camargo, P. H. C. (Z) 9799–9802 [9653–9656]
 Camerel, F. (Z) 9008–9012 [8876–8880]
 Cameron, N. R.
 – Organogelation of Sheet–Helix Diblock Copolypeptides (Z) 5238–5240 [5160–5162]
 DOI: 10.1002/ange.200801056

- Cammarata, M. (Z) 1063–1066 [1047–1050]
 Campaña, A. G. (Z) 7625–7629 [7515–7519]
 Campana, C. F. (Z) 566–569 [556–559]
 Campbell, A. N. (Z) 6100–6103 [6011–6014]
 Campbell, N. L. Berichtigung: 1183
 Campo, J. (Z) 1883–1886 [1857–1860]
 Candelaresi, M. (Z) 8153–8155 [8033–8035]
 Candini, A. (Z) 9841–9845 [9695–9699]
 Cangussu, D. (Z) 4279–4284 [4211–4216]
 Cano, J. (Z) 4279–4284 [4211–4216]
 Cantrill, S. J. (Z) 7580–7584 [7470–7474]
 Cao, G.
 – Aggregation of ZnO Nanocrystallites for High Conversion Efficiency in Dye-Sensitized Solar Cells (Z) 2436–2440 [2402–2406]
 DOI: 10.1002/ange.200704919
 Cao, R. (K) 9520–9522 [9380–9382]
 Cao, Y.
 – Ga–Al Mixed-Oxide-Supported Gold Nanoparticles with Enhanced Activity for Aerobic Alcohol Oxidation (Z) 340–343 [334–337]
 DOI: 10.1002/ange.200704370
 Cao, Y. C.
 – Controlling Colloidal Superparticle Growth Through Solvophobic Interactions (Z) 2240–2244 [2208–2212]
 DOI: 10.1002/ange.200705049
 – Synthesis of Metal–Selenide Nanocrystals Using Selenium Dioxide as the Selenium Precursor (Z) 8766–8769 [8638–8641]
 DOI: 10.1002/ange.200804266
 – Water-Soluble Nanocrystals Through Dual-Interaction Ligands (Z) 3790–3794 [3730–3734]
 DOI: 10.1002/ange.200800434
 Caporali, M. (Z) 3826–3828 [3766–3768]
 Captain, B. (M) 258–263 [252–257], (Z) 9854–9856 [9708–9710]
 Caravan, P.
 – Monovalent and Bivalent Fibrin-specific MRI Contrast Agents for Detection of Thrombus (Z) 4996–4999 [4918–4921]
 DOI: 10.1002/ange.200800563
 Cárdenas, D. J. (Z) 8010–8013 [7892–7895]
 Cardona, C. M. (Z) 4241–4244 [4173–4176]
 Cardona, L. (Z) 5675–5678 [5593–5596]
 Cardoso-Gil, R. (Z) 8404–8408 [8280–8284]
 Carell, T.
 – Klick-Klick-Klick: Ein- bis Dreifachmodifizierung von DNA (Z) 3491–3493 [3442–3444]
 DOI: 10.1002/ange.200705664
 – Postsynthetische DNA-Modifizierung mithilfe der kupferkatalysierten Azid-Alkin-Cycloaddition (M) 8478–8487 [8350–8358]
 DOI: 10.1002/ange.200802077
 – Röntgenkristallstruktur und Mechanismus der DNA-(6-4)-Photolyase (Z) 10230–10234 [10076–10080]
 DOI: 10.1002/ange.200804268
 – Selective Detection of 5-Methylcytosine Sites in DNA (Z) 187–190 [181–184]
 DOI: 10.1002/ange.200702159
 – Synthese von hantelförmigen DNA-Inhibitoren für die humane DNA-Methyltransferase Dnmt1 (Z) 1538–1541 [1515–1518]
 DOI: 10.1002/ange.200702055

- Carlomagno, T.
 – Crystallography-Independent Determination of Ligand Binding Modes (Z) 7850–7854 [7736–7740]
 DOI: 10.1002/ange.200801792
 – Simultaneous Determination of the Conformation and Relative Configuration of Archazolide A by Using Nuclear Overhauser Effects, *J* Couplings, and Residual Dipolar Couplings (Z) 3782–3786 [3722–3726]
 DOI: 10.1002/ange.200800225
 Carlone, A. (A) 6232–6265 [6138–6171], (Z) 8828–8830 [8700–8702]
 Carlos, L. D. (Z) 1096–1099 [1080–1083]
 Carmona, E.
 – Direkte Bindungen zwischen Metallatomen: Dimetallkomplexe von Zink, Cadmium und Quecksilber (M) 6626–6637 [6526–6536]
 DOI: 10.1002/ange.200704568
 – Monodentate, *N*-Heterocyclic Carbene-Type Coordination of 2,2'-Bipyridine and 1,10-Phenanthroline to Iridium (Z) 4452–4455 [4380–4383]
 DOI: 10.1002/ange.200800705
 Carnes, M. (Z) 3024–3027 [2982–2985]
 Caro, J. (Z) 9481–9484 [9341–9344]
 Carp, R. (Z) 8570–8573 [8442–8445]
 Carpenter, J. (Z) 3624–3628 [3568–3572]
 Carpenter, R. D. (Z) 6507–6510 [6407–6410]
 Carraro, M.
 – Chiral Strandberg-Type Molybdates [(RPO₃)₂Mo₅O₁₅]²⁻ as Molecular Gelators: Self-Assembled Fibrillar Nanostructures with Enhanced Optical Activity (Z) 7385–7389 [7275–7279]
 DOI: 10.1002/ange.200801629
 Carreira, E. M.
 – Catalytic Hydrochlorination of Unactivated Olefins with *para*-Toluenesulfonyl Chloride (Z) 5842–5844 [5758–5760]
 DOI: 10.1002/ange.200801760
 – Chirale Olefine als Steuerungsliganden in der asymmetrischen Katalyse (A) 4558–4579 [4482–4502]
 DOI: 10.1002/ange.200703612
 – Enantioselective Synthesis of the Carbocyclic D-Ring Subunit of Massadine (Z) 8642–8645 [8514–8517]
 DOI: 10.1002/ange.200803284
 – Enantioselective Synthesis of the Core of Banyaside, Suomilide, and Spumigin HKVV (Z) 8984–8987 [8852–8855]
 DOI: 10.1002/ange.200803655
 – Spirocyclic Oxetanes: Synthesis and Properties (Z) 4588–4591 [4512–4515]
 DOI: 10.1002/ange.200800450
 – Synthesis and Biological Studies of 35-Deoxy Amphotericin B Methyl Ester (Z) 4411–4414 [4339–4342]
 DOI: 10.1002/ange.200800590
 – Synthesis of 35-Deoxy Amphotericin B Methyl Ester: A Strategy for Molecular Editing (Z) 4407–4410 [4335–4338]
 DOI: 10.1002/ange.200800589
 Carrella, L. M. (Z) 6304–6307 [6208–6211]
 Carril, M. (Z) 2922–2925 [2880–2883], 4940–4943 [4862–4865]

- Carrillo-Cabrera, W. (Z) 8404–8408 [8280–8284]
- Carroll, S. S. (Z) 9244–9247 [9104–9107]
- Carter, E. (Z) 1436–1438 [1414–1416]
- Carter, L. G. (Z) 7971–7974 [7853–7856]
- Carter III, R. O. (Z) 896–901 [882–887]
- Casado, J.
- Raman Detection of “Ambiguous” Conjugated Biradicals: Rapid Thermal Singlet-to-Triplet Intersystem Crossing in an Extended Viologen (Z) 1465–1468 [1443–1446] DOI: 10.1002/ange.200704398
- Casey, W. H.
- Distinctly Different Reactivities of Two Similar Polyoxoniobates with Hydrogen Peroxide (Z) 8375–8378 [8251–8254] DOI: 10.1002/ange.200803688
 - Reaction Dynamics of the Decaniobate Ion $[H_2Nb_{10}O_{28}]^{6-}$ in Water (Z) 4922–4924 [4844–4846] DOI: 10.1002/ange.200801125
 - The $[Ti_{12}Nb_6O_{44}]^{10-}$ Ion—A New Type of Polyoxometalate Structure (Z) 5716–5718 [5634–5636] DOI: 10.1002/ange.200801883
- Cassaignon, S.
- A Core–Corona Hierarchical Manganese Oxide and its Formation by an Aqueous Soft Chemistry Mechanism (Z) 6541–6544 [6441–6444] DOI: 10.1002/ange.200800331
- Cassol, C. C. (Z) 157–160 [151–154]
- Castedo, L. (Z) 965–968 [951–954]
- Castelli, R. (Z) 8338–8343 [8215–8219]
- Castet, F. Berichtigung: 638
- Catalán, S. (Z) 8059–8062 [7941–7944]
- Catellani, M. (Z) 3267–3270 [3223–3226]
- Caton-Williams, J. (Z) 1747–1749 [1723–1725]
- Caulton, K. G.
- $[Ni\{N(SiMe_2CH_2PrBu)_3\}]^+$: Direct Observation of Transannular Si–C(sp³) Bond Coordination (Z) 9252–9254 [9112–9114] DOI: 10.1002/ange.200802654
- Cavalli, A.
- Identification of Aggregation-Prone Elements by Using Interaction-Energy Matrices (Z) 7377–7379 [7267–7269] DOI: 10.1002/ange.200802345
- Cavallini, M.
- Micro- and Nanopatterning of Spin-Transition Compounds into Logical Structures (Z) 8724–8728 [8596–8600] DOI: 10.1002/ange.200802085
- Cavallo, L.
- Golden Carousel in Catalysis: The Cationic Gold/Propargylic Ester Cycle (Z) 730–733 [718–721] DOI: 10.1002/ange.200703769
- Cebulla, M. P. J. (Z) 3682–3686 [3626–3630]
- Ceccon, A.
- Synthesis of the Prototypical Cyclic Metallocene Triad: Mixed-Valence Properties of $[(FeCp)_3(trindeny)]$ Isomers (Z) 5411–5414 [5331–5334] DOI: 10.1002/ange.200801124
- Çelebi-Ölçüm, N. (M) 7704–7713 [7592–7601]
- Cereghetti, D. M. (Z) 4407–4410 [4335–4338]
- Ceretti, M. (Z) 5824–5829 [5740–5745]
- Cernak, T. A. (Z) 9017–9020 [8885–8888]
- Ceroni, P.
- Self-Assembly of a Light-Harvesting Antenna Formed by a Dendrimer, a Ru^{II} Complex, and a Nd^{III} Ion (Z) 5502–5505 [5422–5425] DOI: 10.1002/ange.200801334
- Ceylan, S. (Z) 9083–9086 [8950–8953]
- Cha, E.-J. (Z) 2846–2849 [2804–2807]
- Chai, G. (Z) 6134–6137 [6045–6048]
- Chakrabarti, M. (Z) 1922–1925 [1896–1899]
- Chakrabarti, S. (Z) 5526–5530 [5446–5450]
- Chakrabarty, R. (Z) 8583–8587 [8455–8459]
- Chalker, J. M. (Z) 2276–2279 [2244–2247]
- Champouret, Y. (Z) 6158–6161 [6069–6072]
- Chan, A. S. C.
- Hydrogenation of Quinolines Using a Recyclable Phosphine-Free Chiral Cationic Ruthenium Catalyst: Enhancement of Catalyst Stability and Selectivity in an Ionic Liquid (Z) 8592–8595 [8464–8467] DOI: 10.1002/ange.200802237
 - Palladium–(*S*,*R*)-FerroNPS-Catalyzed Asymmetric Allylic Etherification: Electronic Effect of Nonconjugated Substituents on Benzylic Alcohols on Enantioselectivity (Z) 1300–1303 [1280–1283] DOI: 10.1002/ange.200703955
- Chan, E. W. L. (Z) 6363–6367 [6267–6271]
- Chan, F.-Y. (Z) 3795–3799 [3735–3739]
- Chan, H.-S. (Z) 9589–9591 [9447–9449]
- Chan, M.-C. (Z) 7018–7022 [6912–6916]
- Chan, P. W. H.
- Highly Efficient Ruthenium(II) Porphyrin Catalyzed Amidation of Aldehydes (Z) 1154–1156 [1138–1140] DOI: 10.1002/ange.200704695
- Chan, S. L.-F. (Z) 9893–9897 [9747–9751]
- Chan, V. S. (Z) 3815–3818 [3755–3758]
- Chan, W. C. W.
- Facile and Rapid One-Step Mass Preparation of Quantum-Dot Barcodes (Z) 5659–5663 [5577–5581] DOI: 10.1002/ange.200800409
- Chanana, M. (Z) 326–329 [320–323]
- Chandrasekar, R. (Z) 8724–8728 [8596–8600], 8967–8970 [8835–8838]
- Chang, C.-F. (Z) 4618–4621 [4542–4545]
- Chang, C.-H. (Z) 4618–4621 [4542–4545]
- Chang, C.-L. (Z) 1067–1069 [1051–1053]
- Chang, J.-S.
- Amine Grafting on Coordinatively Unsaturated Metal Centers of MOFs: Consequences for Catalysis and Metal Encapsulation (Z) 4212–4216 [4144–4148] DOI: 10.1002/ange.200705998
- Chang, J. W. W. (Z) 1154–1156 [1138–1140]
- Chang, L. (Z) 7187–7189 [7079–7081]
- Chang, M.-H. (Z) 5071–5074 [4993–4996]
- Chang, S.
- Room Temperature Copper-Catalyzed 2-Functionalization of Pyrrole Rings by a Three-Component Coupling Reaction (Z) 2878–2881 [2836–2839] DOI: 10.1002/ange.200705940
- Chang, Y. (Z) 6355–6358 [6259–6262]
- Chang, Y.-T. (Z) 10039–10042 [9891–9894]
- Chao, J. (Z) 4040–4042 [3976–3978]
- Chapman, K. W. (Z) 9061–9064 [8929–8932]
- Chardon-Noblat, S. (Z) 727–729 [715–717]
- Charette, A. B.
- *trans*-Directing Ability of Amide Groups in Cyclopropanation: Application to the Asymmetric Cyclopropanation of Alkenes with Diazo Reagents Bearing Two Carboxy Groups (Z) 10309–10312 [10155–10158] DOI: 10.1002/ange.200804586
- Charra, F.
- Periodic Positioning of Multilayered [2.2]Paracyclophane-Based Nanopillars (Z) 8540–8543 [8412–8415] DOI: 10.1002/ange.200801335
- Charrier, N. (Z) 9585–9588 [9443–9446]
- Chartres, J. (Z) 1769–1772 [1745–1748]
- Chase, P. A. (Z) 7543–7547 [7433–7437]
- Chassaing, S. (Z) 3608–3611 [3552–3555]
- Chatani, N.
- Nickel-Catalyzed Cross-Coupling of Aryl Methyl Ethers with Aryl Boronic Esters (Z) 4944–4947 [4866–4869] DOI: 10.1002/ange.200801447
- Chatterjee, J. (Z) 2633–2637 [2595–2599]
- Chatterjee, S. (Z) 6530–6532 [6430–6432]
- Chaudhary, A. (Z) 7442–7444 [7332–7334]
- Chaudret, B.
- Reactions of Olefins with Ruthenium Hydride Nanoparticles: NMR Characterization, Hydride Titration, and Room-Temperature C–C Bond Activation (Z) 2104–2108 [2074–2078] DOI: 10.1002/ange.200704763
- Chauvin, T. (Z) 4442–4444 [4370–4372]
- Chavez, D. E.
- Synthesis of an Energetic Nitrate Ester (Z) 8431–8433 [8307–8309] DOI: 10.1002/ange.200803648
- Chavez, L. (Z) 4388–4392 [4316–4320]
- Che, C.-M.
- A Highly Efficient and Selective Au^{I} -Catalyzed Tandem Synthesis of Diversely Substituted Pyrrolo[1,2-*a*]quinolines in Aqueous Media (Z) 3865–3870 [3805–3810] DOI: 10.1002/ange.200800160
 - A Submicrometer Wire-to-Wheel Metamorphism of Hybrid Tridentate Cyclometalated Platinum(II) Complexes (Z) 4644–4648 [4568–4572] DOI: 10.1002/ange.200704450
 - Highly Selective Metal Catalysts for Inter-molecular Carbenoid Insertion into Primary C–H Bonds and Enantioselective C–C Bond Formation (Z) 9893–9897 [9747–9751] DOI: 10.1002/ange.200803157
 - Ruthenium Porphyrin-Catalyzed Aerobic Oxidation of Terminal Aryl Alkenes to Aldehydes by a Tandem Epoxidation–Isomerization Pathway (Z) 6740–6744 [6638–6642] DOI: 10.1002/ange.200801500
 - Semiconducting and Electroluminescent Nanowires Self-Assembled from Organoplatinum(II) Complexes (Z) 10043–10047 [9895–9899] DOI: 10.1002/ange.200802981
- Cheah, K.-W. (Z) 9831–9836 [9685–9690]
- Cheetham, A. K.
- Comparison of Chiral and Racemic Forms of Zinc Cyclohexane *trans*-1,2-Dicarboxylate Frameworks: A Structural, Computational, and Calorimetric Study (Z) 8762–8765 [8634–8637] DOI: 10.1002/ange.200802564

- Cheglakov, Z. (Z) 132–136 [126–130]
 Chelucci, G. (Z) 4434–4437 [4362–4365]
 Chen, A. (Z) 4807–4810 [4729–4732]
 Chen, C.-C. (Z) 4618–4621 [4542–4545]
 Chen, C.-y.
 – Expanding the [1,2]-Aryl Migration to the Synthesis of Substituted Indoles (Z) 4299–4301 [4231–4233]
 DOI: 10.1002/ange.200705804
 Chen, C.-Y. (Z) 7452–7455 [7342–7345]
 Chen, Chao (Z) 946–948 [932–934]
 Chen, Chih-Hsin (Z) 591–595 [581–585]
 Chen, Chong (Z) 6514–6517 [6414–6417]
 Chen, Chun-Hsing (Z) 1503–1506 [1481–1484]
 Chen, Chuncheng (Z) 9876–9879 [9730–9733]
 Chen, D. Y.-K.
 – A Chiral Pool Based Synthesis of Platensimycin (Z) 958–960 [944–946]
 DOI: 10.1002/ange.200705080
 – An Expedient Strategy for the Synthesis of Tryptamines and Other Heterocycles (Z) 4285–4288 [4217–4220]
 DOI: 10.1002/ange.200800404
 – Total Synthesis of (+)-Cortistatin A (Z) 7420–7423 [7310–7313]
 DOI: 10.1002/ange.200803550
 Chen, Daoyong
 – Nanoscale Tubular and Sheetlike Superstructures from Hierarchical Self-Assembly of Polymeric Janus Particles (Z) 10325–10328 [10171–10174]
 DOI: 10.1002/ange.200803315
 Chen, Dianjun (Z) 7449–7451 [7339–7341]
 Chen, F. Y. (Z) 7460–7463 [7350–7353]
 Chen, G. (Z) 7117–7120 [7009–7012]
 Chen, Hao (Z) 3470–3473 [3422–3425]
 Chen, Hongyun (Z) 2500–2503 [2466–2469]
 Chen, Hua
 – Heterogeneous Enantioselective Hydrogenation of Aromatic Ketones Catalyzed by Cinchona- and Phosphine-Modified Iridium Catalysts (Z) 9380–9384 [9240–9244]
 DOI: 10.1002/ange.200801809
 Chen, Hua (Z) 10333–10336 [10179–10182]
 Chen, Huanjun (Z) 9831–9836 [9685–9690]
 Chen, J. G.
 – Direct Catalytic Conversion of Cellulose into Ethylene Glycol Using Nickel-Promoted Tungsten Carbide Catalysts (Z) 8638–8641 [8510–8513]
 DOI: 10.1002/ange.200803233
 Chen, J.-G. (Z) 7452–7455 [7342–7345]
 Chen, J.-R. (Z) 2523–2526 [2489–2492]
 Chen, J. S. (Z) 191–195 [185–189]
 Chen, J.-Y.
 – Ordered Gold Nanostructure Assemblies Formed By Droplet Evaporation (Z) 9831–9836 [9685–9690]
 DOI: 10.1002/ange.200803642
 Chen, Jian (Z) 6740–6744 [6638–6642]
 Chen, Jin (Z) 8649–8652 [8521–8524]
 Chen, L.-Y. (Z) 591–595 [581–585]
 Chen, M.-L. (Z) 8755–8758 [8627–8630]
 Chen, Mao (Z) 2311–2314 [2279–2282]
 Chen, Mingli (Z) 8027–8030 [7909–7912]
 Chen, N.-C. (Z) 7585–7588 [7475–7478]
 Chen, O. (Z) 8766–8769 [8638–8641]
 Chen, P.
 – Mechanical-Force-Induced Nucleation and Growth of Peptide Nanofibers at Liquid/Solid Interfaces (Z) 4469–4472 [4397–4400]
 DOI: 10.1002/ange.200705404
 Chen, P.-C. (Z) 9611–9613 [9469–9471]
 Chen, S.-P. (Z) 9240–9243 [9100–9103]
 Chen, S.-Y. (Z) 9029–9032 [8897–8900]
 Chen, Senlin (Z) 9189–9192 [9049–9052]
 Chen, Shengfu (Z) 8963–8966 [8831–8834]
 Chen, Shumei (Z) 5514–5517 [5434–5437]
 Chen, W.
 – Microbial Synthesis of CdS Nanocrystals in Genetically Engineered *E. coli* (Z) 5264–5267 [5186–5189]
 DOI: 10.1002/ange.200705806
 Chen, W.-X. (Z) 2432–2435 [2398–2401]
 Chen, Xi
 – Reversible Optical Sensor Strip for Oxygen (Z) 7560–7563 [7450–7453]
 DOI: 10.1002/ange.200801733
 Chen, Xi (Z) 5433–5436 [5353–5356]
 Chen, Xian (Z) 8766–8769 [8638–8641]
 Chen, Xing (Z) 5100–5103 [5022–5025]
 Chen, Y.-C.
 – Organocatalytic Asymmetric Inverse-Electron-Demand Aza-Diels–Alder Reaction of *N*-Sulfonyl-1-aza-1,3-butadienes and Aldehydes (Z) 10119–10122 [9971–9974]
 DOI: 10.1002/ange.200804183
 Chen, Y.-H. (Z) 7760–7763 [7648–7651]
 Chen, Y.-W. (Z) 10287–10290 [10133–10136]
 Chen, Y.-X. (Z) 9470–9473 [9330–9333]
 Chen, Yaofeng
 – An ansa-Heteroborabenzene Divalent Lanthanide Amide through C–H Bond Cleavage (Z) 10092–10095 [9944–9947]
 DOI: 10.1002/ange.200803581
 Chen, Yong (Z) 7403–7406 [7293–7296]
 Chen, Yulan (Z) 6104–6107 [6015–6018]
 Chen, Z. (Z) 535–538 [525–528]
 Cheng, C.-H.
 – Regioselective Synthesis of γ -Amino Esters, Nitriles, Sulfones, and Pyrrolidones by Nickel-Catalyzed Reductive Coupling of Aldimines and Activated Alkenes (Z) 4970–4973 [4892–4895]
 DOI: 10.1002/ange.200800825
 – Synthesis of Fluorenones from Aromatic Aldoxime Ethers and Aryl Halides by Palladium-Catalyzed Dual C–H Activation and Heck Cyclization (Z) 9604–9607 [9462–9465]
 DOI: 10.1002/ange.200804153
 Cheng, E. C.-C. (Z) 4627–4630 [4551–4554]
 Cheng, G. (Z) 8963–8966 [8831–8834]
 Cheng, H.-M.
 – 3D Aperiodic Hierarchical Porous Graphitic Carbon Material for High-Rate Electrochemical Capacitive Energy Storage (Z) 379–382 [373–376]
 DOI: 10.1002/ange.200702721
 – Synergistic Effects of B/N Doping on the Visible-Light Photocatalytic Activity of Mesoporous TiO₂ (Z) 4592–4596 Berichtigung: 5357 [4516–4520 Berichtigung: 5277]
 DOI: 10.1002/ange.200705633
 Cheng, I. (Z) 337–339 [331–333]
 Cheng, Jianhua (Z) 4988–4991 [4910–4913]
 Cheng, Jianjun
 – Paclitaxel-Initiated, Controlled Polymerization of Lactide for the Formulation of Polymeric Nanoparticulate Delivery Vehicles (Z) 4908–4912 [4830–4834]
 DOI: 10.1002/ange.200800491
 Cheng, Jin (Z) 6514–6517 [6414–6417]
 Cheng, K.-W. (Z) 4508–4511 [4436–4439]
 Cheng, L. (Z) 10325–10328 [10171–10174]
 Cheng, T.-H. (Z) 10039–10042 [9891–9894]
 Cheng, Xin (Z) 4657–4659 [4581–4583]
 Cheng, Xu (Z) 5157–5159 [5079–5081]
 Cheng, Y.-M. (Z) 4618–4621 [4542–4545]
 Cheng, Yajun (Z) 8528–8531 [8400–8403]
 Cheng, Yang (Z) 8508–8513 [8380–8385]
 Cheon, G. J. (Z) 6355–6358 [6259–6262]
 Cheon, J.
 – A Hybrid Nanoparticle Probe for Dual-Modality Positron Emission Tomography and Magnetic Resonance Imaging (Z) 6355–6358 [6259–6262]
 DOI: 10.1002/ange.200801369
 – Chemisches Design von leistungsfähigen Nanosonden für die Kernspintomographie (A) 5200–5213 [5122–5135]
 DOI: 10.1002/ange.200701674
 Cheon, Y. E. (Z) 7855–7859 [7741–7745]
 Cheong, J. Y. (Z) 2295–2298 [2263–2266]
 Cheong, P. H.-Y. (Z) 4003–4005 [3939–3941]
 Chepigin, V. I. (Z) 3306–3310 [3262–3266]
 Chern, C.-S. (Z) 1901–1904 [1875–1878]
 Chernavskii, P. A. (Z) 5130–5133 [5052–5055]
 Cherny, I. (M) 4128–4136 [4062–4069]
 Chernyshov, D. (Z) 539–542 [529–532]
 Cheshnovsky, O.
 – Critical Size for Intracuster Proton Transfer from Water to an Anion (Z) 6368–6370 [6272–6274]
 DOI: 10.1002/ange.200800542
 Chhabra, R. (Z) 5235–5237 [5157–5159]
 Chi, Y.
 – Highly Efficient Blue-Emitting Iridium(III) Carbene Complexes and Phosphorescent OLEDs (Z) 4618–4621 [4542–4545]
 DOI: 10.1002/ange.200800748
 Chiba, K. (Z) 6722–6725 [6620–6623]
 Chibotaru, L. F.
 – The Origin of Nonmagnetic Kramers Doublets in the Ground State of Dysprosium Triangles: Evidence for a Toroidal Magnetic Moment (Z) 4194–4197 [4126–4129]
 DOI: 10.1002/ange.200800283
 Chiechi, R. C. (Z) 148–150 [142–144]
 Chihara, T. (Z) 5276–5280 [5198–5202]
 Chin, J.
 – A Highly Reactive and Enantioselective Bifunctional Organocatalyst for the Methanolytic Desymmetrization of Cyclic Anhydrides: Prevention of Catalyst Aggregation (Z) 7990–7993 [7872–7875]
 DOI: 10.1002/ange.200801636
 – Highly Stereospecific Generation of Helical Chirality by Imprinting with Amino Acids: A Universal Sensor for Amino Acid Enantiopurity (Z) 8785–8788 [8657–8660]
 DOI: 10.1002/ange.200803116
 – Stereospecific Diazo-Cope Rearrangement Driven by Steric Strain (Z) 8806–8809 [8678–8681]
 DOI: 10.1002/ange.200801974
 Chin, Y. E. (Z) 179–182 [173–176]
 Ching, R. T. Y. (Z) 7971–7974 [7853–7856]

- Chinigo, G. M. (Z) 8642–8645 [8514–8517]
Chisholm, M. H. (Z) 416–420 [410–413]
Chittimalla, S. K. (Z) 5723–5727 [5641–5645]
Chiu, H.-C.
– Polymer Vesicles Containing Small Vesicles within Interior Aqueous Compartments and pH-Responsive Transmembrane Channels
(Z) 1901–1904 [1875–1878]
DOI: 10.1002/ange.200704078
Chiu, M. (Z) 6162–6165 [6073–6076]
Chiu, S.-H.
– Efficient Solvent-Free Syntheses of [2]- and [4]Rotaxanes
(Z) 4508–4511 [4436–4439]
DOI: 10.1002/ange.200800530
– Solvent-Free Synthesis of the Smallest Rotaxane Prepared to Date
(Z) 7585–7588 [7475–7478]
DOI: 10.1002/ange.200803056
Chiu, Y.-C. (Z) 4618–4621 [4542–4545]
Chmielewski, J.
– Investigation of pH-Dependent Collagen Triple-Helix Formation
(Z) 8557–8560 [8429–8432]
DOI: 10.1002/ange.200802224
Chmiola, J. (Z) 3440–3443 [3392–3395]
Cho, B. R.
– Two-Photon Fluorescent Probes for Acidic Vesicles in Live Cells and Tissue
(Z) 2263–2266 [2231–2234]
DOI: 10.1002/ange.200704586
– Two-Photon Fluorescent Probes for Intracellular Free Zinc Ions in Living Tissue
(Z) 5245–5248 [5167–5170]
DOI: 10.1002/ange.200800929
Cho, J.
– Three-Dimensional Porous Silicon Particles for Use in High-Performance Lithium Secondary Batteries
(Z) 10305–10308 [10151–10154]
DOI: 10.1002/ange.200804355
Cho, M.-K. (Z) 5124–5126 [5046–5048]
Cho, S. (Z) 9807–9811 [9661–9665]
Cho, S. H. (Z) 2878–2881 [2836–2839]
Cho, S. J. (Z) 3400–3403 [3352–3355]
Cho, Y.-H. (Z) 9447–9450 [9307–9310]
Choi, C. H. (Z) 8518–8521 [8390–8393]
Choi, H. (Z) 333–336 [327–330], 8383–8387 [8259–8263]
Choi, H. C.
– Highly Selective Synthesis of C₆₀ Disks on Graphite Substrate by a Vapor–Solid Process
(Z) 705–708 [693–696]
DOI: 10.1002/ange.200704182
Choi, J. (Z) 1063–1066 [1047–1050]
Choi, J.-S. (Z) 6355–6358 [6259–6262]
Choi, Joon Ho (Z) 5245–5248 [5167–5170]
Choi, Jung Hoon (Z) 10052–10055 [9904–9907]
Choi, K. (Z) 2846–2849 [2804–2807]
Choi, K. M. (Z) 10052–10055 [9904–9907]
Choi, K.-S.
– Elucidation of an Overpotential-Limited Branching Phenomenon Observed During the Electrocrystallization of Cuprous Oxide
(Z) 374–378 [368–372]
DOI: 10.1002/ange.200702432
Choi, S.-I. (Z) 9646–9650 [9504–9508]
Choi, S. Y. (Z) 4073–4075 [4009–4011], 4992–4995 [4914–4917]
Choi, Soowhan (Z) 3484–3486 [3435–3437]
Choi, Sunho (Z) 562–565 [552–555]
Choi, W. M. (A) 5606–5624 [5524–5542]
Choi, Y.-A. (Z) 7126–7129 [7018–7021]
Chon, B. (Z) 705–708 [693–696]
Chong, Y. T. (Z) 6272–6274 [6177–6179]
Choo, J. (Z) 10305–10308 [10151–10154]
Chou, P.-T.
– Highly Efficient Blue-Emitting Iridium(III) Carbene Complexes and Phosphorescent OLEDs
(Z) 4618–4621 [4542–4545]
DOI: 10.1002/ange.200800748
Chou, T. P. (Z) 2436–2440 [2402–2406]
Choudhary, T. V. (A) 1852–1872 [1828–1847]
Choudhary, V. R.
– Energieeffiziente Synthesegasproduktion durch katalytische Sauerstoff-Reformierung von Methan
(A) 1852–1872 [1828–1847]
DOI: 10.1002/ange.200701237
Choungnet, A. (Z) 5911–5913 [5827–5829]
Chow, H.-F.
– Dendronized Polymer Organogels from Click Chemistry: A Remarkable Gelation Property Owing to Synergistic Functional-Group Binding and Dendritic Size Effects
(Z) 7018–7022 [6912–6916]
DOI: 10.1002/ange.200801870
Chowdhury, G. (Z) 387–390 [381–384]
Chowdhury, S. (Z) 7164–7167 [7056–7059]
Christensen, C. H. (Z) 4913–4917 [4835–4839], 9439–9442 [9299–9302]
Christensen, K. E. (Z) 7986–7989 [7868–7871]
Christianen, P. C. M. (Z) 4493–4496 [4421–4424]
Christinat, N. (Z) 1874–1878 [1848–1852]
Christmann, M.
– Amine-Catalyzed Cyclizations of Tethered α,β -Unsaturated Carbonyl Compounds
(Z) 1472–1475 [1450–1453]
DOI: 10.1002/ange.200704688
– Selektive Oxidation aliphatischer C-H-Bindungen in der Synthese von komplexen Molekülen
(H) 2780–2783 [2740–2742]
DOI: 10.1002/ange.200705766
Christodoulou, J. (Z) 3433–3435 [3385–3387]
Christou, G.
– Covalently Linked Dimers of Clusters: Loop- and Dumbbell-Shaped Mn₂₄ and Mn₂₆ Single-Molecule Magnets
(Z) 6796–6800 Berichtigung: 9732 [6694–6698 Berichtigung: 9590]
DOI: 10.1002/ange.200801393
Chu, C.-S. (Z) 8202–8205 [8082–8085]
Chu, W.
– Glow-Discharge Plasma-Assisted Design of Cobalt Catalysts for Fischer–Tropsch Synthesis
(Z) 5130–5133 [5052–5055]
DOI: 10.1002/ange.200800657
Chu, Y. (Z) 208–210 [202–204]
Chuang, C.-K. (Z) 1901–1904 [1875–1878]
Chuang, G. J. (Z) 7435–7437 [7325–7327]
Chuang, Y.-J. (Z) 8755–8758 [8627–8630]
Chubarova, E. V. (Z) 9685–9689 [9542–9546]
Chui, S. S.-Y. (Z) 4644–4648 [4568–4572], 10043–10047 [9895–9899]
Chun, D. (Z) 8508–8513 [8380–8385]
Chun, Y. (Z) 3466–3469 [3418–3421]
Chung, d. (Z) 3624–3628 [3568–3572]
Chung, W.-H. (Z) 3795–3799 [3735–3739]
Chung, W.-j. (Z) 1916–1918 [1890–1892]
Chung, Y. K.
– Rhodium-Catalyzed Carbonylative [3 + 3] Cycloaddition of Biscyclopropanes with a Vinyl Substituent To Form Seven-Membered Rings
(Z) 4992–4995 [4914–4917]
DOI: 10.1002/ange.200800432
Chung, Y. K. (Z) 4073–4075 [4009–4011]
Church, T. L. (Z) 4043–4047 [3979–3983]
Churchill, G. H. (Z) 2911–2913 [2869–2871]
Chuzel, O. (Z) 7783–7786 [7669–7672]
Ciccarella, G. (Z) 517–520 [507–510]
Cicarese, A. (Z) 517–520 [507–510]
Cifuentes, M. P. Berichtigung: 639
Cindrić, M.
– Anion-Directed Self-Assembly of Flexible Ligands into Anion-Specific and Highly Symmetrical Organic Solids
(Z) 7130–7133 [7022–7025]
DOI: 10.1002/ange.200802193
Cintas, P.
– Entstehung von Homochiralität unter präbiotischen Bedingungen
(H) 2960–2962 [2918–2920]
DOI: 10.1002/ange.200705192
Ciolino, A. (Z) 5470–5473 [5390–5393]
Ciriano, M. A. (Z) 2123–2126 [2093–2096], 2536–2539 [2502–2505]
Cirriez, V. (Z) 8334–8337 Berichtigung: 9315 [8211–8214 Berichtigung: 9176]
Cisařová, I. (Z) 3232–3235 [3188–3191]
Civale, L. (Z) 5852–5855 [5768–5771]
Claborn, K. (M) 5790–5801 [5706–5717]
Claridge, T. D. W. (Z) 2276–2279 [2244–2247], 9462–9465 [9322–9325]
Clark, T. (Z) 6726–6730 [6624–6628]
Clark Jr., C. G. (Z) 1686–1691 [1662–1667]
Clarke, D. J.
– Biosynthese eines multipotenten bakteriellen Stilbens
(Z) 1968–1971 [1942–1945]
DOI: 10.1002/ange.200705148
Clarke, J.
– An Effective Strategy for the Design of Proteins with Enhanced Mechanical Stability
(Z) 7006–7009 [6900–6903]
DOI: 10.1002/ange.200801761
Clarke, N. (Z) 1074–1078 [1058–1062], 5845–5848 [5761–5764]
Clausen, T. (Z) 1352–1355 [1332–1334]
Clavé, G. (Z) 4292–4295 [4224–4227]
Clavel, G. (Z) 3648–3651 [3592–3595]
Claverie, C. K. (Z) 8010–8013 [7892–7895]
Clay, D. (Z) 9477–9480 [9337–9340]
Clayden, J.
– Enantioselective Synthesis of an Atropisomeric Diaryl Ether
(Z) 3278–3281 [3234–3237]
DOI: 10.1002/ange.200705660
– Stereoselective Dearomatizing Addition of Nucleophiles to Uncomplexed Benzene Rings: A Route to Carbocyclic Sugar Analogues
(Z) 5138–5140 [5060–5062]
DOI: 10.1002/ange.200801078
Clays, K.
– Molecular Symmetry and Solution-Phase Structure Interrogated by Hyper-Rayleigh Depolarization Measurements: Elaborating Highly Hyperpolarizable D₂-Symmetric Chromophores

- (Z) 3020–3023 [2978–2981]
DOI: 10.1002/ange.200703187
- Clegg, W. (Z) 743–746 [731–734], 6304–6307 [6208–6211]
- Clemente, F. R. (Z) 7860–7863 [7746–7749]
- Clérac, R.
– Dinuclear Dysprosium(III) Single-Molecule Magnets with a Large Anisotropic Barrier
(Z) 8980–8983 [8848–8851]
DOI: 10.1002/ange.200802966
- Clifford, J. N. (Z) 8383–8387 [8259–8263]
- Climent, E. (Z) 5675–5678 [5593–5596]
- Clososki, G. C. (Z) 1526–1530 [1503–1507]
- Clyburne, J. A. C. (Z) 9918–9920 [9772–9774]
- Coady, D. J. (Z) 9794–9798 [9648–9652]
- Coates, G. W.
– Catalytic Synthesis of β^3 -Amino Acid Derivatives from α -Amino Acids
(Z) 4043–4047 [3979–3983]
DOI: 10.1002/ange.200705310
- Pre-Rate-Determining Selectivity in the Terpolymerization of Epoxides, Cyclic Anhydrides, and CO_2 : A One-Step Route to Diblock Copolymers
(Z) 6130–6133 [6041–6044]
DOI: 10.1002/ange.200801415
- Cockfield, J. (Z) 2850–2854 [2808–2812]
- Cohen, B. (Z) 3858–3860 [3798–3800]
- Cohen, R. (Z) 3659–3662 [3603–3606]
- Cohen, S. M.
– Tandem Modification of Metal–Organic Frameworks by a Postsynthetic Approach
(Z) 4777–4780 [4699–4702]
DOI: 10.1002/ange.200800686
- Cohen Stuart, M. A.
– Nanoribbons Self-Assembled from Triblock Peptide Polymers and Coordination Polymers
(Z) 4260–4263 [4192–4195]
DOI: 10.1002/ange.200705242
- Coleman, A. W. (Z) 5698–5700 [5616–5618]
- Coleman, R. (Z) 8014–8018 [7896–7900]
- Coles, M. P.
– An Organozinc Hydride Cluster: An Encapsulated Tetrahydrozincate?
(Z) 10301–10304 [10147–10150]
DOI: 10.1002/ange.200804224
- Coles, S. J. (Z) 2862–2865 [2820–2823]
- Colet, G. (Z) 1114–1117 [1098–1101]
- Cölfen, H.
– Synthese von Einkristallen mit komplexer Form über amorphe Vorstufen
(H) 2385–2387 [2351–2353]
DOI: 10.1002/ange.200800418
- Collet, B. Y. M. (Z) 1731–1734 [1707–1710]
- Collis, G. E. (Z) 7442–7444 [7332–7334]
- Collmann, A. (Z) 9880–9884 [9734–9738]
- Coltart, D. M.
– Simple and Efficient Asymmetric α -Alkylation and α,α -Bisalkylation of Acyclic Ketones by Using Chiral N-Amino Cyclic Carbamate Hydrazones
(Z) 5285–5288 [5207–5210]
DOI: 10.1002/ange.200800848
- Comba, P.
– Stabile fünf- und sechsfach koordinierte Cobalt(III)-Komplexe mit einem fünfzähligen Bispindinliganden
(Z) 4818–4821 [4740–4743]
DOI: 10.1002/ange.200800515
- Concepcion, J. J. (Z) 513–516 [503–506]
- Cone, R. (Z) 9872–9875 [9726–9729]
- Conejero, S. (Z) 4452–4455 [4380–4383]
- Conley, B. L. (Z) 7967–7970 [7849–7852]
- Connon, S. J.
– Die katalytische asymmetrische Strecker-Reaktion: Fortschritte bei Ketimininen
(H) 1194–1197 [1176–1178]
DOI: 10.1002/ange.200703879
- Contag, C. H. (Z) 7998–8000 [7880–7882]
- Conway, B. (Z) 6304–6307 [6208–6211]
- Conway, J. L. (Z) 6158–6161 [6069–6072]
- Cook, J. L. (Z) 6371–6373 [6275–6277]
- Cooks, R. G.
– Organic Reactions of Ionic Intermediates Promoted by Atmospheric-Pressure Thermal Activation
(Z) 3470–3473 [3422–3425]
DOI: 10.1002/ange.200800072
- Peptide Fragmentation Assisted by Surfaces Treated with a Low-Temperature Plasma in NanoESI
(Z) 8774–8777 [8646–8649]
DOI: 10.1002/ange.200803477
- Coombs, N. (Z) 521–524 [511–514], 1275–1279 [1255–1259]
- Cooney, J. (A) 8710–8723 [8582–8594]
- Cooper, A.
– Unusual Chromophore and Cross-Links in Ranamurfin: A Blue Protein from the Foam Nests of a Tropical Frog
(Z) 7971–7974 [7853–7856]
DOI: 10.1002/ange.200802901
- Cooper, A. I. Berichtigung: 1183
- Cooper, A. I. (Z) 4649–4652 [4573–4576]
- Copéret, C.
– Tuning the Selectivity of Alumina-Supported $(\text{CH}_3)_2\text{ReO}_3$ by Modifying the Surface Properties of the Support
(Z) 2147–2150 [2117–2120]
DOI: 10.1002/ange.200704876
- Copéret, C. (Z) 8782–8784 [8654–8656]
- Coq, B. (Z) 8561–8565 [8433–8437]
- Coratger, R. (Z) 7102–7106 [6994–6998]
- Corbeil, C. R. (Z) 2675–2678 [2635–2638]
- Cordella, F. (Z) 3071–3075 [3029–3033]
- Cordes, M. (Z) 3511–3514 [3461–3463]
- Córdova, A.
– Organocatalytic Enantioselective Amino-sulfonylation of α,β -Unsaturated Aldehydes
(Z) 8596–8600 [8468–8472]
DOI: 10.1002/ange.200802335
- Corey, E. J.
– *Jeremy R. Knowles*
(N) 8900–8901 [8772–8773]
DOI: 10.1002/ange.200804809
- Coridan, R. (Z) 3028–3031 [2986–2989]
- Corilo, Yu. E. (Z) 157–160 [151–154]
- Corma, A.
– Metal–Organic Nanoporous Structures with Anisotropic Photoluminescence and Magnetic Properties and Their Use as Sensors
(Z) 1096–1099 [1080–1083]
DOI: 10.1002/ange.200704702
- Supported Gold(III) Catalysts for Highly Efficient Three-Component Coupling Reactions
(Z) 4430–4433 [4358–4361]
DOI: 10.1002/ange.200800098
- Corminboeuf, C. (Z) 4753–4756 [4675–4678]
- Corn, R. M.
– Multiplexmethoden zur Profilierung der MikroRNA-Expression in biologischen Proben
(M) 654–663 [644–652]
DOI: 10.1002/ange.200702450
- Coronas, J. (Z) 562–565 [552–555]
- Correa, Andrea (Z) 730–733 [718–721]
- Correa, Arkaitz (Z) 596–598 [586–588], 2922–2925 [2880–2883], 4940–4943 [4862–4865]
- Corriu, R. J. P.
– A Tailored Organometallic–Inorganic Hybrid Mesostructured Material: A Route to a Well-Defined, Active, and Reusable Heterogeneous Iridium-NHC Catalyst for H/D Exchange
(Z) 8782–8784 [8654–8656]
DOI: 10.1002/ange.200802956
- Cosquer, G. (A) 2794–2828 [2754–2787]
- Cossairt, B. M. (Z) 175–178 [169–172], 8995–8998 [8863–8866]
- Cossio, F. P. (Z) 7640–7643 [7530–7533]
- Cossy, J.
– Asymmetric Total Synthesis of the Immunosuppressant (–)-Pironetin
(Z) 10291–10294 [10137–10140]
DOI: 10.1002/ange.200802423
- Coudeville, N. (Z) 3604–3607 [3548–3551]
- Coulomb, J. (Z) 10061–10063 [9913–9915]
- Cournac, L. (Z) 2082–2084 [2052–2054]
- Covell, D. J. (Z) 6548–6551 [6448–6451]
- Cowling, S. J. (A) 2794–2828 [2754–2787]
- Cozzi, P. G.
– A Rational Approach towards the Nucleophilic Substitutions of Alcohols “on Water”
(Z) 4230–4234 [4162–4166]
DOI: 10.1002/ange.200800622
- Craig, S. L.
– 1,2,3-Triazole $\text{CH}\cdots\text{Cl}^-$ Contacts Guide Anion Binding and Concomitant Folding in 1,4-Diaryl Triazole Oligomers
(Z) 3800–3803 [3740–3743]
DOI: 10.1002/ange.200800548
- Von Gurken und anderen Stachelhäutern
(H) 8904–8906 [8776–8777]
DOI: 10.1002/ange.200802334
- Cramer, N.
– Enantioselektive C-C-Bindungsaktivierung von Allenylcyclobutanen: Synthese von Cyclohexenonen mit quartären Stereozentren
(Z) 9435–9438 [9294–9297]
DOI: 10.1002/ange.200804281
- Synthese und biologische Aktivität von Largazol und Derivaten
(Z) 6583–6585 [6483–6485]
DOI: 10.1002/ange.200802043
- Cramer, S. P. (Z) 9211–9214 [9071–9074]
- Credi, A.
– A Simple Unimolecular Multiplexer/Demultiplexer
(Z) 6336–6339 [6240–6243]
DOI: 10.1002/ange.200802018
- Unravelling the Shuttling Mechanism in a Photoswitchable Multicomponent Bistable Rotaxane
(Z) 3592–3595 [3536–3539]
DOI: 10.1002/ange.200705207
- Crespy, D.
– 100 Jahre Bakelit: das Material für 1000 Anwendungen
(E) 3368–3374 [3322–3328]
DOI: 10.1002/ange.200704281
- Creus, M. (Z) 713–717 [701–705], 1422–1426 [1400–1404]
- Credson, P. (Z) 3503–3507 [3454–3457]
- Crews, B. O. (Z) 3218–3223 [3174–3179]

- Crihan, D. (Z) 2161–2164 [2131–2134]
Crimmins, M. T.
– Ernest Ludwig Eliel
(N) 9949 [9803]
DOI: 10.1002/ange.200805316
- Crne, M. (Z) 8039–8041 [7921–7923]
Cronin, L.
– Capture of Periodate in a $\{W_{18}O_{54}\}$ Cluster Cage Yielding a Catalytically Active Polyoxometalate $[H_3W_{18}O_{56}(IO_6)]^{6-}$ Embedded with High-Valent Iodine
(Z) 4456–4459 [4384–4387]
DOI: 10.1002/ange.200800041
- Polyoxometalate-Mediated Self-Assembly of Single-Molecule Magnets: $\{[XW_9O_{34}]_2[Mn^{III}_4Mn^{II}_2O_4(H_2O)_4]\}^{12-}$
(Z) 5691–5694 [5609–5612]
DOI: 10.1002/ange.200801281
- Postsynthetische kovalente Modifizierung von metall-organischen Gerüsten (MOFs)
(H) 4713–4715 [4635–4637]
DOI: 10.1002/ange.200801631
- Reversible Redox Reactions in an Extended Polyoxometalate Framework Solid
(Z) 6987–6990 [6881–6884]
DOI: 10.1002/ange.200802594
- Structural Evolution of “S”-Shaped $[H_4W_{22}O_{74}]^{12-}$ and “§”-Shaped $[H_{10}W_{34}O_{116}]^{18-}$ Isopolyoxotungstate Clusters
(Z) 8548–8551 [8420–8423]
DOI: 10.1002/ange.200802109
- Supramolecular Metal Oxides: Programmed Hierarchical Assembly of a Protein-Sized 21 kDa $[(C_{16}H_{36}N)_{19}\{H_2NC(CH_2O)_5P_2V_3W_{15}O_{59}\}_4]^{5-}$ Polyoxometalate Assembly
(Z) 4460–4463 [4388–4391]
DOI: 10.1002/ange.200800431
- Crow, A. K. (Z) 8601–8605 [8473–8477]
Cruden, C. M.
– Visuelle Beobachtung der Auflösung und Wiederablagerung von Palladium während der Suzuki-Miyaura-Reaktion
(Z) 3324–3328 [3279–3282]
DOI: 10.1002/ange.200800153
- Cruz-Silva, E. (Z) 2990–2995 [2948–2953]
Cryle, M. J. (Z) 10230–10234 [10076–10080]
Cucinotta, C. S. (Z) 3592–3595 [3536–3539]
Cuerva, J. M.
– Divergent Titanium-Mediated Allylations with Modulation by Nickel or Palladium
(Z) 7625–7629 [7515–7519]
DOI: 10.1002/ange.200802520
- Cui, H. (Z) 3424–3428 [3376–3380]
Cui, P. (Z) 10092–10095 [9944–9947]
Cui, Y.
– Chiral Octupolar Metal–Organoboron NLO Frameworks with (14,3) Topology
(Z) 4614–4617 [4538–4541]
DOI: 10.1002/ange.200800586
- Self-Assembly of a Homochiral Nanoscale Metallacycle from a Metallosalen Complex for Enantioselective Separation
(Z) 1265–1269 [1245–1249]
DOI: 10.1002/ange.200704347
- Cullen, D. A. (Z) 2990–2995 [2948–2953]
Cummins, C. C.
– A Niobium-Mediated Cycle Producing Phosphorus-Rich Organic Molecules from White Phosphorus (P_4) through Activation, Functionalization, and Transfer Reactions
(Z) 8995–8998 [8863–8866]
DOI: 10.1002/ange.200803971
- A Reactive Niobium Phosphinidene P_8 Cluster Obtained by Reductive Coupling of White Phosphorus
(Z) 175–178 [169–172]
DOI: 10.1002/ange.200704354
- Cundari, T. R.
– Activation of sp^3 Carbon–Hydrogen Bonds by a Ruthenium(II) Complex and Subsequent Metal-Mediated C–C and C–N Bond Formation
(Z) 738–742 [726–730]
DOI: 10.1002/ange.200704614
- Copper–Nitrene Complexes in Catalytic C–H Amination
(Z) 10109–10112 [9961–9964]
DOI: 10.1002/ange.200804304
- Cundari, T. R. (Z) 566–569 [556–559]
Curran, D. P.
– Confirmation of the Stereostructure of (+)-Cytostatin by Fluorous Mixture Synthesis of Four Candidate Stereoisomers
(Z) 1146–1149 [1130–1133]
DOI: 10.1002/ange.200704893
- Costelcean, R.
– Sulfate Recognition by Persistent Crystalline Capsules with Rigidified Hydrogen-Bonding Cavities
(Z) 1892–1896 [1866–1870]
DOI: 10.1002/ange.200704937
- Cyr, J. E. (Z) 5000–5003 [4922–4925]
- Dalby, S. M. (Z) 3058–3062 [3016–3020], 3063–3067 [3021–3025]
Dalcaneale, E.
– Host–Guest Driven Self-Assembly of Linear and Star Supramolecular Polymers
(Z) 4580–4584 [4504–4508]
DOI: 10.1002/ange.200801002
- Dalcaneale, E. (Z) 800–804 [788–792]
Dale, S. H. (Z) 743–746 [731–734]
D’Aléo, A. (Z) 3436–3439 [3388–3391]
Dalgarno, S. J. (Z) 6462–6466 [6362–6366]
Dalisay, D. S. (Z) 8206–8209 [8086–8089]
Damani, P. (Z) 6495–6498 [6395–6398]
D’Angelo, J. J. (Z) 8746–8750 [8618–8622]
Daniel, H.-D.
– Die Effektivität des Peer-Review-Verfahrens: Übereinstimmungsreliabilität und Vorhersagevalidität der Manuskriptbegutachtung bei der *Angewandten Chemie*
(E) 7285–7290 [7173–7178]
DOI: 10.1002/ange.200800513
- Danielson, M. E. (Z) 9889–9892 [9743–9746]
Danila, D. C. (Z) 7144–7147 [7036–7039]
Danishefsky, S. J.
– Native Chemical Ligation at Valine: A Contribution to Peptide and Glycopeptide Synthesis
(Z) 8649–8652 [8521–8524]
DOI: 10.1002/ange.200803523
- Danopoulos, A. A.
– “Pincer” Pyridine–Dicarbene–Iridium Complexes: Facile C–H Activation and Unexpected η^2 -Imidazol-2-ylidene Coordination
(Z) 9911–9913 [9765–9767]
DOI: 10.1002/ange.200804573
- Daran, J.-C. (Z) 6949–6952 [6843–6846]
Darensbourg, M. Y.
– Synthetic Support of De Novo Design: Sterically Bulky [FeFe]-Hydrogenase Models
(Z) 9634–9637 [9492–9495]
DOI: 10.1002/ange.200803939
- Darley, D. J. (Z) 3298–3301 [3254–3257]
Darses, S.
– C_1 -Symmetric Monosubstituted Chiral Diene Ligands in Asymmetric Rhodium-Catalyzed 1,4-Addition Reactions
(Z) 7783–7786 [7669–7672]
DOI: 10.1002/ange.200803230
- Datta, A. (M) 8696–8709 [8568–8580]
Daturi, M. (Z) 4212–4216 [4144–4148]
Daublain, P. (Z) 3858–3860 [3798–3800]
Daunert, S.
– A Bioluminescent Molecular Switch For Glucose
(Z) 3778–3781 [3718–3721]
DOI: 10.1002/ange.200704440
- David, W. I. F.
– Tuning the Decomposition Temperature in Complex Hydrides: Synthesis of a Mixed Alkali Metal Borohydride
(Z) 2859–2861 [2817–2819]
DOI: 10.1002/ange.200704949
- Davies, B. (Z) 2713–2716 [2673–2676]
Davies, C. L. (Z) 8988–8990 [8856–8858]
Davies, D. M. E. (Z) 2315–2318 [2283–2286]
Davies, I. W. (Z) 4299–4301 [4231–4233], 4789–4792 [4711–4714]
Davies, R. P.
– Structural Characterization of Magnesium Organocuprates Derived from Grignard Reagents: Cu^I -Based Inverse Crown Ethers



- Daasbjerg, K. (Z) 6114–6116 [6025–6027]
Dąbkowska, I. (Z) 8646–8648 [8518–8520]
Dadon, Z. (M) 6221–6230 [6128–6136]
Dagneau, P. (Z) 8733–8738 [8605–8610]
D’Agosto, F.
– Polyethylene Building Blocks by Catalyzed Chain Growth and Efficient End Functionalization Strategies, Including Click Chemistry
(Z) 9451–9453 [9311–9313]
DOI: 10.1002/ange.200804445
- Dahl, T. (Z) 1750–1752 [1726–1728]
Dahse, H.-M. (Z) 4059–4062 [3995–3998]
Dai, L.
– Electrochemistry at Carbon Nanotube Electrodes: Is the Nanotube Tip More Active Than the Sidewall?
(Z) 5526–5530 [5446–5450]
DOI: 10.1002/ange.200801744
- Dai, S.
– Mesoporöse Kohlenstoffmaterialien: Synthese und Modifizierung
(A) 3754–3776 [3696–3717]
DOI: 10.1002/ange.200702046
- Dai, X. (Z) 10109–10112 [9961–9964]
Dai, Y. (Z) 8049–8051 [7931–7933]
Daidone, I. (Z) 9199–9202 [9059–9062]
Daimon, H. (Z) 3644–3647 [3588–3591]
Dake, G. R.
– Chiral Ligand Design: A Bidentate Ligand Incorporating an Acyclic Phosphaalkene
(Z) 8184–8187 [8064–8067]
DOI: 10.1002/ange.200802949
- Total Synthesis of (+)-Fawcettidine
(Z) 4289–4291 [4221–4223]
DOI: 10.1002/ange.200800522

- (Z) 5896–5899 [5812–5815]
DOI: 10.1002/ange.200800684
- d'Avignon, A. (Z) 3640–3643 [3584–3587]
- Davis, A. P.
– Solvent Effects in Carbohydrate Binding by Synthetic Receptors: Implications for the Role of Water in Natural Carbohydrate Recognition
(Z) 2733–2736 [2693–2696]
DOI: 10.1002/ange.200704733
- Davis, B. G.
– From Disulfide- to Thioether-Linked Glycoproteins
(Z) 2276–2279 [2244–2247]
DOI: 10.1002/ange.200704381
- Davis, R. E. (Z) 84–87 [78–81]
- Davis, R. L. (Z) 6479–6483 [6379–6383]
- Dawson, P. E.
– An Efficient Fmoc-SPPS Approach for the Generation of Thioester Peptide Precursors for Use in Native Chemical Ligation
(Z) 6957–6961 [6851–6855]
DOI: 10.1002/ange.200705471
- Day, G. M. (Z) 1074–1078 [1058–1062]
- Day, V. W. (Z) 6329–6331 [6233–6235]
- De Cremer, G. (Z) 2855–2858 [2813–2816]
- De Feyter, S.
– Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface
(Z) 5075–5079 [4997–5001]
DOI: 10.1002/ange.200800255
- One Building Block, Two Different Supramolecular Surface-Confined Patterns: Concentration in Control at the Solid–Liquid Interface
(Z) 3006–3010 [2964–2968]
DOI: 10.1002/ange.200705322
- de Figueiredo, R. M. (Z) 1472–1475 [1450–1453]
- De Gioia, L.
– [FeFe]-Hydrogenase Models and Hydrogen: Oxidative Addition of Dihydrogen and Silanes
(Z) 9902–9905 [9756–9759]
DOI: 10.1002/ange.200804400
- de Groot, F. M. F. (Z) 3599–3603 [3543–3547]
- de Jong, M. (Z) 2093–2096 [2063–2066]
- de Keizer, A. (Z) 4260–4263 [4192–4195]
- de la Rica, R.
– Label-Free Pathogen Detection with Sensor Chips Assembled from Peptide Nanotubes
(Z) 9898–9901 [9752–9755]
DOI: 10.1002/ange.200804299
- de la Rica, R. (Z) 5495–5497 [5415–5417]
- de la Torre, A. (Z) 103–107 [97–101]
- De Libero, G. (Z) 9880–9884 [9734–9738]
- de Prado, A. (Z) 6321–6324 [6225–6228]
- de Sáa, D. (Z) 6321–6324 [6225–6228]
- De Sarkar, S. (Z) 8855–8858 [8727–8730]
- De Schryver, F. C. (Z) 795–799 [783–787], 3006–3010 [2964–2968]
- de Silva, A. P.
– Multiplexing Sensory Molecules Map Protons Near Micellar Membranes
(Z) 4745–4747 [4667–4669]
DOI: 10.1002/ange.200801516
- De Vincentiis, F. (Z) 8831–8834 [8703–8706]
- De Vos, D. E.
– A Micellar Iodide-Catalyzed Synthesis of Unprotected Aziridines from Styrenes and Ammonia
(Z) 1499–1502 [1477–1480]
DOI: 10.1002/ange.200704772
- De Vos, D. E. (Z) 2855–2858 [2813–2816]
- de Vries, J. G.
– Two-Phase (Bio)Catalytic Reactions in a Table-Top Centrifugal Contact Separator
(Z) 3969–3972 [3905–3908]
DOI: 10.1002/ange.200705426
- de Vries, J. G. (Z) 6704–6707 [6602–6605]
- de Vries, M. S.
– Shaping of a Conformationally Flexible Molecular Structure for Spectroscopy
(Z) 3218–3223 [3174–3179]
DOI: 10.1002/ange.200705627
- de Winter, D. A. M. (Z) 5719–5722 [5637–5640]
- de Wolf, F. A. (Z) 4260–4263 [4192–4195]
- Débart, A. (Z) 4597–4600 [4521–4524]
- DeBeer George, S. (Z) 6484–6487 [6384–6387], 10256–10259 [10102–10105]
- Decatur, J. (Z) 3024–3027 [2982–2985]
- Dechert, S. (Z) 9680–9684 [9537–9541]
- Decker, U. (Z) 3311–3314 [3267–3270]
- Deckert, V.
– Spitzenverstärkte Raman-Spektroskopie an RNA-Einzelsträngen: Vorschlag für eine direkte Sequenzierungsmethode
(Z) 1682–1685 [1658–1661]
DOI: 10.1002/ange.200704054
- Dedecker, P. (Z) 795–799 [783–787]
- Defieber, C. (A) 4558–4579 [4482–4502]
- Degen, C. L. (Z) 9096–9098 [8961–8963]
- Deguchi, T. 9320–9325 [9180–9185]
- Dehn, R. (Z) 9274–9277 [9134–9137]
- Deiseroth, H.-J.
– Li₆PS₅X: A Class of Crystalline Li-Rich Solids With an Unusually High Li⁺ Mobility
(Z) 767–770 [755–758]
DOI: 10.1002/ange.200703900
- Deiters, A.
– Small-Molecule Inhibitors of MicroRNA miR-21 Function
(Z) 7592–7594 [7482–7484]
DOI: 10.1002/ange.200801555
- Dejugnac, D. (Z) 3608–3611 [3552–3555]
- Dékány, I. (Z) 8392–8395 [8268–8271]
- del Campo, A.
– Phototriggering of Cell Adhesion by Caged Cyclic RGD Peptides
(Z) 3236–3239 [3192–3195]
DOI: 10.1002/ange.200704857
- del Pozo, C. (Z) 8059–8062 [7941–7944]
- del Río, I. (Z) 1946–1948 [1920–1922]
- del Río, M. P. (Z) 2536–2539 [2502–2505]
- Del Valle, J. R. (A) 1220–1242 [1202–1223]
- Delalande, O. (Z) 747–749 [735–737]
- Della Védova, C. O.
– Selenoacetic Acid, CH₃C(O)SeH: Preparation, Characterization, and Conformational Properties
(Z) 10268–10272 [10114–10118]
DOI: 10.1002/ange.200803513
- Delolme, F. (Z) 9451–9453 [9311–9313]
- Delon, C. (Z) 3807–3810 [3747–3750]
- Delville, M. M. E. (Z) 3837–3840 [3777–3780]
- Demeshko, S. (Z) 9680–9684 [9537–9541]
- Demir-Cakan, R. (Z) 1669–1673 [1645–1649]
- Demirok, U. K. (Z) 9489–9491 [9349–9351]
- Demitri, N. (Z) 4580–4584 [4504–4508]
- Demizu, Y. (Z) 9600–9603 [9458–9461]
- Demuez, M. (Z) 2082–2084 [2052–2054]
- den Hartog, T. (Z) 404–407 [398–401]
- den Heeten, R. (Z) 6704–6707 [6602–6605]
- Deng, D. (Z) 5310–5312 [5232–5234]
- Deng, G. (Z) 6374–6378 [6278–6282]
- Deng, H. (Z) 5437–5441 [5357–5361]
- Deng, Kai (Z) 6495–6498 [6395–6398]
- Deng, Ke (Z) 6819–6823 [6717–6721]
- Deng, Li
– Asymmetric Aza-Michael Reactions of α,β -Unsaturated Ketones with Bifunctional Organic Catalysts
(Z) 7824–7827 [7710–7713]
DOI: 10.1002/ange.200802785
- Deng, Linhong (Z) 7589–7591 [7479–7481]
- Deng, Q.-H. (Z) 9893–9897 [9747–9751]
- Deng, S.
– Calcium d States: Chemical Bonding of CaC₆
(Z) 6805–6808 [6703–6706]
DOI: 10.1002/ange.200801985
- Deng, Z. (Z) 9651–9654 [9509–9512]
- Denmark, S. E.
– Lewis Base Activation of Lewis Acids: Catalytic Enantioselective Glycolate Aldol Reactions
(Z) 1916–1918 [1890–1892]
DOI: 10.1002/ange.200705499
- Lewis-Base-Katalyse in der organischen Synthese
(A) 1584–1663 [1560–1638]
DOI: 10.1002/ange.200604943
- Denysenkov, V. P. (Z) 1244–1247 [1224–1227]
- Depmeier, W. (Z) 559–561 [549–551]
- Dergunov, S. A. (Z) 8388–8391 [8264–8267]
- Deronzier, A. (Z) 727–729 [715–717]
- Descalzo, A. B. (Z) 199–203 [193–197]
- Deshmukh, R. R. (Z) 8743–8745 [8615–8617]
- Deslongchamps, P.
– Total Synthesis of Ouabagenin and Ouabain
(Z) 1292–1295 [1272–1275]
DOI: 10.1002/ange.200704959
- Destarac, M. (Z) 5470–5473 [5390–5393]
- Detz, R. J. (Z) 3837–3840 [3777–3780]
- Devic, T. (Z) 6713–6717 [6611–6615]
- Dewhurst, R. D. (Z) 5732–5735 [5650–5653], 6067–6069 [5978–5980]
- Dhuri, S. N. (Z) 3404–3407 [3356–3359]
- Di Vaira, M. (Z) 4497–4499 [4425–4427]
- Dias, H. V. R.
– Synthesis and Characterization of the Gold(I) Tris(ethylene) Complex [Au(C₂H₄)₃][SbF₆]
(Z) 566–569 [556–559]
DOI: 10.1002/ange.200703515
- Dichtel, W. R. (Z) 10075–10080 [9927–9932]
- Dickerson, T. J.
– Der seltsame Fall des Botulinum-Neurotoxins: chemische und biologische Modulation des tödlichsten aller Gifte
(A) 8488–8507 [8360–8379]
DOI: 10.1002/ange.200705531
- Dickey, M. D. (Z) 148–150 [142–144], 3455–3457 [3407–3409]
- Dickie, D. A. (Z) 10103–10105 [9955–9957]
- Dickinson, C. Berichtigung: 1183
- Dickman, M. H. (Z) 7385–7389 [7275–7279], (K) 9523–9524 [9383–9384], (Z) 9685–9689 [9542–9546]
- Dickmeiss, G. (Z) 4765–4768 [4687–4690]
- Diederich, F.
– Direkter Nachweis einer Wasserstoffbrücke zu gebundenem Disauerstoff in einem Modellkomplex für Myoglobin/

- Hämoglobin und in Cobalt-Myoglobin durch Puls-EPR (Z) 2638–2642 [2600–2603]
DOI: 10.1002/ange.200705180
- Diéguez-Vázquez, A. (Z) 216–219 [209–212]
- Dierker, G. (Z) 2662–2665 [2622–2625]
- Diesendruck, C. E. (Z) 6522–6525 [6422–6425]
- Dieskau, A. (Z) 204–207 [198–201]
- Diestel, R. (Z) 6578–6582 [6478–6482]
- Dietrich, D. (Z) 4418–4422 [4346–4350]
- Díez-González, S.
- [(NHC)₂Cu]X Complexes as Efficient Catalysts for Azide–Alkyne Click Chemistry at Low Catalyst Loadings (Z) 9013–9016 [8881–8884]
DOI: 10.1002/ange.200803289
- Dilworth, J. R.
- Controlled Axial Coordination: Solid-Phase Synthesis and Purification of Metallo-Radiopharmaceuticals (Z) 8544–8547 [8416–8419]
DOI: 10.1002/ange.200801936
- Dimitrijevic, E. (Z) 1432–1435 [1410–1413]
- Dimitrov, A. (Z) 196–198 [190–192]
- DiMuzio, J. (Z) 9244–9247 [9104–9107]
- Dincă, M. (A) 6870–6884 [6766–6779]
- Dinescu, A. (Z) 10109–10112 [9961–9964]
- Ding, D. (Z) 2886–2890 [2844–2848]
- Ding, K.
- Chiral Brønsted Acid Catalyzed Asymmetric Baeyer–Villiger Reaction of 3-Substituted Cyclobutanones by Using Aqueous H₂O₂ (Z) 2882–2885 [2840–2843]
DOI: 10.1002/ange.200705932
- Ding, Y. (Z) 5087–5090 [5009–5012]
- Ding, Z.
- Tuning of Electrogenerated Silole Chemiluminescence (Z) 7845–7849 [7731–7735]
DOI: 10.1002/ange.200802034
- Dinkelborg, L. (Z) 5000–5003 [4922–4925]
- DiPasquale, A. G. (Z) 5153–5156 [5075–5078]
- Dismukes, G. C.
- Sustained Water Oxidation Photocatalysis by a Bioinspired Manganese Cluster (Z) 7445–7448 [7335–7338]
DOI: 10.1002/ange.200801132
- Dittmann, E.
- Ribosomal Synthesis of Tricyclic Depsipeptides in Bloom-Forming Cyanobacteria (Z) 7870–7873 [7756–7759]
DOI: 10.1002/ange.200802730
- Divya, K. P. (Z) 8001–8005 [7883–7887]
- Diwald, O.
- Ladungstrennung in nanoskaligen Titanat-Schichten: Einfluss von Ionenaustausch und Morphologieumwandlung auf die photoelektronischen Eigenschaften (Z) 1518–1522 [1496–1499]
DOI: 10.1002/ange.200703817
- Diyabalanage, H. V. K. (Z) 7442–7444 [7332–7334]
- Dmitriev, A. (Z) 6114–6116 [6025–6027]
- Dmitriev, S. N. (Z) 3306–3310 [3262–3266]
- Dmitriev, V. (Z) 539–542 [529–532], 8392–8395 [8268–8271]
- Do, Q.-Q. (Z) 1743–1746 [1719–1722]
- Doan, B.-T. (Z) 4442–4444 [4370–4372]
- Döbler, J. (Z) 1972–1976 [1946–1950]
- Dobrovetsky, R. (Z) 4415–4417 [4343–4345]
- Dobson, C. M.
- Measurement of Amyloid Fibril Length Distributions by Inclusion of Rotational Motion in Solution NMR Diffusion Measurements (Z) 3433–3435 [3385–3387]
DOI: 10.1002/ange.200703915
- Dohi, T. (Z) 1321–1324 [1301–1304], 3847–3850 [3787–3790]
- Dohmae, K. (Z) 9443–9446 [9303–9306]
- Dolf, A. (Z) 5268–5271 [5190–5193]
- Domarkas, J. (Z) 10295–10297 [10141–10143]
- Domínguez de María, P.
- “Nonsolvents”-Anwendungen von ionischen Flüssigkeiten bei Biotransformationen und in der Organokatalyse (M) 7066–7075 [6960–6968]
DOI: 10.1002/ange.200703305
- Domratcheva, T. (Z) 10230–10234 [10076–10080]
- Dondoni, A.
- Asymmetrische Organokatalyse: Eintritt in die Reifezeit (A) 4716–4739 [4638–4660]
DOI: 10.1002/ange.200704684
 - Die Entwicklung der Thiol-En-Kupplung als Klick-Prozess für die Materialwissenschaften und die bioorganische Chemie (H) 9133–9135 [8995–8997]
DOI: 10.1002/ange.200802516
- Dong, C. (Z) 9676–9679 [9533–9536]
- Dong, Haiqing (Z) 5655–5658 [5573–5576]
- Dong, Hao (Z) 5907–5910 [5823–5826]
- Dong, Q. (Z) 4040–4042 [3976–3978]
- Dong, Z. (Z) 1328–1331 [1308–1311], 8798–8801 [8670–8673]
- Donnadieu, B. (Z) 2303–2306 [2271–2274], 3250–3253 [3206–3209], 5302–5306 [5224–5228], 5491–5494 [5411–5414]
- Donnio, B.
- Single-Molecule Magnets with Mesomorphic Lamellar Ordering (Z) 500–505 [490–495]
DOI: 10.1002/ange.200704460
- Donnio, B. (Z) 6382–6385 [6286–6289]
- Donohoe, T. J.
- Hydride Shift Generated Oxonium Ions: Evidence for Mechanism and Intramolecular Trapping Experiments to Form *trans* THF Derivatives (Z) 2911–2913 [2869–2871]
DOI: 10.1002/ange.200705340
 - Pyridine-*N*-Oxide as a Mild Reoxidant Which Transforms Osmium-Catalyzed Oxidative Cyclization (Z) 2914–2917 [2872–2875]
DOI: 10.1002/ange.200705425
 - Synthesis of (–)-(Z)-Deoxypukalide (Z) 7424–7426 [7314–7316]
DOI: 10.1002/ange.200802703
- Donoli, A. (Z) 5411–5414 [5331–5334]
- Dopfer, O.
- IR Spectrum of the Ethyl Cation: Evidence for the Nonclassical Structure (Z) 401–403 [395–397]
DOI: 10.1002/ange.200704163
- Dormer, P. G. (Z) 4299–4301 [4231–4233]
- Doshi, A. (Z) 1150–1153 [1134–1137]
- Dötz, K. H.
- Pyridin-verbrückte Benzimidazoliumsalze: Synthese, Aggregation und Anwendung als Phasentransferkatalysatoren (Z) 7236–7240 [7127–7131]
DOI: 10.1002/ange.200801628
- Douglas, A. F. (Z) 2322–2325 [2290–2293]
- Douglas, T.
- Monitoring Biomimetic Platinum Nanocluster Formation Using Mass Spectrometry and Cluster-Dependent H₂ Production (Z) 7963–7966 [7845–7848]
DOI: 10.1002/ange.200802481
- Douillard, L. (Z) 8540–8543 [8412–8415]
- Doyle, A. M.
- Indirect Observation of Structured Incipient Zeolite Nanoparticles in Clear Precursor Solutions (Z) 8778–8781 [8650–8653]
DOI: 10.1002/ange.200802941
- Doyle, M. P.
- Cationic Chiral Dirhodium Carboxamides Are Activated for Lewis Acid Catalysis (Z) 1461–1464 [1439–1442]
DOI: 10.1002/ange.200704618
- Draper, M. (A) 2794–2828 [2754–2787]
- Drechsler, M. (Z) 4260–4263 [4192–4195]
- Drennan, J. (Z) 6772–6775 [6670–6673]
- Dressler, R. (Z) 3306–3310 [3262–3266]
- Drews, A. (Z) 896–901 [882–887]
- Dreyer, J. (Z) 9184–9188 [9044–9048]
- Driess, M.
- Dichotome Reaktivität eines stabilen Silylens gegenüber terminalen Alkinen: C-H-Insertion oder autokatalytische Bildung von Silacycloprop-3-en (Z) 3294–3297 [3250–3253]
DOI: 10.1002/ange.200704939
 - Ein Side-on-Superoxonickel-Komplex [LNi(O₂)] mit quadratisch-planarem, vierfach koordinierten Nickel(II)-Zentrum und seine Umwandlung in [LNi(μ-OH)₂Ni] (Z) 7218–7221 [7110–7113]
DOI: 10.1002/ange.200802234
- Driver, T. G.
- Dirhodium(II)-Catalyzed Intramolecular C–H Amination of Aryl Azides (Z) 5134–5137 [5056–5059]
DOI: 10.1002/ange.200800689
- Dro, C. (Z) 4622–4626 [4546–4550]
- Dröge, T. (Z) 7340–7343 [7230–7233]
- Dronov, R. (Z) 3042–3045 [3000–3003]
- Drumea-Mirancea, M. (Z) 3240–3245 [3196–3201]
- Drury, M. R.
- Intergrowth Structure of Zeolite Crystals and Pore Orientation of Individual Subunits Revealed by Electron Backscatter Diffraction/Focused Ion Beam Experiments (Z) 5719–5722 [5637–5640]
DOI: 10.1002/ange.200801433
- Druzhinin, S. I. (Z) 10329–10332 [10175–10178]
- Du, Da-M.
- The Development of Double Axially Chiral Phosphoric Acids and Their Catalytic Transfer Hydrogenation of Quinolines (Z) 771–774 Berichtigung: 1564 [759–762 Berichtigung: 1541]
DOI: 10.1002/ange.200703925
- Du, H. (Z) 8348–8351 [8224–8227]
- Du, Z. (Z) 8027–8030 [7909–7912]
- Duan, C.
- Metal-Tunable Nanocages as Artificial Chemosensors (Z) 891–895 [877–881]
DOI: 10.1002/ange.200704206

- Duan, H.
– Gold Nanoparticles Coated with a Thermosensitive Hyperbranched Polyelectrolyte: Towards Smart Temperature and pH Nanosensors (Z) 2259–2262 [2227–2230]
DOI: 10.1002/ange.200704572
- Duan, H.-F. (Z) 4423–4425 [4351–4353]
- Duan, X.
– Corrosion Resistance of Superhydrophobic Layered Double Hydroxide Films on Aluminum (Z) 2500–2503 [2466–2469]
DOI: 10.1002/ange.200704694
- Dube, H. (Z) 2638–2642 [2600–2603]
- Dube, P. (Z) 1275–1279 [1255–1259]
- Dubourdeaux, P. (Z) 727–729 [715–717]
- Ducani, C. (Z) 517–520 [507–510]
- Duchateau, R.
– Chromium Catalysts Supported by a Non-spectator NPN Ligand: Isolation of Single-Component Chromium Polymerization Catalysts (Z) 5900–5903 [5816–5819]
DOI: 10.1002/ange.200800845
- Isolation of Single-Component Trimerization and Polymerization Chromium Catalysts: The Role of the Metal Oxidation State (Z) 9863–9867 [9717–9721]
DOI: 10.1002/ange.200803434
- Ducho, C. (Z) 9462–9465 [9322–9325]
- Dückert, H. (Z) 6975–6978 [6869–6872]
- Duda, A.
– Effect of the Configuration of the Active Center on Comonomer Reactivities: The Case of ϵ -Caprolactone/L,L-Lactide Copolymerization (Z) 9228–9231 [9088–9091]
DOI: 10.1002/ange.200803540
- Duerr, K. (Z) 8863–8867 [8735–8739]
- Dugal-Tessier, J. (Z) 8184–8187 [8064–8067]
- Duhme-Klair, A.-K.
– Intermolecular Sensitization of a Terbium-Containing Amphiphile by an Integral Membrane Protein (Z) 8988–8990 [8856–8858]
DOI: 10.1002/ange.200803828
- Dul, M.-C. (Z) 4279–4284 [4211–4216]
- Dumas, P. (Z) 4178–4181 [4110–4113]
- Dumelin, C. E. (Z) 3240–3245 [3196–3201]
- Dumy, P. (Z) 6994–6997 [6888–6891]
- Dunbar, K. R. (Z) 7874–7877 [7760–7763]
- Dunbar, R. C. (Z) 9812–9814 [9666–9668]
- Duncan, T. V. (Z) 3020–3023 [2978–2981]
- Dunitz, J. D.
– Is Deuterium Always Smaller than Protium? (Z) 4276–4278 [4208–4210]
DOI: 10.1002/ange.200800063
- Dunlap, W. C. (Z) 8210–8212 [8090–8092]
- Dunn, S. A. (Z) 6638–6650 [6538–6549]
- Dunsch, L.
– Pyramidalisierung des Kohlenstoffs im Fullerenkäfig durch endohedrale Cluster: heterometallische Metallnitridclusterfullerene ohne Scandium (Z) 8318–8322 [8196–8200]
DOI: 10.1002/ange.200802009
- Duodu, P. (Z) 3236–3239 [3192–3195]
- Dupont, J.
– Cobalt Nanocubes in Ionic Liquids: Synthesis and Properties (Z) 9215–9218 [9075–9078]
DOI: 10.1002/ange.200804200
- Multiply Charged (Di-)Radicals (Z) 157–160 [151–154]
DOI: 10.1002/ange.200703858
- Durand, P.
– Detection of Enzymatic Activity by PARACEST MRI: A General Approach to Target a Large Variety of Enzymes (Z) 4442–4444 [4370–4372]
DOI: 10.1002/ange.200800809
- Durand, T.
– Jenseits von Prostaglandinen – Chemie und Biologie radikalisch gebildeter cyclischer oxygenierter Metabolite von mehrfach ungesättigten Fettsäuren (A) 5978–6041 [5894–5955]
DOI: 10.1002/ange.200705122
- Durandetti, M. (Z) 905–907 [891–893]
- Dürr, U. H. N. (Z) 7982–7985 [7864–7867]
- D'Urso, A. (Z) 10027–10030 [9879–9882]
- Duschek, A. (H) 5787–5789 [5703–5705]
- Duschl, C.
– Kontrollierte Zelladhäsion auf PEG-basierten schaltbaren Oberflächen (Z) 5749–5752 [5666–5668]
DOI: 10.1002/ange.200801202
- Dutkiewicz, M. (Z) 583–586 [573–576]
- Duttwyler, S. (Z) 1743–1746 [1719–1722]
- Dyer, P. W.
– A Truly Multifunctional Heterocycle: Imidophosphorane, N,P Chelate, and Dihydropyridine (Z) 8802–8805 [8674–8677]
DOI: 10.1002/ange.200803373
- Dyke, A. M. (Z) 5145–5148 [5067–5070]
- Dyker, C. A.
– Synthesis and Ligand Properties of Stable Five-Membered-Ring Allenes Containing Only Second-Row Elements (Z) 5491–5494 [5411–5414]
DOI: 10.1002/ange.200801176
- Dyker, C. A. (Z) 3250–3253 [3206–3209]
- Dyson, P. J. (Z) 3833–3836 [3773–3776], 4030–4032 [3966–3968]
- Easwaramoorthi, S. (Z) 4918–4921 [4840–4843], 6093–6096 [6004–6007]
- Ebeling, G. (Z) 157–160 [151–154], 9215–9218 [9075–9078]
- Eberhardt, K. W. (Z) 9096–9098 [8961–8963]
- Eberlin, L. S. (Z) 3470–3473 [3422–3425]
- Eberlin, M. N.
– Multiply Charged (Di-)Radicals (Z) 157–160 [151–154]
DOI: 10.1002/ange.200703858
- Ebert, M.-O. (Z) 9087–9091 [8954–8957]
- Ebner, D. C. (Z) 6467–6470 [6367–6370]
- Echavarren, A. M.
– *cis*-Selective Single-Cleavage Skeletal Rearrangement of 1,6-Enynes Reveals the Multifaceted Character of the Intermediates in Metal-Catalyzed Cycloisomerizations (Z) 8010–8013 [7892–7895]
DOI: 10.1002/ange.200803269
- Divergent Titanium-Mediated Allylations with Modulation by Nickel or Palladium (Z) 7625–7629 [7515–7519]
DOI: 10.1002/ange.200802520
- Gold-Catalyzed Allyl–Allyl Coupling (Z) 1909–1912 [1883–1886]
DOI: 10.1002/ange.200704500
- Echegoyen, L.
– $\text{Sc}_3\text{N@C}_{80}$ -Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications (Z) 4241–4244 [4173–4176]
DOI: 10.1002/ange.200800473
- Eckert, H. (Z) 767–770 [755–758]
- Eckert, J. (Z) 7373–7376 [7263–7266]
- Eddaoudi, M.
– Template-Directed Assembly of Zeolite-like Metal–Organic Frameworks (ZMOFs): A *vsf*-ZMOF with an Unprecedented Zeolite Topology (Z) 8574–8577 [8446–8449]
DOI: 10.1002/ange.200802680
- Edefuhr, M. (Z) 1933–1935 [1907–1909]
- Edelmann, M. J. (Z) 9462–9465 [9322–9325]
- Edmonds, D. J. (Z) 1804–1807 [1780–1783], 5713–5715 [5631–5633]
- Edmonds, J. S. (Z) 2705–2707 [2665–2667]
- Edwards, E. W. (Z) 326–329 [320–323]
- Edwards, J. K. (M) 9332–9338 [9192–9198]
- Edwards, M. G. (Z) 1961–1963 [1935–1937]
- Edwards, P. P.
– Elektronentransfer und elektronische Leitung durch ein Zwischenmedium (E) 6860–6868 [6758–6765]
DOI: 10.1002/ange.200703177
- Tuning the Decomposition Temperature in Complex Hydrides: Synthesis of a Mixed Alkali Metal Borohydride (Z) 2859–2861 [2817–2819]
DOI: 10.1002/ange.200704949
- Eelman, M. D. (Z) 309–312 [303–306]
- Egami, H. (Z) 5249–5252 [5171–5174]
- Eggert, U. (Z) 6578–6582 [6478–6482]
- Egi, M. (Z) 7787–7790 [7673–7676]
- Eguchi, K.
– Effect of Thermal Treatment on Activity and Durability of $\text{CuFe}_2\text{O}_4\text{--Al}_2\text{O}_3$ Composite Catalysts for Steam Reforming of Dimethyl Ether (Z) 9454–9457 [9314–9317]
DOI: 10.1002/ange.200802809
- Ehler, D. S. (Z) 7442–7444 [7332–7334]
- Ehlers, A. W. (Z) 4660–4663 [4584–4587]
- Ehrhardt, V. (Z) 9270–9273 [9130–9133]
- Ehrmann, M.
– Allosterische Aktivierung der HtrA-Protease DegP durch Stress-Signale während der bakteriellen Proteinqualitätskontrolle (Z) 1352–1355 [1332–1334]
DOI: 10.1002/ange.200703273
- Eichele, K. (Z) 977–980 [963–966]
- Eichhöfer, A. (Z) 1346–1351 [1326–1331]
- Eichholzer, A. (Z) 3282–3285 [3238–3241]
- Eichler, R.
– Thermochemische und physikalische Eigenschaften von Element 112 (Z) 3306–3310 [3262–3266]
DOI: 10.1002/ange.200705019
- Eickerling, G. (K) 7914–7917 [7798–7801]
- Eijsberg, H. (Z) 7783–7786 [7669–7672]
- Einaga, Y.
– Reversible Phototuning of Ferromagnetism at Au–S Interfaces at Room Temperature (Z) 166–169 [160–163]
DOI: 10.1002/ange.200704027
- Eisler, D. J. (Z) 1127–1130 [1111–1114]



- El Ashry, El S. H. Berichtigung: 5357
- El-Dahshan, A. (Z) 3319–3323 [3275–3278]
- El-Hamruni, S. M. (Z) 10301–10304 [10147–10150]
- El Harrak, A. (Z) 6923–6926 [6817–6820]
- El Oualid, F. (Z) 2276–2279 [2244–2247]
- Elbing, M. (H) 846–850 [834–838], (Z) 3455–3457 [3407–3409]
- Elias, B. (Z) 9207–9210 [9067–9070]
- Ellis, B. D. (Z) 9255–9257 [9115–9117]
- Ellis, J. E.
- From Storable Sources of Atomic Nb⁺ and Ta⁺ Ions to Isolable Anionic Tris(1,3-butadiene)metal Complexes: [M(η⁴-C₄H₆)₃][−], M = Nb, Ta (Z) 494–499 [484–489]
DOI: 10.1002/ange.200703887
 - Structurally Distinct Homoleptic Anthracene Complexes, [M(C₁₀H₈)₃]^{2−}, M = Titanium, Zirconium, Hafnium: Tris(arene) Complexes for a Triad of Transition Metals (Z) 8820–8823 [8692–8695]
DOI: 10.1002/ange.200802780
- Ellis, R. (Z) 1769–1772 [1745–1748]
- Ellman, J. A.
- Enantioselective Synthesis of α-Aryl Alkylamines by Rh-Catalyzed Addition Reactions of Arylboronic Acids to Aliphatic Imines (Z) 5705–5708 [5623–5626]
DOI: 10.1002/ange.200801137
- Elsevier, C. J.
- Transfer Semihydrogenation of Alkynes Catalyzed by a Zero-Valent Palladium N-Heterocyclic Carbene Complex (Z) 3267–3270 [3223–3226]
DOI: 10.1002/ange.200705638
- Emge, T. J. (Z) 6138–6140 [6049–6051]
- Emmerling, F. (Z) 199–203 [193–197]
- Emsley, L. (Z) 5935–5938 [5851–5854]
- Enander, K. (Z) 5636–5638 [5554–5556]
- Enders, D.
- Asymmetrische Brønsted-Säure-katalysierte Synthese von Isoindolininen: Steigerung des Enantiomerenverhältnisses durch stereoablative kinetische Racematspaltung (Z) 5744–5748 [5661–5665]
DOI: 10.1002/ange.200801354
 - Organokatalytische asymmetrische Dominoreaktionen: eine Kaskade aus Michael-Addition und Aldehyd-α-Alkylierung (Z) 7649–7653 [7539–7542]
DOI: 10.1002/ange.200802532
- Endl, E. (Z) 5268–5271 [5190–5193]
- Endo, K. (Z) 3663–3665 [3607–3609]
- Engelhardt, J. (Z) 2725–2728 [2685–2688]
- Engelhardt, L. P. (Z) 938–941 [924–927]
- Engelkamp, H. (Z) 4493–4496 [4421–4424]
- England, J. (Z) 7172–7175 [7064–7067], 8188–8191 [8068–8071]
- English, D. G. (Z) 6329–6331 [6233–6235]
- Ennifar, E.
- Binding of Aminoglycoside Antibiotics to the Duplex Form of the HIV-1 Genomic RNA Dimerization Initiation Site (Z) 4178–4181 [4110–4113]
DOI: 10.1002/ange.200800726
- Enright, G. D. (Z) 9850–9853 [9704–9707]
- Ensor, C. M. (Z) 3778–3781 [3718–3721]
- Enthaler, S. (Z) 2531–2535 [2497–2501], (H) 3363–3367 [3317–3321]
- Ephritikhine, M.
- Polyimido Uranium(IV) Clusters: Imido-metalates with an M₇(μ₃-N)₆(μ₂-N)₆ Core Analogous to the Anderson-Type Polyoxometalate Motif (Z) 5668–5671 [5586–5589]
DOI: 10.1002/ange.200801420
 - The First *cis*-Dioxido Uranyl Compound under Scrutiny (K) 5976–5977 [5892–5893]
DOI: 10.1002/ange.200705350
- Eppe, M.
- Anorganische Nanopartikel zum Transport von Nucleinsäuren in Zellen (A) 1402–1416 [1382–1395]
DOI: 10.1002/ange.200703039
 - Von Metallkomplexen zu Nanomineralien: die Bildung anorganischer Nanopartikel auf Fibrillen von Transferrin (H) 5038–5039 [4960–4961]
DOI: 10.1002/ange.200800930
- Epstein, I. R.
- Diffusively Coupled Chemical Oscillators in a Microfluidic Assembly (Z) 7867–7869 [7753–7755]
DOI: 10.1002/ange.200802339
- Ercolani, G.
- Unraveling the Mechanism of the Soai Asymmetric Autocatalytic Reaction by First-Principles Calculations: Induction and Amplification of Chirality by Self-Assembly of Hexamolecular Complexes (Z) 6938–6941 [6832–6835]
DOI: 10.1002/ange.200802450
- Ergang, N. S. (Z) 9236–9239 [9096–9099]
- Erickson, K. (Z) 5310–5312 [5232–5234]
- Eriksson, L. (Z) 8596–8600 [8468–8472]
- Erker, G.
- Metallacyclische Fünfring-Allenolide: Synthese und Struktur stabiler stark verzerrter cyclischer Allen-Derivate (Z) 2662–2665 [2622–2625]
DOI: 10.1002/ange.200705615
 - Metallfreie katalytische Hydrierung von Enaminen, Iminen und konjugierten Phosphinoalkenylboranen (Z) 7654–7657 [7543–7546]
DOI: 10.1002/ange.200801432
- Ernst, M. (Z) 1499–1502 [1477–1480]
- Ernyei, A. J. (Z) 9676–9679 [9533–9536]
- Errey, J. C. (Z) 2276–2279 [2244–2247]
- Ersmark, K. (A) 1220–1242 [1202–1223]
- Ertl, G.
- Reaktionen an Oberflächen: vom Atomaren zum Komplexen (Nobel-Vortrag) (A) 3578–3590 [3524–3535]
DOI: 10.1002/ange.200800480
- Esaki, H. (Z) 5474–5477 [5394–5397]
- Escalettes, F. (Z) 2679–2681 [2639–2641]
- Escuder, B. (A) 8122–8139 [8002–8018]
- Escudero-Adán, E. C. (Z) 4182–4186 [4114–4118]
- Esquena, J. (Z) 1887–1891 [1861–1865]
- Ess, D. H. (M) 7704–7713 [7592–7601], (Z) 7967–7970 [7849–7852]
- Esser-Kahn, A. P. Berichtigung: 7902
- Esser-Kahn, A. P. (Z) 3811–3814 [3751–3754]
- Esteve-Núñez, A.
- C-Type Cytochromes Wire Electricity-Producing Bacteria to Electrodes (Z) 4952–4955 [4874–4877]
DOI: 10.1002/ange.200801310
- Eswaramoorthy, M.
- Hollow Spheres to Nanocups: Tuning the Morphology and Magnetic Properties of Single-Crystalline α-Fe₂O₃ Nanostructures (Z) 7799–7802 [7685–7688]
DOI: 10.1002/ange.200802626
- Eubanks, L. M. (A) 8488–8507 [8360–8379]
- Eustáquio, A. S. (Z) 4000–4002 [3936–3938]
- Evans, D. G. (Z) 2500–2503 [2466–2469]
- Evans, G. (Z) 2862–2865 [2820–2823]
- Evans, P. A.
- A Sequential Two-Component Etherification/Oxa-Conjugate Addition Reaction: Asymmetric Synthesis of (+)-Leucascandrolide A Macrolactone (Z) 5506–5509 [5426–5429]
DOI: 10.1002/ange.200801357
 - Mechanistic Insight into the Diastereoselective Rhodium-Catalyzed Pauson–Khand Reaction: Role of Coordination Number in Stereocontrol (Z) 348–351 [342–345]
DOI: 10.1002/ange.200702822
- Evans, W. J.
- A Crystallizable f-Element Tuck-In Complex: The Tuck-in Tuck-over Uranium Metallocene [(C₅Me₅)U{μ-η³:η¹:η¹-C₅Me₃(CH₂)₂}(μ-H)₂U(C₅Me₅)₂} (Z) 5153–5156 [5075–5078]
DOI: 10.1002/ange.200801062
 - Reductive Coupling of Acetonitrile by Uranium and Thorium Hydride Complexes To Give Cyanopentadienyl Dianion (C₅N₃H₇)^{2−} (Z) 599–602 [589–592]
DOI: 10.1002/ange.200703969
- Eychmüller, A.
- Fungal Templates for Noble-Metal Nanoparticles and Their Application in Catalysis (Z) 7994–7997 [7876–7879]
DOI: 10.1002/ange.200801802
 - Leuchtdioden mit Halbleiternanokristallen (A) 6638–6650 [6538–6549]
DOI: 10.1002/ange.200705109



Faber, K.

- Enantiokomplementäre Enzyme: Klassifizierung, molekulare Grundlage der Enantiopräferenz und Prognosen für spiegelbildliche Biotransformationen (M) 8912–8923 [8782–8793]
DOI: 10.1002/ange.200705159
- Fabregat, R. (Z) 3396–3399 [3348–3351]
- Fadel, L. (Z) 8815–8819 [8687–8691]
- Fagnoni, M. (H) 10172–10175 [10022–10025]
- Faheem, S. A. (Z) 896–901 [882–887]
- Falck, J. R.
- Efficient Iridium-Catalyzed C–H Functionalization/Silylation of Heteroarenes (Z) 7618–7620 [7508–7510]
DOI: 10.1002/ange.200802456
 - Synthesis of Enantioenriched α-(Hydroxyalkyl)-tri-*n*-butylstannanes (Z) 6688–6691 [6586–6589]
DOI: 10.1002/ange.200802313
- Falini, G. (Z) 8195–8198 [8075–8078]
- Fallis, A. G.
- Asymmetric Allenophanes: Synthesis of a Tris-*meta*-allenophane and Tetrakis-*meta*-allenophane by Sequential Cross-Coupling (Z) 578–582 [568–572]
DOI: 10.1002/ange.200703003

- Fallis, I. A.
– Discrimination of Geometrical Epoxide Isomers by ENDOR Spectroscopy and DFT Calculations: The Role of Hydrogen Bonds (Z) 1436–1438 [1414–1416]
DOI: 10.1002/ange.200703537
- Falsig, H. (Z) 4913–4917 [4835–4839]
Famulok, M.
– Affinitätsbasierte Markierung von Cytohe-sinen mit difunktionalen SecinH3-Photo-affinitäts-sonden (Z) 9707–9710 [9565–9568]
DOI: 10.1002/ange.200803962
- Aufbau von DNA-Architekturen mit RNA-Haarnadelschleifen (Z) 985–987 [971–973]
DOI: 10.1002/ange.200704709
- DNA-Ringe mit Einzelstrangdomänen zur vielseitigen Funktionalisierung (Z) 981–984 [967–970]
DOI: 10.1002/ange.200704004
- Enrichment of Cell-Targeting and Popula-tion-Specific Aptamers by Fluorescence-Activated Cell Sorting (Z) 5268–5271 [5190–5193]
DOI: 10.1002/ange.200800216
- Fan, H. (Z) 9252–9254 [9112–9114]
Fan, J. (Z) 8810–8814 [8682–8686]
Fan, K.-N. (Z) 340–343 [334–337]
Fan, Q.-H.
– Hydrogenation of Quinolines Using a Recyclable Phosphine-Free Chiral Cat-ionic Ruthenium Catalyst: Enhancement of Catalyst Stability and Selectivity in an Ionic Liquid (Z) 8592–8595 [8464–8467]
DOI: 10.1002/ange.200802237
- Fan, W. (Z) 9236–9239 [9096–9099]
Fan, Z. (Z) 4512–4514 [4440–4442]
Fañanás, F. J. (Z) 7152–7155 [7044–7047]
Fañanás-Mastral, M. (Z) 6696–6699 [6594–6597]
Fang, J.
– Coreduction Colloidal Synthesis of III–V Nanocrystals: The Case of InP (Z) 3596–3598 [3540–3542]
DOI: 10.1002/ange.200800281
- p-Type Field-Effect Transistors of Single-Crystal Zinc Telluride Nanobelts (Z) 9611–9613 [9469–9471]
DOI: 10.1002/ange.200804073
- Fang, J.-M.
– A Concise and Flexible Synthesis of the Potent Anti-Influenza Agents Tamiflu and Tamiphosphor (Z) 5872–5875 [5788–5791]
DOI: 10.1002/ange.200801959
- Fang, L. (Z) 7580–7584 [7470–7474]
Fang, Xiaohong
– A Hydrodynamically Focused Stream as a Dynamic Template for Site-Specific Elec-trochemical Micropatterning of Conduct-ing Polymers (Z) 1088–1091 [1072–1075]
DOI: 10.1002/ange.200704264
- Fang, Xikui (Z) 8243–8246 [8123–8126]
Fang, Z. (Z) 1131–1134 [1115–1118], 1495–1498 [1473–1476]
Fanghänel, T. (Z) 5930–5934 [5846–5850]
Fanizzi, F. P.
– Experimental Evidence That a DNA Poly-merase Can Incorporate N7-Platinated Guanines To Give Platinated DNA (Z) 517–520 [507–510]
DOI: 10.1002/ange.200703160
- Fanti, M. (Z) 3218–3223 [3174–3179]
Farès, C. (Z) 3782–3786 [3722–3726]
Färm, E. (Z) 7552–7555 [7442–7445]
Fässler, T. F.
– Structural Complexity in Intermetallic Alloys: Long-Periodic Order beyond 10 nm in the System BaSn₃/BaBi₃ (Z) 4063–4068 [3999–4004]
DOI: 10.1002/ange.200800378
- Faungnawakij, K. (Z) 9454–9457 [9314–9317]
Faure, S. (Z) 6946–6948 [6840–6842]
Fdez. Galván, I. Berichtigung: 638
Fechner, K. (Z) 3698–3701 [3642–3645]
Fedin, M.
– Light-Induced Excited Spin State Trapping in an Exchange-Coupled Nitroxide-Cop-per(II)-Nitroxide Cluster (Z) 7003–7005 [6897–6899]
DOI: 10.1002/ange.200801400
- Fedin, V. P.
– Incorporation of Molybdenum Sulfide Cluster Units into a Dawson-Like Poly-oxometalate Structure To Give Hybrid Polythiooxometalates (Z) 1487–1490 [1465–1468]
DOI: 10.1002/ange.200704344
- Feenstra, J. S. (Z) 9638–9641 [9496–9499]
Feldkamp, U.
– Rationale Konstruktion von dynamischen DNA-Systemen (H) 3933–3935 [3871–3873]
DOI: 10.1002/ange.200800675
- Feldkamp, U. (Z) 2165–2168 [2135–2137]
Feldmann, J.
– Marine Metabolites and Metal Ion Chela-tion: Intact Recovery and Identification of an Iron(II) Complex in the Extract of the Ascidian *Eudistoma gilboviride* (Z) 8210–8212 [8090–8092]
DOI: 10.1002/ange.200802060
- Felgenhauer, T. (Z) 7241–7244 [7132–7135]
Feliu, J. M. (Z) 4952–4955 [4874–4877]
Fellay, C. (Z) 4030–4032 [3966–3968]
Feller, R. K. (Z) 8762–8765 [8634–8637]
Felner, I. (Z) 4488–4492 [4416–4420]
Felser, C. (Z) 7747–7750 [7635–7638]
Femoni, C.
– An Organometallic Approach to Gold Nanoparticles: Synthesis and X-Ray Struc-ture of CO-Protected Au₂₁Fe₁₀, Au₂₇Fe₁₂, Au₂₈Fe₁₄, and Au₃₄Fe₁₄ Clusters (Z) 6768–6771 [6666–6669]
DOI: 10.1002/ange.200802267
- Feng, J. (Z) 1070–1073 [1054–1057]
Feng, M.-L. (Z) 8751–8754 [8623–8626]
Feng, P.
– A Rare (3,4)-Connected Chalcogenide Superlattice and Its Photoelectric Effect (Z) 119–122 [113–116]
DOI: 10.1002/ange.200703442
- Feng, Xiaoming
– An *N,N'*-Dioxide/In(OTf)₃ Catalyst for the Asymmetric Hetero-Diels–Alder Reac-tion Between Danishefsky's Dienes and Aldehydes: Application in the Total Syn-thesis of Triketide (Z) 1328–1331 [1308–1311]
DOI: 10.1002/ange.200704759
- Asymmetric Intramolecular Oxa-Michael Addition of Activated α,β -Unsaturated Ketones Catalyzed by a Chiral *N,N'*-Di-oxide Nickel(II) Complex: Highly Enan-tioselective Synthesis of Flavanones (Z) 8798–8801 [8670–8673]
DOI: 10.1002/ange.200803326
- Highly Enantioselective Direct Michael Addition of Nitroalkanes to Nitroolefins Catalyzed by La(OTf)₃/*N,N'*-Dioxide Complexes (Z) 7187–7189 [7079–7081]
DOI: 10.1002/ange.200802285
- Highly Enantioselective Hydrophosphony-lation of Aldehydes Catalyzed by Triden-tate Schiff Base Aluminum(III) Complexes (Z) 398–400 [392–394]
DOI: 10.1002/ange.200704116
- Feng, Xiaoying (Z) 3054–3057 [3012–3015]
Feng, Xinliang (Z) 1727–1730 [1703–1706]
Feng, Y.-Q. (Z) 5420–5423 [5340–5343]
Feng, Z. (Z) 1790–1793 [1766–1769]
Fenske, D.
– Synthesen und Kristallstrukturen der ligan-denstabilisierten Silberchalkogenidcluster [Ag₁₅₄Se₇₇(dppxy)₁₈], [Ag₃₂₀(S₂Ph)₆₀S₁₃₀(dppp)₁₂], [Ag₃₅₂S₁₂₈(S₂C₅H₁₁)₉₆] und [Ag₄₉₀S₁₈₈(S₂C₅H₁₁)₁₁₄] (Z) 1346–1351 [1326–1331]
DOI: 10.1002/ange.200704249
- Fensterbank, L.
– The Role of Bent Acyclic Allene Gold Complexes in Axis-to-Center Chirality Transfers (Z) 7644–7648 [7534–7538]
DOI: 10.1002/ange.200802332
- Fensterbank, L. (Z) 730–733 [718–721], 6971–6974 [6865–6868]
Férey, G.
– Amine Grafting on Coordinatively Unsa-turated Metal Centers of MOFs: Conse-quences for Catalysis and Metal Encapsu-lation (Z) 4212–4216 [4144–4148]
DOI: 10.1002/ange.200705998
- Férey, G. (Z) 4168–4173 [4100–4105], 6713–6717 [6611–6615], 8615–8619 [8487–8491]
Ferguson, A. (Z) 5691–5694 [5609–5612]
Ferguson, M. J. (Z) 4988–4991 [4910–4913]
Feringa, B. L.
– Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface (Z) 5075–5079 [4997–5001]
DOI: 10.1002/ange.200800255
- Katalytische enantioselektive konjugierte 1,6-Addition von Grignard-Reagentien an lineare Dienoate (Z) 404–407 [398–401]
DOI: 10.1002/ange.200703702
- Katalytische enantioselektive Reformats-ky-Reaktionen mit Aldehyden (Z) 1337–1339 [1317–1319]
DOI: 10.1002/ange.200704841
- Fernandez, C. O. (Z) 5124–5126 [5046–5048]
Fernández, E.
– Gold(0) Nanoparticles for Selective Cata-lytic Diboration (Z) 5272–5275 [5194–5197]
DOI: 10.1002/ange.200800541
- Fernández, E. M. (Z) 4761–4764 [4683–4686]
Fernández, G. (Z) 1110–1113 [1094–1097]
Fernandez, I. (Z) 9290–9295 [9150–9154]
Fernández, I. (Z) 1977–1980 [1951–1954]
Fernandez, S. (Z) 7241–7244 [7132–7135]

- Fernandez-Barbero, A. (Z) 8793–8797 [8665–8669]
 Fernández-Ibáñez, M. Á. (Z) 1337–1339 [1317–1319]
 Ferrand, Y. (Z) 2733–2736 [2693–2696]
 Ferri, V. (Z) 3455–3457 [3407–3409]
 Fert, A.
 – Ursprung, Entwicklung und Zukunft der Spintronik (Nobel-Vortrag) (A) 6042–6054 [5956–5967]
 DOI: 10.1002/ange.200801093
 Fertinger, C. (Z) 5316–5320 [5238–5242]
 Fetting, J. C. (Z) 5716–5718 [5634–5636], 6507–6510 [6407–6410], 8375–8378 [8251–8254], 9255–9257 [9115–9117]
 Feyel, S. (Z) 1972–1976 [1946–1950]
 Fianchini, M. (Z) 566–569 [556–559]
 Ficht, S. (Z) 4483–4487 [4411–4415]
 Fidalgo, L. M. (Z) 2072–2075 [2042–2045]
 Fiedler, A. T. (Z) 8188–8191 [8068–8071]
 Fiedler, H.-P.
 – Proximicin A, B und C – antitumoraktive Furananaloga des Netropsins aus dem marinen Actinomyceten *Verrucosipora* induzieren die Hochregulation von p53 und des Cyclinkinase-Inhibitors p21 (Z) 3302–3305 [3258–3261]
 DOI: 10.1002/ange.200705295
 Fiedler, H.-P. (Z) 4059–4062 [3995–3998]
 Fiedler, J. (Z) 6287–6289 [6192–6194]
 Field, M. J. Berichtigung: 638
 Field, R. W.
 – Evolution of Chemical Bonding during HCN&rlarr2;HNC Isomerization as Revealed through Nuclear Quadrupole Hyperfine Structure (Z) 3011–3014 [2969–2972]
 DOI: 10.1002/ange.200705399
 Figueira-Duarte, T. M. (Z) 10329–10332 [10175–10178]
 Fihri, A. (Z) 574–577 [564–567]
 Filinchuk, Y.
 – High-Pressure Polymorphism as a Step towards Destabilization of LiBH₄ (Z) 539–542 [529–532]
 DOI: 10.1002/ange.200704777
 Filipović, M. (Z) 4055–4058 [3991–3994]
 Filipović, M. R. (Z) 8863–8867 [8735–8739]
 Filippou, A. C.
 – Tungsten-Mediated Activation of a Pb^{II}–N bond: A New Route to Tungsten–Lead Triple Bonds (Z) 5883–5886 [5799–5802]
 DOI: 10.1002/ange.200801331
 Filthaus, M. (Z) 4822–4825 [4744–4747]
 Fini, F. (Z) 9376–9379 [9236–9239]
 Finka, A. (Z) 7975–7978 [7857–7860]
 Finke, P. (Z) 10130–10133 [9982–9984]
 Fiorini-Debuisschert, C. (Z) 8540–8543 [8412–8415]
 Fioroni, M. (Z) 7137–7139 [7029–7031]
 Fischbach, M. A.
 – Inhibitoren der Sterolbiosynthese als Antibiotika gegen *Staphylococcus aureus* (H) 5784–5786 [5700–5702]
 DOI: 10.1002/ange.200801801
 Fischer, D. (Z) 4500–4503 [4428–4431]
 Fischer, H. (Z) 4588–4591 [4512–4515]
 Fischer, J.-H. (Z) 9430–9434 [9289–9293]
 Fischer, R. A.
 – Funktionalisierter Koordinationsraum in metall-organischen Gerüsten (H) 8285–8289 [8164–8168]
 DOI: 10.1002/ange.200801612
 – Methylgallium als terminaler Ligand in [(Cp*Ga)₂Rh(GaCH₃)]⁺ (Z) 3487–3490 [3438–3441]
 DOI: 10.1002/ange.200705031
 – Molekulare Ausschnitte von Mo/Zn-Hume-Rothery-Phasen: Synthese und Struktur von [(Mo(CO)₄]₄(Zn)₆(μ-ZnCp*)₄] (Z) 9286–9289 [9146–9149]
 DOI: 10.1002/ange.200803449
 – [Sn₁₇{GaCl(ddp)}₄], ein großer metalloider Zinncluster in einer Hülle aus elektrophilen Galliumliganden (Z) 7344–7347 [7234–7237]
 DOI: 10.1002/ange.200802470
 – Zwölf Einelektronenliganden koordinieren an ein Metallzentrum: Struktur und Bindung von [Mo(ZnCH₃)₆(ZnCp*)₃] (Z) 9290–9295 [9150–9154]
 DOI: 10.1002/ange.200802811
 Fjermestad, T. (Z) 1114–1117 [1098–1101]
 Flagler, M. J. (Z) 1285–1288 [1265–1268]
 Fleck, M. (Z) 6284–6286 [6189–6191]
 Flecks, S. (Z) 9676–9679 [9533–9536]
 Fletcher, D. A. (Z) 8601–8605 [8473–8477]
 Flierler, U. (Z) 4393–4397 [4321–4325]
 Flood, A. H.
 – Pure C–H Hydrogen Bonding to Chloride Ions: A Preorganized and Rigid Macrocyclic Receptor (Z) 2689–2692 [2649–2652]
 DOI: 10.1002/ange.200704717
 Florczak, M. (Z) 9228–9231 [9088–9091]
 Floreancig, P. E.
 – Diastereoselective Tetrahydropyrone Synthesis through Transition-Metal-Free Oxidative Carbon–Hydrogen Bond Activation (Z) 4252–4255 [4184–4187]
 DOI: 10.1002/ange.200706002
 – Total Synthesis of Theopederin D (Z) 7427–7430 [7317–7320]
 DOI: 10.1002/ange.200802548
 Flörke, U. (Z) 1535–1537 [1512–1514]
 Flytzani-Stephanopoulos, M.
 – Shape and Crystal-Plane Effects of Nanoscale Ceria on the Activity of Au–CeO₂ Catalysts for the Water–Gas Shift Reaction (Z) 2926–2929 [2884–2887]
 DOI: 10.1002/ange.200705828
 Föcker, K. (Z) 408–411 [402–405]
 Fogg, D. E.
 – Shining New Light on an Old Problem: Retooling MALDI Mass Spectrometry for Organotransition-Metal Catalysis (Z) 309–312 [303–306]
 DOI: 10.1002/ange.200704489
 Fojta, M.
 – Aminophenyl- and Nitrophenyl-Labeled Nucleoside Triphosphates: Synthesis, Enzymatic Incorporation, and Electrochemical Detection (Z) 2089–2092 [2059–2062]
 DOI: 10.1002/ange.200705088
 Fokin, A. A.
 – “Diamonds are a chemist’s best friend”: die großen Geschwister des Adamantans (A) 1038–1053 [1022–1036]
 DOI: 10.1002/ange.200701684
 Fokin, V. V.
 – Ruthenium-Catalyzed Cycloaddition of Nitrile Oxides and Alkynes: Practical Synthesis of Isoxazoles (Z) 8409–8411 [8285–8287]
 DOI: 10.1002/ange.200801920
 Foley, N. A. (Z) 738–742 [726–730]
 Font, D. (Z) 404–407 [398–401]
 Fontaine, J.-G. (Z) 4504–4507 [4432–4435]
 Fontecave, M. (Z) 574–577 [564–567]
 Fontecilla-Camps, J. C. Berichtigung: 638
 Forbes, T. Z. (Z) 2866–2869 [2824–2827]
 Fordyce, E. A. F. (Z) 7460–7463 [7350–7353]
 Forest, K. T. (Z) 4831–4833 [4753–4755]
 Forman, A. J. (Z) 8810–8814 [8682–8686]
 Fornasieri, G. (Z) 7864–7866 [7750–7752]
 Forneli, A. (Z) 8383–8387 [8259–8263]
 Forster, Melanie (Z) 6070–6072 [5981–5983]
 Forster, Michael (A) 4138–4167 [4070–4098]
 Forster, P. M. (Z) 7373–7376 [7263–7266]
 Fournier-Bidoz, S. (Z) 5659–5663 [5577–5581]
 Fout, A. R. (Z) 3829–3832 [3769–3772], 8630–8633 [8502–8505]
 Fowler, J. S. (Z) 6078–6081 [5989–5992]
 Foxman, B. M. (Z) 1503–1506 [1481–1484]
 Fraaije, M. W.
 – Self-Sufficient Baeyer–Villiger Monooxygenases: Effective Coenzyme Regeneration for Biooxygenation by Fusion Engineering (Z) 2307–2310 [2275–2278]
 DOI: 10.1002/ange.200704630
 Fragai, M. (Z) 4609–4613 [4533–4537]
 Frahm, R. (Z) 9400–9404 [9260–9264]
 Francesconi, K. A.
 – Arsenic-Containing Long-Chain Fatty Acids in Cod-Liver Oil: A Result of Biosynthetic Infidelity? (Z) 2705–2707 [2665–2667]
 DOI: 10.1002/ange.200705405
 Franciò, G. (Z) 7449–7451 [7339–7341]
 Francis, M. B. Berichtigung: 7902
 Francis, M. B.
 – DNA-Coated AFM Cantilevers for the Investigation of Cell Adhesion and the Patterning of Live Cells (Z) 8601–8605 [8473–8477]
 DOI: 10.1002/ange.200802525
 – Protein-Cross-Linked Polymeric Materials through Site-Selective Bioconjugation (Z) 3811–3814 [3751–3754]
 DOI: 10.1002/ange.200705564
 Franck, G. (Z) 7764–7767 [7652–7655]
 Franck, X.
 – Straightforward Access to Protected *syn* α-Amino-β-hydroxy Acid Derivatives (Z) 4292–4295 [4224–4227]
 DOI: 10.1002/ange.200800860
 Frank, A. O. (Z) 2647–2651 [2608–2611]
 Franke, A. (Z) 5316–5320 [5238–5242]
 Franssila, S. (Z) 7552–7555 [7442–7445]
 Fréchet, J. M. J.
 – Polymer-Fulleren-Solarzellen (A) 62–82 [58–77]
 DOI: 10.1002/ange.200702506
 Frederick, M. O. (A) 7292–7335 [7182–7225]
 Freeman, A. J. (Z) 7946–7950 [7828–7832]
 Freeman, B. D.
 – Highly Chlorine-Tolerant Polymers for Desalination (Z) 6108–6113 [6019–6024]
 DOI: 10.1002/ange.200800454
 Freeman, R. (Z) 1700–1703 [1676–1679]
 Freisz, S. (Z) 4178–4181 [4110–4113]
 Freitag, B. (Z) 5083–5086 [5005–5008]

- Frenking, G.
– Keine neuen sinnvollen Vorschläge (K) 7280–7281 [7168–7169]
DOI: 10.1002/ange.200802500
- Kommentar zu “Homoleptische Silber(I)-Acetylen-Komplexe” (K) 7912–7913 [7796–7797]
DOI: 10.1002/ange.200705423
- Struktureller Nachweis der Antiaromatizität in freien Borolen (Z) 1977–1980 [1951–1954]
DOI: 10.1002/ange.200704771
- Zwölf Einelektronenliganden koordinieren an ein Metallzentrum: Struktur und Bindung von $[\text{Mo}(\text{ZnCH}_3)_6(\text{ZnCp}^*)_3]$ (Z) 9290–9295 [9150–9154]
DOI: 10.1002/ange.200802811
- Frenz, L. (Z) 6923–6926 [6817–6820]
- Frerich, B.
– Monolithische Polymere als Trägermaterial für Zellkultivierung, Zelldifferenzierung und Tissue-Engineering (Z) 9278–9281 [9138–9141]
DOI: 10.1002/ange.200801872
- Fressigné, C.
– Intramolecular Carbolithiation of Alkynes: *anti* Selectivity (Z) 905–907 [891–893]
DOI: 10.1002/ange.200704139
- Freund, H.-J. (Z) 9430–9434 [9289–9293]
- Freutel, F. (Z) 954–957 [940–943]
- Frey, G. D. (Z) 5302–5306 [5224–5228]
- Frey, H.
– Gold Nanoparticles Coated with a Thermosensitive Hyperbranched Polyelectrolyte: Towards Smart Temperature and pH Nanosensors (Z) 2259–2262 [2227–2230]
DOI: 10.1002/ange.200704572
- Fridman, A. (Z) 8140–8144 [8020–8024]
- Fried, T. (Z) 4933–4935 [4855–4857]
- Friedman, G.
– Nanoscale Corona Discharge in Liquids, Enabling Nanosecond Optical Emission Spectroscopy (Z) 8140–8144 [8020–8024]
DOI: 10.1002/ange.200802891
- Friedrich, P. (Z) 3298–3301 [3254–3257]
- Friedrich, T. (Z) 7137–7139 [7029–7031]
- Friese, C. (Z) 9083–9086 [8950–8953]
- Frigeri, A. (Z) 2093–2096 [2063–2066]
- Frisch, J. R. (Z) 7172–7175 [7064–7067]
- Frizler, M. (Z) 4403–4406 [4331–4334]
- Fröhlich, R. (Z) 791–794 [779–782], 1472–1475 [1450–1453], 1678–1681 [1654–1657], 2662–2665 [2622–2625], 6899–6902 [6794–6797], 7654–7657 [7543–7546], 10134–10137 [9985–9988]
- Frost, C. G. (Z) 8610–8614 [8482–8486]
- Fu, G. C.
– Enantioselective Nucleophilic Catalysis: The Synthesis of Aza- β -Lactams through [2 + 2] Cycloadditions of Ketenes with Azo Compounds (Z) 7156–7158 [7048–7050]
DOI: 10.1002/ange.200802439
- Nickel-Catalyzed Negishi Cross-Couplings of Secondary Nucleophiles with Secondary Propargylic Electrophiles at Room Temperature (Z) 9474–9476 [9334–9336]
DOI: 10.1002/ange.200802784
- Fu, H. (Z) 7411–7415 [7301–7305], 9037–9040 [8905–8908]
- Fu, H.-y. (Z) 9380–9384 [9240–9244]
- Fu, Xiao (Z) 5723–5727 [5641–5645]
- Fu, Xuan (Z) 8798–8801 [8670–8673]
- Fuchibe, K. (Z) 4080–4082 [4016–4018]
- Fuentes, N. (Z) 7625–7629 [7515–7519]
- Fuhr, O. (Z) 1346–1351 [1326–1331]
- Fuhrman, B. (Z) 8014–8018 [7896–7900]
- Fujie, S. (Z) 2540–2542 [2506–2508]
- Fujihara, H.
– Asymmetric Suzuki–Miyaura Coupling Reactions Catalyzed by Chiral Palladium Nanoparticles at Room Temperature (Z) 7023–7025 [6917–6919]
DOI: 10.1002/ange.200802174
- Fujihara, H. (Z) 1318–1320 [1298–1300]
- Fujihara, T. (Z) 8434–8438 [8310–8314]
- Fujii, A.
– Observation of an Isolated Intermediate of the Nucleophilic Aromatic Substitution Reaction by Infrared Spectroscopy (Z) 6097–6099 [6008–6010]
DOI: 10.1002/ange.200801751
- Fujioka, H. (Z) 3847–3850 [3787–3790]
- Fujita, M.
– A Selective Instant Synthesis of a Coordination Network and Its Ab Initio Powder Structure Determination (Z) 1289–1291 [1269–1271]
DOI: 10.1002/ange.200704809
- A Self-Assembled Spin Cage (Z) 2076–2078 [2046–2048]
DOI: 10.1002/ange.200704924
- Discrete and Well-Defined Hydrophobic Phases Confined in Self-Assembled Spherical Complexes (Z) 5864–5866 [5780–5782]
DOI: 10.1002/ange.200801700
- Highly Selective Photomediated 1,4-Radical Addition to *o*-Quinones Controlled by a Self-Assembled Cage (Z) 2097–2099 [2067–2069]
DOI: 10.1002/ange.200705139
- Single-Crystalline Molecular Flasks: Chemical Transformation with Bulky Reagents in the Pores of Porous Coordination Networks (Z) 8150–8152 [8030–8032]
DOI: 10.1002/ange.200802545
- Fujita, N. (Z) 4653–4656 [4577–4580]
- Fujita, W.
– Structural Study of a Dimerization Process in an Organic Radical Magnet, $\text{BBDTA} \cdot \text{InBr}_4$ (Z) 9622–9625 [9480–9483]
DOI: 10.1002/ange.200803249
- Fujitsuka, M. (Z) 5428–5432 [5348–5352]
- Fujiwara, Y. (Z) 5474–5477 [5394–5397]
- Fukase, K.
– A Submicrogram-Scale Protocol for Biomolecule-Based PET Imaging by Rapid 6π -Azaelectrocyclization: Visualization of Sialic Acid Dependent Circulatory Residence of Glycoproteins (Z) 108–111 [102–105]
DOI: 10.1002/ange.200702989
- Fukatsu, S. (Z) 5518–5521 [5438–5441]
- Fukazawa, A. (Z) 5664–5667 [5582–5585]
- Fukuda, K. (Z) 92–95 [86–89]
- Fukuda, M. (Z) 718–722 [706–710]
- Fukuda, T. (Z) 6814–6818 [6712–6716]
- Fukui, K. (Z) 2065–2068 [2035–2038]
- Fukunaga, T. (Z) 9454–9457 [9314–9317]
- Fukushima, S. (Z) 5241–5244 [5163–5166]
- Fukushima, T.
– Conductive One-Handed Nanocoils by Coassembly of Hexabenzocoronenes: Control of Morphology and Helical Chirality (Z) 1696–1699 [1672–1675]
DOI: 10.1002/ange.200704747
- Fukutani, K. (Z) 9430–9434 [9289–9293]
- Fukuzumi, S.
– A Discrete Supramolecular Conglomerate Composed of Two Saddle-Distorted Zinc(II)-Phthalocyanine Complexes and a Doubly Protonated Porphyrin with Saddle Distortion Undergoing Efficient Photoinduced Electron Transfer (Z) 6814–6818 [6712–6716]
DOI: 10.1002/ange.200802601
- Detection of a Radical Cation of an NADH Analogue in Two-Electron Reduction of a Protonated *p*-Quinone Derivative by an NADH Analogue (Z) 1084–1087 [1068–1071]
DOI: 10.1002/ange.200704136
- Hydrogen Atom Abstraction and Hydride Transfer Reactions by Iron(IV)–Oxo Porphyrins (Z) 7431–7434 [7321–7324]
DOI: 10.1002/ange.200802346
- Proton Shift upon One-Electron Reduction in Ruthenium(II)-Coordinated Pterins (Z) 9815–9818 [9669–9672]
DOI: 10.1002/ange.200802835
- Ruthenium-Catalyzed Selective and Efficient Oxygenation of Hydrocarbons with Water as an Oxygen Source (Z) 5856–5860 [5772–5776]
DOI: 10.1002/ange.200801170
- Fuller-Schaefer, C. (Z) 1285–1288 [1265–1268]
- Fullmer, B. C. (Z) 9252–9254 [9112–9114]
- Fumino, K. (Z) 3890–3894 [3830–3834], 8859–8862 [8731–8734]
- Funai, H. (Z) 144–147 [138–141]
- Funami, H. (Z) 4981–4983 [4903–4905]
- Fung, S.-Y. (Z) 4469–4472 [4397–4400]
- Fung, W. (Z) 5659–5663 [5577–5581]
- Fürstenberg, A. (Z) 3787–3789 [3727–3729]
- Fürstner, A.
– A Synthesis-Driven Structure Revision of Berkelic Acid Methyl Ester (Z) 8578–8582 [8450–8454]
DOI: 10.1002/ange.200803339
- Carbenes Stabilized by Ylides: Pushing the Limits (Z) 8426–8430 [8302–8306]
DOI: 10.1002/ange.200803200
- Coordination Chemistry of Ene-1,1-diamines and a Prototype “Carbodicarbene” (Z) 3254–3258 [3210–3214]
DOI: 10.1002/ange.200705798
- On the Nature of the Reactive Intermediates in Gold-Catalyzed Cycloisomerization Reactions (Z) 5108–5111 [5030–5033]
DOI: 10.1002/ange.200800934
- Furukawa, K. (Z) 9807–9811 [9661–9665]
- Furukawa, T. (Z) 8171–8174 [8051–8054]
- Furuta, H.
– Doubly N-Fused Porphyrin (Z) 9045–9048 [8913–8916]
DOI: 10.1002/ange.200803670
- N-Confused and N-Fused *meso*-Aryl Sapphyrins (Z) 4639–4643 [4563–4567]
DOI: 10.1002/ange.200705984
- Near-Infrared Emission from Bis-Pt^{II} Complexes of Doubly N-Confused Calix[6]phyrins(1.1.1.1.1.1)

- (Z) 5518–5521 [5438–5441]
DOI: 10.1002/ange.200801713
Furutani, Y. (Z) 3987–3990 [3923–3926]
Furuya, T. (Z) 6082–6085 [5993–5996]
Fustero, S.
– Anionic–Anionic Asymmetric Tandem Reactions: One-Pot Synthesis of Optically Pure Fluorinated Indolines from 2-*p*-Tolylsulfanyl Alkylbenzenes
(Z) 8059–8062 [7941–7944]
DOI: 10.1002/ange.200802885
Futamura, Y. (Z) 1107–1109 Berichtigung: 2008 [1091–1093 Berichtigung: 1982]
Fuwa, H.
– Total Synthesis of (+)-Neopeltolide
(Z) 4815–4817 [4737–4739]
DOI: 10.1002/ange.200801399



- Gäb, S. (Z) 10138–10142 [9989–9992]
Gadde, S. (Z) 2697–2700 [2657–2660]
Gade, L. H.
– Chiral Bis(pyridylimino)isoindoles: A Highly Modular Class of Pincer Ligands for Enantioselective Catalysis
(Z) 4748–4752 [4670–4674]
DOI: 10.1002/ange.200801150
– Self-Assembly of a Cyclic Zn₄O₄ Tetramer by Aerobic Oxidation of a Bisoxazoline: A Molecular “Nest” for Nucleophilic OH[–]
(Z) 4622–4626 [4546–4550]
DOI: 10.1002/ange.200800870
– Transforming Surface Coordination Polymers into Covalent Surface Polymers: Linked Polycondensed Aromatics through Oligomerization of N-Heterocyclic Carbene Intermediates
(Z) 2448–2451 [2414–2417]
DOI: 10.1002/ange.200704072
Gademann, K.
– Antimikrobielle Oberflächen durch Naturstoffhybride
(Z) 7232–7235 [7123–7126]
DOI: 10.1002/ange.200801570
Gäggeler, H. W. (Z) 3306–3310 [3262–3266]
Gagné, M. R.
– Asymmetric Oxidative Cation/Olefin Cyclization of Polyenes: Evidence for Reversible Cascade Cyclization
(Z) 6100–6103 [6011–6014]
DOI: 10.1002/ange.200801423
Gagnepain, J. Berichtigung: 638
Gahlmann, A. (Z) 9638–9641 [9496–9499]
Gaich, T.
– Alles begann mit einem Irrtum: Die Nomofungin/Communesin-Story
(M) 8290–8296 [8170–8176]
DOI: 10.1002/ange.200801735
Gaidzik, N. (Z) 7662–7667 [7551–7556]
Gaikwad, A. V. (Z) 5487–5490 [5407–5410]
Gaillard, S. (Z) 2488–2491 [2454–2457]
Galano, J.-M.
– Jenseits von Prostaglandinen – Chemie und Biologie radikalisch gebildeter cyclischer oxygenierter Metabolite von mehrfach ungesättigten Fettsäuren
(A) 5978–6041 [5894–5955]
DOI: 10.1002/ange.200705122

- Galindo, A. (M) 6626–6637 [6526–6536]
Gallani, J.-L. (Z) 500–505 [490–495]
Gallardo, D. E. (A) 6638–6650 [6538–6549]
Galli, C.
– Wasserstoffabstraktion und Elektronentransfer mit Aminoxylradikalen: Synthesen und Mechanismen
(M) 4868–4874 [4790–4796]
DOI: 10.1002/ange.200704292
Gallucci, J. (Z) 416–420 [410–413]
Galzerano, P. (Z) 8831–8834 [8703–8706]
Gamage, S. D. (Z) 1285–1288 [1265–1268]
Gambarelli, S.
– Double Electron–Electron Resonance (DEER): A Convenient Method To Probe DNA Conformational Changes
(Z) 747–749 [735–737]
DOI: 10.1002/ange.200704133
Gambarotta, S.
– Breaking the 1.80 Å Barrier of the Cr–Cr Multiple Bond Between Cr^{II} Atoms
(Z) 10085–10088 [9937–9940]
DOI: 10.1002/ange.200804048
– Chromium Catalysts Supported by a Non-spectator NPN Ligand: Isolation of Single-Component Chromium Polymerization Catalysts
(Z) 5900–5903 [5816–5819]
DOI: 10.1002/ange.200800845
– Isolation of Single-Component Trimerization and Polymerization Chromium Catalysts: The Role of the Metal Oxidation State
(Z) 9863–9867 [9717–9721]
DOI: 10.1002/ange.200803434
Gan, H. (Z) 7819–7823 [7705–7709]
Gan, Q. (Z) 1739–1742 [1715–1718], 4221–4224 [4153–4156]
Gan, Z. (Z) 7982–7985 [7864–7867]
Gandelman, M.
– Pincer Click Ligands
(Z) 4631–4634 [4555–4558]
DOI: 10.1002/ange.200800123
Gandon, V.
– The Role of Bent Acyclic Allene Gold Complexes in Axis-to-Center Chirality Transfers
(Z) 7644–7648 [7534–7538]
DOI: 10.1002/ange.200802332
Gandon, V. (Z) 161–165 [155–159]
Ganesh, S. K. (Z) 7967–7970 [7849–7852]
Ganguly, K. (Z) 7442–7444 [7332–7334]
Ganin, A. Y. Berichtigung: 1183
Ganis, P. (Z) 5411–5414 [5331–5334]
Gantt, R. W. (Z) 9021–9024 [8889–8892]
Gao, F. (Z) 5420–5423 [5340–5343]
Gao, X. (Z) 1318–1320 [1298–1300]
Gao, X.-P.
– Visible-Light-Driven Oxidation of Organic Contaminants in Air with Gold Nanoparticle Catalysts on Oxide Supports
(Z) 5433–5436 [5353–5356]
DOI: 10.1002/ange.200800602
Gaoutchenova, K. (Z) 88–91 [82–85]
Gaponik, N. (A) 6638–6650 [6538–6549]
Garayalde, D. (Z) 10264–10267 [10110–10113]
Garbev, K. (Z) 8778–8781 [8650–8653]
García, H. (Z) 1096–1099 [1080–1083]
García, J.-M. (Z) 1936–1938 [1910–1912]
García-Álvarez, P. (Z) 8199–8201 [8079–8081]
García-Antón, J. (Z) 2104–2108 [2074–2078]

- García-Fortanet, J. (Z) 8228–8231 [8108–8111]
García-García, P. (Z) 4797–4799 [4719–4721]
García Ruano, J. L.
– Anionic–Anionic Asymmetric Tandem Reactions: One-Pot Synthesis of Optically Pure Fluorinated Indolines from 2-*p*-Tolylsulfanyl Alkylbenzenes
(Z) 8059–8062 [7941–7944]
DOI: 10.1002/ange.200802885
– Configurational Control of Benzyl Carbanion–Copper Complexes by Sulfinyl Groups: Synthesis of Optically Pure Allenes with Central and Axial Chirality
(Z) 6942–6945 [6836–6839]
DOI: 10.1002/ange.200802158
García-Yebra, C. (Z) 1909–1912 [1883–1886]
Gardiennet, C. (Z) 5935–5938 [5851–5854]
Gardiner, J. (Z) 6492–6494 [6392–6394]
Garg, S. (Z) 6332–6335 [6236–6239]
Gasharova, B. (Z) 8778–8781 [8650–8653]
Gaspar, A. B.
– Spin-Crossover Nanocrystals with Magnetic, Optical, and Structural Bistability Near Room Temperature
(Z) 6533–6537 [6433–6437]
DOI: 10.1002/ange.200801673
Gaspar, B. (Z) 5842–5844 [5758–5760]
Gasparini, G. (Z) 2509–2513 [2475–2479]
Gasparutto, D. (Z) 747–749 [735–737]
Gates, B. C.
– Real-Time Characterization of Formation and Breakup of Iridium Clusters in Highly Dealuminated Zeolite Y
(Z) 9385–9388 [9245–9248]
DOI: 10.1002/ange.200802140
Gates, D. P.
– Chiral Ligand Design: A Bidentate Ligand Incorporating an Acyclic Phosphaalkene
(Z) 8184–8187 [8064–8067]
DOI: 10.1002/ange.200802949
Gatlin, J. T. (Z) 9626–9628 [9484–9486]
Gaunt, M. J.
– Synthesis of Rhazinicine by a Metal-Catalyzed C–H Bond Functionalization Strategy
(Z) 3046–3049 [3004–3007]
DOI: 10.1002/ange.200705005
Gaus, K. (Z) 2737–2739 [2697–2699]
Gauthier, N. Berichtigung: 639
Gautier, A. (Z) 7407–7410 [7297–7300]
Gavryushin, A. (Z) 6907–6911 [6802–6806]
Gayathri, S. S. (Z) 4241–4244 [4173–4176]
Gazit, E.
– Amyloide: nicht nur pathologische Substanzen, sondern auch geordnete Nanomaterialien
(M) 4128–4136 [4062–4069]
DOI: 10.1002/ange.200703133
Ge, H. M. (Z) 5907–5910 [5823–5826]
Ge, J. (Z) 5890–5895 [5806–5811], 9056–9060 [8924–8928]
Gee, A. D. (Z) 8544–8547 [8416–8419], (A) 9136–9172 [8998–9033]
Geister, S. (Z) 6279–6283 [6184–6188]
Gelens, E. (Z) 1307–1310 [1287–1290]
Geletii, Yu. V. (Z) 3960–3963 [3896–3899]
Gellman, S. H.
– Nanofibers and Lyotropic Liquid Crystals from a Class of Self-Assembling β -Peptides
(Z) 1261–1264 [1241–1244]
DOI: 10.1002/ange.200704372

- Sequence-Based Design of α/β -Peptide Foldamers That Mimic BH3 Domains (Z) 2895–2898 [2853–2856]
DOI: 10.1002/ange.200705315
- Gemel, C. (Z) 3487–3490 [3438–3441], 7344–7347 [7234–7237], 9286–9289 [9146–9149], 9290–9295 [9150–9154]
- Gendrineau, T. (Z) 7783–7786 [7669–7672]
- Genereux, J. C. (Z) 9207–9210 [9067–9070]
- Genet, C. (Z) 6467–6470 [6367–6370]
- Genêt, J.-P. (A) 4338–4386 [4268–4315]
- Genet, J.-P. (Z) 7783–7786 [7669–7672]
- Geng, J. (Z) 4248–4251 [4180–4183]
- Genovese, D. (Z) 5289–5292 [5211–5214]
- Genovino, J. (Z) 3058–3062 [3016–3020], 3063–3067 [3021–3025]
- Gentili, P. (M) 4868–4874 [4790–4796]
- George, S. (Z) 5075–5079 [4997–5001]
- Georgiou, G.
- An Engineered Protease that Cleaves Specifically after Sulfated Tyrosine (Z) 7979–7981 [7861–7863]
DOI: 10.1002/ange.200800736
- Gérardin, C.
- Ecodesign of Ordered Mesoporous Materials Obtained with Switchable Micellar Assemblies (Z) 8561–8565 [8433–8437]
DOI: 10.1002/ange.200802431
- Gerber, R. B. (Z) 6368–6370 [6272–6274]
- Geremia, S. (Z) 4580–4584 [4504–4508]
- Gerlich, S. (Z) 6290–6293 [6195–6198]
- Gerth, K. (Z) 610–613 [600–602]
- Gertsch, J. (Z) 10235–10239 [10081–10085]
- Ghadiri, M. R.
- Biomimetic Catalysis of Diketopiperazine and Dipeptide Syntheses (Z) 1782–1785 [1758–1761]
DOI: 10.1002/ange.200704266
- Ghicov, A. (Z) 8052–8055 [7934–7937]
- Ghobrial, M. (Z) 2307–2310 [2275–2278]
- Ghosh, S. (Z) 2249–2253 [2217–2221]
- Ghosh, S. K. (Z) 3451–3454 [3403–3406], 8975–8979 [8843–8847]
- Ghoufi, A. (Z) 6713–6717 [6611–6615], 8615–8619 [8487–8491]
- Gianelli, C. (Z) 8828–8830 [8700–8702]
- Giannis, A.
- Synthesen mit einem chiralen Baustein aus dem Citratzyklus: (2R,3S)-Isocitronensäure aus einer Fermentation mit Sonnenblumenöl (Z) 1984–1986 [1958–1960]
DOI: 10.1002/ange.200705000
- Giansante, C. (Z) 5502–5505 [5422–5425]
- Gibbs, T. J. K. (Z) 2862–2865 [2820–2823]
- Gibe, R. (Z) 958–960 [944–946]
- Gibson, M. I. (Z) 5238–5240 [5160–5162]
- Gierlich, J. (Z) 3491–3493 [3442–3444]
- Giese, B.
- Der Einfluss von Aminosäureseitenketten auf weitreichenden Elektronentransfer in Peptiden: Elektronenhopping mit Zwischenstationen (Z) 3511–3514 [3461–3463]
DOI: 10.1002/ange.200705588
- Gil-Ramírez, G. (Z) 4182–4186 [4114–4118]
- Gill, D. M. (Z) 5145–5148 [5067–5070]
- Gill, R. (Z) 1700–1703 [1676–1679], (A) 7714–7736 [7602–7625]
- Gilleron, M. (Z) 9880–9884 [9734–9738]
- Gillies, R. J. (Z) 1709–1712 [1685–1688]
- Gilmore, J. M. Berichtigung: 7902
- Gilon, C. (Z) 2633–2637 [2595–2599]
- Gin, D. Y.
- Synthesis of QS-21-Xylose: Establishment of the Immunopotentiating Activity of Synthetic QS-21 Adjuvant with a Melanoma Vaccine (Z) 6495–6498 [6395–6398]
DOI: 10.1002/ange.200801885
- Synthetic Access to the Chlorocyclopentane Cores of the Proposed Original and Revised Structures of Palau'amine (Z) 6927–6930 [6821–6824]
DOI: 10.1002/ange.200801969
- Giniger, R. (Z) 6368–6370 [6272–6274]
- Gioia, C. (Z) 9376–9379 [9236–9239]
- Giorgio, T. D. (Z) 7975–7978 [7857–7860]
- Girard, A.-L. (Z) 905–907 [891–893]
- Giraud, N.
- Protein Crystallography through Supramolecular Interactions between a Lanthanide Complex and Arginine (Z) 3436–3439 [3388–3391]
DOI: 10.1002/ange.200704683
- Girault, H. H.
- H_2O_2 Generation by Decamethylferrocene at a Liquid/Liquid Interface (Z) 4753–4756 [4675–4678]
DOI: 10.1002/ange.200801004
- Girault, H. H. (Z) 2686–2688 [2646–2648]
- Girbal, L. (Z) 2082–2084 [2052–2054]
- Girerd, J.-J. (Z) 7172–7175 [7064–7067]
- Giri, R. (Z) 5293–5297 [5215–5219]
- Giuseppone, N. (Z) 2267–2271 [2235–2239]
- Glandsorp, F. G. (Z) 2850–2854 [2808–2812]
- Glas, A. F. (Z) 10230–10234 [10076–10080]
- Glaser, J. (Z) 7658–7661 [7547–7550]
- Glatzel, P. (Z) 9400–9404 [9260–9264]
- Glaubitz, C.
- The Structure of the Neuropeptide Bradykinin Bound to the Human G-Protein Coupled Receptor Bradykinin B2 as Determined by Solid-State NMR Spectroscopy (Z) 1692–1695 [1668–1671]
DOI: 10.1002/ange.200704282
- Glazer, E. C. (Z) 912–915 [898–901]
- Glazer, I. (Z) 1968–1971 [1942–1945]
- Gleason, J. L.
- Stable 5-Substituted Cyclopentadienes for the Diels–Alder Cycloaddition and their Application to the Synthesis of Palau'amine (Z) 9017–9020 [8885–8888]
DOI: 10.1002/ange.200803344
- Glettner, B. (Z) 6169–6172 [6080–6083], 9203–9206 [9063–9066]
- Gligorich, K. M. (Z) 3263–3266 [3219–3222]
- Gloer, J. B. (Z) 3629–3633 [3573–3577]
- Glorius, F.
- Asymmetrische Kreuzkupplung von nicht-aktivierten sekundären Alkylhalogeniden (H) 8474–8476 [8347–8349]
DOI: 10.1002/ange.200803509
- Palladium-katalysierte oxidative Cyclisierung von *N*-Aryl-Enaminen: von Anilinen zu Indolen (Z) 7340–7343 [7230–7233]
DOI: 10.1002/ange.200802482
- Prolinkatalysierte hochenantio- und *anti*-selektive Mannich-Reaktion nichtaktivierter Ketone – Synthese chiraler α -Aminosäuren (Z) 10134–10137 [9985–9988]
DOI: 10.1002/ange.200803515
- Glossop, P. A. (Z) 2914–2917 [2872–2875]
- Glube, N. (Z) 4826–4830 [4748–4752]
- Gnanou, Y.
- Harnessing the Potential of N-Heterocyclic Carbenes for the Rejuvenation of Group-Transfer Polymerization of (Meth)Acrylics (Z) 5470–5473 [5390–5393]
DOI: 10.1002/ange.200800490
- Goddard, R. (Z) 3254–3258 [3210–3214], 5157–5159 [5079–5081], 8578–8582 [8450–8454]
- Goddard III, W. A.
- Facile Oxy-Functionalization of a Nucleophilic Metal Alkyl with a *cis*-Dioxo Metal Species via a (2 + 3) Transition State (Z) 7967–7970 [7849–7852]
DOI: 10.1002/ange.200802575
- Godel, T. (Z) 4588–4591 [4512–4515]
- Goedl, C. (Z) 10240–10243 [10086–10089]
- Goeke, A.
- Gold-Catalyzed Cycloisomerization of Cyclopropyl Alkynyl Acetates: A Versatile Approach to 5-, 6-, and 7-Membered Carbocycles (Z) 10264–10267 [10110–10113]
DOI: 10.1002/ange.200804202
- Goeldner, M. (Z) 3236–3239 [3192–3195], 9667–9671 [9525–9529]
- Goessler, W. (Z) 2705–2707 [2665–2667]
- Goff, R. D. (Z) 9021–9024 [8889–8892]
- Gogotsi, Y.
- Desolvation of Ions in Subnanometer Pores and Its Effect on Capacitance and Double-Layer Theory (Z) 3440–3443 [3392–3395]
DOI: 10.1002/ange.200704894
- Nanoscale Corona Discharge in Liquids, Enabling Nanosecond Optical Emission Spectroscopy (Z) 8140–8144 [8020–8024]
DOI: 10.1002/ange.200802891
- Goldberg, I. (Z) 6522–6525 [6422–6425]
- Goldberg, K. I.
- Intermolecular Hydroarylation of Unactivated Olefins Catalyzed by Homogeneous Platinum Complexes (Z) 7808–7810 [7694–7696]
DOI: 10.1002/ange.200800524
- Golding, B. T. (Z) 3298–3301 [3254–3257]
- Goldup, S. M. (Z) 3429–3432 [3381–3384], 4464–4468 [4392–4396], 7107–7111 [6999–7003]
- Golhen, S. (Z) 8815–8819 [8687–8691]
- Gölitz, P.
- Editorial: Appelle 7254–7256 [7144–7145]
DOI: 10.1002/ange.200803308
- Editorial: 2007/5000/500/10/2008/120/75/48 → 52/CEJ/CAJ/CMC/CSC – ohne Worte? 5–9 [5–9]
DOI: 10.1002/ange.200705239
- Gómez, A. (Z) 6321–6324 [6225–6228]
- Gómez Castaño, J. A. (Z) 10268–10272 [10114–10118]
- Gómez-Herrero, J.
- Highly Conductive Supramolecular Nanostructures of a Covalently Linked Phthalocyanine– C_{60} Fullerene Conjugate (Z) 2056–2061 [2026–2031]
DOI: 10.1002/ange.200705260
- Gómez-Navarro, C. (Z) 2056–2061 [2026–2031]
- Gong, K. (Z) 5526–5530 [5446–5450]
- Gong, L.-Z.
- Organocatalytic Asymmetric Formal [3 + 2] Cycloaddition Reaction of Isocyan-

- esters to Nitroolefins Leading to Highly Optically Active Dihydropyrroles (Z) 3462–3465 [3414–3417]
DOI: 10.1002/ange.200800003
- Organocatalytic Asymmetric Three-Component Cyclization of Cinnamaldehydes and Primary Amines with 1,3-Dicarbonyl Compounds: Straightforward Access to Enantiomerically Enriched Dihydropyridines (Z) 2492–2496 [2458–2462]
DOI: 10.1002/ange.200705300
- Gonsalvi, L. (Z) 3826–3828 [3766–3768]
- Gonzales, J. M. (Z) 7967–7970 [7849–7852]
- González-Calera, S. (Z) 1127–1130 [1111–1114]
- Goodby, J. W.
- Übertragung und Amplifikation von Informationen und Eigenschaften in nanostrukturierten Flüssigkristallen (A) 2794–2828 [2754–2787]
DOI: 10.1002/ange.200701111
- Goodin, D. B.
- Probing Inducible Nitric Oxide Synthase with a Pterin–Ruthenium(II) Sensitizer Wire (Z) 912–915 [898–901]
DOI: 10.1002/ange.200703743
- Gooding, J. J.
- Introducing Distinctly Different Chemical Functionalities onto the Internal and External Surfaces of Mesoporous Materials (Z) 2737–2739 [2697–2699]
DOI: 10.1002/ange.200704784
- Goodwin, A. L. (Z) 1418–1421 [1396–1399]
- Goody, R. S. (Z) 3807–3810 [3747–3750]
- Gooßen, K. (A) 3144–3164 [3100–3120]
- Gooßen, L. J.
- Carbonsäuren als Substrate in der homogenen Katalyse (A) 3144–3164 [3100–3120]
DOI: 10.1002/ange.200704782
- Pd/Cu-katalysierte decarboxylierende Kreuzkupplung von Arylchloriden und Kaliumcarboxylaten (Z) 7211–7214 [7103–7106]
DOI: 10.1002/ange.200800728
- Synthese von Ketonen aus α -Oxocarboxylaten und Arylbromiden durch Cu/Pd-katalysierte decarboxylierende Kreuzkupplung (Z) 3085–3088 [3043–3045]
DOI: 10.1002/ange.200705127
- Synthesis of Secondary Enamides by Ruthenium-Catalyzed Selective Addition of Amides to Terminal Alkynes (Z) 8620–8623 [8492–8495]
DOI: 10.1002/ange.200803068
- Gorb, S. (Z) 4668–4670 [4592–4594]
- Gordon, V. D. (Z) 3028–3031 [2986–2989]
- Gorelsky, S. I. (Z) 1432–1435 [1410–1413], 10085–10088 [9937–9940]
- Gornitzka, H. (Z) 2303–2306 [2271–2274]
- Gorshkov, A. V. (Z) 3306–3310 [3262–3266]
- Gorteau, V. (Z) 935–937 [921–923]
- Görtz, V. (A) 2794–2828 [2754–2787]
- Gösele, U. (Z) 6272–6274 [6177–6179], 7112–7116 [7004–7008]
- Gosmini, C.
- Efficient Cobalt-Catalyzed Formation of Unsymmetrical Biaryl Compounds and Its Application in the Synthesis of a Sartan Intermediate (Z) 2119–2122 [2089–2092]
DOI: 10.1002/ange.200704402
- Gothelf, K. V.
- Bridging One Helical Turn in Double-Stranded DNA by Templated Dimerization of Molecular Rods (Z) 5651–5654 [5569–5572]
DOI: 10.1002/ange.200800819
- Surface Synthesis of 2D Branched Polymer Nanostructures (Z) 4478–4482 [4406–4410]
DOI: 10.1002/ange.200705079
- Goto, A. (Z) 3663–3665 [3607–3609]
- Goto, T. (Z) 4815–4817 [4737–4739]
- Gotoh, H. (Z) 4076–4079 [4012–4015], 6736–6739 [6634–6637]
- Gourdon, A.
- Kovalente Kupplung auf Oberflächen im Ultrahochvakuum (H) 7056–7059 [6950–6953]
DOI: 10.1002/ange.200802229
- Gourdon, A. (Z) 7102–7106 [6994–6998]
- Gouré, E. (Z) 727–729 [715–717]
- Gouverneur, V.
- Fluorine-Directed Diastereoselective Iodocyclizations (Z) 363–366 [357–360]
DOI: 10.1002/ange.200703465
- Gold(I)-Catalyzed Alkoxyhalogenation of β -Hydroxy- α,α -Difluoroketones (Z) 8045–8048 [7927–7930]
DOI: 10.1002/ange.200802162
- Govindaswamy, P. (Z) 3833–3836 [3773–3776]
- Govorov, A. O. (Z) 5415–5419 [5335–5339]
- Grabley, S. (Z) 4059–4062 [3995–3998]
- Grabow, L. C. (H) 7500–7502 [7390–7392]
- Grachan, M. L. (Z) 1491–1494 [1469–1472]
- Gradinaru, J. (Z) 713–717 [701–705]
- Graff, R. (Z) 6962–6965 [6856–6859]
- Graham, D. V. (Z) 8199–8201 [8079–8081]
- Graham, K. (Z) 5000–5003 [4922–4925]
- Gramlich, P. M. E. (Z) 3491–3493 [3442–3444], (M) 8478–8487 [8350–8358]
- Grampp, G.
- Reversibler Austausch zwischen lokal angeregtem Fluorophor, Exciplex und Radikalionenpaar – ein neuer Magnetfeldefekt (Z) 974–976 [960–962]
DOI: 10.1002/ange.200703488
- Grandin, M. (Z) 6279–6283 [6184–6188]
- Grant, G. A. (Z) 684–688 [672–676]
- Grass, M. E. (Z) 9025–9028 [8893–8896]
- Grassot, J.-M. (Z) 961–964 [947–950]
- Grätzel, M.
- Organic Dye-Sensitized Ionic Liquid Based Solar Cells: Remarkable Enhancement in Performance through Molecular Design of Indoline Sensitizers (Z) 1949–1953 [1923–1927]
DOI: 10.1002/ange.200705225
- Grätzel, M. (Z) 333–336 [327–330], 8383–8387 [8259–8263]
- Grau, S. (Z) 1352–1355 [1332–1334]
- Gray, H. B. (Z) 912–915 [898–901], (E) 6860–6868 [6758–6765]
- Gray, S. K. (Z) 5091–5095 [5013–5017]
- Grayson, E. J. (Z) 2276–2279 [2244–2247]
- Grecian, S. (Z) 8409–8411 [8285–8287]
- Greco, N. J. (Z) 6763–6767 [6661–6665]
- Green, J. C. (Z) 3861–3864 [3801–3804]
- Green, M. E. (Z) 7427–7430 [7317–7320]
- Green, M. J. (Z) 570–573 [560–563]
- Green, S. P. (Z) 9219–9223 [9079–9083]
- Greenberg, W. A. (Z) 4483–4487 [4411–4415]
- Greenfield, M. T. (Z) 4996–4999 [4918–4921]
- Gregoliński, J. Berichtigung: 10164
- Grela, K.
- Die Metathese kleiner Ringe – lohnenswert und anspruchsvoll zugleich (H) 5586–5589 [5504–5507]
DOI: 10.1002/ange.200801575
- Grélaud, A. (Z) 1739–1742 [1715–1718]
- Greshock, T. J. (Z) 3629–3633 [3573–3577]
- Greulich, K.-O.
- Die Welleneigenschaft schwerer Moleküle – und ihre Anwendung in der Massenspektrometrie (H) 8110–8111 [7990–7991]
DOI: 10.1002/ange.200803290
- Griera, R. (Z) 3396–3399 [3348–3351]
- Gries, K. (Z) 9078–9082 [8946–8949]
- Griesinger, C.
- Crystallography-Independent Determination of Ligand Binding Modes (Z) 7850–7854 [7736–7740]
DOI: 10.1002/ange.200801792
- Dynamics in the p38 α MAP Kinase–SB203580 Complex Observed by Liquid-State NMR Spectroscopy (Z) 3604–3607 [3548–3551]
DOI: 10.1002/ange.200705614
- RDC-Enhanced NMR Spectroscopy in Structure Elucidation of Sucro-Neolambertellin (Z) 2062–2064 [2032–2034]
DOI: 10.1002/ange.200705037
- Griffiths, A. D.
- Tropfenbasierte Mikroreaktoren für die Synthese von magnetischen Eisenoxid-Nanopartikeln (Z) 6923–6926 [6817–6820]
DOI: 10.1002/ange.200801360
- Grimm, S. K. (Z) 7850–7854 [7736–7740]
- Grimme, S.
- Gibt es spezielle nicht-kovalente π - π -Stapelwechselwirkungen wirklich? (Z) 3478–3483 [3430–3434]
DOI: 10.1002/ange.200705157
- Grimme, S. (Z) 2662–2665 [2622–2625], 8855–8858 [8727–8730]
- Grin, Yu. (Z) 6895–6898 [6790–6793]
- Gring, M. (Z) 6290–6293 [6195–6198]
- Grishin, Yu. K. (Z) 1123–1126 [1107–1110]
- Groff, D. (Z) 8344–8347 [8220–8223]
- Gröger, H.
- Modulare chemoenzymatische Eintopfsynthesen im wässrigen Medium: Kombination einer Palladium-katalysierten Kreuzkupplung mit einer asymmetrischen Biotransformation (Z) 9693–9696 [9551–9554]
DOI: 10.1002/ange.200801341
- Gröning, M. (Z) 7241–7244 [7132–7135]
- Gropp, E.
- Structure and Redox Activity of Copper Sites Isolated in a Nanoporous P4VP Polymeric Matrix (Z) 9409–9413 [9269–9273]
DOI: 10.1002/ange.200802815
- Grosjean, C. (Z) 780–782 [768–770]
- Groß, A. (Z) 3881–3885 [3821–3825]
- Gross, D. E. (Z) 5116–5120 [5038–5042]
- Gross, M. (Z) 10127–10129 [9979–9981]
- Gross, Z.
- Amphiphilic/Bipolar Metallocorroles That Catalyze the Decomposition of Reactive

- Oxygen and Nitrogen Species, Rescue Lipoproteins from Oxidative Damage, and Attenuate Atherosclerosis in Mice (Z) 8014–8018 [7896–7900]
DOI: 10.1002/ange.200801149
- Dioxomangan(V)-Komplexe nach Groves und Spiro (H) 2777–2779 [2737–2739]
DOI: 10.1002/ange.200705750
- Grossel, M. C. (Z) 8762–8765 [8634–8637]
Grossheimann, G. Berichtigung: 3722
- Grossmann, T. N. (Z) 7228–7231 [7119–7122]
- Grove, R. C. (Z) 84–87 [78–81]
Groves, J. T.
- Cage Escape Competes with Geminate Recombination during Alkane Hydroxylation by the Diiron Oxygenase AlkB (Z) 5310–5312 [5232–5234]
DOI: 10.1002/ange.200801184
- Grubbs, A. W. (Z) 3629–3633 [3573–3577]
Gruber, C. C. (Z) 753–757 [741–745]
Gruebele, M.
- Echtzeitnachweis von Änderungen im Protein-Wassernetzwerk während der Proteinfaltung mit Terahertz-Absorptionsspektroskopie (Z) 6586–6589 [6486–6489]
DOI: 10.1002/ange.200802281
- Grünanger, C. U. (Z) 7456–7459 [7346–7349]
- Grundmann, M. (Z) 6272–6274 [6177–6179]
Grunenberg, J. (Z) 800–804 [788–792]
Grunert, C. M. (Z) 3039–3041 [2997–2999]
Gruppi, F. (Z) 800–804 [788–792]
Grützmaker, H.
- Ethanol als Wasserstoffdonor in hoch effizienten Transferhydrierungen mit Rhodium(I)-Amidkatalysatoren (Z) 3289–3293 [3245–3249]
DOI: 10.1002/ange.200704685
- Kooperierende Liganden in der Katalyse (H) 1838–1842 [1814–1818]
DOI: 10.1002/ange.200704654
- Grützmaker, H. (A) 4558–4579 [4482–4502]
- Grzelakowski, M. (Z) 7137–7139 [7029–7031]
Grzesiek, S.
- Structure and Dynamics of ^{13}C , ^{15}N -Labeled Lipopolysaccharides in a Membrane Mimetic (Z) 10018–10022 [9870–9874]
DOI: 10.1002/ange.200803474
- Gsponer, J.
- Identification of Aggregation-Prone Elements by Using Interaction-Energy Matrices (Z) 7377–7379 [7267–7269]
DOI: 10.1002/ange.200802345
- Gu, F. N. (Z) 3466–3469 [3418–3421]
Gu, L. (Z) 8592–8595 [8464–8467]
Gu, Wei (Z) 7738–7742 [7626–7630]
Gu, Weixing (Z) 1503–1506 [1481–1484]
Gu, X.-B. (Z) 9174–9178 [9034–9038]
Guan, B.-T. (Z) 10278–10281 [10124–10127]
Guan, J. (Z) 6141–6143 [6052–6054]
Guan, X. (Z) 6749–6751 [6647–6649]
Guan, X.-Y. (Z) 4272–4275 [4204–4207]
Guari, Y. (Z) 8360–8364 [8236–8240]
Gudat, D. (Z) 1535–1537 [1512–1514], 4660–4663 [4584–4587]
Guebitz, G. M. (Z) 9477–9480 [9337–9340]
- Guengerich, F. P.
- Direct Detection and Mapping of Sites of Base Modification in DNA Fragments by Tandem Mass Spectrometry (Z) 387–390 [381–384]
DOI: 10.1002/ange.200703942
- Guenther, D. R. (Z) 5257–5260 [5179–5182]
Guerchais, V. (Z) 587–590 [577–580]
Gug, S. (Z) 9667–9671 [9525–9529]
Guiard, J. (Z) 9880–9884 [9734–9738]
Guieu, S. (Z) 7168–7171 [7060–7063]
Guigliarelli, B. (Z) 2082–2084 [2052–2054]
Guilera, G. (Z) 9443–9446 [9303–9306]
Guillon, D. (Z) 500–505 [490–495]
Guillot, R. (Z) 7172–7175 [7064–7067], 10096–10098 [9948–9950]
Guillou, N. (Z) 4168–4173 [4100–4105]
Guin, J. (Z) 791–794 [779–782], 8855–8858 [8727–8730]
Guiu-Rozas, E. (Z) 3807–3810 [3747–3750]
Guldi, D. M.
- $\text{Sc}_3\text{N@C}_{80}$ -Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications (Z) 4241–4244 [4173–4176]
DOI: 10.1002/ange.200800473
- Gulias, M. (Z) 965–968 [951–954]
Gumireddy, K. (Z) 7592–7594 [7482–7484]
Gunanathan, C. (Z) 8789–8792 [8661–8664]
Gunnlaugsdottir, H. (Z) 2705–2707 [2665–2667]
Gunnoe, T. B.
- Activation of sp^3 Carbon–Hydrogen Bonds by a Ruthenium(II) Complex and Subsequent Metal-Mediated C–C and C–N Bond Formation (Z) 738–742 [726–730]
DOI: 10.1002/ange.200704614
- Günther, M. (Z) 4831–4833 [4753–4755]
Guo, C. (Z) 3462–3465 [3414–3417]
Guo, G.-C.
- Photochromism of a 3D Cd^{II} Complex with Two Captured Ligand Isomers Generated In Situ from the Same Precursor (Z) 3621–3623 [3565–3567]
DOI: 10.1002/ange.200705545
- Wavelength-Dependent Photochromic Inorganic–Organic Hybrid Based on a 3D Iodopluumbate Open-Framework Material (Z) 4217–4220 [4149–4152]
DOI: 10.1002/ange.200800603
- Guo, Hongchen (Z) 6141–6143 [6052–6054]
Guo, Hongyou (Z) 2666–2670 [2626–2630]
Guo, Jia (Z) 8958–8962 [8826–8830]
Guo, Jiantao (Z) 734–737 [722–725], 6499–6501 [6399–6401]
Guo, Jun (Z) 2285–2287 [2253–2255]
Guo, M. (Z) 2311–2314 [2279–2282]
Guo, Q.-S. (Z) 771–774 Berichtigung: 1564 [759–762 Berichtigung: 1541]
Guo, S.-P. (Z) 4217–4220 [4149–4152]
Guo, S.-X. (Z) 4456–4459 [4384–4387]
Guo, Xin (Z) 6749–6751 [6647–6649]
Guo, Xuelei (Z) 6752–6755 [6650–6653]
Guo, Z. (Z) 3807–3810 [3747–3750]
Gupta, I. (Z) 4639–4643 [4563–4567]
Gupta, T. (Z) 2292–2294 [2260–2262], 5402–5406 [5322–5326]
Gust, R. (Z) 969–973 [955–959]
Gutkin, V. (Z) 4488–4492 [4416–4420]
Gütlich, P.
- Mixed Spin-State [HS-LS] Pairs in a Dinuclear Spin-Transition Complex: Confirmation by Variable-Temperature ^{57}Fe Mössbauer Spectroscopy (Z) 3039–3041 [2997–2999]
DOI: 10.1002/ange.200705778
- Gütlich, P. (Z) 6533–6537 [6433–6437]
Gutmann, J. S. (Z) 8528–8531 [8400–8403]
Gütschow, M.
- Azadipeptidnitrile – hochpotente und proteolysestabile Inhibitoren Papain-ähnlicher Cysteinproteasen (Z) 4403–4406 [4331–4334]
DOI: 10.1002/ange.200705858
- Gutsol, A. (Z) 8140–8144 [8020–8024]
Güttler, S. (Z) 7241–7244 [7132–7135]
Güven, A. (Z) 7137–7139 [7029–7031]
Guyenne, S. (Z) 1146–1149 [1130–1133]



- Haak, R. M. (Z) 5075–5079 [4997–5001]
Haapala, M. (Z) 7552–7555 [7442–7445]
Haase, C. (H) 1575–1579 [1553–1556], (Z) 6912–6915 [6807–6810]
Habas, S. E. (Z) 5687–5690 [5605–5608]
Haber, A. (Z) 8014–8018 [7896–7900]
Häber, T. (Z) 10248–10251 [10094–10097]
Haberecht, M. C. (Z) 1686–1691 [1662–1667]
Haberhauer, G.
- Steuerung planarer Chiralität – der Bau eines Kupferionen-betriebenen chiralen molekularen Scharniers (Z) 3691–3694 [3635–3638]
DOI: 10.1002/ange.200800062
- Hachisu, S. (Z) 1458–1460 [1436–1438]
Hachiya, M. (Z) 6097–6099 [6008–6010]
Hackenberger, C. P. R.
- Chemosensitive Ligations- und Modifikationsstrategien für Peptide und Proteine (A) 10182–10228 [10030–10074]
DOI: 10.1002/ange.200801313
- Chemosensitive Peptidcyclisierung über spurlose Staudinger-Ligation (Z) 6073–6077 [5984–5988]
DOI: 10.1002/ange.200801514
- Stereochemie in Bündenstock: chemische Biologie und organische Synthese im Blickpunkt (T) 5578–5581 [5496–5499]
DOI: 10.1002/ange.200802643
- Haddleton, D. M.
- Simultaneous Copper(I)-Catalyzed Azide–Alkyne Cycloaddition (CuAAC) and Living Radical Polymerization (Z) 4248–4251 [4180–4183]
DOI: 10.1002/ange.200800179
- Haenssler, F. (Z) 3306–3310 [3262–3266]
Hafner, I. (Z) 713–717 [701–705]
Hahn, B. T. (Z) 10134–10137 [9985–9988]
Hahn, F. E.
- Carbodicarbene: Verbindungen mit zweibindigem Kohlenstoff(0)-Atom (H) 4122–4126 [4057–4061]
DOI: 10.1002/ange.200800846
- Heterocyclische Carbene – Synthese und Koordinationsschemie (A) 3166–3216 [3122–3172]
DOI: 10.1002/ange.200703883
- Heterodimetall-Dreistranghelicate mit direktionalen Benzol-*o*-dithiolat/Brenzcate-

- chinat-Liganden
 (Z) 6899–6902 [6794–6797]
 DOI: 10.1002/ange.200801172
- Håkansson, S. (Z) 8634–8637 [8506–8509]
- Hakoda, Y. (Z) 506–509 [496–499]
- Halder, G. J. (Z) 1418–1421 [1396–1399],
 9061–9064 [8929–8932]
- Halder, R. (Z) 4797–4799 [4719–4721]
- Hales, J. M. (Z) 7203–7206 [7095–7098]
- Halet, J.-F. (Z) 2333–2336 [2301–2303]
- Haley, M. M.
 – Water and Hydrogen Halides Serve the Same Structural Role in a Series of 2 + 2 Hydrogen-Bonded Dimers Based on 2,6-Bis(2-anilinoethynyl)pyridine Sulfonamide Receptors
 (Z) 123–126 [117–120]
 DOI: 10.1002/ange.200703971
- Halfen, J. A. (Z) 1922–1925 [1896–1899]
- Hall, A. W. (A) 2794–2828 [2754–2787]
- Hall, D. G.
 – Direct and Waste-Free Amidations and Cycloadditions by Organocatalytic Activation of Carboxylic Acids at Room Temperature
 (Z) 2918–2921 [2876–2879]
 DOI: 10.1002/ange.200705468
- Halliday, D. (Z) 896–901 [882–887]
- Hamashima, Y. (Z) 4264–4267 [4196–4199]
- Hamed, R. B. (Z) 9462–9465 [9322–9325]
- Hamel, C. (Z) 10235–10239 [10081–10085]
- Hamilton, A. D.
 – Controlling Curvature in a Family of Oligoamide α -Helix Mimetics
 (Z) 9837–9840 [9691–9694]
 DOI: 10.1002/ange.200803778
- Hamilton, D. (Z) 5713–5715 [5631–5633]
- Hamilton, J. T. G. (Z) 5437–5441 [5357–5361]
- Hammond, G. B.
 – Thermodynamically Favored Aldol Reaction of Propargyl or Allenyl Esters: Regioselective Synthesis of Carbinol Allenates
 (Z) 701–704 [689–692]
 DOI: 10.1002/ange.200704221
- Hamon, J.-R.
 – Dramatic Remote Substituent Effects on the Electronic Spin State of Bis(scorpionate) Iron(II) Complexes
 (Z) 8815–8819 [8687–8691]
 DOI: 10.1002/ange.200802567
- Hamon, P. (Z) 8815–8819 [8687–8691]
- Hamura, T. (Z) 2280–2284 [2248–2252]
- Hamza, A. (Z) 2469–2472 [2435–2438]
- Han, A.-R. (Z) 7431–7434 [7321–7324]
- Han, Bing
 – Efficient Aerobic Oxidative Synthesis of 2-Substituted Benzoxazoles, Benzothiazoles, and Benzimidazoles Catalyzed by 4-Methoxy-TEMPO
 (Z) 9470–9473 [9330–9333]
 DOI: 10.1002/ange.200803381
- Han, Bo (Z) 10119–10122 [9971–9974]
- Han, Buxing
 – Hydrogenation of Carbon Dioxide is Promoted by a Task-Specific Ionic Liquid
 (Z) 1143–1145 [1127–1129]
 DOI: 10.1002/ange.200704487
- Nanoemulsions Induced by Compressed Gases
 (Z) 3054–3057 [3012–3015]
 DOI: 10.1002/ange.200705362
- Reversible Switching of Lamellar Liquid Crystals into Micellar Solutions using CO₂
 (Z) 10273–10277 [10119–10123]
 DOI: 10.1002/ange.200803753
- Han, Byunghee (Z) 10305–10308 [10151–10154]
- Han, J. (Z) 1079–1083 [1063–1067]
- Han, J.-Y. (Z) 7580–7584 [7470–7474]
- Han, M. (Z) 5241–5244 [5163–5166]
- Han, O. H.
 – Methanol Behavior in Direct Methanol Fuel Cells
 (Z) 100–102 [94–96]
 DOI: 10.1002/ange.200703190
- Han, S. (Z) 2319–2321 [2287–2289]
- Han, S.-S. (Z) 2504–2508 [2470–2474]
- Han, W.-Q.
 – Synthesis of Ultrathin Palladium and Platinum Nanowires and a Study of Their Magnetic Properties
 (Z) 2085–2088 [2055–2058]
 DOI: 10.1002/ange.200704707
- Han, X. (Z) 5420–5423 [5340–5343]
- Han, Y. (Z) 6104–6107 [6015–6018]
- Handa, S. (Z) 3274–3277 [3230–3233]
- Handl, H. L. (Z) 1709–1712 [1685–1688]
- Haneda, T. (Z) 1289–1291 [1269–1271]
- Hanes, J.
 – Addressing the PEG Mucoadhesivity Paradox to Engineer Nanoparticles that “Slip” through the Human Mucus Barrier
 (Z) 9872–9875 [9726–9729]
 DOI: 10.1002/ange.200803526
- Hanes, J. W. (Z) 2132–2135 [2102–2105]
- Hanessian, S.
 – Aeruginosine: Chemie und Biologie der Serinprotease-Inhibitoren
 (A) 1220–1242 [1202–1223]
 DOI: 10.1002/ange.200605219
- Hanfland, M. (Z) 6895–6898 [6790–6793]
- Hangauer, M. J. (Z) 2428–2431 [2394–2397]
- Hannam, J. S. (Z) 3218–3223 [3174–3179]
- Hänni, D. (Z) 6279–6283 [6184–6188]
- Hansen, H. A. (Z) 4761–4764 [4683–4686]
- Hansen, T. W. (Z) 5083–5086 [5005–5008]
- Hao, J. (Z) 2666–2670 [2626–2630]
- Hapka, D. (Z) 10333–10336 [10179–10182]
- Hara, Keiichi (Z) 6966–6970 [6860–6864]
- Hara, Kenji
 – Self-Assembled Monolayers of Compact Phosphanes with Alkanethiolate Pendant Groups: Remarkable Reusability and Substrate Selectivity in Rh Catalysis
 (Z) 5709–5712 [5627–5630]
 DOI: 10.1002/ange.200800884
- Hara, N. (Z) 9443–9446 [9303–9306]
- Hara, Y. (Z) 6792–6795 [6690–6693]
- Harada, A.
 – Single-Molecule Imaging of Rotaxanes Immobilized on Glass Substrates: Observation of Rotary Movement
 (Z) 6166–6168 [6077–6079]
 DOI: 10.1002/ange.200801431
- Harada, T.
 – Catalytic Asymmetric Alkylation of Aldehydes with Grignard Reagents
 (Z) 1104–1106 [1088–1090]
 DOI: 10.1002/ange.200704963
- Haraguchi, N. (Z) 8356–8359 Berichtigung: 9119 [8232–8235 Berichtigung: 8983]
- Harbuzaru, B. V. (Z) 1096–1099 [1080–1083]
- Hardcastle, K. I. (K) 9520–9522 [9380–9382]
- Harder, S.
 – Calcium Amidoborane Hydrogen Storage Materials: Crystal Structures of Decomposition Products
 (Z) 6386–6391 [6290–6295]
 DOI: 10.1002/ange.200802037
- Early Main-Group Metal Catalysts for the Hydrogenation of Alkenes with H₂
 (Z) 9576–9580 [9434–9438]
 DOI: 10.1002/ange.200804657
- Remarkable Stability of Metallocenes with Superbulky Ligands: Spontaneous Reduction of Sm^{III} to Sm^{II}
 (Z) 2151–2156 [2121–2126]
 DOI: 10.1002/ange.200705001
- Hardin, A. R. (Z) 6752–6755 [6650–6653]
- Hargreaves, J. S. J. (Z) 4456–4459 [4384–4387]
- Harmata, M.
 – An Interrupted [4 + 3] Cycloaddition Reaction: A Hydride Shift (Ene Reaction) Intervenes
 (Z) 8824–8827 [8696–8699]
 DOI: 10.1002/ange.200803487
- Harms, K. (Z) 10134–10137 [9985–9988]
- Haroun, S. (Z) 7845–7849 [7731–7735]
- Harper, J. C. (Z) 2671–2674 [2631–2634]
- Harriman, A. (M) 1202–1219 [1184–1201]
- Harrington, R. W. (Z) 6304–6307 [6208–6211]
- Harrison, D. J.
 – Microfluidic Self-Patterning of Large-Scale Crystalline Nanoarrays for High-Throughput Continuous DNA Fractionation
 (Z) 6488–6491 [6388–6391]
 DOI: 10.1002/ange.200800816
- Harrison, W. T. A. (Z) 8762–8765 [8634–8637]
- Harrowfield, J. (Z) 2518–2522 [2484–2488]
- Hartgerink, J. D.
 – Nanofibers and Lyotropic Liquid Crystals from a Class of Self-Assembling β -Peptides
 (Z) 1261–1264 [1241–1244]
 DOI: 10.1002/ange.200704372
- Hartig, J. S.
 – Ein Aptazym-Design für die RNA-basierte Schaltung der Genexpression in Bakterien
 (Z) 2643–2646 [2604–2607]
 DOI: 10.1002/ange.200703700
- Hartschuh, A.
 – Spitzenverstärkte optische Nahfeldmikroskopie
 (A) 8298–8312 [8178–8191]
 DOI: 10.1002/ange.200801605
- Hartwig, J. F.
 – Direct, Iridium-Catalyzed Enantioselective and Regioselective Allylic Etherification with Aliphatic Alcohols
 (Z) 1954–1957 [1928–1931]
 DOI: 10.1002/ange.200705267
- Iridium-Catalyzed H/D Exchange at Vinyl Groups without Olefin Isomerization
 (Z) 5867–5871 [5783–5787]
 DOI: 10.1002/ange.200801992
- Palladium-Catalyzed α -Arylation of Aldehydes with Bromo- and Chloroarenes Catalyzed by [(Pd(allyl)Cl)₂] and dppf or Q-phos
 (Z) 2157–2160 [2127–2130]
 DOI: 10.1002/ange.200705357
- Haruta, M.
 – Influence of the Support and the Size of Gold Clusters on Catalytic Activity for Glucose Oxidation
 (Z) 9405–9408 [9265–9268]
 DOI: 10.1002/ange.200802845
- Harutyunyan, S. R. (Z) 404–407 [398–401]
- Harvey, J. N. (Z) 5145–5148 [5067–5070]

- Hasegawa, Hayato (Z) 6097–6099 [6008–6010]
 Hasegawa, Hirokazu (Z) 10031–10034 [9883–9886]
 Hasegawa, K. (Z) 108–111 [102–105]
 Haselhorst, T. (Z) 1936–1938 [1910–1912]
 Hasenbein, S. (Z) 1352–1355 [1332–1334]
 Hashimoto, M.
 – RDC-Enhanced NMR Spectroscopy in Structure Elucidation of Sucro-Neolambertellin (Z) 2062–2064 [2032–2034]
 DOI: 10.1002/ange.200705037
 Hashimoto, Shuji (Z) 6792–6795 [6690–6693]
 Hashimoto, Shunichi
 – Total Synthesis of Pinnatoxin A (Z) 7199–7202 [7091–7094]
 DOI: 10.1002/ange.200802729
 Hashimoto, T. (Z) 9608–9610 [9466–9468]
 Hashizume, D. (Z) 1289–1291 [1269–1271], 4264–4267 [4196–4199], 5276–5280 [5198–5202]
 Hashmi, A. S. K.
 – “High Noon” in der Gold-Katalyse: Carben versus Carbokation (H) 6856–6858 [6754–6756]
 DOI: 10.1002/ange.200802517
 Hassan, A. Q. (Z) 7390–7393 [7280–7283]
 Hassfeld, J. (Z) 3782–3786 [3722–3726]
 Hata, T. (Z) 6966–6970 [6860–6864]
 Hatakeyama, S.
 – Entry to Heterocycles Based on Indium-Catalyzed Conia-Ene Reactions: Asymmetric Synthesis of (–)-Salinosporamide A (Z) 6340–6342 [6244–6246]
 DOI: 10.1002/ange.200801967
 Hatch, D. M. (Z) 1285–1288 [1265–1268]
 Hatley, R. (Z) 3046–3049 [3004–3007]
 Hattori, G. (Z) 3841–3843 [3781–3783]
 Hauer, B. (Z) 7137–7139 [7029–7031]
 Hauert, R. (Z) 6272–6274 [6177–6179]
 Haukka, M. (Z) 4006–4009 [3942–3945]
 Hausch, F.
 – Betablocker in Aktion: die Struktur des β_2 -Adrenozeptors im Kristall (H) 3360–3362 [3314–3316]
 DOI: 10.1002/ange.200705971
 Hauske, P. (Z) 1352–1355 [1332–1334]
 Hausmann, M. (Z) 7241–7244 [7132–7135]
 Hauville, A. (Z) 9376–9379 [9236–9239]
 Hauwert, P. (Z) 3267–3270 [3223–3226]
 Hävecker, M. (Z) 9414–9418 [9274–9278]
 Havenith, M. (Z) 6586–6589 [6486–6489]
 Havran, L. (Z) 2089–2092 [2059–2062]
 Haw, J. F.
 – A Complete Catalytic Cycle for Supramolecular Methanol-to-Olefins Conversion by Linking Theory with Experiment (Z) 5257–5260 [5179–5182]
 DOI: 10.1002/ange.200705453
 Hawley, M. E. (Z) 5852–5855 [5768–5771]
 Hawner, C. (Z) 8334–8337 Berichtigung: 9315 [8211–8214 Berichtigung: 9176]
 Hay, B. P.
 – Benzene-, Pyrrole-, and Furan-Containing Diametrically Strapped Calix[4]pyrroles—An Experimental and Theoretical Study of Hydrogen-Bonding Effects in Chloride Anion Recognition (Z) 5116–5120 [5038–5042]
 DOI: 10.1002/ange.200801426
 Hay, S.
 – Are Environmentally Coupled Enzymatic Hydrogen Tunneling Reactions Influenced by Changes in Solution Viscosity? (Z) 547–550 [537–540]
 DOI: 10.1002/ange.200704484
 Hayakawa, N. (Z) 3474–3477 [3426–3429]
 Hayallah, A. M. (Z) 9707–9710 [9565–9568]
 Hayashi, N. (Z) 5824–5829 [5740–5745], 7140–7143 [7032–7035]
 Hayashi, T.
 – Rhodium-Catalyzed Rearrangement of Aryl Bis(alkynyl) Carbinols to 3-Alkynyl-1-indanones (Z) 1469–1471 [1447–1449]
 DOI: 10.1002/ange.200704818
 Hayashi, Y.
 – A Diarylprolinol in an Asymmetric, Catalytic, and Direct Crossed-Aldol Reaction of Acetaldehyde (Z) 2112–2114 [2082–2084]
 DOI: 10.1002/ange.200704870
 – Asymmetric Diels–Alder Reactions of α,β -Unsaturated Aldehydes Catalyzed by a Diarylprolinol Silyl Ether Salt in the Presence of Water (Z) 6736–6739 [6634–6637]
 DOI: 10.1002/ange.200801408
 – Asymmetric Michael Reaction of Acetaldehyde Catalyzed by Diphenylprolinol Silyl Ether (Z) 4800–4802 [4722–4724]
 DOI: 10.1002/ange.200801130
 – Diphenylprolinol Silyl Ether as a Catalyst in an Enantioselective, Catalytic, Formal Aza [3 + 3] Cycloaddition Reaction for the Formation of Enantioenriched Piperidines (Z) 4076–4079 [4012–4015]
 DOI: 10.1002/ange.200800662
 – Direct Organocatalytic Mannich Reaction of Acetaldehyde: An Improved Catalyst and Mechanistic Insight from a Computational Study (Z) 9193–9198 [9053–9058]
 DOI: 10.1002/ange.200802073
 – The Asymmetric Total Synthesis of (+)-Cytotrienin A, an Ansamycin-Type Anticancer Drug (Z) 6759–6762 [6657–6660]
 DOI: 10.1002/ange.200802079
 Hayashida, J. (Z) 4445–4448 [4373–4376]
 Hayden, E. J. (Z) 8552–8556 [8424–8428]
 Hayek, T. (Z) 8014–8018 [7896–7900]
 Hayman, M. J. (Z) 5257–5260 [5179–5182]
 Hayward, R. C.
 – Hierarchically Structured Microparticles Formed by Interfacial Instabilities of Emulsion Droplets Containing Amphiphilic Block Copolymers (Z) 2143–2146 [2113–2116]
 DOI: 10.1002/ange.200704863
 Hazari, N. (Z) 10089–10091 [9941–9943]
 Hazarika, P. (Z) 10321–10324 [10167–10170]
 He, A. (Z) 6688–6691 [6586–6589]
 He, Cheng (Z) 891–895 [877–881]
 He, Chuan
 – Diazirine-Based DNA Photo-Cross-Linking Probes for the Study of Protein–DNA Interactions (Z) 96–99 [90–93]
 DOI: 10.1002/ange.200703625
 He, Chuan (Z) 6514–6517 [6414–6417]
 He, F. (Z) 7368–7372 [7258–7262]
 He, H.-Y. (Z) 340–343 [334–337]
 He, Jian (Z) 4059–4062 [3995–3998]
 He, Jibao (Z) 9611–9613 [9469–9471]
 He, Jingjiang (Z) 359–362 [353–356]
 He, M. (Z) 6488–6491 [6388–6391]
 He, R. (Z) 9608–9610 [9466–9468]
 He, Yanmei (Z) 8592–8595 [8464–8467]
 He, Yi (Z) 2497–2499 [2463–2465]
 He, Yonggang (Z) 9638–9641 [9496–9499]
 He, Z. (Z) 891–895 [877–881]
 Heath, J. R.
 – Heterogeneous Catalysis through Microcontact Printing (Z) 10075–10080 [9927–9932]
 DOI: 10.1002/ange.200803480
 Hecht, L. (Z) 6492–6494 [6392–6394]
 Hecht, S.
 – Helixinversion in responsiven Foldameren durch achirale Gastmoleküle (Halogenidionen) (Z) 5004–5008 [4926–4930]
 DOI: 10.1002/ange.200800796
 – Photoschalten von Basizität (Z) 6056–6060 [5968–5972]
 DOI: 10.1002/ange.200802050
 Heck, A. J. R.
 – Stability and Shape of Hepatitis B Virus Capsids In Vacuo (Z) 6343–6347 [6247–6251]
 DOI: 10.1002/ange.200802410
 Heckel, A. (Z) 981–984 [967–970]
 Hedenström, M. (Z) 2838–2841 [2796–2799]
 Heeres, H. J.
 – Two-Phase (Bio)Catalytic Reactions in a Table-Top Centrifugal Contact Separator (Z) 3969–3972 [3905–3908]
 DOI: 10.1002/ange.200705426
 Heiden, Z. M. (Z) 9902–9905 [9756–9759]
 Heilemann, M.
 – Fluoreszenzmikroskopie unterhalb der optischen Auflösungsgrenze mit konventionellen Fluoreszenzsonden (Z) 6266–6271 [6172–6176]
 DOI: 10.1002/ange.200802376
 Heilemann, M. (Z) 5545–5550 [5465–5469]
 Heinemann, F. W. (Z) 2721–2724 [2681–2684], 9073–9077 [8941–8945], 10109–10112 [9961–9964]
 Heinemann, M. (Z) 5462–5465 [5382–5385]
 Heinke, L. (Z) 4018–4021 [3954–3957]
 Heinrich, M. R.
 – Synthese von Amino- und Hydroxybiphenylen durch radikalische Kettenreaktion von Aryldiazoniumsalzen (Z) 9270–9273 [9130–9133]
 DOI: 10.1002/ange.200803785
 Heisenberg, C.-P. (Z) 9921–9923 [9775–9777]
 Heiss, W. (Z) 3071–3075 [3029–3033]
 Heldebrant, D. J. (Z) 7603–7606 [7493–7496]
 Helenius, J. (Z) 9921–9923 [9775–9777]
 Hell, S. W.
 – Direct Light-Driven Modulation of Luminescence from Mn-Doped ZnSe Quantum Dots (Z) 2725–2728 [2685–2688]
 DOI: 10.1002/ange.200705111
 Helliwell, M. (Z) 3278–3281 [3234–3237]
 Helm, Mark (Z) 4398–4402 [4326–4330]
 Helm, Matthew (Z) 6907–6911 [6802–6806]
 Helmchen, G.
 – Iridiumkatalysierte asymmetrische allylische Substitutionen – sehr hohe Regioselektivität und Luftstabilität mit einem Katalysator auf der Basis von Dibenzo-[a,e]cyclooctatetraen und einem Phosphoramidit

- (Z) 7764–7767 [7652–7655]
DOI: 10.1002/ange.200802480
Helms, V.
– Mechanismus der schnellen Peptiderkennung durch SH3-Domänen
(Z) 7738–7742 [7626–7630]
DOI: 10.1002/ange.200801856
Henderson, J. A. (Z) 8627–8629 [8499–8501]
Hengesbach, M. (Z) 4398–4402 [4326–4330]
Henke, P. (Z) 8868–8872 [8740–8744]
Henn, J. (Z) 4393–4397 [4321–4325]
Hénon, H. (Z) 9262–9264 [9122–9124]
Heo, P. (Z) 7959–7962 [7841–7844]
Hérault, D. (Z) 2713–2716 [2673–2676]
Herbst, T. (Z) 6067–6069 [5978–5980]
Herdtwick, E. (Z) 10260–10263 [10106–10109]
Heretsch, P. (Z) 1984–1986 [1958–1960]
Hermosilla, L. (Z) 1465–1468 [1443–1446]
Herranz, M. A. (Z) 4241–4244 [4173–4176]
Herrmann, A.
– Enzymatische Kontrolle der Größe von DNA-Blockcopolymer-Nanopartikeln
(Z) 988–991 [974–976]
DOI: 10.1002/ange.200703466
Herrmann, A. (Z) 795–799 [783–787], 3420–3423 [3372–3375], 9697–9701 [9555–9559]
Herson, P. (Z) 4279–4284 [4211–4216], 6949–6952 [6843–6846]
Hertweck, C.
– Benzopyrenomycin, a Cytotoxic Bacterial Polyketide Metabolite with a Benzo[a]pyrene-Type Carbocyclic Ring System
(Z) 4059–4062 [3995–3998]
DOI: 10.1002/ange.200800083
– Ribosomal Synthesis of Tricyclic Depsipeptides in Bloom-Forming Cyanobacteria
(Z) 7870–7873 [7756–7759]
DOI: 10.1002/ange.200802730
– Sequential Asymmetric Polyketide Heterocyclization Catalyzed by a Single Cytochrome P450 Monooxygenase (AurH)
(Z) 9004–9007 [8872–8875]
DOI: 10.1002/ange.200803714
Herz, L. M. (Z) 5071–5074 [4993–4996]
Herz, V. (K) 7914–7917 [7798–7801]
Hesse, M. (Z) 10130–10133 [9982–9984]
Hesser, G. (Z) 3071–3075 [3029–3033]
Hester, A. J. (Z) 5145–5148 [5067–5070]
Hett, R. (Z) 1753–1756 [1729–1732]
Hevia, E. (Z) 743–746 [731–734], 8199–8201 [8079–8081]
Heyduk, A. F.
– Four-Electron Oxidative Formation of Aryl Diazenes Using a Tantalum Redox-Active Ligand Complex
(Z) 4793–4796 [4715–4718]
DOI: 10.1002/ange.200800812
Hibino, T.
– A Proton-Conducting Fuel Cell Operating with Hydrocarbon Fuels
(Z) 7959–7962 [7841–7844]
DOI: 10.1002/ange.200801667
– Direct Oxidation of Methane to Methanol at Low Temperature and Pressure in an Electrochemical Fuel Cell
(Z) 1484–1486 [1462–1464]
DOI: 10.1002/ange.200703928
Hicks, R. G.
– Metallkomplexe von Aminylradikalen
(H) 7503–7505 [7393–7395]
DOI: 10.1002/ange.200802713
Hiemstra, H. (Z) 3837–3840 [3777–3780]
Hierlemann, A.
– Opposite Signs of Capacitive Microsensor Signals upon Exposure to the Enantiomers of Methyl Propionate Compounds
(Z) 927–930 [913–916]
DOI: 10.1002/ange.200704346
Higuchi, M. (Z) 3978–3982 [3914–3918]
Higuchi, Takeshi
– Frustrated Phases of Block Copolymers in Nanoparticles
(Z) 8164–8166 [8044–8046]
DOI: 10.1002/ange.200803003
Higuchi, Tsunehiko
– Extreme Rate Acceleration by Axial Thiolate Coordination on the Isomerization of Endoperoxide Catalyzed by Iron Porphyrin
(Z) 6538–6540 [6438–6440]
DOI: 10.1002/ange.200800137
Higuchi, Y. (Z) 693–696 [681–684]
Hikita, K. (Z) 7556–7559 [7446–7449], 10035–10038 [9887–9890]
Hildebrandt, P.
– Resonanz-Raman-spektroskopische Untersuchung der Chromophorheterogenität und Photokonversion in Phytochromkristallen und -lösungen
(Z) 4831–4833 [4753–4755]
DOI: 10.1002/ange.200705716
Hilgenfeld, R. (Z) 3319–3323 [3275–3278]
Hili, R. (Z) 4256–4259 [4188–4191]
Hill, A. H. (Z) 9857–9862 [9711–9716]
Hill, C. L.
– An All-Inorganic, Stable, and Highly Active Tetra Ruthenium Homogeneous Catalyst for Water Oxidation
(Z) 3960–3963 [3896–3899]
DOI: 10.1002/ange.200705652
– Platinum-Containing Polyoxometalates
(K) 9520–9522 [9380–9382]
DOI: 10.1002/ange.200800919
Hill, J. P. (Z) 7364–7367 [7254–7257]
Hillebrand, S. (Z) 10291–10294 [10137–10140]
Hiller, S. (Z) 992–996 [977–981]
Hillesheim, D. A. (Z) 3960–3963 [3896–3899], (K) 9520–9522 [9380–9382]
Hillger, F. (Z) 6279–6283 [6184–6188]
Hilt, G.
– Cobalt-katalysierte [4 + 2 + 2]-Cycloaddition zur Synthese von 1,3,6-Cyclooctatrienen
(Z) 5321–5323 [5243–5245]
DOI: 10.1002/ange.200800127
– Cobalt-katalysierte [2 + 2]-Cycloaddition
(Z) 6916–6919 [6811–6813]
DOI: 10.1002/ange.200801778
Hilty, C.
– Time-Resolved Dynamic Nuclear Polarization Enhanced NMR Spectroscopy
(Z) 5313–5315 [5235–5237]
DOI: 10.1002/ange.200801492
Himes, R. A. (Z) 9224–9227 [9084–9087]
Himmel, D. (Z) 7772–7776 [7659–7663], (K) 7914–7917 [7798–7801]
Himmel, H.-J.
– GaI als Ligand in Übergangsmetallkomplexen – eine Alternative zu CO oder N₂?
(H) 6425–6427 [6326–6328]
DOI: 10.1002/ange.200802490
Hinnemann, B. (Z) 4761–4764 [4683–4686]
Hintermann, L.
– A General and Selective Copper-Catalyzed Cross-Coupling of Tertiary Grignard Reagents with Azacyclic Electrophiles
(Z) 8370–8374 [8246–8250]
DOI: 10.1002/ange.200803312
Hipolito, C. (Z) 4418–4422 [4346–4350]
Hirai, A. (Z) 762–766 [750–754]
Hirai, Y. (Z) 5856–5860 [5772–5776]
Hirama, M.
– Critical Importance of the Nine-Membered F Ring of Ciguatoxin for Potent Bioactivity: Total Synthesis and Biological Evaluation of F-Ring-Modified Analogues
(Z) 8739–8742 [8611–8614]
DOI: 10.1002/ange.200803921
– Total Synthesis of the C-1027 Chromophore Core: Extremely Facile Ene Diyne Formation through SmI₂-Mediated 1,2-Elimination
(Z) 1801–1803 [1777–1779]
DOI: 10.1002/ange.200704842
Hirano, Ken (Z) 3666–3669 [3610–3613]
Hirano, Koji (Z) 5917–5919 [5833–5835]
Hirano, M. (Z) 1332–1336 [1312–1316], 3458–3461 [3410–3413], 5904–5906 [5820–5822]
Hirao, H. Berichtigung: 8267
Hirao, H. (Z) 3404–3407 [3356–3359]
Hirata, Y. (Z) 391–393 [385–387]
Hirner, S. (Z) 1933–1935 [1907–1909]
Hirone, N. (Z) 6966–6970 [6860–6864]
Hirono, S. (Z) 6783–6786 [6681–6684]
Hiroto, S. (Z) 6093–6096 [6004–6007]
Hirotsu, T. (Z) 3666–3669 [3610–3613]
Hirsch, A.
– High Catalytic Activity of Dendritic C₆₀ Monoadducts in Metal-Free Superoxide Dismutation
(Z) 4055–4058 [3991–3994]
DOI: 10.1002/ange.200800008
Hirscher, M. (Z) 2169–2173 [2138–2142]
Hirst, A. R.
– “High-Tech”-Anwendungen von supramolekularen nanostrukturierten Gelmaterialien – von der regenerativen Medizin bis hin zu elektronischen Bauelementen
(A) 8122–8139 [8002–8018]
DOI: 10.1002/ange.200800022
Hiskey, M. A. (Z) 8431–8433 [8307–8309]
Hitchcock, P. B. (Z) 1510–1513 [1488–1491], 10301–10304 [10147–10150]
Hiyama, T.
– Nickel/BPh₃-Catalyzed Alkynylcyanation of Alkynes and 1,2-Dienes: An Efficient Route to Highly Functionalized Conjugated Enynes
(Z) 391–393 [385–387]
DOI: 10.1002/ange.200704095
Hiyama, T. (Z) 8216–8219 [8096–8099], 9906–9910 [9760–9764]
Ho, C.-L. (Z) 1275–1279 [1255–1259]
Ho, C.-Y. (Z) 1919–1921 [1893–1895]
Ho, D. (Z) 179–182 [173–176]
Ho, J. C. (Z) 4512–4514 [4440–4442]
Ho, K.-C.
– Multifunctionalized Ruthenium-Based Supersensitizers for Highly Efficient Dye-Sensitized Solar Cells
(Z) 7452–7455 [7342–7345]
DOI: 10.1002/ange.200802120
Hoang-Thi, K. (Z) 587–590 [577–580]
Höbartner, C. (Z) 1777–1781 [1753–1757]
Hobel, A. (Z) 7662–7667 [7551–7556]
Höbenreich, H. (Z) 5163–5166 [5085–5088]
Höck, M.
– Aminophenyl- und Nitrophenyl-Labeled Nucleoside Triphosphates: Synthesis, Enzymatic Incorporation, and Electro-

- chemical Detection
(Z) 2089–2092 [2059–2062]
DOI: 10.1002/ange.200705088
- Hochgesand, A. (Z) 6154–6157 [6065–6068]
- Hochrein, O. (Z) 5060–5063 [4982–4985]
- Höckendorf, R. (Z) 1972–1976 [1946–1950]
- Hodgson, D. M.
– Asymmetric Synthesis of α -Alkylated Aldehydes using Terminal Epoxide-Derived Chiral Enamines
(Z) 10106–10108 [9958–9960]
DOI: 10.1002/ange.200804369
- Höfer, S. (Z) 9278–9281 [9138–9141]
- Hoffart, D. J. (Z) 103–107 [97–101]
- Hoffman, A. (Z) 2633–2637 [2595–2599]
- Hoffmann, Markus (Z) 5071–5074 [4993–4996]
- Hoffmann, Martin (Z) 723–726 [711–714]
- Hoffmann, R.
– Die Vorhersage von Molekülen – mehr Realismus bitte!
(E) 7276–7279 [7164–7167]
DOI: 10.1002/ange.200801206
- Moleküle in Not – und was wir von ihnen lernen
(E) 4548–4556 [4474–4481]
DOI: 10.1002/ange.200705775
- S_4^{2-} Rings, Disulfides, and Sulfides in Transition-Metal Complexes: The Subtle Interplay of Oxidation and Structure
(Z) 2906–2910 [2864–2868]
DOI: 10.1002/ange.200705296
- Hoffmann, T. (K) 3741–3744 [3683–3686]
- Hofkens, J.
– Verfolgung der radikalischen Polymerisation mit Einzelmolekülspektroskopie
(Z) 795–799 [783–787]
DOI: 10.1002/ange.200704196
- Hofkens, J. (Z) 2855–2858 [2813–2816], 3420–3423 [3372–3375]
- Höfle, G. (Z) 610–613 [600–602]
- Hofmann, H. (Z) 7975–7978 [7857–7860]
- Hofmann, H.-J. (Z) 8195–8198 [8075–8078]
- Hofmann, K. (Z) 2333–2336 [2301–2303]
- Hofmann, P.
– Ultrahochfeld- ^{59}Co -Festkörper-NMR-Spektroskopie zur Untersuchung des 1,2-Polybutadien-Katalysators $[\text{Co}(\text{C}_5\text{H}_{13})(\text{C}_4\text{H}_9)]$
(Z) 3503–3507 [3454–3457]
DOI: 10.1002/ange.200705204
- Hogan, T. P. (Z) 8746–8750 [8618–8622]
- Hoge, B.
– Einfluss elektronenziehender Substituenten auf die Chemie des Phosphors: Tautomerisierung von Bis(s-triazinyl)phosphanen
(Z) 8236–8239 [8116–8119]
DOI: 10.1002/ange.200802943
- Tetrakis[2,4-bis(trifluormethyl)phenyl]diphosphoxan – das Anhydrid einer Phosphinigsäure
(Z) 6920–6922 [6814–6816]
DOI: 10.1002/ange.200801025
- Hogenesch, J. B. (Z) 7592–7594 [7482–7484]
- Hogg, L. M. (Z) 743–746 [731–734], 6304–6307 [6208–6211]
- Högner, C. (Z) 7756–7759 [7644–7647]
- Höhne, A. (Z) 5000–5003 [4922–4925]
- Hojeij, M. (Z) 4753–4756 [4675–4678]
- Hojo, D. (Z) 5904–5906 [5820–5822]
- Holder, S. J.
– Cryo Electron Tomography Reveals Confined Complex Morphologies of Tripeptide-Containing Amphiphilic Double-Comb Diblock Copolymers
(Z) 8991–8994 [8859–8862]
DOI: 10.1002/ange.200802834
- Holland, D. P. (Z) 1067–1069 [1051–1053]
- Holland, J. P. (Z) 8544–8547 [8416–8419]
- Hollenstein, M. (Z) 4418–4422 [4346–4350]
- Holschumacher, D. (Z) 7538–7542 [7428–7432]
- Hölsken, S. (Z) 5324–5327 [5246–5249]
- Holthausen, M. C. (Z) 88–91 [82–85]
- Holzappel, C. W. (Z) 570–573 [560–563]
- Honda, Tatsuhiko (Z) 6814–6818 [6712–6716]
- Honda, Toshio
– Highly Efficient Stereocontrolled Total Synthesis of (+)-Upial
(Z) 137–139 [131–133]
DOI: 10.1002/ange.2007004423
- Hönes, K. (Z) 2169–2173 [2138–2142]
- Honeyman, G. W. (Z) 743–746 [731–734]
- Hong, C. S. (Z) 7615–7617 [7505–7507]
- Hong, D.-Y. (Z) 4212–4216 [4144–4148]
- Hong, H.
– Incorporation of Fluoroacetate into an Aromatic Polyketide and Its Influence on the Mode of Cyclization
(Z) 6117–6121 [6028–6032]
DOI: 10.1002/ange.200801100
- Hong, J. (Z) 4268–4271 [4200–4203]
- Hong, J. H. (Z) 2263–2266 [2231–2234], 5245–5248 [5167–5170]
- Hong, J.-I.
– Highly Stereospecific Generation of Helical Chirality by Imprinting with Amino Acids: A Universal Sensor for Amino Acid Enantiopurity
(Z) 8785–8788 [8657–8660]
DOI: 10.1002/ange.200803116
- Hong, J.-K. (Z) 2846–2849 [2804–2807]
- Hong, M.
– Effects of Guanidinium–Phosphate Hydrogen Bonding on the Membrane-Bound Structure and Activity of an Arginine-Rich Membrane Peptide from Solid-State NMR Spectroscopy
(Z) 3246–3249 [3202–3205]
DOI: 10.1002/ange.200705993
- Hong, R. (Z) 4187–4189 [4119–4121]
- Hong, S. (Z) 8570–8573 [8442–8445]
- Hong, S.-C. (Z) 2263–2266 [2231–2234]
- Honndorf, V. S. (Z) 3604–3607 [3548–3551]
- Hooker, J. M.
– Eine einfache und schnelle Methode zur Herstellung von ^{13}C -Formaldehyd
(Z) 6078–6081 [5989–5992]
DOI: 10.1002/ange.200800991
- Hopf, H.
– Moleküle in Not – und was wir von ihnen lernen
(E) 4548–4556 [4474–4481]
DOI: 10.1002/ange.200705775
- [2.2]Paracyclophane in Polymerchemie und Materialwissenschaften
(M) 9954–9958 [9808–9812]
DOI: 10.1002/ange.200800969
- Hopkinson, A. C.
– Dipositively Charged Protonated a_3 and a_2 Ions: Generation by Fragmentation of $[\text{La}(\text{GGG})(\text{CH}_3\text{CN})_2]^{3+}$
(Z) 8412–8415 [8288–8291]
DOI: 10.1002/ange.200802272
- Hopkinson, A. C. (Z) 9812–9814 [9666–9668]
- Hoppe, D.
– Asymmetrische Totalsynthese und Festkörperstruktur des marinen cytotoxischen Diterpens (+)-Vigulariol
(Z) 1678–1681 [1654–1657]
DOI: 10.1002/ange.200704678
- Hori, Y. (Z) 7878–7881 [7764–7767]
- Horikawa, T. (Z) 4225–4229 [4157–4161]
- Horike, S. (Z) 3978–3982 [3914–3918]
- Horisaki, K. (Z) 1107–1109 Berichtigung: 2008 [1091–1093 Berichtigung: 1982]
- Hornauer, S. (Z) 5896–5899 [5812–5815]
- Hornberger, K.
– Materiewelleninterferometrie ergänzt die Massenspektrometrie
(Z) 6290–6293 [6195–6198]
DOI: 10.1002/ange.200801942
- Horne, W. S. (Z) 2895–2898 [2853–2856]
- Horton, J. H. (Z) 3324–3328 [3279–3282]
- Horvath, S. (Z) 10085–10088 [9937–9940]
- Hosono, E. (Z) 7571–7575 [7461–7465]
- Hotta, J.-i. (Z) 795–799 [783–787], 3420–3423 [3372–3375]
- Hou, J.-Z. (Z) 1735–1738 [1711–1714], 6471–6474 [6371–6374]
- Hou, M. (Z) 10273–10277 [10119–10123]
- Hou, S. (Z) 1088–1091 [1072–1075]
- Hou, X.-L.
– Highly Enantioselective Palladium-Catalyzed Alkylation of Acyclic Amides
(Z) 1765–1768 [1741–1744]
DOI: 10.1002/ange.200704629
- Iridium-Catalyzed Highly Enantioselective Hydrogenation of the C=C Bond of α , β -Unsaturated Ketones
(Z) 10287–10290 [10133–10136]
DOI: 10.1002/ange.200803872
- Hou, Y. (Z) 10341–10345 Berichtigung: 10164 [10187–10191]
- Hou, Z.
– Carboxylation of Organoboronic Esters Catalyzed by N-Heterocyclic Carbene Copper(I) Complexes
(Z) 5876–5879 [5792–5795]
DOI: 10.1002/ange.200801857
- Isoprene Polymerization with Yttrium Amidate Catalysts: Switching the Regio- and Stereoselectivity by Addition of AlMe_3
(Z) 2682–2685 [2642–2645]
DOI: 10.1002/ange.200705120
- Synthesis of (Z)-1-Aza-1,3-enynes by the Cross-Coupling of Terminal Alkynes with Isocyanides Catalyzed by Rare-Earth Metal Complexes
(Z) 9846–9849 [9700–9703]
DOI: 10.1002/ange.200804306
- Houk, K. N.
– A Polar Radical Pair Pathway To Assemble the Pyrimidinone Core of the HIV Integrase Inhibitor Raltegravir Potassium
(Z) 4202–4204 [4134–4136]
DOI: 10.1002/ange.200703681
- Bifurkationen auf den Potentialenergiehyperflächen organischer Reaktionen
(M) 7704–7713 [7592–7601]
DOI: 10.1002/ange.200800918
- Sources of Error in DFT Computations of C–C Bond Formation Thermochemistries: $\pi \rightarrow \sigma$ Transformations and Error Cancellation by DFT Methods
(Z) 7860–7863 [7746–7749]
DOI: 10.1002/ange.200801843
- Substituent Effects, Reactant Preorganization, and Ligand Exchange Control the

- Reactivity in Rh^I-Catalyzed (5 + 2) Cycloadditions between Vinylcyclopropanes and Alkynes (Z) 4003–4005 [3939–3941]
DOI: 10.1002/ange.200800420
- Houk, K. N. (Z) 363–366 [357–360]
- Hours, A. (Z) 7644–7648 [7534–7538]
- Housden, N. G. (Z) 8988–8990 [8856–8858]
- Hoveyda, A. H.
- Enantioselective Synthesis of All-Carbon Quaternary Stereogenic Centers by Catalytic Asymmetric Conjugate Additions of Alkyl and Aryl Aluminum Reagents to Five-, Six-, and Seven-Membered-Ring β -Substituted Cyclic Enones (Z) 7468–7472 [7358–7362]
DOI: 10.1002/ange.200802910
- Howard, J. A. K. (Z) 7815–7818 [7701–7704], 8802–8805 [8674–8677]
- Howorka, S.
- Chemical Tags Facilitate the Sensing of Individual DNA Strands with Nanopores (Z) 5647–5650 [5565–5568]
DOI: 10.1002/ange.200800183
- Hoye, T. R.
- Dual Macrolactonization/Pyran–Hemiketal Formation via Acylketenes: Applications to the Synthesis of (–)-Callipeltoside A and a Lyngbyaloside B Model System (Z) 9889–9892 [9743–9746]
DOI: 10.1002/ange.200804049
- Hoyer, D. (Z) 2633–2637 [2595–2599]
- Hoyt, H. M. (Z) 6162–6165 [6073–6076]
- Hrib, C. G. (Z) 7538–7542 [7428–7432]
- Hrobárik, P.
- Is Allred's [Hg(cyclam)]³⁺ a True Mercury(III) Complex? (Z) 8759–8761 [8631–8633]
DOI: 10.1002/ange.200802233
- Hruby, V. J.
- Heterobivalent Ligands Crosslink Multiple Cell-Surface Receptors: The Human Melanocortin-4 and δ -Opioid Receptors (Z) 1709–1712 [1685–1688]
DOI: 10.1002/ange.200702770
- Hsiao, S. C. (Z) 8601–8605 [8473–8477]
- Hsieh, S.-L. (Z) 8755–8758 [8627–8630]
- Hsieh, T.-M. (Z) 3964–3968 [3900–3904]
- Hsu, C.-C. (Z) 7585–7588 [7475–7478]
- Hsu, C.-W. (Z) 7360–7363 [7250–7253], 10081–10084 [9933–9936]
- Hsu, S.-T. D. (Z) 7207–7210 [7099–7102]
- Hsueh, S.-Y. (Z) 4508–4511 [4436–4439]
- Hu, N. (Z) 5100–5103 [5022–5025]
- Hu, S. (Z) 1143–1145 [1127–1129]
- Hu, T.-S. (Z) 6573–6577 [6473–6477]
- Hu, W.
- Catalytic Enantioselective Trapping of an Alcoholic Oxonium Ylide with Aldehydes: Rh^{II}/Zr^{IV}-Co-Catalyzed Three-Component Reactions of Aryl Diazoacetates, Benzyl Alcohol, and Aldehydes (Z) 6749–6751 [6647–6649]
DOI: 10.1002/ange.200801510
- Hu, X. (Z) 4268–4271 [4200–4203]
- Hu, Y.-S.
- Ein Si@SiO₂/C-Nanokomposit als Anodenmaterial für Lithiumionenbatterien mit hoher Speicherleistung (Z) 1669–1673 [1645–1649]
DOI: 10.1002/ange.200704287
- Hu, Yan (Z) 7589–7591 [7479–7481]
- Hu, Yongkang (Z) 6141–6143 [6052–6054]
- Hu, Yongxing (Z) 5890–5895 [5806–5811]
- Hua, G. (Z) 2899–2901 [2857–2859]
- Hua, Q.-x. (Z) 1118–1122 [1102–1106]
- Huang, B.
- Ag@AgCl: A Highly Efficient and Stable Photocatalyst Active under Visible Light (Z) 8049–8051 [7931–7933]
DOI: 10.1002/ange.200802483
- Huang, Chaofeng (Z) 8824–8827 [8696–8699]
- Huang, Chunhui
- Ultrasound Switch and Thermal Self-Repair of Morphology and Surface Wettability in a Cholesterol-Based Self-Assembly System (Z) 1079–1083 [1063–1067]
DOI: 10.1002/ange.200703946
- Huang, F. (Z) 5701–5704 [5619–5622]
- Huang, H. (Z) 6749–6751 [6647–6649]
- Huang, J.
- Theoretical Model for Nanoporous Carbon Supercapacitors (Z) 530–534 [520–524]
DOI: 10.1002/ange.200703864
- Huang, Jie-Sheng (Z) 6740–6744 [6638–6642], 9893–9897 [9747–9751]
- Huang, Jin-Shun (Z) 3621–3623 [3565–3567], 4217–4220 [4149–4152]
- Huang, L. L. (Z) 5087–5090 [5009–5012]
- Huang, Q.
- Small-Molecule Inhibitors of MicroRNA miR-21 Function (Z) 7592–7594 [7482–7484]
DOI: 10.1002/ange.200801555
- Huang, R. (Z) 9033–9036 [8901–8904]
- Huang, R.-B. (Z) 2432–2435 [2398–2401], 5420–5423 [5340–5343], 5424–5427 [5344–5347]
- Huang, W.-S. (Z) 591–595 [581–585]
- Huang, X.-C. (Z) 1735–1738 [1711–1714], 6471–6474 [6371–6374]
- Huang, X.-Y.
- Three-Dimensional Chiral Microporous Germanium Antimony Sulfide with Ion-Exchange Properties (Z) 8751–8754 [8623–8626]
DOI: 10.1002/ange.200803406
- Huang, Xiaogen (Z) 352–355 [346–349]
- Huang, Xueshi (Z) 4059–4062 [3995–3998]
- Huang, Y.-F. (Z) 1901–1904 [1875–1878]
- Huang, Y.-X. (Z) 8404–8408 [8280–8284]
- Huang, Yangen (Z) 7195–7198 [7087–7090]
- Huang, Yiwei (Z) 7352–7355 [7242–7245]
- Huang, Young (A) 5606–5624 [5524–5542]
- Huang, Yu
- Multifunctional Nanoparticles Displaying Magnetization and Near-IR Absorption (Z) 2473–2476 [2439–2442]
DOI: 10.1002/ange.200800014
- Huang, Z.
- Synthesis and DNA-Polymerase Incorporation of Colored 4-Selenothymidine Triphosphate for Polymerase Recognition and DNA Visualization (Z) 1747–1749 [1723–1725]
DOI: 10.1002/ange.200705213
- Huang, Z.-Z. (Z) 1782–1785 [1758–1761]
- Hubbell, J. A. (Z) 7975–7978 [7857–7860]
- Huber, J. D. (Z) 3079–3081 [3037–3039]
- Huber, M. (Z) 8323–8328 [8201–8206]
- Hübscher, U.
- *Arthur Kornberg* (N) 1188 [1172]
DOI: 10.1002/ange.200705248
- Huc, I.
- Converting Sequences of Aromatic Amino Acid Monomers into Functional Three-Dimensional Structures: Second-Generation Helical Capsules (Z) 4221–4224 [4153–4156]
DOI: 10.1002/ange.200800625
- Quadruple and Double Helices of 8-Fluoroquinoline Oligoamides (Z) 1739–1742 [1715–1718]
DOI: 10.1002/ange.200704938
- Hucho, F.
- Karl Lohmann und die Entdeckung des ATP (E) 1848–1851 [1824–1827]
DOI: 10.1002/ange.200702929
- Huck, W. T. S.
- From Microdroplets to Microfluidics: Selective Emulsion Separation in Microfluidic Devices (Z) 2072–2075 [2042–2045]
DOI: 10.1002/ange.200704903
- Hücker, M. (Z) 2085–2088 [2055–2058]
- Hudon, J. (Z) 9017–9020 [8885–8888]
- Hudson, S.
- Proteine in mesoporösen Silicaten (A) 8710–8723 [8582–8594]
DOI: 10.1002/ange.200705238
- Huels, M. A.
- Bond- and Energy-Selective Carbon Abstraction from D-Ribose by Hyperthermal Nitrogen Ions (Z) 9651–9654 [9509–9512]
DOI: 10.1002/ange.200803235
- Huffman, J. C. (Z) 8630–8633 [8502–8505]
- Huffman, M. A. (Z) 4789–4792 [4711–4714]
- Hummel, W. (Z) 9693–9696 [9551–9554]
- Humphrey, M. G. Berichtigung: 639
- Humphry-Baker, R. (Z) 1949–1953 [1923–1927]
- Hung, S.-C.
- Carbohydrate-Templated Asymmetric Diels–Alder Reactions of Masked *ortho*-Benzoquinones for the Synthesis of Chiral Bicyclo[2.2.2]oct-5-en-2-ones (Z) 8202–8205 [8082–8085]
DOI: 10.1002/ange.200802693
- Hung, S.-T. (Z) 3020–3023 [2978–2981]
- Hunger, M. (Z) 4660–4663 [4584–4587]
- Hunkeler, A. (Z) 9096–9098 [8961–8963]
- Hunter, C. A.
- Preferential Solvation and Hydrogen Bonding in Mixed Solvents (Z) 6371–6373 [6275–6277]
DOI: 10.1002/ange.200801349
- Hursthouse, M. B. (Z) 2862–2865 [2820–2823]
- Hüsing, N.
- Poröse Halbleiter aus Chalkogenidclustern (H) 2018–2020 [1992–1994]
DOI: 10.1002/ange.200705289
- Hussain, I. (Z) 4649–4652 [4573–4576]
- Huster, D. (Z) 8195–8198 [8075–8078]
- Hutchings, G. J.
- Palladium- und Gold-Palladium-Katalysatoren für die Direktsynthese von Wasserstoffperoxid (M) 9332–9338 [9192–9198]
DOI: 10.1002/ange.200802818
- Hvolbæk, B. (Z) 4913–4917 [4835–4839]
- Hwang, I.-C. (Z) 2295–2298 [2263–2266]
- Hwang, K.-C. (Z) 8755–8758 [8627–8630]
- Hwang, Y. K. (Z) 4212–4216 [4144–4148]
- Hwu, J.-R. R. (Z) 8755–8758 [8627–8630]
- Hwu, S.-J.
- The Versatile Chemistry and Noncentrosymmetric Crystal Structures of Salt-Inclusion Vanadate Hybrids

- (Z) 3851–3854 [3791–3794]
DOI: 10.1002/ange.200705113
- Hyakutake, T. (Z) 2834–2837 [2792–2795]
- Hyde, A. M. (Z) 183–186 [177–180]
- Hyde, S. T.
– Netze und Gyroide: wenig bekannt und doch in Chemie, Materialwissenschaften und Mathematik allgegenwärtig (E) 8116–8121 [7996–8000]
DOI: 10.1002/ange.200801519
- Hyeon, T.
– Multifunctional Uniform Nanoparticles Composed of a Magnetite Nanocrystal Core and a Mesoporous Silica Shell for Magnetic Resonance and Fluorescence Imaging and for Drug Delivery (Z) 8566–8569 [8438–8441]
DOI: 10.1002/ange.200802469
- Hyon, J.-Y. (Z) 2263–2266 [2231–2234]
- Hyun, S. (Z) 140–143 [134–137]
- 
- Iacono, S. T. (Z) 4205–4208 [4137–4140]
- Iafe, R. G. (M) 7704–7713 [7592–7601]
- Iapalucci, M. C. (Z) 6768–6771 [6666–6669]
- Ibberson, R. M.
– Is Deuterium Always Smaller than Protium? (Z) 4276–4278 [4208–4210]
DOI: 10.1002/ange.200800063
- Ichikawa, J.
– Efficient Helicene Synthesis: Friedel–Crafts-type Cyclization of 1,1-Difluoro-1-alkenes (Z) 4948–4951 [4870–4873]
DOI: 10.1002/ange.200801396
- Ichinose, I.
– Foam Films Obtained with Ionic Liquid (Z) 916–919 [902–905]
DOI: 10.1002/ange.200704235
- Ida, S.
– Dynamic Control of Photoluminescence for Self-assembled Nanosheet Films Intercalated with Lanthanide Ions by Using a Photoelectrochemical Reaction (Z) 2514–2517 [2480–2483]
DOI: 10.1002/ange.200704608
- Ienco, A. (Z) 2906–2910 [2864–2868], 3826–3828 [3766–3768]
- Iglesia, E.
– Rate and Selectivity Enhancements Mediated by OH Radicals in the Oxidative Coupling of Methane Catalyzed by Mn/N₂WO₄/SiO₂ (Z) 7803–7807 [7689–7693]
DOI: 10.1002/ange.200802608
- Ihee, H.
– Transient X-ray Diffraction Reveals Global and Major Reaction Pathways for the Photolysis of Iodoform in Solution (Z) 1063–1066 [1047–1050]
DOI: 10.1002/ange.200704150
- Ultrafast X-Ray Solution Scattering Reveals an Unknown Reaction Intermediate in the Photolysis of [Ru₃(CO)₁₂] (Z) 5632–5635 [5550–5553]
DOI: 10.1002/ange.200801153
- Ihee, H. (Z) 8958–8962 [8826–8830]
- Iida, J. (Z) 5864–5866 [5780–5782]
- Ikariya, T.
– Aerobic Oxidative Kinetic Resolution of Racemic Secondary Alcohols with Chiral Bifunctional Amido Complexes (Z) 2481–2483 [2447–2449]
DOI: 10.1002/ange.200705875
- Ikawa, T. (Z) 7787–7790 [7673–7676]
- Ikeda, A.
– Reversible Solubilization and Precipitation of Carbon Nanotubes through Oxidation–Reduction Reactions of a Solubilizing Agent (Z) 4653–4656 [4577–4580]
DOI: 10.1002/ange.200800095
- Ikeda, D. (Z) 3987–3990 [3923–3926]
- Ikeda, Takuji (Z) 1058–1062 [1042–1046]
- Ikeda, Tomiki
– Photomobile Polymer Materials: Towards Light-Driven Plastic Motors (Z) 5064–5066 [4986–4988]
DOI: 10.1002/ange.200800760
- Ikeda, Y. (Z) 9443–9446 [9303–9306]
- Ikem, V. O. (Z) 8401–8403 [8277–8279]
- Ikemoto, K.
– DNA Introduction into Living Cells by Water Droplet Impact with an Electro-spray Process (Z) 1451–1453 [1429–1431]
DOI: 10.1002/ange.200704429
- Ikeue, K. (Z) 2514–2517 [2480–2483]
- Illas, F. (Z) 6787–6791 [6685–6689]
- Illenberger, E. (Z) 8646–8648 [8518–8520], 9651–9654 [9509–9512]
- ilović, I. (Z) 7130–7133 [7022–7025]
- Im, M. S. (Z) 10070–10074 [9922–9926]
- Im, S.-C. (Z) 7982–7985 [7864–7867]
- Imai, H. (Z) 6759–6762 [6657–6660]
- Imaz, I. (Z) 1883–1886 [1857–1860]
- Imbach, L. L. (Z) 992–996 [977–981]
- In, M. (Z) 8561–8565 [8433–8437]
- Inagaki, Y. (Z) 5474–5477 [5394–5397]
- Incarvito, C. D. (Z) 9837–9840 [9691–9694]
- Inderwildi, O. R.
– Mechanistische Studien der katalytischen Verbrennung und Synthese von Kohlenwasserstoffen auf Übergangsmetalloberflächen (Z) 5332–5334 [5253–5255]
DOI: 10.1002/ange.200800685
- Inokuma, Y. (Z) 4918–4921 [4840–4843]
- Inoue, M.
– Critical Importance of the Nine-Membered F Ring of Ciguatoxin for Potent Bioactivity: Total Synthesis and Biological Evaluation of F-Ring-Modified Analogues (Z) 8739–8742 [8611–8614]
DOI: 10.1002/ange.200803921
- Total Synthesis of the C-1027 Chromophore Core: Extremely Facile Eneidyne Formation through SmI₂-Mediated 1,2-Elimination (Z) 1801–1803 [1777–1779]
DOI: 10.1002/ange.200704842
- Inukai, J. (Z) 2834–2837 [2792–2795]
- Ireland, T. Berichtigung: 3722
- Ironmonger, A. (Z) 7424–7426 [7314–7316]
- Irvine, S. E. (Z) 2725–2728 [2685–2688]
- Isaacs, L.
– Ternary Complexes Comprising Cucurbit-[10]uril, Porphyrins, and Guests (Z) 2697–2700 [2657–2660]
DOI: 10.1002/ange.200705346
- Isborn, C. (M) 5790–5801 [5706–5717]
- Ise, T. (Z) 2065–2068 [2035–2038], 4052–4054 [3988–3990]
- Ishida, Keishi (Z) 7870–7873 [7756–7759]
- Ishida, Kento (Z) 4981–4983 [4903–4905]
- Ishida, T. (Z) 9405–9408 [9265–9268]
- Ishida, Y.
– Two-Component Liquid Crystals as Chiral Reaction Media: Highly Enantioselective Photodimerization of an Anthracene Derivative Driven by the Ordered Micro-environment (Z) 8365–8369 [8241–8245]
DOI: 10.1002/ange.200803242
- Ishigaki, T. (Z) 5428–5432 [5348–5352]
- Ishihara, J. (Z) 6340–6342 [6244–6246]
- Ishii, A.
– Reactions of a Ditriptycyl-Substituted Selenoseleninate and Related Compounds with a Platinum(0) Complex: Formation of Selenaplatinacycle and Hydrido Selenolato Platinum(II) Complexes (Z) 2701–2704 [2661–2664]
DOI: 10.1002/ange.200705336
- Ishii, N. (Z) 1696–1699 [1672–1675], 2100–2103 [2070–2073]
- Ishii, T. (Z) 5241–5244 [5163–5166]
- Ishikawa, H. (Z) 2112–2114 [2082–2084], 4076–4079 [4012–4015], 4800–4802 [4722–4724], 6736–6739 [6634–6637], 6759–6762 [6657–6660], 9193–9198 [9053–9058]
- Ishikawa, T. (Z) 1343–1345 [1323–1325]
- Ishikita, H. (Z) 709–712 [697–700]
- Ishimaru, T. (Z) 4225–4229 [4157–4161]
- Ishitsuka, M. O. (Z) 1318–1320 [1298–1300], 8023–8026 [7905–7908], 8770–8773 [8642–8645]
- Ishizuka, H. (Z) 5639–5642 [5557–5560]
- Ishizuka, T. (Z) 6966–6970 [6860–6864]
- Ishow, E. (Z) 587–590 [577–580]
- Isidro-Llobet, A. (Z) 3319–3323 [3275–3278]
- Islam, T. (Z) 1936–1938 [1910–1912]
- Issac, I. (Z) 1346–1351 [1326–1331]
- Itkis, M. G. (Z) 3306–3310 [3262–3266]
- Ito, F. (Z) 762–766 [750–754]
- Ito, H.
– Synthesis of Optically Active Boron–Silicon Bifunctional Cyclopropane Derivatives through Enantioselective Copper(I)-Catalyzed Reaction of Allylic Carbonates with a Diboron Derivative (Z) 7534–7537 [7424–7427]
DOI: 10.1002/ange.200802342
- Ito, K. (Z) 7959–7962 [7841–7844]
- Ito, M. (Z) 1321–1324 [1301–1304]
- Ito, Shigekazu
– Poly(Biradicals): Oligomers of 1,3-Diphosphacyclobutane-2,4-diyl Units (Z) 6518–6521 [6418–6421]
DOI: 10.1002/ange.200801461
- Ito, Shinzaburo (Z) 6166–6168 [6077–6079]
- Ito, T. (Z) 2842–2845 [2800–2803]
- Itoh, J. (Z) 4080–4082 [4016–4018]
- Itoh, T. (Z) 2112–2114 [2082–2084], 4800–4802 [4722–4724], 9193–9198 [9053–9058]
- Itoh, Y. (Z) 9572–9575 [9430–9433]
- Itsuno, S.
– An Immobilization Method of Chiral Quaternary Ammonium Salts onto Polymer Supports (Z) 8356–8359 Berichtigung: 9119 [8232–8235 Berichtigung: 8983]
DOI: 10.1002/ange.200802800



- Ivanova, A. (Z) 713–717 [701–705], 1422–1426 [1400–1404]
Ivanova, O. A.
– Donor–Acceptor Cyclopropanes as Three-Carbon Components in a [4 + 3] Cycloaddition Reaction with 1,3-Diphenylisobenzofuran (Z) 1123–1126 [1107–1110]
DOI: 10.1002/ange.200704438
- Ivanović-Burmazović, I.
– High Catalytic Activity of Dendritic C₆₀ Monoadducts in Metal-Free Superoxide Dismutation (Z) 4055–4058 [3991–3994]
DOI: 10.1002/ange.200800008
- NO-Dismutase-Aktivität siebenfach koordinierter Mangan(II)-Komplexe von Pentaazamakrocyclen (Z) 8863–8867 [8735–8739]
DOI: 10.1002/ange.200801325
- Iverson, B. L.
– An Engineered Protease that Cleaves Specifically after Sulfated Tyrosine (Z) 7979–7981 [7861–7863]
DOI: 10.1002/ange.200800736
- Iwai, K. (Z) 4745–4747 [4667–4669]
Iwai, Y. (Z) 3263–3266 [3219–3222]
Iwamoto, M. 9320–9325 [9180–9185]
Iwamoto, T.
– Fourteen-Electron Bis(dialkylsilylene)palladium and Twelve-Electron Bis(dialkylsilyl)palladium Complexes (Z) 5466–5469 [5386–5389]
DOI: 10.1002/ange.200705954
- Iwamoto, T. (Z) 9918–9920 [9772–9774]
Iwasawa, N.
– Platinum(II)-Catalyzed Reaction of γ,δ -Ynones with Alkenes for the Construction of 8-Oxabicyclo[3.2.1]octane Skeletons: Generation of Platinum-Containing Carbonyl Ylides from Acyclic Precursors (Z) 4981–4983 [4903–4905]
DOI: 10.1002/ange.200705129
- Synthesis of N-Fused Tricyclic Indoles by a Tandem [1,2] Stevens-Type Rearrangement/1,2-Alkyl Migration of Metal-Containing Ammonium Ylides (Z) 4984–4987 [4906–4909]
DOI: 10.1002/ange.200705517
- Iwasawa, Y.
– Cooperative Catalysis of Primary and Tertiary Amines Immobilized on Oxide Surfaces for One-Pot C–C Bond Forming Reactions (Z) 9370–9375 [9230–9235]
DOI: 10.1002/ange.200802515
- Editorial: The Catalysis Society of Japan (CATSJ): History and Activities 9320–9325 [9180–9185]
DOI: 10.1002/ange.200804549
- Photoinduced Reversible Structural Transformation and Selective Oxidation Catalysis of Unsaturated Ruthenium Complexes Supported on SiO₂ (Z) 9392–9395 [9252–9255]
DOI: 10.1002/ange.200803122
- Iwata, M. (Z) 1321–1324 [1301–1304]
Iyer, S. S.
– Differentiation between Structurally Homologous Shiga 1 and Shiga 2 Toxins by Using Synthetic Glycoconjugates (Z) 1285–1288 [1265–1268]
DOI: 10.1002/ange.200703680
- Iyi, N. (Z) 92–95 [86–89]
Izawa, K. (Z) 2514–2517 [2480–2483]
Izumi, F. (Z) 1289–1291 [1269–1271]
Jabri, A. (Z) 9863–9867 [9717–9721]
Jackson, S. D. (Z) 9414–9418 [9274–9278]
Jacob, T. (Z) 5083–5086 [5005–5008]
Jacobsen, E. N.
– Dinuclear {(salen)Al} Complexes Display Expanded Scope in the Conjugate Cyanation of α,β -Unsaturated Imides (Z) 1786–1789 [1762–1765]
DOI: 10.1002/ange.200704461
- Enantioselective Catalytic Carbonyl–Ene Cyclization Reactions (Z) 1491–1494 [1469–1472]
DOI: 10.1002/ange.200704439
- Jacobson, G. B. (Z) 7998–8000 [7880–7882]
Jacques, B. (Z) 4622–4626 [4546–4550]
Jacques, O. (Z) 3511–3514 [3461–3463]
Jaeger, K.-E. (Z) 5163–5166 [5085–5088]
Jagadeesan, D. (Z) 7799–7802 [7685–7688]
Jahn, U.
– Jenseits von Prostaglandinen – Chemie und Biologie radikalisch gebildeter cyclischer oxygenierter Metabolite von mehrfach ungesättigten Fettsäuren (A) 5978–6041 [5894–5955]
DOI: 10.1002/ange.200705122
- Jahnke, M. C. (A) 3166–3216 [3122–3172]
Jaipuri, F. A. (Z) 1731–1734 [1707–1710]
Jäkle, F.
– Allylation of Ketones with a Ferrocene-Based Planar Chiral Lewis Acid (Z) 1150–1153 [1134–1137]
DOI: 10.1002/ange.200704687
- Jakobsche, C. E. (Z) 6809–6813 [6707–6711]
Jambor, R.
– [[2,6-(Me₂NCH₂)₂C₆H₃]Sn]₂: ein intramolekular koordiniertes Diorganodistannin (Z) 1674–1677 [1650–1653]
DOI: 10.1002/ange.200704635
- Jameson, G. B. (K) 9523–9524 [9383–9384]
Jamison, T. F.
– α -Olefins as Alkenylmetal Equivalents in Catalytic Conjugate Addition Reactions (Z) 1919–1921 [1893–1895]
DOI: 10.1002/ange.200705163
- Janda, K. D.
– Der seltsame Fall des Botulinum-Neurotoxins: chemische und biologische Modulation des tödlichsten aller Gifte (A) 8488–8507 [8360–8379]
DOI: 10.1002/ange.200705531
- Jang, J. I. (Z) 7946–7950 [7828–7832]
Jang, J. K. (Z) 9646–9650 [9504–9508]
Jang, J.-W. (Z) 10099–10102 [9951–9954]
Jang, K. P. (Z) 4073–4075 [4009–4011]
Jang, M. (Z) 8820–8823 [8692–8695]
Jang, S. Y. (Z) 4918–4921 [4840–4843], 6093–6096 [6004–6007]
Jang, Y.-J. (Z) 8202–8205 [8082–8085]
Janikowski, J. (Z) 5321–5323 [5243–5245]
Jankiewicz, B. J. (Z) 10008–10013 [9860–9865]
Jansat, S. (Z) 2104–2108 [2074–2078]
Jansen, G. (Z) 6386–6391 [6290–6295]
Jansen, M.
– An Epilogue on the C₇₈-Fullerene Family: The Discovery and Characterization of an Elusive Isomer (Z) 6379–6381 Berichtigung: 9732 [6283–6285 Berichtigung: 9590]
DOI: 10.1002/ange.200801922
- Das Teil im Ganzen – Missverständnisse um chemische Konzepte (E) 10176–10180 [10026–10029]
DOI: 10.1002/ange.200803605
- Experimental Substantiation of the “Energy Landscape Concept” for Solids: Synthesis of a New Modification of LiBr (Z) 4500–4503 [4428–4431]
DOI: 10.1002/ange.200800333
- Intercluster Compounds Consisting of Gold Clusters and Fullerides: [Au₇(PPh₃)₇]₂C₆₀·THF and [Au₈(PPh₃)₈](C₆₀)₂ (Z) 2288–2291 [2256–2259]
DOI: 10.1002/ange.200705373
- Observation of Direct Bonds between Carbon and Nitrogen in Si-B-N-C Ceramic after Pyrolysis at 1400 °C (Z) 3656–3658 [3600–3602]
DOI: 10.1002/ange.200705786
- Jansen, R.
– Chlorotonil A, ein Macrolid mit einzigartiger gem-Dichlor-1,3-dionfunktion aus *Sorangium cellulosum*, So ce1525 (Z) 610–613 [600–602]
DOI: 10.1002/ange.200703993
- Jansen, R. (Z) 6578–6582 [6478–6482]
Jantos, K. (Z) 2717–2720 [2677–2680]
Järvenpää, M.-L. (Z) 3871–3873 [3811–3813]
Jaspars, M.
– Marine Metabolites and Metal Ion Chelation: Intact Recovery and Identification of an Iron(II) Complex in the Extract of the Ascidian *Eudistoma gilboviride* (Z) 8210–8212 [8090–8092]
DOI: 10.1002/ange.200802060
- Jasper, C. (Z) 3511–3514 [3461–3463]
Jatsch, A. (Z) 204–207 [198–201]
Jauch, J.
– Totalsynthese von Azadirachtin – nach 22 Jahren endlich am Ziel (H) 34–37 [34–37]
DOI: 10.1002/ange.200703814
- Jautze, S. (Z) 9424–9429 [9284–9288]
Javey, A.
– Phosphine Oxide Monolayers on SiO₂ Surfaces (Z) 4512–4514 [4440–4442]
DOI: 10.1002/ange.200800737
- Jaya Prakash, M. (Z) 4033–4036 [3969–3972]
Jeanneau, E. (Z) 8782–8784 [8654–8656]
Jelinek, R. (Z) 2633–2637 [2595–2599]
Jemmis, E. D.
– Orbital Compatibility in the Condensation of Polyhedral Boranes (Z) 5643–5646 [5561–5564]
DOI: 10.1002/ange.200801295
- Jen-Jacobson, L.
– Electron Spin Resonance Shows Common Structural Features for Different Classes of EcoRI–DNA Complexes (Z) 10346–10348 [10192–10194]
DOI: 10.1002/ange.200803588
- Jenekhe, S. A. (Z) 2436–2440 [2402–2406]
Jenkins, R. L. (Z) 2862–2865 [2820–2823]
Jenkins, S. J. (Z) 5332–5334 [5253–5255]

- Jennings, M. (Z) 7845–7849 [7731–7735]
 Jennings, T. L. (Z) 5659–5663 [5577–5581]
 Jensen, K. B. (Z) 2705–2707 [2665–2667]
 Jensen, T. (Z) 902–904 [888–890]
 Jeon, J.-H. (Z) 2504–2508 [2470–2474]
 Jeon, T.-Y. (Z) 9447–9450 [9307–9310]
 Jeong, B. H. (Z) 2263–2266 [2231–2234]
 Jeong, H.-J. (Z) 8532–8534 [8404–8406]
 Jeong, N. C. (Z) 10282–10286 [10128–10132]
 Jeong, Y. J. (Z) 7431–7434 [7321–7324]
 Jeong, Y. Y. (Z) 5442–5445 [5362–5365]
 Jeschke, G. (Z) 2638–2642 [2600–2603], 6886–6890 [6782–6785]
 Jeske, R. C. (Z) 6130–6133 [6041–6044]
 Jeske, V. (Z) 412–415 [406–409]
 Jessen, H. J. (Z) 8847–8850 [8719–8722]
 Jewell, K. (Z) 6275–6278 [6180–6183]
 Jha, S. (Z) 4757–4760 [4679–4682]
 Jung, S. H. (Z) 4212–4216 [4144–4148]
 Ji, N. (Z) 8638–8641 [8510–8513]
 Ji, Q. (Z) 7364–7367 [7254–7257]
 Jia, Q. X.
 – Amorphous Silica Nanoparticles Embedded in Epitaxial SrTiO₃ and CoFe₂O₄ Matrices (Z) 5852–5855 [5768–5771]
 DOI: 10.1002/ange.200801064
 Jia, W. (Z) 4807–4810 [4729–4732]
 Jia, Y. (Z) 4235–4240 [4167–4172]
 Jiang, Dawei (Z) 5087–5090 [5009–5012]
 Jiang, De-e. (Z) 1892–1896 [1866–1870]
 Jiang, Donglin
 – A Belt-Shaped, Blue Luminescent, and Semiconducting Covalent Organic Framework (Z) 8958–8962 [8826–8830]
 DOI: 10.1002/ange.200803826
 Jiang, G. (Z) 6740–6744 [6638–6642]
 Jiang, H.-y. (Z) 9380–9384 [9240–9244]
 Jiang, Heqing (Z) 9481–9484 [9341–9344]
 Jiang, Hongying (Z) 9443–9446 [9303–9306]
 Jiang, Hua
 – Quadruple and Double Helices of 8-Fluoroquinoline Oligoamides (Z) 1739–1742 [1715–1718]
 DOI: 10.1002/ange.200704938
 Jiang, Hua (Z) 4221–4224 [4153–4156]
 Jiang, J. (Z) 2492–2496 [2458–2462]
 Jiang, J.-X. Berichtigung: 1183
 Jiang, L. (Z) 7368–7372 [7258–7262], 7411–7415 [7301–7305]
 Jiang, M. (Z) 10325–10328 [10171–10174]
 Jiang, S.
 – A Switchable Biocompatible Polymer Surface with Self-Sterilizing and Nonfouling Capabilities (Z) 8963–8966 [8831–8834]
 DOI: 10.1002/ange.200803570
 Jiang, T. (Z) 1143–1145 [1127–1129], 4913–4917 [4835–4839]
 Jiang, W. (Z) 3616–3620 [3560–3564]
 Jiang, Xia (Z) 9629–9633 [9487–9491]
 Jiang, Xingyu
 – Visual Detection of Copper(II) by Azide- and Alkyne-Functionalized Gold Nanoparticles Using Click Chemistry (Z) 7564–7566 [7454–7456]
 DOI: 10.1002/ange.200802317
 Jiang, Y.-X.
 – Shape-Controlled Synthesis of Gold Nanoparticles in Deep Eutectic Solvents for Studies of Structure–Functionality Relationships in Electrocatalysis (Z) 9240–9243 [9100–9103]
 DOI: 10.1002/ange.200803202
 Jiang, Ying (Z) 8729–8732 [8601–8604]
 Jiang, Yun (M) 8912–8923 [8782–8793]
 Jiang, Z. (Z) 9033–9036 [8901–8904]
 Jiao, F. (Z) 9857–9862 [9711–9716]
 Jiao, N.
 – Ligand-Free Pd-Catalyzed Highly Selective Arylation of Allylic Esters with Retention of the Traditional Leaving Group (Z) 4807–4810 [4729–4732]
 DOI: 10.1002/ange.200800966
 Jiao, Peng (Z) 2445–2447 [2411–2413]
 Jiao, Ping (Z) 3629–3633 [3573–3577]
 Jickells, S. M. (Z) 10321–10324 [10167–10170]
 Jilek, R. E. (Z) 8820–8823 [8692–8695]
 Jiménez, S. (Z) 2123–2126 [2093–2096]
 Jiménez-Núñez, E. (Z) 8010–8013 [7892–7895]
 Jimeno, C. (Z) 1114–1117 [1098–1101]
 Jin, A. (Z) 7836–7839 [7722–7725]
 Jin, J. (Z) 916–919 [902–905]
 Jin, L.-H. (Z) 4272–4275 [4204–4207]
 Jin, R.
 – Hochstabile Nanopartikel für Biologie und Biomedizin (H) 6852–6855 [6750–6753]
 DOI: 10.1002/ange.200801301
 Jin, W. (Z) 1696–1699 [1672–1675]
 Jitsukawa, K. (Z) 144–147 [138–141], 8056–8058 [7938–7940]
 Jo, Y. (Z) 9646–9650 [9504–9508]
 Jobic, H.
 – Quasi-Elastic Neutron Scattering and Molecular Dynamics Study of Methane Diffusion in Metal Organic Frameworks MIL-47(V) and MIL-53(Cr) (Z) 6713–6717 [6611–6615]
 DOI: 10.1002/ange.200801748
 Jocher, C. J. (M) 8696–8709 [8568–8580]
 Jockusch, S. (Z) 9087–9091 [8954–8957]
 Johnels, D.
 – Synthesis and Structural Characterization of C₇₀H₅₈ (Z) 2838–2841 [2796–2799]
 DOI: 10.1002/ange.200705450
 Johnson, D. W.
 – Synthesis of Heterometallic Group 13 Nanoclusters and Inks for Oxide Thin-Film Transistors (Z) 9626–9628 [9484–9486]
 DOI: 10.1002/ange.200803514
 – Water and Hydrogen Halides Serve the Same Structural Role in a Series of 2 + 2 Hydrogen-Bonded Dimers Based on 2,6-Bis(2-anilinoethynyl)pyridine Sulfonamide Receptors (Z) 123–126 [117–120]
 DOI: 10.1002/ange.200703971
 Johnson, J. B. (A) 852–884 [840–871]
 Johnson, K. A. (Z) 7971–7974 [7853–7856]
 Johnson, S. R. (Z) 2859–2861 [2817–2819]
 Johnson II, C. A. (Z) 123–126 [117–120]
 Johrendt, D.
 – Pnictidoxide – eine neue Klasse von Hoch-T_C-Supraleitern (H) 4860–4863 [4782–4784]
 DOI: 10.1002/ange.200801818
 – Supraleitung und Kristallstrukturen von (Ba_{1-x}K_x)Fe₂As₂ (x = 0–1) (Z) 8067–8070 [7949–7952]
 DOI: 10.1002/ange.200803641
 Jolivet, J.-P. (Z) 6541–6544 [6441–6444]
 Jon, S.
 – Drug-Loaded Superparamagnetic Iron Oxide Nanoparticles for Combined Cancer Imaging and Therapy In Vivo (Z) 5442–5445 [5362–5365]
 DOI: 10.1002/ange.200800857
 Jones, C.
 – Stable Adducts of a Dimeric Magnesium(I) Compound (Z) 9219–9223 [9079–9083]
 DOI: 10.1002/ange.200803960
 Jones, C. R. (Z) 7207–7210 [7099–7102]
 Jones, D. (Z) 1352–1355 [1332–1334]
 Jones, G. O. (Z) 4202–4204 [4134–4136]
 Jones, M. E. (Z) 5080–5082 [5002–5004]
 Jones, M. O. (Z) 2859–2861 [2817–2819]
 Jones, P. G. (Z) 7538–7542 [7428–7432]
 Jonke, S. Berichtigung: 5357
 Jonkheijm, P. (Z) 4493–4496 [4421–4424], (A) 9762–9792 [9618–9647]
 Joo, H.-C. (Z) 805–808 [793–796], (K) 9523–9524 [9383–9384]
 Joo, T. (Z) 705–708 [693–696]
 Joo, Y.-H. (Z) 6332–6335 [6236–6239], 7195–7198 [7087–7090]
 Jordá, J. L. (Z) 1096–1099 [1080–1083]
 Jordan, E. (Z) 562–565 [552–555]
 Jørgensen, K. A.
 – An Unexpected Organocatalytic Asymmetric Tandem Michael/Morita–Baylis–Hillman Reaction (Z) 127–131 [121–125]
 DOI: 10.1002/ange.200704076
 – Organocatalytic Asymmetric Synthesis of Versatile γ -Lactams (Z) 4765–4768 [4687–4690]
 DOI: 10.1002/ange.200800329
 Jørgensen, M.
 – Palladium-Catalyzed Aryl Amination–Heck Cyclization Cascade: A One-Flask Approach to 3-Substituted Indoles (Z) 902–904 [888–890]
 DOI: 10.1002/ange.200703763
 – Palladium-Catalyzed Three-Component Approach to Promazine with Formation of One Carbon–Sulfur and Two Carbon–Nitrogen Bonds (Z) 1750–1752 [1726–1728]
 DOI: 10.1002/ange.200705209
 Josan, J. S. (Z) 1709–1712 [1685–1688]
 Josephson, L.
 – Sensitive NMR Sensors Detect Antibodies to Influenza (Z) 4187–4189 [4119–4121]
 DOI: 10.1002/ange.200800069
 Joshi, K. B. (Z) 2902–2905 [2860–2863]
 Joshi, N. S. Berichtigung: 7902
 Journaux, Y.
 – A Metallocryptand-Based Manganese(II)–Cobalt(II) Ferrimagnet with a Three-Dimensional Honeycomb Open-Frame-work Architecture (Z) 4279–4284 [4211–4216]
 DOI: 10.1002/ange.200800208
 Joyce, S. A. (Z) 1968–1971 [1942–1945]
 Jude, H. (Z) 513–516 [503–506]
 Jullien, L.
 – A Caged Retinoic Acid for One- and Two-Photon Excitation in Zebrafish Embryos (Z) 3804–3806 [3744–3746]
 DOI: 10.1002/ange.200800037
 Julve, M. (Z) 4279–4284 [4211–4216]
 Jun, C.-H.
 – Sc(OTf)₃-Mediated Silylation of Hydroxy Functional Groups on a Solid Surface: A Catalytic Grafting Method Operating at Room Temperature

- (Z) 115–118 [109–112]
DOI: 10.1002/ange.200703112
- Jun, Y.-w. (A) 5200–5213 [5122–5135]
- Jung, J. H. (Z) 697–700 [685–688]
- Jung, K. W.
- Chiral Palladium(II) Complexes Possessing a Tridentate N-Heterocyclic Carbene Amidate Alkoxide Ligand: Access to Oxygen-Bridging Dimer Structures (Z) 9466–9469 [9326–9329]
DOI: 10.1002/ange.200803793
- Jung, M. (Z) 5839–5841 [5755–5757]
- Jung, M.-H. (Z) 9646–9650 [9504–9508]
- Jung, S. (Z) 2079–2081 [2049–2051]
- Jung, T. (Z) 7840–7844 [7726–7730]
- Jung, T. A.
- Transforming Surface Coordination Polymers into Covalent Surface Polymers: Linked Polycondensed Aromatics through Oligomerization of N-Heterocyclic Carbene Intermediates (Z) 2448–2451 [2414–2417]
DOI: 10.1002/ange.200704072
- Jung, W.-H. (Z) 1146–1149 [1130–1133]
- Junge, H. (Z) 4026–4029 [3962–3965]
- Junge, K. (Z) 2531–2535 [2497–2501], (H) 3363–3367 [3317–3321]
- Jungnick, N. (Z) 9697–9701 [9555–9559]
- Junker, J. (Z) 2062–2064 [2032–2034]
- Jürgens, B. (Z) 9078–9082 [8946–8949]
- Jurkschat, K.
- [[2,6-(Me₂NCH₂)₂C₆H₃]Sn]₂: ein intramolekular koordiniertes Diorganodistannin (Z) 1674–1677 [1650–1653]
DOI: 10.1002/ange.200704635
- Justyniak, I. (Z) 583–586 [573–576], 8006–8009 [7888–7891]
- Juwarcker, H. (Z) 3800–3803 [3740–3743]
- Jux, N.
- Der Porphyrin-Twist: Hückel- und Möbius-Aromatizität (H) 2577–2581 [2543–2546]
DOI: 10.1002/ange.200705568
- Kabuto, C. (Z) 5466–5469 [5386–5389]
- Kadowaki, Y. (Z) 10031–10034 [9883–9886]
- Käfer, D. (Z) 5328–5331 [5250–5252]
- Kageyama, H.
- Spin-Ladder Iron Oxide: Sr₃Fe₂O₅ (Z) 5824–5829 [5740–5745]
DOI: 10.1002/ange.200801146
- Kagi, H. (Z) 5709–5712 [5627–5630]
- Kahn, R.
- Protein Crystallography through Supramolecular Interactions between a Lanthanide Complex and Arginine (Z) 3436–3439 [3388–3391]
DOI: 10.1002/ange.200704683
- Kahr, B.
- Die optische Aktivität achiraler Substanzen (M) 5790–5801 [5706–5717]
DOI: 10.1002/ange.200704559
- Kai, Y. (Z) 8365–8369 [8241–8245]
- Kaifer, A. E. (Z) 2697–2700 [2657–2660]
- Kaim, W.
- Etablierung der chelatbildenden α -Azocarbonyl-Funktion in π -Akzeptor-Liganden (Z) 6287–6289 [6192–6194]
DOI: 10.1002/ange.200801328
 - *Hans Bock* (N) 2954 [2912]
DOI: 10.1002/ange.200800607
- Kaiser, H. M. (Z) 6082–6085 [5993–5996]
- Kaiser, M.
- Allosterische Aktivierung der HtrA-Protease DegP durch Stress-Signale während der bakteriellen Proteinqualitätskontrolle (Z) 1352–1355 [1332–1334]
DOI: 10.1002/ange.200703273
 - Entwicklung einer neuen Klasse von Inhibitoren der Proteintyrosinphosphatase-B aus *Mycobacterium tuberculosis* durch Biologie-orientierte Synthese (BIOS) (Z) 6061–6066 [5973–5977]
DOI: 10.1002/ange.200801566
- Kajihara, Y.
- Uncovering a Latent Ligation Site for Glycopeptide Synthesis (Z) 5482–5486 [5402–5406]
DOI: 10.1002/ange.200801097
- Kajiwar, T. (Z) 6708–6712 [6606–6610]
- Kaka, N. S. (Z) 10106–10108 [9958–9960]
- Kakade, B. A. (Z) 2693–2696 [2653–2656]
- Kakeya, H. (Z) 6759–6762 [6657–6660]
- Kale, R. R. (Z) 1285–1288 [1265–1268]
- Kalesse, M.
- Chondramid C: Synthese, Strukturaufklärung und Struktur-Aktivitäts-Beziehungen (Z) 6578–6582 [6478–6482]
DOI: 10.1002/ange.200801156
 - Die Totalsynthese von Chlorotoniol A (Z) 607–609 [597–599]
DOI: 10.1002/ange.200703930
- Kalia, J. (Z) 7633–7636 [7523–7526]
- Kalinina, I. V. (Z) 1487–1490 [1465–1468]
- Kamata, K. (Z) 2441–2444 [2407–2410]
- Kamena, F. (Z) 6583–6585 [6483–6485]
- Kamenev, K. (Z) 2870–2873 [2828–2831]
- Kameo, H. (Z) 10313–10316 [10159–10162]
- Kamer, P. C. J.
- Parallel Synthesis and Screening of Polymer-Supported Phosphorus-Stereogenic Aminophosphane-Phosphite and -Phosphinite Ligands (Z) 6704–6707 [6602–6605]
DOI: 10.1002/ange.200801689
- Kameyama, N. (Z) 166–169 [160–163]
- Kaminski, C. F. (Z) 2072–2075 [2042–2045]
- Kaminsky, W.
- Die optische Aktivität achiraler Substanzen (M) 5790–5801 [5706–5717]
DOI: 10.1002/ange.200704559
- Kammerer, R. A. (Z) 5926–5929 [5842–5845]
- Kanamori, K. (Z) 5824–5829 [5740–5745]
- Kanaras, A. G. (Z) 1887–1891 [1861–1865]
- Kanatzidis, M. G.
- Large Enhancements in the Thermoelectric Power Factor of Bulk PbTe at High Temperature by Synergistic Nanostructuring (Z) 8746–8750 [8618–8622]
DOI: 10.1002/ange.200803934
 - Soluble Direct-Band-Gap Semiconductors LiAsS₂ and NaAsS₂: Large Electronic Structure Effects from Weak As...S Interactions and Strong Nonlinear Optical Response (Z) 7946–7950 [7828–7832]
DOI: 10.1002/ange.200801392
- Kandori, H.
- Color Change of Proteorhodopsin by a Single Amino Acid Replacement at a Distant Cytoplasmic Loop (Z) 3987–3990 [3923–3926]
DOI: 10.1002/ange.200705989
- Kandur, W. V. (Z) 4789–4792 [4711–4714]
- Kane, R. S.
- Herstellung von komplexen polymeren Mikro- und Nanostrukturen: Lithographie in Mikrofluidiksystemen (H) 1388–1391 [1368–1370]
DOI: 10.1002/ange.200704426
- Kaneda, K.
- Oxidant-Free Alcohol Dehydrogenation Using a Reusable Hydrotalcite-Supported Silver Nanoparticle Catalyst (Z) 144–147 [138–141]
DOI: 10.1002/ange.200703161
 - Supported Silver-Nanoparticle-Catalyzed Highly Efficient Aqueous Oxidation of Phenylsilanes to Silanols (Z) 8056–8058 [7938–7940]
DOI: 10.1002/ange.200802761
- Kanehara, M. (Z) 313–316 [307–310]
- Kaneko, W. (Z) 8975–8979 [8843–8847]
- Kanemasa, S. (Z) 170–174 [164–168]
- Kang, J. (Z) 4974–4977 [4896–4899]
- Kang, J. K.
- A Facile Way to Control the Number of Walls in Carbon Nanotubes Through the Synthesis of Exposed-Core/Shell Catalyst Nanoparticles (Z) 10052–10055 [9904–9907]
DOI: 10.1002/ange.200803311
- Kang, L. (Z) 9037–9040 [8905–8908]
- Kang, M.-S. (Z) 333–336 [327–330], 8383–8387 [8259–8263]
- Kang, S. (Z) 7963–7966 [7845–7848]
- Kang, S.-G. (Z) 115–118 [109–112]
- Kang, S. H. (Z) 5264–5267 [5186–5189]
- Kang, S. O. (Z) 333–336 [327–330], 8383–8387 [8259–8263]
- Kang, T. M. (Z) 2504–2508 [2470–2474]
- Kang, Y. (Z) 7431–7434 [7321–7324]
- Kannan, R. (Z) 2693–2696 [2653–2656]
- Kano, N.
- Structure and Properties of a Sulfur(IV)-Sulfur(II)-Bond Compound: Reversible Conversion of a Sulfur-Substituted Organosulfurane into a Thiol (Z) 9572–9575 [9430–9433]
DOI: 10.1002/ange.200803945
- Kantorovich, L. N. (Z) 9819–9822 [9673–9676]
- Kao, J. L. F. (Z) 3640–3643 [3584–3587]
- Kao, T.-C. (Z) 7435–7437 [7325–7327]
- Kapitán, J. (Z) 6492–6494 [6392–6394]
- Kappe, C. O.
- Kupferkatalysierte C-C-Kupplung von Thioestern und Boronsäuren unter aeroben Bedingungen (H) 3732–3734 [3674–3676]
DOI: 10.1002/ange.200800449
 - Attrition-Enhanced Deracemization of an Amino Acid Derivative That Forms an Epitaxial Racemic Conglomerate (Z) 7336–7339 [7226–7229]
DOI: 10.1002/ange.200802468
 - Complete Deracemization by Attrition-Enhanced Ostwald Ripening Elucidated



- (Z) 6545–6547 [6445–6447]
DOI: 10.1002/ange.200801846
- Kaptein, B. (Z) 1307–1310 [1287–1290]
Kapurniotu, A.
- Amyloid-Kreuzwechselwirkung zur Inhibierung der Proteinaggregation, nicht aber der Proteinfunktion: Inhibierung der Insulinaggregation im nanomolaren Bereich durch ein IAPP-Mimetikum (Z) 7222–7227 [7114–7118]
DOI: 10.1002/ange.200801499
- Karanikolos, G. N. (Z) 9236–9239 [9096–9099]
- Karatsu, T. (Z) 3415–3419 [3367–3371], 4769–4772 [4691–4694]
- Kareev, I. E.
- $C_{1-(C_{84}-C_{52}(11))(CF_3)_{12}}$: Trifluoromethylation Yields Structural Proof of a Minor C_{84} Cage and Reveals a Principle of Higher Fullerene Reactivity (Z) 6300–6303 [6204–6207]
DOI: 10.1002/ange.200801777
- Kärger, J.
- Erforschung des kristallinen Aufbaus nanoporöser Materialien mithilfe zeitaufgelöster Konzentrationsprofile (Z) 4018–4021 [3954–3957]
DOI: 10.1002/ange.200705597
- Karimova, E. J. (Z) 7144–7147 [7036–7039]
- Karlin, K. D.
- Reactions of a Copper(II) Superoxo Complex Lead to C–H and O–H Substrate Oxygenation: Modeling Copper-Monooxygenase C–H Hydroxylation (Z) 88–91 [82–85]
DOI: 10.1002/ange.200704389
 - Structural Studies of Copper(I) Complexes of Amyloid- β Peptide Fragments: Formation of Two-Coordinate Bis(histidine) Complexes (Z) 9224–9227 [9084–9087]
DOI: 10.1002/ange.200803908
- Kärnbratt, J. (Z) 5071–5074 [4993–4996]
- Karousis, N. (Z) 5226–5230 [5148–5152]
- Kashiwazaki, G. (Z) 9807–9811 [9661–9665]
- Kašná, B. (Z) 1674–1677 [1650–1653]
- Kasper, R. (Z) 5545–5550 [5465–5469], 6266–6271 [6172–6176]
- Kasry, A. (Z) 4785–4788 [4707–4710]
- Kassel, W. S. (Z) 84–87 [78–81]
- Kasumaj, B. (Z) 2638–2642 [2600–2603]
- Kataoka, K.
- Charge-Conversion Ternary Polyplex with Endosome Disruption Moiety: A Technique for Efficient and Safe Gene Delivery (Z) 5241–5244 [5163–5166]
DOI: 10.1002/ange.200800963
- Kato, D. (Z) 6783–6786 [6681–6684]
- Kato, N. (Z) 6538–6540 [6438–6440]
- Kato, S.-y. (Z) 8365–8369 [8241–8245]
- Kato, Takashi
- Macroscopically Ordered Polymer/ $CaCO_3$ Hybrids Prepared by Using a Liquid-Crystalline Template (Z) 2842–2845 [2800–2803]
DOI: 10.1002/ange.200705062
 - Stimuli-Responsive Luminescent Liquid Crystals: Change of Photoluminescent Colors Triggered by a Shear-Induced Phase Transition (Z) 5253–5256 [5175–5178]
DOI: 10.1002/ange.200800164
- Kato, Tsuyoshi (Z) 5470–5473 [5390–5393], 7640–7643 [7530–7533]
- Katoh, T. (Z) 1469–1471 [1447–1449]
- Katsonis, N.
- Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface (Z) 5075–5079 [4997–5001]
DOI: 10.1002/ange.200800255
- Katsu, M. (Z) 2705–2707 [2665–2667]
- Katsuki, T.
- A μ -Oxo- μ - η^2 - η^2 -Peroxo Titanium Complex as a Reservoir of Active Species in Asymmetric Epoxidation Using Hydrogen Peroxide (Z) 10349–10352 [10195–10198]
DOI: 10.1002/ange.200804685
 - Asymmetric Simmons–Smith Reaction of Allylic Alcohols with Al Lewis Acid/N Lewis Base Bifunctional Al(Salalen) Catalyst (Z) 2484–2487 [2450–2453]
DOI: 10.1002/ange.200705641
 - Nb(salan)-Catalyzed Asymmetric Epoxidation of Allylic Alcohols with Hydrogen Peroxide (Z) 5249–5252 [5171–5174]
DOI: 10.1002/ange.200800797
- Kattnig, D. R. (Z) 974–976 [960–962]
- Katz, C. E. (Z) 6329–6331 [6233–6235]
- Kauffman, D. R. (A) 6652–6673 [6550–6570]
- Kauffmann, B. (Z) 1739–1742 [1715–1718], 4221–4224 [4153–4156]
- Kaufhold, O. (H) 4122–4126 [4057–4061]
- Kaufman, G. K. (Z) 6756–6758 [6654–6656]
- Kaupp, M.
- Is Allred's $[Hg(cyclam)]^{3+}$ a True Mercury(III) Complex? (Z) 8759–8761 [8631–8633]
DOI: 10.1002/ange.200802233
- Kaur, A. (Z) 4781–4784 [4703–4706]
- Kawaguchi, T. (Z) 1801–1803 [1777–1779]
- Kawamichi, T. (Z) 8150–8152 [8030–8032]
- Kawamura, N. (Z) 166–169 [160–163]
- Kawano, K. (Z) 6340–6342 [6244–6246]
- Kawano, M.
- A Selective Instant Synthesis of a Coordination Network and Its Ab Initio Powder Structure Determination (Z) 1289–1291 [1269–1271]
DOI: 10.1002/ange.200704809
 - Single-Crystalline Molecular Flasks: Chemical Transformation with Bulky Reagents in the Pores of Porous Coordination Networks (Z) 8150–8152 [8030–8032]
DOI: 10.1002/ange.200802545
- Kawano, M. (Z) 2076–2078 [2046–2048], 5864–5866 [5780–5782]
- Kawano, S.-i. (Z) 4653–4656 [4577–4580]
- Kawasaki, M. (Z) 3855–3857 [3795–3797]
- Kawasaki, S. (Z) 3474–3477 [3426–3429]
- Kawasaki, T. (Z) 506–509 [496–499]
- Kawashima, T.
- Generation and Coordinating Properties of a Carbene Bearing a Phosphorus Ylide: An Intensely Electron-Donating Ligand (Z) 1157–1160 [1141–1144]
DOI: 10.1002/ange.200704746
 - Structure and Properties of a Sulfur(IV)–Sulfur(II)-Bond Compound: Reversible Conversion of a Sulfur-Substituted Organosulfurane into a Thiol (Z) 9572–9575 [9430–9433]
DOI: 10.1002/ange.200803945
- Kawauchi, T.
- Encapsulation of Fullerenes in a Helical PMMA Cavity Leading to a Robust Processable Complex with a Macromolecular Helicity Memory (Z) 525–529 [515–519]
DOI: 10.1002/ange.200703655
- Kawska, A. (Z) 5060–5063 [4982–4985]
- Kayaki, Y. (Z) 2481–2483 [2447–2449]
- Kazlauskas, R. J.
- Enantiokomplementäre Enzyme: Klassifizierung, molekulare Grundlage der Enantiopräferenz und Prognosen für spiegelbildliche Biotransformationen (M) 8912–8923 [8782–8793]
DOI: 10.1002/ange.200705159
- Kazmaier, U.
- Distannylierung und Silastannylierung in situ generierter Allene (Z) 3093–3096 [3050–3053]
DOI: 10.1002/ange.200705976
- Ke, C.-F. (Z) 7403–7406 [7293–7296]
- Ke, T.-H. (Z) 591–595 [581–585]
- Ke, Yonggang (Z) 322–325 [316–319], 5235–5237 [5157–5159]
- Ke, Yuyong (Z) 9812–9814 [9666–9668]
- Kee, T. P. (Z) 8036–8038 [7918–7920]
- Keerl, M. (Z) 344–347 [338–341]
- Kehr, G. (Z) 2662–2665 [2622–2625], 7654–7657 [7543–7546]
- Keita, B. (Z) 805–808 [793–796], 9685–9689 [9542–9546]
- Keller, S. (Z) 3302–3305 [3258–3261]
- Kellogg, R.
- Structural Aspects of Nucleation Inhibitors for Diastereomeric Resolutions and the Relationship to Dutch Resolution (Z) 1307–1310 [1287–1290]
DOI: 10.1002/ange.200704021
- Kellogg, R. M.
- Attrition-Enhanced Deracemization of an Amino Acid Derivative That Forms an Epitaxial Racemic Conglomerate (Z) 7336–7339 [7226–7229]
DOI: 10.1002/ange.200802468
 - Complete Deracemization by Attrition-Enhanced Ostwald Ripening Elucidated (Z) 6545–6547 [6445–6447]
DOI: 10.1002/ange.200801846
- Kelly, R. E. A. (Z) 9819–9822 [9673–9676]
- Kemnitz, E.
- $Mg_6F_2(OMe)_{10}(MeOH)_{14}$ – ein Alkoxidfluorid eines Erdalkalimetalls (Z) 196–198 [190–192]
DOI: 10.1002/ange.200703516
- Kemp, R. A.
- Insertion of Carbon Dioxide into Main-Group Complexes: Formation of the $[N(CO)_3]^{3-}$ Ligand (Z) 10103–10105 [9955–9957]
DOI: 10.1002/ange.200804218
- Kempe, R.
- Bismetalloccene – Lanthanoid-Übergangsmetall-Bindungen durch Alkanelliminierung (Z) 6569–6572 [6469–6472]
DOI: 10.1002/ange.200800407
 - Metall-Metall-Abstände am Limit: ein Komplex mit ultrakurzer Cr-Cr-Bindung (Z) 7356–7359 [7246–7249]
DOI: 10.1002/ange.200801160
- Kempton, A. (Z) 7344–7347 [7234–7237]
- Kendrick, J. (Z) 2461–2464 [2427–2430]
- Kennedy, A. R. (Z) 8199–8201 [8079–8081], 9049–9051 [8917–8919]

- Kennedy, M. W. (Z) 7971–7974 [7853–7856]
 Kent, S. B. H.
 – Comparative Properties of Insulin-like Growth Factor 1 (IGF-1) and [Gly7D-Ala]IGF-1 Prepared by Total Chemical Synthesis (Z) 1118–1122 [1102–1106]
 DOI: 10.1002/ange.200703521
 Kenttämää, H. I.
 – Reactivity of the 3,4,5-Tridehydropyridinium Cation—An Aromatic α,α,σ -Triradical (Z) 10008–10013 [9860–9865]
 DOI: 10.1002/ange.200802714
 Kenward, A. L. (H) 38–42 [38–41]
 Kenworthy, M. N. (Z) 1961–1963 [1935–1937]
 Keper, C. J.
 – Nanoporosity and Exceptional Negative Thermal Expansion in Single-Network Cadmium Cyanide (Z) 1418–1421 [1396–1399]
 DOI: 10.1002/ange.200704421
 – Negative Thermal Expansion in the Metal–Organic Framework Material $\text{Cu}_3(1,3,5\text{-benzenetricarboxylate})_2$ (Z) 9061–9064 [8929–8932]
 DOI: 10.1002/ange.200803925
 Keresztes, I. (Z) 2132–2135 [2102–2105]
 Kerman, K. (H) 6622–6624 [6522–6524]
 Kern, K. (Z) 8967–8970 [8835–8838]
 Kerr, M. A.
 – Total Synthesis of (–)-Allosecurinine (Z) 8063–8066 [7945–7948]
 DOI: 10.1002/ange.200803257
 Kersch, M. (Z) 4818–4821 [4740–4743]
 Kershaw, N. M. (Z) 7424–7426 [7314–7316]
 Kervio, E. (Z) 6154–6157 [6065–6068]
 Kessar, S. V.
 – A Study of BF_3 -Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions (Z) 4781–4784 [4703–4706]
 DOI: 10.1002/ange.200705967
 Kessler, B. (Z) 9462–9465 [9322–9325]
 Kessler, H.
 – Die Verbesserung der oralen Bioverfügbarkeit von Peptiden durch multiple N-Methylierung: Somatostatin-Analoga (Z) 2633–2637 [2595–2599]
 DOI: 10.1002/ange.200705797
 – Phosphor-NMR-Spektroskopie als vielseitiges Werkzeug für das Screening von Substanzbibliotheken (Z) 2647–2651 [2608–2611]
 DOI: 10.1002/ange.200705256
 Kessler, V. G.
 – Chemically Triggered Biodelivery Using Metal–Organic Sol–Gel Synthesis (Z) 8634–8637 [8506–8509]
 DOI: 10.1002/ange.200803307
 Keszler, D. A.
 – Synthesis of Heterometallic Group 13 Nanoclusters and Inks for Oxide Thin-Film Transistors (Z) 9626–9628 [9484–9486]
 DOI: 10.1002/ange.200803514
 Ketterson, J. B. (Z) 7946–7950 [7828–7832]
 Keul, H. A. (Z) 7751–7755 [7639–7643]
 Khairallah, G. N. (Z) 9258–9261 [9118–9121]
 Khalimon, A. Y. (Z) 7815–7818 [7701–7704]
 Khan, T. A. (H) 1843–1847 [1819–1823]
 Khedkar, V. (Z) 6975–6978 [6869–6872]
 Kherani, N. P. (Z) 3874–3877 [3814–3817]
 Khimyak, Y. Z. Berichtigung: 1183
 Khodakov, A. Y.
 – Glow-Discharge Plasma-Assisted Design of Cobalt Catalysts for Fischer–Tropsch Synthesis (Z) 5130–5133 [5052–5055]
 DOI: 10.1002/ange.200800657
 Khranov, D. M. (Z) 2299–2302 [2267–2270]
 Khusniyarov, M. M.
 – Reversible Electron Transfer Coupled to Spin Crossover in an Iron Coordination Salt in the Solid State (Z) 1248–1251 [1228–1231]
 DOI: 10.1002/ange.200704951
 Ki, H. (Z) 9646–9650 [9504–9508]
 Kiel, G. Y. (Z) 4988–4991 [4910–4913]
 Kienle, L. (Z) 4063–4068 [3999–4004]
 Kiessling, L. L.
 – Isotope-Coded Affinity Tags with Tunable Reactivities for Protein Footprinting (Z) 9823–9826 [9677–9680]
 DOI: 10.1002/ange.200803378
 Kikkawa, Y. (Z) 4769–4772 [4691–4694]
 Kikuchi, F. (Z) 7199–7202 [7091–7094]
 Kikuchi, J.-i. (Z) 4653–4656 [4577–4580]
 Kikuchi, K. (Z) 9622–9625 [9480–9483]
 Kikuchi, R. (Z) 9454–9457 [9314–9317]
 Kilgore, U. J. (Z) 3829–3832 [3769–3772]
 Kilian, K. A. (Z) 2737–2739 [2697–2699]
 Kim, C.
 – Photoinduced Release of Guest Molecules by Supramolecular Transformation of Self-Assembled Aggregates Derived from Dendrons (Z) 3001–3005 [2959–2963]
 DOI: 10.1002/ange.200705271
 – Tunable Fluorescent Dendron-Cyclodextrin Nanotubes for Hybridization with Metal Nanoparticles and Their Biosensory Function (Z) 10070–10074 [9922–9926]
 DOI: 10.1002/ange.200804087
 Kim, C. H. (Z) 4073–4075 [4009–4011]
 Kim, D.-H. (A) 5606–5624 [5524–5542]
 Kim, D. K. (Z) 1773–1776 [1749–1752]
 Kim, D. W.
 – Tetrabutylammonium Tetra(*tert*-Butyl Alcohol)-Coordinated Fluoride as a Facile Fluoride Source (Z) 8532–8534 [8404–8406]
 DOI: 10.1002/ange.200803150
 Kim, Daeho (Z) 8570–8573 [8442–8445]
 Kim, Deukjoon
 – A General Strategy for Construction of Both 2,6-*cis*- and 2,6-*trans*-Disubstituted Tetrahydropyrans: Substrate-Controlled Asymmetric Total Synthesis of (+)-Scanlonenine (Z) 4268–4271 [4200–4203]
 DOI: 10.1002/ange.200705663
 Kim, Dongho
 – A Stable Radical Species from Facile Oxygenation of meso-Free 5,10,20,25-Tetrakis-(pentafluorophenyl)-Substituted [26]Hexaphyrin(1.1.1.1.1.1) (Z) 9807–9811 [9661–9665]
 DOI: 10.1002/ange.200804570
 – Effective Expansion of the Subporphyrin Chromophore Through Conjugation with meso-Oligo(1,4-phenyleneethynylene) Substituents: Octupolar Effect on Two-Photon Absorption (Z) 4918–4921 [4840–4843]
 DOI: 10.1002/ange.200801192
 – Metalation of Expanded Porphyrins: A Chemical Trigger Used To Produce Molecular Twisting and Möbius Aromaticity (Z) 693–696 [681–684]
 DOI: 10.1002/ange.200704407
 – Protonation-Triggered Conformational Changes to Möbius Aromatic [32]Heptaphyrins(1.1.1.1.1.1.1) (Z) 9803–9806 [9657–9660]
 DOI: 10.1002/ange.200804457
 – 2,5-Thienylene-Bridged Triangular and Linear Porphyrin Trimers (Z) 6093–6096 [6004–6007]
 DOI: 10.1002/ange.200802026
 Kim, Dongin (Z) 2452–2455 [2418–2421]
 Kim, Doohun (Z) 1942–1945 [1916–1919]
 Kim, H.-J.
 – Highly Stereospecific Generation of Helical Chirality by Imprinting with Amino Acids: A Universal Sensor for Amino Acid Enantiopurity (Z) 8785–8788 [8657–8660]
 DOI: 10.1002/ange.200803116
 Kim, H. J. (Z) 140–143 [134–137]
 Kim, H. M. (Z) 2263–2266 [2231–2234], 5245–5248 [5167–5170]
 Kim, H.-S. (A) 5606–5624 [5524–5542]
 Kim, H. S. (Z) 8566–8569 [8438–8441]
 Kim, H.-Y. (Z) 5124–5126 [5046–5048]
 Kim, Heejin (Z) 7951–7954 [7833–7836]
 Kim, Hyongsu (Z) 4268–4271 [4200–4203], 8566–8569 [8438–8441]
 Kim, Hyunjung (Z) 10305–10308 [10151–10154]
 Kim, Hyunuk (Z) 3400–3403 [3352–3355], 4174–4177 [4106–4109], 5839–5841 [5755–5757]
 Kim, Hyunwoo (Z) 8785–8788 [8657–8660], 8806–8809 [8678–8681]
 Kim, J. I. (Z) 7615–7617 [7505–7507]
 Kim, J.-K. (Z) 4740–4744 [4662–4666], 6475–6478 [6375–6378]
 Kim, J. K. (Z) 1773–1776 [1749–1752]
 Kim, J. S. (Z) 697–700 [685–688]
 Kim, Jaeyun (Z) 8566–8569 [8438–8441]
 Kim, Jangbae (Z) 8958–8962 [8826–8830]
 Kim, Jin Woong (Z) 5442–5445 [5362–5365]
 Kim, Jineun
 – Crystal-to-Crystal Transformation between Three Cu^{I} Coordination Polymers and Structural Evidence for Luminescence Thermochromism (Z) 697–700 [685–688]
 DOI: 10.1002/ange.200704349
 Kim, Jinheung (Z) 4212–4216 [4144–4148]
 Kim, Joonghan (Z) 1063–1066 [1047–1050]
 Kim, Jung Won (Z) 9389–9391 [9249–9251]
 Kim, K. H. (Z) 1063–1066 [1047–1050]
 Kim, K.-J. (Z) 3400–3403 [3352–3355]
 Kim, K. M. (Z) 6355–6358 [6259–6262]
 Kim, K. P. (Z) 9660–9663 [9518–9521]
 Kim, K. S. (Z) 693–696 [681–684], 4918–4921 [4840–4843], 6093–6096 [6004–6007], 9803–9806 [9657–9660]
 Kim, K. W. (Z) 4268–4271 [4200–4203]
 Kim, Kimoon
 – Cucurbit[6]uril: Organic Molecular Porous Material with Permanent Porosity, Exceptional Stability, and Acetylene Sorption Properties (Z) 3400–3403 [3352–3355]
 DOI: 10.1002/ange.200800772
 – Synthetic Ion Channel Based on Metal–Organic Polyhedra

- (Z) 5839–5841 [5755–5757]
DOI: 10.1002/ange.200802240
- U-Shaped Conformation of Alkyl Chains Bound to a Synthetic Host
(Z) 4174–4177 [4106–4109]
DOI: 10.1002/ange.200800581
- Kim, Kwangmeyung
- A Near-Infrared-Fluorescence-Quenched Gold-Nanoparticle Imaging Probe for In Vivo Drug Screening and Protease Activity Determination
(Z) 2846–2849 [2804–2807]
DOI: 10.1002/ange.200705240
- Kim, Kyuwon (Z) 5442–5445 [5362–5365]
- Kim, M. M. (Z) 4789–4792 [4711–4714]
- Kim, S.-G. (Z) 3624–3628 [3568–3572]
- Kim, S. H. (Z) 886–890 [872–876]
- Kim, S. I. (Z) 2504–2508 [2470–2474]
- Kim, S.-S. (Z) 100–102 [94–96]
- Kim, Sang Kyu
- Control of Intramolecular Orbital Alignment in the Photodissociation of Thiophenol: Conformational Manipulation by Chemical Substitution
(Z) 1879–1882 [1853–1856]
DOI: 10.1002/ange.200705358
- Kim, Sang Kyung (Z) 9660–9663 [9518–9521]
- Kim, Sang Yoon (Z) 2846–2849 [2804–2807]
- Kim, Sanghee (Z) 4268–4271 [4200–4203]
- Kim, Sanghoon (Z) 8383–8387 [8259–8263]
- Kim, Seon Jeong
- DNA Hydrogel Fiber with Self-Entanglement Prepared by Using an Ionic Liquid
(Z) 2504–2508 [2470–2474]
DOI: 10.1002/ange.200704600
- Kim, Seung Joong (Z) 6586–6589 [6486–6489]
- Kim, Sun Young (Z) 4992–4995 [4914–4917]
- Kim, Sung Kuk (Z) 9794–9798 [9648–9652]
- Kim, T. (Z) 8566–8569 [8438–8441]
- Kim, T. H. (Z) 697–700 [685–688]
- Kim, T. K. (Z) 1063–1066 [1047–1050]
- Kim, W.-S. (Z) 7190–7194 [7082–7086]
- Kim, Y. (Z) 4174–4177 [4106–4109]
- Kim, Y.-S. (Z) 2100–2103 [2070–2073]
- Kimizuka, N.
- Amplification of Molecular Information through Self-Assembly: Nanofibers Formed from Amino Acids and Cyanine Dyes by Extended Molecular Pairing
(Z) 112–114 [106–108]
DOI: 10.1002/ange.200702793
- Kimura, Masahiro (Z) 9914–9917 [9768–9771]
- Kimura, Masanari
- Convenient Synthesis of Pyrrolidines by Amphiphilic Allylation of Imines with 2-Methylenepropene-1,3-diols
(Z) 5887–5889 [5803–5805]
DOI: 10.1002/ange.200801252
- Kimura, T. (Z) 9045–9048 [8913–8916]
- Kindermann, M. (Z) 412–415 [406–409]
- King, D. A. (Z) 5332–5334 [5253–5255]
- Kingshott, P. (Z) 9248–9251 [9108–9111]
- Kinoshita, Motoi (Z) 5064–5066 [4986–4988]
- Kinoshita, Mutsuo (Z) 9392–9395 [9252–9255]
- Kinoshita, N. (Z) 9405–9408 [9265–9268]
- Kiplinger, J. L.
- Mixed Valency in a Uranium Multimetallic Complex
(Z) 3035–3038 [2993–2996]
DOI: 10.1002/ange.200705781
- Kira, M.
- Fourteen-Electron Bis(dialkylsilylene)palladium and Twelve-Electron Bis(dialkylsilyl)palladium Complexes
(Z) 5466–5469 [5386–5389]
DOI: 10.1002/ange.200705954
- Kira, M. (Z) 9918–9920 [9772–9774]
- Kirchmann, M. (Z) 977–980 [963–966]
- Kirchner, B.
- Zwischenmolekulare Kräfte einer ionischen Flüssigkeit ([Mmim][Cl]) im Vergleich mit denen eines typischen Salzes (NaCl)
(Z) 3695–3697 [3639–3641]
DOI: 10.1002/ange.200705526
- Kirchner, K.
- Stereospezifische und reversible Bindung von CO an Eisen-Pinzettenkomplexen
(Z) 9282–9285 [9142–9145]
DOI: 10.1002/ange.200803665
- Kirin, S. I. (Z) 969–973 [955–959]
- Kiriya, D. (Z) 8975–8979 [8843–8847]
- Kirkpatrick, J. P. (Z) 7407–7410 [7297–7300]
- Kirsch, S. F.
- Verknüpfung der Konzepte: duale Katalyse mit carbophilen Lewis-Säuren
(H) 5787–5789 [5703–5705]
DOI: 10.1002/ange.200801903
- Kirschner, K. N.
- $[(2,6-(\text{Me}_2\text{NCH}_2)_2\text{C}_6\text{H}_3)\text{Sn}]_2$: ein intramolekular koordiniertes Diorganodistannin
(Z) 1674–1677 [1650–1653]
DOI: 10.1002/ange.200704635
- Kirschning, A.
- Bestimmung der relativen und absoluten Konfiguration von Thuggacin A–C, hochaktiven Antibiotika aus dem Myxobakterium *Sorangium cellulosum*
(Z) 2341–2344 [2308–2311]
DOI: 10.1002/ange.200704897
- Induktives Heizen in der organischen Synthese durch Verwendung funktionalisierter magnetischer Nanopartikel in Mikrowellenreaktoren
(Z) 9083–9086 [8950–8953]
DOI: 10.1002/ange.200801474
- Totalsynthese von Thuggacin B
(Z) 9274–9277 [9134–9137]
DOI: 10.1002/ange.200803271
- Kisch, H.
- Eine Halbleiterhybrid-Elektrode zum wellenlängengesteuerten Schalten der Photostromrichtung
(Z) 1340–1342 [1320–1322]
DOI: 10.1002/ange.200701103
- Sulfoxidation von Alkanen durch Halbleiterphotokatalyse
(Z) 7215–7217 [7107–7109]
DOI: 10.1002/ange.200800326
- Zur Natur von Stickstoff-modifiziertem Titandioxid für die Photokatalyse mit sichtbarem Licht
(Z) 10123–10126 [9975–9978]
DOI: 10.1002/ange.200800304
- Kita, Y.
- A Chiral Hypervalent Iodine(III) Reagent for Enantioselective Dearomatization of Phenols
(Z) 3847–3850 [3787–3790]
DOI: 10.1002/ange.200800464
- Oxidative Cross-Coupling of Arenes Induced by Single-Electron Transfer Leading to Biaryls by Use of Organoiodine(III) Oxidants
(Z) 1321–1324 [1301–1304]
DOI: 10.1002/ange.200704495
- Kita, Y. (Z) 7787–7790 [7673–7676]
- Kitada, A. (Z) 5824–5829 [5740–5745]
- Kitagaki, S. (Z) 4664–4667 [4588–4591]
- Kitagawa, S.
- A Bistable Porous Coordination Polymer with a Bond-Switching Mechanism Showing Reversible Structural and Functional Transformations
(Z) 8975–8979 [8843–8847]
DOI: 10.1002/ange.200802803
- A Dynamic, Isocyanurate-Functionalized Porous Coordination Polymer
(Z) 3451–3454 [3403–3406]
DOI: 10.1002/ange.200705986
- Fabrication of Two-Dimensional Polymer Arrays: Template Synthesis of Polypyrrole between Redox-Active Coordination Nanoslits
(Z) 10031–10034 [9883–9886]
DOI: 10.1002/ange.200803846
- Kinetic Gate-Opening Process in a Flexible Porous Coordination Polymer
(Z) 3978–3982 [3914–3918]
DOI: 10.1002/ange.200705822
- Kitamura, A. (Z) 3415–3419 [3367–3371], 4769–4772 [4691–4694]
- Kitaoka, T.
- Synthesis of Gold Nanoparticles for In Situ Conjugation with Structural Carbohydrates
(Z) 10014–10017 [9866–9869]
DOI: 10.1002/ange.200803922
- Kitaura, A. (Z) 525–529 [515–519]
- Kitchen, J. A. (Z) 3039–3041 [2997–2999]
- Kitov, P. I. (Z) 684–688 [672–676]
- Kitova, E. N. (Z) 684–688 [672–676]
- Kitson, R. A. (Z) 1961–1963 [1935–1937]
- Kjems, J. (Z) 9819–9822 [9673–9676]
- Klankermayer, J.
- Enantioselective Hydrogenation with Racemic and Enantiopure Binap in the Presence of a Chiral Ionic Liquid
(Z) 7449–7451 [7339–7341]
DOI: 10.1002/ange.200801995
- Klapötke, T. M.
- Pyrotechnik mit dem „Ökosiegel“: eine chemische Herausforderung
(A) 3376–3394 [3330–3347]
DOI: 10.1002/ange.200704510
- Klar, U.
- Siliciumbausteine für eine einstufige ^{18}F -Radiomarkierung von Peptiden für die PET-Bildgebung
(Z) 5000–5003 [4922–4925]
DOI: 10.1002/ange.200705854
- Klassen, J. S. (Z) 684–688 [672–676]
- Kleeberg, C. (Z) 5740–5743 [5658–5660]
- Kleij, A. W.
- Materialanwendungen für Salenstrukturen
(M) 2388–2399 [2354–2364]
DOI: 10.1002/ange.200702468
- Klein, E. (Z) 2733–2736 [2693–2696]
- Klein Gebbink, R. J. M.
- Porphyrine mit metallorganischen Gruppen: Synthese und Anwendungen
(A) 7506–7532 [7396–7421]
DOI: 10.1002/ange.200703362
- Kleinermanns, K.
- Isomeren-selektive IR-Spektroskopie von Benzol-Acetylen-Clustern: Vergleich mit der Struktur des Benzol-Acetylen-Cokristalls

- (Z) 10248–10251 [10094–10097]
DOI: 10.1002/ange.200802118
- Kleineweischede, R. (Z) 6073–6077 [5984–5988]
- Kleis, J. (Z) 4761–4764 [4683–4686]
- Kletnieks, P. W. (Z) 5257–5260 [5179–5182]
- Klett, J. (Z) 6304–6307 [6208–6211], 8199–8201 [8079–8081]
- Klinker, E. J. (Z) 9211–9214 [9071–9074]
- Kloo, L. (Z) 3996–3999 [3932–3935]
- Klose, A. (Z) 3698–3701 [3642–3645]
- Klose, J. (Z) 3698–3701 [3642–3645]
- Klostranec, J. M. (Z) 5659–5663 [5577–5581]
- Knapp, M. (Z) 2161–2164 [2131–2134]
- Knauber, T. (Z) 7211–7214 [7103–7106]
- Kniep, R.
- “Hidden” Hierarchy of Microfibrils within 3D-Periodic Fluorapatite–Gelatin Nanocomposites: Development of Complexity and Form in a Biomimetic System (Z) 1427–1431 [1405–1409]
DOI: 10.1002/ange.200702532
 - Shape Development and Structure of a Complex (Otoconia-Like?) Calcite–Gelatin Composite (Z) 8404–8408 [8280–8284]
DOI: 10.1002/ange.200800968
 - The Nucleation Mechanism of Fluorapatite–Collagen Composites: Ion Association and Motif Control by Collagen Proteins (Z) 5060–5063 [4982–4985]
DOI: 10.1002/ange.200800908
- Knight, L. K. (Z) 103–107 [97–101]
- Knochel, P. Berichtigung: 3722
- Knochel, P.
- Ein allgemeines Verfahren zur *meta*- und *para*-Funktionalisierung von Arenen mit $\text{TMP}_2\text{Mg} \cdot 2\text{LiCl}$ (Z) 1526–1530 [1503–1507]
DOI: 10.1002/ange.200703382
 - Einfache Herstellung funktionalisierter Arylmagnesiumreagentien unter Verwendung von Magnesium in Gegenwart von LiCl (Z) 6907–6911 [6802–6806]
DOI: 10.1002/ange.200801968
 - Synthese von Aryl- und Heteroarylindium(III)-Verbindungen durch direkte Insertion von Indium in Gegenwart von LiCl (Z) 7760–7763 [7648–7651]
DOI: 10.1002/ange.200802292
- Knochel, P. (Z) 208–210 [202–204]
- Knoll, A. (Z) 9697–9701 [9555–9559]
- Knolle, P. (Z) 5268–5271 [5190–5193]
- Knolle, W. (Z) 3311–3314 [3267–3270]
- Knop-Gericke, A. (Z) 9414–9418 [9274–9278]
- Knorr, J. (Z) 5163–5166 [5085–5088]
- Knowles, T. P. J. (Z) 3433–3435 [3385–3387]
- Knözinger, E. (Z) 1518–1522 [1496–1499]
- Knudsen, M. M. (Z) 4478–4482 [4406–4410]
- Knüpfer, U. (Z) 9004–9007 [8872–8875]
- Ko, J.
- Highly Efficient and Thermally Stable Organic Sensitizers for Solvent-Free Dye-Sensitized Solar Cells (Z) 333–336 [327–330]
DOI: 10.1002/ange.200703852
 - Stepwise Cosensitization of Nanocrystalline TiO_2 Films Utilizing Al_2O_3 Layers in Dye-Sensitized Solar Cells (Z) 8383–8387 [8259–8263]
DOI: 10.1002/ange.200802852
- Ko, S.-K. (Z) 7576–7579 [7466–7469]
- Ko, Y. H. (Z) 4174–4177 [4106–4109]
- Kobayashi, Akiko (Z) 3424–3428 [3376–3380]
- Kobayashi, Atsushi (Z) 9061–9064 [8929–8932]
- Kobayashi, H.
- A Porous Coordination-Polymer Crystal Containing One-Dimensional Water Chains Exhibits Guest-Induced Lattice Distortion and a Dielectric Anomaly (Z) 3424–3428 [3376–3380]
DOI: 10.1002/ange.200705846
- Kobayashi, J. (Z) 1157–1160 [1141–1144]
- Kobayashi, Keita (Z) 525–529 [515–519]
- Kobayashi, Kenji
- Self-Assembly of a Cavitand-Based Capsule by Dynamic Boronic Ester Formation (Z) 6351–6354 [6255–6258]
DOI: 10.1002/ange.200802293
- Kobayashi, N.
- A Discrete Supramolecular Conglomerate Composed of Two Saddle-Distorted Zinc(II)-Phthalocyanine Complexes and a Doubly Protonated Porphyrin with Saddle Distortion Undergoing Efficient Photoinduced Electron Transfer (Z) 6814–6818 [6712–6716]
DOI: 10.1002/ange.200802601
- Kobayashi, S.
- Aerobic Oxidation of Hydroquinone Derivatives Catalyzed by Polymer-Incarcerated Platinum Catalyst (Z) 8213–8215 [8093–8095]
DOI: 10.1002/ange.200802192
 - Lewis Acid Catalysis in Water with a Hydrophilic Substrate: Scandium-Catalyzed Hydroxymethylation with Aqueous Formaldehyde in Water (Z) 7015–7017 [6909–6911]
DOI: 10.1002/ange.200801849
 - The Fluorenone Imines of Glycine Esters and Their Phosphonic Acid Analogues (Z) 5695–5697 [5613–5615]
DOI: 10.1002/ange.200801322
- Kobayashi, T. C. (Z) 3978–3982 [3914–3918]
- Kobitski, A. Yu. (Z) 4398–4402 [4326–4330]
- Koç, E. (Z) 5900–5903 [5816–5819]
- Koch, M. (Z) 7352–7355 [7242–7245]
- Koch, M. H. J. (Z) 5632–5635 [5550–5553]
- Koch, W.
- Exzellent, wertvoll und unterhaltsam (K) 7282 [7170]
DOI: 10.1002/ange.200802996
- Koçi, L. (Z) 8329–8333 [8207–8210]
- Koda, T. (Z) 3644–3647 [3588–3591]
- Kodama, T. (Z) 8150–8152 [8030–8032]
- Kodato, K. (Z) 2527–2530 [2493–2496]
- Koenigs, R. M. (Z) 6903–6906 [6798–6801]
- Kögerler, P.
- PO_4^{3-} -vermittelter Aufbau eines Polyoxometallat-Superclusters (Z) 8243–8246 [8123–8126]
DOI: 10.1002/ange.200802491
- Kögerler, P. (Z) 3960–3963 [3896–3899], 4456–4459 [4384–4387], 5691–5694 [5609–5612], (K) 9520–9522 [9380–9382]
- Koh, I. (Z) 4187–4189 [4119–4121]
- Koh, J. T.
- Selective Chemical Rescue of a Thyroid-Hormone-Receptor Mutant, TR β (H435Y), Identified in Pituitary Carcinoma and Resistance to Thyroid Hormone (Z) 7390–7393 [7280–7283]
DOI: 10.1002/ange.200801742
- Koh, K. (Z) 689–692 [677–680]
- Köhler, J.
- Quadratisch-planar koordiniertes Eisen im Schicht-Ferrat(II) SrFeO_2 (H) 4544–4546 [4470–4472]
DOI: 10.1002/ange.200800855
- Köhler, J. (Z) 6805–6808 [6703–6706]
- Kohler, N. (Z) 179–182 [173–176]
- Köhler, S. (Z) 5740–5743 [5658–5660]
- Kohman, R. E. (Z) 8192–8194 [8072–8074]
- Köhn, M. (Z) 4493–4496 [4421–4424]
- Köhn, R. D.
- Reaktivität von Chromkomplexen unter Spinkontrolle (H) 251–253 [245–247]
DOI: 10.1002/ange.200703827
- Koide, T. (Z) 9807–9811 [9661–9665]
- Koike, J. (Z) 7364–7367 [7254–7257]
- Koike, K. (Z) 1451–1453 [1429–1431]
- Koike, T. (Z) 2481–2483 [2447–2449]
- Kojima, T.
- A Discrete Supramolecular Conglomerate Composed of Two Saddle-Distorted Zinc(II)-Phthalocyanine Complexes and a Doubly Protonated Porphyrin with Saddle Distortion Undergoing Efficient Photoinduced Electron Transfer (Z) 6814–6818 [6712–6716]
DOI: 10.1002/ange.200802601
 - Proton Shift upon One-Electron Reduction in Ruthenium(II)-Coordinated Pterins (Z) 9815–9818 [9669–9672]
DOI: 10.1002/ange.200802835
 - Ruthenium-Catalyzed Selective and Efficient Oxygenation of Hydrocarbons with Water as an Oxygen Source (Z) 5856–5860 [5772–5776]
DOI: 10.1002/ange.200801170
- Kokubo, M. (Z) 7015–7017 [6909–6911]
- Kolmar, H.
- Einzelzellbasierte Hochdurchsatz-Durchmusterung zur Identifizierung enantioselektiver hydrolytischer Enzyme (Z) 5163–5166 [5085–5088]
DOI: 10.1002/ange.200705236
- Kolodziej, A. F. (Z) 4996–4999 [4918–4921]
- Komarov, I. V.
- Synthesis of Trifluoromethyl-Substituted Proline Analogues as ^{19}F NMR Labels for Peptides in the Polyproline II Conformation (Z) 5849–5851 [5765–5767]
DOI: 10.1002/ange.200801022
- Komatsu, K.
- Internal Magnetic Fields of Dianions of Fullerene C_{60} and Its Cage-Opened Derivatives Studied with Encapsulated H_2 as an NMR Probe (Z) 2069–2071 [2039–2041]
DOI: 10.1002/ange.200705285
- Komeda, H. (Z) 5536–5540 [5456–5460]
- Komiyama, M.
- Accommodation of a Single Protein Guest in Nanometer-Scale Wells Embedded in a “DNA Nanotape” (Z) 3448–3450 [3400–3402]
DOI: 10.1002/ange.200800028
- Kondo, M. (Z) 5064–5066 [4986–4988]
- Kondo, S. (Z) 10349–10352 [10195–10198]
- Kondo, Y. (Z) 4929–4932 [4851–4854]
- Kondratenko, E. V.
- Catalytic Abatement of Nitrous Oxide Coupled with Selective Production of

- Hydrogen and Ethylene
(Z) 3271–3273 [3227–3229]
DOI: 10.1002/ange.200705324
- Koner, A. L. (Z) 5478–5481 [5398–5401]
Kong, C.-H. (Z) 8525–8527 [8397–8399]
Kong, De-N. (Z) 8751–8754 [8623–8626]
Kong, H. (Z) 8746–8750 [8618–8622]
Kong, J. (Z) 2686–2688 [2646–2648]
Kong, Q. (Z) 1063–1066 [1047–1050], 5632–5635 [5550–5553]
Kong, S.-T. (Z) 767–770 [755–758]
Kong, T. (Z) 7589–7591 [7479–7481]
Kong, X.-J. (Z) 2432–2435 [2398–2401]
König, B.
– Regulation der Aktivität von humaner Carboanhydrase I (hCAI) durch einen photochromen Inhibitor
(Z) 7756–7759 [7644–7647]
DOI: 10.1002/ange.200802242
König, K. (Z) 7241–7244 [7132–7135]
Konstantinovski, L. (Z) 3659–3662 [3603–3606]
Köppe, R.
– MgCl und Mg₂Cl₂: von theoretischen und thermodynamischen Überlegungen zur Spektroskopie und Chemie von Mg-Mg-Spezies
(Z) 8868–8872 [8740–8744]
DOI: 10.1002/ange.200802960
Koptyug, I. V.
– Observation of Parahydrogen-Induced Polarization in Heterogeneous Hydrogenation on Supported Metal Catalysts
(Z) 1514–1517 [1492–1495]
DOI: 10.1002/ange.200704881
Korobkov, I. (Z) 10085–10088 [9937–9940]
Kortz, U.
– Chiral Strandberg-Type Molybdates [(RPO₃)₂Mo₅O₁₅]²⁻ as Molecular Gelators: Self-Assembled Fibrillar Nanostructures with Enhanced Optical Activity
(Z) 7385–7389 [7275–7279]
DOI: 10.1002/ange.200801629
– Einbau von Platin(IV) in Polyoxometallate: Synthese von [H₂Pt^{IV}V₉O₂₈]⁵⁻ und Charakterisierung durch ¹⁹⁵Pt-NMR-Spektroskopie
(Z) 805–808 [793–796]
DOI: 10.1002/ange.200703082
– Platinum-Containing Polyoxometallates (K) 9523–9524 [9383–9384]
DOI: 10.1002/ange.200804795
– Selbstorganisation eines Heteropolyoxopalladat-Nanowürfels, [Pd^{II}₁₃As^V₈O₃₄(OH)₆]⁸⁻
(Z) 9685–9689 [9542–9546]
DOI: 10.1002/ange.200803527
Kosaka, A. (Z) 1696–1699 [1672–1675]
Kosaka, W. (Z) 6991–6993 [6885–6887]
Kosaka, Y. (Z) 7534–7537 [7424–7427]
Kosec, G. (Z) 412–415 [406–409]
Koshevoy, I. O.
– Self-Assembly of Supramolecular Luminescent Au^I–Cu^I Complexes: “Wrapping” an Au₆Cu₆ Cluster in a [Au₅(diphosphine)₃]³⁺ “Belt”
(Z) 4006–4009 [3942–3945]
DOI: 10.1002/ange.200800452
Koshino, H. (Z) 5276–5280 [5198–5202]
Koskinen, L. (Z) 4006–4009 [3942–3945]
Kosower, E. M. (Z) 4933–4935 [4855–4857]
Kostiainen, R.
– Selective Surface Patterning with an Electric Discharge in the Fabrication of Microfluidic Structures
(Z) 7552–7555 [7442–7445]
DOI: 10.1002/ange.200801569
Koszelewski, D. (Z) 9477–9480 [9337–9340]
Kotani, H. (Z) 7431–7434 [7321–7324]
Kotani, M. (Z) 2441–2444 [2407–2410]
Köttgen, A. (Z) 3511–3514 [3461–3463]
Kou, J. H. (Z) 3466–3469 [3418–3421]
Kou, S. (Z) 886–890 [872–876]
Kou, X. (Z) 9831–9836 [9685–9690]
Kou, Y.
– Aqueous-Phase Fischer–Tropsch Synthesis with a Ruthenium Nanocluster Catalyst
(Z) 758–761 [746–749]
DOI: 10.1002/ange.200703481
Kourist, R. (Z) 1531–1534 [1508–1511]
Kovalenko, M. V.
– Quasi-Seeded Growth of Ligand-Tailored PbSe Nanocrystals through Cation-Exchange-Mediated Nucleation
(Z) 3071–3075 [3029–3033]
DOI: 10.1002/ange.200705604
Kovtunov, K. V. (Z) 1514–1517 [1492–1495]
Kowalczyk, D. (Z) 3494–3498 [3445–3449]
Kownacki, I. (Z) 551–554 [541–544]
Kox, M. H. F. (Z) 3599–3603 [3543–3547], 5719–5722 [5637–5640]
Koyama, H. (Z) 5241–5244 [5163–5166]
Koyama, Yasuhito (Z) 1100–1103 [1084–1087]
Koyama, Yoshihito (Z) 1058–1062 [1042–1046]
Kozak, J. A. (Z) 4289–4291 [4221–4223]
Kozhevnikov, V. N.
– Phosphorescent, Terdentate, Liquid-Crystalline Complexes of Platinum(II): Stimulus-Dependent Emission
(Z) 6382–6385 [6286–6289]
DOI: 10.1002/ange.200802101
Kozłowski, M. C.
– Dynamic Stereochemistry Transfer in a Transannular Aldol Reaction: Total Synthesis of Hypocrellin A
(Z) 6983–6986 [6877–6880]
DOI: 10.1002/ange.200800734
Kraai, G. N. (Z) 3969–3972 [3905–3908]
Kraatz, H.-B.
– Bildung von Proteinaggregaten durch Metallkoordination
(H) 6622–6624 [6522–6524]
DOI: 10.1002/ange.200801169
– How Useful Is Ferrocene as a Scaffold for the Design of β -Sheet Foldamers?
(Z) 7164–7167 [7056–7059]
DOI: 10.1002/ange.200801460
Kraetke, O. (Z) 3698–3701 [3642–3645]
Kraft, K. (Z) 5009–5011 [4931–4933]
Kraft, P. (Z) 7768–7771 [7656–7658]
Kramer, J. W. (Z) 4043–4047 [3979–3983]
Kranz, F. (Z) 3240–3245 [3196–3201]
Krapp, A. (K) 7912–7913 [7796–7797]
Krasovskiy, A. (Z) 4285–4288 [4217–4220]
Krause, A.-M. (Z) 6718–6721 [6616–6619]
Krause, N.
– Goldene Aussichten in der stereoselektiven Katalyse
(H) 2208–2211 [2178–2181]
DOI: 10.1002/ange.200704729
Krauß, N. (Z) 4831–4833 [4753–4755]
Kräutler, B.
– Chlorophyllabbau durch biomimetische Synthese
(Z) 3100–3104 [3057–3061]
DOI: 10.1002/ange.200705330
– Die blaue Lumineszenz reifender Bananen
(Z) 9087–9091 [8954–8957]
DOI: 10.1002/ange.200803189
Krautscheid, H. (Z) 1984–1986 [1958–1960]
Kravtsov, V. C. (Z) 8574–8577 [8446–8449]
Kreher, D. (Z) 8540–8543 [8412–8415]
Krempner, C.
– Der mehrzählige Ligand (MeOMe₂Si)₃Si⁻: ungewöhnliche Koordinationsweisen in Alkalimetallsilaniden
(Z) 416–420 [410–413]
DOI: 10.1002/ange.200703575
Krieg, M. (Z) 9921–9923 [9775–9777]
Krische, M. J.
– Carbonyl Propargylation from the Alcohol or Aldehyde Oxidation Level Employing 1,3-Enynes as Surrogates to Preformed Allenylmetal Reagents: A Ruthenium-Catalyzed C–C Bond-Forming Transfer Hydrogenation
(Z) 5298–5301 [5220–5223]
DOI: 10.1002/ange.200801359
Krishna, T. S. R. (Z) 1257–1260 [1237–1240]
Krishna, Y. S. R. (Z) 4033–4036 [3969–3972]
Kristensen, I. S. (Z) 4913–4917 [4835–4839]
Kritikos, M. (Z) 8352–8355 [8228–8231]
Krivovichev, S. V.
– A Crown Ether as Template for Microporous and Nanostructured Uranium Compounds
(Z) 559–561 [549–551]
DOI: 10.1002/ange.200703295
Krojer, T. (Z) 1352–1355 [1332–1334]
Krokos, E. (Z) 6379–6381 Berichtigung: 9732 [6283–6285 Berichtigung: 9590]
Kroneck, P. M. H.
– Helmut Beinert
(N) 2202 [2172]
DOI: 10.1002/ange.200800392
Krossing, I.
– Ein leichter Zugang zur nicht-oxidierenden Lewis-Supersäure PhF $\rightarrow$ Al(OR^F)₃ (R^F = C(CF₃)₃)
(Z) 7772–7776 [7659–7663]
DOI: 10.1002/ange.200800783
– Reply
(K) 7914–7917 [7798–7801]
DOI: 10.1002/ange.200802616
Kroutil, W.
– Deracemization of Secondary Alcohols through a Concurrent Tandem Biocatalytic Oxidation and Reduction
(Z) 753–757 [741–745]
DOI: 10.1002/ange.200703296
– Formal Asymmetric Biocatalytic Reductive Amination
(Z) 9477–9480 [9337–9340]
DOI: 10.1002/ange.200803763
Krumova, M. (Z) 4585–4587 [4509–4511]
Krygowski, E. S. (Z) 1704–1708 [1680–1684]
Ksenofontov, V. (Z) 4826–4830 [4748–4752], 6533–6537 [6433–6437]
Ku, W. (Z) 2085–2088 [2055–2058]
Kuang, D. (Z) 1949–1953 [1923–1927]
Kuang, M. (Z) 2259–2262 [2227–2230]
Kuang, Q.
– Synthesis of Trisubstituted Gold Nanocrystals with Exposed High-Index Facets by a Facile Chemical Method
(Z) 9033–9036 [8901–8904]
DOI: 10.1002/ange.200802750
Kuball, H.-G.
– Solvent Effect on Color, Band Shape, and Charge-Density Distribution for Merocyanine Dyes Close to the Cyanine Limit

- (Z) 4605–4608 [4529–4532]
DOI: 10.1002/ange.200800279
- Kubisiak, M. (Z) 8006–8009 [7888–7891]
- Kubo, T. (Z) 10349–10352 [10195–10198]
- Kubota, Yoshihiro
- A Multi-Dimensional Microporous Silicate That Is Isomorphous to Zeolite MCM-68 (Z) 1058–1062 [1042–1046]
DOI: 10.1002/ange.200704222
- Kubota, Yoshihiro 9320–9325 [9180–9185]
- Kubota, Yoshiki (Z) 3978–3982 [3914–3918]
- Kuch, D. (Z) 1538–1541 [1515–1518]
- Kucz, N. (Z) 1352–1355 [1332–1334]
- Kudernac, T. (Z) 5075–5079 [4997–5001]
- Kudo, T. (Z) 4948–4951 [4870–4873]
- Kuenkel, A. (Z) 6903–6906 [6798–6801]
- Kuhlmann, J. (Z) 4493–4496 [4421–4424]
- Kühn, A. (Z) 6056–6060 [5968–5972]
- Kuhn, N. (Z) 985–987 [971–973]
- Kuhn, P.
- Ionothermalsynthese von porösen kovalenten Triazin- Polymernetzwerken (Z) 3499–3502 [3450–3453]
DOI: 10.1002/ange.200705710
- Kui, S. C. F. (Z) 10043–10047 [9895–9899]
- Kuil, M. (Z) 3224–3227 [3180–3183]
- Kujawa, S. (Z) 5083–5086 [5005–5008]
- Kull, T. (Z) 5541–5544 [5461–5464]
- Kumaki, J.
- Encapsulation of Fullerenes in a Helical PMMA Cavity Leading to a Robust Processable Complex with a Macromolecular Helicity Memory (Z) 525–529 [515–519]
DOI: 10.1002/ange.200703655
- Kumar, G. A. (Z) 6138–6140 [6049–6051]
- Kumar, K.
- Asymmetric Synthesis of Natural Product Inspired Tricyclic Benzopyrones by an Organocatalyzed Annulation Reaction (Z) 6975–6978 [6869–6872]
DOI: 10.1002/ange.200802413
- Kumar, S. (Z) 9236–9239 [9096–9099]
- Kumbhar, A. (Z) 3596–3598 [3540–3542], 9611–9613 [9469–9471]
- Kunfermann, A. (Z) 8314–8317 [8192–8195]
- Kuningas, K. (Z) 3871–3873 [3811–3813]
- Kuninobu, Y.
- Rhenium-Catalyzed Synthesis of Stereo-defined Cyclopentenones from β -Ketoesters and Aliphatic Allenes (Z) 9458–9461 [9318–9321]
DOI: 10.1002/ange.200803350
- Kunitski, M. (Z) 6126–6129 [6037–6040]
- Kuno, O. (Z) 9443–9446 [9303–9306]
- Kunz, H.
- Synthetische Vakzine aus tumorassoziierten MUC1-Glycopeptidantigenen und einem T-Zellepitop für die Induzierung einer hochspezifischen humoralen Immunantwort (Z) 7662–7667 [7551–7556]
DOI: 10.1002/ange.200802102
- Totalsynthese der Glycopeptid-Erkennungsregion des P-Selektin-Glycoprotein-Liganden 1 (Z) 3494–3498 [3445–3449]
DOI: 10.1002/ange.200705762
- Kunze, B. (Z) 6578–6582 [6478–6482]
- Künzel, D. (Z) 3881–3885 [3821–3825]
- Kuo, M.-Y. (Z) 10039–10042 [9891–9894]
- Kuo, T.-S. (Z) 7360–7363 [7250–7253]
- Kupfer, T. (Z) 1977–1980 [1951–1954], 3886–3889 [3826–3829], 5009–5011 [4931–4933], 6070–6072 [5981–5983]
- Kurakevych, O. O. (Z) 8392–8395 [8268–8271]
- Kuranishi, T. (Z) 2527–2530 [2493–2496]
- Kurita, R. (Z) 6783–6786 [6681–6684]
- Kurnosov, A. (Z) 8392–8395 [8268–8271]
- Kuroda, K.
- Mesoporous Platinum with Giant Mesocages Templated from Lyotropic Liquid Crystals Consisting of Diblock Copolymers (Z) 5451–5453 [5371–5373]
DOI: 10.1002/ange.200801381
- Kuroda, R.
- A Quadruply Stranded Metallohelicite and Its Spontaneous Dimerization into an Interlocked Metallohelicite (Z) 718–722 [706–710]
DOI: 10.1002/ange.200703162
- Kurono, N. (Z) 6745–6748 [6643–6646]
- Kurscheid, B. (Z) 6920–6922 [6814–6816]
- Kurth, D. G. (Z) 3042–3045 [3000–3003]
- Kurth, M. J.
- Asymmetric Catalysis: Resin-Bound Hydroxypropylthreonine Derivatives in Enamine-Mediated Reactions (Z) 6507–6510 [6407–6410]
DOI: 10.1002/ange.200801811
- Kurzawski, B. (Z) 927–930 [913–916]
- Kusaka, S. (Z) 9572–9575 [9430–9433]
- Kusama, H. (Z) 4981–4983 [4903–4905], 4984–4987 [4906–4909]
- Kusanagi, H. (Z) 525–529 [515–519]
- Kuschel, A. (Z) 9655–9659 [9513–9517]
- Kusebauch, U. (Z) 2174–2177 [2143–2146]
- Kusukawa, T. (Z) 6814–6818 [6712–6716]
- Kuvychko, I. V. (Z) 6300–6303 [6204–6207]
- Kuzmina, L. G. (Z) 7815–7818 [7701–7704]
- Kuzuya, A. (Z) 3448–3450 [3400–3402]
- Kwan, L. C. H. (Z) 7121–7125 [7013–7017]
- Kwon, I. C. (Z) 2846–2849 [2804–2807]
- Kwon, M. S. (Z) 1757–1759 [1733–1735], 3286–3288 [3242–3244]
- Kwon, O. (Z) 2263–2266 [2231–2234], 5245–5248 [5167–5170]
- Kwon, Y. (Z) 10317–10320 [10163–10166]
- Kwong, F. Y.
- A General Palladium-Catalyzed Suzuki–Miyaura Coupling of Aryl Mesylates (Z) 8179–8183 [8059–8063]
DOI: 10.1002/ange.200803193
 - Palladium-Catalyzed Amination of Aryl Mesylates (Z) 6502–6506 [6402–6406]
DOI: 10.1002/ange.200802157
- Kwong, F. Y. (Z) 1300–1303 [1280–1283]



Labinger, J. A.

- C–H Bond Activation by [(Diimine)Pd(μ -OH)]₂²⁺ Dimers: Mechanism-Guided Catalytic Improvement (Z) 10089–10091 [9941–9943]
DOI: 10.1002/ange.200804455
- Labonne, A. (Z) 8370–8374 [8246–8250]
- Lacroix, L. (Z) 4936–4939 [4858–4861]
- Lacroix-Desmazes, P.
- Use of Sodium Iodide as the Precursor to the Control Agent in Ab Initio Emulsion Polymerization (Z) 1314–1317 [1294–1297]
DOI: 10.1002/ange.200704146
- Lacroix-Desmazes, P. (Z) 8561–8565 [8433–8437]
- Ladépêche, A. (Z) 4797–4799 [4719–4721]
- Ladlow, M. (Z) 2850–2854 [2808–2812]
- Lægsgaard, E. (Z) 4478–4482 [4406–4410], 9819–9822 [9673–9676]
- Lahav, M.
- Comments on “Mirror Symmetry Breaking” of the Centrosymmetric CaCO₃ Crystals with Amino Acids (K) 3738–3740 [3680–3682]
DOI: 10.1002/ange.200703491
- Lai, C.-C. (Z) 4508–4511 [4436–4439], 7585–7588 [7475–7478]
- Lai, J. C. C. (Z) 1936–1938 [1910–1912]
- Lai, M. (Z) 7589–7591 [7479–7481]
- Lai, M.-Y. (Z) 591–595 [581–585]
- Lai, S. K. (Z) 9872–9875 [9726–9729]
- Lai, T.-S. (Z) 3795–3799 [3735–3739]
- Lakhdar, S. (Z) 8851–8854 [8723–8726]
- Lalloz-Vogel, M.-N. (Z) 2518–2522 [2484–2488]
- Lam, C. (Z) 4418–4422 [4346–4350]
- Lam, F. L. (Z) 1300–1303 [1280–1283]
- Lam, H. W.
- Stereoselective Synthesis of Tri- and Tetrasubstituted Alkenes by Iron-Catalyzed Carbometalation Ring-Opening Reactions of Cyclopropenes (Z) 7460–7463 [7350–7353]
DOI: 10.1002/ange.200802391
- Lam, K. S. (Z) 6507–6510 [6407–6410]
- Lam, W. A. (Z) 8601–8605 [8473–8477]
- Lam, W. Y. (Z) 216–219 [209–212]
- Lambert, J. B.
- Chemischer Fingerabdruck von fossilen Harzen und rezenten Pflanzenexsudaten (M) 9750–9760 [9608–9616]
DOI: 10.1002/ange.200705973
- Lambert, R. M.
- Dipole Amplification: A Principle for the Self-Assembly of Asymmetric Monomers on Metal Surfaces (Z) 2456–2460 [2422–2426]
DOI: 10.1002/ange.200704172
- Lamberti, C.
- Structure and Redox Activity of Copper Sites Isolated in a Nanoporous P4VP Polymeric Matrix (Z) 9409–9413 [9269–9273]
DOI: 10.1002/ange.200802815
- Lamdey, A.-M. (Z) 3608–3611 [3552–3555]
- Lammel, C. (Z) 9083–9086 [8950–8953]
- Lammertsma, K.
- The Homoleptic Sandwich Anion [Co(P₂C₂But₂)₂]⁻: A Versatile Building Block for Phosphoorganometallic Chemistry (Z) 4660–4663 [4584–4587]
DOI: 10.1002/ange.200800813
- Lamparter, T. (Z) 4831–4833 [4753–4755]
- Lan, J. (Z) 5728–5731 [5646–5649]
- Landfester, K. (Z) 3881–3885 [3821–3825]
- Landon, J. (Z) 1436–1438 [1414–1416]
- Lang, A. S. (Z) 8019–8022 [7901–7904]
- Lang, B. (Z) 9184–9188 [9044–9048]
- Lang, K. (Z) 4178–4181 [4110–4113]
- Lange, A. (Z) 5923–5925 [5839–5841]
- Lange, Stefan (Z) 5736–5739 [5654–5657]
- Lange, Stefanie (Z) 7654–7657 [7543–7546]
- Langen, P. (E) 1848–1851 [1824–1827]
- Langenegger, D. (Z) 2633–2637 [2595–2599]
- Langguth, P. (Z) 4826–4830 [4748–4752]

- Langlotz, B. K. (Z) 4748–4752 [4670–4674]
 Langner, A. (Z) 8967–8970 [8835–8838]
 Lango, L. (Z) 1968–1971 [1942–1945]
 Lankenau, A. (Z) 5749–5752 [5666–5668]
 Lanza, T. (Z) 9581–9584 [9439–9442]
 Lanzalunga, O. (M) 4868–4874 [4790–4796]
 Laocharoensuk, R. (Z) 9489–9491 [9349–9351]
 Laohhasurayotin, S. (Z) 1257–1260 [1237–1240]
 Lapinte, C. Berichtigung: 639
 Lappert, M. F.
 – Heterotrimetallic Salts: Synthesis, Structures, and Superbase Reactivity of Crystalline *tert*-Butoxides $[\text{Li}_4\text{Na}_2\text{K}_2(\text{OtBu})_8(\mu\text{-L})_n]$ (Z) 4040–4042 [3976–3978]
 DOI: 10.1002/ange.200705268
 – Lanthanum Does Form Stable Molecular Compounds in the +2 Oxidation State (Z) 1510–1513 [1488–1491]
 DOI: 10.1002/ange.200704887
 Lara, P. (Z) 4452–4455 [4380–4383]
 Largeot, C. (Z) 3440–3443 [3392–3395]
 Larionova, J.
 – Towards the Ultimate Size Limit of the Memory Effect in Spin-Crossover Solids (Z) 8360–8364 [8236–8240]
 DOI: 10.1002/ange.200802906
 Larmour, I. A. (Z) 5121–5123 [5043–5045]
 Laschewsky, A.
 – Kontrollierte Zelladhäsion auf PEG-basierten schaltbaren Oberflächen (Z) 5749–5752 [5666–5668]
 DOI: 10.1002/ange.200801202
 Lasia, A. (Z) 3652–3655 [3596–3599]
 Laskin, J.
 – Helical Peptide Arrays on Self-Assembled Monolayer Surfaces through Soft and Reactive Landing of Mass-Selected Ions (Z) 6780–6782 [6678–6680]
 DOI: 10.1002/ange.200801366
 Lata, S. (Z) 4781–4784 [4703–4706]
 Latiff, A. A. (Z) 7971–7974 [7853–7856]
 Latour, J.-M.
 – Cyclic Peptides Bearing a Side-Chain Tail: A Tool to Model the Structure and Reactivity of Protein Zinc Sites (Z) 6994–6997 [6888–6891]
 DOI: 10.1002/ange.200800677
 – Multiple Aromatic Amination Mediated by a Diiron Complex (Z) 727–729 [715–717]
 DOI: 10.1002/ange.200703580
 Lau, C. P. (Z) 6502–6506 [6402–6406], 8179–8183 [8059–8063]
 Lau, K.-N. (Z) 7018–7022 [6912–6916]
 Laube, A. (Z) 3306–3310 [3262–3266]
 Lauceri, R. (Z) 10027–10030 [9879–9882]
 Laufer, S. (Z) 3604–3607 [3548–3551]
 Laukhin, V. (Z) 1887–1891 [1861–1865]
 Laukhina, E. (Z) 1887–1891 [1861–1865]
 Laurenczy, G.
 – A Viable Hydrogen-Storage System Based On Selective Formic Acid Decomposition with a Ruthenium Catalyst (Z) 4030–4032 [3966–3968]
 DOI: 10.1002/ange.200800320
 Lautens, M.
 – Chemodivergence in Enantioselective Desymmetrization of Diazabicycles: Ring-Opening versus Reductive Arylation (Z) 2115–2118 [2085–2088]
 DOI: 10.1002/ange.200704708
 Lavallo, V. (Z) 3250–3253 [3206–3209], 5302–5306 [5224–5228], 5491–5494 [5411–5414]
 Lavandera, I. (Z) 9477–9480 [9337–9340]
 Lawrance, G. A. (Z) 4818–4821 [4740–4743]
 Le Bozec, H.
 – Efficient Photoswitching of the Nonlinear Optical Properties of Dipolar Photochromic Zinc(II) Complexes (Z) 587–590 [577–580]
 DOI: 10.1002/ange.200704138
 Le Bris, T. (Z) 9451–9453 [9311–9313]
 Le Caër, S. (Z) 8153–8155 [8033–8035]
 Le Droumaguet, B. (Z) 6359–6362 [6263–6266]
 Le Floch, M. (Z) 8815–8819 [8687–8691]
 Le Marquand, P. (H) 2968–2970 [2926–2928]
 Le Saux, T. (Z) 3804–3806 [3744–3746]
 Leardini, R. (Z) 9581–9584 [9439–9442]
 Lebedev, V. Ya. (Z) 3306–3310 [3262–3266]
 Lebedkin, S. F. (Z) 6300–6303 [6204–6207]
 Lebel, H.
 – One-Pot Multicomponent Synthesis of Indoles from 2-Iodobenzoic Acid (Z) 356–358 Berichtigung: 2949 [350–352 Berichtigung: 2907]
 DOI: 10.1002/ange.200703671
 Lebrun, M.-E. (Z) 1432–1435 [1410–1413]
 Lebrun, V. (Z) 6994–6997 [6888–6891]
 Lechuga, L. M. (Z) 9898–9901 [9752–9755]
 Leclère, M. (Z) 578–582 [568–572]
 Ledoux, I. (Z) 587–590 [577–580]
 Leduc, A. B. (Z) 8063–8066 [7945–7948]
 Lee, A.-L. (Z) 4464–4468 [4392–4396]
 Lee, A. Q. (Z) 7811–7814 [7697–7700]
 Lee, A. S. (Z) 6479–6483 [6379–6383]
 Lee, B. Y.
 – A Highly Active and Recyclable Catalytic System for CO₂/Propylene Oxide Copolymerization (Z) 7416–7419 [7306–7309]
 DOI: 10.1002/ange.200801852
 Lee, C. (Z) 8762–8765 [8634–8637]
 Lee, C. A. (Z) 9592–9595 [9450–9453]
 Lee, C.-H.
 – Benzene-, Pyrrole-, and Furan-Containing Diametrically Strapped Calix[4]pyrroles—An Experimental and Theoretical Study of Hydrogen-Bonding Effects in Chloride Anion Recognition (Z) 5116–5120 [5038–5042]
 DOI: 10.1002/ange.200801426
 Lee, C. K. (Z) 2504–2508 [2470–2474]
 Lee, C. Y. (Z) 5096–5099 [5018–5021]
 Lee, D.
 – Concise Synthesis of the Tricyclic Core of Platencin (Z) 6297–6299 [6201–6203]
 DOI: 10.1002/ange.200801587
 Lee, D.-H. (Z) 88–91 [82–85]
 Lee, E. S. (Z) 2452–2455 [2418–2421]
 Lee, Eun
 – A Carbonyl Ylide Cycloaddition Approach to Platensimycin (Z) 4073–4075 [4009–4011]
 DOI: 10.1002/ange.200800568
 – Total Synthesis of (+)-Exiguolide (Z) 1757–1759 [1733–1735]
 DOI: 10.1002/ange.200705018
 – Total Synthesis of (+)-Neopeltolide by a Prins Macrocyclization (Z) 3286–3288 [3242–3244]
 DOI: 10.1002/ange.200800386
 Lee, Eunji (Z) 4601–4604 [4525–4528], 4740–4744 [4662–4666], 6475–6478 [6375–6378]
 Lee, G. (Z) 9646–9650 [9504–9508]
 Lee, G.-H. (Z) 4618–4621 [4542–4545], 7360–7363 [7250–7253], 10081–10084 [9933–9936]
 Lee, H. J. (M) 654–663 [644–652], (Z) 10317–10320 [10163–10166]
 Lee, H. N. (Z) 886–890 [872–876]
 Lee, Hyuk (Z) 1773–1776 [1749–1752]
 Lee, Hyunjoon (Z) 4268–4271 [4200–4203]
 Lee, J. E. (Z) 7990–7993 [7872–7875]
 Lee, J.-H. (A) 5200–5213 [5122–5135]
 Lee, J. R. (Z) 9660–9663 [9518–9521]
 Lee, J.-S. (Z) 115–118 [109–112]
 Lee, J. S. (Z) 6499–6501 [6399–6401], 10282–10286 [10128–10132]
 Lee, J.-Y. (Z) 4649–4652 [4573–4576]
 Lee, Jae Hyuk (Z) 1063–1066 [1047–1050], 5632–5635 [5550–5553]
 Lee, Jae Wook (Z) 8344–8347 [8220–8223]
 Lee, Jaeyoung
 – A Stable and Cost-Effective Anode Catalyst Structure for Formic Acid Fuel Cells (Z) 10317–10320 [10163–10166]
 DOI: 10.1002/ange.200803466
 Lee, Jee Yeon (Z) 8557–8560 [8429–8432]
 Lee, Jeong Yong (Z) 10052–10055 [9904–9907]
 Lee, Ji-Eon (Z) 151–153 [145–147]
 Lee, Ji-Eun (Z) 7148–7151 [7040–7043]
 Lee, Ji Ho (Z) 7615–7617 [7505–7507]
 Lee, Ji Woong (Z) 7990–7993 [7872–7875], 8743–8745 [8615–8617]
 Lee, Jin Yong (Z) 8743–8745 [8615–8617]
 Lee, Joo Ho (Z) 9466–9469 [9326–9329]
 Lee, Joon Hwan (Z) 5852–5855 [5768–5771]
 Lee, Ju Ho (Z) 10052–10055 [9904–9907]
 Lee, Juhee (Z) 9660–9663 [9518–9521]
 Lee, K. J. (Z) 2263–2266 [2231–2234], 5245–5248 [5167–5170]
 Lee, K.-M. (Z) 886–890 [872–876]
 Lee, M.
 – Filamentous Artificial Virus from a Self-Assembled Discrete Nanoribbon (Z) 4601–4604 [4525–4528]
 DOI: 10.1002/ange.200800266
 – Lateral Association of Cylindrical Nanofibers into Flat Ribbons Triggered by “Molecular Glue” (Z) 6475–6478 [6375–6378]
 DOI: 10.1002/ange.200801496
 – Supramolecular Capsules with Gated Pores from an Amphiphilic Rod Assembly (Z) 4740–4744 [4662–4666]
 DOI: 10.1002/ange.200705863
 Lee, M.-R. (Z) 7576–7579 [7466–7469]
 Lee, M. S. (Z) 4601–4604 [4525–4528]
 Lee, Nayoung (Z) 8739–8742 [8611–8614]
 Lee, Nohyun (Z) 8566–8569 [8438–8441]
 Lee, S.-E. (A) 2794–2828 [2754–2787]
 Lee, S.-G. (Z) 8557–8560 [8429–8432]
 Lee, S. I. (Z) 4992–4995 [4914–4917]
 Lee, S. J. (Z) 7615–7617 [7505–7507]
 Lee, S.-Y. (Z) 2846–2849 [2804–2807]
 Lee, Sahng Ha (Z) 1773–1776 [1749–1752]
 Lee, Sanghwa (Z) 10070–10074 [9922–9926]
 Lee, Seulki (Z) 2846–2849 [2804–2807]
 Lee, Sun Hee (Z) 2504–2508 [2470–2474]
 Lee, T. K.-M. (Z) 4627–4630 [4551–4554]
 Lee, T.-W. (Z) 5091–5095 [5013–5017]
 Lee, U.
 – Einbau von Platin(IV) in Polyoxometallate: Synthese von $[\text{H}_2\text{Pt}^{\text{IV}}\text{V}_9\text{O}_{28}]^{5-}$ und

- Charakterisierung durch ^{195}Pt -NMR-Spektroskopie
(Z) 805–808 [793–796]
DOI: 10.1002/ange.200703082
- Platinum-Containing Polyoxometalates (K) 9523–9524 [9383–9384]
DOI: 10.1002/ange.200804795
- Lee, W.
– Tailor-Made Inorganic Nanopeapods: Structural Design of Linear Noble Metal Nanoparticle Chains
(Z) 7112–7116 [7004–7008]
DOI: 10.1002/ange.200801931
- Lee, Y.-G. (Z) 7855–7859 [7741–7745]
- Lee, Y. J. (Z) 10282–10286 [10128–10132]
- Lee, Y.-M. (Z) 3404–3407 [3356–3359], 7431–7434 [7321–7324]
- Lee, Y. S. (Z) 1879–1882 [1853–1856]
- Lee, Yan (Z) 5241–5244 [5163–5166]
- Lee, Yeongran (Z) 140–143 [134–137]
- Leeman, M. (Z) 1307–1310 [1287–1290], 6545–6547 [6445–6447]
- Léger, C.
– Hydrogen-Activating Enzymes: Activity Does Not Correlate with Oxygen Sensitivity
(Z) 2082–2084 [2052–2054]
DOI: 10.1002/ange.200704313
- Lehman, N.
– Systems Chemistry on Ribozyme Self-Construction: Evidence for Anabolic Autocatalysis in a Recombination Network
(Z) 8552–8556 [8424–8428]
DOI: 10.1002/ange.200802177
- Lehmann, C. W. (Z) 3254–3258 [3210–3214], 8426–8430 [8302–8306]
- Lehn, J.-M.
– DOSY NMR Experiments as a Tool for the Analysis of Constitutional and Motional Dynamic Processes: Implementation for the Driven Evolution of Dynamic Combinatorial Libraries of Helical Strands
(Z) 2267–2271 [2235–2239]
DOI: 10.1002/ange.200703168
- Glycodynamers: Fluorescent Dynamic Analogues of Polysaccharides
(Z) 3612–3615 [3556–3559]
DOI: 10.1002/ange.200703490
- Reversible Switching between Macrocyclic and Polymeric States by Morphological Control in a Constitutional Dynamic System
(Z) 2272–2275 Berichtigung: 4534 [2240–2243 Berichtigung: 4462]
DOI: 10.1002/ange.200704946
- Subnanometer-Resolved Patterning of Bicomponent Self-Assembled Monolayers on Au(111)
(Z) 2518–2522 [2484–2488]
DOI: 10.1002/ange.200704731
- Lehrer, R. I. (Z) 3246–3249 [3202–3205]
- Lei, A.
– Aryl Halide Tolerated Electrophilic Amination of Arylboronic Acids with *N*-Chloroamides Catalyzed by CuCl at Room Temperature
(Z) 6514–6517 [6414–6417]
DOI: 10.1002/ange.200801427
- Nickel-Catalyzed Reductive Cyclization of Unactivated 1,6-Enynes in the Presence of Organozinc Reagents
(Z) 2311–2314 [2279–2282]
DOI: 10.1002/ange.200704452
- Lei, H. (Z) 9255–9257 [9115–9117]
- Lei, S. (Z) 3006–3010 [2964–2968]
- Lei, S.-B. (Z) 6819–6823 [6717–6721]
- Leibe, K. (Z) 7241–7244 [7132–7135]
- Leibl, W. (Z) 574–577 [564–567]
- Leigh, D. A.
– Active Template Synthesis of Rotaxanes and Molecular Shuttles with Switchable Dynamics by Four-Component Pd^{II}-Promoted Michael Additions
(Z) 3429–3432 [3381–3384]
DOI: 10.1002/ange.200705859
- An Ion-Pair Template for Rotaxane Formation and its Exploitation in an Orthogonal Interaction Anion-Switchable Molecular Shuttle
(Z) 8156–8159 [8036–8039]
DOI: 10.1002/ange.200802745
- Cadot–Chodkiewicz Active Template Synthesis of Rotaxanes and Switchable Molecular Shuttles with Weak Intercomponent Interactions
(Z) 4464–4468 [4392–4396]
DOI: 10.1002/ange.200800891
- Gold(I)-Template Catenane and Rotaxane Synthesis
(Z) 7107–7111 [6999–7003]
DOI: 10.1002/ange.200801904
- Shaping of a Conformationally Flexible Molecular Structure for Spectroscopy
(Z) 3218–3223 [3174–3179]
DOI: 10.1002/ange.200705627
- Leighton, J. L.
– Allylsilane–Vinylarene Cross-Metathesis Enables a Powerful Approach to Enantioselective Imine Alkylation
(Z) 3079–3081 [3037–3039]
DOI: 10.1002/ange.200705621
- Leiserowitz, L.
– Comments on “Mirror Symmetry Breaking” of the Centrosymmetric CaCO₃ Crystals with Amino Acids
(K) 3738–3740 [3680–3682]
DOI: 10.1002/ange.200703491
- Leitner, W.
– Enantioselective Hydrogenation with Racemic and Enantiopure Binap in the Presence of a Chiral Ionic Liquid
(Z) 7449–7451 [7339–7341]
DOI: 10.1002/ange.200801995
- Solid-Phase Organic Synthesis in the Presence of Compressed Carbon Dioxide
(Z) 6776–6779 [6674–6677]
DOI: 10.1002/ange.200801653
- Leitus, G. (Z) 10056–10060 [9908–9912]
- Lelieveld, J.
– Ein umgekehrtes Ozonloch auf dem Mars
(H) 9950–9953 [9804–9807]
DOI: 10.1002/ange.200804551
- Leman, L. J. (Z) 1782–1785 [1758–1761]
- Lemcoff, N. G.
– Homodinuclear Ruthenium Catalysts for Dimer Ring-Closing Metathesis
(Z) 6522–6525 [6422–6425]
DOI: 10.1002/ange.200801626
- Lemière, G. (Z) 7644–7648 [7534–7538]
- Lemieux, V. (Z) 5112–5115 [5034–5037]
- Lena, S. (Z) 3228–3231 [3184–3187]
- Lenhardt, J. M. (Z) 3800–3803 [3740–3743]
- Lennie, A. R. (Z) 2870–2873 [2828–2831]
- Leogane, O. (Z) 356–358 Berichtigung: 2949 [350–352 Berichtigung: 2907]
- León, E. I.
– Sequential Norrish Type II Photoelimination and Intramolecular Aldol Cyclization of 1,2-Diketones in Carbohydrate Systems: Stereoselective Synthesis of Cyclopentitols
(Z) 9049–9051 [8917–8919]
DOI: 10.1002/ange.200803696
- Leonhardt, H. (Z) 1538–1541 [1515–1518]
- Leow, D. (Z) 5723–5727 [5641–5645]
- Lepore, S. D.
– Stereoretentive Halogenations and Azidations with Titanium(IV) Enabled by Chelating Leaving Groups
(Z) 7621–7624 [7511–7514]
DOI: 10.1002/ange.200802472
- Lesage, A.
– Polarisationstransfer über die Wasser-Protein-Grenzfläche im Festkörper
(Z) 5935–5938 [5851–5854]
DOI: 10.1002/ange.200801110
- Lesch, D. A. (Z) 896–901 [882–887]
- Lescouëzec, R. (Z) 4279–4284 [4211–4216]
- Leskelä, M. (Z) 6090–6092 [6001–6003]
- Leslie, B. E. (Z) 5134–5137 [5056–5059]
- Lesthaeghe, D. (Z) 5257–5260 [5179–5182]
- Łęszczak, K. (Z) 551–554 [541–544]
- Letondor, C. (Z) 1422–1426 [1400–1404]
- LeTrong, I. (Z) 1422–1426 [1400–1404]
- Lettan II, R. B. (Z) 2326–2329 [2294–2297]
- Leung, K. C.-F. (Z) 7580–7584 [7470–7474]
- Leung, S.-K. (Z) 2245–2248 [2213–2216]
- Leung, Y.-C. (Z) 3795–3799 [3735–3739]
- Leusen, F. J. J.
– A Major Advance in Crystal Structure Prediction
(Z) 2461–2464 [2427–2430]
DOI: 10.1002/ange.200704247
- Leusser, D. (Z) 4393–4397 [4321–4325]
- Lewiński, J.
– Alkylzinc Carboxylates as Efficient Precursors for Zinc Oxocarboxylates and Sulfidocarboxylates
(Z) 583–586 [573–576]
DOI: 10.1002/ange.200703125
- Oxygenation of a Me₂Zn/ α -Diimine System: A Unique Zinc Methylperoxide Cluster and Evidence for Its Sequential Decomposition Pathways
(Z) 8006–8009 [7888–7891]
DOI: 10.1002/ange.200803254
- Lewis, F. D.
– The Influence of Guanine on DNA Hole Transport Efficiency
(Z) 3858–3860 [3798–3800]
DOI: 10.1002/ange.200705903
- Lewis, G. J. (Z) 896–901 [882–887]
- Ley, S. V.
– Die Azadirachtin-Story
(A) 9542–9570 [9402–9429]
DOI: 10.1002/ange.200802675
- PtCl₄-Catalyzed Domino Synthesis of Fused Bicyclic Acetals
(Z) 216–219 [209–212]
DOI: 10.1002/ange.200704595
- Li, A. (Z) 6681–6684 [6579–6582]
- Li, A. D. Q.
– Tunable Molecular Assembly Codes Direct Reaction Pathways
(Z) 7819–7823 [7705–7709]
DOI: 10.1002/ange.200802606
- Li, B.-J. (Z) 1131–1134 [1115–1118], 1495–1498 [1473–1476], 10278–10281 [10124–10127]
- Li, C.-F. (Z) 2523–2526 [2489–2492]
- Li, C.-J.
– Functionalizing Glycine Derivatives by Direct C–C Bond Formation
(Z) 7183–7186 [7075–7078]
DOI: 10.1002/ange.200801367

- Ruthenium-Catalyzed Oxidative Cross-Coupling of Chelating Arenes and Cycloalkanes (Z) 6374–6378 [6278–6282]
DOI: 10.1002/ange.200801544
- Li, Can
- Importance of the Relationship between Surface Phases and Photocatalytic Activity of TiO₂ (Z) 1790–1793 [1766–1769]
DOI: 10.1002/ange.200704788
- Li, Changxiu (Z) 6962–6965 [6856–6859]
- Li, Cheng (Z) 2422–2427 [2388–2393]
- Li, Chun (Z) 9380–9384 [9240–9244]
- Li, Chunsen Berichtigung: 8267
- Li, Dan
- Concomitant and Controllable Chiral/Racemic Polymorphs: From Achirality to Isotactic, Syndiotactic, and Heterotactic Chirality (Z) 6471–6474 [6371–6374]
DOI: 10.1002/ange.200801481
- Supramolecular Helix-to-Helix Induction: A 3D Anionic Framework Containing Double-Helical Strands Templated by Cationic Triple-Stranded Cluster Helicates (Z) 1735–1738 [1711–1714]
DOI: 10.1002/ange.200704874
- Li, Dan (Z) 8525–8527 [8397–8399]
- Li, David (Z) 5659–5663 [5577–5581]
- Li, Di (Z) 3991–3995 [3927–3931]
- Li, Fei (Z) 4753–4756 [4675–4678]
- Li, Feng (Z) 379–382 [373–376], 4592–4596
Berichtigung: 5357 [4516–4520 Berichtigung: 5277]
- Li, Fuyou (Z) 1079–1083 [1063–1067]
- Li, Gang (Z) 4803–4806 [4725–4728]
- Li, Gao (Z) 1265–1269 [1245–1249]
- Li, Guanghua (Z) 7986–7989 [7868–7871]
- Li, Guangyu (Z) 2886–2890 [2844–2848], 10092–10095 [9944–9947]
- Li, Guotao (Z) 352–355 [346–349]
- Li, Haijun (Z) 7607–7610 [7497–7500]
- Li, Hao (Z) 4245–4247 [4177–4179]
- Li, J.-G. (Z) 5428–5432 [5348–5352]
- Li, J.-J. (Z) 6552–6555 [6452–6455]
- Li, J.-L. (Z) 10119–10122 [9971–9974]
- Li, J.-Y. (Z) 7452–7455 [7342–7345]
- Li, Jianfeng (Z) 10298–10300 [10144–10146]
- Li, Jiaoli (Z) 3032–3034 [2990–2992]
- Li, Jing (Z) 5907–5910 [5823–5826], 9029–9032 [8897–8900]
- Li, Jiyang (Z) 7986–7989 [7868–7871]
- Li, Jun (Z) 8160–8163 [8040–8043]
- Li, K. (Z) 8334–8337 Berichtigung: 9315 [8211–8214 Berichtigung: 9176]
- Li, L. (Z) 5672–5674 [5590–5592]
- Li, Mei (Z) 9618–9621 [9476–9479]
- Li, Meijun (Z) 1790–1793 [1766–1769]
- Li, Mian (Z) 1735–1738 [1711–1714], 6471–6474 [6371–6374]
- Li, Min (Z) 6819–6823 [6717–6721]
- Li, Mingzhu (Z) 7368–7372 [7258–7262]
- Li, Peng (Z) 1070–1073 [1054–1057]
- Li, Pingfan (Z) 3855–3857 [3795–3797]
- Li, Qian (Z) 5672–5674 [5590–5592]
- Li, Qiang (Z) 2666–2670 [2626–2630], 6514–6517 [6414–6417]
- Li, Qing (Z) 10333–10336 [10179–10182]
- Li, Qun (Z) 1280–1284 [1260–1264]
- Li, R.-x. (Z) 9380–9384 [9240–9244]
- Li, S. H. (Z) 5907–5910 [5823–5826]
- Li, S.-Y. (Z) 1280–1284 [1260–1264]
- Li, S. Y. (Z) 7621–7624 [7511–7514]
- Li, Shuhua
- Energetics and Mechanism of Dinitrogen Cleavage at a Mononuclear Surface Tantalum Center: A New Way of Dinitrogen Reduction (Z) 8160–8163 [8040–8043]
DOI: 10.1002/ange.200801668
- Li, Si (Z) 4807–4810 [4729–4732]
- Li, Wei (Z) 3054–3057 [3012–3015], 10273–10277 [10119–10123]
- Li, Weiyang (Z) 9799–9802 [9653–9656]
- Li, Wenjing (Z) 1143–1145 [1127–1129]
- Li, X. (Z) 6141–6143 [6052–6054]
- Li, X.-j. (Z) 9380–9384 [9240–9244]
- Li, X.-Z. (Z) 6471–6474 [6371–6374]
- Li, Yadong
- Carboxylic Acid Enriched Nanospheres of Semiconductor Nanorods for Cell Imaging (Z) 1070–1073 [1054–1057]
DOI: 10.1002/ange.200703720
- Li, Yang (Z) 2899–2901 [2857–2859]
- Li, Yi (Z) 4473–4477 [4401–4405]
- Li, Yi-Zhi
- Au₃₆ Crown: A Macrocyclization Directed by Metal–Metal Bonding Interactions (Z) 4627–4630 [4551–4554]
DOI: 10.1002/ange.200801001
- Li, Yi-Zhou (Z) 1495–1498 [1473–1476], 10278–10281 [10124–10127]
- Li, Yimin (Z) 9025–9028 [8893–8896]
- Li, Yingfu
- Rolling-Circle-Amplifikation: Anwendungen in der Nanotechnologie und in der Biotektion mit funktionellen Nucleinsäuren (M) 6428–6436 [6330–6337]
DOI: 10.1002/ange.200705982
- Li, Yongjun (Z) 2689–2692 [2649–2652]
- Li, Yongyong (Z) 5655–5658 [5573–5576]
- Li, Yujing (Z) 2473–2476 [2439–2442]
- Li, Z.-Q. (Z) 9629–9633 [9487–9491]
- Li, Zhen (Z) 1735–1738 [1711–1714], 6471–6474 [6371–6374]
- Li, Zhengquan (Z) 9799–9802 [9653–9656]
- Li, Zhi (Z) 7630–7632 [7520–7522]
- Li, Zhichun Berichtigung: 9119
- Li, Zhiping
- Iron-Catalyzed C–C Bond Formation by Direct Functionalization of C–H Bonds Adjacent to Heteroatoms (Z) 7607–7610 [7497–7500]
DOI: 10.1002/ange.200802215
- Li, Zhiwei (Z) 8592–8595 [8464–8467]
- Li, Zuojing (A) 3754–3776 [3696–3717]
- Li Pira, N. (A) 6638–6650 [6538–6549]
- Liaimer, A. (Z) 7870–7873 [7756–7759]
- Lian, X. (Z) 8379–8382 [8255–8258]
- Liang, C. (A) 3754–3776 [3696–3717]
- Liao, C.-C.
- Carbohydrate-Templated Asymmetric Diels–Alder Reactions of Masked *ortho*-Benzoquinones for the Synthesis of Chiral Bicyclo[2.2.2]oct-5-en-2-ones (Z) 8202–8205 [8082–8085]
DOI: 10.1002/ange.200802693
- Photooxygenation of Masked *o*-Benzoquinones: An Efficient Entry into Highly Functionalized Cyclopentenones from 2-Methoxyphenols (Z) 7435–7437 [7325–7327]
DOI: 10.1002/ange.200802130
- Liao, H.-G. (Z) 9240–9243 [9100–9103]
- Liao, Q. (Z) 7368–7372 [7258–7262]
- Liao, Y. (Z) 5701–5704 [5619–5622]
- Liao, Z.-J. (Z) 5420–5423 [5340–5343]
- Libri, S. (Z) 1717–1721 [1693–1697]
- Lieberman, I. (Z) 4933–4935 [4855–4857]
- Liebold-Ribeiro, Y. (Z) 4500–4503 [4428–4431]
- Liebscher, S. (Z) 5536–5540 [5456–5460]
- Liedberg, B.
- Self-Assembly of Fibers and Nanorings from Disulfide-Linked Helix–Loop–Helix Polypeptides (Z) 5636–5638 [5554–5556]
DOI: 10.1002/ange.200801155
- Liebold, L. (Z) 7963–7966 [7845–7848]
- Liew, R. Berichtigung: 3125
- Lii, K.-H.
- A₃(U₂O₄)(Ge₂O₇) (A = Rb, Cs): Mixed-Valence Uranium(V,VI) Germanates (Z) 8839–8841 [8711–8713]
DOI: 10.1002/ange.200803658
- Lim, D. (Z) 5285–5288 [5207–5210]
- Lim, J. (Z) 3001–3005 [2959–2963], 10070–10074 [9922–9926]
- Lim, J. H. (Z) 3058–3062 [3016–3020], 3063–3067 [3021–3025]
- Lim, J. M. (Z) 9803–9806 [9657–9660]
- Lim, J. S. (Z) 1879–1882 [1853–1856]
- Lim, S. (Z) 3400–3403 [3352–3355]
- Lim, S. T. (Z) 8532–8534 [8404–8406]
- Lim, Y.-b. (Z) 4601–4604 [4525–4528], 4740–4744 [4662–4666]
- Limbach, H.-H.
- The Largest ¹⁵N–¹⁵N Coupling Constant Across an NHN Hydrogen Bond (Z) 1139–1142 [1123–1126]
DOI: 10.1002/ange.200704411
- Limbach, H.-H. (Z) 2104–2108 [2074–2078]
- Limberg, C.
- Ein Trispyrazolylborato-Eisen-Malonato-Komplex als funktionelles Modell für die Acetylaceton-Dioxygenase (Z) 8071–8074 [7953–7956]
DOI: 10.1002/ange.200802955
- Lin, C. (Z) 5235–5237 [5157–5159]
- Lin, C.-H. (Z) 8839–8841 [8711–8713]
- Lin, Chao-Chen (Z) 4618–4621 [4542–4545]
- Lin, Chun-Cheng
- Fabrication of an Oriented Fc-Fused Lectin Microarray through Boronate Formation (Z) 8755–8758 [8627–8630]
DOI: 10.1002/ange.200803377
- Lin, J. (Z) 7134–7136 [7026–7028]
- Lin, J. T.
- Benzimidazole/Amine-Based Compounds Capable of Ambipolar Transport for Application in Single-Layer Blue-Emitting OLEDs and as Hosts for Phosphorescent Emitters (Z) 591–595 [581–585]
DOI: 10.1002/ange.200704113
- Lin, L. (Z) 7187–7189 [7079–7081]
- Lin, N. (Z) 8967–8970 [8835–8838]
- Lin, P.-H. (Z) 8980–8983 [8848–8851]
- Lin, Q.
- A Photoinducible 1,3-Dipolar Cycloaddition Reaction for Rapid, Selective Modification of Tetrazole-Containing Proteins (Z) 2874–2877 [2832–2835]
DOI: 10.1002/ange.200705805
- Lin, S. (Z) 5723–5727 [5641–5645]
- Lin, W.
- Mesoporous Silica Nanosphere Supported Ruthenium Catalysts for Asymmetric Hydrogenation (Z) 6325–6328 [6229–6232]
DOI: 10.1002/ange.200705656

- Surfactant-Assisted Synthesis of Nanoscale Gadolinium Metal–Organic Frameworks for Potential Multimodal Imaging (Z) 7836–7839 [7722–7725]
DOI: 10.1002/ange.200802911
- Lin, W.-Y. (Z) 1088–1091 [1072–1075]
- Lin, Y.-W. (Z) 1901–1904 [1875–1878]
- Lin, Yongjing (Z) 7795–7798 [7681–7684]
- Lin, Yuan (Z) 5852–5855 [5768–5771]
- Lin, Yuqing (Z) 8729–8732 [8601–8604]
- Lin, Zhang
- Treatment of Cr^{VI}-Containing Mg(OH)₂ Nanowaste (Z) 5701–5704 [5619–5622]
DOI: 10.1002/ange.200800172
- Lin, Zhihua (Z) 891–895 [877–881]
- Lindahl, P. A.
- Kohlenmonoxid-Dehydrogenasen: Implikationen einer C-Clusterstruktur mit gebundenem Carboxylat (H) 4118–4121 [4054–4056]
DOI: 10.1002/ange.200800223
- Lindell, S. D. (Z) 8240–8242 [8120–8122]
- Linden, A. (Z) 1743–1746 [1719–1722]
- Lindenstruth, V. (Z) 7241–7244 [7132–7135]
- Linderoth, T. R.
- Surface Synthesis of 2D Branched Polymer Nanostructures (Z) 4478–4482 [4406–4410]
DOI: 10.1002/ange.200705079
- Lindh, R. (Z) 5446–5450 [5366–5370]
- Lindhardt, A. T. (née Hansen) (Z) 2708–2712 [2668–2672]
- Lindqvist, J. (Z) 4248–4251 [4180–4183]
- Lindsay, J. A. (Z) 2850–2854 [2808–2812]
- Lindsay-Scott, P. J. (Z) 2914–2917 [2872–2875]
- Linehan, J. C. (Z) 7603–7606 [7493–7496]
- Linh, N. T. B. (Z) 6526–6529 [6426–6429]
- Linnolahti, M.
- Formation of Nanotubular Methylaluminoxanes and the Nature of the Active Species in Single-Site α -Olefin Polymerization Catalysis (Z) 9419–9423 [9279–9283]
DOI: 10.1002/ange.200802558
- Linti, G.
- GaI als Ligand in Übergangsmetallkomplexen – eine Alternative zu CO oder N₂? (H) 6425–6427 [6326–6328]
DOI: 10.1002/ange.200802490
- Liou, Y.-C. (Z) 1722–1726 [1698–1702], 7548–7551 [7438–7441]
- Lipinski, T. (Z) 684–688 [672–676]
- Lipkowski, J. (Z) 583–586 [573–576], 8006–8009 [7888–7891]
- Lippens, G. (Z) 3433–3435 [3385–3387]
- Lipshutz, B. H.
- Synthesis of Activated Alkenylboronates from Acetylenic Esters by CuH-Catalyzed 1,2-Addition/Transmetalation (Z) 10337–10340 [10183–10186]
DOI: 10.1002/ange.200804912
- Lisdat, F.
- Communication in a Protein Stack: Electron Transfer between Cytochrome *c* and Bilirubin Oxidase within a Polyelectrolyte Multilayer (Z) 3042–3045 [3000–3003]
DOI: 10.1002/ange.200704049
- Lisnard, L. (Z) 9841–9845 [9695–9699]
- Lisowski, J. Berichtigung: 10164
- Lissner, F. (Z) 6287–6289 [6192–6194]
- List, B. Berichtigung: 5572
- List, B.
- Asymmetric Counteranion-Directed Catalysis for the Epoxidation of Enals (Z) 1135–1138 [1119–1122]
DOI: 10.1002/ange.200704185
- Catalytic Asymmetric Michael Reactions of Acetaldehyde (Z) 4797–4799 [4719–4721]
DOI: 10.1002/ange.200800847
- Direkte katalytische asymmetrische Kabachnik-Fields-Dreikomponentenreaktion (Z) 5157–5159 [5079–5081]
DOI: 10.1002/ange.200801173
- Enantiogruppen-differenzierende intramolekulare Aldolisierung durch Katalyse mit einem primären Amin (Z) 7768–7771 [7656–7658]
DOI: 10.1002/ange.200802497
- Katalytische asymmetrische Hydroperoxydierung von α,β -ungesättigten Ketonen: Zugang zu enantiomerenreinen Peroxyhemiketalen, Epoxiden und Aldolprodukten (Z) 8232–8235 [8112–8115]
DOI: 10.1002/ange.200803238
- Katalytische Ugi-Dreikomponentenreaktion (Z) 3678–3681 Berichtigung: 5572 [3622–3625 Berichtigung: 5490]
DOI: 10.1002/ange.200800494
- List, E. J. W. (Z) 8416–8420 [8292–8296]
- Lisurek, M. (Z) 3319–3323 [3275–3278]
- Litlabø, R. (Z) 9702–9706 [9560–9564]
- Liu, Baohong
- MALDI In-Source Photooxidation Reactions for Online Peptide Tagging (Z) 2686–2688 [2646–2648]
DOI: 10.1002/ange.200703876
- Liu, Bing (Z) 4037–4039 [3973–3975]
- Liu, Chao (Z) 6514–6517 [6414–6417]
- Liu, Chen (Z) 3790–3794 [3730–3734]
- Liu, D.
- Heterotrimetallic Salts: Synthesis, Structures, and Superbase Reactivity of Crystalline *tert*-Butoxides [Li₄Na₂K₂(*OrBu*)₈-(μ -L)]_n (Z) 4040–4042 [3976–3978]
DOI: 10.1002/ange.200705268
- Liu, F. (Z) 6169–6172 [6080–6083], 9203–9206 [9063–9066]
- Liu, G.-F. (Z) 4055–4058 [3991–3994]
- Liu, Gang (Z) 4592–4596 Berichtigung: 5357 [4516–4520 Berichtigung: 5277]
- Liu, Guosheng
- Palladium-Catalyzed Intermolecular Aerobic Oxidative Amination of Terminal Alkenes: Efficient Synthesis of Linear Allylamine Derivatives (Z) 4811–4814 [4733–4736]
DOI: 10.1002/ange.200801009
- Palladium-Catalyzed Oxidative Cyclization of Enynes with Hydrogen Peroxide as the Oxidant (Z) 5522–5525 [5442–5445]
DOI: 10.1002/ange.200801438
- Liu, H. (Z) 7971–7974 [7853–7856]
- Liu, H.-w.
- Biosynthese von Naturstoffzuckern und enzymatische Glycodiversifizierung (A) 9960–10007 [9814–9859]
DOI: 10.1002/ange.200801204
- Liu, J.-Y. (Z) 8202–8205 [8082–8085]
- Liu, Jia (Z) 10278–10281 [10124–10127]
- Liu, Jian (Z) 7368–7372 [7258–7262]
- Liu, Kan (Z) 1088–1091 [1072–1075]
- Liu, Kegang (Z) 5911–5913 [5827–5829]
- Liu, Kun (Z) 1275–1279 [1255–1259]
- Liu, Lei (Z) 4252–4255 [4184–4187]
- Liu, Lifeng
- Tailor-Made Inorganic Nanopeapods: Structural Design of Linear Noble Metal Nanoparticle Chains (Z) 7112–7116 [7004–7008]
DOI: 10.1002/ange.200801931
- Liu, Lijian
- A Facile One-Pot Construction of Supramolecular Polymer Micelles from α -Cyclodextrin and Poly(ϵ -caprolactone) (Z) 5655–5658 [5573–5576]
DOI: 10.1002/ange.200800952
- Liu, Miaoyin (Z) 8528–8531 [8400–8403]
- Liu, Min (Z) 379–382 [373–376]
- Liu, N. (Z) 6772–6775 [6670–6673]
- Liu, Peng (Z) 3616–3620 [3560–3564], 4003–4005 [3939–3941]
- Liu, Ping (Z) 6787–6791 [6685–6689]
- Liu, Pinghua
- IspH Protein of the Deoxyxylulose Phosphate Pathway: Mechanistic Studies with C₁-Deuterium-Labeled Substrate and Fluorinated Analogue (Z) 9868–9871 [9722–9725]
DOI: 10.1002/ange.200803452
- Liu, Qingjian (Z) 4807–4810 [4729–4732]
- Liu, Qingsheng (Z) 6317–6320 [6221–6224]
- Liu, R. Berichtigung: 3125
- Liu, R.-S.
- Pt^{II}-Catalyzed Synthesis of 9-Oxabicyclo[3.3.1]nona-2,6-dienes from 2-Alkynyl-1-carbonylbenzenes and Allylsilanes by an Allylation/Annulation Cascade (Z) 5141–5144 [5063–5066]
DOI: 10.1002/ange.200800826
- Liu, Shenghua (Z) 1739–1742 [1715–1718]
- Liu, Simin (Z) 2697–2700 [2657–2660]
- Liu, T. (Z) 1265–1269 [1245–1249]
- Liu, W.-S. (Z) 10039–10042 [9891–9894]
- Liu, Wei (Z) 6514–6517 [6414–6417]
- Liu, Weizhen (Z) 5701–5704 [5619–5622]
- Liu, Wenshe (Z) 8344–8347 [8220–8223]
- Liu, X.-Y. (Z) 3865–3870 [3805–3810]
- Liu, Xianyun (Z) 371–373 [365–367]
- Liu, Xiaogang
- Multicolor Tuning of (Ln, P)-Doped YVO₄ Nanoparticles by Single-Wavelength Excitation (Z) 920–923 [906–909]
DOI: 10.1002/ange.200704520
- Liu, Xiaohua (Z) 398–400 [392–394], 1328–1331 [1308–1311], 7187–7189 [7079–7081], 7795–7798 [7681–7684], 8798–8801 [8670–8673]
- Liu, Xinyu (Z) 8338–8343 [8215–8219]
- Liu, Y.-H. (Z) 7585–7588 [7475–7478]
- Liu, Y.-M. (Z) 340–343 [334–337]
- Liu, Yan
- DNA-Tile-Directed Self-Assembly of Quantum Dots into Two-Dimensional Nanopatterns (Z) 5235–5237 [5157–5159]
DOI: 10.1002/ange.200801485
- Liu, Yan (Z) 322–325 [316–319], 1265–1269 [1245–1249], 4614–4617 [4538–4541]
- Liu, Yang (Z) 119–122 [113–116]
- Liu, Yu
- A Polymeric Pseudorotaxane Constructed from Cucurbituril and Aniline, and Stabilization of Its Radical Cation (Z) 7403–7406 [7293–7296]
DOI: 10.1002/ange.200802805

- Liu, Yuanyuan (Z) 9037–9040 [8905–8908]
 Liu, Yunling (Z) 8574–8577 [8446–8449]
 Liu, Zhaoping (Z) 3596–3598 [3540–3542]
 Liu, Zhiqiang (H) 248–250 [242–244]
 Liverton, N. J. (Z) 9244–9247 [9104–9107]
 Livingston, P. O. (Z) 6495–6498 [6395–6398]
 Llanes-Pallas, A. (Z) 7840–7844 [7726–7730]
 Llewellyn, P. L. (Z) 6713–6717 [6611–6615]
 Llobet, A.
 – Ru-Hbnp-Based Water-Oxidation Catalysts Anchored on Conducting Solid Supports (Z) 5914–5916 [5830–5832]
 DOI: 10.1002/ange.200704912
 Lloret, F.
 – A Metallocryptand-Based Manganese(II)–Cobalt(II) Ferrimagnet with a Three-Dimensional Honeycomb Open-Frame-Work Architecture (Z) 4279–4284 [4211–4216]
 DOI: 10.1002/ange.200800208
 Lloyd, G. O. (Z) 5845–5848 [5761–5764]
 Lloyd-Jones, G. C.
 – Decoupling Deprotonation from Metalation: Thia-Fries Rearrangement (Z) 5145–5148 [5067–5070]
 DOI: 10.1002/ange.200800750
 Lo, K. K.-W.
 – Exploitation of the Dual-emissive Properties of Cyclometalated Iridium(III)–Polypyridine Complexes in the Development of Luminescent Biological Probes (Z) 2245–2248 [2213–2216]
 DOI: 10.1002/ange.200705155
 Löber, A. (Z) 9278–9281 [9138–9141]
 Lock, N. (Z) 9061–9064 [8929–8932]
 Lodge, M. T. J. (E) 6860–6868 [6758–6765]
 Loeb, S. J.
 – Cooperative Ion–Ion Interactions in the Formation of Interpenetrated Molecules (Z) 103–107 [97–101]
 DOI: 10.1002/ange.200703019
 Loges, B. (Z) 4026–4029 [3962–3965]
 Loges, N. (K) 3741–3744 [3683–3686]
 Lohr, A. (Z) 1252–1256 [1232–1236]
 Loi, M. A. (Z) 3071–3075 [3029–3033]
 Loiseleur, O. (Z) 2850–2854 [2808–2812]
 Lommel, T. (Z) 6154–6157 [6065–6068]
 Long, De-L.
 – Capture of Periodate in a {W₁₈O₅₄} Cluster Cage Yielding a Catalytically Active Polyoxyometalate [H₃W₁₈O₅₆(IO₆)⁶⁻ Embedded with High-Valent Iodine (Z) 4456–4459 [4384–4387]
 DOI: 10.1002/ange.200800041
 – Structural Evolution of “S”-Shaped [H₄W₂₂O₇₄]¹²⁻ and “§”-Shaped [H₁₀W₃₄O₁₁₆]¹⁸⁻ Isopolyoxotungstate Clusters (Z) 8548–8551 [8420–8423]
 DOI: 10.1002/ange.200802109
 Long, De-L. (Z) 4460–4463 [4388–4391], 5691–5694 [5609–5612], 6987–6990 [6881–6884]
 Long, G. J. (Z) 9255–9257 [9115–9117]
 Long, J. R.
 – Wasserstoffspeicherung in mikroporösen metall-organischen Gerüsten mit koordinativ ungesättigten Metallzentren (A) 6870–6884 [6766–6779]
 DOI: 10.1002/ange.200801163
 Long, La-S.
 – A Four-Shell, Nesting Doll-like 3d–4f Cluster Containing 108 Metal Ions (Z) 2432–2435 [2398–2401]
 DOI: 10.1002/ange.200705731
 Long, La-S. (Z) 3424–3428 [3376–3380]
 Long, N. J. (A) 9136–9172 [8998–9033]
 Long, P. F. (Z) 8210–8212 [8090–8092]
 Longoni, G. (Z) 6768–6771 [6666–6669]
 Loo, B. H. (Z) 9037–9040 [8905–8908]
 Looock, H.-P. (Z) 3324–3328 [3279–3282]
 López, F.
 – Platinum-Catalyzed Intramolecular [4C+3C] Cycloaddition between Dienes and Allenes (Z) 965–968 [951–954]
 DOI: 10.1002/ange.200704566
 López, J. A. (Z) 2123–2126 [2093–2096]
 López, J. C. (Z) 6312–6316 [6216–6220]
 Lopez, J. J. (Z) 1692–1695 [1668–1671]
 López, J. J. (Z) 7373–7376 [7263–7266]
 López, X. (Z) 5679–5681 [5597–5599]
 López-Carrillo, V. (Z) 1909–1912 [1883–1886]
 López Navarrete, J. T.
 – Raman Detection of “Ambiguous” Conjugated Biradicals: Rapid Thermal Singlet-to-Triplet Intersystem Crossing in an Extended Viologen (Z) 1465–1468 [1443–1446]
 DOI: 10.1002/ange.200704398
 Loquet, A. (Z) 5935–5938 [5851–5854]
 Lord, R. L. (Z) 10298–10300 [10144–10146]
 Löser, R. (Z) 4403–4406 [4331–4334]
 Lough, A. (Z) 7117–7120 [7009–7012]
 Lough, A. J. (Z) 954–957 [940–943], 8785–8788 [8657–8660], 8806–8809 [8678–8681]
 Low, C. M. R. (Z) 6371–6373 [6275–6277]
 Low, J. J. (Z) 896–901 [882–887]
 Lowery, T. J. (Z) 4388–4392 [4316–4320]
 Lowton, R. L. (Z) 2859–2861 [2817–2819]
 Lu, B. (Z) 7618–7620 [7508–7510]
 Lu, C. C.
 – An Electron-Transfer Series of High-Valent Chromium Complexes with Redox Non-Innocent, Non-Heme Ligands (Z) 6484–6487 [6384–6387]
 DOI: 10.1002/ange.200800669
 Lu, C.-D. (Z) 6935–6937 [6829–6831]
 Lu, C. H. S. (Z) 1722–1726 [1698–1702], 7548–7551 [7438–7441]
 Lu, G. (Z) 6953–6956 [6847–6850], 9265–9269 [9125–9129]
 Lu, G. Q. (Max)
 – Synergistic Effects of B/N Doping on the Visible-Light Photocatalytic Activity of Mesoporous TiO₂ (Z) 4592–4596 Berichtigung: 5357 [4516–4520 Berichtigung: 5277]
 DOI: 10.1002/ange.200705633
 Lu, G. Q. (Max) (Z) 379–382 [373–376], 6772–6775 [6670–6673]
 Lu, H.-J.
 – Surfactant-Free Synthesis of SnO₂@PMMA and TiO₂@PMMA Core-Shell Nanobeads Designed for Peptide/Protein Enrichment and MALDI-TOF MS Analysis (Z) 4272–4275 [4204–4207]
 DOI: 10.1002/ange.200705942
 Lu, M. (Z) 1905–1908 [1879–1882], 10341–10345 Berichtigung: 10164 [10187–10191]
 Lu, S. (Z) 4438–4441 [4366–4369]
 Lu, S.-M. (Z) 9052–9055 [8920–8923]
 Lu, W. (Z) 4644–4648 [4568–4572], 10043–10047 [9895–9899]
 Lu, W.-J. (Z) 10287–10290 [10133–10136]
 Lu, X.-Y. (Z) 10278–10281 [10124–10127]
 Lu, Xiaojie (Z) 7824–7827 [7710–7713]
 Lu, Xin (Z) 5420–5423 [5340–5343]
 Lu, Xing (Z) 8770–8773 [8642–8645]
 Lu, Yingdong (Z) 5510–5513 [5430–5433]
 Lu, Yunpeng (Z) 10341–10345 Berichtigung: 10164 [10187–10191]
 Lu, Z. (A) 264–303 [258–297], (Z) 6134–6137 [6045–6048]
 Lu, Z.-H. (Z) 1275–1279 [1255–1259]
 Lubitz, W. (Z) 1244–1247 [1224–1227], 7003–7005 [6897–6899]
 Lubrich, D.
 – A Contractile DNA Machine (Z) 7134–7136 [7026–7028]
 DOI: 10.1002/ange.200800476
 Luchinat, C. (Z) 4609–4613 [4533–4537]
 Lucon, J. (Z) 7963–7966 [7845–7848]
 Luddy, K. (Z) 5310–5312 [5232–5234]
 Ludwig, R.
 – Fern-IR-spektroskopische Charakterisierung der Wechselwirkung zwischen Kationen und Anionen in ionischen Flüssigkeiten (Z) 3890–3894 [3830–3834]
 DOI: 10.1002/ange.200705736
 – Starke, lokalisierte und gerichtete H-Brücken machen ionische Flüssigkeiten beweglicher (Z) 8859–8862 [8731–8734]
 DOI: 10.1002/ange.200803446
 Ludwig, W. (Z) 9430–9434 [9289–9293]
 Luedtke, A. T. (Z) 7808–7810 [7694–7696]
 Lueken, H.
 – Magnetoelktischer Effekt in YMnO₃ und HoMnO₃ (H) 8690–8693 [8562–8564]
 DOI: 10.1002/ange.200803024
 Luft, J. A. R. (Z) 363–366 [357–360]
 Lukas, M. (Z) 9819–9822 [9673–9676]
 Lundgren, E. (Z) 2161–2164 [2131–2134]
 Lunine, J. I. (Z) 8036–8038 [7918–7920]
 Lunsford, J. H.
 – Supported Palladium Nanoparticles: An Efficient Catalyst for the Direct Formation of H₂O₂ from H₂ and O₂ (Z) 6317–6320 [6221–6224]
 DOI: 10.1002/ange.200801517
 Luo, H.
 – Amorphous Silica Nanoparticles Embedded in Epitaxial SrTiO₃ and CoFe₂O₄ Matrices (Z) 5852–5855 [5768–5771]
 DOI: 10.1002/ange.200801064
 Luo, K. Q. (Z) 337–339 [331–333]
 Luo, S.-Y. (Z) 8202–8205 [8082–8085]
 Luo, Y. (Z) 2682–2685 [2642–2645]
 Luo, Zhixun (Z) 9037–9040 [8905–8908]
 Luo, Zhong (Z) 7589–7591 [7479–7481]
 Lupton, J. M. (A) 6638–6650 [6538–6549]
 Lusby, P. J.
 – Active Template Synthesis of Rotaxanes and Molecular Shuttles with Switchable Dynamics by Four-Component Pd^{II}-Promoted Michael Additions (Z) 3429–3432 [3381–3384]
 DOI: 10.1002/ange.200705859
 – An Ion-Pair Template for Rotaxane Formation and its Exploitation in an Orthogonal Interaction Anion-Switchable Molecular Shuttle (Z) 8156–8159 [8036–8039]
 DOI: 10.1002/ange.200802745
 Lusby, P. J. (Z) 7107–7111 [6999–7003]

- Lutz, J.-F.
- Kontrollierte Zelladhäsion auf PEG-basierten schaltbaren Oberflächen (Z) 5749–5752 [5666–5668]
DOI: 10.1002/ange.200801202
 - Kupferfreie Azid-Alkin-Cycloadditionen: Erkenntnisse und Perspektiven (H) 2212–2214 [2182–2184]
DOI: 10.1002/ange.200705365
- Lutz, M. (Z) 4660–4663 [4584–4587]
Lützen, A. (Z) 800–804 [788–792]
Luzgin, M. V. (Z) 4635–4638 [4559–4562]
Ly, H. V. (Z) 367–370 [361–364]
Lyle, T. A. (Z) 9244–9247 [9104–9107]
Lynam, J. M.
- Neue Wege zur Funktionalisierung von P₄ (H) 843–845 [831–833]
DOI: 10.1002/ange.200704305
- Lynch, J. (Z) 8766–8769 [8638–8641]
Lynch, V. M. (Z) 2299–2302 [2267–2270], 5116–5120 [5038–5042]
Lyoo, W. S. (Z) 6526–6529 [6426–6429]
- Ma, C. (Z) 10119–10122 [9971–9974]
Ma, D.-L. (Z) 3795–3799 [3735–3739]
Ma, Dawei
- Highly Efficient Catalytic System for Enantioselective Michael Addition of Aldehydes to Nitroalkenes in Water (Z) 555–558 [545–548]
DOI: 10.1002/ange.200704161
 - Total Synthesis and Structure Assignment of Papuamide B, A Potent Marine Cyclopeptide with Anti-HIV Properties (Z) 2886–2890 [2844–2848]
DOI: 10.1002/ange.200705557
 - Total Synthesis of Salinamide A: A Potent Anti-Inflammatory Bicyclic Dipeptide (Z) 3670–3673 [3614–3617]
DOI: 10.1002/ange.200800397
- Ma, Dongge
- A Simple Carbazole/Oxadiazole Hybrid Molecule: An Excellent Bipolar Host for Green and Red Phosphorescent OLEDs (Z) 8224–8227 [8104–8107]
DOI: 10.1002/ange.200803396
- Ma, J. (Z) 6927–6930 [6821–6824]
Ma, R.
- Topochemical Synthesis of Monometallic (Co²⁺–Co³⁺) Layered Double Hydroxide and Its Exfoliation into Positively Charged Co(OH)₂ Nanosheets (Z) 92–95 [86–89]
DOI: 10.1002/ange.200703941
- Ma, Shengming
- An Efficient Approach to Substituted 1,5,7,8,9-Pentahydrocyclopenta[*h*]-2-Benzopyran-3-one Derivatives by a Palladium-Catalyzed Tandem Reaction of 2,7-Alkadiynyl Carbonates with 2,3-Allenic Acids (Z) 8379–8382 [8255–8258]
DOI: 10.1002/ange.200803424
 - Highly Regio- and Stereoselective Double Michael Addition–Cyclization of 2,3-Alleenoates with Organozinc Compounds: Efficient Synthesis of 5-Benzylidenecyclohex-2-enones (Z) 6134–6137 [6045–6048]
DOI: 10.1002/ange.200801497
 - Metallkatalysierte enantioselective Allylierungen in der asymmetrischen Synthese (A) 264–303 [258–297]
DOI: 10.1002/ange.200605113
 - [Pd(PPh₃)₄]-Catalyzed Diastereoselective Synthesis of *trans*-1,2-Diazetidines from 2,3-Allenyl Hydrazines and Aryl Halides (Z) 4657–4659 [4581–4583]
DOI: 10.1002/ange.200800364
- Ma, Shengqian (Z) 4198–4201 [4130–4133], 7373–7376 [7263–7266]
Ma, W.
- Visible-Light-Induced Aerobic Oxidation of Alcohols in a Coupled Photocatalytic System of Dye-Sensitized TiO₂ and TEMPO (Z) 9876–9879 [9730–9733]
DOI: 10.1002/ange.200803630
- Ma, Yanyun (Z) 9033–9036 [8901–8904]
Ma, Ying (Z) 7411–7415 [7301–7305], 9037–9040 [8905–8908]
Maan, J. C. (Z) 4493–4496 [4421–4424]
Mabry, J. M.
- Fluorinated Polyhedral Oligomeric Silsesquioxanes (F-POSS) (Z) 4205–4208 [4137–4140]
DOI: 10.1002/ange.200705355
- McAlpin, J. G. (Z) 2866–2869 [2824–2827]
McBurney, R. T. (Z) 3429–3432 [3381–3384], 7107–7111 [6999–7003]
McCann, D. M. (Z) 5257–5260 [5179–5182]
McCarty, L. S. (A) 2218–2239 [2188–2207]
Maccato, C. (Z) 7385–7389 [7275–7279]
McCauley, J. A.
- Bismacrocyclic Inhibitors of Hepatitis C NS3/4a Protease (Z) 9244–9247 [9104–9107]
DOI: 10.1002/ange.200803298
- McCleskey, T. M.
- Three-Coordinate Ligand for Physiological Beryllium Imaging by Fluorescence (Z) 7442–7444 [7332–7334]
DOI: 10.1002/ange.200801965
- McCleskey, T. M. (Z) 5852–5855 [5768–5771]
McCollum, B. M. (Z) 9918–9920 [9772–9774]
McCormick, A. V. (Z) 9236–9239 [9096–9099]
McCusker, L. B. (Z) 4473–4477 [4401–4405]
McDonald, F. E.
- Mimicking Biosynthesis: Total Synthesis of the Triterpene Natural Product Abudinol B from a Squalene-like Precursor (Z) 4449–4451 [4377–4379]
DOI: 10.1002/ange.200800749
- McDonald, F. M.
- Regenerative Medizin und stammzellbasierte Wirkstoffentwicklung (A) 5802–5823 [5718–5738]
DOI: 10.1002/ange.200700724
- McDonald, R. (Z) 4988–4991 [4910–4913]
McEleney, K. (Z) 3324–3328 [3279–3282]
McGannon, C. M. (Z) 1285–1288 [1265–1268]
McGarrigle, E. M. (Z) 3844–3846 [3784–3786]
McGlacken, G. P.
- Bildung von Carbanionen mit neutralen organischen Elektronentransferreagenten: ein Radikalkonzept (H) 1843–1847 [1819–1823]
DOI: 10.1002/ange.200704883
- McGlone, T. (Z) 6987–6990 [6881–6884]
McGrath, J. E. (Z) 6108–6113 [6019–6024]
McGrath, M. J. (Z) 6467–6470 [6367–6370]
McGrath, N. A. (Z) 9592–9595 [9450–9453]
Machado, G. (Z) 9215–9218 [9075–9078]
Machida, M. 9320–9325 [9180–9185]
Maciá, B. (Z) 1337–1339 [1317–1319]
McInnes, E. J. L.
- Supertetrahedral and Bi-supertetrahedral Cages: Synthesis, Structures, and Magnetic Properties of Deca- and Enneadecametallic Cobalt(II) Clusters (Z) 9841–9845 [9695–9699]
DOI: 10.1002/ange.200804147
- McInnes, E. J. L. (Z) 9827–9830 [9681–9684]
McIntyre, C. J. (Z) 9244–9247 [9104–9107]
McKinnic, S. M. K. (Z) 9614–9617 [9472–9475]
Macklin, T. K.
- Carbamoyl Translocations by an Anionic *ortho*-Fries and Cumulenolate α -Acylation Pathway: Regioselective Synthesis of Polysubstituted Chromone 3- and 8-Carboxamides (Z) 2127–2131 [2097–2101]
DOI: 10.1002/ange.200704360
- MacLachlan, M. J.
- Mesostructured Prussian Blue Analogues (Z) 521–524 [511–514]
DOI: 10.1002/ange.200703627
- McLain, S. E.
- Charge-Based Interactions between Peptides Observed as the Dominant Force for Association in Aqueous Solution (Z) 9199–9202 [9059–9062]
DOI: 10.1002/ange.200802679
- McMahon, S. A. (Z) 7971–7974 [7853–7856]
MacMillan, D. W. C.
- Total Synthesis and Structural Revision of Callipeltoside C (Z) 3624–3628 [3568–3572]
DOI: 10.1002/ange.200800086
- McMurry, T. J. (Z) 4996–4999 [4918–4921]
McPartlin, M. (Z) 1127–1130 [1111–1114]
MacQuarrie, S. (Z) 3324–3328 [3279–3282]
Maddaluno, J.
- Intramolecular Carbolithiation of Alkynes: *anti* Selectivity (Z) 905–907 [891–893]
DOI: 10.1002/ange.200704139
- Madden, M. M. (Z) 2874–2877 [2832–2835]
Madsen, R. (Z) 902–904 [888–890]
Maeda, M. (Z) 8971–8974 [8839–8842]
Maeda, N. (Z) 9396–9399 [9256–9259]
Maeda, S.
- Peristaltic Motion of Polymer Gels (Z) 6792–6795 [6690–6693]
DOI: 10.1002/ange.200801347
- Maeda, Y. (Z) 1318–1320 [1298–1300], 8023–8026 [7905–7908], 8770–8773 [8642–8645]
Maegawa, T. (Z) 5474–5477 [5394–5397]
Maesato, M. (Z) 10031–10034 [9883–9886]
Maestri, G. (Z) 3267–3270 [3223–3226]
Magner, E.
- Proteine in mesoporösen Silicaten (A) 8710–8723 [8582–8594]
DOI: 10.1002/ange.200705238
- Magull, J. (Z) 5324–5327 [5246–5249]
Mahammed, A. (Z) 8014–8018 [7896–7900]
Mahata, K. (H) 5364–5366 [5284–5286]
Mahesh, S. (Z) 4769–4772 [4691–4694]

- Maheshwari, S. (H) 4332–4333 [4262–4263]
 Maheshwari, V. (A) 7926–7945 [7808–7826]
 Mahler, M. (Z) 1717–1721 [1693–1697]
 Mahon, M. F. (Z) 8610–8614 [8482–8486]
 Maid, H. (A) 8924–8956 [8794–8824], (Z) 9073–9077 [8941–8945]
 Maier, J.
 – Ein Si@SiO_x/C-Nanokomposit als Anodenmaterial für Lithiumionenbatterien mit hoher Speicherleistung (Z) 1669–1673 [1645–1649]
 DOI: 10.1002/ange.200704287
 Maier, J. (A) 3936–3958 [3874–3894]
 Maillet, C. (Z) 6776–6779 [6674–6677]
 Maimone, T. J. (Z) 3097–3099 [3054–3056]
 Maishal, T. K. (Z) 8782–8784 [8654–8656]
 Maisonhaute, E.
 – Electrochemically Driven Release of Picomole Amounts of Calcium Ions with Temporal and Spatial Resolution (Z) 5289–5292 [5211–5214]
 DOI: 10.1002/ange.200705274
 Maiti, D. (Z) 88–91 [82–85]
 Maji, M. S. (Z) 9690–9692 [9547–9550]
 Majima, T.
 – Defect-Mediated Photoluminescence Dynamics of Eu³⁺-Doped TiO₂ Nanocrystals Revealed at the Single-Particle or Single-Aggregate Level (Z) 5428–5432 [5348–5352]
 DOI: 10.1002/ange.200800528
 Makarczyk, P. (Z) 6776–6779 [6674–6677]
 Mäkinen, A. (Z) 7552–7555 [7442–7445]
 Makino, K. (Z) 6538–6540 [6438–6440]
 Mal, P. (Z) 8421–8425 [8297–8301]
 Mal, S. S. (Z) 805–808 [793–796], (K) 9523–9524 [9383–9384]
 Malacria, M.
 – The Role of Bent Acyclic Allene Gold Complexes in Axis-to-Center Chirality Transfers (Z) 7644–7648 [7534–7538]
 DOI: 10.1002/ange.200802332
 Malacria, M. (Z) 730–733 [718–721], 6971–6974 [6865–6868]
 Malakooti, R. (Z) 3874–3877 [3814–3817]
 Malan, C. (Z) 713–717 [701–705]
 Mallick, B. (Z) 7747–7750 [7635–7638]
 Maltas, P. (Z) 3058–3062 [3016–3020], 3063–3067 [3021–3025]
 Malyshev, O. N. (Z) 3306–3310 [3262–3266]
 Mamiya, J.-i. (Z) 5064–5066 [4986–4988]
 Mammana, A. (Z) 10027–10030 [9879–9882]
 Mancuso, J. (Z) 1146–1149 [1130–1133]
 Mandal, P. (Z) 7799–7802 [7685–7688]
 Mandal, S. (A) 4876–4907 [4798–4828]
 Mandal, T. (Z) 7828–7831 [7714–7717]
 Manesh, K. M. (Z) 9489–9491 [9349–9351]
 Manetto, A. (M) 8478–8487 [8350–8358]
 Manetto, S. (Z) 1538–1541 [1515–1518]
 Mann, S.
 – Das Leben als ein nanoskaliges Phänomen (A) 5386–5401 [5306–5320]
 DOI: 10.1002/ange.200705538
 – Emergent Hybrid Nanostructures Based on Non-Equilibrium Block Copolymer Self-Assembly (Z) 9618–9621 [9476–9479]
 DOI: 10.1002/ange.200803231
 Manners, I.
 – Iridium-Catalyzed Dehydrocoupling of Primary Amine–Borane Adducts: A Route to High Molecular Weight Polyaminoboranes, Boron–Nitrogen Analogues of Polyolefins (Z) 6308–6311 [6212–6215]
 DOI: 10.1002/ange.200801197
 – Strained Metallocenophanes with Late Transition Metals in the Bridge: Syntheses and Structures of Nickel- and Platinum-Bridged [1]Ferrocenophanes (Z) 4426–4429 [4354–4357]
 DOI: 10.1002/ange.200705672
 – Synthesis and Lithographic Patterning of FePt Nanoparticles Using a Bimetallic Metallopolyyne Precursor (Z) 1275–1279 [1255–1259]
 DOI: 10.1002/ange.200703199
 Manners, I. (Z) 3886–3889 [3826–3829]
 Mannocci, L. (Z) 3240–3245 [3196–3201]
 Mansoori, U. (Z) 7799–7802 [7685–7688]
 Mantel, M. L. H. (Z) 2708–2712 [2668–2672]
 Manthorpe, J. M. (Z) 4407–4410 [4335–4338], 4411–4414 [4339–4342]
 Mantovani, G.
 – Simultaneous Copper(I)-Catalyzed Azide–Alkyne Cycloaddition (CuAAC) and Living Radical Polymerization (Z) 4248–4251 [4180–4183]
 DOI: 10.1002/ange.200800179
 Manukyan, A. K. (Z) 6329–6331 [6233–6235]
 Manzenrieder, F. (Z) 2647–2651 [2608–2611]
 Mao, L.
 – A Simple Assay for Direct Colorimetric Visualization of Trinitrotoluene at Picomolar Levels Using Gold Nanoparticles (Z) 8729–8732 [8601–8604]
 DOI: 10.1002/ange.200804066
 Marazano, C.
 – Further Insight from Model Experiments into a Possible Scenario Concerning the Origin of Manzamine Alkaloids (Z) 5498–5501 [5418–5421]
 DOI: 10.1002/ange.200800488
 Marciniak, B.
 – Synthesis, Characterization, and Catalytic Activity of a Well-Defined Rhodium Siloxide Complex Immobilized on Silica (Z) 551–554 [541–544]
 DOI: 10.1002/ange.200704362
 Marcos, V. (Z) 6942–6945 [6836–6839], 8059–8062 [7941–7944]
 Marcoux, D. (Z) 10309–10312 [10155–10158]
 Marcus, A. P. (Z) 6479–6483 [6379–6383]
 Marder, T. B.
 – B–N und C–C im Vergleich: Wie ähnlich sind sie einander? (H) 248–250 [242–244]
 DOI: 10.1002/ange.200703535
 Marek, I. Berichtigung: 2008
 Marek, I.
 – Convergent Preparation of Enantiomerically Pure Polyalkylated Cyclopropane Derivatives (Z) 6971–6974 [6865–6868]
 DOI: 10.1002/ange.200802093
 Maria, J. (Z) 5091–5095 [5013–5017]
 Marigo, M.
 – Die asymmetrische Aminokatalyse – Goldrausch in der organischen Chemie (A) 6232–6265 [6138–6171]
 DOI: 10.1002/ange.200705523
 Marion, N. (Z) 730–733 [718–721]
 Marion, O. (Z) 2918–2921 [2876–2879]
 Markert, T. (Z) 3881–3885 [3821–3825]
 Märki, M. (Z) 4588–4591 [4512–4515]
 Markle, T. F. (Z) 750–752 [738–740]
 Markovich, G.
 – Plasmon-Resonance-Enhanced Absorption and Circular Dichroism (Z) 4933–4935 [4855–4857]
 DOI: 10.1002/ange.200800231
 Marks, T. J.
 – In-situ-Funktionalisierung von Polyolefinen mit Heteroatomen: Reaktionswege und katalytische Kettenübertragung (A) 2034–2054 [2006–2025]
 DOI: 10.1002/ange.200703310
 Maron, L.
 – Lanthanum Does Form Stable Molecular Compounds in the +2 Oxidation State (Z) 1510–1513 [1488–1491]
 DOI: 10.1002/ange.200704887
 – Metallaboratranes Derived from a Triphosphanyl–Borane: Intrinsic C₃ Symmetry Supported by a Z-Type Ligand (Z) 1503–1506 [1481–1484]
 DOI: 10.1002/ange.200705024
 Marques Fernandes, M. (Z) 5930–5934 [5846–5850]
 Marquez, M. (Z) 9794–9798 [9648–9652]
 Marsden, C. J. (Z) 5446–5450 [5366–5370]
 Marsella, M. (Z) 8570–8573 [8442–8445]
 Marshall, A. G. (Z) 2838–2841 [2796–2799]
 Martens, A. A. (Z) 4260–4263 [4192–4195]
 Martin, B. (Z) 4818–4821 [4740–4743]
 Martín, N.
 – Sc₃N@C₈₀-Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications (Z) 4241–4244 [4173–4176]
 DOI: 10.1002/ange.200800473
 – Self-Organization of Electroactive Materials: A Head-to-Tail Donor–Acceptor Supramolecular Polymer (Z) 1110–1113 [1094–1097]
 DOI: 10.1002/ange.200703049
 Martínez, J. I. (Z) 4761–4764 [4683–4686]
 Martínez, V. (Z) 6533–6537 [6433–6437]
 Martínez-Huitle, C. A.
 – Elektrochemische Alternativen für die Trinkwasserdesinfektion (M) 2024–2032 [1998–2005]
 DOI: 10.1002/ange.200703621
 Martinho, M. (Z) 7172–7175 [7064–7067], 8188–8191 [8068–8071]
 Martyn, L. J. P. (Z) 7117–7120 [7009–7012]
 Martynova, I. M. (Z) 6726–6730 [6624–6628]
 Maruoka, K.
 – Binaphthyl-Modified Quaternary Phosphonium Salts as Chiral Phase-Transfer Catalysts: Asymmetric Amination of β -Keto Esters (Z) 9608–9610 [9466–9468]
 DOI: 10.1002/ange.200804140
 – Complete Switch of Migratory Aptitude in Aluminum-Catalyzed 1,2-Rearrangement of Differently α,α -Disubstituted α -Siloxy Aldehydes (Z) 5281–5284 [5203–5206]
 DOI: 10.1002/ange.200800801
 Maruyama, A. (Z) 3847–3850 [3787–3790]
 Maruyama, J. (Z) 6692–6695 [6590–6593]
 Marx, A.
 – Enzymatische Synthese mehrfach spinmarkierter DNA (Z) 6886–6890 [6782–6785]
 DOI: 10.1002/ange.200802314
 Mas-Ballester, R. (Z) 1922–1925 [1896–1899]

- Mas-Marza, E. (Z) 5914–5916 [5830–5832]
Masarwa, A. Berichtigung: 2008
Mascal, M.
– Direct, High-Yield Conversion of Cellulose into Biofuel
(Z) 8042–8044 [7924–7926]
DOI: 10.1002/ange.200801594
Mascareñas, J. L.
– Platinum-Catalyzed Intramolecular [4C + 3C] Cycloaddition between Dienes and Allenes
(Z) 965–968 [951–954]
DOI: 10.1002/ange.200704566
Masel, R. I. (Z) 5096–5099 [5018–5021]
Maseras, F.
– Practical Implications of Boron-to-Zinc Transmetalation for the Catalytic Asymmetric Arylation of Aldehydes
(Z) 1114–1117 [1098–1101]
DOI: 10.1002/ange.200703103
Mash, E. A. (Z) 1709–1712 [1685–1688]
Masiero, S.
– The Direct Conversion of Light into Continuous Mechanical Energy by Photoreversible Self-Assembly: A Prototype of a Light-Powered Engine
(Z) 3228–3231 [3184–3187]
DOI: 10.1002/ange.200705313
Mason, C. B. (Z) 9863–9867 [9717–9721]
Maspoch, D. (Z) 1883–1886 [1857–1860]
Massi, A.
– Asymmetrische Organokatalyse: Eintritt in die Reifezeit
(A) 4716–4739 [4638–4660]
DOI: 10.1002/ange.200704684
Masson, G.
– Synthesis of α -Ketoamides by a Molecular-Sieves-Promoted Formal Oxidative Coupling of Aliphatic Aldehydes with Isocyanides
(Z) 961–964 [947–950]
DOI: 10.1002/ange.200704840
Mastalerz, M.
– Die nächste Generation formstabiler Zeolith-Analoga: kovalent gebundene organische Netzwerkverbindungen
(H) 453–455 [445–447]
DOI: 10.1002/ange.200703871
Masui, R. (Z) 4076–4079 [4012–4015]
Masuyama, T. (Z) 108–111 [102–105]
Matena, M. (Z) 2448–2451 [2414–2417], 7840–7844 [7726–7730]
Mathevet, F. (Z) 8540–8543 [8412–8415]
Mathis, G. (Z) 747–749 [735–737]
Matile, S.
– Metall-organische Gerüste: der Einbau von Schwermetallen in synthetische Ionenkanäle und Poren
(H) 9745–9749 [9603–9607]
DOI: 10.1002/ange.200803300
– Rigid Oligoperylenediimide Rods: Anion- π Slides with Photosynthetic Activity
(Z) 935–937 [921–923]
DOI: 10.1002/ange.200703749
– Zipper Assembly of Vectorial Rigid-Rod π -Stack Architectures with Red and Blue Naphthalenediimides: Toward Supramolecular Cascade n/p-Heterojunctions
(Z) 3787–3789 [3727–3729]
DOI: 10.1002/ange.200800203
Matković-Čalogović, D. (Z) 7130–7133 [7022–7025]
Matsubara, K. (Z) 10349–10352 [10195–10198]
Matsubara, R. (Z) 8213–8215 [8093–8095]
Matsuda, T. (Z) 6991–6993 [6885–6887]
Matsuda, Y. (Z) 6097–6099 [6008–6010]
Matsui, H.
– Label-Free Pathogen Detection with Sensor Chips Assembled from Peptide Nanotubes
(Z) 9898–9901 [9752–9755]
DOI: 10.1002/ange.200804299
– Urease as a Nanoreactor for Growing Crystalline ZnO Nanoshells at Room Temperature
(Z) 5495–5497 [5415–5417]
DOI: 10.1002/ange.200801181
Matsui, Y. (Z) 2527–2530 [2493–2496]
Matsumoto, Kazuhiro (Z) 10349–10352 [10195–10198]
Matsumoto, Kouichi (Z) 2540–2542 [2506–2508]
Matsumoto, S.-i. (Z) 9443–9446 [9303–9306]
Matsumoto, T. (Z) 1939–1941 [1913–1915]
Matsumoto, Y. (Z) 2514–2517 [2480–2483]
Matsunaga, S.
– A Heterobimetallic Pd/La/Schiff Base Complex for *anti*-Selective Catalytic Asymmetric Nitroaldol Reactions and Applications to Short Syntheses of β -Adrenoceptor Agonists
(Z) 3274–3277 [3230–3233]
DOI: 10.1002/ange.200705617
– Chiral γ -Amino Amide Synthesis by Heterobimetallic Lanthanum/Lithium/Pybox-Catalyzed Direct Asymmetric Mannich-Type Reactions of α -Keto Anilides
(Z) 6953–6956 [6847–6850]
DOI: 10.1002/ange.200801564
– Lewis Base Assisted Brønsted Base Catalysis: Bidentate Phosphine Oxides as Activators and Modulators of Brønsted Basic Lanthanum–Aryloxides
(Z) 9265–9269 [9125–9129]
DOI: 10.1002/ange.200803682
Matsuoka, S. (Z) 8739–8742 [8611–8614]
Matsuoka, Y. (Z) 8365–8369 [8241–8245]
Matsuzawa, H. (Z) 3841–3843 [3781–3783]
Matzger, A. J.
– A Crystalline Mesoporous Coordination Copolymer with High Microporosity
(Z) 689–692 [677–680]
DOI: 10.1002/ange.200705020
Mauduit, M. (Z) 9262–9264 [9122–9124]
Maue, M. (Z) 3634–3636 [3578–3580]
Maugel, N. (Z) 4960–4964 [4882–4886], 5293–5297 [5215–5219]
Maul, M. J. (Z) 10230–10234 [10076–10080]
Maurin, G.
– Molecular Dynamics Simulations of Breathing MOFs: Structural Transformations of MIL-53(Cr) upon Thermal Activation and CO₂ Adsorption
(Z) 8615–8619 [8487–8491]
DOI: 10.1002/ange.200803067
– Quasi-Elastic Neutron Scattering and Molecular Dynamics Study of Methane Diffusion in Metal Organic Frameworks MIL-47(V) and MIL-53(Cr)
(Z) 6713–6717 [6611–6615]
DOI: 10.1002/ange.200801748
Maurin, M. (Z) 583–586 [573–576]
Maury, O.
– Protein Crystallography through Supramolecular Interactions between a Lanthanide Complex and Arginine
(Z) 3436–3439 [3388–3391]
DOI: 10.1002/ange.200704683
Mavrikakis, M.
– Nanokatalyse: Nach dem Goldrausch
(H) 7500–7502 [7390–7392]
DOI: 10.1002/ange.200802592
May, A. E. (Z) 9889–9892 [9743–9746]
May, T. L. (Z) 7468–7472 [7358–7362]
Maya, C. (Z) 4452–4455 [4380–4383]
Mayer, G.
– Enrichment of Cell-Targeting and Population-Specific Aptamers by Fluorescence-Activated Cell Sorting
(Z) 5268–5271 [5190–5193]
DOI: 10.1002/ange.200800216
Mayer, G. (Z) 985–987 [971–973]
Mayer, J. M.
– Concerted Proton–Electron Transfer in Pyridylphenols: The Importance of the Hydrogen Bond
(Z) 750–752 [738–740]
DOI: 10.1002/ange.200702486
Mayor, M.
– Light-Powered Electrical Switch Based on Cargo-Lifting Azobenzene Monolayers
(Z) 3455–3457 [3407–3409]
DOI: 10.1002/ange.200705339
– Materiewelleninterferometrie ergänzt die Massenspektrometrie
(Z) 6290–6293 [6195–6198]
DOI: 10.1002/ange.200801942
Mayr, H.
– “Carbokationen-Watching” bei Solvolysereaktionen
(Z) 4022–4025 [3958–3961]
DOI: 10.1002/ange.200800354
– Elektrophile Reaktivität α,β -ungesättigter Iminiumionen
(Z) 8851–8854 [8723–8726]
DOI: 10.1002/ange.200802889
– Relative Geschwindigkeiten der Brom-Magnesium-Austauschreaktionen an substituierten Brombenzolderivaten
(Z) 208–210 [202–204]
DOI: 10.1002/ange.200704100
Mazac, K. (Z) 9083–9086 [8950–8953]
Mazet, C. (Z) 1786–1789 [1762–1765]
Mazzanti, A. (Z) 8831–8834 [8703–8706], 8835–8838 [8707–8710]
Mazzanti, M.
– A Nitrido-Centered Uranium Azido Cluster Obtained from a Uranium Azide
(Z) 3082–3084 [3040–3042]
DOI: 10.1002/ange.200705742
Mazzolini, J. (Z) 9451–9453 [9311–9313]
Mealli, C.
– S₄²⁻ Rings, Disulfides, and Sulfides in Transition-Metal Complexes: The Subtle Interplay of Oxidation and Structure
(Z) 2906–2910 [2864–2868]
DOI: 10.1002/ange.200705296
Mecking, S.
– Crystalline Polymer Ultrathin Films from Mesoscopic Precursors
(Z) 4585–4587 [4509–4511]
DOI: 10.1002/ange.200801028
– Katalytische Copolymerisation von polaren Vinylmonomeren H₂C=CHX
(H) 2572–2576 [2538–2542]
DOI: 10.1002/ange.200704642
Meekes, H. (Z) 6545–6547 [6445–6447], 7336–7339 [7226–7229]
Mehdi, A. (Z) 8782–8784 [8654–8656]
Mehrkhodavandi, P.
– A Highly Active Chiral Indium Catalyst for Living Lactide Polymerization

- (Z) 2322–2325 [2290–2293]
DOI: 10.1002/ange.200705033
- Mei, T.-S. (Z) 5293–5297 [5215–5219], 6552–6555 [6452–6455]
- Meier, B. H.
– Ein- und zweidimensionale NMR-Spektroskopie mittels Kernresonanzkraftmikroskopie (Z) 9096–9098 [8961–8963]
DOI: 10.1002/ange.200802978
- Infektiöse und nichtinfektiöse Amyloide des HET-s(218-289)-Prions haben unterschiedliche NMR-Spektren (Z) 5923–5925 [5839–5841]
DOI: 10.1002/ange.200704896
- Polymorphie in einem amyloidartige Fibrillen bildenden Modellpeptid (Z) 5926–5929 [5842–5845]
DOI: 10.1002/ange.200800021
- Meier, B. H. (Z) 5935–5938 [5851–5854]
- Meier, Chris
– Bioreversible Maskierung von Nucleosiddiphosphaten (Z) 8847–8850 [8719–8722]
DOI: 10.1002/ange.200803100
- Effiziente Synthese von Nucleosiddiphosphat-Glycopyranosen (Z) 1523–1525 [1500–1502]
DOI: 10.1002/ange.200703237
- Meier, Christoph (Z) 3881–3885 [3821–3825]
- Meier, M. (E) 3368–3374 [3322–3328]
- Meijer, E. W.
– Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface (Z) 5075–5079 [4997–5001]
DOI: 10.1002/ange.200800255
- Meitl, M. A. (A) 5606–5624 [5524–5542]
- Melançon III, C. E. (A) 9960–10007 [9814–9859]
- Melander, C.
– Construction and Screening of a 2-Aminoimidazole Library Identifies a Small Molecule Capable of Inhibiting and Dispersing Bacterial Biofilms across Order, Class, and Phylum (Z) 5307–5309 [5229–5231]
DOI: 10.1002/ange.200800862
- Melchiorre, P.
– Aminocatalytic Enantioselective *anti*-Mannich Reaction of Aldehydes with In Situ Generated *N*-Cbz and *N*-Boc Imines (Z) 8828–8830 [8700–8702]
DOI: 10.1002/ange.200803819
- Die asymmetrische Aminokatalyse – Goldrausch in der organischen Chemie (A) 6232–6265 [6138–6171]
DOI: 10.1002/ange.200705523
- Organocatalytic Asymmetric Aziridination of Enones (Z) 8831–8834 [8703–8706]
DOI: 10.1002/ange.200803647
- Proline-Catalyzed Asymmetric Formal α -Alkylation of Aldehydes via Vinylogous Iminium Ion Intermediates Generated from Arylsulfonyl Indoles (Z) 8835–8838 [8707–8710]
DOI: 10.1002/ange.200803947
- Meldrum, T. (Z) 4388–4392 [4316–4320]
- Melkko, S. (Z) 3240–3245 [3196–3201]
- Mellot-Draznieks, C. (Z) 8615–8619 [8487–8491], 8762–8765 [8634–8637]
- Melnikov, A. S. (Z) 4006–4009 [3942–3945]
- Meltzer, M. (Z) 1352–1355 [1332–1334]
- Menard, E. (A) 5606–5624 [5524–5542]
- Menard, F. (Z) 2115–2118 [2085–2088]
- Menche, D. (Z) 3782–3786 [3722–3726]
- Mendichi, R. (Z) 4580–4584 [4504–4508]
- Mendoza, A. (Z) 7152–7155 [7044–7047]
- Mendoza, E. (Z) 9898–9901 [9752–9755]
- Meng, G.
– Converting Free-Standing Porous Silicon into Related Porous Membranes (Z) 371–373 [365–367]
DOI: 10.1002/ange.200703698
- Menner, A. (Z) 8401–8403 [8277–8279]
- Menninger, S. (Z) 6573–6577 [6473–6477]
- Mensing, S. L. (Z) 9626–9628 [9484–9486]
- Menzel, K.-D. (Z) 4059–4062 [3995–3998]
- Mercy, M. (Z) 1503–1506 [1481–1484]
- Merdanovic, M. (Z) 1352–1355 [1332–1334]
- Mereiter, K. (Z) 9282–9285 [9142–9145]
- Mergny, J.-L.
– A Metal-Mediated Conformational Switch Controls G-Quadruplex Binding Affinity (Z) 4936–4939 [4858–4861]
DOI: 10.1002/ange.200800468
- Merino, E. (Z) 3089–3092 [3046–3049]
- Merkle, R.
– Wie wird Sauerstoff in Oxide eingebaut? Kinetische Studie einer “simplen” Feststoffreaktion am Modellmaterial SrTiO₃ (A) 3936–3958 [3874–3894]
DOI: 10.1002/ange.200700987
- Merrill, W. A. (Z) 9255–9257 [9115–9117]
- Metgé, G. (Z) 8540–8543 [8412–8415]
- Metrangolo, P.
– Halogenbrücken in der supramolekularen Chemie (M) 6206–6220 [6114–6127]
DOI: 10.1002/ange.200800128
- Metz, N. (Z) 4826–4830 [4748–4752]
- Metzler-Nolte, N.
– Quantifizierung der Zellaufnahme metallierter Peptide und Peptidnucleinsäuren durch Atomabsorptionsspektroskopie (Z) 969–973 [955–959]
DOI: 10.1002/ange.200703994
- Meudal, H. (Z) 4442–4444 [4370–4372]
- Meudtner, R. M. (Z) 5004–5008 [4926–4930]
- Meunier, V. (Z) 530–534 [520–524], 2990–2995 [2948–2953]
- Meyer, Franc
– Ein synthetisches Analogon für [2Fe-2S]-Cluster des Rieske-Typs (Z) 9680–9684 [9537–9541]
DOI: 10.1002/ange.200803418
- Meyer, Franck (M) 6206–6220 [6114–6127]
- Meyer, G.
– Großvolumige Liganden und eingefangene Elektronen: Perspektiven für die Chemie zweiwertiger Lanthanide (H) 5040–5042 [4962–4964]
DOI: 10.1002/ange.200801444
- Meyer, H.-J.
– Multilaterale Festkörpermetathesereaktionen zur Herstellung von Materialien mit Heteroanionen: das [Si(CN₂)₄]⁴⁻-Ion (Z) 7658–7661 [7547–7550]
DOI: 10.1002/ange.200801784
- Meyer, K.
– An Iron Nitride Complex (Z) 2721–2724 [2681–2684]
DOI: 10.1002/ange.200800600
- Meyer, R. (Z) 2165–2168 [2135–2137]
- Meyer, T. J.
– Observation of Three Intervalence-Transfer Bands for a Class II–III Mixed-Valence Complex of Ruthenium (Z) 513–516 [503–506]
DOI: 10.1002/ange.200702760
- Meyers, S. T. (Z) 9626–9628 [9484–9486]
- Mi, Y.
– Capture and Release of Protein by a Reversible DNA-Induced Sol–Gel Transition System (Z) 337–339 [331–333]
DOI: 10.1002/ange.200704143
- Micalizio, G. C.
– Total Synthesis of Calystatin A by Titanium-Mediated Reductive Alkyne–Alkyne Cross-Coupling (Z) 7955–7958 [7837–7840]
DOI: 10.1002/ange.200803031
- Total Synthesis of Macbecin I (Z) 4069–4072 [4005–4008]
DOI: 10.1002/ange.200800400
- Michael, F. E. (Z) 6162–6165 [6073–6076]
- Michalik, D. (Z) 6565–6568 [6465–6468]
- Michel, H. (Z) 1692–1695 [1668–1671]
- Michelet, V.
– Cycloolomerisierungen von 1,*n*-Eninen: faszinierende metallkatalysierte Umlagerungen und mechanistische Einblicke (A) 4338–4386 [4268–4315]
DOI: 10.1002/ange.200701589
- Micura, R. (Z) 4178–4181 [4110–4113]
- Midori, M. (Z) 6340–6342 [6244–6246]
- Mier, W. (Z) 969–973 [955–959]
- Mifsud, M. (Z) 9685–9689 [9542–9546]
- Migliori, A. (Z) 3874–3877 [3814–3817]
- Migoni, D. (Z) 517–520 [507–510]
- Miguel, Daniel (Z) 1946–1948 [1920–1922]
- Miguel, Delia (Z) 7464–7467 [7354–7357]
- Mihailova, B. (Z) 8778–8781 [8650–8653]
- Mihalcik, D. J. (Z) 6325–6328 [6229–6232]
- Mihov, G. (Z) 3420–3423 [3372–3375]
- Mihovilovic, M. D.
– Self-Sufficient Baeyer–Villiger Monooxygenases: Effective Coenzyme Regeneration for Biooxygenation by Fusion Engineering (Z) 2307–2310 [2275–2278]
DOI: 10.1002/ange.200704630
- Mikami, N. (Z) 6097–6099 [6008–6010]
- Mikami, Y. (Z) 144–147 [138–141]
- Milczek, E. (Z) 6931–6934 [6825–6828]
- Milios, C. J. (Z) 2870–2873 [2828–2831]
- Milita, S. (Z) 8724–8728 [8596–8600]
- Millange, F.
– Structural Effects of Solvents on the Breathing of Metal–Organic Frameworks: An In Situ Diffraction Study (Z) 4168–4173 [4100–4105]
DOI: 10.1002/ange.200705607
- Millimaggi, A. (Z) 6545–6547 [6445–6447]
- Miller, J. J. (Z) 783–786 [771–774]
- Miller, K. A. (Z) 599–602 [589–592], 5153–5156 [5075–5078]
- Miller, P. W.
– Synthese von ¹¹C-, ¹⁸F-, ¹⁵O- und ¹³N-Radiotracer für die Positronenemissionstomographie (A) 9136–9172 [8998–9033]
DOI: 10.1002/ange.200800222
- Miller, S. J.
– Functional Analysis of an Aspartate-Based Epoxidation Catalyst with Amide-to-Alkene Peptidomimetic Catalyst Analogues

- (Z) 6809–6813 [6707–6711]
DOI: 10.1002/ange.200802223
- Miller, Y. (Z) 6368–6370 [6272–6274]
Miller II, A. L. (Z) 949–953 [935–939]
Millet, P. (Z) 10096–10098 [9948–9950]
Milne, B. F. (Z) 8210–8212 [8090–8092]
Miloradovic, I. (Z) 3020–3023 [2978–2981]
Milroy, D. (Z) 9414–9418 [9274–9278]
Milschmann, C. (Z) 7218–7221 [7110–7113]
Milstein, D.
– A Pincer-Type Anionic Platinum(0) Complex
(Z) 3659–3662 [3603–3606]
DOI: 10.1002/ange.200705927
- Selective Synthesis of Primary Amines Directly from Alcohols and Ammonia
(Z) 8789–8792 [8661–8664]
DOI: 10.1002/ange.200803229
- Min, J. J. (Z) 5442–5445 [5362–5365]
Min, J. K. (Z) 7416–7419 [7306–7309]
Minamitsuji, Y. (Z) 3847–3850 [3787–3790]
Minato, D. (Z) 9600–9603 [9458–9461]
Mindiola, D. J.
– A Transient V^{III} -Alkylidene Complex: Oxidation Chemistry Including the Activation of N_2 to Afford a Highly Porous Honeycomb-Like Framework
(Z) 3829–3832 [3769–3772]
DOI: 10.1002/ange.200705931
- Evidence for the Existence of a Terminal Imidoscandium Compound: Intermolecular C–H Activation and Complexation Reactions with the Transient $Sc=NAr$ Species
(Z) 8630–8633 [8502–8505]
DOI: 10.1002/ange.200803325
- Hydrazidokomplexe früher Übergangsmetalle: maskierte Metallanitrene durch Spaltung von N–N-Bindungen
(H) 1580–1583 [1557–1559]
DOI: 10.1002/ange.200704987
- Ming, T. (Z) 9831–9836 [9685–9690]
Minguez Espallargas, G. (Z) 1717–1721 [1693–1697]
Minnaard, A. J.
– Katalytische enantioselektive konjugierte 1,6-Addition von Grignard-Reagentien an lineare Dienoate
(Z) 404–407 [398–401]
DOI: 10.1002/ange.200703702
- Minnaard, A. J. (Z) 1337–1339 [1317–1319]
Minozzi, M.
– Approach to Spirocyclohexadienimines and Corresponding Dienones through Radical *ipso* Cyclization onto Aromatic Azides
(Z) 9581–9584 [9439–9442]
DOI: 10.1002/ange.200804333
- Miqueu, K. (Z) 3608–3611 [3552–3555], 8802–8805 [8674–8677]
Miranda, O. R. (Z) 2628–2632 [2590–2594]
Miras, H. N. (Z) 5691–5694 [5609–5612], 6987–6990 [6881–6884], 8548–8551 [8420–8423]
Miravet, J. F. (A) 8122–8139 [8002–8018]
Mirkin, C. A.
– Spectroscopically Enhancing Electrical Nanotraps
(Z) 1964–1967 [1938–1941]
DOI: 10.1002/ange.200705312
- Topographically Flat, Chemically Patterned PDMS Stamps Made by Dip-Pen Nanolithography
(Z) 10099–10102 [9951–9954]
DOI: 10.1002/ange.200803834
- Misawa, A. (Z) 8365–8369 [8241–8245]
Míšek, J. (Z) 3232–3235 [3188–3191]
Miserque, F. (Z) 9685–9689 [9542–9546]
Mishra, A. (Z) 3028–3031 [2986–2989]
Mishra, R. (Z) 4757–4760 [4679–4682], (H) 6618–6621 [6518–6521]
Mitchell, N. (Z) 5647–5650 [5565–5568]
Mitchell, S. G. (Z) 6987–6990 [6881–6884]
Mitchell, T. A. (Z) 5104–5107 [5026–5029]
Mitoraj, D. (Z) 10123–10126 [9975–9978]
Mitsudome, T. (Z) 144–147 [138–141], 8056–8058 [7938–7940]
Miura, J. (Z) 6518–6521 [6418–6421]
Miura, M.
– Fluorescent Naphthyl- and Anthrylazo-les from the Catalytic Coupling of Phenylazoles with Internal Alkynes through the Cleavage of Multiple C–H Bonds
(Z) 4083–4086 [4019–4022]
DOI: 10.1002/ange.200800924
- Miyabe, H. (Z) 5682–5686 [5600–5604]
Miyaji, K. (Z) 10349–10352 [10195–10198]
Miyake, Y. (Z) 3841–3843 [3781–3783]
Miyako, E.
– Carbon Nanotube–Polymer Composite for Light-Driven Microthermal Control
(Z) 3666–3669 [3610–3613]
DOI: 10.1002/ange.200800296
- Miyamura, H. (Z) 8213–8215 [8093–8095]
Miyasaka, H.
– An Electron-Transfer Ferromagnet with $T_c = 107$ K Based on a Three-Dimensional $[Ru_2]_2/TCNQ$ System
(Z) 7874–7877 [7760–7763]
DOI: 10.1002/ange.200802574
- Miyashita, M.
– Palladium-Catalyzed Stereospecific Substitution of α,β -Unsaturated γ,δ -Epoxy Esters by Alcohols with Double Inversion of Configuration: Synthesis of 4-Alkoxy-5-hydroxy-2-pentenates
(Z) 762–766 [750–754]
DOI: 10.1002/ange.200703889
- Miyata, K. (Z) 5241–5244 [5163–5166]
Miyata, O. (Z) 5682–5686 [5600–5604]
Miyatake, K. (Z) 2834–2837 [2792–2795]
Miyatake, R. (Z) 7399–7402 [7289–7292]
Miyachi, M.
– Nanoporous-Walled Tungsten Oxide Nanotubes as Highly Active Visible-Light-Driven Photocatalysts
(Z) 7159–7163 [7051–7055]
DOI: 10.1002/ange.200802207
- Miyaura, N.
– Cyclic Triolborates: Air- and Water-Stable Ate Complexes of Organoboronic Acids
(Z) 942–945 [928–931]
DOI: 10.1002/ange.200704162
- Miyazaki, K. (Z) 8739–8742 [8611–8614]
Miyazaki, S. (Z) 9815–9818 [9669–9672]
Miyoshi, D. (Z) 9174–9178 [9034–9038]
Mizorogi, N. (Z) 8023–8026 [7905–7908], 8770–8773 [8642–8645]
Mizugaki, T. (Z) 144–147 [138–141], 8056–8058 [7938–7940]
Mizuma, H. (Z) 108–111 [102–105]
Mizumura, M. (Z) 5458–5461 [5378–5381]
Mizuno, N.
– Efficient Oxidative Alkyne Homocoupling Catalyzed by a Monomeric Dicopper-Substituted Silicotungstate
(Z) 2441–2444 [2407–2410]
DOI: 10.1002/ange.200705126
- Heterogeneously Catalyzed Efficient Oxygenation of Primary Amines to Amides by a Supported Ruthenium Hydroxide Catalyst
(Z) 9389–9391 [9249–9251]
DOI: 10.1002/ange.200802464
- Mizuse, K. (Z) 6097–6099 [6008–6010]
Mizuta, S. (Z) 8171–8174 [8051–8054]
Mizutani, Y. (Z) 5856–5860 [5772–5776]
Mochida, K. (Z) 9906–9910 [9760–9764]
Mockus, N. V. (Z) 1480–1483 [1458–1461]
Moessner, C. (Z) 3058–3062 [3016–3020], 3063–3067 [3021–3025]
Moggach, S. (Z) 2870–2873 [2828–2831]
Mohammed, O. F. (Z) 9184–9188 [9044–9048]
Mohri, S. (Z) 7787–7790 [7673–7676]
Möhlwald, H. (Z) 326–329 [320–323], 3042–3045 [3000–3003]
Moitessier, N.
– Toward a Computational Tool Predicting the Stereochemical Outcome of Asymmetric Reactions: Development and Application of a Rapid and Accurate Program Based on Organic Principles
(Z) 2675–2678 [2635–2638]
DOI: 10.1002/ange.200704774
- Mojović, M. (Z) 8863–8867 [8735–8739]
Mokari, T. (Z) 5687–5690 [5605–5608]
Mola, J. (Z) 5914–5916 [5830–5832]
Molev, G. (Z) 4415–4417 [4343–4345]
Molev, V. (Z) 4415–4417 [4343–4345]
Molins, E. (Z) 3396–3399 [3348–3351]
Molinski, T. F.
– (+)-Zwittermicin A: Assignment of its Complete Configuration by Total Synthesis of the Enantiomer and Implication of D-Serine in its Biosynthesis
(Z) 8206–8209 [8086–8089]
DOI: 10.1002/ange.200801561
- Molnar, F. (Z) 3508–3510 [3458–3460]
Molnár, G. (Z) 8360–8364 [8236–8240]
Molvinger, K. (Z) 8360–8364 [8236–8240]
Momiya, N. (Z) 4190–4193 [4122–4125]
Monari, M. (Z) 8195–8198 [8075–8078]
Monchaud, D. (Z) 4936–4939 [4858–4861]
Mondal, D. (Z) 7621–7624 [7511–7514]
Monecke, P. (Z) 7850–7854 [7736–7740]
Monguchi, Y. (Z) 5474–5477 [5394–5397]
Moniatte, M. (Z) 7975–7978 [7857–7860]
Monnier, F.
– Katalytische C–C-, C–N- und C–O-Ullmann-Kupplungen
(H) 3140–3143 [3096–3099]
DOI: 10.1002/ange.200703209
- Mönnikes, R. (Z) 10138–10142 [9989–9992]
Mönninghoff, S. (Z) 3682–3686 [3626–3630]
Monteagudo, S. (Z) 8059–8062 [7941–7944]
Montero, A. (Z) 191–195 [185–189]
Moon, H. R. (Z) 7855–7859 [7741–7745], 8518–8521 [8390–8393]
Moon, S.-J. (Z) 1773–1776 [1749–1752]
Moon, W. K.
– Multifunctional Uniform Nanoparticles Composed of a Magnetite Nanocrystal Core and a Mesoporous Silica Shell for Magnetic Resonance and Fluorescence Imaging and for Drug Delivery
(Z) 8566–8569 [8438–8441]
DOI: 10.1002/ange.200802469
- Moore, B. S.
– Erweiterung des Biosyntheserepertoires in der ribosomalen Peptidsynthese
(H) 9526–9528 [9386–9388]
DOI: 10.1002/ange.200803868
- Mutasynthesis of Fluorosalinosporamide, a Potent and Reversible Inhibitor of the

- Proteasome
(Z) 4000–4002 [3936–3938]
DOI: 10.1002/ange.200800177
- Moore, E. G. (Z) 9642–9645 [9500–9503]
- Moran, J. (Z) 1432–1435 [1410–1413]
- Moran, W. J. (Z) 3278–3281 [3234–3237]
- Morency, L. (Z) 5108–5111 [5030–5033]
- Moreno-Flores, S. (Z) 4785–4788 [4707–4710]
- Moreno Oliva, M. (Z) 1465–1468 [1443–1446]
- Moreth, S. A. (Z) 603–606 [593–596]
- Morey, J. V. (Z) 1127–1130 [1111–1114]
- Morgan, B. J. (Z) 6983–6986 [6877–6880]
- Morgan, J. R. (Z) 179–182 [173–176]
- Morgon, N. H. (Z) 157–160 [151–154]
- Mori, H. (Z) 8056–8058 [7938–7940]
- Mori, L. (Z) 9880–9884 [9734–9738]
- Mori, Shigeki (Z) 693–696 [681–684]
- Mori, Shigeo (Z) 7140–7143 [7032–7035]
- Mori, Y.
- Regioselective Aliphatic Retro-[1,4]-Brook Rearrangements
(Z) 1107–1109 Berichtigung: 2008 [1091–1093 Berichtigung: 1982]
DOI: 10.1002/ange.200702539
- Moriarty, M. M. (Z) 309–312 [303–306]
- Morikawa, M.-a. (Z) 112–114 [106–108]
- Morikawa, Y. (Z) 7787–7790 [7673–7676]
- Morimoto, H. (Z) 6953–6956 [6847–6850], 9265–9269 [9125–9129]
- Morimoto, K. (Z) 1321–1324 [1301–1304]
- Morimoto, R. (Z) 5451–5453 [5371–5373]
- Morimoto, T. (Z) 4639–4643 [4563–4567]
- Morita, H. (Z) 1318–1320 [1298–1300]
- Morita, N. (Z) 6518–6521 [6418–6421]
- Morita, U. (Z) 3474–3477 [3426–3429]
- Morita, Y.
- Curved Aromaticity of a Corannulene-Based Neutral Radical: Crystal Structure and 3D Unbalanced Delocalization of Spin
(Z) 2065–2068 [2035–2038]
DOI: 10.1002/ange.200704752
- Morita, Y. (Z) 4052–4054 [3988–3990]
- Moroder, L.
- Konformationseigenschaften des 4-Mercaptoprolins und verwandter Derivate
(Z) 2174–2177 [2143–2146]
DOI: 10.1002/ange.200704310
- Morris, D. E.
- Mixed Valency in a Uranium Multimetallic Complex
(Z) 3035–3038 [2993–2996]
DOI: 10.1002/ange.200705781
- Morris, R. E.
- Gasspeicherung in nanoporösen Materialien
(A) 5044–5059 [4966–4981]
DOI: 10.1002/ange.200703934
 - Ionische Flüssigkeiten und Mikrowellen: Synthese von Zeolithen für kommende Anwendungen
(H) 450–452 [442–444]
DOI: 10.1002/ange.200704888
- Morris, R. H.
- Highly Efficient Catalyst Systems Using Iron Complexes with a Tetradentate PNP Ligand for the Asymmetric Hydrogenation of Polar Bonds
(Z) 954–957 [940–943]
DOI: 10.1002/ange.200705115
- Morrison, A. J. (Z) 7207–7210 [7099–7102]
- Morse, D. L. (Z) 1709–1712 [1685–1688]
- Morton, T. H.
- The Cationic C=F⁺ Stretching Vibration in the Gas Phase
(Z) 2136–2138 [2106–2108]
DOI: 10.1002/ange.200704657
- Moser, S. (Z) 9087–9091 [8954–8957]
- Moses, P. G. (Z) 4761–4764 [4683–4686]
- Moss, J. R. (Z) 2151–2156 [2121–2126]
- Mostafa, G. (Z) 8583–8587 [8455–8459]
- Moteki, S. A. (Z) 908–911 [894–897]
- Motokawa, N. (Z) 7874–7877 [7760–7763]
- Motokura, K. (Z) 9370–9375 [9230–9235], 9392–9395 [9252–9255]
- Motoyoshi, K. (Z) 8164–8166 [8044–8046]
- Moudrakovski, I. L. (Z) 5698–5700 [5616–5618]
- Moussa, J. (M) 1392–1400 [1372–1380]
- Movassaghi, M.
- A Stereospecific Palladium-Catalyzed Route to Monoalkyl Diazenes for Mild Allylic Reduction
(Z) 9041–9044 [8909–8912]
DOI: 10.1002/ange.200802921
 - Concise Total Synthesis of (+)-WIN 64821 and (–)-Dityryptophenaline
(Z) 1507–1509 [1485–1487]
DOI: 10.1002/ange.200704960
- Möws, K. (Z) 204–207 [198–201]
- Moyer, B. A. (Z) 1892–1896 [1866–1870]
- Mrksich, M.
- On-Chip Synthesis and Label-Free Assays of Oligosaccharide Arrays
(Z) 3444–3447 [3396–3399]
DOI: 10.1002/ange.200704998
- Mroginski, M. A. (Z) 4831–4833 [4753–4755]
- Mu, L. (Z) 5000–5003 [4922–4925]
- Muccini, M. (Z) 10043–10047 [9895–9899]
- Mudring, A.-V.
- Bei Raumtemperatur flüssige ionische Verbindungen auf Dysprosium-Basis mit starker Lumineszenz und Reaktion auf magnetische Felder
(Z) 7747–7750 [7635–7638]
DOI: 10.1002/ange.200802390
 - Europium-basierte ionische Flüssigkeiten als lumineszierende weiche Materialien
(Z) 7743–7746 [7631–7634]
DOI: 10.1002/ange.200801159
- Mueller, M. (Z) 10240–10243 [10086–10089]
- Mugford, P. F. (M) 8912–8923 [8782–8793]
- Mügglér, T. (Z) 3240–3245 [3196–3201]
- Muir, T. W.
- Activation of Protein Splicing by Protease- or Light-Triggered O to N Acyl Migration
(Z) 7878–7881 [7764–7767]
DOI: 10.1002/ange.200802502
- Mukherjee, Anindita (Z) 6266–6271 [6172–6176]
- Mukherjee, Arindam (Z) 2249–2253 [2217–2221]
- Mukherjee, P. S.
- Self-Assembly of a Nanoscopic Pt₁₂Fe₁₂ Heterometallic Open Molecular Box Containing Six Porphyrin Walls
(Z) 8583–8587 [8455–8459]
DOI: 10.1002/ange.200803543
- Mulchandani, A. (Z) 5264–5267 [5186–5189]
- Mullen, C. A. (Z) 6100–6103 [6011–6014]
- Müllen, K.
- Controlling the Columnar Orientation of C₃-Symmetric “Superbenzenes” through Alternating Polar/Apolar Substituents
(Z) 1727–1730 [1703–1706]
DOI: 10.1002/ange.200703967
- Nanostructured TiO₂ Films Templated by Amphiphilic Dendritic Core–Double-Shell Macromolecules: From Isolated Nanorings to Continuous 2D Mesoporous Networks
(Z) 8528–8531 [8400–8403]
DOI: 10.1002/ange.200803071
 - Polypyrene Dendrimers
(Z) 10329–10332 [10175–10178]
DOI: 10.1002/ange.200803408
 - Polytriphenylene Dendrimers: A Unique Design for Blue-Light-Emitting Materials
(Z) 8416–8420 [8292–8296]
DOI: 10.1002/ange.200802854
 - Transparent Carbon Films as Electrodes in Organic Solar Cells
(Z) 3032–3034 [2990–2992]
DOI: 10.1002/ange.200704909
 - Tris(2,2'-bipyridyl)ruthenium(II)-Komplexe in dendritischen Polyphenylenscalen: geladene formstabile Nanopartikel
(Z) 1686–1691 [1662–1667]
DOI: 10.1002/ange.200704256
 - Water-Soluble Monofunctional Perylene and Terrylene Dyes: Powerful Labels for Single-Enzyme Tracking
(Z) 3420–3423 [3372–3375]
DOI: 10.1002/ange.200705409
- Müllen, K. (Z) 795–799 [783–787]
- Müller, A. H. E.
- Emulsion Polymerization Using Janus Particles as Stabilizers
(Z) 723–726 [711–714]
DOI: 10.1002/ange.200703224
- Müller, C. A. (Z) 3411–3414 [3363–3366]
- Müller, C. E. (Z) 6275–6278 [6180–6183]
- Müller, D. J.
- A Bond for a Lifetime: Employing Membrane Nanotubes from Living Cells to Determine Receptor–Ligand Kinetics
(Z) 9921–9923 [9775–9777]
DOI: 10.1002/ange.200803552
- Müller, J. (Z) 5328–5331 [5250–5252]
- Müller, J.-L. (Z) 6776–6779 [6674–6677]
- Müller, J.-O. (Z) 1669–1673 [1645–1649]
- Müller, K.
- Spirocyclic Oxetanes: Synthesis and Properties
(Z) 4588–4591 [4512–4515]
DOI: 10.1002/ange.200800450
- Müller, L. (K) 3741–3744 [3683–3686]
- Müller, L. O. (Z) 7772–7776 [7659–7663]
- Müller, P. (Z) 9069–9072 [8937–8940]
- Müller, R.
- Kristallstruktur einer molekularen Synthesemaschine
(H) 8470–8473 [8344–8346]
DOI: 10.1002/ange.200803293
 - Produktion der Isochromanon-Antimykotika Ajudazol A und B in *Chondromyces crocatus* Cm c5: Biosynthesemaschinerie und Cytochrom-P450-Modifikationen
(Z) 4671–4676 [4595–4599]
DOI: 10.1002/ange.200705569
- Müller, R. (Z) 2341–2344 [2308–2311]
- Müller, T. (Z) 9087–9091 [8954–8957]
- Müller, U. (Z) 2169–2173 [2138–2142]
- Müller, W. E. G. (Z) 4826–4830 [4748–4752]
- Mulvey, G. L. (Z) 684–688 [672–676]
- Mulvey, R. E.
- Structurally Defined Reactions of Sodium TMP–Zincate with Nitrile Compounds: Synthesis of a Salt-Like Sodium Sodiumdi-

- zincate and Other Unexpected Ion-Pair Products
(Z) 743–746 [731–734]
DOI: 10.1002/ange.200704341
- Tuning the Basicity of Synergic Bimetallic Reagents: Switching the Regioselectivity of the Direct Dimetalation of Toluene from 2,5- to 3,5-Positions
(Z) 6304–6307 [6208–6211]
DOI: 10.1002/ange.200801158
- Unmasking Representative Structures of TMP-Active Hauser and Turbo-Hauser Bases
(Z) 8199–8201 [8079–8081]
DOI: 10.1002/ange.200802618
- Mulvihill, M. (Z) 6556–6560 [6456–6460]
Mulzer, J.
- Alles begann mit einem Irrtum: Die Nomenclature/Communesin-Story
(M) 8290–8296 [8170–8176]
DOI: 10.1002/ange.200801735
- Eine kurze Formalsynthese von (–)-Platencin
(Z) 6294–6295 [6199–6200]
DOI: 10.1002/ange.200801441
- Synthese von Platensimycin
(M) 2582–2590 [2548–2555]
DOI: 10.1002/ange.200705303
- Mun, J. Y. (Z) 2504–2508 [2470–2474]
Münch, M. (Z) 1535–1537 [1512–1514]
Münck, E.
- An Inverted and More Oxidizing Isomer of $[\text{Fe}^{\text{IV}}(\text{O})(\text{tmc})(\text{NCCH}_3)]^{2+}$
(Z) 8188–8191 [8068–8071]
DOI: 10.1002/ange.200802219
- Proton- and Reductant-Assisted Dioxxygen Activation by a Nonheme Iron(II) Complex to Form an Oxoiron(IV) Intermediate
(Z) 7172–7175 [7064–7067]
DOI: 10.1002/ange.200801832
- Münck, E. (Z) 1922–1925 [1896–1899]
Muñoz, M. C. (Z) 4279–4284 [4211–4216]
Muñoz, M. P. (Z) 5145–5148 [5067–5070]
Munoz, R. (Z) 535–538 [525–528]
Munteanu, M. (Z) 3484–3486 [3435–3437]
Murahashi, S.-I.
- Aerobic Oxidation of Primary Amines to Oximes Catalyzed by DPPH and $\text{WO}_3/\text{Al}_2\text{O}_3$
(Z) 2109–2111 [2079–2081]
DOI: 10.1002/ange.200705002
- Murakami, Kei (Z) 5917–5919 [5833–5835]
Murakami, Keiko (Z) 2701–2704 [2661–2664]
Murakami, T. (Z) 2062–2064 [2032–2034]
Muramatsu, Y. (Z) 1104–1106 [1088–1090]
Muranaka, A. (Z) 5231–5234 [5153–5156]
Muranaka, S. (Z) 5824–5829 [5740–5745], 7140–7143 [7032–7035]
Murata, M. (Z) 2069–2071 [2039–2041]
Murata, Y.
- Internal Magnetic Fields of Dianions of Fullerene C_{60} and Its Cage-Opened Derivatives Studied with Encapsulated H_2 as an NMR Probe
(Z) 2069–2071 [2039–2041]
DOI: 10.1002/ange.200705285
- Murayama, R. (Z) 6966–6970 [6860–6864]
Murayama, T. (Z) 1926–1928 [1900–1902]
Murdoch, W. J. (Z) 1280–1284 [1260–1264]
Murgida, D. H. (Z) 4831–4833 [4753–4755]
Murphy, B. J. (Z) 7373–7376 [7263–7266]
Murphy, D. M.
- Discrimination of Geometrical Epoxide Isomers by ENDOR Spectroscopy and DFT Calculations: The Role of Hydrogen Bonds
(Z) 1436–1438 [1414–1416]
DOI: 10.1002/ange.200703537
- Murphy, R. (Z) 2866–2869 [2824–2827]
Murphy-Benenato, K. (Z) 1704–1708 [1680–1684]
Murrie, M.
- Polyoxometalate-Mediated Self-Assembly of Single-Molecule Magnets: $[\{\text{XW}_9\text{O}_{34}\}_2\text{Mn}^{\text{III}}_4\text{Mn}^{\text{II}}_2\text{O}_4(\text{H}_2\text{O})_4]\}^{12-}$
(Z) 5691–5694 [5609–5612]
DOI: 10.1002/ange.200801281
- Murrie, M. (Z) 2870–2873 [2828–2831]
Murugesu, M.
- Dinuclear Dysprosium(III) Single-Molecule Magnets with a Large Anisotropic Barrier
(Z) 8980–8983 [8848–8851]
DOI: 10.1002/ange.200802966
- Muryn, C. A. (Z) 938–941 [924–927]
Musaev, D. G. (Z) 3960–3963 [3896–3899]
Musat, R. (Z) 8153–8155 [8033–8035]
Musiol, H.-J. (Z) 2174–2177 [2143–2146]
Mutai, T.
- Switching of Polymorph-Dependent ESPT Luminescence of an Imidazo-[1,2-*a*]pyridine Derivative
(Z) 9664–9666 [9522–9524]
DOI: 10.1002/ange.200803975
- Mwangi, M. T. (Z) 949–953 [935–939]
Mykhailiuk, P. K. (Z) 5849–5851 [5765–5767]
Mynott, R. (Z) 8578–8582 [8450–8454]
Myung, N. V. (Z) 5264–5267 [5186–5189]
- 
- Na, S. J. (Z) 7416–7419 [7306–7309]
Na, S. W. (Z) 1757–1759 [1733–1735]
Nachtegaal, M. (Z) 9400–9404 [9260–9264]
Nachtigall, F. M. (Z) 157–160 [151–154]
Nachtsheim, B. J. (Z) 603–606 [593–596]
Nadjo, L. (Z) 805–808 [793–796], 9685–9689 [9542–9546]
Nagai, J. (Z) 170–174 [164–168]
Nagai, T. (Z) 2527–2530 [2493–2496]
Nagai, Y.
- In Situ Redispersion of Platinum Autoexhaust Catalysts: An On-Line Approach to Increasing Catalyst Lifetimes?
(Z) 9443–9446 [9303–9306]
DOI: 10.1002/ange.200803126
- Nagaki, A. (Z) 7951–7954 [7833–7836]
Nagamine, Y. (Z) 5231–5234 [5153–5156]
Nagao, I. (Z) 8216–8219 [8096–8099]
Nagarajan, S. (Z) 7102–7106 [6994–6998]
Nagasawa, H.
- Synthesis of 2-Arylbenzoxazoles by Copper-Catalyzed Intramolecular Oxidative C–O Coupling of Benzanilides
(Z) 6511–6513 [6411–6413]
DOI: 10.1002/ange.200801240
- Nagasawa, K.
- Macrocyclic Hexaoxazoles as Sequence- and Mode-Selective G-Quadruplex Binders
(Z) 5639–5642 [5557–5560]
DOI: 10.1002/ange.200801235
- Nagase, S.
- Bis-Carbene Adducts of Non-IPR La_2C_{72} : Localization of High Reactivity around Fused Pentagons and Electrochemical Properties
(Z) 8770–8773 [8642–8645]
DOI: 10.1002/ange.200803529
- [2 + 1] Cycloaddition of Nitrene onto C_{60} Revisited: Interconversion between an Aziridinofullerene and an Aza fulleroid
(Z) 1318–1320 [1298–1300]
DOI: 10.1002/ange.200704410
- Observation of ^{13}C NMR Chemical Shifts of Metal Carbides Encapsulated in Fullerenes: $\text{Sc}_2\text{C}_2@\text{C}_{82}$, $\text{Sc}_2\text{C}_2@\text{C}_{84}$, and $\text{Sc}_3\text{C}_2@\text{C}_{80}$
(Z) 8023–8026 [7905–7908]
DOI: 10.1002/ange.200802584
- Nagasue, Y. (Z) 9600–9603 [9458–9461]
Nagata, H. (Z) 3666–3669 [3610–3613]
Nagawa, K. (Z) 3274–3277 [3230–3233]
Nagumo, Y. (Z) 2834–2837 [2792–2795]
Nah, H. (Z) 6355–6358 [6259–6262]
Naik, R. R.
- Photoactivated Biotemplated Nanoparticles as an Enzyme Mimic
(Z) 5415–5419 [5335–5339]
DOI: 10.1002/ange.200800023
- Nair, S. (Z) 562–565 [552–555]
Nair, S. A. (Z) 4996–4999 [4918–4921]
Naismith, J. H.
- Unusual Chromophore and Cross-Links in Ranasmurfin: A Blue Protein from the Foam Nests of a Tropical Frog
(Z) 7971–7974 [7853–7856]
DOI: 10.1002/ange.200802901
- Naismith, J. H. (Z) 9676–9679 [9533–9536]
Naito, S. (Z) 4815–4817 [4737–4739]
Naito, T.
- Regioselective Hydroxysulfonylation of α,β -Unsaturated Imines: Enhanced Stability of an Intermediate Radical
(Z) 5682–5686 [5600–5604]
DOI: 10.1002/ange.200801041
- Nájera, C.
- Catalytic Enantioselective 1,3-Dipolar Cycloaddition Reactions of Azomethine Ylides and Alkenes by Using Phosphoramidite–Silver(I) Complexes
(Z) 6144–6147 [6055–6058]
DOI: 10.1002/ange.200801690
- Nakabayashi, K. (Z) 2076–2078 [2046–2048]
Nakafuji, S.-y. (Z) 1157–1160 [1141–1144]
Nakagawa, K. (Z) 3978–3982 [3914–3918]
Nakagawa, O. Berichtigung: 9119
Nakahodo, T. (Z) 1318–1320 [1298–1300], 7023–7025 [6917–6919]
Nakai, M. (Z) 6801–6804 [6699–6702]
Nakajima, J. (Z) 1484–1486 [1462–1464]
Nakajima, K. (Z) 8023–8026 [7905–7908]
Nakajima, Y. (Z) 10313–10316 [10159–10162]
Nakamura, K. (Z) 6787–6791 [6685–6689]
Nakamura, Seiichi
- Total Synthesis of Pinnatoxin A
(Z) 7199–7202 [7091–7094]
DOI: 10.1002/ange.200802729
- Nakamura, Shuichi (Z) 170–174 [164–168], 1146–1149 [1130–1133], 4225–4229 [4157–4161], 8171–8174 [8051–8054]
Nakamura, Y. (Z) 7399–7402 [7289–7292]
Nakao, Y.
- Nickel/BPh₃-Catalyzed Alkynylcyanation of Alkynes and 1,2-Dienes: An Efficient Route to Highly Functionalized Conju-

- gated Enynes
(Z) 391–393 [385–387]
DOI: 10.1002/ange.200704095
- Nakashima, D. (Z) 2445–2447 [2411–2413]
- Nakasui, K.
– Curved Aromaticity of a Corannulene-Based Neutral Radical: Crystal Structure and 3D Unbalanced Delocalization of Spin (Z) 2065–2068 [2035–2038]
DOI: 10.1002/ange.200704752
- Nakata, M. (Z) 5887–5889 [5803–5805]
- Nakata, N. (Z) 2701–2704 [2661–2664]
- Nakatani, K. (Z) 587–590 [577–580]
- Nakaya, Y. (Z) 1939–1941 [1913–1915]
- Nam, K. M. (Z) 9646–9650 [9504–9508]
- Nam, S.-W. (Z) 886–890 [872–876]
- Nam, W.
– Experiment and Theory Reveal the Fundamental Difference between Two-State and Single-State Reactivity Patterns in Nonheme $\text{Fe}^{\text{IV}}=\text{O}$ versus $\text{Ru}^{\text{IV}}=\text{O}$ Oxidants (Z) 3404–3407 [3356–3359]
DOI: 10.1002/ange.200705880
- Hydrogen Atom Abstraction and Hydride Transfer Reactions by Iron(IV)–Oxo Porphyrins (Z) 7431–7434 [7321–7324]
DOI: 10.1002/ange.200802346
- Nangreave, J. (Z) 5235–5237 [5157–5159]
- Nanni, D.
– Approach to Spirocyclohexadienimines and Corresponding Dienones through Radical *ipso* Cyclization onto Aromatic Azides (Z) 9581–9584 [9439–9442]
DOI: 10.1002/ange.200804333
- Narducci Sarjeant, A. A. (Z) 88–91 [82–85]
- Narine, A. A. (Z) 5744–5748 [5661–5665]
- Nash, I. A. (Z) 2914–2917 [2872–2875]
- Nash, J. J.
– Reactivity of the 3,4,5-Tridehydropyridinium Cation—An Aromatic α,α,α -Triradical (Z) 10008–10013 [9860–9865]
DOI: 10.1002/ange.200802714
- Naskar, S. (Z) 10096–10098 [9948–9950]
- Nassif, N. (Z) 6541–6544 [6441–6444]
- Natalio, F. (Z) 4826–4830 [4748–4752]
- Natarajan, S.
– Offene Gerüststrukturen von Übergangsmetallen (A) 4876–4907 [4798–4828]
DOI: 10.1002/ange.200701404
- Nau, W. M.
– Activation and Stabilization of Drugs by Supramolecular pK_a Shifts: Drug-Delivery Applications Tailored for Cucurbiturils (Z) 5478–5481 [5398–5401]
DOI: 10.1002/ange.200801054
- Naubron, J.-V. (Z) 3289–3293 [3245–3249]
- Naud, D. L. (Z) 8431–8433 [8307–8309]
- Naumann, W. (Z) 7994–7997 [7876–7879]
- Naumov, S. (Z) 3311–3314 [3267–3270]
- Navrotsky, A. (Z) 8762–8765 [8634–8637]
- Nayak, A. (Z) 3020–3023 [2978–2981]
- Nazeeruddin, M. K.
– Highly Efficient and Thermally Stable Organic Sensitizers for Solvent-Free Dye-Sensitized Solar Cells (Z) 333–336 [327–330]
DOI: 10.1002/ange.200703852
- Stepwise Cosensitization of Nanocrystalline TiO_2 Films Utilizing Al_2O_3 Layers in Dye-Sensitized Solar Cells (Z) 8383–8387 [8259–8263]
DOI: 10.1002/ange.200802852
- Nebel, C. E. (Z) 5261–5263 [5183–5185]
- Neckers, L. (Z) 4504–4507 [4432–4435]
- Neelakandan, P. P. (Z) 8535–8539 [8407–8411]
- Nefliu, M. (Z) 3470–3473 [3422–3425]
- Nelson, A.-G. D. (Z) 6348–6350 [6252–6254]
- Nemirovsky, D. (Z) 4415–4417 [4343–4345]
- Neri, D.
– A Portable Albumin Binder from a DNA-Encoded Chemical Library (Z) 3240–3245 [3196–3201]
DOI: 10.1002/ange.200704936
- Nesterov, A. (Z) 7241–7244 [7132–7135]
- Nestler, H.-P. (Z) 412–415 [406–409]
- Nettels, D. (Z) 6279–6283 [6184–6188]
- Neuenschwander, B. (Z) 6329–6331 [6233–6235]
- Neumann, H. (Z) 4965–4969 [4887–4891]
- Neumann, J. J. (Z) 7340–7343 [7230–7233]
- Neumann, M. A. (Z) 2461–2464 [2427–2430]
- Neumann, R.
– A Stable “End-On” Iron(III)–Hydroperoxo Complex in Water Derived from a Multi-Iron(II)-Substituted Polyoxometalate and Molecular Oxygen (Z) 10056–10060 [9908–9912]
DOI: 10.1002/ange.200803966
- Neuzil, P. (Z) 3964–3968 [3900–3904]
- Nevado, C.
– Gold-Catalyzed Cycloisomerization of Cyclopropyl Alkynyl Acetates: A Versatile Approach to 5-, 6-, and 7-Membered Carbocycles (Z) 10264–10267 [10110–10113]
DOI: 10.1002/ange.200804202
- Neveu, P. (Z) 3804–3806 [3744–3746]
- Nevidomskyy, A. (Z) 539–542 [529–532]
- Newton, G. N. (Z) 4460–4463 [4388–4391]
- Newton, M. A. (Z) 9443–9446 [9303–9306]
- Ng, K.-M. (Z) 4644–4648 [4568–4572]
- Nguyen, K. T. (Z) 9244–9247 [9104–9107]
- Nguyen, T. (Z) 9255–9257 [9115–9117]
- Nguyen, T. M. (Z) 5498–5501 [5418–5421]
- Nguyen, U. T. (Z) 3807–3810 [3747–3750]
- Nguyen, Y. (Z) 8806–8809 [8678–8681]
- Nguyen, Y. H. Le (Z) 912–915 [898–901]
- Ni, C. (Z) 9255–9257 [9115–9117]
- Ni, J. (Z) 1265–1269 [1245–1249]
- Ni, Z. (A) 5214–5225 [5136–5147]
- Nia, R. P. (Z) 4753–4756 [4675–4678]
- Nibbering, E. T. J.
– Direct Femtosecond Observation of Tight and Loose Ion Pairs upon Photoinduced Bimolecular Electron Transfer (Z) 9184–9188 [9044–9048]
DOI: 10.1002/ange.200803164
- Nicholls, J. M. (Z) 1936–1938 [1910–1912]
- Nichols, R. J. (Z) 1887–1891 [1861–1865]
- Nicholson, G. (Z) 3302–3305 [3258–3261]
- Nickels, E. A. (Z) 2859–2861 [2817–2819]
- Nicolaou, K. C.
– A Chiral Pool Based Synthesis of Platensimycin (Z) 958–960 [944–946]
DOI: 10.1002/ange.200705080
- An Expedient Strategy for the Synthesis of Tryptamines and Other Heterocycles (Z) 4285–4288 [4217–4220]
DOI: 10.1002/ange.200800404
- Asymmetric Synthesis and Biological Properties of Uncialamycin and 26-epi-Uncialamycin (Z) 191–195 [185–189]
DOI: 10.1002/ange.200704577
- Die Entdeckung und Synthese von marinen Polyethern (A) 7292–7335 [7182–7225]
DOI: 10.1002/ange.200801696
- Synthesis of the Sporolide Ring Framework through a Cascade Sequence Involving an Intramolecular [4+2] Cycloaddition Reaction of an *o*-Quinone (Z) 1454–1457 [1432–1435]
DOI: 10.1002/ange.200705334
- Total Syntheses and Structural Revision of α - and β -Diversonolic Esters and Total Syntheses of Diversonol and Blennolide C (Z) 6681–6684 [6579–6582]
DOI: 10.1002/ange.200802632
- Total Synthesis of (+)-Cortistatin A (Z) 7420–7423 [7310–7313]
DOI: 10.1002/ange.200803550
- Total Synthesis of Platencin (Z) 1804–1807 [1780–1783]
DOI: 10.1002/ange.200800066
- Total Synthesis of the Originally Assigned Structure of Vannusal B (Z) 8733–8738 [8605–8610]
DOI: 10.1002/ange.200804228
- Nicoud, J.-F. (Z) 9667–9671 [9525–9529]
- Nidetzky, B.
– Ein effizienter biokatalytischer Herstellungsprozess für 2-*O*-(α -D-Glucopyranosyl)-*sn*-glycerin, einen natürlichen Osmolyt und feuchthaltenden Zusatzstoff (Z) 10240–10243 [10086–10089]
DOI: 10.1002/ange.200803562
- Nie, S.
– Nanocrystal Synthesis in an Amphibious Bath: Spontaneous Generation of Hydrophilic and Hydrophobic Surface Coatings (Z) 10064–10069 [9916–9921]
DOI: 10.1002/ange.200804179
- Nieberle, J. (Z) 2259–2262 [2227–2230]
- Niederberger, M.
– Tensidfreie nichtwässrige Synthese von Metalloxid-Nanostrukturen (M) 5372–5385 [5292–5304]
DOI: 10.1002/ange.200704541
- Niedner-Schatteburg, G.
– Infrarotspektroskopie und Ab-initio-Theorie des isolierten H_2O_2^+ : vom Eimer Wasser zur Schrödinger-Gleichung und zurück (H) 1024–1027 [1008–1011]
DOI: 10.1002/ange.200703555
- Nieger, M. (Z) 6090–6092 [6001–6003]
- Nielsen, K.
– Selbstkatalytische Atomlagenabscheidung von Siliciumdioxid (Z) 6272–6274 [6177–6179]
DOI: 10.1002/ange.200800245
- Nielsen, P. (Z) 1750–1752 [1726–1728]
- Nielsen, R. J. (Z) 7967–7970 [7849–7852]
- Nielsen, T. E. (M) 52–61 [48–56]
- Niemeyer, C. M.
– Chemische Verfahren zur Herstellung von Proteinbiochips (A) 9762–9792 [9618–9647]
DOI: 10.1002/ange.200801711
- Hochdurchsatz-Analyse der Selbstorganisation von DNA- Nanostrukturen in Echtzeit mittels FRET-Spektroskopie (Z) 2165–2168 [2135–2137]
DOI: 10.1002/ange.200704836

- Photochemical Surface Patterning by the Thiol-Ene Reaction (Z) 4493–4496 [4421–4424]
DOI: 10.1002/ange.200800101
- Rationale Konstruktion von dynamischen DNA-Systemen (H) 3933–3935 [3871–3873]
DOI: 10.1002/ange.200800675
- Nienhaus, G. U.
- Ausformung einer RNA-Konformationsenergielandschaft durch eine Methylgruppenmodifikation – eine Einzelmolekül-FRET-Studie (Z) 4398–4402 [4326–4330]
DOI: 10.1002/ange.200705675
- Das grün fluoreszierende Protein: Schlüssel zur Untersuchung chemischer Prozesse in lebenden Zellen (H) 9130–9132 [8992–8994]
DOI: 10.1002/ange.200804998
- Nietlispach, D.
- Solution-State NMR Spectroscopy of a Seven-Helix Transmembrane Protein Receptor: Backbone Assignment, Secondary Structure, and Dynamics (Z) 7407–7410 [7297–7300]
DOI: 10.1002/ange.200802783
- Nii, N. (Z) 7567–7570 [7457–7460]
- Nikan, M. (Z) 4978–4980 [4900–4902]
- Nikawa, H. (Z) 8770–8773 [8642–8645]
- Niketić, V.
- NO-Dismutase-Aktivität siebenfach koordinierter Mangan(II)-Komplexe von Pentaazamakrocyclen (Z) 8863–8867 [8735–8739]
DOI: 10.1002/ange.200801325
- Nikitin, E. B. (Z) 8042–8044 [7924–7926]
- Nikonov, G. I.
- Agostic NSi–H...Mo Complexes: From Curiosity to Catalysis (Z) 7815–7818 [7701–7704]
DOI: 10.1002/ange.200802147
- Nilges, T.
- Mineralisator-Konzept für Polyphosphide: Cu_2P_{20} und $\text{Cu}_3\text{InP}_{16}$ (Z) 5736–5739 [5654–5657]
DOI: 10.1002/ange.200705540
- Ning, J. Q. (Z) 10043–10047 [9895–9899]
- Ning, X. (Z) 2285–2287 [2253–2255]
- Nishibayashi, Y.
- Copper-Catalyzed Asymmetric Propargylic Substitution Reactions of Propargylic Acetates with Amines (Z) 3841–3843 [3781–3783]
DOI: 10.1002/ange.200800276
- Nishida, G. (Z) 3458–3461 [3410–3413]
- Nishida, S. (Z) 2065–2068 [2035–2038]
- Nishide, H. (Z) 2834–2837 [2792–2795]
- Nishigaya, Y. (Z) 6759–6762 [6657–6660]
- Nishihara, H.
- Observation of Electrochemical Single-Electron-Transfer Events of Gold Nanoparticles in Aqueous Solution in the Presence of Both Ammonium and Sulfonate Surface-Active Agents (Z) 6801–6804 [6699–6702]
DOI: 10.1002/ange.200801704
- Nishimori, Y. (Z) 6801–6804 [6699–6702]
- Nishimura, D. (Z) 6166–6168 [6077–6079]
- Nishimura, N. (Z) 6351–6354 [6255–6258]
- Nishimura, Takahiro (Z) 1469–1471 [1447–1449]
- Nishimura, Tatsuya (Z) 2842–2845 [2800–2803]
- Nishitsuji, S. (Z) 10031–10034 [9883–9886]
- Nishiura, M. (Z) 2682–2685 [2642–2645], 5876–5879 [5792–5795], 9846–9849 [9700–9703]
- Nishiyama, N. (Z) 5241–5244 [5163–5166]
- Nising, C. F.
- Highlights der Steroidchemie: chemische Totalsynthese versus Semisynthese (H) 9529–9531 [9389–9391]
DOI: 10.1002/ange.200803720
- Nispel, M. (Z) 10248–10251 [10094–10097]
- Nitschke, J. R.
- An Unlockable–Relockable Iron Cage by Subcomponent Self-Assembly (Z) 8421–8425 [8297–8301]
DOI: 10.1002/ange.200803066
- Self-Assembly in Systems of Subcomponents: Simple Rules, Subtle Consequences (Z) 383–386 [377–380]
DOI: 10.1002/ange.200703877
- Niu, H. Berichtigung: 1183
- Niu, X. (Z) 4059–4062 [3995–3998]
- Niwa, O.
- Nanohybrid Carbon Film for Electrochemical Detection of SNPs without Hybridization or Labeling (Z) 6783–6786 [6681–6684]
DOI: 10.1002/ange.200801304
- Nixon, J. F. (Z) 3861–3864 [3801–3804]
- Njardarson, J. T.
- An Efficient Substrate-Controlled Approach Towards Hypoxetide, a Member of a Family of Diterpenoid Natural Products with an Inside-Out [9.3.1]Bicyclic Core (Z) 9592–9595 [9450–9453]
DOI: 10.1002/ange.200804237
- Nobusawa, K. (Z) 4653–4656 [4577–4580]
- Nocton, G. (Z) 3082–3084 [3040–3042]
- Nodasaka, Y. (Z) 2527–2530 [2493–2496]
- Noguchi, K. (Z) 1332–1336 [1312–1316], 3458–3461 [3410–3413], 5904–5906 [5820–5822]
- Noh, S. B. (Z) 693–696 [681–684]
- Noh, S. K.
- Phosphorus-Containing Ligands for Iron(III)-Catalyzed Atom Transfer Radical Polymerization (Z) 6526–6529 [6426–6429]
DOI: 10.1002/ange.200801647
- Nojiri, H. (Z) 5691–5694 [5609–5612]
- Nolan, S. P.
- [(NHC)₂Cu]X Complexes as Efficient Catalysts for Azide–Alkyne Click Chemistry at Low Catalyst Loadings (Z) 9013–9016 [8881–8884]
DOI: 10.1002/ange.200803289
- Nolan, S. P. (Z) 730–733 [718–721]
- Nolde, F. (Z) 3420–3423 [3372–3375]
- Noll, B. C. (Z) 10298–10300 [10144–10146]
- Nolte, R. J. M. (Z) 2465–2468 [2431–2434]
- Nonoyama, K. (Z) 7534–7537 [7424–7427]
- Noor, A. (Z) 7356–7359 [7246–7249]
- Noorduyn, W. L. (Z) 6545–6547 [6445–6447], 7336–7339 [7226–7229]
- Nordén, B. (Z) 5226–5230 [5148–5152]
- Nören-Müller, A. (Z) 6061–6066 [5973–5977]
- Noréus, D. (Z) 2838–2841 [2796–2799]
- Norret, M. (Z) 6462–6466 [6362–6366]
- Nørskov, J. K.
- On the Role of Surface Modifications of Palladium Catalysts in the Selective Hydrogenation of Acetylene (Z) 9439–9442 [9299–9302]
DOI: 10.1002/ange.200802844
- Scaling Relationships for Adsorption Energies on Transition Metal Oxide, Sulfide, and Nitride Surfaces (Z) 4761–4764 [4683–4686]
DOI: 10.1002/ange.200705739
- Trends in the Catalytic CO Oxidation Activity of Nanoparticles (Z) 4913–4917 [4835–4839]
DOI: 10.1002/ange.200801479
- Northrup, A. B. (Z) 3624–3628 [3568–3572]
- Nosenko, Y. (Z) 6126–6129 [6037–6040]
- Noury, F. (Z) 4442–4444 [4370–4372]
- Novak, M. A. (Z) 9215–9218 [9075–9078]
- Nozaki, K.
- Syntheses, Structures, and Reactivities of Borylcopper and -zinc Compounds: 1,4-Silaboration of an α,β -Unsaturated Ketone to Form a γ -Siloxallylborane (Z) 6708–6712 [6606–6610]
DOI: 10.1002/ange.200801728
- Nuckolls, C.
- Helical (5Z, 11E)-Dibenzo[a,e]cyclooctatetrene: A Spring-Loaded Monomer (Z) 3024–3027 [2982–2985]
DOI: 10.1002/ange.200704355
- Nuhant, P. (Z) 5498–5501 [5418–5421]
- Numajiri, K. (Z) 3448–3450 [3400–3402]
- Nüsse, D. (Z) 4493–4496 [4421–4424]
- Nuzzo, R. G.
- Seeing Molecules by Eye: Surface Plasmon Resonance Imaging at Visible Wavelengths with High Spatial Resolution and Submonolayer Sensitivity (Z) 5091–5095 [5013–5017]
DOI: 10.1002/ange.200800501
- Nyholm, L. (Z) 3076–3078 [3034–3036]
- Nyman, M. D. (Z) 4922–4924 [4844–4846]
- Nyong, A. (Z) 5454–5457 [5374–5377]



- Oba, M. (Z) 5241–5244 [5163–5166]
- Obeid, S. (Z) 6886–6890 [6782–6785]
- Obel, J. (Z) 10252–10255 [10098–10101]
- Öberg, E. (Z) 8352–8355 [8228–8231]
- Oberhuber, M. (Z) 3100–3104 [3057–3061]
- Oblad, P. F. (Z) 10089–10091 [9941–9943]
- O'Brien, C. J. (Z) 5713–5715 [5631–5633]
- O'Brien, E. M. (Z) 6983–6986 [6877–6880]
- O'Brien, P.
- Das Potenzial asymmetrischer Deprotonierungen in der Synthese: Arylierung von Carbanionen (H) 2774–2776 [2734–2736]
DOI: 10.1002/ange.200704539
- Palladium-Catalyzed Enantioselective Oxidation of Chiral Secondary Alcohols: Access to Both Enantiomeric Series (Z) 6467–6470 [6367–6370]
DOI: 10.1002/ange.200801865
- O'Brien, P. G. (Z) 3874–3877 [3814–3817]
- O'Callaghan, M. J. (Z) 6998–7002 [6892–6896]
- Ochal, Z. (Z) 8006–8009 [7888–7891]
- Ochi, Y. (Z) 2069–2071 [2039–2041]
- Oda, T. (Z) 6573–6577 [6473–6477]
- Oddou, J.-L. (Z) 727–729 [715–717]
- O'Dwyer, C. (A) 6638–6650 [6538–6549]

- Oestreich, M.
- Katalytische asymmetrische C-Si-Bindungsknüpfung an acyclischen α,β -ungesättigten Akzeptoren durch Rh^I-katalysierten konjugierten Silyltransfer mithilfe einer Si-B-Bindung (Z) 3878–3880 [3818–3820]
DOI: 10.1002/ange.200800361
 - Kinetische Racematspaltung und Desymmetrisierung durch stereoselektive Silylierung von Alkoholen (H) 254–257 [248–250]
DOI: 10.1002/ange.200704210
 - Schlüssiger Nachweis eines S_N2-Si-Mechanismus in der B(C₆F₅)₃-katalysierten Hydrosilylierung von Carbonylverbindungen: Einsichten in die verwandte Hydrierung (Z) 6086–6089 [5997–6000]
DOI: 10.1002/ange.200801675
- Offer, J. (Z) 3983–3986 [3919–3922]
- Offermann, M. (Z) 6899–6902 [6794–6797]
- Oganessian, Yu. T. (Z) 3306–3310 [3262–3266]
- Ogasawara, S.
- Straightforward and Reversible Photoregulation of Hybridization by Using a Photochromic Nucleoside (Z) 8971–8974 [8839–8842]
DOI: 10.1002/ange.200803496
- Ogata, C. (Z) 2514–2517 [2480–2483]
- Ogawa, C. (Z) 7015–7017 [6909–6911]
- Ogawa, S. (Z) 2100–2103 [2070–2073]
- Ogilby, P. R.
- Metal-Enhanced 1270 nm Singlet Oxygen Phosphorescence (Z) 6114–6116 [6025–6027]
DOI: 10.1002/ange.200800755
- Oh, C. H.
- Intramolecular Huisgen-Type Cyclization of Platinum-Bound Pirylium Ions with Alkenes and Subsequent Insertion into a Benzylic C–H Bond (Z) 7615–7617 [7505–7507]
DOI: 10.1002/ange.200802425
- Oh, J. (Z) 6355–6358 [6259–6262]
- Oh, J. Y. (Z) 5462–5465 [5382–5385]
- Oh, K. T. (Z) 2452–2455 [2418–2421]
- Oh, Megan (Z) 7117–7120 [7009–7012]
- Oh, Moonhyun
- Monitoring Shape Transformation from Nanowires to Nanocubes and Size-Controlled Formation of Coordination Polymer Particles (Z) 2079–2081 [2049–2051]
DOI: 10.1002/ange.200704209
- Oh, S. H. (Z) 7990–7993 [7872–7875]
- Oh, W. (Z) 562–565 [552–555]
- O'Hagan, D.
- Fluorinase-Coupled Base Swaps: Synthesis of [¹⁸F]-5'-Deoxy-5'-fluorouridines (Z) 10295–10297 [10141–10143]
DOI: 10.1002/ange.200804040
 - Katalytische asymmetrische Fluorierungen (H) 1198–1201 [1179–1182]
DOI: 10.1002/ange.200704700
 - S-Adenosyl-L-methionine:Hydroxide Adenosyltransferase: A SAM Enzyme (Z) 5437–5441 [5357–5361]
DOI: 10.1002/ange.200800794
- O'Hair, R. A. J.
- Gas-Phase Formation of the Gomberg–Bachmann Magnesium Ketyl (Z) 9258–9261 [9118–9121]
DOI: 10.1002/ange.200803463
- O'Hara, C. T. (Z) 743–746 [731–734], 8199–8201 [8079–8081]
- Ohashi, I. (Z) 1801–1803 [1777–1779]
- Ohba, M. (Z) 8975–8979 [8843–8847], 10031–10034 [9883–9886]
- Ohishi, T. (Z) 5876–5879 [5792–5795]
- Ohkawa, T. (Z) 9664–9666 [9522–9524]
- Ohkoshi, S.-i.
- Observation of an Iron(II) Spin-Crossover in an Iron Octacyanoniobate-Based Magnet (Z) 6991–6993 [6885–6887]
DOI: 10.1002/ange.200802266
- Ohkubo, K. (Z) 6814–6818 [6712–6716], 9815–9818 [9669–9672]
- Ohkubo, M. (Z) 4800–4802 [4722–4724]
- Ohkuma, T.
- Asymmetric Hydrogenation of Aromatic, Aliphatic, and α,β -Unsaturated Acyl Silanes Catalyzed by Tol-binap/Pica Ruthenium(II) Complexes: Practical Synthesis of Optically Active α -Hydroxysilanes (Z) 1794–1797 [1770–1773]
DOI: 10.1002/ange.200704696
 - Highly Enantioselective Hydrogenation of Aryl Vinyl Ketones to Allylic Alcohols Catalyzed by the Tol-Binap/Dmapen Ruthenium(II) Complex (Z) 7567–7570 [7457–7460]
DOI: 10.1002/ange.200802533
 - [Ru(phgly)₂(binap)]/Li₂CO₃: A Highly Active, Robust, and Enantioselective Catalyst for the Cyanosilylation of Aldehydes (Z) 6745–6748 [6643–6646]
DOI: 10.1002/ange.200801501
- Ohlin, C. A. (Z) 4922–4924 [4844–4846], 5716–5718 [5634–5636], 8375–8378 [8251–8254]
- Ohmatsu, K. (Z) 5281–5284 [5203–5206]
- Ohmiya, H. (Z) 1919–1921 [1893–1895]
- Ohmori, O. (Z) 7364–7367 [7254–7257]
- Ohmuro-Matsuyama, Y. (Z) 7637–7639 [7527–7529]
- Ohta, H. (Z) 8434–8438 [8310–8314]
- Okada, M. (Z) 1318–1320 [1298–1300]
- Okada, S. (Z) 6966–6970 [6860–6864]
- Okamoto, R. (Z) 5482–5486 [5402–5406]
- Okano, T. (Z) 9193–9198 [9053–9058]
- Okano, Y. (Z) 3424–3428 [3376–3380]
- Okatsu, H. (Z) 9405–9408 [9265–9268]
- Oke, M. (Z) 7971–7974 [7853–7856]
- O'Keeffe, M.
- Retikuläre Chemie metall-organischer Polymerer (A) 5214–5225 [5136–5147]
DOI: 10.1002/ange.200705008
- O'Keeffe, M. (E) 8116–8121 [7996–8000]
- Okoshi, K. (Z) 525–529 [515–519]
- Okubo, Y. (Z) 1451–1453 [1429–1431]
- Okuda, H. (Z) 1476–1479 [1454–1457]
- Oldenburg, P. D. (Z) 1913–1915 [1887–1889]
- Olea, D. (Z) 2056–2061 [2026–2031]
- Olivucci, M.
- Chemische Selektivität durch Kontrolle der Dynamik angeregter Zustände (H) 6420–6424 [6322–6325]
DOI: 10.1002/ange.200800898
- Olschewski, D. (Z) 8338–8343 [8215–8219]
- Olsen, D. B. (Z) 9244–9247 [9104–9107]
- Oltra, J. E.
- Divergent Titanium-Mediated Allylations with Modulation by Nickel or Palladium (Z) 7625–7629 [7515–7519]
DOI: 10.1002/ange.200802520
- O'Malley, D. P. (Z) 3634–3636 [3578–3580], 3637–3639 [3581–3583]
- Onaca, O. (Z) 7137–7139 [7029–7031]
- O'Neil, C. P. (Z) 7975–7978 [7857–7860]
- O'Neill, C. (Z) 535–538 [525–528]
- O'Neill, J. (Z) 9466–9469 [9326–9329]
- Onitsuka, K.
- Regio- and Enantioselective O-Allylation of Phenol and Alcohol Catalyzed by a Planar-Chiral Cyclopentadienyl Ruthenium Complex (Z) 1476–1479 [1454–1457]
DOI: 10.1002/ange.200704457
- Ono, S. Berichtigung: 9119
- Onodera, T. (Z) 3644–3647 [3588–3591]
- Onomura, O.
- Efficient Kinetic Resolution of Racemic Amino Aldehydes by Oxidation with *N*-Iodosuccinimide (Z) 9600–9603 [9458–9461]
DOI: 10.1002/ange.200804188
- Onorato, F. (Z) 562–565 [552–555]
- Ooi, T. (Z) 5281–5284 [5203–5206]
- Oomens, J. (Z) 2136–2138 [2106–2108], 9812–9814 [9666–9668]
- Opietnik, M. (Z) 10014–10017 [9866–9869]
- Oppel, C. (Z) 3085–3088 [3043–3045]
- Oppel, I. M. (née Müller)
- Gezielte Synthese eines doppelwandigen Tetraeders, aufgebaut aus zwei unterschiedlichen C₃-symmetrischen Liganden (Z) 408–411 [402–405]
DOI: 10.1002/ange.200703789
- Oppel, I. M. (née Müller) (Z) 4822–4825 [4744–4747], 6975–6978 [6869–6872]
- Orian, L. (Z) 5411–5414 [5331–5334]
- Orlandi, M. (Z) 6718–6721 [6616–6619]
- Orr-Ewing, A. J.
- Product Selection through Photon Flux: Laser-Specific Lactone Synthesis (Z) 2315–2318 [2283–2286]
DOI: 10.1002/ange.200704816
- Ortiz, A. (Z) 8733–8738 [8605–8610]
- Orton, J. B. (Z) 8762–8765 [8634–8637]
- Orts, J. (Z) 7850–7854 [7736–7740]
- Osada, H. (Z) 6759–6762 [6657–6660]
- Osawa, E. (Z) 5261–5263 [5183–5185]
- Osei Akoto, C. (Z) 8175–8178 [8055–8058]
- Oshima, K.
- Silver-Catalyzed Transmetalation between Chlorosilanes and Aryl and Alkenyl Grignard Reagents for the Synthesis of Tetraorganosilanes (Z) 5917–5919 [5833–5835]
DOI: 10.1002/ange.200801949
- Osuka, A.
- A Stable Radical Species from Facile Oxygenation of meso-Free 5,10,20,25-Tetrakis(pentafluorophenyl)-Substituted [26]Hexaphyrin(1.1.1.1.1.1) (Z) 9807–9811 [9661–9665]
DOI: 10.1002/ange.200804570
 - Effective Expansion of the Subporphyrin Chromophore Through Conjugation with meso-Oligo(1,4-phenyleneethynylene) Substituents: Octupolar Effect on Two-Photon Absorption (Z) 4918–4921 [4840–4843]
DOI: 10.1002/ange.200801192
 - Metalation of Expanded Porphyrins: A Chemical Trigger Used To Produce Molecular Twisting and Möbius Aromaticity (Z) 693–696 [681–684]
DOI: 10.1002/ange.200704407

- Protonation-Triggered Conformational Changes to Möbius Aromatic [32]Heptaphyrins(1.1.1.1.1.1.1)
(Z) 9803–9806 [9657–9660]
DOI: 10.1002/ange.200804457
- Synthesis of Chiral Porphyrins through Pd-Catalyzed [3 + 2] Annulation and Heterochiral Self-Assembly
(Z) 5458–5461 [5378–5381]
DOI: 10.1002/ange.200801269
- 2,5-Thienylene-Bridged Triangular and Linear Porphyrin Trimers
(Z) 6093–6096 [6004–6007]
DOI: 10.1002/ange.200802026
- Otake, Y. (Z) 1332–1336 [1312–1316]
- Otero, R. (Z) 9819–9822 [9673–9676]
- Ott, H. (Z) 4393–4397 [4321–4325]
- Ott, I. (Z) 969–973 [955–959]
- Ott, S.
- Incorporating Phosphaalkenes into Oligoacetylenes
(Z) 8352–8355 [8228–8231]
DOI: 10.1002/ange.200802253
- Ott, T. (Z) 3289–3293 [3245–3249]
- Ouahab, L. (Z) 8815–8819 [8687–8691]
- Ouyang, Z. (Z) 8774–8777 [8646–8649]
- Ovadia, O. (Z) 2633–2637 [2595–2599]
- Ovcharenko, V. (Z) 7003–7005 [6897–6899]
- Over, H.
- Stable Deacon Process for HCl Oxidation over RuO₂
(Z) 2161–2164 [2131–2134]
DOI: 10.1002/ange.200705124
- Overgaard, J. (Z) 4765–4768 [4687–4690]
- Ovsitser, O. (Z) 3271–3273 [3227–3229]
- Oxgaard, J. (Z) 7967–7970 [7849–7852]
- Ozaki, Y. (Z) 2076–2078 [2046–2048]
- Ozerov, O. V.
- Metallaboranes Derived from a Triphosphanyl–Borane: Intrinsic C₃ Symmetry Supported by a Z-Type Ligand
(Z) 1503–1506 [1481–1484]
DOI: 10.1002/ange.200705024
- Ozin, G. A.
- Large-Scale Synthesis of Ultrathin Bi₂S₃ Necklace Nanowires
(Z) 3874–3877 [3814–3817]
DOI: 10.1002/ange.200705034
- Ozolins, V. (Z) 896–901 [882–887]
- Pahl, E. (Z) 8329–8333 [8207–8210]
- Paik, Y. (Z) 100–102 [94–96]
- Pakkanen, T. A.
- Self-Assembly of Supramolecular Luminescent Au^I–Cu^I Complexes: “Wrapping” an Au₆Cu₆ Cluster in a [Au₃(diphosphine)₃]³⁺ “Belt”
(Z) 4006–4009 [3942–3945]
DOI: 10.1002/ange.200800452
- Pakkanen, T. A. (Z) 9419–9423 [9279–9283]
- Palamarchuk, G. V. (Z) 5849–5851 [5765–5767]
- Palkovits, R. (Z) 8167–8170 [8047–8050]
- Palmer, D. J. (Z) 8153–8155 [8033–8035]
- Palomares, E.
- Stepwise Cosensitization of Nanocrystalline TiO₂ Films Utilizing Al₂O₃ Layers in Dye-Sensitized Solar Cells
(Z) 8383–8387 [8259–8263]
DOI: 10.1002/ange.200802852
- Palomino, R. M. (Z) 10109–10112 [9961–9964]
- Pålsson, L.-O. (Z) 9642–9645 [9500–9503]
- Pammer, F. (Z) 3315–3318 [3271–3274]
- Pan, D. (Z) 4807–4810 [4729–4732]
- Pan, H. (Z) 3616–3620 [3560–3564]
- Pan, J. (Z) 8592–8595 [8464–8467]
- Pan, Q. (Z) 7986–7989 [7868–7871]
- Pan, S. C. Berichtigung: 5572
- Pan, S. C. (Z) 3678–3681 Berichtigung: 5572 [3622–3625 Berichtigung: 5490]
- Panella, B.
- Untersuchungen der Desorption von Wasserstoff in metall-organischen Gerüsten
(Z) 2169–2173 [2138–2142]
DOI: 10.1002/ange.200704053
- Paneque, M. (Z) 4452–4455 [4380–4383]
- Pangerl, M. (Z) 8067–8070 [7949–7952]
- Panknin, O. (Z) 1933–1935 [1907–1909]
- Pantani, O. (Z) 10096–10098 [9948–9950]
- Panteleev, J. (Z) 2127–2131 [2097–2101]
- Panthöfer, M. (K) 3741–3744 [3683–3686]
- Pantos, G. D. (Z) 2729–2732 [2689–2692]
- Pap, J. S. (Z) 10256–10259 [10102–10105]
- Pápai, I.
- Turning Frustration into Bond Activation: A Theoretical Mechanistic Study on Heterolytic Hydrogen Splitting by Frustrated Lewis Pairs
(Z) 2469–2472 [2435–2438]
DOI: 10.1002/ange.200705586
- Pape, T. (Z) 6899–6902 [6794–6797]
- Pappo, D. (Z) 958–960 [944–946]
- Pardo, E. (Z) 4279–4284 [4211–4216]
- Pardo-Ibañez, P. (Z) 6533–6537 [6433–6437]
- Parella, T. (Z) 5914–5916 [5830–5832]
- Parise, J. B. (Z) 7373–7376 [7263–7266]
- Park, C. (Z) 3001–3005 [2959–2963], 10070–10074 [9922–9926]
- Park, C. B.
- Electrochemical Regeneration of NADH Enhanced by Platinum Nanoparticles
(Z) 1773–1776 [1749–1752]
DOI: 10.1002/ange.200703632
- Park, G. Y. (Z) 9224–9227 [9084–9087]
- Park, H. B.
- Highly Chlorine-Tolerant Polymers for Desalination
(Z) 6108–6113 [6019–6024]
DOI: 10.1002/ange.200800454
- Park, H. S.
- Mass Spectrometry Signal Amplification Method for Attomolar Detection of Antigens Using Small-Molecule-Tagged Gold Microparticles
(Z) 9660–9663 [9518–9521]
DOI: 10.1002/ange.200803893
- Park, H.-Y. (Z) 9447–9450 [9307–9310]
- Park, I.-S. (Z) 9447–9450 [9307–9310]
- Park, J.-H. (Z) 7394–7398 [7284–7288]
- Park, J. H. (Z) 1773–1776 [1749–1752]
- Park, J. K. (Z) 693–696 [681–684]
- Park, J. T.
- Single-Crystalline Hollow Face-Centered-Cubic Cobalt Nanoparticles from Solid Face-Centered-Cubic Cobalt Oxide Nanoparticles
(Z) 9646–9650 [9504–9508]
DOI: 10.1002/ange.200803048
- Park, J.-W. (Z) 115–118 [109–112]
- Park, J. Y. (Z) 9025–9028 [8893–8896], (A) 9352–9368 [9212–9228]
- Park, Janghyun (Z) 4268–4271 [4200–4203]
- Park, Jeong Chan (Z) 6355–6358 [6259–6262]
- Park, Ji Chan (Z) 775–779 [763–767]
- Park, Jinho (Z) 5442–5445 [5362–5365]
- Park, K. (Z) 2846–2849 [2804–2807]
- Park, K.-M. (Z) 805–808 [793–796], (K) 9523–9524 [9383–9384]
- Park, S. M. (Z) 775–779 [763–767]
- Park, S. T. (Z) 9638–9641 [9496–9499]
- Park, Sangjin (Z) 5442–5445 [5362–5365]
- Park, Sungjin (Z) 6363–6367 [6267–6271], 7576–7579 [7466–7469]
- Park, Sungsu
- Fluorescent Molecular Logic Gates Using Microfluidic Devices
(Z) 886–890 [872–876]
DOI: 10.1002/ange.200703813
- Park, Y. J. (Z) 115–118 [109–112]
- Parker, J. S. (Z) 2914–2917 [2872–2875]
- Parkes, M. V. (Z) 10103–10105 [9955–9957]
- Parlier, A. (Z) 6949–6952 [6843–6846]
- Parmon, V. N. (Z) 4635–4638 [4559–4562]
- Parra, A. (Z) 8059–8062 [7941–7944]
- Parrilla, I. (Z) 4588–4591 [4512–4515]
- Parrinello, M. (Z) 3592–3595 [3536–3539]
- Parrino, F. (Z) 7215–7217 [7107–7109]
- Parris, S. (Z) 5138–5140 [5060–5062]
- Parrish, D. (Z) 8431–8433 [8307–8309]
- Parry, A. L. (Z) 8991–8994 [8859–8862]
- Parsons, S.
- [Mn₆] under Pressure: A Combined Crystallographic and Magnetic Study
(Z) 2870–2873 [2828–2831]
DOI: 10.1002/ange.200705819
- Parthasarathy, K. (Z) 9604–9607 [9462–9465]
- Partridge, B. M. (Z) 4426–4429 [4354–4357]
- Partyka, D. V. (Z) 7599–7602 [7489–7492]
- Parvez, M. (Z) 367–370 [361–364]
- Pascarelli, S. (Z) 9443–9446 [9303–9306]
- Pasek, M. A.
- Production of Potentially Prebiotic Condensed Phosphates by Phosphorus Redox Chemistry
(Z) 8036–8038 [7918–7920]
DOI: 10.1002/ange.200802145
- Pasparakis, G. (Z) 4925–4928 [4847–4850]
- Passarelli, V. (Z) 2123–2126 [2093–2096]
- Paszkiwicz, E. (Z) 684–688 [672–676]
- Patallo, E. P. (Z) 9676–9679 [9533–9536]
- Patchkovskii, S.
- Raman Detection of “Ambiguous” Conjugated Biradicals: Rapid Thermal Singlet-to-Triplet Intersystem Crossing in an Extended Viologen
(Z) 1465–1468 [1443–1446]
DOI: 10.1002/ange.200704398



Pace, A. (Z) 9872–9875 [9726–9729]

Pace, G. (Z) 2518–2522 [2484–2488], 3455–3457 [3407–3409]

Paddon-Row, M. N.

– Enantioselective Oxazaborolidinium-Catalyzed Diels–Alder Reactions without CH⋯O Hydrogen Bonding
(Z) 7121–7125 [7013–7017]
DOI: 10.1002/ange.200802002

Paderi, M. (A) 6638–6650 [6538–6549]

Pagano, J. J. (Z) 10048–10051 [9900–9903]

Pagels, M. (Z) 3315–3318 [3271–3274]

Pagenkopf, B. L.

– Tuning of Electrogenerated Silole Chemiluminescence
(Z) 7845–7849 [7731–7735]
DOI: 10.1002/ange.200802034

- Patel, J. (Z) 4292–4295 [4224–4227]
 Patel, K. (Z) 2254–2258 [2222–2226]
 Paterson, A. J. (Z) 4597–4600 [4521–4524]
 Paterson, I.
 – Total Synthesis of Spirastrellolide A Methyl Ester—Part 2: Subunit Union and Completion of the Synthesis (Z) 3063–3067 [3021–3025]
 DOI: 10.1002/ange.200705566
 – Total Synthesis of Spirastrellolide A Methyl Ester—Part 1: Synthesis of an Advanced C17–C40 Bis-spiroacetal Subunit (Z) 3058–3062 [3016–3020]
 DOI: 10.1002/ange.200705565
 Paterson, M. J. (Z) 1074–1078 [1058–1062]
 Patman, R. L. (Z) 5298–5301 [5220–5223]
 Patrick, B. O. (Z) 2322–2325 [2290–2293]
 Patrick, L. G. F. (Z) 780–782 [768–770]
 Pattabiraman, V. R. (Z) 9614–9617 [9472–9475]
 Pattacini, R. (Z) 6962–6965 [6856–6859]
 Patthey, F. (Z) 1092–1095 [1076–1079]
 Patureau, F. W. (Z) 3224–3227 [3180–3183]
 Paul, F. Berichtigung: 639
 Paulus, W. (Z) 5824–5829 [5740–5745]
 Pauly, M. (Z) 6923–6926 [6817–6820]
 Pavlick, R. A. (Z) 3851–3854 [3791–3794]
 Pavlov, A. A. (Z) 8036–8038 [7918–7920]
 Pawin, G. (Z) 8570–8573 [8442–8445]
 Payne, A. D. (Z) 924–926 [910–912]
 Payne, A. H. (Z) 5138–5140 [5060–5062]
 Payne, R. J. (Z) 4483–4487 [4411–4415]
 Peacock, R. D. (Z) 6987–6990 [6881–6884]
 Pécaut, J. (Z) 727–729 [715–717], 3082–3084 [3040–3042]
 Pech, A. (Z) 5536–5540 [5456–5460]
 Pedersen, H. (Z) 902–904 [888–890]
 Pedro, J. R.
 – Highly Enantioselective Zinc/Binol-Catalyzed Alkynylation of *N*-Sulfonyl Aldimines (Z) 5675–5678 [5593–5596]
 DOI: 10.1002/ange.200801020
 Pedroso, E. F. (Z) 4279–4284 [4211–4216]
 Pei, T.
 – Expanding the [1,2]-Aryl Migration to the Synthesis of Substituted Indoles (Z) 4299–4301 [4231–4233]
 DOI: 10.1002/ange.200705804
 Peiris, J. S. M. (Z) 1936–1938 [1910–1912]
 Pelletier, M. (Z) 3652–3655 [3596–3599]
 Pender-Cudlip, M. (Z) 5310–5312 [5232–5234]
 Peneva, K. (Z) 3420–3423 [3372–3375]
 Peng, A. (Z) 7411–7415 [7301–7305]
 Peng, Q. (Z) 1765–1768 [1741–1744]
 Peng, S.-M. (Z) 7585–7588 [7475–7478]
 Peng, X.
 – Synthetic Scheme for High-Quality InAs Nanocrystals Based on Self-Focusing and One-Pot Synthesis of InAs-Based Core–Shell Nanocrystals (Z) 7791–7794 [7677–7680]
 DOI: 10.1002/ange.200802867
 Peng, X.-S. (Z) 7420–7423 [7310–7313]
 Penn, R. L. (Z) 9236–9239 [9096–9099]
 Penner, A. (Z) 8999–9003 [8867–8871]
 Pentelute, B. L. (Z) 1118–1122 [1102–1106]
 Percival, P. W.
 – Probing the Reactivity of a Stable Silene Using Muonium (Z) 9918–9920 [9772–9774]
 DOI: 10.1002/ange.200804458
 Pereira, C. L. M. (Z) 4279–4284 [4211–4216]
 Peresypkina, E. V. (Z) 1487–1490 [1465–1468]
 Pérez, E. M. (Z) 1110–1113 [1094–1097]
 Pérez del Pino, Á. (Z) 1887–1891 [1861–1865]
 Pérez-Falcón, J. M. (Z) 1883–1886 [1857–1860]
 Pérez-Ramírez, J.
 – Toward Functional Clathrals: Size- and Composition-Controlled Octadecasil Nanocrystals by Desilication (Z) 8031–8035 [7913–7917]
 DOI: 10.1002/ange.200802393
 Perez-Velasco, A. (Z) 935–937 [921–923], 6371–6373 [6275–6277]
 Periana, R. A.
 – Facile Oxy-Functionalization of a Nucleophilic Metal Alkyl with a *cis*-Dioxo Metal Species via a (2 + 3) Transition State (Z) 7967–7970 [7849–7852]
 DOI: 10.1002/ange.200802575
 Pericàs, M. A.
 – Practical Implications of Boron-to-Zinc Transmetalation for the Catalytic Asymmetric Arylation of Aldehydes (Z) 1114–1117 [1098–1101]
 DOI: 10.1002/ange.200703103
 Peris, G. (Z) 6809–6813 [6707–6711]
 Perkins, M. V.
 – Totalsynthese des Enzyminhibitors Spirastrellolid A – Bestätigung der Konfiguration (H) 2963–2967 [2921–2925]
 DOI: 10.1002/ange.200800486
 Perl, N. R. (Z) 3079–3081 [3037–3039]
 Perman, J. A. (Z) 8588–8591 [8460–8463]
 Perrin, D. M.
 – A Highly Selective DNzyme Sensor for Mercuric Ions (Z) 4418–4422 [4346–4350]
 DOI: 10.1002/ange.200800960
 Perring, M. (Z) 949–953 [935–939]
 Perry, J. W.
 – Porphyrin Dimer Carbocations with Strong Near Infrared Absorption and Third-Order Optical Nonlinearity (Z) 7203–7206 [7095–7098]
 DOI: 10.1002/ange.200802687
 Persau, C. (Z) 1346–1351 [1326–1331]
 Person, B. (Z) 5545–5550 [5465–5469]
 Persoons, A. (Z) 3020–3023 [2978–2981]
 Peruzzini, M.
 – Heterobimetallic Cooperation Mediates the Transformation of White Phosphorus into Zwitterionic *catena*-Phosphonium(+)–diphosphenide(–) Ligands (Z) 3826–3828 [3766–3768]
 DOI: 10.1002/ange.200800470
 Peruzzini, M. (Z) 4497–4499 [4425–4427]
 Pery, T. (Z) 2104–2108 [2074–2078]
 Pesciaoli, F. (Z) 8831–8834 [8703–8706]
 Peterlik, H. (Z) 7236–7240 [7127–7131]
 Peters, M. V. (Z) 6056–6060 [5968–5972]
 Peters, R.
 – Enantioselektive Dimetallkatalyse von Michael-Additionen zur Bildung quartärer Stereozentren (Z) 9424–9429 [9284–9288]
 DOI: 10.1002/ange.200803539
 – Kontaktionenpaar-gesteuerte Lewis-Säurekatalyse zur asymmetrischen Synthese von *trans*-konfigurierten β -Lactonen (Z) 5541–5544 [5461–5464]
 DOI: 10.1002/ange.200801143
 Petersen, J. L. (Z) 738–742 [726–730], 1480–1483 [1458–1461]
 Petersen, S. (Z) 3236–3239 [3192–3195]
 Peterson, B. R. (Z) 1270–1274 [1250–1254]
 Peterson, V. K. (Z) 9061–9064 [8929–8932]
 Petitjean, A. (Z) 2518–2522 [2484–2488]
 Petkova, I. (Z) 6126–6129 [6037–6040]
 Petri-Fink, A.
 – Superparamagnetic Nanoparticles as a Powerful Systems Biology Characterization Tool in the Physiological Context (Z) 7975–7978 [7857–7860]
 DOI: 10.1002/ange.200800357
 Petrini, M.
 – Proline-Catalyzed Asymmetric Formal α -Alkylation of Aldehydes via Vinylogous Iminium Ion Intermediates Generated from Arylsulfonyl Indoles (Z) 8835–8838 [8707–8710]
 DOI: 10.1002/ange.200803947
 Petronilho, A. (Z) 4452–4455 [4380–4383]
 Petrov, S. (Z) 1275–1279 [1255–1259], 3874–3877 [3814–3817]
 Petrukhina, M. A.
 – Koordination an Buckybowls: der erste konkav gebundene Metallkomplex (H) 1572–1574 [1550–1552]
 DOI: 10.1002/ange.200704783
 Petrushkin, O. V. (Z) 3306–3310 [3262–3266]
 Petzold, H. (Z) 3050–3053 [3008–3011]
 Pfaltz, A.
 – Enantio- and Diastereoselective Hydrogenation of Farnesol and O-Protected Derivatives: Stereocontrol by Changing the C=C Bond Configuration (Z) 2330–2332 [2298–2300]
 DOI: 10.1002/ange.200705521
 – Mass Spectrometric Screening of Chiral Catalysts by Monitoring the Back Reaction of Quasienantiomeric Products: Palladium-Catalyzed Allylic Substitution (Z) 3411–3414 [3363–3366]
 DOI: 10.1002/ange.200705081
 – Mass Spectrometric Screening of Enantioselective Diels–Alder Reactions (Z) 3408–3410 [3360–3362]
 DOI: 10.1002/ange.200705082
 Pfeifer, T. (Z) 9690–9692 [9547–9550]
 Pham, D. M. (Z) 3800–3803 [3740–3743]
 Philip, R. (Z) 5834–5838 [5750–5754]
 Philippot, K. (Z) 2104–2108 [2074–2078]
 Phillips, A. E. (Z) 1418–1421 [1396–1399]
 Phillips, A. J.
 – Total Synthesis of Aburatubolactam A (Z) 8627–8629 [8499–8501]
 DOI: 10.1002/ange.200803593
 Phillips, R. L. (Z) 2628–2632 [2590–2594]
 Philp, D.
 – A Simple Synthetic Replicator Amplifies Itself from a Dynamic Reagent Pool (Z) 10113–10118 [9965–9970]
 DOI: 10.1002/ange.200804223
 Phoenix, S. (Z) 1292–1295 [1272–1275]
 Pieniazek, S. N. (Z) 7860–7863 [7746–7749]
 Piera, J. (A) 3558–3576 [3506–3523]
 Pieraccini, S. (Z) 3228–3231 [3184–3187]
 Pierron, J. (Z) 713–717 [701–705]
 Piers, W. E.
 – Heterolytische H₂-Aktivierung durch Nichtmetalle (H) 38–42 [38–41]
 DOI: 10.1002/ange.200702816

- Pietrzak, M. (Z) 1139–1142 [1123–1126]
Piguet, D. (Z) 3306–3310 [3262–3266]
Pilati, T. (M) 6206–6220 [6114–6127]
Pillai, V. K.
– Polymer Electrolyte Fuel Cells Using Nafion-Based Composite Membranes with Functionalized Carbon Nanotubes (Z) 2693–2696 [2653–2656]
DOI: 10.1002/ange.200704343
Piller, F. M. (Z) 6907–6911 [6802–6806]
Pines, A. (Z) 4388–4392 [4316–4320]
Pink, M. (Z) 3829–3832 [3769–3772], 9252–9254 [9112–9114]
Pinkhassik, E.
– Directed Assembly of Sub-Nanometer Thin Organic Materials with Programmed-Size Nanopores (Z) 7144–7147 [7036–7039]
DOI: 10.1002/ange.200801814
– Functionalization of Imprinted Nanopores in Nanometer-Thin Organic Materials (Z) 8388–8391 [8264–8267]
DOI: 10.1002/ange.200803261
Pinna, N.
– Non-Aqueous Routes to Metal Oxide Thin Films by Atomic Layer Deposition (Z) 3648–3651 [3592–3595]
DOI: 10.1002/ange.200705550
– Tensidfreie nichtwässrige Synthese von Metalloxid-Nanostrukturen (M) 5372–5385 [5292–5304]
DOI: 10.1002/ange.200704541
Pinnavaia, T. J.
– Mesostructured Forms of the Transition Phases η - and χ - Al_2O_3 (Z) 7611–7614 [7501–7504]
DOI: 10.1002/ange.200802278
Piñón III, V. (Z) 1447–1450 [1425–1428]
Pintacuda, G. (Z) 5935–5938 [5851–5854]
Pinzón, J. R. (Z) 4241–4244 [4173–4176]
Pipkorn, R. (Z) 7241–7244 [7132–7135]
Pippel, E. (Z) 7112–7116 [7004–7008]
Pipper, J.
– Clockwork PCR Including Sample Preparation (Z) 3964–3968 [3900–3904]
DOI: 10.1002/ange.200705016
Pisula, W. (Z) 1727–1730 [1703–1706]
Pivetta, M.
– Two-Dimensional Tiling by Rubrene Molecules Self-Assembled in Supramolecular Pentagons, Hexagons, and Heptagons on a Au(111) Surface (Z) 1092–1095 [1076–1079]
DOI: 10.1002/ange.200704479
Pivoňková, H. (Z) 2089–2092 [2059–2062]
Pizzey, C. L. (Z) 1261–1264 [1241–1244]
Plass, W.
– Carboxylatverbrückte Zweikernzentren in Oxygenasen: Dieisen, Dimangan oder doch besser heterozweikernig? (H) 7700–7703 [7588–7591]
DOI: 10.1002/ange.200802366
Platts, J. A.
– Kinetics of Iminium Ion Catalysis (Z) 2862–2865 [2820–2823]
DOI: 10.1002/ange.200705539
Plech, A. (Z) 5632–5635 [5550–5553]
Plenio, H.
– Katalysatoren für die Sonogashira-Kupplung – unedle Metalle auf dem Vormarsch (H) 7060–7063 [6954–6956]
DOI: 10.1002/ange.200802270
Plietker, B.
– Ligandenabhängige mechanistische Dichotomie in Eisen-katalysierten allylischen Substitutionen: σ -Allyl- kontra π -Allyl-Mechanismus (Z) 204–207 [198–201]
DOI: 10.1002/ange.200703874
Plonska-Brzezinska, M. E. (Z) 4241–4244 [4173–4176]
Plutowski, U. (Z) 6154–6157 [6065–6068]
Podkolzin, S. G. (Z) 5080–5082 [5002–5004]
Poduska, A. (Z) 2906–2910 [2864–2868]
Pohl, N. L.
– Perfluorierte Marker als Ankergruppen für Mikroarrays (H) 3930–3932 [3868–3870]
DOI: 10.1002/ange.200704801
– Synthesis and Quantitative Evaluation of Glycero-D-manno-heptose Binding to Concanavalin A by Fluorous-Tag Assistance (Z) 1731–1734 [1707–1710]
DOI: 10.1002/ange.200704262
Pohl, R. (Z) 2089–2092 [2059–2062]
Polarz, S.
– Amino Acid Silica Hybrid Materials with Mesoporous Structure and Enantiopure Surfaces (Z) 9655–9659 [9513–9517]
DOI: 10.1002/ange.200803405
Poleschner, H.
– Selenirenium- und Tellureniumionen (Z) 6561–6564 [6461–6464]
DOI: 10.1002/ange.200801691
Polet, D. (Z) 7420–7423 [7310–7313]
Poli, R.
– Homolytic Bond Strengths and Formation Rates in Half-Sandwich Chromium Alkyl Complexes: Relevance for Controlled Radical Polymerization (Z) 6158–6161 [6069–6072]
DOI: 10.1002/ange.200801498
Polsky, R. (Z) 2671–2674 [2631–2634]
Pomerantz, W. C. (Z) 1261–1264 [1241–1244]
Pommeret, S. (Z) 8153–8155 [8033–8035]
Pompidor, G. (Z) 3436–3439 [3388–3391]
Ponou, S. (Z) 4063–4068 [3999–4004]
Pons, V. (H) 9742–9744 [9600–9602]
Popeko, A. G. (Z) 3306–3310 [3262–3266]
Popov, A. A. (Z) 6300–6303 [6204–6207], 8318–8322 [8196–8200]
Popovitz-Biro, R. (Z) 10056–10060 [9908–9912]
Popp, A. (Z) 9092–9095 [8958–8960]
Porcel, S. (Z) 1909–1912 [1883–1886], 7625–7629 [7515–7519]
Pordea, A. (Z) 1422–1426 [1400–1404]
Porte, L. (Z) 7102–7106 [6994–6998]
Portehault, D. (Z) 6541–6544 [6441–6444]
Potrzebowski, M. J. (Z) 551–554 [541–544]
Pöttgen, R.
– Pnictidoxide – eine neue Klasse von Hoch- T_c -Supraleitern (H) 4860–4863 [4782–4784]
DOI: 10.1002/ange.200801818
Pöttgen, R. (Z) 977–980 [963–966]
Poulsen, L. (Z) 6114–6116 [6025–6027]
Poulsen, T. B. (Z) 4765–4768 [4687–4690]
Poustka, A. (Z) 7241–7244 [7132–7135]
Poutsma, J. L.
– Highly Stereoselective Ring Expansion Reactions Mediated by Attractive Cation– π Interactions (Z) 6329–6331 [6233–6235]
DOI: 10.1002/ange.200801591
Pouységu, L. (Z) 3608–3611 [3552–3555]
Poveda, M. L.
– Monodentate, N-Heterocyclic Carbene-Type Coordination of 2,2'-Bipyridine and 1,10-Phenanthroline to Iridium (Z) 4452–4455 [4380–4383]
DOI: 10.1002/ange.200800705
Power, P. P.
– Synthesis and Characterization of the Metal(I) Dimers [Ar'MMAr']: Comparisons with Quintuple-Bonded [Ar'CrCrAr'] (Z) 9255–9257 [9115–9117]
DOI: 10.1002/ange.200802657
Prabusankar, G. (Z) 7344–7347 [7234–7237]
Pradeep, C. P. (Z) 4460–4463 [4388–4391]
Pradeepkumar, P. I. (Z) 1777–1781 [1753–1757]
Prager, L. (Z) 3311–3314 [3267–3270]
Prandi, J.
– Synthesis of Diacylated Trehalose Sulfates: Candidates for a Tuberculosis Vaccine (Z) 9880–9884 [9734–9738]
DOI: 10.1002/ange.200803835
Prasad Korivi, R. (Z) 4970–4973 [4892–4895]
Prato, M. (Z) 7840–7844 [7726–7730]
Praveen, V. K. (Z) 5830–5833 [5746–5749], 5834–5838 [5750–5754]
Prehm, M. (Z) 6169–6172 [6080–6083], 9203–9206 [9063–9066]
Preishuber-Pflügl, P.
– Teilsotaktisches Poly(hydroxybutyrat) aus racemischem β -Butyrolacton: Mikrostrukturkontrolle durch achirale Chrom(III)-Salophen-Komplexe (Z) 3508–3510 [3458–3460]
DOI: 10.1002/ange.200703859
Presa Soto, A. (Z) 6308–6311 [6212–6215]
Prescimone, A. (Z) 2870–2873 [2828–2831]
Presly, O. C. (Z) 4426–4429 [4354–4357]
Pretorius, A. (Z) 9078–9082 [8946–8949]
Prins, L. J.
– Exploiting Neighboring-Group Interactions for the Self-Selection of a Catalytic Unit (Z) 2509–2513 [2475–2479]
DOI: 10.1002/ange.200703857
Prins, R.
– Hydrodesulfurization of 4,6-Dimethyldibenzothiophene over Noble Metals Supported on Mesoporous Zeolites (Z) 8606–8609 [8478–8481]
DOI: 10.1002/ange.200802540
Prins, R. (Z) 6141–6143 [6052–6054]
Prisner, T. F. (Z) 1244–1247 [1224–1227]
Pritchard, R. G. (Z) 938–941 [924–927], 9827–9830 [9681–9684]
Pritz, S. (Z) 3698–3701 [3642–3645]
Pritzker, M. (Z) 4469–4472 [4397–4400]
Procter, D. J.
– Synthesis and Reactions of the Pestalotiopsis Skeleton (Z) 5713–5715 [5631–5633]
DOI: 10.1002/ange.200801900
Prokopcová, H. (H) 3732–3734 [3674–3676]
Proserpio, D. M. (E) 8116–8121 [7996–8000]
Protasiewicz, J. D.
– Synergistic Binding of Both Lewis Acids and Bases to Phosphinidenes (Z) 7599–7602 [7489–7492]
DOI: 10.1002/ange.200801741
Protchenko, A. V.
– Lanthanum Does Form Stable Molecular Compounds in the +2 Oxidation State

- (Z) 1510–1513 [1488–1491]
DOI: 10.1002/ange.200704887
- Prots, Yu. (Z) 8404–8408 [8280–8284]
- Prudent, M. (Z) 4753–4756 [4675–4678]
- Prusov, E. V. (Z) 10235–10239 [10081–10085]
- Puchberger, M. (Z) 9282–9285 [9142–9145]
- Puchta, R. (Z) 9073–9077 [8941–8945]
- Pudney, C. R. (Z) 547–550 [537–540]
- Pugh, D. (Z) 9911–9913 [9765–9767]
- Puigmartí-Luis, J. (Z) 1887–1891 [1861–1865]
- Pum, D. (Z) 4785–4788 [4707–4710]
- Purcell, J. M. (Z) 2838–2841 [2796–2799]
- Purrello, R.
- Reversible “Chiral Memory” in Ruthenium Tris(phenanthroline)–Anionic Porphyrin Complexes (Z) 10027–10030 [9879–9882]
DOI: 10.1002/ange.200803619
- Puthenveetil, S. (Z) 7126–7129 [7018–7021]
- Pütter, H. (Z) 2169–2173 [2138–2142]
- Puukilainen, E. (Z) 7552–7555 [7442–7445]
- Puzo, G. (Z) 9880–9884 [9734–9738]
- Pye, P. J.
- A Polar Radical Pair Pathway To Assemble the Pyrimidinone Core of the HIV Integrase Inhibitor Raltegravir Potassium (Z) 4202–4204 [4134–4136]
DOI: 10.1002/ange.200703681
- Pyrz, W. D. (Z) 2830–2833 [2788–2791]



- Qi, L.
- Bioinspired Fabrication of 3D Ordered Macroporous Single Crystals of Calcite from a Transient Amorphous Phase (Z) 2422–2427 [2388–2393]
DOI: 10.1002/ange.200705403
- Qi, X. (Z) 7176–7178 [7068–7070]
- Qian, L.-F. (Z) 9470–9473 [9330–9333]
- Qian, X.
- A Ratiometric Fluorescent Probe Based on FRET for Imaging Hg²⁺ Ions in Living Cells (Z) 8145–8149 [8025–8029]
DOI: 10.1002/ange.200803246
- Qiao, L. (Z) 2686–2688 [2646–2648]
- Qiao, X.-C. (Z) 4423–4425 [4351–4353]
- Qin, B. (Z) 10023–10026 [9875–9878]
- Qin, J. (Z) 8224–8227 [8104–8107]
- Qin, L. (Z) 1964–1967 [1938–1941]
- Qin, M. (Z) 6141–6143 [6052–6054]
- Qin, T. (Z) 8416–8420 [8292–8296]
- Qin, X. (Z) 8049–8051 [7931–7933]
- Qin, Y.
- Efficient Assembly of an Indole Alkaloid Skeleton by Cyclopropanation: Concise Total Synthesis of (±)-Minfiensine (Z) 3674–3677 [3618–3621]
DOI: 10.1002/ange.200800566
- Qiu, F. (Z) 5087–5090 [5009–5012]
- Qiu, L.-G.
- Hierarchically Micro- and Mesoporous Metal–Organic Frameworks with Tunable Porosity (Z) 9629–9633 [9487–9491]
DOI: 10.1002/ange.200803640

- Qiu, Z. (Z) 6674–6677 Berichtigung: 7692 [6572–6575 Berichtigung: 7580]
- Qu, J. (Z) 2874–2877 [2832–2835]
- Qu, X. (Z) 4037–4039 [3973–3975]
- Qu, Z.-R. (Z) 8724–8728 [8596–8600]
- Que Jr., L.
- An Inverted and More Oxidizing Isomer of [Fe^{IV}(O)(tmc)(NCCH₃)]²⁺ (Z) 8188–8191 [8068–8071]
DOI: 10.1002/ange.200802219
 - Contrasting *cis* and *trans* Effects on the Reactivity of Nonheme Oxoiron(IV) Complexes (Z) 1922–1925 [1896–1899]
DOI: 10.1002/ange.200704228
 - Iron-Catalyzed Asymmetric Olefin *cis*-Dihydroxylation with 97% Enantiomeric Excess (Z) 1913–1915 [1887–1889]
DOI: 10.1002/ange.200705061
 - Proton- and Reductant-Assisted Dioxxygen Activation by a Nonheme Iron(II) Complex to Form an Oxoiron(IV) Intermediate (Z) 7172–7175 [7064–7067]
DOI: 10.1002/ange.200801832
- Que Jr., L. (Z) 9211–9214 [9071–9074]
- Queen, W. L. (Z) 3851–3854 [3791–3794]
- Quiclet-Sire, B. (Z) 1458–1460 [1436–1438]
- Quideau, S. Berichtigung: 638
- Quideau, S.
- Highly Diastereoselective Synthesis of Orthoquinone Monoketals through λ^3 -Iodane-Mediated Oxidative Dearomatization of Phenols (Z) 3608–3611 [3552–3555]
DOI: 10.1002/ange.200705816
- Qureshi, M. K. N. (Z) 7207–7210 [7099–7102]



- Raab, A. (Z) 8210–8212 [8090–8092]
- Raber, G. (Z) 2705–2707 [2665–2667]
- Rabinovich, D. (Z) 1480–1483 [1458–1461]
- Rachid, S. (Z) 4671–4676 [4595–4599]
- Rack, J. J.
- Femtosecond Isomerization in a Photochromic Molecular Switch (Z) 1480–1483 [1458–1461]
DOI: 10.1002/ange.200703677
- Radacki, K. (Z) 5009–5011 [4931–4933], 5732–5735 [5650–5653], 6067–6069 [5978–5980], 10127–10129 [9979–9981]
- Radadia, A. D. (Z) 5096–5099 [5018–5021]
- Raddatz, M.-S. L. (Z) 5268–5271 [5190–5193]
- Rademann, J.
- Sensibilisierte Detektion inhibitorischer Fragmente und iterative Entwicklung nicht-peptidischer Proteaseinhibitoren durch dynamisches Ligationscreening (Z) 3319–3323 [3275–3278]
DOI: 10.1002/ange.200704594
- Radhakrishnan, T. P.
- Growing Molecular Crystals on Inorganic Crystals: Polar Structure Induced by Non-centrosymmetric Templates (Z) 4033–4036 [3969–3972]
DOI: 10.1002/ange.200704031
- Radkowski, K. (Z) 8426–8430 [8302–8306]
- Radosovich, A. T. (Z) 3815–3818 [3755–3758]
- Radosz, M. (Z) 1280–1284 [1260–1264]
- Raghavaiah, P. (Z) 4033–4036 [3969–3972]
- Ragupathi, G.
- Synthesis of QS-21-Xylose: Establishment of the Immunopotentiating Activity of Synthetic QS-21 Adjuvant with a Melanoma Vaccine (Z) 6495–6498 [6395–6398]
DOI: 10.1002/ange.200801885
- Rahman, T. S. (Z) 8570–8573 [8442–8445]
- Rahn, N. (Z) 607–609 [597–599]
- Raines, R. T.
- Hydrolytic Stability of Hydrazones and Oximes (Z) 7633–7636 [7523–7526]
DOI: 10.1002/ange.200802651
- Rainier, J. D.
- Harnessing Glycol-Epoxy Rearrangements: The Generation of the AB, EF, and IJ Rings of Adriatoxin (Z) 8175–8178 [8055–8058]
DOI: 10.1002/ange.200803791
 - Highly Diastereoselective Sulfonium Ylide Rearrangements to Quaternary Substituted Indolines (Z) 5454–5457 [5374–5377]
DOI: 10.1002/ange.200801336
- Raiteri, P.
- Unravelling the Shuttling Mechanism in a Photoswitchable Multicomponent Bistable Rotaxane (Z) 3592–3595 [3536–3539]
DOI: 10.1002/ange.200705207
- Raj, A. (Z) 7751–7755 [7639–7643]
- Rakshit, S. (Z) 7340–7343 [7230–7233]
- Ramaiah, D.
- DNA-Assisted Long-Lived Excimer Formation in a Cyclophane (Z) 8535–8539 [8407–8411]
DOI: 10.1002/ange.200803162
- Ramakrishnan, A. (Z) 7215–7217 [7107–7109]
- Ramamoorthy, A.
- Bicelle-Enabled Structural Studies on a Membrane-Associated Cytochrome b₅ by Solid-State MAS NMR Spectroscopy (Z) 7982–7985 [7864–7867]
DOI: 10.1002/ange.200801338
- Ramírez, J. (Z) 5272–5275 [5194–5197]
- Rammensee, S. (Z) 4668–4670 [4592–4594]
- Rampi, M. A.
- Light-Powered Electrical Switch Based on Cargo-Lifting Azobenzene Monolayers (Z) 3455–3457 [3407–3409]
DOI: 10.1002/ange.200705339
- Randazzo, R. (Z) 10027–10030 [9879–9882]
- Rantanen, T.
- Fluorescence-Quenching-Based Enzyme-Activity Assay by Using Photon Upconversion (Z) 3871–3873 [3811–3813]
DOI: 10.1002/ange.200705861
- Rao, Q.-Q. (Z) 2492–2496 [2458–2462]
- Rao, Y. (Z) 4974–4977 [4896–4899]
- Rao Volla, C. M. (Z) 1325–1327 [1305–1307]
- Raouafi, N. (Z) 5289–5292 [5211–5214]
- Rasched, G. (Z) 981–984 [967–970]
- Rasmussen, P. (Z) 3306–3310 [3262–3266]
- Rasmusson, T. (Z) 7117–7120 [7009–7012]

- Raston, C. L.
– Loading Molecular Hydrogen Cargo within Viruslike Nanocontainers (Z) 6462–6466 [6362–6366]
DOI: 10.1002/ange.200802441
- Ratcliffe, C. I. (Z) 9850–9853 [9704–9707]
- Rath, N. P. (Z) 1717–1721 [1693–1697]
- Rathore, R.
– Jay Kazuo Kochi (N) 9326 [9186]
DOI: 10.1002/ange.200805187
- Ratnikov, M. O. (Z) 9885–9888 [9739–9742]
- Rauchfuss, T. B.
– [FeFe]-Hydrogenase Models and Hydrogen: Oxidative Addition of Dihydrogen and Silanes (Z) 9902–9905 [9756–9759]
DOI: 10.1002/ange.200804400
- Rauf, W. (Z) 4296–4298 [4228–4230]
- Rauwald, U. (Z) 4014–4017 [3950–3953]
- Rauwel, E. (Z) 3648–3651 [3592–3595]
- Rauwel, P. (Z) 3648–3651 [3592–3595]
- Ravaine, S. (Z) 4803–4806 [4725–4728]
- Rawal, V. H.
– Total Synthesis of (±)-Platencin (Z) 4445–4448 [4373–4376]
DOI: 10.1002/ange.200800756
- Ray, K. (Z) 8188–8191 [8068–8071]
- Raymond, K. N.
– Design and Formation of a Large Tetrahedral Cluster Using 1,1'-Binaphthyl Ligands (Z) 6151–6153 [6062–6064]
DOI: 10.1002/ange.200801226
- 3-Hydroxypyridin-2-one Complexes of Near-Infrared (NIR) Emitting Lanthanides: Sensitization of Holmium(III) and Praseodymium(III) in Aqueous Solution (Z) 9642–9645 [9500–9503]
DOI: 10.1002/ange.200802337
- MRI-Kontrastmittel mit hoher Relaxivität: Komplexchemie im Dienste medizinischer Bildgebung (M) 8696–8709 [8568–8580]
DOI: 10.1002/ange.200800212
- Raynaud, J. (Z) 5470–5473 [5390–5393]
- Raynes, E. P. (A) 2794–2828 [2754–2787]
- Razavet, M. (Z) 574–577 [564–567]
- Ready, J. M.
– Synthesis of Cyclopentenones from Cyclopropanes and Silyl Ynol Ethers (Z) 7176–7178 [7068–7070]
DOI: 10.1002/ange.200801957
- Real, J. A.
– Spin-Crossover Nanocrystals with Magnetic, Optical, and Structural Bistability Near Room Temperature (Z) 6533–6537 [6433–6437]
DOI: 10.1002/ange.200801673
- Reamer, R. A. (Z) 4202–4204 [4134–4136]
- Rebek Jr., J.
– Gas Behavior in Self-Assembled Capsules (Z) 6148–6150 [6059–6061]
DOI: 10.1002/ange.200802023
- Reboul, J. (Z) 8561–8565 [8433–8437]
- Rech, J. C. (Z) 7427–7430 [7317–7320]
- Reddy, D. S. (Z) 170–174 [164–168]
- Reece, J. N. (Z) 10008–10013 [9860–9865]
- Reed, C. A.
– The Low Basicity of Phosphabenzene: First Examples of Protonation, Alkylation, and Silylation Reactions (Z) 3861–3864 [3801–3804]
DOI: 10.1002/ange.200800878
- Reek, J. N. H.
– METAMORPhos: Adaptive Supramolecular Ligands and Their Mechanistic Consequences for Asymmetric Hydrogenation (Z) 3224–3227 [3180–3183]
DOI: 10.1002/ange.200705212
- Reese, M. (Z) 7850–7854 [7736–7740]
- Reetz, M. T.
– Kombinatorische Übergangsmetallkatalyse: Mischungen einzähniger Liganden zur Kontrolle der Enantio-, Diastereo- und Regioselektivität (A) 2592–2626 [2556–2588]
DOI: 10.1002/ange.200704327
- Reetz, M. T. (Z) 5163–5166 [5085–5088]
- Reibenspies, J. H. (Z) 9634–9637 [9492–9495]
- Reichard, H. A. (Z) 7955–7958 [7837–7840]
- Reichold, R. (Z) 2174–2177 [2143–2146]
- Reiher, M.
– Wichtig für die Begriffsfindung in der Computerchemie (K) 7283–7284 [7171]
DOI: 10.1002/ange.200802506
- Reijerse, E. (Z) 7003–7005 [6897–6899]
- Reilly, J. P.
– Does a Charge Tag Really Provide a Fixed Charge? (Z) 2497–2499 [2463–2465]
DOI: 10.1002/ange.200705048
- Reiman, S. (Z) 3039–3041 [2997–2999]
- Rein, F. N. (Z) 513–516 [503–506]
- Reiner, C. (Z) 767–770 [755–758]
- Reinhart, C. (Z) 1692–1695 [1668–1671]
- Reinhoudt, D. N.
– Heterogeneous Catalysis through Microcontact Printing (Z) 10075–10080 [9927–9932]
DOI: 10.1002/ange.200803480
- Reinnig, M.-C. (K) 3741–3744 [3683–3686]
- Reisenauer, H. P. (Z) 7179–7182 [7071–7074]
- Reisinger, C. M. (Z) 8232–8235 [8112–8115]
- Reiter, R. C. (Z) 8842–8846 [8714–8718]
- Reitzig, M. (Z) 7994–7997 [7876–7879]
- Remy, P. (Z) 1892–1896 [1866–1870]
- Ren, G. (Z) 5701–5704 [5619–5622]
- Ren, J.
– Virion-Mimicking Nanocapsules from pH-Controlled Hierarchical Self-Assembly for Gene Delivery (Z) 1280–1284 [1260–1264]
DOI: 10.1002/ange.200703203
- Ren, X. (Z) 7986–7989 [7868–7871]
- Ren, Y.-P. (Z) 2432–2435 [2398–2401]
- Renard, P.-Y. (Z) 4292–4295 [4224–4227]
- Renault, J. P.
– Finite Size Effects on Hydrogen Bonds in Confined Water (Z) 8153–8155 [8033–8035]
DOI: 10.1002/ange.200802630
- Rendler, S. (H) 254–257 [248–250], (Z) 6086–6089 [5997–6000]
- Renfrew, A. K. (Z) 3833–3836 [3773–3776]
- Renner, C. (Z) 2174–2177 [2143–2146]
- Renner, S. (Z) 6573–6577 [6473–6477]
- Rentschler, E. (Z) 6304–6307 [6208–6211]
- Repetto, P. (A) 6638–6650 [6538–6549]
- Repo, T.
– Einfache heterolytische H₂-Aktivierung mit Aminen und B(C₆F₅)₃ (Z) 6090–6092 [6001–6003]
DOI: 10.1002/ange.200800935
- Resnati, G.
– Halogenbrücken in der supramolekularen Chemie (M) 6206–6220 [6114–6127]
DOI: 10.1002/ange.200800128
- Retailleau, P. (Z) 9008–9012 [8876–8880]
- Retamosa, M. de G. (Z) 6144–6147 [6055–6058]
- Révay, Z. (Z) 9414–9418 [9274–9278]
- Revell, J. D. (Z) 1897–1900 [1871–1874]
- Rey, F. (Z) 1096–1099 [1080–1083]
- Rey, C. (Z) 8782–8784 [8654–8656]
- Reza Halvagar, M. (Z) 1981–1983 [1955–1957]
- Rhee, A. (Z) 5659–5663 [5577–5581]
- Rhee, Y. H.
– Gold(I)-Catalyzed Cycloisomerization of 3-Methoxy-1,6-enynes Featuring Tandem Cyclization and [3,3]-Sigmatropic Rearrangement (Z) 2295–2298 [2263–2266]
DOI: 10.1002/ange.200705117
- Rheingold, A. L. (Z) 5153–5156 [5075–5078]
- Rheinländer, B. (Z) 6272–6274 [6177–6179]
- Rho, H. S. (Z) 7990–7993 [7872–7875]
- Ribelin, T. (Z) 6329–6331 [6233–6235]
- Ribó, M. (Z) 7878–7881 [7764–7767]
- Ricard, L. (Z) 1458–1460 [1436–1438]
- Ricci, A.
– Organocatalytic Asymmetric Diels–Alder Reactions of 3-Vinylindoles (Z) 9376–9379 [9236–9239]
DOI: 10.1002/ange.200804275
- Richardson, C. (Z) 8610–8614 [8482–8486]
- Richardson, R. M. (Z) 3886–3889 [3826–3829]
- Richert, C.
– Chemical Primer Extension in Seconds (Z) 6154–6157 [6065–6068]
DOI: 10.1002/ange.200801260
- Richter, M. E. A. (Z) 9004–9007 [8872–8875]
- Richtering, W.
– Interplay between Hydrogen Bonding and Macromolecular Architecture Leading to Unusual Phase Behavior in Thermosensitive Microgels (Z) 344–347 [338–341]
DOI: 10.1002/ange.200703728
- Richthammer, P. (Z) 1753–1756 [1729–1732]
- Riedel, D. (Z) 5124–5126 [5046–5048]
- Riedel, S. (Z) 8759–8761 [8631–8633]
- Riedlinger, J. (Z) 3302–3305 [3258–3261]
- Riedrich, M. (H) 4864–4867 [4785–4788]
- Rief, M. (Z) 8314–8317 [8192–8195]
- Rieger, B.
– Einfache heterolytische H₂-Aktivierung mit Aminen und B(C₆F₅)₃ (Z) 6090–6092 [6001–6003]
DOI: 10.1002/ange.200800935
- Teilsotaktisches Poly(hydroxybutyrat) aus racemischem β-Butyrolacton: Mikrostrukturkontrolle durch achirale Chrom(III)-Salophen-Komplexe (Z) 3508–3510 [3458–3460]
DOI: 10.1002/ange.200703859
- Rieger, J. C. (Z) 7955–7958 [7837–7840]
- Riehm, T. (Z) 2448–2451 [2414–2417]
- Riek, R. (Z) 5923–5925 [5839–5841]
- Rienstra, C. M.
– Rapid Analysis of Organic Compounds by Proton-Detected Heteronuclear Correlation NMR Spectroscopy with 40 kHz

- Magic-Angle Spinning
(Z) 7438–7441 [7328–7331]
DOI: 10.1002/ange.200802108
- Riesco-Fagundo, C. (Z) 1146–1149 [1130–1133], 9049–9051 [8917–8919]
- Righini, R. (Z) 8153–8155 [8033–8035]
- Rigo, P. (Z) 4434–4437 [4362–4365]
- Rijs, A. M. (Z) 3218–3223 [3174–3179]
- Riman, R. E. (Z) 6138–6140 [6049–6051]
- Rinaldi, R. (Z) 8167–8170 [8047–8050]
- Ringe, A. (Z) 5324–5327 [5246–5249]
- Rios, R. (Z) 8596–8600 [8468–8472]
- Ripmeester, J. A.
– A Channel-Free Soft-Walled Capsular Calixarene Solid for Gas Adsorption
(Z) 5698–5700 [5616–5618]
DOI: 10.1002/ange.200800071
– Dissociation Behavior of Clathrate Hydrates to Ice and Dependence on Guest Molecules
(Z) 1296–1299 [1276–1279]
DOI: 10.1002/ange.200703718
– Transformation of the Hexagonal-Structure Clathrate Hydrate of Cyclooctane to a Low-Symmetry Form Below 167 K
(Z) 9850–9853 [9704–9707]
DOI: 10.1002/ange.200801694
- Riskin, M. (Z) 4488–4492 [4416–4420]
- Riss, A. (Z) 1518–1522 [1496–1499]
- Rissanen, K.
– An Unlockable–Relockable Iron Cage by Subcomponent Self-Assembly
(Z) 8421–8425 [8297–8301]
DOI: 10.1002/ange.200803066
- Rissanen, K. (Z) 800–804 [788–792]
- Ritala, M. (Z) 7552–7555 [7442–7445]
- Ritchie, C. (Z) 5691–5694 [5609–5612], 6987–6990 [6881–6884]
- Ritter, C. (Z) 5824–5829 [5740–5745]
- Ritter, H.
– Pseudopolyanionen aus Poly(NIPAA-*co*- β -Cyclodextrinmethacrylat) und ioni-schen Flüssigkeiten
(Z) 3484–3486 [3435–3437]
DOI: 10.1002/ange.200704995
- Ritter, T.
– Palladiumvermittelte Fluorierung von Arylboronsäuren
(Z) 6082–6085 [5993–5996]
DOI: 10.1002/ange.200802164
- Rittweger, E. (Z) 2725–2728 [2685–2688]
- Robert, T. (Z) 7832–7835 [7718–7721]
- Roberts, A. J. (Z) 1798–1800 [1774–1776]
- Robertson, N.
– Lichtsammelsysteme für Farbstoffsolarzellen
(H) 1028–1030 [1012–1014]
DOI: 10.1002/ange.200704538
- Robles, R. (Z) 7625–7629 [7515–7519]
- Roccatano, D. (Z) 7137–7139 [7029–7031]
- Rocha, J.
– Metal–Organic Nanoporous Structures with Anisotropic Photoluminescence and Magnetic Properties and Their Use as Sensors
(Z) 1096–1099 [1080–1083]
DOI: 10.1002/ange.200704702
- Rocha, R. C.
– Observation of Three Intervalence-Transfer Bands for a Class II–III Mixed-Valence Complex of Ruthenium
(Z) 513–516 [503–506]
DOI: 10.1002/ange.200702760
- Rocha, S. (Z) 3420–3423 [3372–3375]
- Rochat, R. (Z) 4956–4959 [4878–4881]
- Roche, S. P. (Z) 6946–6948 [6840–6842]
- Rocquefelte, X. (Z) 2333–2336 [2301–2303]
- Rodríguez, F. (Z) 7152–7155 [7044–7047], 7464–7467 [7354–7357]
- Rodríguez, J. A.
– Dissociation of SO₂ on Au/TiC(001): Effects of Au–C Interactions and Charge Polarization
(Z) 6787–6791 [6685–6689]
DOI: 10.1002/ange.200801027
- Rodríguez, M. (Z) 5914–5916 [5830–5832]
- Rodríguez, N. (Z) 3085–3088 [3043–3045], (A) 3144–3164 [3100–3120]
- Rodríguez, R. (Z) 2717–2720 [2677–2680]
- Rodríguez-Blanco, C. (Z) 1883–1886 [1857–1860]
- Roeffaers, M. B. J. (Z) 2855–2858 [2813–2816]
- Roesler, R.
– Unusual B₄N₂C₂ Ligand in a Ruthenium Pseudo-Triple-Decker Sandwich Complex Displaying Three Reversible Electron-Transfer Steps
(Z) 367–370 [361–364]
DOI: 10.1002/ange.200703556
- Rogach, A. L. (A) 6638–6650 [6538–6549]
- Rogers, E. W. (Z) 8206–8209 [8086–8089]
- Rogers, J. A.
– Halbleiterdrähte und -bänder als flexible Bauelemente für die Hochleistungselektronik
(A) 5606–5624 [5524–5542]
DOI: 10.1002/ange.200703238
– Seeing Molecules by Eye: Surface Plasmon Resonance Imaging at Visible Wavelengths with High Spatial Resolution and Submonolayer Sensitivity
(Z) 5091–5095 [5013–5017]
DOI: 10.1002/ange.200800501
- Rogers, S. A. (Z) 5307–5309 [5229–5231]
- Rogers-Evans, M.
– Spirocyclic Oxetanes: Synthesis and Properties
(Z) 4588–4591 [4512–4515]
DOI: 10.1002/ange.200800450
- Rogez, G.
– Single-Molecule Magnets with Mesomorphic Lamellar Ordering
(Z) 500–505 [490–495]
DOI: 10.1002/ange.200704460
- Röglin, L. (Z) 3302–3305 [3258–3261], 7228–7231 [7119–7122]
- Rogov, V. A. (Z) 4635–4638 [4559–4562]
- Rohbogner, C. J. (Z) 1526–1530 [1503–1507]
- Rohde, H. (Z) 6912–6915 [6807–6810]
- Rohde, J.-U. (Z) 9211–9214 [9071–9074]
- Rohde, R. D. (Z) 10075–10080 [9927–9932]
- Rohmer, M.-M.
– A Tale of Two Isomers (Continued): Is the Phenyl Hydride Complex of Chromium More Stable than Its Benzene-Bridged Isomer?
(Z) 5679–5681 [5597–5599]
DOI: 10.1002/ange.200801032
- Roizen, J. L. (Z) 6979–6982 [6873–6876]
- Rokita, S. E.
– Immortalizing a Transient Electrophile for DNA Cross-Linking
(Z) 1311–1313 [1291–1293]
DOI: 10.1002/ange.200704137
- Rokob, T. A. (Z) 2469–2472 [2435–2438]
- Rolff, M. (H) 2378–2381 [2344–2347]
- Romanelli, M. (Z) 6138–6140 [6049–6051]
- Romano, A. (Z) 517–520 [507–510]
- Romano, J. J. (Z) 9244–9247 [9104–9107]
- Romano, R. M. (Z) 10268–10272 [10114–10118]
- Romanov, S. G. (A) 6638–6650 [6538–6549]
- Romero, I.
– Ru-Hbpp-Based Water-Oxidation Catalysts Anchored on Conducting Solid Supports
(Z) 5914–5916 [5830–5832]
DOI: 10.1002/ange.200704912
- Romerosa, A.
– A Water Soluble Diruthenium–Gold Organometallic Microgel
(Z) 8793–8797 [8665–8669]
DOI: 10.1002/ange.200803232
- Rominger, F. (Z) 3503–3507 [3454–3457]
- Romo, D.
– Enantioselective Synthesis of (+)-Monobromophakellin and (+)-Phakellin: A Concise Phakellin Annulation Strategy Applicable to Palau'amine
(Z) 1304–1306 [1284–1286]
DOI: 10.1002/ange.200703998
– Highly Diastereoselective, Tandem, Three-Component Synthesis of Tetrahydrofurans from Ketoaldehydes via Silylated β -Lactone Intermediates
(Z) 5104–5107 [5026–5029]
DOI: 10.1002/ange.200800235
- Romo-Herrera, J. M. (Z) 2990–2995 [2948–2953]
- Roos, B. O. (Z) 5446–5450 [5366–5370]
- Rooshenas, P. (Z) 8824–8827 [8696–8699]
- Roscini, C. (Z) 2315–2318 [2283–2286]
- Rose, B. D. (Z) 8842–8846 [8714–8718]
- Rose, F. J. (Z) 1936–1938 [1910–1912]
- Rosen, E. L. (Z) 2299–2302 [2267–2270]
- Rosenau, F. (Z) 5163–5166 [5085–5088]
- Rosenau, T. (Z) 10014–10017 [9866–9869]
- Rosenauer, A. (Z) 9078–9082 [8946–8949]
- Rosenbach Jr., N. (Z) 6713–6717 [6611–6615]
- Rosenthal, U.
– Neuland entdecken – fünfgliedrige Metal-lacyclen und ihre Reaktionen
(H) 5196–5199 [5118–5121]
DOI: 10.1002/ange.200801571
- Ross III, C. W. (Z) 9244–9247 [9104–9107]
- Rosseinsky, M. J. Berichtigung: 1183
- Rosseinsky, M. J.
– Ein direkter Zugang zu metastabilen Festkörpern
(H) 8907–8910 [8778–8780]
DOI: 10.1002/ange.200802365
- Rossel, T. (Z) 1422–1426 [1400–1404]
- Rossmeisl, J. (Z) 4761–4764 [4683–4686]
- Rosspeintner, A. (Z) 974–976 [960–962]
- Rotello, V. M.
– Effiziente Erkennung von Bakterien mit Goldnanopartikel-Poly(*para*-phenylene-thinylene)-Konstrukten
(Z) 2628–2632 [2590–2594]
DOI: 10.1002/ange.200703369
- Roth, A. (H) 7700–7703 [7588–7591]
- Rothmund, S. (Z) 3698–3701 [3642–3645]
- Rothenberg, G.
– Cat-in-a-Cup: Facile Separation of Large Homogeneous Catalysts
(Z) 5487–5490 [5407–5410]
DOI: 10.1002/ange.200801116
- Rothgaengel, C. (Z) 10127–10129 [9979–9981]
- Röthlingshöfer, M. (Z) 6154–6157 [6065–6068]
- Rotter, M. (Z) 8067–8070 [7949–7952]

- Roulland, E.
- Total Synthesis of (+)-Oocycin A: Application of the Suzuki–Miyaura Cross-Coupling of 1,1-Dichloro-1-alkenes with 9-Alkyl 9-BBN (Z) 3822–3825 [3762–3765]
DOI: 10.1002/ange.200800585
- Roussel, C. (Z) 2686–2688 [2646–2648]
- Rovira, C. (Z) 1887–1891 [1861–1865]
- Rovis, T.
- Nicht ganz unbeteiligt: der Einfluss von Olefinen auf übergangsmetallkatalysierte Kreuzkupplungen (A) 852–884 [840–871]
DOI: 10.1002/ange.200700278
- Rowan, A. E. (Z) 2465–2468 [2431–2434]
- Rowley, J. M. (Z) 6130–6133 [6041–6044]
- Roy, S. (Z) 6287–6289 [6192–6194]
- Roy, V. A. L. (Z) 10043–10047 [9895–9899]
- Roy, X. (Z) 521–524 [511–514]
- Rozkiewicz, D. I. (Z) 10075–10080 [9927–9932]
- Rozzell, D. (Z) 9477–9480 [9337–9340]
- Ruani, G. (Z) 8724–8728 [8596–8600]
- Ruben, M.
- Micro- and Nanopatterning of Spin-Transition Compounds into Logical Structures (Z) 8724–8728 [8596–8600]
DOI: 10.1002/ange.200802085
- Ruben, M. (Z) 8967–8970 [8835–8838]
- Rubenbauer, P. (Z) 10260–10263 [10106–10109]
- Ruck, M.
- The Molecular Cluster $[\text{Bi}_{10}\text{Au}_2](\text{SbBi}_2\text{Br}_9)_2$ (Z) 3996–3999 [3932–3935]
DOI: 10.1002/ange.200800142
- Ruck, R. T.
- Palladium-Catalyzed Tandem Heck Reaction/C–H Functionalization—Preparation of Spiro-Indane-Oxindoles (Z) 4789–4792 [4711–4714]
DOI: 10.1002/ange.200800549
- Ruda, H. E.
- Synthesis and Lithographic Patterning of FePt Nanoparticles Using a Bimetallic Metallopolyyne Precursor (Z) 1275–1279 [1255–1259]
DOI: 10.1002/ange.200703199
- Rudd, M. T. (Z) 9244–9247 [9104–9107]
- Rudenstine, N. L.
- *Jeremy R. Knowles* (N) 8900–8901 [8772–8773]
DOI: 10.1002/ange.200804809
- Rudin, M. (Z) 3240–3245 [3196–3201]
- Rudler, H.
- Overall “Pseudocationic” Trifluoromethylation of Dihydropyridines with Triflic Anhydride (Z) 6949–6952 [6843–6846]
DOI: 10.1002/ange.200801879
- Rudolphi, F. (Z) 3085–3088 [3043–3045]
- Rudyk, H. (Z) 2850–2854 [2808–2812]
- Rueping, M.
- Asymmetrische Brønsted-Säure-Katalyse: enantioselektive nucleophile Substitutionen und 1,4-Additionen (Z) 603–606 [593–596]
DOI: 10.1002/ange.200703668
 - Asymmetrische Iminiumionenkatalyse: ein enantioselektiver Zugang zu Pyranonaphthochinonen und β -Lapachonen (Z) 3089–3092 [3046–3049]
DOI: 10.1002/ange.200705110
 - Eine hoch enantioselektive Brønsted-Säure-katalysierte Reaktionskaskade (Z) 5920–5922 [5836–5838]
DOI: 10.1002/ange.200801435
 - Eine hoch enantioselektive organokatalytische Carbonyl-En-Reaktion mit chiralen, stark aciden Brønsted-Säuren als effizienten Katalysatoren (Z) 6903–6906 [6798–6801]
DOI: 10.1002/ange.200802139
 - Katalytische asymmetrische Aminoalliylierung von Aldehyden – eine katalytische enantioselektive Aza-Cope-Umlagerung (Z) 10244–10247 [10090–10093]
DOI: 10.1002/ange.200803610
- Ruff, Y. (Z) 3612–3615 [3556–3559]
- Ruhlmann, L.
- Unprecedented Replacement of Bridging Oxygen Atoms in Polyoxometalates with Organic Imido Ligands (Z) 2666–2670 [2626–2630]
DOI: 10.1002/ange.200704546
- Ruiz-García, R. (Z) 4279–4284 [4211–4216]
- Ruiz-Molina, D.
- Valence-Tautomeric Metal–Organic Nanoparticles (Z) 1883–1886 [1857–1860]
DOI: 10.1002/ange.200705263
- Rumpler, A. (Z) 2705–2707 [2665–2667]
- Runge, M. B. (Z) 949–953 [935–939]
- Ruoslahti, E. (Z) 7394–7398 [7284–7288]
- Rurack, K.
- Ein kernmodifiziertes Rubyrin mit *meso*-Aryl-Substituenten und Phenanthren-anelierten Pyrrolringen als hoch konjugierter NIR-Farbstoff und Hg^{2+} -Sonde (Z) 199–203 [193–197]
DOI: 10.1002/ange.200702854
- Ruspig, C. (Z) 2151–2156 [2121–2126]
- Russell, D. A.
- Imaging of Latent Fingerprints through the Detection of Drugs and Metabolites (Z) 10321–10324 [10167–10170]
DOI: 10.1002/ange.200804348
- Russell, R. J. M. (Z) 5437–5441 [5357–5361]
- Russo, B. (Z) 2436–2440 [2402–2406]
- Russo, L. (Z) 743–746 [731–734], 6304–6307 [6208–6211]
- Rutjes, F. P. J. T.
- High-Pressure Entry into Platencin (Z) 6678–6680 [6576–6578]
DOI: 10.1002/ange.200802912
- Ruzgas, T. (Z) 7380–7384 [7270–7274]
- Ryde, U. (Z) 9680–9684 [9537–9541]
- Ryu, H. J. (Z) 7751–7755 [7639–7643]
- Ryu, S.
- Directed Surface Overgrowth and Morphology Control of Polyhedral Gold Nanocrystals (Z) 775–779 [763–767]
DOI: 10.1002/ange.200704094
- S, S. (Z) 7416–7419 [7306–7309]
- Saalfrank, R. W.
- Supramolekulare Koordinationschemie – Synergie von Zufallsentdeckung und rationalem Design (A) 8924–8956 [8794–8824]
DOI: 10.1002/ange.200702075
 - Template and pH-Mediated Synthesis of Tetrahedral Indium Complexes $[\text{Cs} \subset \{\text{In}_4(\text{L})_4\}^+]$ and $[\text{In}_4(\text{H}^{\text{NL}}\text{L})_4]^{4+}$: Breaking the Symmetry of *N*-Centered $\text{C}_3(\text{L})^{3-}$ To Give Neutral $[\text{In}_4(\text{L})_4]$ (Z) 9073–9077 [8941–8945]
DOI: 10.1002/ange.200804225
- Sabaté, R. (Z) 5923–5925 [5839–5841]
- Saccà, B.
- Hochdurchsatz-Analyse der Selbstorganisation von DNA- Nanostrukturen in Echtzeit mittels FRET-Spektroskopie (Z) 2165–2168 [2135–2137]
DOI: 10.1002/ange.200704836
- Sachtler, J. W. A. (Z) 896–901 [882–887]
- Sadakane, M.
- Molybdenum–Vanadium-Based Molecular Sieves with Microchannels of Seven-Membered Rings of Corner-Sharing Metal Oxide Octahedra (Z) 2527–2530 [2493–2496]
DOI: 10.1002/ange.200705448
- Sadighi, J. P. (Z) 9069–9072 [8937–8940]
- Sadler, P. J.
- Metal and Ligand Control of Sulfonate Reactivity: Arene Ruthenium Thiolato-Mono-*S*-Oxides (Z) 3050–3053 [3008–3011]
DOI: 10.1002/ange.200705342
 - Periodic Iron Nanomineralization in Human Serum Transferrin Fibrils (Z) 2249–2253 [2217–2221]
DOI: 10.1002/ange.200705723
- Sadow, A. D. (Z) 4956–4959 [4878–4881]
- Sadownik, J. W. (Z) 10113–10118 [9965–9970]
- Sadowska, J. M. (Z) 684–688 [672–676]
- Saez, I. M. (A) 2794–2828 [2754–2787]
- Saffon-Merceron, N. (Z) 7640–7643 [7530–7533]
- Safonova, O. V. (Z) 9400–9404 [9260–9264]
- Sagae, H. (Z) 1332–1336 [1312–1316]
- Sagara, Y. (Z) 5253–5256 [5175–5178]
- Sagdeev, R. (Z) 7003–7005 [6897–6899]
- Saigo, K.
- Two-Component Liquid Crystals as Chiral Reaction Media: Highly Enantioselective Photodimerization of an Anthracene Derivative Driven by the Ordered Microenvironment (Z) 8365–8369 [8241–8245]
DOI: 10.1002/ange.200803242
- Saillard, J.-Y. (Z) 8815–8819 [8687–8691]
- Sailor, M. J.
- Micellar Hybrid Nanoparticles for Simultaneous Magnetofluorescent Imaging and Drug Delivery (Z) 7394–7398 [7284–7288]
DOI: 10.1002/ange.200801810
- Sainiemi, L. (Z) 7552–7555 [7442–7445]
- Saito, M. (Z) 2638–2642 [2600–2603]
- Saito, Shohei (Z) 693–696 [681–684], 9803–9806 [9657–9660]
- Saito, Susumu
- Rh^{I} -Catalyzed Hydration of Organonitriles under Ambient Conditions (Z) 3663–3665 [3607–3609]
DOI: 10.1002/ange.200800366
- Sajiki, H.
- Mild and Efficient H/D Exchange of Alkanes Based on C–H Activation Catalyzed by Rhodium on Charcoal



- (Z) 5474–5477 [5394–5397]
DOI: 10.1002/ange.200800941
- Sakaguchi, N. (Z) 2527–2530 [2493–2496]
Sakaguchi, S. (Z) 9466–9469 [9326–9329]
Sakai, N. (Z) 3787–3789 [3727–3729], (H) 9745–9749 [9603–9607]
Sakai, Takafumi
– DNA Introduction into Living Cells by Water Droplet Impact with an Electro-spray Process
(Z) 1451–1453 [1429–1431]
DOI: 10.1002/ange.200704429
- Sakai, Takamasa (Z) 931–934 [917–920], 9179–9183 [9039–9043]
Sakata, I. (Z) 1451–1453 [1429–1431]
Sakurada, K.
– Regenerative Medizin und stammzellbasierte Wirkstoffentwicklung
(A) 5802–5823 [5718–5738]
DOI: 10.1002/ange.200700724
- Sala, X. (Z) 5914–5916 [5830–5832]
Salaklang, J. (Z) 7975–7978 [7857–7860]
Salameh, A. (Z) 2147–2150 [2117–2120]
Salazar, V. (Z) 4452–4455 [4380–4383]
Saleh, N. i.
– Activation and Stabilization of Drugs by Supramolecular pK_a Shifts: Drug-Delivery Applications Tailored for Cucurbiturils
(Z) 5478–5481 [5398–5401]
DOI: 10.1002/ange.200801054
- Salih, K. S. M. (Z) 8620–8623 [8492–8495]
Salitros, I. (Z) 8724–8728 [8596–8600]
Saliu, K. (Z) 4988–4991 [4910–4913], 9702–9706 [9560–9564]
Salles, F. (Z) 6713–6717 [6611–6615], 8615–8619 [8487–8491]
Salmon, L. (Z) 8360–8364 [8236–8240]
Saltiel, J.
– Photoisomerization of *cis,cis*- and *cis,trans*-1,4-Di-*o*-tolyl-1,3-butadiene in Glassy Media at 77 K: One-Bond-Twist and Bicycle-Pedal Mechanisms
(Z) 1257–1260 [1237–1240]
DOI: 10.1002/ange.200704465
- Šaman, D. (Z) 3232–3235 [3188–3191]
Samanta, S. (Z) 6736–6739 [6634–6637]
Sambhy, V. (Z) 1270–1274 [1250–1254]
Sambri, L. (Z) 8828–8830 [8700–8702]
Samec, Z. (Z) 4753–4756 [4675–4678]
Samoc, M. Berichtigung: 639
Samori, B.
– A Polymeric Molecular “Handle” for Multiple AFM-Based Single-Molecule Force Measurements
(Z) 2465–2468 [2431–2434]
DOI: 10.1002/ange.200704526
- Samori, P.
– Light-Powered Electrical Switch Based on Cargo-Lifting Azobenzene Monolayers
(Z) 3455–3457 [3407–3409]
DOI: 10.1002/ange.200705339
- Subnanometer-Resolved Patterning of Bicomponent Self-Assembled Monolayers on Au(111)
(Z) 2518–2522 [2484–2488]
DOI: 10.1002/ange.200704731
- Sanaú, M. (Z) 5272–5275 [5194–5197]
Sánchez, L. (Z) 1110–1113 [1094–1097]
Sanchez, L. (Z) 7751–7755 [7639–7643]
Sanchez-Benitez, J. (Z) 2870–2873 [2828–2831]
Sánchez-Vega, M. G. (Z) 1946–1948 [1920–1922]
Sande, A. J. (Z) 3224–3227 [3180–3183]
Sanders, J. K. M.
– Templated Amplification of an Unexpected Receptor for C_{70}
(Z) 2729–2732 [2689–2692]
DOI: 10.1002/ange.200704983
- Sanders, J. K. M. (Z) 2717–2720 [2677–2680]
Sandhage, K. H.
– 3D Rutile Titania-Based Structures with *Morpho* Butterfly Wing Scale Morphologies
(Z) 8039–8041 [7921–7923]
DOI: 10.1002/ange.200801311
- Sandoval-Chavez, C. (Z) 6949–6952 [6843–6846]
Sankar, J. (Z) 6093–6096 [6004–6007]
Sankir, M. (Z) 6108–6113 [6019–6024]
Sansano, J. M.
– Catalytic Enantioselective 1,3-Dipolar Cycloaddition Reactions of Azomethine Ylides and Alkenes by Using Phosphoramidite–Silver(I) Complexes
(Z) 6144–6147 [6055–6058]
DOI: 10.1002/ange.200801690
- Santamaría, J. (Z) 6321–6324 [6225–6228]
Santi, S.
– Synthesis of the Prototypical Cyclic Metallocene Triad: Mixed-Valence Properties of $[(FeCp)_3(trindenyl)]$ Isomers
(Z) 5411–5414 [5331–5334]
DOI: 10.1002/ange.200801124
- Santiago-Blay, J. A.
– Chemischer Fingerabdruck von fossilen Harzen und rezenten Pflanzenexsudaten
(M) 9750–9760 [9608–9616]
DOI: 10.1002/ange.200705973
- Santiso-Quinones, G. (Z) 7772–7776 [7659–7663]
Santor, F.
– Chemische Selektivität durch Kontrolle der Dynamik angeregter Zustände
(H) 6420–6424 [6322–6325]
DOI: 10.1002/ange.200800898
- Sanz, M. E. (Z) 6312–6316 [6216–6220]
Sanz, R.
– Gold(I)-Catalyzed Tandem Reactions Initiated by 1,2-Indole Migrations
(Z) 7464–7467 [7354–7357]
DOI: 10.1002/ange.200802660
- Sapienza, P. J. (Z) 10346–10348 [10192–10194]
Saraf, R. F.
– Tastsysteme mit künstlichem Tastsinn wie beim menschlichen Finger
(A) 7926–7945 [7808–7826]
DOI: 10.1002/ange.200703693
- Sarangthem, R. S. (Z) 9854–9856 [9708–9710]
Saraogi, I. (Z) 9837–9840 [9691–9694]
Sardo, A. (Z) 713–717 [701–705], 1422–1426 [1400–1404]
Sarkar, B. (Z) 6287–6289 [6192–6194]
Sarkar, P. (Z) 7137–7139 [7029–7031]
Sarma, R. J. (Z) 383–386 [377–380]
Sarpong, R.
– Pronounced Steric Effects of Substituents in the Nazarov Cyclization of Aryl Dienyl Ketones
(Z) 6479–6483 [6379–6383]
DOI: 10.1002/ange.200801542
- Rapid Construction of the Cortistatin Pentacyclic Core
(Z) 6752–6755 [6650–6653]
DOI: 10.1002/ange.200802203
- Sartorel, A. (Z) 7385–7389 [7275–7279]
Saruhashi, K. (Z) 10349–10352 [10195–10198]
Sarver, J. (Z) 10346–10348 [10192–10194]
Sasai, H. (Z) 1476–1479 [1454–1457]
Sasaki, Makoto
– Total Synthesis of (+)-Neopeltolide
(Z) 4815–4817 [4737–4739]
DOI: 10.1002/ange.200801399
- Sasaki, Minoru (Z) 762–766 [750–754]
Sasaki, S. Berichtigung: 9119
Sasaki, Takayoshi (Z) 92–95 [86–89]
Sasaki, Takehiko (Z) 9392–9395 [9252–9255]
Sasaki, Y. (Z) 7534–7537 [7424–7427]
Sass, H. J. (Z) 10018–10022 [9870–9874]
Sasse, F. (Z) 6578–6582 [6478–6482]
Sato, K.
– Macrocyclic High-Spin ($S=2$) Molecule: Spin Identification of a Sterically Rigid Metacyclophane-Based Nitroxide Tetradical by Two-Dimensional Electron Spin Transient Nutation Spectroscopy
(Z) 4052–4054 [3988–3990]
DOI: 10.1002/ange.200705583
- Sato, K. (Z) 2065–2068 [2035–2038]
Sato, S. (Z) 5864–5866 [5780–5782]
Satoh, T.
– Fluorescent Naphthyl- and Anthrylazo-les from the Catalytic Coupling of Phenylazoles with Internal Alkynes through the Cleavage of Multiple C–H Bonds
(Z) 4083–4086 [4019–4022]
DOI: 10.1002/ange.200800924
- Sattler, I.
– Benzopyrenomycin, a Cytotoxic Bacterial Polyketide Metabolite with a Benzo[*a*]pyrene-Type Carbocyclic Ring System
(Z) 4059–4062 [3995–3998]
DOI: 10.1002/ange.200800083
- Sattler, K. (Z) 1664–1668 [1640–1644]
Sauer, J.
– Methanaktivierung durch $(Al_2O_3)_x^+$ ($x=3,4,5$): die Rolle von Sauerstoff-zentrierten Radikalen bei thermischer Abstraktion eines Wasserstoffatoms von Methan
(Z) 1972–1976 [1946–1950]
DOI: 10.1002/ange.200704791
- Sauer, M.
– Fluoreszenzmikroskopie unterhalb der optischen Auflösungsgrenze mit konventionellen Fluoreszenzsonden
(Z) 6266–6271 [6172–6176]
DOI: 10.1002/ange.200802376
- Sauer, M. (Z) 5545–5550 [5465–5469]
Saunders, G. C. (Z) 5121–5123 [5043–5045]
Sautet, P. (Z) 9414–9418 [9274–9278]
Savard, D. (Z) 5900–5903 [5816–5819]
Savran, C. A.
– Rapid Detection of *S*-Adenosyl Homocysteine Using Self-Assembled Optical Diffraction Gratings
(Z) 1067–1069 [1051–1053]
DOI: 10.1002/ange.200703222
- Sawa, H. (Z) 8770–8773 [8642–8645]
Sawai, K. (Z) 7023–7025 [6917–6919]
Sawai, T. (Z) 4052–4054 [3988–3990]
Sawamura, M.
– Self-Assembled Monolayers of Compact Phosphanes with Alkanethiolate Pendant Groups: Remarkable Reusability and Substrate Selectivity in Rh Catalysis
(Z) 5709–5712 [5627–5630]
DOI: 10.1002/ange.200800884
- Synthesis of Optically Active Boron–Silicon Bifunctional Cyclopropane Deriva-

- tives through Enantioselective Copper(I)-Catalyzed Reaction of Allylic Carbonates with a Diboron Derivative (Z) 7534–7537 [7424–7427]
DOI: 10.1002/ange.200802342
- Sawangwan, T. (Z) 10240–10243 [10086–10089]
- Sawayama, J. (Z) 1054–1057 [1038–1041]
- Sawyer, J. R. (Z) 348–351 [342–345]
- Saxena, K. (Z) 6061–6066 [5973–5977]
Saxena, S.
- Electron Spin Resonance Shows Common Structural Features for Different Classes of *EcoRI*–DNA Complexes (Z) 10346–10348 [10192–10194]
DOI: 10.1002/ange.200803588
- Sayalero, S. (Z) 1114–1117 [1098–1101]
- Scandola, F.
- Toward Fluorescent Memories with Non-destructive Readout: Photoswitching of Fluorescence by Intramolecular Electron Transfer in a Diaryl Ethene–Perylene Bis-imide Photochromic System (Z) 6718–6721 [6616–6619]
DOI: 10.1002/ange.200802007
- Scapinello, M. (Z) 5411–5414 [5331–5334]
- Scariot, M. (Z) 9215–9218 [9075–9078]
- Schaack, B. B. (Z) 9232–9235 [9092–9095]
- Schaak, R. E. (Z) 6317–6320 [6221–6224]
- Schaapman, M. C. (Z) 6678–6680 [6576–6578]
- Schaefer III, H. F.
- Die Vorhersage von Molekülen – mehr Realismus bitte! (E) 7276–7279 [7164–7167]
DOI: 10.1002/ange.200801206
- Schäfer, B. (Z) 8352–8355 [8228–8231]
- Schaller, H. F. (Z) 4022–4025 [3958–3961]
- Schalley, C. A.
- Anionen bindende Resorcinaren-Cavitanden: die Bedeutung von C–H... Anion-Wechselwirkungen (Z) 800–804 [788–792]
DOI: 10.1002/ange.200703451
- Schappacher, F. M. (Z) 977–980 [963–966]
- Scharfe, M. (Z) 4671–4676 [4595–4599]
- Schatte, G. (Z) 7164–7167 [7056–7059]
- Schauer, C. K.
- Structural and Spectroscopic Characterization of an Unprecedented Cationic Transition-Metal η^1 -Silane Complex (Z) 4209–4211 [4141–4143]
DOI: 10.1002/ange.200705359
- Schauermann, S.
- Einfluss von Kohlenstoffablagerungen auf die Wasserstoffverteilung in Pd-Nanopartikeln und deren Reaktivität in der Olefinhydrierung (Z) 9430–9434 [9289–9293]
DOI: 10.1002/ange.200801923
- Scheck, R. A. Berichtigung: 7902
- Scheerer, P. (Z) 4831–4833 [4753–4755]
- Scheibel, T.
- Bildung von Mikrokugeln eines rekombinanten Spinnenseidenproteins (Z) 4668–4670 [4592–4594]
DOI: 10.1002/ange.200800683
- Scheiber, H. (Z) 8416–8420 [8292–8296]
- Scheidt, K. A.
- Highly Stereoselective Synthesis of Substituted γ -Lactams from Acylsilanes (Z) 2326–2329 [2294–2297]
DOI: 10.1002/ange.200705229
- Scheidt, W. R.
- Cyanide: A Strong-Field Ligand for Ferromagnetic and Hemoproteins? (Z) 10298–10300 [10144–10146]
DOI: 10.1002/ange.200804116
- Scheifele, Q. (Z) 154–156 [148–150]
- Scheinost, J. C. (Z) 3983–3986 [3919–3922]
- Scheller, F. W. (Z) 3042–3045 [3000–3003]
- Schelter, E. J. (Z) 3035–3038 [2993–2996]
- Schenning, A. P. H. J.
- Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface (Z) 5075–5079 [4997–5001]
DOI: 10.1002/ange.200800255
- Scherb, C. (Z) 5861–5863 [5777–5779]
- Scherer, W.
- Reply (K) 7914–7917 [7798–7801]
DOI: 10.1002/ange.200802616
- Scherf, U.
- Organische Halbleiter für aus Lösung prozessierbare Feldeffekttransistoren (A) 4138–4167 [4070–4098]
DOI: 10.1002/ange.200701920
- Scherman, O. A.
- Supramolekulare Blockcopolymer mit Cucurbit[8]uril in Wasser (Z) 4014–4017 [3950–3953]
DOI: 10.1002/ange.200705591
- Schermelleh, L. (Z) 1538–1541 [1515–1518]
- Scheschkewitz, D.
- Eine neutrale, basenstabilisierte B=B-Bindung: ein Lückenschluss (H) 2021–2023 [1995–1997]
DOI: 10.1002/ange.200705459
- Scheuermann, J. (Z) 3240–3245 [3196–3201]
- Scheurer, A. (A) 8924–8956 [8794–8824], (Z) 9073–9077 [8941–8945]
- Schiaffino, L. (Z) 6938–6941 [6832–6835]
- Schieferstein, H. (Z) 6078–6081 [5989–5992]
- Schiessel, T. (Z) 9481–9484 [9341–9344]
- Schiewek, R. (Z) 10138–10142 [9989–9992]
- Schiffer, A. (Z) 7850–7854 [7736–7740]
- Schilling, K. (Z) 4403–4406 [4331–4334]
- Schilp, S. (Z) 1443–1446 [1421–1424], 6891–6894 [6786–6789]
- Schindler, C. S. (Z) 8984–8987 [8852–8855]
- Schindler, S. (Z) 88–91 [82–85]
- Schleid, T. (Z) 6287–6289 [6192–6194]
- Schlemmer, B. (Z) 9278–9281 [9138–9141]
- Schleyer, P. von R.
- Die Vorhersage von Molekülen – mehr Realismus bitte! (E) 7276–7279 [7164–7167]
DOI: 10.1002/ange.200801206
- Schlichting, I.
- Röntgenkristallstruktur und Mechanismus der DNA-(6-4)-Photolyase (Z) 10230–10234 [10076–10080]
DOI: 10.1002/ange.200804268
- Schlögl, R. (Z) 1669–1673 [1645–1649], 5083–5086 [5005–5008], 9414–9418 [9274–9278]
- Schlösser, M. (Z) 767–770 [755–758]
- Schmalz, H.-G.
- Enantioselective Cu-Catalyzed 1,4-Addition of Grignard Reagents to Cyclohexenone Using Taddol-Derived Phosphine–Phosphite Ligands and 2-Methyl-THF as a Solvent (Z) 7832–7835 [7718–7721]
DOI: 10.1002/ange.200803247
- Schmid, G.
- Ionisch vernetzte Goldcluster und Goldnanopartikel (H) 3548–3550 [3496–3498]
DOI: 10.1002/ange.200800506
- Schmid, H. A. (Z) 2633–2637 [2595–2599]
- Schmidt, M. (Z) 5930–5934 [5846–5850]
- Schmidt, M. A. (Z) 1507–1509 [1485–1487]
- Schmidt, M. F. (Z) 3319–3323 [3275–3278]
- Schmidt, R. (Z) 4605–4608 [4529–4532]
- Schmidt, R. R. Berichtigung: 5357
- Schmidt, S. (Z) 5536–5540 [5456–5460]
- Schmidt, T. L. (Z) 981–984 [967–970]
- Schmidt, W. (Z) 4018–4021 [3954–3957]
- Schmidt-Grund, R. (Z) 6272–6274 [6177–6179]
- Schmitkamp, M. (Z) 7449–7451 [7339–7341]
- Schmitt, E. (Z) 7662–7667 [7551–7556]
- Schmitt, J.-L. (Z) 2267–2271 [2235–2239]
- Schmitt, W.
- Hybrid Organic–Inorganic Polyoxometalates: Functionalization of V^{IV}/V^V Nanosized Clusters to Produce Molecular Capsules (Z) 7010–7014 [6904–6908]
DOI: 10.1002/ange.200801770
- Schmittl, M.
- Vielfalt und Komplexität durch reversible vielfach-orthogonale Wechselwirkungen in Mehrkomponentensystemen (H) 5364–5366 [5284–5286]
DOI: 10.1002/ange.200800583
- Schmittl, M. (Z) 4785–4788 [4707–4710]
- Schmitz, A. (Z) 9707–9710 [9565–9568]
- Schmitz, O. J.
- Ein universeller Ionisationsmarker für die APLI-(TOF)MS-Analyse von kleinen Molekülen und Polymeren (Z) 10138–10142 [9989–9992]
DOI: 10.1002/ange.200804106
- Schmuki, P.
- Growth of Aligned TiO_2 Bamboo-Type Nanotubes and Highly Ordered Nanolace (Z) 1942–1945 [1916–1919]
DOI: 10.1002/ange.200704144
- Lattice Widening in Niobium-Doped TiO_2 Nanotubes: Efficient Ion Intercalation and Swift Electrochromic Contrast (Z) 8052–8055 [7934–7937]
DOI: 10.1002/ange.200802598
- Schnakenburg, G. (Z) 5883–5886 [5799–5802], 7236–7240 [7127–7131]
- Schneider, A. (Z) 9676–9679 [9533–9536]
- Schneider, C.
- Enantioselective, Brønsted-Säure-katalysierte, vinyloge Mannich-Reaktion (Z) 3687–3690 [3631–3634]
DOI: 10.1002/ange.200800103
- Schneider, J. (Z) 4588–4591 [4512–4515]
- Schneider, J. J.
- Ein nanostrukturierter chemischer Reaktor in Chipgröße (Z) 9092–9095 [8958–8960]
DOI: 10.1002/ange.200802954
- Schneider, K. (Z) 3302–3305 [3258–3261]
- Schneider, S. (Z) 10230–10234 [10076–10080]
- Schneider, W.-D. (Z) 1092–1095 [1076–1079]
- Schnepf, A. (Z) 8323–8328 [8201–8206]
- Schnitzler, T. (Z) 795–799 [783–787]
- Schnöckel, H.
- $MgCl$ und Mg_2Cl_2 : von theoretischen und thermodynamischen Überlegungen zur Spektroskopie und Chemie von Mg–Mg–

- Spezies
(Z) 8868–8872 [8740–8744]
DOI: 10.1002/ange.200802960
- Si@Al₅₆N(2,6-*i*Pr₂C₆H₃)SiMe₃)₁₂ – der größte neutrale metalloide Aluminiumcluster: ein molekulares Modell für eine Si-arme Al-Si-Legierung?
(Z) 8323–8328 [8201–8206]
DOI: 10.1002/ange.200801585
- Schnorr, J. M. (Z) 1686–1691 [1662–1667]
Schöck, F.
- Editorial: 2007/5000/500/10/2008/120/75/48 → 52/CEJ/CAJ/CMC/CSC – ohne Worte?
5–9 [5–9]
DOI: 10.1002/ange.200705239
- Schödel, A. (Z) 5861–5863 [5777–5779]
Schoeller, W. W.
- The Existence of Two Short-Bond Isomers for Bicyclo[1.1.0]butane Derivatives Based on Boron and Phosphorus
(Z) 161–165 [155–159]
DOI: 10.1002/ange.200704008
- Schofield, C. J.
- Thioester Hydrolysis and C–C Bond Formation by Carboxymethylproline Synthase from the Crotonase Superfamily
(Z) 9462–9465 [9322–9325]
DOI: 10.1002/ange.200803906
- Schöllhorn, B.
- Electrochemically Driven Release of Picomole Amounts of Calcium Ions with Temporal and Spatial Resolution
(Z) 5289–5292 [5211–5214]
DOI: 10.1002/ange.200705274
- Scholten, J. D. (Z) 9215–9218 [9075–9078]
Scholz, R. (Z) 7112–7116 [7004–7008]
Schönberger, M. (Z) 6078–6081 [5989–5992]
Schoonheydt, R. A.
- Zeolithkristalle: Morphologie und Katalyse
(H) 9328–9331 [9188–9191]
DOI: 10.1002/ange.200801327
- Schowalter, M. (Z) 9078–9082 [8946–8949]
Schrader, W. (Z) 9232–9235 [9092–9095]
Schreiber, S. L.
- Der optimale Molekülsatz für Screening-Anwendungen: eine Synthesestrategie
(M) 52–61 [48–56]
DOI: 10.1002/ange.200703073
- Schreiner, P. R.
- An Interrupted [4 + 3] Cycloaddition Reaction: A Hydride Shift (Ene Reaction) Intervenes
(Z) 8824–8827 [8696–8699]
DOI: 10.1002/ange.200803487
- “Diamonds are a chemist’s best friend”: die großen Geschwister des Adamantans
(A) 1038–1053 [1022–1036]
DOI: 10.1002/ange.200701684
- Enantioselektive kinetische Racematspaltung von *trans*-Cycloalkan-1,2-dien
(Z) 6275–6278 [6180–6183]
DOI: 10.1002/ange.200800641
- Spectroscopic Identification of Dihydroxycarbene
(Z) 7179–7182 [7071–7074]
DOI: 10.1002/ange.200802105
- Schrock, R. R.
- Die katalytische Reduktion von Distickstoff zu Ammoniak mit Molybdän: Theorie und Experiment
(M) 5594–5605 [5512–5522]
DOI: 10.1002/ange.200705246
- Schröder, H. (A) 9762–9792 [9618–9647]
Schröder, H. C. (Z) 4826–4830 [4748–4752]
Schröder, L.
- Molekulare Steuerelemente zur temperaturempfindlichen Depolarisierung in der kernmagnetischen Resonanz
(Z) 4388–4392 [4316–4320]
DOI: 10.1002/ange.200800382
- Schröder, M.
- Outer-Sphere Coordination Chemistry: Selective Extraction and Transport of the [PtCl₆]²⁻ Anion
(Z) 1769–1772 [1745–1748]
DOI: 10.1002/ange.200703272
- Schroeder, H. (Z) 2165–2168 [2135–2137], 4493–4496 [4421–4424]
- Schröter, M.-K. (Z) 7344–7347 [7234–7237]
Schubert, M. (Z) 2169–2173 [2138–2142]
Schubiger, P. A. (Z) 5000–5003 [4922–4925]
Schuetz, A. (Z) 2062–2064 [2032–2034]
Schuler, B.
- Untersuchung von Protein-Chaperon-Wechselwirkungen mit Einzelmolekülspektroskopie
(Z) 6279–6283 [6184–6188]
DOI: 10.1002/ange.200800298
- Schuler, F. (Z) 4588–4591 [4512–4515]
Schuler, M. (Z) 363–366 [357–360], 8045–8048 [7927–7930]
Schultz, D. (Z) 8421–8425 [8297–8301]
Schultz, P. G.
- A Genetically Encoded Boronate-Containing Amino Acid
(Z) 8344–8347 [8220–8223]
DOI: 10.1002/ange.200803240
- Addition of an α -Hydroxy Acid to the Genetic Code of Bacteria
(Z) 734–737 [722–725]
DOI: 10.1002/ange.200704074
- Site-Specific Incorporation of Methyl- and Acetyl-Lysine Analogues into Recombinant Proteins
(Z) 6499–6501 [6399–6401]
DOI: 10.1002/ange.200802336
- Schulz, A.
- Ein blaues homoleptisches Bismut-Stickstoff-Kation
(Z) 9672–9675 [9530–9532]
DOI: 10.1002/ange.200803987
- Ein kationisches cyclisches Phosphor(III)-azid
(Z) 6565–6568 [6465–6468]
DOI: 10.1002/ange.200801674
- Tetrazarsole – eine neue Klasse binärer Arsen-Stickstoff-Heterocyclen
(Z) 614–617 [603–606]
DOI: 10.1002/ange.200704367
- Schulz, C. E. (Z) 10298–10300 [10144–10146]
Schulz, F. (Z) 6090–6092 [6001–6003]
Schulz, S.
- Unerwartete C-C-Bindungsknüpfung und Bildung vierkerniger Zinkcarbodiimidcluster durch Reaktion von ZnMe₂ mit *i*PrN=C=NiPr
(Z) 1535–1537 [1512–1514]
DOI: 10.1002/ange.200704417
- Schulz, T. (Z) 8847–8850 [8719–8722]
Schulz-Dobrick, M. (Z) 2288–2291 [2256–2259]
Schulze Isfort, C. (Z) 6899–6902 [6794–6797]
Schurig, V. (Z) 927–930 [913–916]
Schürmann, M. (Z) 1674–1677 [1650–1653], 2151–2156 [2121–2126], 6975–6978 [6869–6872]
- Schuster, E. M. (Z) 4631–4634 [4555–4558]
Schüth, F.
- Depolymerization of Cellulose Using Solid Catalysts in Ionic Liquids
(Z) 8167–8170 [8047–8050]
DOI: 10.1002/ange.200802879
- Detection of Structural Elements of Different Zeolites in Nucleating Solutions by Electrospray Ionization Mass Spectrometry
(Z) 9232–9235 [9092–9095]
DOI: 10.1002/ange.200803007
- Schüttpelz, M. (Z) 6266–6271 [6172–6176]
Schoor, B. (Z) 3969–3972 [3905–3908]
Schwab, E. (Z) 1499–1502 [1477–1480]
Schwalbe, H. (Z) 1692–1695 [1668–1671], 6061–6066 [5973–5977]
Schwaneberg, U.
- Functionalized Nanocompartments (Synthosomes) with a Reduction-Triggered Release System
(Z) 7137–7139 [7029–7031]
DOI: 10.1002/ange.200801076
- Schwär, G. (Z) 1968–1971 [1942–1945]
Schwartsburd, L. (Z) 3659–3662 [3603–3606]
Schwartzentruber, J. A. (Z) 2675–2678 [2635–2638]
Schwarz, A. (Z) 10240–10243 [10086–10089]
Schwarz, H.
- Methanaktivierung durch (Al₂O₃)_x⁺ ($x = 3,4,5$): die Rolle von Sauerstoff-zentrierten Radikalen bei thermischer Abstraktion eines Wasserstoffatoms von Methan
(Z) 1972–1976 [1946–1950]
DOI: 10.1002/ange.200704791
- Schwarz, N. (Z) 2337–2340 [2304–2307]
Schwarz, U.
- Ein 3D-Netzwerk des vierbindigen Germaniums als Bindeglied zwischen offenen und dichten Elementstrukturen
(Z) 6895–6898 [6790–6793]
DOI: 10.1002/ange.200800914
- Schwarzer, D.
- Chemo-selektive Ligations- und Modifikationsstrategien für Peptide und Proteine
(A) 10182–10228 [10030–10074]
DOI: 10.1002/ange.200801313
- Schwederski, B. (Z) 6287–6289 [6192–6194]
Schweiger, L. F. (Z) 10295–10297 [10141–10143]
Schweizer, W. B. (Z) 4588–4591 [4512–4515], 10235–10239 [10081–10085]
Schwendemann, S. (Z) 7654–7657 [7543–7546]
Schwerdtfeger, P.
- Genaue Schmelztemperaturen für Neon und Argon aus Ab-initio-Monte-Carlo-Simulationen
(Z) 8329–8333 [8207–8210]
DOI: 10.1002/ange.200802743
- Schwertfeger, H. (A) 1038–1053 [1022–1036]
Scopelliti, R. (Z) 1874–1878 [1848–1852]
Sorrano, G. (Z) 7385–7389 [7275–7279]
Scott, B. L. (Z) 3035–3038 [2993–2996], 7442–7444 [7332–7334]
Scott, J. (Z) 8630–8633 [8502–8505]
Scott, M. S. (Z) 1961–1963 [1935–1937]
Scrimin, P.
- Exploiting Neighboring-Group Interactions for the Self-Selection of a Catalytic Unit

- (Z) 2509–2513 [2475–2479]
DOI: 10.1002/ange.200703857
- Scrosati, B. (A) 2972–2989 [2930–2946]
Scrutton, N. S.
– Are Environmentally Coupled Enzymatic Hydrogen Tunneling Reactions Influenced by Changes in Solution Viscosity? (Z) 547–550 [537–540]
DOI: 10.1002/ange.200704484
- Seebach, D.
– Solution Structures of β Peptides from Raman Optical Activity (Z) 6492–6494 [6392–6394]
DOI: 10.1002/ange.200801111
- Seeberger, P. H.
– Semisynthese eines Glycosylphosphatidyl-inositol-verankerten Prionproteins (Z) 8338–8343 [8215–8219]
DOI: 10.1002/ange.200802161
- Seefeldt, B. (Z) 6266–6271 [6172–6176]
- Seeler, F. (Z) 5009–5011 [4931–4933], 6070–6072 [5981–5983]
- Seeliger, M. W. (Z) 3240–3245 [3196–3201]
- Séguin, C. (Z) 1432–1435 [1410–1413]
- Sehler, Y. H. (Z) 3656–3658 [3600–3602]
- Seidel, R. (Z) 8338–8343 [8215–8219]
- Seifert, G. (Z) 9676–9679 [9533–9536]
- Seiple, I. B. (Z) 3634–3636 [3578–3580], 3637–3639 [3581–3583]
- Seisenbaeva, G. A. (Z) 8634–8637 [8506–8509]
- Seiser, T. (Z) 6583–6585 [6483–6485], 9435–9438 [9294–9297]
- Seitsonen, A. P. (Z) 2161–2164 [2131–2134]
- Seitz, O.
– Mehr Spielraum für die native chemische Peptidkupplung (H) 1575–1579 [1553–1556]
DOI: 10.1002/ange.200704886
- Native chemische Verknüpfung mit Valin (Z) 6912–6915 [6807–6810]
DOI: 10.1002/ange.200801590
- Stammlose PNA-Beacons für die empfindliche DNA- und RNA-Detektion mit geringem Hintergrundrauschen (Z) 9697–9701 [9555–9559]
DOI: 10.1002/ange.200803549
- Target-katalysierte Transferreaktionen für den signalverstärkten RNA-Nachweis (Z) 7228–7231 [7119–7122]
DOI: 10.1002/ange.200801355
- Seitz, O. (Z) 3302–3305 [3258–3261]
- Seki, Kazutaka (Z) 5695–5697 [5613–5615]
- Seki, Kenichi (Z) 10349–10352 [10195–10198]
- Seki, Takahiro (Z) 9179–9183 [9039–9043]
- Seki, Tomohiro (Z) 3415–3419 [3367–3371]
- Sekioka, N. (Z) 6783–6786 [6681–6684]
- Sekiya, R.
– A Quadruply Stranded Metallohelicate and Its Spontaneous Dimerization into an Interlocked Metallohelicate (Z) 718–722 [706–710]
DOI: 10.1002/ange.200703162
- Selig, P. (Z) 5160–5162 [5082–5084]
- Sellin, D. (Z) 4757–4760 [4679–4682]
- Sels, B. F. (Z) 1499–1502 [1477–1480], 2855–2858 [2813–2816]
- Selvapalam, N. (Z) 3400–3403 [3352–3355]
- Sen, A.
– Antibacterial and Hemolytic Activities of Pyridinium Polymers as a Function of the Spatial Relationship between the Positive Charge and the Pendant Alkyl Tail (Z) 1270–1274 [1250–1254]
DOI: 10.1002/ange.200702287
- Senami, K. (Z) 3847–3850 [3787–3790]
- Sénèque, O.
– Cyclic Peptides Bearing a Side-Chain Tail: A Tool to Model the Structure and Reactivity of Protein Zinc Sites (Z) 6994–6997 [6888–6891]
DOI: 10.1002/ange.200800677
- Sénèque, O. (Z) 727–729 [715–717]
- Sengelaub, C. A. (Z) 3829–3832 [3769–3772]
- Seniori Costantini, S. (Z) 4497–4499 [4425–4427]
- Seo, D. (Z) 775–779 [763–767]
- Seo, G.
– Cucurbit[6]uril: Organic Molecular Porous Material with Permanent Porosity, Exceptional Stability, and Acetylene Sorption Properties (Z) 3400–3403 [3352–3355]
DOI: 10.1002/ange.200800772
- Seo, Mi Sook (Z) 3404–3407 [3356–3359]
- Seo, Mun Sik (Z) 5245–5248 [5167–5170]
- Seo, Y.-K. (Z) 4212–4216 [4144–4148]
- Seong, J. E. (Z) 7416–7419 [7306–7309]
- Seppelt, K.
– Neil Bartlett (N) 8685 [8557]
DOI: 10.1002/ange.200804715
- Seppelt, K. (Z) 6561–6564 [6461–6464]
- Serdobintsev, P. Yu. (Z) 4006–4009 [3942–3945]
- Sergeev, A. (Z) 4965–4969 [4887–4891]
- Serov, A. A. (Z) 3306–3310 [3262–3266]
- Serrano, O. (Z) 4452–4455 [4380–4383]
- Serrano Ruiz, M. (Z) 8793–8797 [8665–8669]
- Serre, C. (Z) 4168–4173 [4100–4105], 4212–4216 [4144–4148], 6713–6717 [6611–6615]
- Sessler, J. L.
– Benzene-, Pyrrole-, and Furan-Containing Diametrically Strapped Calix[4]pyrroles—An Experimental and Theoretical Study of Hydrogen-Bonding Effects in Chloride Anion Recognition (Z) 5116–5120 [5038–5042]
DOI: 10.1002/ange.200801426
- Poly(methyl methacrylate)s with Pendant Calixpyrroles and Crown Ethers: Polymeric Extractants for Potassium Halides (Z) 9794–9798 [9648–9652]
DOI: 10.1002/ange.200803970
- Sessler, J. L. (Z) 1139–1142 [1123–1126]
- Sessoli, R.
– Rekord-Hartmagnete: Glauber-Dynamik als Schlüssel zum Verständnis (H) 5590–5592 [5508–5510]
DOI: 10.1002/ange.200801549
- Sethson, I. (Z) 2838–2841 [2796–2799]
- Seto, M. (Z) 6979–6982 [6873–6876]
- Severin, K.
– Multicomponent Assembly of Boronic Acid Based Macrocycles and Cages (Z) 1874–1878 [1848–1852]
DOI: 10.1002/ange.200705272
- Severn, J. R. (Z) 9419–9423 [9279–9283]
- Sevillano, P. (Z) 1346–1351 [1326–1331]
- Shah, S. (Z) 7126–7129 [7018–7021]
- Shaik, S. Berichtigung: 8267
- Shaik, S.
– Experiment and Theory Reveal the Fundamental Difference between Two-State and Single-State Reactivity Patterns in Nonheme Fe^{IV}=O versus Ru^{IV}=O Oxidants (Z) 3404–3407 [3356–3359]
DOI: 10.1002/ange.200705880
- Shaikh, N. S. (Z) 2531–2535 [2497–2501]
- Shaikh, R. R. (Z) 8835–8838 [8707–8710]
- Shair, M. D.
– Enantioselective Synthesis of the Central Ring System of Lomaiviticin A in the Form of an Unusually Stable Cyclic Hydrate (Z) 1704–1708 [1680–1684]
DOI: 10.1002/ange.200704830
- Shaller, A. D. (Z) 7819–7823 [7705–7709]
- Shamala, N.
– Hybrid α Polypeptides: Structural Characterization of a C₁₂/C₁₀ Helix with Alternating Hydrogen-Bond Polarity (Z) 6530–6532 [6430–6432]
DOI: 10.1002/ange.200801665
- Shameema, O. (Z) 5643–5646 [5561–5564]
- Shan, X. (Z) 1922–1925 [1896–1899]
- Shanbhag, S.
– A Temperature-Driven Reversible Phase Transfer of 2-(Diethylamino)ethanethiol-Stabilized CdTe Nanoparticles (Z) 10023–10026 [9875–9878]
DOI: 10.1002/ange.200803582
- Shang, D. (Z) 398–400 [392–394]
- Shantz, D. F. (Z) 562–565 [552–555]
- Shapira, A. (Z) 6368–6370 [6272–6274]
- Shapiro, N. (Z) 2891–2894 [2849–2852]
- Sharma, A. K. (Z) 4781–4784 [4703–4706]
- Sharma, J. (Z) 5235–5237 [5157–5159]
- Sharma, R. (Z) 5096–5099 [5018–5021]
- Shaw, M. L. (Z) 570–573 [560–563]
- Shaw, W. J.
– In Situ Multinuclear NMR Spectroscopic Studies of the Thermal Decomposition of Ammonia Borane in Solution (Z) 7603–7606 [7493–7496]
DOI: 10.1002/ange.200802100
- Shemer, G. (Z) 4933–4935 [4855–4857]
- Shen, C. K.-F. (Z) 1088–1091 [1072–1075]
- Shen, G. (Z) 9611–9613 [9469–9471]
- Shen, L. (Z) 3674–3677 [3618–3621]
- Shen, Meihua (Z) 5134–5137 [5056–5059]
- Shen, Min (Z) 6685–6687 [6583–6585]
- Shen, W.-W. (Z) 4272–4275 [4204–4207]
- Shen, Y.-T. (Z) 6819–6823 [6717–6721]
- Shen, Yang (Z) 330–332 [324–326]
- Shen, Yi (Z) 2259–2262 [2227–2230]
- Shen, Youqing
– Virion-Mimicking Nanocapsules from pH-Controlled Hierarchical Self-Assembly for Gene Delivery (Z) 1280–1284 [1260–1264]
DOI: 10.1002/ange.200703203
- Shen, Zhen
– Ein kernmodifiziertes Rubyrin mit meso-Aryl-Substituenten und Phenanthren-anelierten Pyrrolringen als hoch konjugierter NIR-Farbstoff und Hg²⁺-Sonde (Z) 199–203 [193–197]
DOI: 10.1002/ange.200702854
- Shen, Zhong
– Gold Nanoparticles Coated with a Thermosensitive Hyperbranched Polyelectrolyte: Towards Smart Temperature and pH Nanosensors (Z) 2259–2262 [2227–2230]
DOI: 10.1002/ange.200704572
- Sheng, E. (Z) 1265–1269 [1245–1249]
- Shepperson, I. R. (Z) 5145–5148 [5067–5070]

- Sherburn, M. S.
- Enantioselective Oxazaborolidinium-Catalyzed Diels–Alder Reactions without CH $\cdots$ O Hydrogen Bonding (Z) 7121–7125 [7013–7017]
DOI: 10.1002/ange.200802002
 - One-Step Synthesis and Exploratory Chemistry of [5]Dendralene (Z) 924–926 [910–912]
DOI: 10.1002/ange.200704470
- Sheriff, B. A. (Z) 10075–10080 [9927–9932]
- Sherman, J. C.
- Template-Assembled Synthetic G-Quartets (TASQs) (Z) 4978–4980 [4900–4902]
DOI: 10.1002/ange.200704199
- Shevlin, M. (Z) 4789–4792 [4711–4714]
- Shi, B.-F. (Z) 4960–4964 [4882–4886]
- Shi, J. (Z) 7403–7406 [7293–7296]
- Shi, L. (Z) 208–210 [202–204], 7986–7989 [7868–7871]
- Shi, Q. (Z) 8810–8814 [8682–8686]
- Shi, T. (Z) 8412–8415 [8288–8291]
- Shi, Y.
- A Palladium-Catalyzed Dehydrogenative Diamination of Terminal Olefins (Z) 8348–8351 [8224–8227]
DOI: 10.1002/ange.200803184
- Shi, Z.-J.
- Cross-Coupling of Aryl/Alkenyl Pivalates with Organozinc Reagents through Nickel-Catalyzed C–O Bond Activation under Mild Reaction Conditions (Z) 10278–10281 [10124–10127]
DOI: 10.1002/ange.200803814
 - Multiple C–H Activations To Construct Biologically Active Molecules in a Process Completely Free of Organohalogen and Organometallic Components (Z) 1131–1134 [1115–1118]
DOI: 10.1002/ange.200704092
 - Palladium-Catalyzed Direct Arylation of (Hetero)Arenes with Aryl Boronic Acids (Z) 1495–1498 [1473–1476]
DOI: 10.1002/ange.200704619
- Shibasaki, M.
- A Heterobimetallic Pd/La/Schiff Base Complex for *anti*-Selective Catalytic Asymmetric Nitroaldol Reactions and Applications to Short Syntheses of β -Adrenoceptor Agonists (Z) 3274–3277 [3230–3233]
DOI: 10.1002/ange.200705617
 - Chiral γ -Amino Amide Synthesis by Heterobimetallic Lanthanum/Lithium/Pybox-Catalyzed Direct Asymmetric Mannich-Type Reactions of α -Keto Anilides (Z) 6953–6956 [6847–6850]
DOI: 10.1002/ange.200801564
 - Lewis Base Assisted Brønsted Base Catalysis: Bidentate Phosphine Oxides as Activators and Modulators of Brønsted Basic Lanthanum–Aryloxides (Z) 9265–9269 [9125–9129]
DOI: 10.1002/ange.200803682
- Shibata, M. (Z) 3987–3990 [3923–3926]
- Shibata, Naoki (Z) 693–696 [681–684]
- Shibata, Norio
- Catalytic Enantioselective Michael Addition of 1-Fluorobis(phenylsulfonyl)methane to α,β -Unsaturated Ketones Catalyzed by Cinchona Alkaloids (Z) 8171–8174 [8051–8054]
DOI: 10.1002/ange.200802904
 - Cinchona Alkaloid Catalyzed Enantioselective Fluorination of Allyl Silanes, Silyl Enol Ethers, and Oxindoles (Z) 4225–4229 [4157–4161]
DOI: 10.1002/ange.200800717
 - Desymmetrization-like Catalytic Enantioselective Fluorination of Malonates and Its Application to Pharmaceutically Attractive Molecules (Z) 170–174 [164–168]
DOI: 10.1002/ange.200704093
- Shibatomi, K.
- Stereoselective Synthesis of α,α -Chlorofluoro Carbonyl Compounds Leading to the Construction of Fluorinated Chiral Quaternary Carbon Centers (Z) 5880–5882 [5796–5798]
DOI: 10.1002/ange.200801682
- Shie, J.-J. (Z) 5872–5875 [5788–5791]
- Shiga, D. (Z) 2514–2517 [2480–2483]
- Shigdel, U. K. (Z) 96–99 [90–93]
- Shih, H.-W. (Z) 3815–3818 [3755–3758]
- Shim, J. H. (Z) 9646–9650 [9504–9508]
- Shimada, F.
- Regenerative Medizin und stammzellbasierte Wirkstoffentwicklung (A) 5802–5823 [5718–5738]
DOI: 10.1002/ange.200700724
- Shimada, S.
- Efficient Fixation of Carbon Dioxide by Hypervalent Organobismuth Oxide, Hydroxide, and Alkoxide (Z) 6692–6695 [6590–6593]
DOI: 10.1002/ange.200802277
- Shimakawa, Y. (Z) 7140–7143 [7032–7035]
- Shimasaki, T. (Z) 4944–4947 [4866–4869]
- Shimizu, H. (Z) 5682–5686 [5600–5604]
- Shimizu, M.
- Modular Approach to Silicon-Bridged Biaryls: Palladium-Catalyzed Intramolecular Coupling of 2-(Arylsilyl)aryl Triflates (Z) 9906–9910 [9760–9764]
DOI: 10.1002/ange.200804146
 - Palladium-Catalyzed Annulation of *vic*-Bis(pinacolatoboryl)alkenes and -phenanthrenes with 2,2'-Dibromobiaryls: Facile Synthesis of Functionalized Phenanthrenes and Dibenzo[*g,p*]chrysenes (Z) 8216–8219 [8096–8099]
DOI: 10.1002/ange.200803213
- Shimoda, N. (Z) 9454–9457 [9314–9317]
- Shimomura, M. (Z) 8164–8166 [8044–8046]
- Shimon, L. J. W. (Z) 10056–10060 [9908–9912]
- Shin, C.-C. (Z) 10039–10042 [9891–9894]
- Shin, H. S. (Z) 705–708 [693–696]
- Shin, I.
- An Apoptosis-Inducing Small Molecule That Binds to Heat Shock Protein 70 (Z) 7576–7579 [7466–7469]
DOI: 10.1002/ange.200802801
- Shin, J.-Y. (Z) 6093–6096 [6004–6007], 9803–9806 [9657–9660]
- Shin, S.
- Gold-Catalyzed Waste-Free Generation and Reaction of Azomethine Ylides: Internal Redox/Dipolar Cycloaddition Cascade (Z) 7148–7151 [7040–7043]
DOI: 10.1002/ange.200802802
 - Hydrogenation of Arenes by Dual Activation: Reduction of Substrates Ranging from Benzene to C₆₀ Fullerene under Ambient Conditions (Z) 8743–8745 [8615–8617]
DOI: 10.1002/ange.200803850
- Shin, W. H. (Z) 10052–10055 [9904–9907]
- Shin, Y. W. (Z) 697–700 [685–688]
- Shin-ya, K. (Z) 5639–5642 [5557–5560]
- Shinde, R. (Z) 7998–8000 [7880–7882]
- Shinoh, H. (Z) 9443–9446 [9303–9306]
- Shinkai, S. (Z) 4653–4656 [4577–4580]
- Shinohara, H. (Z) 525–529 [515–519]
- Shinohara, S. (Z) 7140–7143 [7032–7035]
- Shinohara, S.-i. (Z) 9179–9183 [9039–9043]
- Shinokubo, H.
- Synthesis of Chiral Porphyrins through Pd-Catalyzed [3 + 2] Annulation and Heterochiral Self-Assembly (Z) 5458–5461 [5378–5381]
DOI: 10.1002/ange.200801269
 - 2,5-Thienylene-Bridged Triangular and Linear Porphyrin Trimers (Z) 6093–6096 [6004–6007]
DOI: 10.1002/ange.200802026
- Shinokubo, H. (Z) 693–696 [681–684]
- Shintani, R.
- Rhodium-Catalyzed Rearrangement of Aryl Bis(alkynyl) Carbinols to 3-Alkynyl-1-indanones (Z) 1469–1471 [1447–1449]
DOI: 10.1002/ange.200704818
- Shiomi, D. (Z) 2065–2068 [2035–2038], 4052–4054 [3988–3990]
- Shiota, Y. (Z) 5856–5860 [5772–5776]
- Shioyama, H. (Z) 2319–2321 [2287–2289]
- Shiraki, T. (Z) 112–114 [106–108]
- Shiramizu, M. (Z) 8213–8215 [8093–8095]
- Shiratori, S.
- A Layered Mesoporous Carbon Sensor Based on Nanopore-Filling Cooperative Adsorption in the Liquid Phase (Z) 7364–7367 [7254–7257]
DOI: 10.1002/ange.200802820
- Shiro, M. (Z) 4225–4229 [4157–4161], 6814–6818 [6712–6716], 8171–8174 [8051–8054]
- Shishkin, O. V. (Z) 5849–5851 [5765–5767]
- Shishkin, S. V. (Z) 3306–3310 [3262–3266]
- Shitama, H. (Z) 2484–2487 [2450–2453]
- Shizuka, M. (Z) 5127–5129 [5049–5051]
- Shleev, S.
- Transistor-Like Behavior of a Fungal Lacase (Z) 7380–7384 [7270–7274]
DOI: 10.1002/ange.200801364
- Shoae, M. (Z) 8653–8656 [8525–8528]
- Shoji, M. (Z) 6759–6762 [6657–6660]
- Shreeve, J. n. M.
- Activation of the C–F Bond: Transformation of CF₃N=N- into 5-Azidotetrazoles (Z) 7195–7198 [7087–7090]
DOI: 10.1002/ange.200802459
 - Energetic Nitrogen-Rich Derivatives of 1,5-Diaminotetrazole (Z) 6332–6335 [6236–6239]
DOI: 10.1002/ange.200801886
- Shreve, A. P. (Z) 513–516 [503–506]
- Shu, D. (Z) 9065–9068 [8933–8936]
- Shu, T. (Z) 1079–1083 [1063–1067]
- Shubina, T. E. (Z) 6726–6730 [6624–6628]
- Shukla, A. D. (Z) 2697–2700 [2657–2660]
- Shukla, A. K. (Z) 1692–1695 [1668–1671]
- Shukoor, M. I. (Z) 4826–4830 [4748–4752]
- Shustova, N. B. (Z) 6300–6303 [6204–6207]
- Shutov, A. V. (Z) 3306–3310 [3262–3266]
- Si, R. (Z) 2926–2929 [2884–2887]
- Sia, S. (A) 2794–2828 [2754–2787]

- Sibi, M. P.
- Enantioselective Enolate Protonations: Friedel–Crafts Reactions with α -Substituted Acrylates (Z) 10061–10063 [9913–9915] DOI: 10.1002/ange.200804221
 - Sicker, D. (Z) 1984–1986 [1958–1960]
 - Sickert, M. (Z) 3687–3690 [3631–3634]
 - Sicoli, G. (Z) 747–749 [735–737]
 - Sieber, S. A.
 - β -Lactone als privilegierte Strukturen für die Markierung des aktiven Zentrums vielfältiger bakterieller Enzymklassen (Z) 4677–4680 [4600–4603] DOI: 10.1002/ange.200705768
 - Siege, K. (Z) 4434–4437 [4362–4365]
 - Siegel, D. J. (Z) 896–901 [882–887]
 - Siegel, J. S.
 - Synthesis of 2,6-Diarylphenyldimethylsilyl Cations: Polar- π Distribution of Cation Character (Z) 1743–1746 [1719–1722] DOI: 10.1002/ange.200705291
 - Sieger, M. (Z) 6287–6289 [6192–6194]
 - Siegfried, M. J. (Z) 374–378 [368–372]
 - Sieiro, C. (Z) 1465–1468 [1443–1446]
 - Siengalewicz, P. (M) 8290–8296 [8170–8176]
 - Sierra-Martin, B. (Z) 8793–8797 [8665–8669]
 - Sievers, H. (Z) 9655–9659 [9513–9517]
 - Siewert, I. (Z) 8071–8074 [7953–7956]
 - Sigman, M. S.
 - Aerobic Alcohol Oxidation Coupled to Palladium-Catalyzed Alkene Hydroarylation with Boronic Esters (Z) 3263–3266 [3219–3222] DOI: 10.1002/ange.200705317
 - Quantitatively Correlating the Effect of Ligand-Substituent Size in Asymmetric Catalysis Using Linear Free Energy Relationships (Z) 783–786 [771–774] DOI: 10.1002/ange.200704257
 - Sijbesma, R. P.
 - Ein selbstheilendes Elastomer (H) 8282–8284 [8161–8163] DOI: 10.1002/ange.200803072
 - Siluvai, G. S. (Z) 9224–9227 [9084–9087]
 - Silva, D. O. (Z) 9215–9218 [9075–9078]
 - Silva, F. (Z) 8045–8048 [7927–7930]
 - Silverman, R. B.
 - Von der Grundlagenforschung zum Blockbuster: die Entdeckung des Antiepileptikums Lyrica (E) 3552–3556 [3500–3504] DOI: 10.1002/ange.200704280
 - Silverman, S. K.
 - DNA-Catalyzed Formation of Nucleopeptide Linkages (Z) 1777–1781 [1753–1757] DOI: 10.1002/ange.200703676
 - Sim, Y. (Z) 9863–9867 [9717–9721]
 - Simaan, S. Berichtigung: 2008
 - Simeonov, K. S. (Z) 6379–6381 Berichtigung: 9732 [6283–6285 Berichtigung: 9590]
 - Simeunović, V. (Z) 8863–8867 [8735–8739]
 - Simionescu, R. (Z) 7815–7818 [7701–7704]
 - Simmel, F. C.
 - Dreidimensionale Nanokonstruktion mit DNA (H) 5968–5971 [5884–5887] DOI: 10.1002/ange.200801982
 - Simmons, E. M. (Z) 6752–6755 [6650–6653]
 - Simon, A. (Z) 6805–6808 [6703–6706]
 - Simon, Patrice (Z) 3440–3443 [3392–3395]
 - Simon, Paul (Z) 1427–1431 [1405–1409], 7994–7997 [7876–7879], 8404–8408 [8280–8284]
 - Simon, S. C. (Z) 10329–10332 [10175–10178]
 - Simoncic, P. (Z) 8762–8765 [8634–8637]
 - Singh, A. (Z) 6126–6129 [6037–6040]
 - Singh, D. C. N. G. (Z) 1717–1721 [1693–1697]
 - Singh, J. (Z) 9400–9404 [9260–9264]
 - Singh, K. N.
 - A Study of BF_3 -Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions (Z) 4781–4784 [4703–4706] DOI: 10.1002/ange.200705967
 - Singh, P.
 - A Study of BF_3 -Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions (Z) 4781–4784 [4703–4706] DOI: 10.1002/ange.200705967
 - Singh, S.
 - The Selenium-Based Hexameric Macrocycle $[(\text{Se}=\text{P}(\mu\text{-}i\text{Bu})_2\text{P}(\mu\text{-}\text{Se}))_6]$ (Z) 1127–1130 [1111–1114] DOI: 10.1002/ange.200703981
 - Singleton, M. L. (Z) 9634–9637 [9492–9495]
 - Šišak, D. (Z) 7130–7133 [7022–7025]
 - Sisson, A. L. (Z) 3787–3789 [3727–3729]
 - Sitzmann, H. (Z) 3315–3318 [3271–3274]
 - Siu, C.-K. (Z) 8412–8415 [8288–8291], 9812–9814 [9666–9668]
 - Siu, K. W. M.
 - Structure of the Observable Histidine Radical Cation in the Gas Phase: A Captodative α -Radical Ion (Z) 9812–9814 [9666–9668] DOI: 10.1002/ange.200804101
 - Siu, K. W. M. (Z) 8412–8415 [8288–8291]
 - Skanthakumar, S. (Z) 304–308 [298–302]
 - Skrydstrup, T.
 - Palladium-Catalyzed Intermolecular Ene–Yne Coupling: Development of an Atom-Efficient Mizoroki–Heck-Type Reaction (Z) 2708–2712 [2668–2672] DOI: 10.1002/ange.200705558
 - Slanina, Z. (Z) 8770–8773 [8642–8645]
 - Slater, B. (Z) 8762–8765 [8634–8637]
 - Slatery, J. (Z) 7772–7776 [7659–7663]
 - Slawin, A. M. Z. (Z) 2899–2901 [2857–2859], 3429–3432 [3381–3384], 7107–7111 [6999–7003], 8156–8159 [8036–8039]
 - Sleiman, H. F.
 - Templated Synthesis of Highly Stable, Electroactive, and Dynamic Metal–DNA Branched Junctions (Z) 2477–2480 [2443–2446] DOI: 10.1002/ange.200703741
 - Sleytr, U. B. (Z) 4785–4788 [4707–4710]
 - Sliwa, M. (Z) 2855–2858 [2813–2816]
 - Slocik, J. M. (Z) 5415–5419 [5335–5339]
 - Slominski, L. (Z) 1922–1925 [1896–1899]
 - Slootweg, J. C. (Z) 4660–4663 [4584–4587]
 - Slotta, U. K.
 - Bildung von Mikrokugeln eines rekombinanten Spinnenseidenproteins (Z) 4668–4670 [4592–4594] DOI: 10.1002/ange.200800683
 - Šmejkal, T. (Z) 317–321 [311–315], 4010–4013 [3946–3949]
 - Smethurst, C. A. (Z) 780–782 [768–770]
 - Smirnovas, V. (Z) 344–347 [338–341]
 - Smit, W. A.
 - Lewis Acid Catalyst Free Electrophilic Alkylation of Silicon-Capped π Donors in 1,1,1,3,3,3-Hexafluoro-2-propanol (Z) 9885–9888 [9739–9742] DOI: 10.1002/ange.200803927
 - Smith, A. C. (Z) 1760–1764 [1736–1740]
 - Smith, A. M. (Z) 10064–10069 [9916–9921]
 - Smith, D. A. (Z) 8802–8805 [8674–8677]
 - Smith, D. J. (Z) 2990–2995 [2948–2953]
 - Smith, D. K.
 - “High-Tech”-Anwendungen von supramolekularen nanostrukturierten Gelmaterialien – von der regenerativen Medizin bis hin zu elektronischen Bauelementen (A) 8122–8139 [8002–8018] DOI: 10.1002/ange.200800022
 - Smith, J. C. (Z) 9199–9202 [9059–9062]
 - Smith, J. D. (Z) 10301–10304 [10147–10150]
 - Smith, K. M.
 - Homolytic Bond Strengths and Formation Rates in Half-Sandwich Chromium Alkyl Complexes: Relevance for Controlled Radical Polymerization (Z) 6158–6161 [6069–6072] DOI: 10.1002/ange.200801498
 - Smith, M. (Z) 4388–4392 [4316–4320]
 - Smith, M. C. (Z) 9211–9214 [9071–9074]
 - Smith, M. D.
 - A Nonpeptidic Reverse Turn that Promotes Parallel Sheet Structure Stabilized by C–H $\cdots$ O Hydrogen Bonds in a Cyclopropane γ -Peptide (Z) 7207–7210 [7099–7102] DOI: 10.1002/ange.200802648
 - Smith, S. (Z) 6329–6331 [6233–6235]
 - Smith, S. W. (Z) 9474–9476 [9334–9336]
 - Smith III, A. B.
 - *Ortho*-TMS Benzaldehyde: An Effective Linchpin for Type II Anion Relay Chemistry (ARC) (Z) 7190–7194 [7082–7086] DOI: 10.1002/ange.200802301
 - Smolensky, E. D. (Z) 8820–8823 [8692–8695]
 - Smout, S. (Z) 2855–2858 [2813–2816]
 - Snaddon, T. N. (Z) 8578–8582 [8450–8454]
 - Snajdrova, R. (Z) 2307–2310 [2275–2278]
 - Snapper, M. L.
 - Catalytic Enantioselective Hosomi–Sakurai Conjugate Allylation of Cyclic Unsaturated Ketoesters (Z) 5127–5129 [5049–5051] DOI: 10.1002/ange.200800628
 - Snieckus, V.
 - *Albert I. Meyers* (N) 2012–2013 [1986–1987] DOI: 10.1002/ange.200800294
 - Carbamoyl Translocations by an Anionic *ortho*-Fries and Cumulenolate α -Acylation Pathway: Regioselective Synthesis of Polysubstituted Chromone 3- and 8-Carboxamides (Z) 2127–2131 [2097–2101] DOI: 10.1002/ange.200704360
 - So, C. M. (Z) 6502–6506 [6402–6406], 8179–8183 [8059–8063]
 - So, I. (Z) 2504–2508 [2470–2474]
 - So, M.-H. (Z) 10043–10047 [9895–9899]
 - So, P.-K. (Z) 3795–3799 [3735–3739]
 - So, S. M. (Z) 8785–8788 [8657–8660]
 - Soai, K.
 - Achiral Nucleobase Cytosine Acts as an Origin of Homochirality of Biomolecules in Conjunction with Asymmetric Autoca-

- talysis
(Z) 506–509 [496–499]
DOI: 10.1002/ange.200703634
- Sobek, J. (Z) 5462–5465 [5382–5385]
- Socher, E. (Z) 9697–9701 [9555–9559]
- Sodeoka, M.
– Catalytic Enantioselective Aldol-type Reaction of β -Ketosters with Acetals
(Z) 4264–4267 [4196–4199]
DOI: 10.1002/ange.200705344
- Soderholm, L.
– The Structure of the Plutonium Oxide Nanocluster $[\text{Pu}_{38}\text{O}_{56}\text{Cl}_{54}(\text{H}_2\text{O})_8]^{14-}$
(Z) 304–308 [298–302]
DOI: 10.1002/ange.200704420
- Soga, K. (Z) 4190–4193 [4122–4125]
- Soh, J. H. (Z) 886–890 [872–876]
- Sohma, Y. (Z) 1118–1122 [1102–1106]
- Sohn, M.-H. (Z) 8532–8534 [8404–8406]
- Sohtome, Y. (Z) 3274–3277 [3230–3233]
- Sokolov, M. N. (Z) 1487–1490 [1465–1468]
- Sokolova, V. (A) 1402–1416 [1382–1395]
- Solà, N. (Z) 401–403 [395–397]
- Soleilhavoup, M. (Z) 5302–5306 [5224–5228]
- Soleimannejad, J. (Z) 1717–1721 [1693–1697]
- Sollogoub, M.
– Regiospecific Tandem Azide-Reduction/Deprotection To Afford Versatile Amino Alcohol-Functionalized α - and β -Cyclodextrins
(Z) 7168–7171 [7060–7063]
DOI: 10.1002/ange.200801573
- Solomon, D. (Z) 684–688 [672–676]
- Solomon, E. I.
– A Combined NRVS and DFT Study of $\text{Fe}^{\text{IV}}=\text{O}$ Model Complexes: A Diagnostic Method for the Elucidation of Non-Heme Iron Enzyme Intermediates
(Z) 9211–9214 [9071–9074]
DOI: 10.1002/ange.200803740
- Solozhenko, V. L. (Z) 8392–8395 [8268–8271]
- Somfai, P.
– Synthesis of Aryl Glycines by the α Arylation of Weinreb Amides
(Z) 1933–1935 [1907–1909]
DOI: 10.1002/ange.200704689
- Sommariva, M. (Z) 2859–2861 [2817–2819]
- Sommer, M. (Z) 8019–8022 [7901–7904]
- Sommerdijk, N. A. J. M.
– Cryo Electron Tomography Reveals Confined Complex Morphologies of Tripeptide-Containing Amphiphilic Double-Comb Diblock Copolymers
(Z) 8991–8994 [8859–8862]
DOI: 10.1002/ange.200802834
- Somorjai, G. A.
– A Reactive Oxide Overlayer on Rhodium Nanoparticles during CO Oxidation and Its Size Dependence Studied by In Situ Ambient-Pressure X-ray Photoelectron Spectroscopy
(Z) 9025–9028 [8893–8896]
DOI: 10.1002/ange.200803574
- Molekulare Faktoren der katalytischen Selektivität
(A) 9352–9368 [9212–9228]
DOI: 10.1002/ange.200803181
- Soncini, A. (Z) 4194–4197 [4126–4129]
- Song, C. E.
– A Highly Reactive and Enantioselective Bifunctional Organocatalyst for the Methanolytic Desymmetrization of Cyclic Anhydrides: Prevention of Catalyst Aggregation
(Z) 7990–7993 [7872–7875]
DOI: 10.1002/ange.200801636
- Hydrogenation of Arenes by Dual Activation: Reduction of Substrates Ranging from Benzene to C_{60} Fullerene under Ambient Conditions
(Z) 8743–8745 [8615–8617]
DOI: 10.1002/ange.200803850
- Song, H.
– Directed Surface Overgrowth and Morphology Control of Polyhedral Gold Nanocrystals
(Z) 775–779 [763–767]
DOI: 10.1002/ange.200704094
- Single-Crystalline Hollow Face-Centered-Cubic Cobalt Nanoparticles from Solid Face-Centered-Cubic Cobalt Oxide Nanoparticles
(Z) 9646–9650 [9504–9508]
DOI: 10.1002/ange.200803048
- Song, H.-K. (Z) 1773–1776 [1749–1752]
- Song, I. C. (Z) 8566–8569 [8438–8441]
- Song, J.-H. (Z) 7946–7950 [7828–7832]
- Song, J.-N. (Z) 9707–9710 [9565–9568]
- Song, Jianxin (Z) 6093–6096 [6004–6007]
- Song, Jinliang (Z) 1143–1145 [1127–1129]
- Song, K. (Z) 3020–3023 [2978–2981]
- Song, R.
– A Temperature-Driven Reversible Phase Transfer of 2-(Diethylamino)ethanethiol-Stabilized CdTe Nanoparticles
(Z) 10023–10026 [9875–9878]
DOI: 10.1002/ange.200803582
- Song, W. (Z) 2874–2877 [2832–2835]
- Song, Y.
– Ultrasensitive DNA Detection Using Photonic Crystals
(Z) 7368–7372 [7258–7262]
DOI: 10.1002/ange.200801998
- Song, Y. C. (Z) 5907–5910 [5823–5826]
- Song, Y.-F. (Z) 4456–4459 [4384–4387], 4460–4463 [4388–4391], (H) 4713–4715 [4635–4637], (Z) 5691–5694 [5609–5612]
- Sonström, P. (Z) 9078–9082 [8946–8949]
- Soós, T.
– Turning Frustration into Bond Activation: A Theoretical Mechanistic Study on Heterolytic Hydrogen Splitting by Frustrated Lewis Pairs
(Z) 2469–2472 [2435–2438]
DOI: 10.1002/ange.200705586
- Sootsman, J. R. (Z) 8746–8750 [8618–8622]
- Soper, A. K. (Z) 9199–9202 [9059–9062]
- Soragni, A. (Z) 5923–5925 [5839–5841]
- Sørensen, R. Z. (Z) 9439–9442 [9299–9302]
- Sorimachi, H. (Z) 1794–1797 [1770–1773]
- Sotiropoulos, J.-M. (Z) 3608–3611 [3552–3555], 8802–8805 [8674–8677]
- Sotomayor Torres, C. M. (A) 6638–6650 [6538–6549]
- Souharce, B. (A) 4138–4167 [4070–4098]
- Soukka, T. (Z) 3871–3873 [3811–3813]
- South, C. R. (Z) 1447–1450 [1425–1428]
- Southon, P. D. (Z) 1418–1421 [1396–1399], 9061–9064 [8929–8932]
- Spada, G. P.
– Induktion starker Circular dichroism effekte durch Ausrichtung achiraler selbstorganisierter Fasern in konvektiven und in Wirbelströmungen
(H) 646–648 [636–638]
DOI: 10.1002/ange.200704602
- Spada, G. P. (Z) 3228–3231 [3184–3187]
- Spagnolo, P.
– Approach to Spirocyclohexadienimines and Corresponding Dienones through Radical *ipso* Cyclization onto Aromatic Azides
(Z) 9581–9584 [9439–9442]
DOI: 10.1002/ange.200804333
- Spandl, R. J. (Z) 2850–2854 [2808–2812]
- Spantulescu, M. D. (Z) 5112–5115 [5034–5037]
- Specht, A. (Z) 3236–3239 [3192–3195], 9667–9671 [9525–9529]
- Spek, A. L. (Z) 4660–4663 [4584–4587]
- Spencer, J. B. (Z) 6117–6121 [6028–6032]
- Spiccia, L.
– Sustained Water Oxidation Photocatalysis by a Bioinspired Manganese Cluster
(Z) 7445–7448 [7335–7338]
DOI: 10.1002/ange.200801132
- Spickermann, C. (Z) 3695–3697 [3639–3641]
- Spielmann, J. (Z) 6386–6391 [6290–6295], 9576–9580 [9434–9438]
- Spiering, H. (Z) 3039–3041 [2997–2999]
- Spies, P. (Z) 7654–7657 [7543–7546]
- Spieß, H. W.
– NMR-Spektroskopie: Wo sind die Grenzen der Nachweisempfindlichkeit?
(H) 649–652 [639–642]
DOI: 10.1002/ange.200704428
- Spieß, S. (Z) 7764–7767 [7652–7655]
- Spikes, G. H. (Z) 3015–3019 [2973–2977]
- Spinks, G. M. (Z) 2504–2508 [2470–2474]
- Spiteller, D. (Z) 6117–6121 [6028–6032]
- Spitz, R. (Z) 9451–9453 [9311–9313]
- Sprengers, J. W. (Z) 3267–3270 [3223–3226]
- Spring, D. R.
– Anti-MRSA Agent Discovery Using Diversity-Oriented Synthesis
(Z) 2850–2854 [2808–2812]
DOI: 10.1002/ange.200705415
- Sprinzl, M.
– Synthese der Peptidbindung am Ribosom: keine freie benachbarte Hydroxygruppe an der terminalen Ribose der Peptidyl-tRNA erforderlich
(Z) 7352–7355 [7242–7245]
DOI: 10.1002/ange.200801511
- Spruell, J. M. (Z) 10075–10080 [9927–9932]
- Sreejith, S. (Z) 8001–8005 [7883–7887]
- Sridhar Reddy, M. (Z) 1292–1295 [1272–1275]
- Srinivas, K. (Z) 4221–4224 [4153–4156]
- Srinivasan, Alagar (Z) 4639–4643 [4563–4567]
- Srinivasan, Ananth (Z) 5000–5003 [4922–4925]
- Srinivasan, S. (Z) 5830–5833 [5746–5749], 5834–5838 [5750–5754]
- Srinivasarao, M.
– 3D Rutile Titania-Based Structures with *Morpho* Butterfly Wing Scale Morphologies
(Z) 8039–8041 [7921–7923]
DOI: 10.1002/ange.200801311
- Srivatsan, S. G. (Z) 6763–6767 [6661–6665]
- Staack, D. (Z) 8140–8144 [8020–8024]
- Staats, H. (Z) 800–804 [788–792]
- Stadler, D. (Z) 7668–7670 [7557–7559]
- Stadler, V.
– Kombinatorische Synthese von Peptidarrays mit einem Laserdrucker
(Z) 7241–7244 [7132–7135]
DOI: 10.1002/ange.200801616
- Stahlhut, M. W. (Z) 9244–9247 [9104–9107]

- Stalke, D.
– Elektronendichteuntersuchung der Metall-Metall-Bindung im zweikernigen “Borylen”-Komplex $[\{\text{Cp}(\text{CO})_2\text{Mn}\}_2(\mu\text{-BrBu})]$ (Z) 4393–4397 [4321–4325]
DOI: 10.1002/ange.200705257
- Stalke, D. (Z) 1346–1351 [1326–1331], 9073–9077 [8941–8945]
- Stamatatos, T. C. (Z) 6796–6800 Berichtigung: 9732 [6694–6698 Berichtigung: 9590]
- Stamou, D. (Z) 5626–5631 [5544–5549]
- Stankic, S. (Z) 1518–1522 [1496–1499]
- Stanley, L. M. (Z) 10061–10063 [9913–9915]
- Star, A.
– Gas- und Dampfsensoren auf der Basis von Kohlenstoff-Nanoröhren (A) 6652–6673 [6550–6570]
DOI: 10.1002/ange.200704488
- Stará, I. G.
– A Straightforward Route to Helically Chiral N-Heteroaromatic Compounds: Practical Synthesis of Racemic 1,14-Diaza-[5]helicene and Optically Pure 1- and 2-Aza[6]helicenes (Z) 3232–3235 [3188–3191]
DOI: 10.1002/ange.200705463
- Starý, I.
– A Straightforward Route to Helically Chiral N-Heteroaromatic Compounds: Practical Synthesis of Racemic 1,14-Diaza-[5]helicene and Optically Pure 1- and 2-Aza[6]helicenes (Z) 3232–3235 [3188–3191]
DOI: 10.1002/ange.200705463
- Stasch, A.
– Stable Adducts of a Dimeric Magnesium(I) Compound (Z) 9219–9223 [9079–9083]
DOI: 10.1002/ange.200803960
- Staubitz, A. (Z) 6308–6311 [6212–6215]
- Staudt, T. (Z) 2725–2728 [2685–2688]
- Stauffer, J. (Z) 7772–7776 [7659–7663]
- Stavitski, E. (Z) 3599–3603 [3543–3547], 5719–5722 [5637–5640]
- Steed, J. W.
– A “Compartmental” Borromean Weave Coordination Polymer Exhibiting Saturated Hydrogen Bonding to Anions and Water Cluster Inclusion (Z) 5845–5848 [5761–5764]
DOI: 10.1002/ange.200801556
- Structure Calculation of an Elastic Hydrogel from Sonication of Rigid Small Molecule Components (Z) 1074–1078 [1058–1062]
DOI: 10.1002/ange.200703785
- Steeves, A. H. (Z) 3011–3014 [2969–2972]
- Steigerwald, M. L. (Z) 3024–3027 [2982–2985]
- Steill, J. (Z) 9812–9814 [9666–9668]
- Stein, A.
– Nanoscale Reactor Engineering: Hydrothermal Synthesis of Uniform Zeolite Particles in Massively Parallel Reaction Chambers (Z) 9236–9239 [9096–9099]
DOI: 10.1002/ange.200803103
- Steinbock, O.
– Bubble-Templated and Flow-Controlled Synthesis of Macroscopic Silica Tubes Supporting Zinc Oxide Nanostructures (Z) 10048–10051 [9900–9903]
DOI: 10.1002/ange.200803203
- Steinbüchel, A.
– Bakterielle Acyltransferasen als Alternative für lipasekatalysierte Acylierungen zur Produktion von Oleochemikalien und Brennstoffen (M) 3746–3752 [3688–3694]
DOI: 10.1002/ange.200705265
- Steinfeld, G. (Z) 7772–7776 [7659–7663]
- Steinhauer, C. (Z) 5545–5550 [5465–5469]
- Steinhaus, G. (A) 3376–3394 [3330–3347]
- Steinmetz, H. (Z) 610–613 [600–602]
- Steinmetz, M. O. (Z) 5926–5929 [5842–5845]
- Steitz, B. (Z) 7975–7978 [7857–7860]
- Stellfeld, T. (Z) 5000–5003 [4922–4925]
- Stenkamp, R. E.
– X-Ray Structure and Designed Evolution of an Artificial Transfer Hydrogenase (Z) 1422–1426 [1400–1404]
DOI: 10.1002/ange.200704865
- Stensgaard, I. (Z) 9819–9822 [9673–9676]
- Stepanov, A. G.
– Understanding Methane Aromatization on a Zn-Modified High-Silica Zeolite (Z) 4635–4638 [4559–4562]
DOI: 10.1002/ange.200800317
- Stephan, D. W.
– Hydrogen and Amine Activation by a Frustrated Lewis Pair of a Bulky N-Heterocyclic Carbene and $\text{B}(\text{C}_6\text{F}_5)_3$ (Z) 7543–7547 [7433–7437]
DOI: 10.1002/ange.200802596
- Stephenson, C. R. J. (Z) 8984–8987 [8852–8855]
- Stern, D. (Z) 9073–9077 [8941–8945]
- Steven, A. C. (Z) 6343–6347 [6247–6251]
- Stevenson, C. D.
– The Isomers of [12]Annulyne and their Reactive Relationships to Heptalene and Biphenyl (Z) 8842–8846 [8714–8718]
DOI: 10.1002/ange.200803863
- Steward, A. (Z) 7006–7009 [6900–6903]
- Stewart, M. E. (Z) 5091–5095 [5013–5017]
- Stewart, T. (Z) 9466–9469 [9326–9329]
- Stewart, T. J. (Z) 5153–5156 [5075–5078]
- Stirling, A. (Z) 2469–2472 [2435–2438]
- Stobrawe, A. (Z) 6776–6779 [6674–6677]
- Stockhill, J. L. (A) 2400–2421 [2365–2386]
- Stöcker, M.
– Bio- und BTL-Kraftstoffe in der Bioraffinerie: katalytische Umwandlung Lignocellulose-reicher Biomasse mit porösen Stoffen (A) 9340–9351 [9200–9211]
DOI: 10.1002/ange.200801476
- Stoddart, J. F.
– An Acid–Base-Controllable [c2]Daisy Chain (Z) 7580–7584 [7470–7474]
DOI: 10.1002/ange.200803036
- Heterogeneous Catalysis through Microcontact Printing (Z) 10075–10080 [9927–9932]
DOI: 10.1002/ange.200803480
- pH-Responsive Supramolecular Nanovalves Based on Cucurbit[6]uril Pseudorotaxanes (Z) 2254–2258 [2222–2226]
DOI: 10.1002/ange.200705211
- Stoddart, J. F. (Z) 3592–3595 [3536–3539]
- Stöhr, M.
– Transforming Surface Coordination Polymers into Covalent Surface Polymers: Linked Polycondensed Aromatics through
- Oligomerization of N-Heterocyclic Carbene Intermediates (Z) 2448–2451 [2414–2417]
DOI: 10.1002/ange.200704072
- Trimodular Engineering of Linear Supramolecular Miniatures on Ag(111) Surfaces Controlled by Complementary Triple Hydrogen Bonds (Z) 7840–7844 [7726–7730]
DOI: 10.1002/ange.200802325
- Stoll, R. S. (Z) 6056–6060 [5968–5972]
- Stoltz, B. M.
– Biologie und Chemie der Zoanthamin-Alkaloide (A) 2400–2421 [2365–2386]
DOI: 10.1002/ange.200703172
- Catalytic Enantioselective Alkylation of Substituted Dioxanone Enol Ethers: Ready Access to C(α)-Tetrasubstituted Hydroxyketones, Acids, and Esters (Z) 6979–6982 [6873–6876]
DOI: 10.1002/ange.200801424
- Palladium-Catalyzed Enantioselective Oxidation of Chiral Secondary Alcohols: Access to Both Enantiomeric Series (Z) 6467–6470 [6367–6370]
DOI: 10.1002/ange.200801865
- Stone, K. M. (Z) 10346–10348 [10192–10194]
- Stoppioni, P.
– Controlling the Activation of White Phosphorus: Formation of Phosphorous Acid and Ruthenium-Coordinated 1-Hydroxytriphosphane by Hydrolysis of Doubly Metalated P_4 (Z) 4497–4499 [4425–4427]
DOI: 10.1002/ange.200800723
- Stöveken, T. (M) 3746–3752 [3688–3694]
- Strano, M. S.
– On-Chip Micro Gas Chromatograph Enabled by a Noncovalently Functionalized Single-Walled Carbon Nanotube Sensor Array (Z) 5096–5099 [5018–5021]
DOI: 10.1002/ange.200704501
- Strasdeit, H.
– Spaltung von Quecksilber-Alkyl-Bindungen nach dem Vorbild der Organoquecksilber-Lyase (H) 840–842 [828–830]
DOI: 10.1002/ange.200704275
- Strassner, T. (Z) 10260–10263 [10106–10109]
- Strauss, S. H.
– $\text{C}_{11}(\text{C}_{84}\text{-C}_2(11))(\text{CF}_3)_{12}$: Trifluoromethylation Yields Structural Proof of a Minor C_{84} Cage and Reveals a Principle of Higher Fullerene Reactivity (Z) 6300–6303 [6204–6207]
DOI: 10.1002/ange.200801777
- Streb, C. (Z) 6987–6990 [6881–6884]
- Stuart, M. (Z) 2093–2096 [2063–2066]
- Stubna, A. (Z) 1922–1925 [1896–1899]
- Stucky, G. D.
– A General Route to Diverse Mesoporous Metal Oxide Submicrospheres with Highly Crystalline Frameworks (Z) 8810–8814 [8682–8686]
DOI: 10.1002/ange.200802487
- Studer, A.
– Biomimetische Carben-katalysierte Oxidation von Aldehyden mit TEMPO (Z) 8855–8858 [8727–8730]
DOI: 10.1002/ange.200802735

- Oxidative Homokupplung von Aryl-, Alkenyl- und Alkynyl-Grignard-Reagenzien mit TEMPO und Sauerstoff (Z) 9690–9692 [9547–9550]
DOI: 10.1002/ange.200804197
- Thiolkatalysierte stereoselektive Transferhydroaminierung von Olefinen mit N-aminieren Dihydropyridinen (Z) 791–794 [779–782]
DOI: 10.1002/ange.200703902
- Studt, F. (Z) 9439–9442 [9299–9302]
- Studte, C. (Z) 5531–5535 [5451–5455]
- Stumpf, T.
- Ladungsausgleich in festen Lösungen (Z) 5930–5934 [5846–5850]
DOI: 10.1002/ange.200705827
- Sturm, C. (Z) 6272–6274 [6177–6179]
- Su, B. (Z) 4753–4756 [4675–4678]
- Su, D. S.
- Surface Chemistry of Ag Particles: Identification of Oxide Species by Aberration-Corrected TEM and by DFT Calculations (Z) 5083–5086 [5005–5008]
DOI: 10.1002/ange.200800406
- Su, F. Berichtigung: 1183
- Su, F.-Z. (Z) 340–343 [334–337]
- Su, Y. (Z) 4807–4810 [4729–4732]
- Suárez, E.
- Sequential Norrish Type II Photoelimination and Intramolecular Aldol Cyclization of 1,2-Diketones in Carbohydrate Systems: Stereoselective Synthesis of Cyclopentitols (Z) 9049–9051 [8917–8919]
DOI: 10.1002/ange.200803696
- Suárez-Sobrin, A. L. (Z) 6321–6324 [6225–6228]
- Suda, M. (Z) 166–169 [160–163]
- Sudik, A. (Z) 896–901 [882–887]
- Suga, S. (Z) 2540–2542 [2506–2508]
- Sugai, T. (Z) 525–529 [515–519]
- Suganuma, M. (Z) 5639–5642 [5557–5560]
- Sugawara, K. (Z) 2527–2530 [2493–2496]
- Sugimoto, N.
- Regulation of Telomerase Activity by the Thermodynamic Stability of a DNA · RNA Hybrid (Z) 9174–9178 [9034–9038]
DOI: 10.1002/ange.200803577
- Sugino, H. (Z) 5682–5686 [5600–5604]
- Sugiono, E. (Z) 3089–3092 [3046–3049]
- Sugiyama, A. (Z) 5451–5453 [5371–5373]
- Sugizaki, S. (Z) 1794–1797 [1770–1773]
- Suh, M. P.
- A Comparison of the H₂ Sorption Capacities of Isostructural Metal–Organic Frameworks With and Without Accessible Metal Sites: [[Zn₂(abtc)(dmf)₂]₃] and [[Cu₂(abtc)(dmf)₂]₃] versus [[Cu₂(abtc)]₃] (Z) 7855–7859 [7741–7745]
DOI: 10.1002/ange.200801488
- A Stair-Shaped Molecular Silver(0) Chain (Z) 8518–8521 [8390–8393]
DOI: 10.1002/ange.200803465
- Suhm, M. A.
- Chiralitätserkennung zwischen neutralen Molekülen in der Gasphase (A) 7076–7100 [6970–6992]
DOI: 10.1002/ange.200800957
- Sui, X. (Z) 7589–7591 [7479–7481]
- Sui-Seng, C. (Z) 954–957 [940–943]
- Suijkerbuijk, B. M. J. M. (A) 7506–7532 [7396–7421]
- Sujecki, S. (Z) 6122–6125 [6033–6036]
- Suk, J. S. (Z) 9872–9875 [9726–9729]
- Sumerin, V. (Z) 6090–6092 [6001–6003]
- Sumida, Y. (Z) 5824–5829 [5740–5745]
- Sumpter, M.
- Silicidins: Highly Acidic Phosphopeptides from Diatom Shells Assist in Silica Precipitation In Vitro (Z) 1753–1756 [1729–1732]
DOI: 10.1002/ange.200704994
- Sumpter, B. G. (Z) 530–534 [520–524], 2990–2995 [2948–2953]
- Sun, C. (Z) 4592–4596 Berichtigung: 5357 [4516–4520 Berichtigung: 5277]
- Sun, C.-L. (Z) 1495–1498 [1473–1476]
- Sun, D. (Z) 8570–8573 [8442–8445]
- Sun, H. (Z) 1722–1726 [1698–1702], 7548–7551 [7438–7441]
- Sun, I.-C. (Z) 2846–2849 [2804–2807]
- Sun, Jianwei (Z) 3259–3262 [3215–3218]
- Sun, Jing (Z) 1088–1091 [1072–1075]
- Sun, Junliang (Z) 7986–7989 [7868–7871]
- Sun, L. B. (Z) 3466–3469 [3418–3421]
- Sun, M. (Z) 535–538 [525–528]
- Sun, Q.-F. (Z) 4627–4630 [4551–4554]
- Sun, S.
- A General Approach to the Size- and Shape-Controlled Synthesis of Platinum Nanoparticles and Their Catalytic Reduction of Oxygen (Z) 3644–3647 [3588–3591]
DOI: 10.1002/ange.200800073
- Au–Fe₃O₄ Dumbbell Nanoparticles as Dual-Functional Probes (Z) 179–182 [173–176]
DOI: 10.1002/ange.200704392
- Sun, S.-G.
- Shape-Controlled Synthesis of Gold Nanoparticles in Deep Eutectic Solvents for Studies of Structure–Functionality Relationships in Electrocatalysis (Z) 9240–9243 [9100–9103]
DOI: 10.1002/ange.200803202
- Sun, X.-X. (Z) 2492–2496 [2458–2462]
- Sun, X.-Y. (Z) 3294–3297 [3250–3253]
- Sun, Y.-P. (Z) 7420–7423 [7310–7313]
- Sun, Yinyong (Z) 8606–8609 [8478–8481]
- Sun, Yu (Z) 3315–3318 [3271–3274]
- Sun, Yugang (A) 5606–5624 [5524–5542]
- Sun, Z. (Z) 3596–3598 [3540–3542]
- Sundaresan, A. (Z) 7799–7802 [7685–7688]
- Sundermeyer, J. (Z) 88–91 [82–85]
- Sung, Y.-E.
- Promotional Effect of Palladium on the Hydrogen Oxidation Reaction at a PtPd Alloy Electrode (Z) 9447–9450 [9307–9310]
DOI: 10.1002/ange.200802749
- Suni, N. M. (Z) 7552–7555 [7442–7445]
- Surry, D. S. (A) 6438–6461 [6338–6361]
- Süss-Fink, G.
- Wasseroxidation: ein robuster, rein anorganischer Katalysator (H) 5972–5974 [5888–5890]
DOI: 10.1002/ange.200801121
- Süss-Fink, G. (Z) 3833–3836 [3773–3776]
- Sussman, V. J. (Z) 494–499 [484–489]
- Süssmuth, R. D.
- Proximicin A, B und C – antitumoraktive Furananaloga des Netropsins aus dem marinen Actinomyceten *Verrucosisspora* induzieren die Hochregulation von p53 und des Cyclinkinase-Inhibitors p21 (Z) 3302–3305 [3258–3261]
DOI: 10.1002/ange.200705295
- Sutcliffe, M. J. (Z) 547–550 [537–540]
- Sutherland, D. S. (Z) 6114–6116 [6025–6027]
- Sutter, J. (Z) 2721–2724 [2681–2684]
- Suwała, K. (Z) 8006–8009 [7888–7891]
- Suzuki, D. (Z) 931–934 [917–920]
- Suzuki, H.
- Drastic Acceleration of Phosphine/Phosphite Incorporation into a Tetrahydrido Ruthenium/Osmium Complex, and One-way Ruthenium to Osmium Migration of a Phosphorus Ligand (Z) 10313–10316 [10159–10162]
DOI: 10.1002/ange.200804482
- Suzuki, Keisuke
- Formation of α -Hydroxy- β -diketones through Hydroxylation of Isoxazolium Salts: Stereoselective Approach to Angular *cis*-Diols in Polycyclic Systems (Z) 7556–7559 [7446–7449]
DOI: 10.1002/ange.200801586
- Isoxazole-Assisted Direct Substitution of the Hydroxy Group in α -Ketols: Introduction of Angular Substituents in a Polycyclic System (Z) 10035–10038 [9887–9890]
DOI: 10.1002/ange.200801577
- Ring Selectivity: Successive Ring Expansion of Two Benzocyclobutenes for Divergent Access to Angular and Linear Benzantraquinones (Z) 2280–2284 [2248–2252]
DOI: 10.1002/ange.200705630
- Total Synthesis and Structure Assignment of the Anthrone C-Glycoside Cassialoin (Z) 1100–1103 [1084–1087]
DOI: 10.1002/ange.200704625
- Suzuki, Ken
- Aerobic Oxidation of Primary Amines to Oximes Catalyzed by DPPH and WO₃/Al₂O₃ (Z) 2109–2111 [2079–2081]
DOI: 10.1002/ange.200705002
- Suzuki, Ken (Z) 1794–1797 [1770–1773], 1913–1915 [1887–1889]
- Suzuki, Kenta (Z) 506–509 [496–499]
- Suzuki, Koji (Z) 6783–6786 [6681–6684]
- Suzuki, Kosuke (Z) 5864–5866 [5780–5782]
- Suzuki, Masaaki (Z) 9807–9811 [9661–9665]
- Suzuki, Motohiro (Z) 166–169 [160–163]
- Suzuki, N.
- Transformation of a 1-Zirconacyclopent-3-yne, a Five-Membered Cycloalkyne, into a 1-Zirconacyclopent-3-ene and Formal “1-Zirconacyclopenta-2,3-dienes” (Z) 5276–5280 [5198–5202]
DOI: 10.1002/ange.200800739
- Suzuki, T. (Z) 2280–2284 [2248–2252]
- Svirikhin, A. I. (Z) 3306–3310 [3262–3266]
- Swager, T. M.
- Molecular Recognition for High Selectivity in Carbon Nanotube/Polythiophene Chemiresistors (Z) 8522–8524 [8394–8396]
DOI: 10.1002/ange.200802762
- Swaminathan Iyer, K. (Z) 6462–6466 [6362–6366]
- Swamy, K. M. K. (Z) 886–890 [872–876]
- Swart, I. (Z) 3599–3603 [3543–3547]
- Swennenhuis, B. H. G. (Z) 6704–6707 [6602–6605]
- Swiegers, G. F.
- Sustained Water Oxidation Photocatalysis by a Bioinspired Manganese Cluster (Z) 7445–7448 [7335–7338]
DOI: 10.1002/ange.200801132
- Symes, M. D. (Z) 4464–4468 [4392–4396]
- Szabó, T. (Z) 8392–8395 [8268–8271]



- Szigethy, G. (Z) 9642–9645 [9500–9503]
Szpilman, A. M. (Z) 4407–4410 [4335–4338], 4411–4414 [4339–4342]
Szubert, K. (Z) 551–554 [541–544]
Szymczak, N. K. (Z) 7603–7606 [7493–7496]
Szyperski, T.
– Structure of the Protein BPTI Derived with NOESY in Supercooled Water: Validation and Refinement of Solution Structures (Z) 330–332 [324–326]
DOI: 10.1002/ange.200702842
- Taberna, P.-L. (Z) 3440–3443 [3392–3395]
Tabudravu, J. N. (Z) 8210–8212 [8090–8092]
Tachikawa, T. (Z) 5428–5432 [5348–5352]
Tada, M. (Z) 9370–9375 [9230–9235], 9392–9395 [9252–9255]
Tadano, K.-i.
– Total Synthesis of (–)-Pestalotiopsin A (Z) 3474–3477 [3429–3429]
DOI: 10.1002/ange.200800253
Tae, E. L. (Z) 10282–10286 [10128–10132]
Tagashira, N. (Z) 6722–6725 [6620–6623]
Tagmatarchis, N. (Z) 5226–5230 [5148–5152]
Tahara, K. (Z) 3006–3010 [2964–2968]
Tahara, T. (Z) 108–111 [102–105]
Tahir, M. N. (Z) 4826–4830 [4748–4752]
Tai, C.-C. (Z) 10039–10042 [9891–9894]
Tai, F.-I. (Z) 5636–5638 [5554–5556]
Taillefer, M.
– Katalytische C-C-, C-N- und C-O-Ullmann-Kupplungen (H) 3140–3143 [3096–3099]
DOI: 10.1002/ange.200703209
Tait, S. L.
– Ordering and Stabilization of Metal–Organic Coordination Chains by Hierarchical Assembly through Hydrogen Bonding at a Surface (Z) 8967–8970 [8835–8838]
DOI: 10.1002/ange.200803124
Tajima, A. (Z) 8164–8166 [8044–8046]
Takabe, K. (Z) 6759–6762 [6657–6660]
Takacs, J. M.
– Exploiting Self-Assembly for Ligand-Scaffold Optimization: Substrate-Tailored Ligands for Efficient Catalytic Asymmetric Hydroboration (Z) 908–911 [894–897]
DOI: 10.1002/ange.200703127
Takada, A. (Z) 7556–7559 [7446–7449]
Takada, Kazunori (Z) 92–95 [86–89]
Takada, Kenji (Z) 2834–2837 [2792–2795]
Takada, N. (Z) 2062–2064 [2032–2034]
Takagi, M. (Z) 5639–5642 [5557–5560]
Takagi, N. (Z) 9443–9446 [9303–9306]
Takahashi, H. (Z) 313–316 [307–310]
Takahashi, Kazunori (Z) 137–139 [131–133]
Takahashi, Keisuke (Z) 6340–6342 [6244–6246]
Takahashi, T. (Z) 6166–6168 [6077–6079]
Takahashi, Y. (Z) 6787–6791 [6685–6689]
Takai, A. (Z) 5451–5453 [5371–5373]
Takai, K.
– Rhenium-Catalyzed Synthesis of Stereo-defined Cyclopentenones from β -Ketoesters and Aliphatic Allenes (Z) 9458–9461 [9318–9321]
DOI: 10.1002/ange.200803350
Takakusagi, S. (Z) 5709–5712 [5627–5630]
Takamizawa, S.
– Gas-Conforming Transformability of an Ionic Single-Crystal Host Consisting of Discrete Charged Components (Z) 1713–1716 [1689–1692]
DOI: 10.1002/ange.200702950
Takanabe, K. (Z) 7803–7807 [7689–7693]
Takano, H. (Z) 2834–2837 [2792–2795]
Takano, M. (Z) 5824–5829 [5740–5745], 7140–7143 [7032–7035]
Takao, K.-i. (Z) 3474–3477 [3426–3429]
Takase, M. (Z) 1727–1730 [1703–1706]
Takashima, Y. (Z) 6166–6168 [6077–6079]
Takata, K. (Z) 7140–7143 [7032–7035]
Takata, M. (Z) 3978–3982 [3914–3918]
Takats, J.
– Scorpionate-Supported Dialkyl and Dihydride Lanthanide Complexes: Ligand- and Solvent-Dependent Cluster Hydride Formation (Z) 4988–4991 [4910–4913]
DOI: 10.1002/ange.200705977
Takats, J. (Z) 9702–9706 [9560–9564]
Takatsu, K. (Z) 1469–1471 [1447–1449]
Takaya, J. (Z) 4984–4987 [4906–4909]
Takayanagi, S.-i. (Z) 7787–7790 [7673–7676]
Takei, O. (Z) 1451–1453 [1429–1431]
Takei, T. (Z) 9405–9408 [9265–9268]
Takenaga, N. (Z) 3847–3850 [3787–3790]
Takenaka, M. (Z) 10031–10034 [9883–9886]
Takenaka, N.
– Helical Chiral Pyridine *N*-Oxides: A New Family of Asymmetric Catalysts (Z) 9854–9856 [9708–9710]
DOI: 10.1002/ange.200803338
Takeoka, Y.
– Photoregulated Wormlike Motion of a Gel (Z) 9179–9183 [9039–9043]
DOI: 10.1002/ange.200803046
Takeya, S. (Z) 1296–1299 [1276–1279]
Takikawa, H. (Z) 7556–7559 [7446–7449], 10035–10038 [9887–9890]
Takizawa, M. (Z) 942–945 [928–931]
Takui, T.
– Curved Aromaticity of a Corannulene-Based Neutral Radical: Crystal Structure and 3D Unbalanced Delocalization of Spin (Z) 2065–2068 [2035–2038]
DOI: 10.1002/ange.200704752
– Macrocyclic High-Spin ($S=2$) Molecule: Spin Identification of a Sterically Rigid Metacyclopentane-Based Nitroxide Tetradical by Two-Dimensional Electron Spin Transient Nutation Spectroscopy (Z) 4052–4054 [3988–3990]
DOI: 10.1002/ange.200705583
Talapin, D. V. (Z) 3071–3075 [3029–3033]
Talluri, E. (Z) 4609–4613 [4533–4537]
Talyzin, A. V.
– Colossal Pressure-Induced Lattice Expansion of Graphite Oxide in the Presence of Water (Z) 8392–8395 [8268–8271]
DOI: 10.1002/ange.200802860
Talyzin, A. V. (Z) 2838–2841 [2796–2799]
Tam, H.-L. (Z) 9831–9836 [9685–9690]
Tam, U. C. (Z) 5100–5103 [5022–5025]
Tam, W.
– Enantioselective palladiumkatalysierte Trimethylenmethan-[3+2]-Cycloadditionen (H) 2968–2970 [2926–2928]
DOI: 10.1002/ange.200705481
Tamaki, T. (Z) 5887–5889 [5803–5805]
Tamaru, Y.
– Convenient Synthesis of Pyrrolidines by Amphiphilic Allylation of Imines with 2-Methylenepropane-1,3-diols (Z) 5887–5889 [5803–5805]
DOI: 10.1002/ange.200801252
Tamm, M.
– Heterolytic Dihydrogen Activation by a Frustrated Carbene–Borane Lewis Pair (Z) 7538–7542 [7428–7432]
DOI: 10.1002/ange.200802705
Tamura, T. (Z) 6759–6762 [6657–6660]
Tan, B. (Z) 10341–10345 Berichtigung: 10164 [10187–10191]
Tan, C.-H.
– Enantioselective Protonation Catalyzed by a Chiral Bicyclic Guanidine Derivative (Z) 5723–5727 [5641–5645]
DOI: 10.1002/ange.200801378
Tan, J. (Z) 3319–3323 [3275–3278]
Tan, K.-T. (Z) 3807–3810 [3747–3750]
Tan, L. (Z) 3670–3673 [3614–3617]
Tan, R. X.
– Unprecedented Immunosuppressive Polypeptides from *Daldinia eschscholzii*, a Mantis-Associated Fungus (Z) 5907–5910 [5823–5826]
DOI: 10.1002/ange.200801284
Tan, Y.-Z. (Z) 5420–5423 [5340–5343]
Tanabe, F. (Z) 2069–2071 [2039–2041]
Tanabe, T. (Z) 9443–9446 [9303–9306]
Tanaka, D. (Z) 3978–3982 [3914–3918]
Tanaka, Katsunori (Z) 108–111 [102–105]
Tanaka, Ken
– Enantioselective Synthesis of P-Stereogenic Alkynylphosphine Oxides by Rh-Catalyzed [2+2+2] Cycloaddition (Z) 3458–3461 [3410–3413]
DOI: 10.1002/ange.200800144
– Enantioselective Synthesis of Spirocyclic Benzopyranones by Rhodium-Catalyzed Intermolecular [4+2] Annulation (Z) 5904–5906 [5820–5822]
DOI: 10.1002/ange.200801642
– Highly Regio-, Diastereo-, and Enantioselective [2+2+2] Cycloaddition of 1,6-Enynes with Electron-Deficient Ketones Catalyzed by a Cationic Rh/*H₈*-binap Complex (Z) 1332–1336 [1312–1316]
DOI: 10.1002/ange.200704758
Tanaka, Koji
– Synthesis and Electrochemical Reduction of a Ruthenium Complex Bearing an *N,N*-Bis[(benzo[*g*][1,5]naphthyridin-2-yl)methyl]propane-2-amine Ligand as an NAD⁺/NADH-Type Redox Site (Z) 9914–9917 [9768–9771]
DOI: 10.1002/ange.200804404
Tanaka, M. (Z) 391–393 [385–387]
Tanaka, S.-y. (Z) 6722–6725 [6620–6623]
Tanaka, T. (Z) 5281–5284 [5203–5206]
Tanaka, Y. (Z) 693–696 [681–684]
Tancini, F. (Z) 4580–4584 [4504–4508]
Tang, L. (Z) 6158–6161 [6069–6072]
Tang, M. (Z) 3246–3249 [3202–3205]
Tang, M.-C. (Z) 2245–2248 [2213–2216]
Tang, Q. (Z) 705–708 [693–696]

- Tang, R.
– Yeast Cells with an Artificial Mineral Shell: Protection and Modification of Living Cells by Biomimetic Mineralization (Z) 3616–3620 [3560–3564]
DOI: 10.1002/ange.200704718
- Tang, S. (Z) 7743–7746 [7631–7634]
- Tang, W.
– Synthesis of Cyclobutenes by Highly Selective Transition-Metal-Catalyzed Ring Expansion of Cyclopropanes (Z) 9065–9068 [8933–8936]
DOI: 10.1002/ange.200803910
- Tang, Yalin
– Screening Potential Antitumor Agents from Natural Plant Extracts by G-Quadruplex Recognition and NMR Methods (Z) 5672–5674 [5590–5592]
DOI: 10.1002/ange.200800913
- Tang, Yefeng (Z) 1454–1457 [1432–1435]
- Tang, Z.
– A Temperature-Driven Reversible Phase Transfer of 2-(Diethylamino)ethanethiol-Stabilized CdTe Nanoparticles (Z) 10023–10026 [9875–9878]
DOI: 10.1002/ange.200803582
- Tanino, K. (Z) 762–766 [750–754]
- Tannert, R. (Z) 6573–6577 [6473–6477]
- Tantillo, D. J.
– Pronounced Steric Effects of Substituents in the Nazarov Cyclization of Aryl Dienyl Ketones (Z) 6479–6483 [6379–6383]
DOI: 10.1002/ange.200801542
- Tao, A. (Z) 6556–6560 [6456–6460]
- Tao, G.-H. (Z) 7195–7198 [7087–7090]
- Tao, J.
– The Designed Assembly of Augmented Diamond Networks From Predetermined Pentanuclear Tetrahedral Units (Z) 5424–5427 [5344–5347]
DOI: 10.1002/ange.200800403
- Tao, Y. (Z) 8224–8227 [8104–8107]
- Taquet, J.-P. (Z) 7764–7767 [7652–7655]
- Tarascon, J.-M. (A) 2972–2989 [2930–2946]
- Tasker, P. A.
– Outer-Sphere Coordination Chemistry: Selective Extraction and Transport of the $[\text{PtCl}_6]^{2-}$ Anion (Z) 1769–1772 [1745–1748]
DOI: 10.1002/ange.200703272
- Tatarek-Nossol, M. (Z) 7222–7227 [7114–7118]
- Taton, D.
– Harnessing the Potential of N-Heterocyclic Carbenes for the Rejuvenation of Group-Transfer Polymerization of (Meth)Acrylics (Z) 5470–5473 [5390–5393]
DOI: 10.1002/ange.200800490
- Tatsu, Y.
– Photocontrolled Cell Adhesion on a Surface Functionalized with a Caged Arginine-Glycine-Aspartate Peptide (Z) 7637–7639 [7527–7529]
DOI: 10.1002/ange.200802731
- Tatsumi, K.
– Heterolytic Dihydrogen Activation by a Sulfido- and Oxo-Bridged Dinuclear Germanium–Ruthenium Complex (Z) 1939–1941 [1913–1915]
DOI: 10.1002/ange.200704899
- Tatsumi, T. (Z) 1058–1062 [1042–1046]
- Tatsumi, R. (Z) 7023–7025 [6917–6919]
- Tavan, P. (Z) 2174–2177 [2143–2146]
- Taylor, C. (Z) 3861–3864 [3801–3804]
- Taylor, K. M. L. (Z) 7836–7839 [7722–7725]
- Taylor, R. J. K.
– The Telescoped Intramolecular Michael/Olefination (TIMO) Approach to α -Alkylidene- γ -butyrolactones: Synthesis of (+)-Paeonilactone B (Z) 1961–1963 [1935–1937]
DOI: 10.1002/ange.200705329
- Teasley Hamorsky, K. (Z) 3778–3781 [3718–3721]
- Tegel, M. (Z) 8067–8070 [7949–7952]
- Teichert, A. (Z) 3408–3410 [3360–3362]
- Teixeira, S. R. (Z) 9215–9218 [9075–9078]
- Tejcl, C.
– From Olefins to Ketones via a 2-Rhoda-oxetane Complex (Z) 2536–2539 [2502–2505]
DOI: 10.1002/ange.200705802
- Stabilization of the Hydroperoxido Ligand: A $1\kappa^2O,2\kappa^1O'$ Dimetallic Coordination Mode (Z) 2123–2126 [2093–2096]
DOI: 10.1002/ange.200702559
- Tel-Vered, R. (Z) 6731–6735 [6629–6633], 8396–8400 [8272–8276]
- ten Elshof, J. E. (Z) 5487–5490 [5407–5410]
- Tenaglia, A.
– PtCl_2 -Catalyzed [6 + 2] Cycloaddition of Alkynes Tethered to Cycloheptatriene (Z) 2488–2491 [2454–2457]
DOI: 10.1002/ange.200705482
- Tenderholt, A. L. (Z) 9211–9214 [9071–9074]
- Teng, X. (Z) 2085–2088 [2055–2058]
- Tenza, K. (Z) 363–366 [357–360]
- Teobaldi, G. (Z) 4464–4468 [4392–4396]
- Teply, F. (Z) 3232–3235 [3188–3191]
- Tera, M. (Z) 5639–5642 [5557–5560]
- Terabayashi, T. (Z) 6708–6712 [6606–6610]
- Terada, M.
– Enantioselective Activation of Aldehydes by Chiral Phosphoric Acid Catalysts in an Aza-ene-type Reaction between Glyoxylate and Enecarbamate (Z) 4190–4193 [4122–4125]
DOI: 10.1002/ange.200800232
- Terada, Y. (Z) 5518–5521 [5438–5441]
- Teranishi, T.
– Gold(0) Porphyrins on Gold Nanoparticles (Z) 313–316 [307–310]
DOI: 10.1002/ange.200703943
- Terazzi, E. (Z) 500–505 [490–495]
- Tereshatov, E. E. (Z) 3306–3310 [3262–3266]
- Terfort, A.
– Herstellung mikroskaliger Proteinresistenzgradienten durch Elektronenstrahl-Lithographie (Z) 7348–7351 [7238–7241]
DOI: 10.1002/ange.200800810
- Terfort, A. (Z) 5328–5331 [5250–5252]
- Terraneo, G. (M) 6206–6220 [6114–6127]
- Terrones, H. (Z) 2990–2995 [2948–2953]
- Terrones, M.
– An Atomistic Branching Mechanism for Carbon Nanotubes: Sulfur as the Triggering Agent (Z) 2990–2995 [2948–2953]
DOI: 10.1002/ange.200705053
- Teschner, D.
– Understanding Palladium Hydrogenation Catalysts: When the Nature of the Reactive Molecule Controls the Nature of the Catalyst Active Phase (Z) 9414–9418 [9274–9278]
DOI: 10.1002/ange.200802134
- Tessier, A. (Z) 8045–8048 [7927–7930]
- Teulade-Fichou, M.-P. (Z) 4936–4939 [4858–4861]
- Textor, M. (Z) 6279–6283 [6184–6188]
- Tham, F. S. (Z) 161–165 [155–159], 3861–3864 [3801–3804]
- Thangadurai, D. T. (Z) 2295–2298 [2263–2266]
- Thar, J. (Z) 3695–3697 [3639–3641]
- Theato, P. (Z) 4826–4830 [4748–4752]
- Theissmann, T. (Z) 6903–6906 [6798–6801]
- Thelakkat, M.
– Crystalline Donor–Acceptor Block Copolymers (Z) 8019–8022 [7901–7904]
DOI: 10.1002/ange.200802725
- Theopold, K. H. (Z) 5679–5681 [5597–5599]
- Thépot, J.-Y. (Z) 8815–8819 [8687–8691]
- Therese, H. A. (Z) 4826–4830 [4748–4752]
- Therien, M. J.
– Molecular Symmetry and Solution-Phase Structure Interrogated by Hyper-Rayleigh Depolarization Measurements: Elaborating Highly Hyperpolarizable D_{2h} -Symmetric Chromophores (Z) 3020–3023 [2978–2981]
DOI: 10.1002/ange.200703187
- Therrien, B.
– The “Complex-in-a-Complex” Cations $[(\text{acac})_2\text{M} \subset \text{Ru}_6(p\text{-iPrC}_6\text{H}_4\text{Me})_6(\text{tp})_2(\text{dhbq})_3]^{6+}$: A Trojan Horse for Cancer Cells (Z) 3833–3836 [3773–3776]
DOI: 10.1002/ange.200800186
- Thibodeaux, C. J. (A) 9960–10007 [9814–9859]
- Thibon, A. (Z) 7172–7175 [7064–7067]
- Thiel, J. (Z) 6987–6990 [6881–6884]
- Thiel, W. R.
– Dibenzo[c,g]fluorenyliden: ein metallorganischer Verwandter von Pentahelicen (Z) 3315–3318 [3271–3274]
DOI: 10.1002/ange.200705743
- Thielges, S. (Z) 2675–2678 [2635–2638]
- Thiem, H. (A) 4138–4167 [4070–4098]
- Thieuleux, C.
– A Tailored Organometallic–Inorganic Hybrid Mesostuctured Material: A Route to a Well-Defined, Active, and Reusable Heterogeneous Iridium-NHC Catalyst for H/D Exchange (Z) 8782–8784 [8654–8656]
DOI: 10.1002/ange.200802956
- Thirunavukkarasu, V. S. (Z) 9604–9607 [9462–9465]
- Thomas, A.
– Ionothermal synthesis von porösen kovalenten Triazin- Polymernetzwerken (Z) 3499–3502 [3450–3453]
DOI: 10.1002/ange.200705710
- Thomas, F. (Z) 1984–1986 [1958–1960]
- Thomas, G. L. (Z) 2850–2854 [2808–2812]
- Thomas, H. (Z) 7348–7351 [7238–7241]
- Thomas, J. M.
– Lord Rutherford (1871–1937): Der Newton des Atoms und Chemie-Nobelpreisträger des Jahres 1908 (E) 9532–9541 [9392–9401]
DOI: 10.1002/ange.200803876
- Thomas III, S. W. (Z) 6756–6758 [6654–6656]
- Thompson, B. C. (A) 62–82 [58–77]

- Thompson, D. H.
– Rapid Detection of S-Adenosyl Homocysteine Using Self-Assembled Optical Diffraction Gratings (Z) 1067–1069 [1051–1053]
DOI: 10.1002/ange.200703222
- Thompson, J. D. (Z) 3035–3038 [2993–2996]
- Thompson, L. K. (Z) 521–524 [511–514]
- Thompson, S. (Z) 2276–2279 [2244–2247]
- Thorley, K. J. (Z) 7203–7206 [7095–7098]
- Thorson, J. S.
– Probing the Aglycon Promiscuity of an Engineered Glycosyltransferase (Z) 9021–9024 [8889–8892]
DOI: 10.1002/ange.200803508
- Thu, H.-Y. (Z) 6740–6744 [6638–6642], 9893–9897 [9747–9751]
- Thüéry, P.
– Polyimido Uranium(IV) Clusters: Imido-metalates with an $M_2(\mu_3-N)_6(\mu_2-N)_6$ Core Analogous to the Anderson-Type Polyoxometalate Motif (Z) 5668–5671 [5586–5589]
DOI: 10.1002/ange.200801420
- Thüéry, P. (K) 5976–5977 [5892–5893]
- Thum, C. C. L. (Z) 9258–9261 [9118–9121]
- Thummel, R. P.
– Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Condensed Phase and in Supersonic Jets (Z) 6126–6129 [6037–6040]
DOI: 10.1002/ange.200801350
- Thun, J. (Z) 1664–1668 [1640–1644]
- Tian, S.-L. (Z) 1131–1134 [1115–1118]
- Tian, X.-Y. (Z) 9629–9633 [9487–9491]
- Tian, Y. S. (Z) 5245–5248 [5167–5170]
- Tiburcio, J.
– Cooperative Ion–Ion Interactions in the Formation of Interpenetrated Molecules (Z) 103–107 [97–101]
DOI: 10.1002/ange.200703019
- Tichý, M. (Z) 3232–3235 [3188–3191]
- Tidwell, T. T.
– Hugo (Ugo) Schiff, Schiff-Basen und hundert Jahre β -Lactam-Synthese (E) 1032–1036 [1016–1020]
DOI: 10.1002/ange.200702965
- Tiefenbacher, K.
– Eine kurze Formalsynthese von (–)-Platencin (Z) 6294–6295 [6199–6200]
DOI: 10.1002/ange.200801441
- Tiefenbacher, K. (M) 2582–2590 [2548–2555]
- Tietze, L. F.
– Totalsynthese polyoxygenerter Cembrene (Z) 5324–5327 [5246–5249]
DOI: 10.1002/ange.200800626
- Tillack, A. (Z) 2337–2340 [2304–2307]
- Timco, G. A.
– Heterometallic Rings Made From Chromium Stick Together Easily (Z) 9827–9830 [9681–9684]
DOI: 10.1002/ange.200803637
- Octa-, Deca-, Trideca-, and Tetradecanuclear Heterometallic Cyclic Chromium–Copper Cages (Z) 938–941 [924–927]
DOI: 10.1002/ange.200704132
- Ting, A. Y.
– An Engineered Aryl Azide Ligase for Site-Specific Mapping of Protein–Protein Interactions through Photo-Cross-Linking (Z) 7126–7129 [7018–7021]
DOI: 10.1002/ange.200802088
- Tinnefeld, P.
– Ein System aus Reduktions- und Oxidationsmittel verringert Photobleichen und Blinken von Fluoreszenzfarbstoffen (Z) 5545–5550 [5465–5469]
DOI: 10.1002/ange.200801518
- Tinnefeld, P. (Z) 6266–6271 [6172–6176]
- Tiozzo, C. (Z) 6768–6771 [6666–6669]
- Titirici, M.-M.
– Ein $Si@SiO_2/C$ -Nanokomposit als Anodenmaterial für Lithiumionenbatterien mit hoher Speicherleistung (Z) 1669–1673 [1645–1649]
DOI: 10.1002/ange.200704287
- Tkachev, S. V. (Z) 1487–1490 [1465–1468]
- Tobe, Y.
– One Building Block, Two Different Supramolecular Surface-Confined Patterns: Concentration in Control at the Solid–Liquid Interface (Z) 3006–3010 [2964–2968]
DOI: 10.1002/ange.200705322
- Tobisu, M.
– Nickel-Catalyzed Cross-Coupling of Aryl Methyl Ethers with Aryl Boronic Esters (Z) 4944–4947 [4866–4869]
DOI: 10.1002/ange.200801447
- Toca-Herrera, J. L.
– From Native to Non-Native Two-Dimensional Protein Lattices through Underlying Hydrophilic/Hydrophobic Nanoprotusions (Z) 4785–4788 [4707–4710]
DOI: 10.1002/ange.200800151
- Toftagaard, R. (Z) 6114–6116 [6025–6027]
- Toftelund, A. (Z) 4761–4764 [4683–4686]
- Toganoh, M. (Z) 4639–4643 [4563–4567], 5518–5521 [5438–5441], 9045–9048 [8913–8916]
- Togni, A.
– Palladium-Catalyzed Enantioselective Allylic Phosphination (Z) 4956–4959 [4878–4881]
DOI: 10.1002/ange.200801287
- Tohyama, K. (Z) 5887–5889 [5803–5805]
- Toiya, M. (Z) 7867–7869 [7753–7755]
- Tok, O. L. (Z) 6569–6572 [6469–6472]
- Tokarev, A. (Z) 8360–8364 [8236–8240]
- Toki, M. (Z) 8770–8773 [8642–8645]
- Toktarev, A. V. (Z) 4635–4638 [4559–4562]
- Tokuyasu, T. (Z) 8851–8854 [8723–8726]
- Tolman, W. B.
– Novel Reactivity of Side-On (Disulfido)-dicopper Complexes Supported by Bi- and Tridentate Nitrogen Donors: Impact of Axial Coordination (Z) 543–546 [533–536]
DOI: 10.1002/ange.200704690
- Tomás, M. (Z) 6321–6324 [6225–6228]
- Tomasini, C.
– A Fiberlike Peptide Material Stabilized by Single Intermolecular Hydrogen Bonds (Z) 8195–8198 [8075–8078]
DOI: 10.1002/ange.200802587
- Tomioka, Y. (Z) 8216–8219 [8096–8099]
- Tomita, A. (Z) 1484–1486 [1462–1464], 7959–7962 [7841–7844]
- Tomka, I. T. (Z) 5926–5929 [5842–5845]
- Tomkinson, N. C. O.
– Kinetics of Iminium Ion Catalysis (Z) 2862–2865 [2820–2823]
DOI: 10.1002/ange.200705539
- Tomoda, H. (Z) 9664–9666 [9522–9524]
- Tomović, Ž. (Z) 3032–3034 [2990–2992], 5075–5079 [4997–5001]
- Tong, C. C. (Z) 1769–1772 [1745–1748]
- Tong, G. S.-M. (Z) 9893–9897 [9747–9751]
- Tong, G. S. M. (Z) 10043–10047 [9895–9899]
- Tong, H. (Z) 4040–4042 [3976–3978]
- Tong, Q. (Z) 4585–4587 [4509–4511]
- Tong, Rong (Z) 4908–4912 [4830–4834]
- Tong, Rongbiao (Z) 4449–4451 [4377–4379]
- Tong, X. (Z) 3652–3655 [3596–3599]
- Tonnar, J. (Z) 1314–1317 [1294–1297]
- Tor, Y.
– A Highly Emissive Fluorescent Nucleoside that Signals the Activity of Toxic Ribosome-Inactivating Proteins (Z) 6763–6767 [6661–6665]
DOI: 10.1002/ange.200802199
- Tornøe, C. W. (Z) 1750–1752 [1726–1728]
- Törnroos, K. W. (Z) 787–790 [775–778], 9702–9706 [9560–9564]
- Torrallba, G. (Z) 7241–7244 [7132–7135]
- Torres, D. (Z) 9414–9418 [9274–9278]
- Torres, T.
– Highly Conductive Supramolecular Nanostructures of a Covalently Linked Phthalocyanine– C_{60} Fullerene Conjugate (Z) 2056–2061 [2026–2031]
DOI: 10.1002/ange.200705260
- $Sc_3N@C_{80}$ -Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications (Z) 4241–4244 [4173–4176]
DOI: 10.1002/ange.200800473
- Torres Pazmiño, D. E. (Z) 2307–2310 [2275–2278]
- Toru, T.
– Desymmetrization-like Catalytic Enantioselective Fluorination of Malonates and Its Application to Pharmaceutically Attractive Molecules (Z) 170–174 [164–168]
DOI: 10.1002/ange.200704093
- Toru, T. (Z) 4225–4229 [4157–4161], 8171–8174 [8051–8054]
- Tosheva, L.
– Indirect Observation of Structured Incipient Zeolite Nanoparticles in Clear Precursor Solutions (Z) 8778–8781 [8650–8653]
DOI: 10.1002/ange.200802941
- Toste, F. D.
– Synthesis of (–)-Octalactin A by a Strategic Vanadium-Catalyzed Oxidative Kinetic Resolution (Z) 3815–3818 [3755–3758]
DOI: 10.1002/ange.200800554
- Tóth, É.
– Detection of Enzymatic Activity by PARACEST MRI: A General Approach to Target a Large Variety of Enzymes (Z) 4442–4444 [4370–4372]
DOI: 10.1002/ange.200800809
- Toulgoat, F. (Z) 5744–5748 [5661–5665]
- Toullec, P. Y. (A) 4338–4386 [4268–4315]
- Toupet, L. (Z) 3436–3439 [3388–3391]
- Townsend, J. E. (Z) 10346–10348 [10192–10194]
- Toyota, K. (Z) 4052–4054 [3988–3990]
- Trachsel, E. (Z) 3240–3245 [3196–3201]
- Tragni, M. (Z) 3282–3285 [3238–3241]
- Traitcheva, N. (Z) 9004–9007 [8872–8875]
- Tranchemontagne, D. J. (A) 5214–5225 [5136–5147]
- Trapp, N. (K) 7914–7917 [7798–7801]
- Trapp, O.
– Messen auf molekularer Ebene – Chemie an der Schnittstelle zur Informationstechnik

- nologie
(H) 8278–8281 [8158–8160]
DOI: 10.1002/ange.200802807
- Trauner, D.
– Catalysis of 6π Electrocyclizations
(Z) 8220–8223 [8100–8103]
DOI: 10.1002/ange.200803336
- Tredwell, M. (Z) 363–366 [357–360]
- Tregenna-Piggott, P. L. W.
– Superhyperfine Interaction in $[\text{MnF}_6]^{3-}$
(Z) 154–156 [148–150]
DOI: 10.1002/ange.200703771
- Tremel, W.
– dsRNA-funktionalisierte $\gamma\text{-Fe}_2\text{O}_3$ -Nanokristalle: ein Instrument zur gezielten Adressierung von Rezeptoren an der Zelloberfläche
(Z) 4826–4830 [4748–4752]
DOI: 10.1002/ange.200704735
- Reply to “Mirror Symmetry Breaking” of the Centrosymmetric CaCO_3 Crystals with Amino Acids
(K) 3741–3744 [3683–3686]
DOI: 10.1002/ange.200800120
- Trend, R. M. (Z) 6467–6470 [6367–6370]
- Trépanier, V. É. (Z) 4285–4288 [4217–4220]
- Treutwein, J. (Z) 6916–6919 [6811–6813]
- Trewin, A. Berichtigung: 1183
- Tria, G. S. (Z) 1804–1807 [1780–1783]
- Trillo, B. (Z) 965–968 [951–954]
- Trincado, M. (Z) 5705–5708 [5623–5626]
- Tromp, M. (Z) 9400–9404 [9260–9264]
- Trost, B. M.
– A Concise Synthesis of (–)-Oseltamivir
(Z) 3819–3821 [3759–3761]
DOI: 10.1002/ange.200800282
- Troyanov, S. (Z) 196–198 [190–192]
- Trudeau, M. (Z) 4974–4977 [4896–4899]
- Trukhan, N. (Z) 2169–2173 [2138–2142]
- Truppo, M. D.
– Rapid Determination of Both the Activity and Enantioselectivity of Ketoreductases
(Z) 2679–2681 [2639–2641]
DOI: 10.1002/ange.200705046
- Truscott, F. R. (Z) 7207–7210 [7099–7102]
- Trushkov, I. V. (Z) 1123–1126 [1107–1110]
- Trüssel, S. (Z) 3240–3245 [3196–3201]
- Try, A. C. (Z) 1139–1142 [1123–1126]
- Tsai, M.-H. (Z) 591–595 [581–585]
- Tsai, Y.-C.
– Quintuply-Bonded Dichromium(I) Complexes Featuring Metal–Metal Bond Lengths of 1.74 Å
(Z) 10081–10084 [9933–9936]
DOI: 10.1002/ange.200803859
- Remarkably Short Metal–Metal Bonds: A Lantern-Type Quintuply Bonded Dichromium(I) Complex
(Z) 7360–7363 [7250–7253]
DOI: 10.1002/ange.200801286
- Tsang, K. Y. (Z) 958–960 [944–946]
- Tsao, N. (Z) 3032–3034 [2990–2992]
- Tsapatsis, M.
– Layered Silicates by Swelling of AMH-3 and Nanocomposite Membranes
(Z) 562–565 [552–555]
DOI: 10.1002/ange.200703440
- Poröse Materialien mit molekularen Pfeilern: Wege aus dem Labyrinth
(H) 4332–4333 [4262–4263]
DOI: 10.1002/ange.200705755
- Tsapatsis, M. (Z) 9236–9239 [9096–9099]
- Tschierske, C.
– Bent-Core Mesogens with Branched Carbosilane Termini: Flipping Suprastructural Chirality without Reversing Polarity
(Z) 6998–7002 [6892–6896]
DOI: 10.1002/ange.200800814
- Liquid-Crystal Engineering with Anchor-Shaped Molecules: Honeycombs with Hexagonal and Trigonal Symmetries Formed by Polyphilic Bent-Core Molecules
(Z) 6169–6172 [6080–6083]
DOI: 10.1002/ange.200802021
- Liquid-Crystalline Kagome
(Z) 9203–9206 [9063–9066]
DOI: 10.1002/ange.200802957
- Tseng, H.-R.
– A Hydrodynamically Focused Stream as a Dynamic Template for Site-Specific Electrochemical Micropatterning of Conducting Polymers
(Z) 1088–1091 [1072–1075]
DOI: 10.1002/ange.200704264
- Tsogoeva, S. B.
– Evidence for an Enol Mechanism in a Highly Enantioselective Mannich-Type Reaction Catalyzed by Primary Amine–Thiourea
(Z) 6726–6730 [6624–6628]
DOI: 10.1002/ange.200800849
- Tsubaki, N.
– A Core/Shell Catalyst Produces a Spatially Confined Effect and Shape Selectivity in a Consecutive Reaction
(Z) 359–362 [353–356]
DOI: 10.1002/ange.200703335
- Tsubakiyama, M. (Z) 7787–7790 [7673–7676]
- Tsuchiya, Takahiro (Z) 1318–1320 [1298–1300], 8770–8773 [8642–8645]
- Tsuchiya, Tsuchiya (Z) 8023–8026 [7905–7908]
- Tsuda, A.
– “Conformational” Solvatochromism: Spatial Discrimination of Nonpolar Solvents by Using a Supramolecular Box of a π -Conjugated Zinc Bisporphyrin Rotamer
(Z) 5231–5234 [5153–5156]
DOI: 10.1002/ange.200801332
- Directed 1D Assembly of a Ring-Shaped Inorganic Nanocluster Templated by an Organic Rigid-Rod Molecule: An Inorganic/Organic Polypseudorotaxane
(Z) 2100–2103 [2070–2073]
DOI: 10.1002/ange.200705308
- Tsui, E. Y.
– Reactions of a Stable Monomeric Gold(I) Hydride Complex
(Z) 9069–9072 [8937–8940]
DOI: 10.1002/ange.200803842
- Tsuji, Y.
– Triarylphosphanes with Dendritically Arranged Tetraethylene Glycol Moieties at the Periphery: An Efficient Ligand for the Palladium-Catalyzed Suzuki–Miyaura Coupling Reaction
(Z) 8434–8438 [8310–8314]
DOI: 10.1002/ange.200802683
- Tsujimoto, A. Berichtigung: 9119
- Tsujimoto, Y. (Z) 5824–5829 [5740–5745]
- Tsukamoto, H.
– Palladium(0)-Catalyzed Alkynyl and Allenyl Iminium Ion Cyclizations Leading to 1,4-Disubstituted 1,2,3,6-Tetrahydropyridines
(Z) 4929–4932 [4851–4854]
DOI: 10.1002/ange.200800823
- Tsung, C.-K. (Z) 8810–8814 [8682–8686]
- Tsurkan, L. (Z) 7144–7147 [7036–7039]
- Tsurugi, H. (Z) 4083–4086 [4019–4022]
- Tsutsui, C. (Z) 1451–1453 [1429–1431]
- Tsutsumi, S. (Z) 4504–4507 [4432–4435]
- Tsybin, Y. O. (Z) 2838–2841 [2796–2799]
- Tu, T.
– Pyridin-verbrückte Benzimidazoliumsalze: Synthese, Aggregation und Anwendung als Phasentransferkatalysatoren
(Z) 7236–7240 [7127–7131]
DOI: 10.1002/ange.200801628
- Tu, W. (Z) 4252–4255 [4184–4187]
- Tuczek, F.
– Wie hydroxylieren Kupferenzyme aliphatische Substrate? Jüngste Erkenntnisse aus der Chemie synthetischer Modellsysteme
(H) 2378–2381 [2344–2347]
DOI: 10.1002/ange.200705533
- Tudge, M. T. (Z) 1491–1494 [1469–1472]
- Tuma, J. (Z) 7850–7854 [7736–7740]
- Tumanov, V. V. (Z) 9885–9888 [9739–9742]
- Tumpane, J.
– Alignment of Carbon Nanotubes in Weak Magnetic Fields
(Z) 5226–5230 [5148–5152]
DOI: 10.1002/ange.200801548
- Tuna, F. (Z) 938–941 [924–927], 9827–9830 [9681–9684], 9841–9845 [9695–9699]
- Tunik, S. P.
– Self-Assembly of Supramolecular Luminescent $\text{Au}^{\text{I}}\text{–Cu}^{\text{I}}$ Complexes: “Wrapping” an Au_6Cu_6 Cluster in a $[\text{Au}_3(\text{diphosphine})_3]^{3+}$ “Belt”
(Z) 4006–4009 [3942–3945]
DOI: 10.1002/ange.200800452
- Tuononen, H. M. (Z) 367–370 [361–364]
- Turk, B.
– Selektive aktivitätsbasierte Sonden für Cystein-Cathepsine
(Z) 412–415 [406–409]
DOI: 10.1002/ange.200702811
- Turk, V. (Z) 412–415 [406–409]
- Turner, N. J.
– Rapid Determination of Both the Activity and Enantioselectivity of Ketoreductases
(Z) 2679–2681 [2639–2641]
DOI: 10.1002/ange.200705046
- Turro, N. J. (Z) 9087–9091 [8954–8957]
- Tüxen, J. (Z) 6290–6293 [6195–6198]
- Twamley, B. (Z) 6332–6335 [6236–6239], 7195–7198 [7087–7090]
- Tzoulaki, D. (Z) 4018–4021 [3954–3957]
- Tzschucke, C. C. (Z) 216–219 [209–212]
- Tzur, E. (Z) 6522–6525 [6422–6425]



- Uchida, M. (Z) 7963–7966 [7845–7848]
- Uchida, S. (Z) 1949–1953 [1923–1927]
- Uchimaru, T.
– Direct Organocatalytic Mannich Reaction of Acetaldehyde: An Improved Catalyst and Mechanistic Insight from a Computational Study
(Z) 9193–9198 [9053–9058]
DOI: 10.1002/ange.200802073
- Uchiumi, R. (Z) 2701–2704 [2661–2664]
- Uchiyama, M. (Z) 5231–5234 [5153–5156]

- Uchiyama, S.
– Multiplexing Sensory Molecules Map Protons Near Micellar Membranes (Z) 4745–4747 [4667–4669]
DOI: 10.1002/ange.200801516
- Udachin, K. A. (Z) 9850–9853 [9704–9707]
- Udagawa, S. (Z) 4984–4987 [4906–4909]
- Uddin, M. J. (Z) 9409–9413 [9269–9273]
- Ueda, Akio (Z) 6783–6786 [6681–6684]
- Ueda, Akira (Z) 2065–2068 [2035–2038]
- Ueda, Masafumi (Z) 5682–5686 [5600–5604]
- Ueda, Minoru
– Enantiodifferential Approach for the Detection of the Target Membrane Protein of the Jasmonate Glycoside that Controls the Leaf Movement of *Albizia saman* (Z) 7399–7402 [7289–7292]
DOI: 10.1002/ange.200801820
- Ueda, S. (Z) 6511–6513 [6411–6413]
- Ueda, T. (Z) 1713–1716 [1689–1692]
- Ueda, W.
– Molybdenum–Vanadium-Based Molecular Sieves with Microchannels of Seven-Membered Rings of Corner-Sharing Metal Oxide Octahedra (Z) 2527–2530 [2493–2496]
DOI: 10.1002/ange.200705448
- Uemura, M. (Z) 6745–6748 [6643–6646]
- Uemura, T. (Z) 10031–10034 [9883–9886]
- Ueno, S. (Z) 1954–1957 [1928–1931]
- Ueoka, K. (Z) 2540–2542 [2506–2508]
- Uetrecht, C. (Z) 6343–6347 [6247–6251]
- Uetsuka, H. (Z) 5261–5263 [5183–5185]
- Ugolotti, J. (Z) 2662–2665 [2622–2625]
- Uher, C. (Z) 8746–8750 [8618–8622]
- Uhl, W.
– Stark oxidierende und reduzierende Funktionen vereint in einer Verbindung – ein Alkylgalliumperoxid mit neungliedrigem (GaR)₃(O₂)₃-Heterocyclus (Z) 1981–1983 [1955–1957]
DOI: 10.1002/ange.200704739
- Uhlig, F. (Z) 3695–3697 [3639–3641]
- Uhlig, K. (Z) 5749–5752 [5666–5668]
- Uhm, S. (Z) 10317–10320 [10163–10166]
- Uji-i, H. (Z) 795–799 [783–787], 3420–3423 [3372–3375]
- Ulbricht, H. (Z) 6290–6293 [6195–6198]
- Ulrich, A. S.
– Synthesis of Trifluoromethyl-Substituted Proline Analogues as ¹⁹F NMR Labels for Peptides in the Polyproline II Conformation (Z) 5849–5851 [5765–5767]
DOI: 10.1002/ange.200801022
- Ulrich, C. (Z) 3076–3078 [3034–3036]
- Ulrich, G. (M) 1202–1219 [1184–1201], (Z) 9008–9012 [8876–8880]
- Ulrich, S. (Z) 2272–2275 Berichtigung: 4534 [2240–2243 Berichtigung: 4462]
- Umani-Ronchi, A.
– Enantioselective Phase-Transfer-Catalyzed Intramolecular Aza-Michael Reaction: Effective Route to Pyrazino-Indole Compounds (Z) 3282–3285 [3238–3241]
DOI: 10.1002/ange.200705685
- Umebayashi, N. (Z) 4264–4267 [4196–4199]
- Umeda, N. (Z) 4083–4086 [4019–4022]
- Umezaki, S. (Z) 4948–4951 [4870–4873]
- Umezawa, N. (Z) 6538–6540 [6438–6440]
- Underbakke, E. S. (Z) 9823–9826 [9677–9680]
- Unell, M. (Z) 8634–8637 [8506–8509]
- Ungar, G.
– Liquid-Crystal Engineering with Anchor-Shaped Molecules: Honeycombs with Hexagonal and Trigonal Symmetries Formed by Polyphilic Bent-Core Molecules (Z) 6169–6172 [6080–6083]
DOI: 10.1002/ange.200802021
- Liquid-Crystalline Kagome (Z) 9203–9206 [9063–9066]
DOI: 10.1002/ange.200802957
- Ungur, L. (Z) 4194–4197 [4126–4129]
- Uno, H. (Z) 5518–5521 [5438–5441], 9045–9048 [8913–8916]
- Unoike, K. (Z) 4769–4772 [4691–4694]
- Uosaki, K. (Z) 5709–5712 [5627–5630]
- Updegraff III, J. B. (Z) 7599–7602 [7489–7492]
- Urabe, H.
– Iron-Catalyst-Switched Selective Conjugate Addition of Grignard Reagents: $\alpha,\beta,\gamma,\delta$ -Unsaturated Amides as Versatile Templates for Asymmetric Three-Component Coupling Processes (Z) 6966–6970 [6860–6864]
DOI: 10.1002/ange.200801928
- Urakawa, A.
– Space- and Time-Resolved Combined DRIFT and Raman Spectroscopy: Monitoring Dynamic Surface and Bulk Processes during NO_x Storage Reduction (Z) 9396–9399 [9256–9259]
DOI: 10.1002/ange.200804077
- Urban, T. (Z) 3508–3510 [3458–3460]
- Urushima, T. (Z) 9193–9198 [9053–9058]
- Usuki, T. (Z) 8739–8742 [8611–8614]
- Utsumi, N. (Z) 4664–4667 [4588–4591]
- Uttamchandani, M. (Z) 1722–1726 [1698–1702], 7548–7551 [7438–7441]
- Uyar, T.
– Electrospinning of Cyclodextrin–Pseudopolyrotaxane Nanofibers (Z) 9248–9251 [9108–9111]
DOI: 10.1002/ange.200803352
- Užarević, K. (Z) 7130–7133 [7022–7025]
- Uzun, A. (Z) 9385–9388 [9245–9248]
- van der Boom, M. E.
– Chemical Communication between Metal-Complex-Based Monolayers (Z) 2292–2294 [2260–2262]
DOI: 10.1002/ange.200705841
- Redox-Active Monolayers as a Versatile Platform for Integrating Boolean Logic Gates (Z) 5402–5406 [5322–5326]
DOI: 10.1002/ange.200800830
- van der Heijden, A. W. A. M. (Z) 5080–5082 [5002–5004]
- van der Spoel, D.
– Picosecond Melting of Ice by an Infrared Laser Pulse: A Simulation Study (Z) 1439–1442 [1417–1420]
DOI: 10.1002/ange.200703987
- van der Vlies, A. J. (Z) 7975–7978 [7857–7860]
- van Eldik, R.
– Welches Oxidationsmittel ist wirklich verantwortlich für Oxygenierungen an P450-Modellsystemen? – Eine kinetische Betrachtung (Z) 5316–5320 [5238–5242]
DOI: 10.1002/ange.200800907
- van Enckevort, W. J. P. (Z) 6545–6547 [6445–6447], 7336–7339 [7226–7229]
- van Esch, J.
– Preparation of Nanostructures by Orthogonal Self-Assembly of Hydrogelators and Surfactants (Z) 2093–2096 [2063–2066]
DOI: 10.1002/ange.200704609
- van Halbeek, H. (Z) 6162–6165 [6073–6076]
- Van Kirk, E. A. (Z) 1280–1284 [1260–1264]
- van Laar, F. (Z) 1499–1502 [1477–1480]
- van Leeuwen, P. W. N. M. (Z) 6704–6707 [6602–6605]
- van Maarseveen, J. H.
– Enantioselective Copper-Catalyzed Propargylic Amination (Z) 3837–3840 [3777–3780]
DOI: 10.1002/ange.200705264
- van Noort, D. (Z) 886–890 [872–876]
- Van Noyen, J. (Z) 2855–2858 [2813–2816]
- van Pée, K.-H.
– Zum Mechanismus der enzymatischen Chlorierung von Tryptophan (Z) 9676–9679 [9533–9536]
DOI: 10.1002/ange.200802466
- van Pée, K.-H. (Z) 7994–7997 [7876–7879]
- Van Speybroeck, V. (Z) 5257–5260 [5179–5182]
- van Wüllen, C. (Z) 3294–3297 [3250–3253]
- van Zwol, F. (Z) 3969–3972 [3905–3908]
- Vanag, V. K. (Z) 7867–7869 [7753–7755]
- VanDerveer, D. G. (Z) 3851–3854 [3791–3794]
- Vannahme, J. (Z) 767–770 [755–758]
- Varadarajan, N.
– An Engineered Protease that Cleaves Specifically after Sulfated Tyrosine (Z) 7979–7981 [7861–7863]
DOI: 10.1002/ange.200800736
- Varga, S. L. (Z) 9244–9247 [9104–9107]
- Varpness, Z. B. (Z) 7963–7966 [7845–7848]
- Varszegi, C. (Z) 1499–1502 [1477–1480]
- Vasudev, P. G. (Z) 6530–6532 [6430–6432]
- Vattier, F. (Z) 4452–4455 [4380–4383]
- Vaughan, O. P. H. (Z) 2456–2460 [2422–2426]
- Vauthey, E.
– Direct Femtosecond Observation of Tight and Loose Ion Pairs upon Photoinduced



- Vacca, J. P. (Z) 9244–9247 [9104–9107]
- Vagner, J. (Z) 1709–1712 [1685–1688]
- Valdés, C. (Z) 6696–6699 [6594–6597]
- Valle, F. (Z) 2465–2468 [2431–2434]
- Vallera, D. A. (Z) 10333–10336 [10179–10182]
- van Beilen, J. B. (Z) 5310–5312 [5232–5234]
- van Bokhoven, J. A.
– Generating Highly Active Partially Oxidized Platinum during Oxidation of Carbon Monoxide over Pt/Al₂O₃: In Situ, Time-Resolved, and High-Energy-Resolution X-Ray Absorption Spectroscopy (Z) 9400–9404 [9260–9264]
DOI: 10.1002/ange.200803427
- van Bommel, K. (Z) 2093–2096 [2063–2066]
- van de Linde, S. (Z) 6266–6271 [6172–6176]
- van Delft, F. L. (Z) 6678–6680 [6576–6578]
- Van der Auweraer, M. (Z) 3006–3010 [2964–2968], 5075–5079 [4997–5001]

- Bimolecular Electron Transfer
(Z) 9184–9188 [9044–9048]
DOI: 10.1002/ange.200803164
- Zipper Assembly of Vectorial Rigid-Rod π -Stack Architectures with Red and Blue Naphthalenediimides: Toward Supramolecular Cascade n/p-Heterojunctions
(Z) 3787–3789 [3727–3729]
DOI: 10.1002/ange.200800203
- Vavilala, C. (Z) 4785–4788 [4707–4710]
Vecchio, V. M. (Z) 517–520 [507–510]
Vederas, J. C.
- Solid-Supported Synthesis and Biological Evaluation of the Lantibiotic Peptide Bis-(desmethyl) Lacticin 3147 A2
(Z) 9614–9617 [9472–9475]
DOI: 10.1002/ange.2008002919
- Vehlow, K. (Z) 2655–2658 [2615–2618]
Veitch, G. E. (A) 9542–9570 [9402–9429]
Velder, J. (Z) 7832–7835 [7718–7721]
Velkova, A. (Z) 7222–7227 [7114–7118]
Vella, S. J. (Z) 6756–6758 [6654–6656]
Velonia, K.
- In Situ ATRP-Mediated Hierarchical Formation of Giant Amphiphile Bionanoreactors
(Z) 6359–6362 [6263–6266]
DOI: 10.1002/ange.200801007
- Verbiest, T. (Z) 3020–3023 [2978–2981]
Verch, A. (Z) 9278–9281 [9138–9141]
Verel, R. (Z) 5926–5929 [5842–5845], 5935–5938 [5851–5854]
Verevkin, S. P.
- Predicting Enthalpy of Vaporization of Ionic Liquids: A Simple Rule for a Complex Property
(Z) 5149–5152 [5071–5074]
DOI: 10.1002/ange.200800926
- Verhoeven, A. (Z) 3656–3658 [3600–3602]
Verkerk, U. H. (Z) 9812–9814 [9666–9668]
Verma, S.
- Dityryptophan Conjugation Triggers Conversion of Biotin Fibers into Soft Spherical Structures
(Z) 2902–2905 [2860–2863]
DOI: 10.1002/ange.200705012
- Periodic Iron Nanomineralization in Human Serum Transferrin Fibrils
(Z) 2249–2253 [2217–2221]
DOI: 10.1002/ange.200705723
- Verri, T. (Z) 517–520 [507–510]
Versluis, C. (Z) 6343–6347 [6247–6251]
Verteletskii, P. V. (Z) 1123–1126 [1107–1110]
- Vesely, J. (Z) 8596–8600 [8468–8472]
Veyre, L. (Z) 8782–8784 [8654–8656]
Vicat, J. (Z) 3436–3439 [3388–3391]
Vidal-Gancedo, J. (Z) 1887–1891 [1861–1865]
Viers, B. D. (Z) 4205–4208 [4137–4140]
Vierstra, R. D. (Z) 4831–4833 [4753–4755]
Vigalok, A.
- Highly Efficient Organic Reactions “on Water”, “in Water”, and Both
(Z) 2891–2894 [2849–2852]
DOI: 10.1002/ange.200705347
- Vignolle, J. (Z) 2303–2306 [2271–2274]
Vij, A.
- Fluorinated Polyhedral Oligomeric Silsesquioxanes (F-POSS)
(Z) 4205–4208 [4137–4140]
DOI: 10.1002/ange.200705355
- Vila-Perelló, M. (Z) 7878–7881 [7764–7767]
Vilar, R. (A) 9136–9172 [8998–9033]
- Villa, E. M. (Z) 4922–4924 [4844–4846], 5716–5718 [5634–5636], 8375–8378 [8251–8254]
Villaescusa, L. A. (Z) 8031–8035 [7913–7917]
Villiers, C. (K) 5976–5977 [5892–5893]
Villinger, A. (Z) 614–617 [603–606], 6565–6568 [6465–6468], 9672–9675 [9530–9532]
Vimont, A. (Z) 4212–4216 [4144–4148]
Viñas, C. (Z) 5914–5916 [5830–5832]
Vinck, E. (Z) 1436–1438 [1414–1416]
Viñes, F. (Z) 6787–6791 [6685–6689]
Vinhato, E. (Z) 8785–8788 [8657–8660]
Vinter, J. G. (Z) 6371–6373 [6275–6277]
Vinu, A.
- A Layered Mesoporous Carbon Sensor Based on Nanopore-Filling Cooperative Adsorption in the Liquid Phase
(Z) 7364–7367 [7254–7257]
DOI: 10.1002/ange.200802820
- Vinueza, N. R. (Z) 10008–10013 [9860–9865]
Vlieg, E.
- Attrition-Enhanced Deracemization of an Amino Acid Derivative That Forms an Epitaxial Racemic Conglomerate
(Z) 7336–7339 [7226–7229]
DOI: 10.1002/ange.200802468
- Complete Deracemization by Attrition-Enhanced Ostwald Ripening Elucidated
(Z) 6545–6547 [6445–6447]
DOI: 10.1002/ange.200801846
- Vo, G. D. (Z) 2157–2160 [2127–2130]
Vogel, A. (Z) 5163–5166 [5085–5088]
Vogel, C. (Z) 2721–2724 [2681–2684]
Vogel, H.
- An Integrated Self-Assembled Nanofluidic System for Controlled Biological Chemistries
(Z) 5626–5631 [5544–5549]
DOI: 10.1002/ange.200801606
- Vogel, P.
- Iron-Catalyzed Desulfinylative C–C Cross-Coupling Reactions of Sulfonyl Chlorides with Grignard Reagents
(Z) 1325–1327 [1305–1307]
DOI: 10.1002/ange.200704858
- Vogelsang, J. (Z) 5545–5550 [5465–5469]
Vogt, T. (Z) 2830–2833 [2788–2791]
Vögtle, F. (Z) 5502–5505 [5422–5425]
Voica, A.-F. (Z) 3097–3099 [3054–3056]
Voigtmann, U. (Z) 5000–5003 [4922–4925]
Vojtišek, P. (Z) 3232–3235 [3188–3191]
Volkova, N. (Z) 8014–8018 [7896–7900]
Vomasta, D. (Z) 7756–7759 [7644–7647]
von Hopffgarten, M. (Z) 9290–9295 [9150–9154]
von Itzstein, M.
- Avian Influenza H5-Containing Virus-Like Particles (VLPs): Host-Cell Receptor Specificity by STD NMR Spectroscopy
(Z) 1936–1938 [1910–1912]
DOI: 10.1002/ange.200704872
- von Kiedrowski, G.
- *Leslie E. Orgel*
(N) 2372–2373 [2338–2339]
DOI: 10.1002/ange.200800571
- Selbstorganisation eines DNA-Dodekaders aus 20 Trisoligonucleotiden mit C_{3h} -Linker
(Z) 3682–3686 [3626–3630]
DOI: 10.1002/ange.200702682
- von Kiedrowski, G. (Z) 8552–8556 [8424–8428]
- von Maltzahn, G. (Z) 7394–7398 [7284–7288]
von Stetten, D. (Z) 4831–4833 [4753–4755]
Vors, J.-P. (Z) 10291–10294 [10137–10140]
Vosch, T.
- Photoactivation of Silver-Exchanged Zeolite A
(Z) 2855–2858 [2813–2816]
DOI: 10.1002/ange.200704861
- Voss, C. V. (Z) 753–757 [741–745]
Vostokin, G. K. (Z) 3306–3310 [3262–3266]
Vries, T. (Z) 1307–1310 [1287–1290]
Vriz, S. (Z) 3804–3806 [3744–3746]
Vuojola, J. (Z) 3871–3873 [3811–3813]
Vura-Weis, J. (Z) 3858–3860 [3798–3800]



- Waalboer, D. C. J. (Z) 6678–6680 [6576–6578]
Wach, J.-Y. (Z) 7232–7235 [7123–7126]
Wacker, R. (Z) 4493–4496 [4421–4424]
Wada, Yasufumi (Z) 7787–7790 [7673–7676]
Wada, Yasuhiro (Z) 108–111 [102–105]
Wadepohl, H. (Z) 4622–4626 [4546–4550], 4748–4752 [4670–4674], 4818–4821 [4740–4743]
Waelchli, M. (Z) 8023–8026 [7905–7908]
Wågberg, T. (Z) 2838–2841 [2796–2799]
Wagenknecht, H.-A.
- Perylenbisimid-Dimere als fluoreszenter “Klebstoff” für DNA und zum Nachweis von Basenfehlpaarungen
(Z) 2652–2654 [2612–2614]
DOI: 10.1002/ange.200705237
- Wagner, B. (Z) 4588–4591 [4512–4515]
Wagner, B. D.
- Ternary Complexes Comprising Cucurbit[10]uril, Porphyrins, and Guests
(Z) 2697–2700 [2657–2660]
DOI: 10.1002/ange.200705346
- Wagner, C. R.
- Self-Assembly of Antibodies by Chemical Induction
(Z) 10333–10336 [10179–10182]
DOI: 10.1002/ange.200803507
- Wagner, F. R.
- Metall-Metall-Abstände am Limit: ein Komplex mit ultrakurzer Cr-Cr-Bindung
(Z) 7356–7359 [7246–7249]
DOI: 10.1002/ange.200801160
- Wagner, F. R. (Z) 6569–6572 [6469–6472]
Wagner, M. (Z) 1686–1691 [1662–1667], 10329–10332 [10175–10178]
Wagner, N. (M) 6221–6230 [6128–6136]
Wagner, U. G. (M) 8912–8923 [8782–8793]
Wahi, M. S. (Z) 1311–1313 [1291–1293]
Wahl, B. (Z) 3996–3999 [3932–3935]
Wakahara, T. (Z) 8023–8026 [7905–7908]
Wakchaure, V. (Z) 7768–7771 [7656–7658]
Walde, P.
- Vesikelbildung aus reaktiven Tensiden
(Z) 1343–1345 [1323–1325]
DOI: 10.1002/ange.200704022
- Waldmann, H.
- Asymmetric Synthesis of Natural Product Inspired Tricyclic Benzopyrones by an Organocatalyzed Annulation Reaction

- (Z) 6975–6978 [6869–6872]
DOI: 10.1002/ange.200802413
- Chemische Verfahren zur Herstellung von Proteinbiochips
(A) 9762–9792 [9618–9647]
DOI: 10.1002/ange.200801711
 - Development of Selective RabGGTase Inhibitors and Crystal Structure of a RabGGTase–Inhibitor Complex
(Z) 3807–3810 [3747–3750]
DOI: 10.1002/ange.200705795
 - Entwicklung einer neuen Klasse von Inhibitoren der Proteintyrosinphosphatase-B aus *Mycobacterium tuberculosis* durch Biologie-orientierte Synthese (BIOS)
(Z) 6061–6066 [5973–5977]
DOI: 10.1002/ange.200801566
 - Photochemical Surface Patterning by the Thiol-Ene Reaction
(Z) 4493–4496 [4421–4424]
DOI: 10.1002/ange.200800101
 - Totalsynthese von Chondramid C und Bindung an F-Aktin
(Z) 6573–6577 [6473–6477]
DOI: 10.1002/ange.200801010
- Waldmann, H. (Z) 4757–4760 [4679–4682]
Walker, M. (Z) 9203–9206 [9063–9066]
Wallace, G. G. (Z) 2504–2508 [2470–2474]
Walsh, C. T. (H) 5784–5786 [5700–5702]
Walsh, E. G. (Z) 179–182 [173–176]
Walsh, M. A. (Z) 7971–7974 [7853–7856]
Walter, C. (Z) 3878–3880 [3818–3820]
Walther, A. (Z) 723–726 [711–714]
Walther, C. (Z) 5930–5934 [5846–5850]
Waltman, A. W. (Z) 8642–8645 [8514–8517]
Walton, R. I.
- Structural Effects of Solvents on the Breathing of Metal–Organic Frameworks: An In Situ Diffraction Study
(Z) 4168–4173 [4100–4105]
DOI: 10.1002/ange.200705607
- Waluk, J.
- Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Condensed Phase and in Supersonic Jets
(Z) 6126–6129 [6037–6040]
DOI: 10.1002/ange.200801350
- Wan, J. (Z) 2686–2688 [2646–2648]
Wan, Q. (Z) 8649–8652 [8521–8524]
Wan, S. (Z) 8958–8962 [8826–8830]
Wang, Aie (Z) 2330–2332 [2298–2300]
Wang, Aiqin (Z) 8638–8641 [8510–8513]
Wang, Anjie
- The Synthesis of Metal Phosphides: Reduction of Oxide Precursors in a Hydrogen Plasma
(Z) 6141–6143 [6052–6054]
DOI: 10.1002/ange.200801559
- Wang, Ben (Z) 3616–3620 [3560–3564]
Wang, Bin (Z) 8348–8351 [8224–8227]
Wang, C.-R. (Z) 6819–6823 [6717–6721]
Wang, Chao (Z) 179–182 [173–176], 3644–3647 [3588–3591], 9189–9192 [9049–9052]
Wang, Chen
- Site-Selective Fabrication of Two-Dimensional Fullerene Arrays by Using a Supramolecular Template at the Liquid-Solid Interface
(Z) 6819–6823 [6717–6721]
DOI: 10.1002/ange.200802518
- Wang, Chen (Z) 5701–5704 [5619–5622]
Wang, Chuan (Z) 7649–7653 [7539–7542]
Wang, Cuihua (Z) 4504–4507 [4432–4435]
Wang, Da-W. (Z) 379–382 [373–376]
Wang, Dayang
- Controlling the Growth of Charged-Nanoparticle Chains through Interparticle Electrostatic Repulsion
(Z) 4048–4051 [3984–3987]
DOI: 10.1002/ange.200705537
 - Stimuli-Responsive Reversible Transport of Nanoparticles Across Water/Oil Interfaces
(Z) 326–329 [320–323]
DOI: 10.1002/ange.200702597
- Wang, De-X. (Z) 394–397 [388–391], 7595–7598 [7485–7488], 9596–9599 [9454–9457]
Wang, Deyun (Z) 1905–1908 [1879–1882]
Wang, Di (Z) 5083–5086 [5005–5008]
Wang, Dongren (Z) 2655–2658 [2615–2618], 3311–3314 [3267–3270]
Wang, Dunwei
- Spontaneous Growth of Highly Conductive Two-Dimensional Single-Crystalline TiSi_2 Nanonets
(Z) 7795–7798 [7681–7684]
DOI: 10.1002/ange.200802744
- Wang, Fei (Z) 8522–8524 [8394–8396]
Wang, Feng (Z) 920–923 [906–909]
Wang, Haihui
- Simultaneous Production of Hydrogen and Synthesis Gas by Combining Water Splitting with Partial Oxidation of Methane in a Hollow-Fiber Membrane Reactor
(Z) 9481–9484 [9341–9344]
DOI: 10.1002/ange.200803899
- Wang, Haiyan (Z) 5852–5855 [5768–5771]
Wang, Hong (Z) 3983–3986 [3919–3922]
Wang, Hua (Z) 6700–6703 [6598–6601]
Wang, Huan (Z) 1311–1313 [1291–1293]
Wang, Huanting
- Cubes of Zeolite A with an Amorphous Core
(Z) 8525–8527 [8397–8399]
DOI: 10.1002/ange.200802823
- Wang, Hui (Z) 8638–8641 [8510–8513]
Wang, Huijun (Z) 348–351 [342–345]
Wang, Jian (Z) 4245–4247 [4177–4179]
Wang, Jianfang
- A General Route to Diverse Mesoporous Metal Oxide Submicrospheres with Highly Crystalline Frameworks
(Z) 8810–8814 [8682–8686]
DOI: 10.1002/ange.200802487
- Ordered Gold Nanostructure Assemblies Formed By Droplet Evaporation
(Z) 9831–9836 [9685–9690]
DOI: 10.1002/ange.200803642
- Wang, Jiangyun (Z) 734–737 [722–725], 6499–6501 [6399–6401]
Wang, Jianhua
- Atmospheric-Pressure Dielectric-Barrier Discharge as a Radiation Source for Optical Emission Spectrometry
(Z) 8027–8030 [7909–7912]
DOI: 10.1002/ange.200802681
- Wang, Jianhua (Z) 1454–1457 [1432–1435]
Wang, Jie (Z) 988–991 [974–976]
Wang, Joseph
- Ultrafast Catalytic Alloy Nanomotors
(Z) 9489–9491 [9349–9351]
DOI: 10.1002/ange.200803841
- Wang, K. (Z) 7571–7575 [7461–7465]
Wang, K.-C. (Z) 5141–5144 [5063–5066]
Wang, L.-C. (Z) 340–343 [334–337]
Wang, L.-N. (Z) 5130–5133 [5052–5055]
Wang, L.-X. (Z) 4423–4425 [4351–4353], 8624–8626 [8496–8498]
Wang, Leyu (Z) 1070–1073 [1054–1057], 2473–2476 [2439–2442]
Wang, Li (Z) 6141–6143 [6052–6054]
Wang, Lijia (Z) 8798–8801 [8670–8673]
Wang, Likui (Z) 4803–4806 [4725–4728]
Wang, Longsheng (Z) 2666–2670 [2626–2630]
Wang, M.-S. (Z) 3621–3623 [3565–3567], 4217–4220 [4149–4152]
Wang, M.-X.
- Asymmetric Synthesis of 5-(1-Hydroxyalkyl)tetrazoles by Catalytic Enantioselective Passerini-Type Reactions
(Z) 9596–9599 [9454–9457]
DOI: 10.1002/ange.200804213
 - Catalytic Enantioselective Passerini Three-Component Reaction
(Z) 394–397 [388–391]
DOI: 10.1002/ange.200704315
 - Halide Recognition by Tetraoxacalix[2]arene[2]triazine Receptors: Concurrent Noncovalent Halide– π and Lone-pair– π Interactions in Host–Halide–Water Ternary Complexes
(Z) 7595–7598 [7485–7488]
DOI: 10.1002/ange.200801705
- Wang, P. (Z) 6780–6782 [6678–6680], 8049–8051 [7931–7933]
Wang, Q.-Q. (Z) 7595–7598 [7485–7488]
Wang, Qi (Z) 8224–8227 [8104–8107]
Wang, Qiang (Z) 8224–8227 [8104–8107]
Wang, Qiangbin
- Quantum Dot Bioconjugation during Core–Shell Synthesis
(Z) 322–325 [316–319]
DOI: 10.1002/ange.200703648
- Wang, Qiangbin (Z) 5235–5237 [5157–5159]
Wang, Quanrui
- Gold-Catalyzed Cycloisomerization of Cyclopropyl Alkynyl Acetates: A Versatile Approach to 5-, 6-, and 7-Membered Carbocycles
(Z) 10264–10267 [10110–10113]
DOI: 10.1002/ange.200804202
- Wang, S.-X. (Z) 394–397 [388–391]
Wang, Shaohui (Z) 1304–1306 [1284–1286]
Wang, Shixing (Z) 7564–7566 [7454–7456]
Wang, Shu
- Ultrasensitive DNA Detection Using Photonic Crystals
(Z) 7368–7372 [7258–7262]
DOI: 10.1002/ange.200801998
- Wang, Shutao (Z) 1088–1091 [1072–1075]
Wang, T.-S. (Z) 6819–6823 [6717–6721]
Wang, Tao (Z) 758–761 [746–749], 9831–9836 [9685–9690]
Wang, Tianli (Z) 8592–8595 [8464–8467]
Wang, Wei
- A Highly Stereoselective Hydrogen-Bond-Mediated Michael–Michael Cascade Process through Dynamic Kinetic Resolution
(Z) 4245–4247 [4177–4179]
DOI: 10.1002/ange.200800381
- Wang, Wei (Z) 7819–7823 [7705–7709], 9629–9633 [9487–9491], 10018–10022 [9870–9874]
Wang, Wenxin (H) 7921–7924 [7804–7806]
Wang, X.-d. (Z) 7560–7563 [7450–7453]
Wang, X.-r. (Z) 7560–7563 [7450–7453]
Wang, X.-S. (Z) 4198–4201 [4130–4133], 7373–7376 [7263–7266]
Wang, Xiaodong (Z) 8638–8641 [8510–8513]
Wang, Xin (Z) 7845–7849 [7731–7735]

- Wang, Xingwang (Z) 1135–1138 [1119–1122], 8232–8235 [8112–8115]
 Wang, Xinyan (Z) 7144–7147 [7036–7039]
 Wang, Xisheng (Z) 9608–9610 [9466–9468]
 Wang, Xuan (Z) 3032–3034 [2990–2992]
 Wang, Xuefeng (Z) 5446–5450 [5366–5370]
 Wang, Y.-Y. (Z) 9872–9875 [9726–9729]
 Wang, Yao (Z) 6141–6143 [6052–6054]
 Wang, Yaobing (Z) 9037–9040 [8905–8908]
 Wang, Yarong (Z) 7571–7575 [7461–7465]
 Wang, Yi (Z) 7460–7463 [7350–7353]
 Wang, Ying (Z) 3466–3469 [3418–3421]
 Wang, Yizhong (Z) 2874–2877 [2832–2835]
 Wang, Yong (Z) 3404–3407 [3356–3359]
 Wang, Yonggang (Z) 7571–7575 [7461–7465]
 Wang, Yu (Z) 7360–7363 [7250–7253], 10081–10084 [9933–9936]
 Wang, Yuanhua (Z) 1461–1464 [1439–1442]
 Wang, Yuanliang (Z) 7589–7591 [7479–7481]
 Wang, Zheming (Z) 891–895 [877–881]
 Wang, Zheng (Z) 2882–2885 [2840–2843]
 Wang, Zhenqiang (Z) 4777–4780 [4699–4702]
 Wang, Zhijian (Z) 8592–8595 [8464–8467]
 Wang, Zhiqiang (Z) 9189–9192 [9049–9052]
 Wang, Zhiyong (Z) 9236–9239 [9096–9099]
 Wanka, L. (Z) 6275–6278 [6180–6183]
 Ward, T. R.
 – Artificial Metalloenzymes for Asymmetric Allylic Alkylation on the Basis of the Biotin–Avidin Technology (Z) 713–717 [701–705]
 DOI: 10.1002/ange.200703159
 – Künstliche Enzyme maßgeschneidert: Kombination von Computerdesign und gerichteter Evolution (H) 7918–7920 [7802–7803]
 DOI: 10.1002/ange.200802865
 – X-Ray Structure and Designed Evolution of an Artificial Transfer Hydrogenase (Z) 1422–1426 [1400–1404]
 DOI: 10.1002/ange.200704865
 Wariishi, H. (Z) 10014–10017 [9866–9869]
 Waring, A. J. (Z) 3246–3249 [3202–3205]
 Wark, A. W. (M) 654–663 [644–652]
 Warncke, S. (Z) 3491–3493 [3442–3444]
 Warnecke, S. (Z) 1523–1525 [1500–1502]
 Waroquier, M. (Z) 5257–5260 [5179–5182]
 Warr, R. J. (Z) 1769–1772 [1745–1748]
 Warren, J. E. (Z) 2870–2873 [2828–2831]
 Warren, T. H.
 – Copper–Nitrene Complexes in Catalytic C–H Amination (Z) 10109–10112 [9961–9964]
 DOI: 10.1002/ange.200804304
 Warshel, A.
 – Predicting Drug-Resistant Mutations of HIV Protease (Z) 709–712 [697–700]
 DOI: 10.1002/ange.200704178
 Washington, M. P. (Z) 7599–7602 [7489–7492]
 Wasielewski, M. R.
 – The Influence of Guanine on DNA Hole Transport Efficiency (Z) 3858–3860 [3798–3800]
 DOI: 10.1002/ange.200705903
 Waskell, L. (Z) 7982–7985 [7864–7867]
 Wasmer, C. (Z) 5923–5925 [5839–5841]
 Watanabe, C. (Z) 5466–5469 [5386–5389]
 Watanabe, Masahiro
 – Direct Visualization of Oxygen Distribution in Operating Fuel Cells (Z) 2834–2837 [2792–2795]
 DOI: 10.1002/ange.200705516
 Watanabe, Masayuki (Z) 137–139 [131–133], 2834–2837 [2792–2795]
 Watanabe, Takashi (Z) 5824–5829 [5740–5745]
 Watanabe, Tomonari (Z) 2109–2111 [2079–2081]
 Watanabe, Yasuyoshi (Z) 108–111 [102–105]
 Watanabe, Yuki (Z) 9572–9575 [9430–9433]
 Watts, A. (Z) 9199–9202 [9059–9062]
 Watts, N. R. (Z) 6343–6347 [6247–6251]
 Watzke, A. (Z) 412–415 [406–409]
 Weatherspoon, M. R. (Z) 8039–8041 [7921–7923]
 Weatherstone, S. (Z) 8199–8201 [8079–8081]
 Weber, B.
 – Ein thermisch induzierter Spinübergang an einem Eisen(II)-Komplex mit einer 70 K breiten Hystereseschleife (Z) 10252–10255 [10098–10101]
 DOI: 10.1002/ange.200802806
 Weck, M.
 – Erasable Coordination Polymer Multilayers on Gold (Z) 1447–1450 [1425–1428]
 DOI: 10.1002/ange.200704418
 Weckhuysen, B. M.
 – Catalytic Hydrogen-Chlorine Exchange between Chlorinated Hydrocarbons under Oxygen-Free Conditions (Z) 5080–5082 [5002–5004]
 DOI: 10.1002/ange.200800270
 – In Situ Synchrotron-Based IR Microspectroscopy To Study Catalytic Reactions in Zeolite Crystals (Z) 3599–3603 [3543–3547]
 DOI: 10.1002/ange.200705562
 – Intergrowth Structure of Zeolite Crystals and Pore Orientation of Individual Subunits Revealed by Electron Backscatter Diffraction/Focused Ion Beam Experiments (Z) 5719–5722 [5637–5640]
 DOI: 10.1002/ange.200801433
 Weder, C.
 – Mikroporöse Polymere mit einstellbarer Porengröße (H) 456–458 [448–450]
 DOI: 10.1002/ange.200704697
 Wedig, U.
 – Das Teil im Ganzen – Missverständnisse um chemische Konzepte (E) 10176–10180 [10026–10029]
 DOI: 10.1002/ange.200803605
 Weding, N. (Z) 6565–6568 [6465–6468]
 Wee, L. H. (Z) 8778–8781 [8650–8653]
 Wegner, H. A.
 – Stereochemie in Bürgenstock: chemische Biologie und organische Synthese im Blickpunkt (T) 5578–5581 [5496–5499]
 DOI: 10.1002/ange.200802643
 Wegrzecki, M. (Z) 3306–3310 [3262–3266]
 Wehofskey, N. (Z) 5536–5540 [5456–5460]
 Wei, B. (Z) 337–339 [331–333]
 Wei, J. (Z) 8049–8051 [7931–7933]
 Wei, W. (Z) 4037–4039 [3973–3975]
 Wei, X.
 – Heterotrimetallic Salts: Synthesis, Structures, and Superbase Reactivity of Crystalline *tert*-Butoxides [Li₄Na₂K₂(OtBu)₈(μ-L)]_n (Z) 4040–4042 [3976–3978]
 DOI: 10.1002/ange.200705268
 Wei, Yinan (Z) 3778–3781 [3718–3721]
 Wei, Yongge
 – Unprecedented Replacement of Bridging Oxygen Atoms in Polyoxometalates with Organic Imido Ligands (Z) 2666–2670 [2626–2630]
 DOI: 10.1002/ange.200704546
 Weidemann, N. (Z) 5883–5886 [5799–5802]
 Weigelt, S. (Z) 4478–4482 [4406–4410]
 Weihe, H.
 – Superhyperfine Interaction in [MnF₆]³⁻ (Z) 154–156 [148–150]
 DOI: 10.1002/ange.200703771
 Weihrich, R. (Z) 5736–5739 [5654–5657]
 Weik, F. (Z) 199–203 [193–197]
 Weingärtner, H.
 – Zum Verständnis ionischer Flüssigkeiten auf molekularer Ebene: Fakten, Probleme und Kontroversen (A) 664–682 [654–670]
 DOI: 10.1002/ange.200604951
 Weinrich, D. (Z) 4493–4496 [4421–4424], (A) 9762–9792 [9618–9647]
 Weismann, D. (Z) 3315–3318 [3271–3274]
 Weiss, A. A.
 – Differentiation between Structurally Homologous Shiga 1 and Shiga 2 Toxins by Using Synthetic Glycoconjugates (Z) 1285–1288 [1265–1268]
 DOI: 10.1002/ange.200703680
 Weiss, E. A. (Z) 148–150 [142–144]
 Weiss, M. A. (Z) 1118–1122 [1102–1106]
 Weissleder, R. (Z) 4187–4189 [4119–4121]
 Weissman, K. J. (Z) 4671–4676 [4595–4599], (H) 8470–8473 [8344–8346]
 Weizmann, Y. (Z) 132–136 [126–130]
 Welch, M. (Z) 2850–2854 [2808–2812]
 Weller, H. (Z) 9078–9082 [8946–8949]
 Welter, C. (Z) 7764–7767 [7652–7655]
 Welter, R. (Z) 500–505 [490–495]
 Wemmer, D. E. (Z) 4388–4392 [4316–4320]
 Wen, J. (Z) 9029–9032 [8897–8900]
 Wender, P. A. (Z) 4003–4005 [3939–3941]
 Wendicke, S. (Z) 1523–1525 [1500–1502]
 Wendt, K. U.
 – Crystallography-Independent Determination of Ligand Binding Modes (Z) 7850–7854 [7736–7740]
 DOI: 10.1002/ange.200801792
 – Selektive aktivitätsbasierte Sonden für Cystein-Cathepsine (Z) 412–415 [406–409]
 DOI: 10.1002/ange.200702811
 Weng, Y. (Z) 2311–2314 [2279–2282]
 Wennemers, H.
 – Tripeptides as Efficient Asymmetric Catalysts for 1,4-Addition Reactions of Aldehydes to Nitroolefins – A Rational Approach (Z) 1897–1900 [1871–1874]
 DOI: 10.1002/ange.200704972
 Wentworth Jr., P.
 – Cholesterol *seco*-Sterol-Induced Aggregation of Methylated Amyloid-β Peptides—Insights into Aldehyde-Initiated Fibrillization of Amyloid-β (Z) 3983–3986 [3919–3922]
 DOI: 10.1002/ange.200705922
 Wenzl, S. (Z) 1753–1756 [1729–1732]
 Werner, E. J. (M) 8696–8709 [8568–8580]
 Werness, J. B. (Z) 9065–9068 [8933–8936]

- Wernsdorfer, W. (Z) 6796–6800 Berichtigung: 9732 [6694–6698 Berichtigung: 9590]
- Werth, S. (Z) 9481–9484 [9341–9344]
- Wesemann, L.
- Oktaedrische Koordinationsverbindungen der Ni, Pd, Pt-Triade (Z) 977–980 [963–966]
DOI: 10.1002/ange.200704814
- Wesquet, A. O. (Z) 3093–3096 [3050–3053]
- West, J. P. (Z) 3851–3854 [3791–3794]
- West, R. (Z) 9918–9920 [9772–9774]
- Westerhausen, M.
- Molekulare Magnesium(I)-Verbindungen – mehr als nur eine Laborkuriosität (H) 2215–2217 [2185–2187]
DOI: 10.1002/ange.200705758
- Westerlind, U. (Z) 7662–7667 [7551–7556]
- Westra, A. N. (Z) 1769–1772 [1745–1748]
- Weststrate, C. J. (Z) 2161–2164 [2131–2134]
- Wettig, B. (Z) 10130–10133 [9982–9984]
- Wetzel, A. (Z) 9270–9273 [9130–9133]
- Wetzel, S. (Z) 3807–3810 [3747–3750]
- Weyhermüller, T. (Z) 969–973 [955–959], 1248–1251 [1228–1231], 3015–3019 [2973–2977], 6484–6487 [6384–6387]
- Wezenberg, S. J. (M) 2388–2399 [2354–2364]
- Wangbo, M.-H. (Z) 8049–8051 [7931–7933]
- Wheatley, P. S. (A) 5044–5059 [4966–4981]
- Wheeler, D. R. (Z) 2671–2674 [2631–2634]
- Wheeler, K. A.
- Rediscovering Pasteur's Quasiracemates (Z) 84–87 [78–81]
DOI: 10.1002/ange.200704007
- Wheeler, S. E. (M) 7704–7713 [7592–7601]
- Wheelhouse, K. M. P. (née Gosby) (Z) 2914–2917 [2872–2875]
- White, A. J. P. (Z) 5896–5899 [5812–5815]
- White, M. C.
- A Chiral Lewis Acid Strategy for Enantioselective Allylic C–H Oxidation (Z) 6548–6551 [6448–6451]
DOI: 10.1002/ange.200802106
- White, M. F. (Z) 7971–7974 [7853–7856]
- White, P. S. (Z) 4209–4211 [4141–4143]
- Whitesides, G. M.
- Elektrostatische Aufladung durch Separierung von Ionen an Grenzflächen: Kontaktelektrisierung von ionischen Elektreten (A) 2218–2239 [2188–2207]
DOI: 10.1002/ange.200701812
 - Eutectic Gallium–Indium (EGaIn): A Moldable Liquid Metal for Electrical Characterization of Self-Assembled Monolayers (Z) 148–150 [142–144]
DOI: 10.1002/ange.200703642
 - Patterns of Electrostatic Charge and Discharge in Contact Electrification (Z) 6756–6758 [6654–6656]
DOI: 10.1002/ange.200802062
- Whiting, A.
- A Catalytic Aldol Reaction and Condensation through In Situ Boron "Ate" Complex Enolate Generation in Water (Z) 780–782 [768–770]
DOI: 10.1002/ange.200704293
 - Asymmetric Direct Amide Synthesis by Kinetic Amine Resolution: A Chiral Bifunctional Aminoboronic Acid Catalyzed Reaction between a Racemic Amine and an Achiral Carboxylic Acid (Z) 2713–2716 [2673–2676]
DOI: 10.1002/ange.200705643
- Whittaker, J. (Z) 1118–1122 [1102–1106]
- Whittaker, L. J. (Z) 1118–1122 [1102–1106]
- Whittell, G. R. (Z) 3886–3889 [3826–3829], 4426–4429 [4354–4357]
- Whyte, G. (Z) 2072–2075 [2042–2045]
- Wicklow, D. T. (Z) 3629–3633 [3573–3577]
- Wider, G. (Z) 992–996 [977–981]
- Wiebe, W. (Z) 8236–8239 [8116–8119]
- Wieckowska, A. (Z) 3991–3995 [3927–3931]
- Wiegardt, K.
- An Electron-Transfer Series of High-Valent Chromium Complexes with Redox Non-Innocent, Non-Heme Ligands (Z) 6484–6487 [6384–6387]
DOI: 10.1002/ange.200800669
 - Reversible Electron Transfer Coupled to Spin Crossover in an Iron Coordination Salt in the Solid State (Z) 1248–1251 [1228–1231]
DOI: 10.1002/ange.200704951
 - Transition-Metal Complexes with Singly Reduced 1,2-Diketone Radical Ligands (Z) 3015–3019 [2973–2977]
DOI: 10.1002/ange.200705410
- Wiegardt, K. (Z) 7218–7221 [7110–7113]
- Wiehn, M. S. (Z) 8240–8242 [8120–8122]
- Wieland, M. (Z) 2643–2646 [2604–2607]
- Wiener, J. J. M. (Z) 3624–3628 [3568–3572]
- Wieser-Jeunesse, C. Berichtigung: 3722
- Wiesner, M. (Z) 1897–1900 [1871–1874]
- Wietor, J.-L. (Z) 2717–2720 [2677–2680], 2729–2732 [2689–2692], (H) 8282–8284 [8161–8163]
- Wilczok, U. (Z) 4018–4021 [3954–3957]
- Wilde, M.
- Einfluss von Kohlenstoffablagerungen auf die Wasserstoffverteilung in Pd-Nanopartikeln und deren Reaktivität in der Olefinhydrierung (Z) 9430–9434 [9289–9293]
DOI: 10.1002/ange.200801923
- Wilhelm, S. (Z) 5163–5166 [5085–5088]
- Wilk, W. (Z) 6061–6066 [5973–5977]
- Williams, D. B. G.
- Aluminum Triflate as a Highly Active and Efficient Nonprotic Cocatalyst in the Palladium-Catalyzed Methoxycarbonylation Reaction (Z) 570–573 [560–563]
DOI: 10.1002/ange.200702889
- Williams, D. R. (Z) 7576–7579 [7466–7469]
- Williams, F. J. (Z) 2456–2460 [2422–2426]
- Williams, G. J. (Z) 9021–9024 [8889–8892]
- Williams, O. (Z) 2911–2913 [2869–2871]
- Williams, R. J. P.
- Elektronentransfer und elektronische Leitung durch ein Zwischenmedium (E) 6860–6868 [6758–6765]
DOI: 10.1002/ange.200703177
- Williams, R. M.
- Isolation, Structure Elucidation, and Biomimetic Total Synthesis of Versicolamide B, and the Isolation of Antipodal (–)-Stephacidin A and (+)-Notoamide B from *Aspergillus versicolor* NRRL 35600 (Z) 3629–3633 [3573–3577]
DOI: 10.1002/ange.200800106
 - Rabe Rest in Peace: Confirmation of the Rabe–Kindler Conversion of *d*-Quinotoxine Into Quinine: Experimental Affirmation of the Woodward–Doering Formal Total Synthesis of Quinine (Z) 1760–1764 [1736–1740]
DOI: 10.1002/ange.200705421
- Williams, V. M. (Z) 5298–5301 [5220–5223]
- Willinger, M.-G. (Z) 3648–3651 [3592–3595]
- Willis, A. C. (Z) 924–926 [910–912], 7121–7125 [7013–7017]
- Willis, B. (A) 8488–8507 [8360–8379]
- Willits, D. (Z) 7963–7966 [7845–7848]
- Willner, H. (Z) 10268–10272 [10114–10118]
- Willner, I.
- CdS Nanoparticles/ β -Cyclodextrin-Functionalized Electrodes for Enhanced Photoelectrochemistry (Z) 6731–6735 [6629–6633]
DOI: 10.1002/ange.200801141
 - Halbleiterquantenpunkte für die Bioanalyse (A) 7714–7736 [7602–7625]
DOI: 10.1002/ange.200800169
 - Increasing the Complexity of Periodic Protein Nanostructures by the Rolling-Circle-Amplified Synthesis of Aptamers (Z) 132–136 [126–130]
DOI: 10.1002/ange.200703688
 - Optical Analysis of Hg²⁺ Ions by Oligonucleotide–Gold-Nanoparticle Hybrids and DNA-Based Machines (Z) 3991–3995 [3927–3931]
DOI: 10.1002/ange.200705991
 - Optical Detection of Glucose and Acetylcholine Esterase Inhibitors by H₂O₂-Sensitive CdSe/ZnS Quantum Dots (Z) 1700–1703 [1676–1679]
DOI: 10.1002/ange.200704794
 - Photochemical and Electrochemical Encoding of Erasable Magnetic Patterns (Z) 4488–4492 [4416–4420]
DOI: 10.1002/ange.200705793
 - Photoelectrochemistry with Ordered CdS Nanoparticle/Relay or Photosensitizer/Relay Dyads on DNA Scaffolds (Z) 8396–8400 [8272–8276]
DOI: 10.1002/ange.200802590
- Willock, D. J.
- Discrimination of Geometrical Epoxide Isomers by ENDOR Spectroscopy and DFT Calculations: The Role of Hydrogen Bonds (Z) 1436–1438 [1414–1416]
DOI: 10.1002/ange.200703537
- Wills, M.
- Asymmetrische Katalyse mit Luft als Oxidationsmittel zur kinetischen Racematspaltung von sekundären Alkoholen (H) 4334–4337 [4264–4267]
DOI: 10.1002/ange.200801152
- Wilner, O. I. (Z) 132–136 [126–130], 8396–8400 [8272–8276]
- Wilson, A. V. (Z) 1798–1800 [1774–1776]
- Wilson, C. (Z) 6122–6125 [6033–6036]
- Wilson, E. F. (Z) 4456–4459 [4384–4387]
- Wilson, R. E. (Z) 304–308 [298–302]
- Wimmer, R. (Z) 927–930 [913–916]
- Windsor, M. A. (Z) 2895–2898 [2853–2856]
- Wingfield, P. T. (Z) 6343–6347 [6247–6251]
- Winkler, M.
- Fluorinase-Coupled Base Swaps: Synthesis of [¹⁸F]-5'-Deoxy-5'-fluorouridines (Z) 10295–10297 [10141–10143]
DOI: 10.1002/ange.200804040
- Winkler, T. (Z) 7348–7351 [7238–7241]
- Winpenny, R. E. P.
- Heterometallic Rings Made From Chromium Stick Together Easily

- (Z) 9827–9830 [9681–9684]
DOI: 10.1002/ange.200803637
- Octa-, Deca-, Trideca-, and Tetradecanuclear Heterometallic Cyclic Chromium–Copper Cages
(Z) 938–941 [924–927]
DOI: 10.1002/ange.200704132
 - Quanteninformationsverarbeitung mithilfe molekularer Nanomagnete als Qubits
(H) 8112–8114 [7992–7994]
DOI: 10.1002/ange.200802742
- Winpenny, R. E. P. (Z) 9841–9845 [9695–9699]
- Wissinger, N.
- Divergent Synthesis of a Pochonin Library Targeting HSP90 and In Vivo Efficacy of an Identified Inhibitor
(Z) 4504–4507 [4432–4435]
DOI: 10.1002/ange.200800233
- Winter, R.
- Kälte- und druckinduzierte Dissoziation von Proteinaggregaten und Amyloidfibrillen
(H) 6618–6621 [6518–6521]
DOI: 10.1002/ange.200802027
 - Small-Molecule Inhibitors of Islet Amyloid Polypeptide Fibril Formation
(Z) 4757–4760 [4679–4682]
DOI: 10.1002/ange.200705372
- Winter, R. (Z) 344–347 [338–341]
- Wiosna-Satyga, G. (Z) 6126–6129 [6037–6040]
- Wirges, C. T. (M) 8478–8487 [8350–8358]
- Wirtz, C. (Z) 8578–8582 [8450–8454]
- Wischerhoff, E. (Z) 5749–5752 [5666–5668]
- Withers, S. G.
- A New Generation of Specific *Trypanosoma cruzi* trans-Sialidase Inhibitors
(Z) 2740–2743 [2700–2703]
DOI: 10.1002/ange.200705435
- Witte, G.
- Selen als Schlüsselkomponente für hochgeordnete aromatische selbstorganisierte Monoschichten
(Z) 5328–5331 [5250–5252]
DOI: 10.1002/ange.200800883
- Witte, P. (Z) 4055–4058 [3991–3994]
- Woggon, W.-D.
- A Short Route to α -Tocopherol
(Z) 5911–5913 [5827–5829]
DOI: 10.1002/ange.200801765
- Wolf, I. (Z) 6368–6370 [6272–6274]
- Wolf, J. (Z) 1461–1464 [1439–1442]
- Wolf, R. (Z) 4660–4663 [4584–4587]
- Wolf, S. E. (K) 3741–3744 [3683–3686]
- Wolfert, M. A. (Z) 2285–2287 [2253–2255]
- Wolff, K. (Z) 10321–10324 [10167–10170]
- Wöll, C.
- Funktionalisierter Koordinationsraum in metall-organischen Gerüsten
(H) 8285–8289 [8164–8168]
DOI: 10.1002/ange.200801612
 - Spektroskopische Charakterisierung und kontrollierte Veränderung eines Einzelmoleküls durch das Tunneln von Elektronen
(H) 1384–1386 [1364–1366]
DOI: 10.1002/ange.200704110
- Wöll, C. (Z) 5328–5331 [5250–5252]
- Wöll, D. (Z) 795–799 [783–787]
- Woloszynek, R. A. (Z) 7599–7602 [7489–7492]
- Wolter, F. E. (Z) 3302–3305 [3258–3261]
- Wolverton, C. (Z) 896–901 [882–887]
- Won, D.-H. (Z) 5518–5521 [5438–5441]
- Won, K. (Z) 1773–1776 [1749–1752]
- Wong, B. M. (Z) 3011–3014 [2969–2972]
- Wong, C.-H.
- Cysteine-Free Peptide and Glycopeptide Ligation by Direct Aminolysis
(Z) 4483–4487 [4411–4415]
DOI: 10.1002/ange.200705298
- Wong, C.-H. (Z) 5872–5875 [5788–5791], 8755–8758 [8627–8630]
- Wong, G. C. L.
- HIV TAT Forms Pores in Membranes by Inducing Saddle-Splay Curvature: Potential Role of Bidentate Hydrogen Bonding
(Z) 3028–3031 [2986–2989]
DOI: 10.1002/ange.200704444
- Wong, K. L. (Z) 8570–8573 [8442–8445]
- Wong, K.-W. (Z) 7018–7022 [6912–6916]
- Wong, K.-Y.
- A Highly Selective Luminescent Switch-On Probe for Histidine/Histidine-Rich Proteins and Its Application in Protein Staining
(Z) 3795–3799 [3735–3739]
DOI: 10.1002/ange.200705319
- Wong, K. Y. (Z) 1300–1303 [1280–1283]
- Wong, S. D. (Z) 9211–9214 [9071–9074]
- Wong, W.-L. (Z) 3795–3799 [3735–3739]
- Wong, W.-Y.
- Synthesis and Lithographic Patterning of FePt Nanoparticles Using a Bimetallic Metallopolyyne Precursor
(Z) 1275–1279 [1255–1259]
DOI: 10.1002/ange.200703199
- Wong-Foy, A. G. (Z) 689–692 [677–680]
- Woo, S. (Z) 6355–6358 [6259–6262]
- Woo, S. K. (Z) 1757–1759 [1733–1735], 3286–3288 [3242–3244]
- Wood, C. D. Berichtigung: 1183
- Woodward, C. C. (Z) 2326–2329 [2294–2297]
- Woollins, J. D.
- Synthesis and Structure of Eight-, Nine-, and Ten-Membered Rings with P-Se-Se-P Linkages
(Z) 2899–2901 [2857–2859]
DOI: 10.1002/ange.200705021
- Worrall, C. P. (Z) 3278–3281 [3234–3237]
- Wosylus, A. (Z) 6895–6898 [6790–6793]
- Wright, D. S.
- The Selenium-Based Hexameric Macrocyclic [(Se)=P(μ -NBu)₂P(μ -Se)]₆
(Z) 1127–1130 [1111–1114]
DOI: 10.1002/ange.200703981
- Wright, J. A. (Z) 9911–9913 [9765–9767]
- Wright, S. H. (Z) 8210–8212 [8090–8092]
- Wu, C.-C.
- Benzimidazole/Amine-Based Compounds Capable of Ambipolar Transport for Application in Single-Layer Blue-Emitting OLEDs and as Hosts for Phosphorescent Emitters
(Z) 591–595 [581–585]
DOI: 10.1002/ange.200704113
 - Highly Efficient Blue-Emitting Iridium(III) Carbene Complexes and Phosphorescent OLEDs
(Z) 4618–4621 [4542–4545]
DOI: 10.1002/ange.200800748
- Wu, C.-G.
- Multifunctionalized Ruthenium-Based Supersensitizers for Highly Efficient Dye-Sensitized Solar Cells
(Z) 7452–7455 [7342–7345]
DOI: 10.1002/ange.200802120
- Wu, C.-I. (Z) 8746–8750 [8618–8622]
- Wu, D. (Z) 199–203 [193–197]
- Wu, H. (Z) 2240–2244 [2208–2212], 3790–3794 [3730–3734], 8766–8769 [8638–8641]
- Wu, Jishan (Z) 7580–7584 [7470–7474]
- Wu, Junchen (Z) 1079–1083 [1063–1067]
- Wu, L. (Z) 4811–4814 [4733–4736]
- Wu, P. (Z) 5100–5103 [5022–5025]
- Wu, R. (Z) 3035–3038 [2993–2996]
- Wu, S.-J. (Z) 7452–7455 [7342–7345]
- Wu, T. (Z) 119–122 [113–116]
- Wu, T.-C. (Z) 10039–10042 [9891–9894]
- Wu, W. Berichtigung: 8267
- Wu, X. (Z) 5420–5423 [5340–5343]
- Wu, Y.-D. (Z) 1765–1768 [1741–1744]
- Wu, Y.-T.
- Synthesis, Structure, and Photophysical Properties of Highly Substituted 8,8a-Dihydrocyclopenta[a]indenes
(Z) 10039–10042 [9891–9894]
DOI: 10.1002/ange.200802560
- Wu, Y.-W. (Z) 3807–3810 [3747–3750]
- Wu, Yi (Z) 3674–3677 [3618–3621]
- Wu, Yue (Z) 9061–9064 [8929–8932]
- Wu, Yun (Z) 9629–9633 [9487–9491]
- Wudl, F.
- The Most Stable and Fully Characterized Functionalized Heptacene
(Z) 8508–8513 [8380–8385]
DOI: 10.1002/ange.200803345
- Wuest, W. M. (Z) 7190–7194 [7082–7086]
- Wuitschik, G. (Z) 4588–4591 [4512–4515]
- Wulf, A. (Z) 3890–3894 [3830–3834], 8859–8862 [8731–8734]
- Wulf, V. (Z) 10138–10142 [9989–9992]
- Wulff, M. (Z) 1063–1066 [1047–1050], 5632–5635 [5550–5553]
- Wunderlich, S. (Z) 4818–4821 [4740–4743]
- Wurst, K. (Z) 3311–3314 [3267–3270]
- Würtele, C. (Z) 88–91 [82–85]
- Würthner, F.
- Evolution of Homochiral Helical Dye Assemblies: Involvement of Autocatalysis in the “Majority-Rules” Effect
(Z) 1252–1256 [1232–1236]
DOI: 10.1002/ange.200704550
 - Solvent Effect on Color, Band Shape, and Charge-Density Distribution for Merocyanine Dyes Close to the Cyanine Limit
(Z) 4605–4608 [4529–4532]
DOI: 10.1002/ange.200800279
 - Toward Fluorescent Memories with Non-destructive Readout: Photoswitching of Fluorescence by Intramolecular Electron Transfer in a Diaryl Ethene-Perylene Bis-imide Photochromic System
(Z) 6718–6721 [6616–6619]
DOI: 10.1002/ange.200802007
- Würthner, F. (Z) 3415–3419 [3367–3371]
- Wurtz, N. R. (Z) 4407–4410 [4335–4338]
- Würtz, S. (Z) 7340–7343 [7230–7233]
- Wüstenberg, B. (Z) 2330–2332 [2298–2300]
- Wüthrich, K.
- Wechselwirkungen der hydrophoben Cluster im entfaltenen Membranprotein OmpX in Harnstofflösung
(Z) 992–996 [977–981]
DOI: 10.1002/ange.200703367
- Wuttke, S. (Z) 196–198 [190–192]
- Wypych, J.-C. (Z) 5498–5501 [5418–5421]



- Xi, P. (Z) 5728–5731 [5646–5649]
 Xia, L. (Z) 4803–4806 [4725–4728]
 Xia, W. (Z) 10092–10095 [9944–9947]
 Xia, Y.-Y.
 – Surfactant-Free Synthesis of SnO_2 @PMMA and TiO_2 @PMMA Core-Shell Nanobeads Designed for Peptide/Protein Enrichment and MALDI-TOF MS Analysis (Z) 4272–4275 [4204–4207]
 DOI: 10.1002/ange.200705942
 Xia, Younan
 – Facile Synthesis of Branched Au Nanostructures by Templating Against a Self-Destructive Lattice of Magnetic Fe Nanoparticles (Z) 9799–9802 [9653–9656]
 DOI: 10.1002/ange.200804634
 Xia, Yu (Z) 8774–8777 [8646–8649]
 Xia, Yun (Z) 1722–1726 [1698–1702], 2666–2670 [2626–2630]
 Xian, M.
 – Fast Reductive Ligation of S-Nitrosothiols (Z) 6700–6703 [6598–6601]
 DOI: 10.1002/ange.200801654
 Xiang, J. (Z) 1739–1742 [1715–1718], 5672–5674 [5590–5592]
 Xiang, S. (Z) 5728–5731 [5646–5649]
 Xiang, S.-C. (Z) 4217–4220 [4149–4152]
 Xiao, C.-x. (Z) 758–761 [746–749]
 Xiao, J. (Z) 4807–4810 [4729–4732]
 Xiao, L. (Z) 8370–8374 [8246–8250]
 Xiao, W.-J.
 – Ru-Catalyzed Tandem Cross-Metathesis/Intramolecular-Hydroarylation Sequence (Z) 2523–2526 [2489–2492]
 DOI: 10.1002/ange.200705194
 Xiao, Yi
 – A Ratiometric Fluorescent Probe Based on FRET for Imaging Hg^{2+} Ions in Living Cells (Z) 8145–8149 [8025–8029]
 DOI: 10.1002/ange.200803246
 Xiao, Youli (Z) 9868–9871 [9722–9725]
 Xiao, Yuanjing (Z) 1929–1932 [1903–1906]
 Xiao, Yuming (Z) 9211–9214 [9071–9074]
 Xie, H. (Z) 4245–4247 [4177–4179]
 Xie, J. (Z) 179–182 [173–176]
 Xie, J.-H. (Z) 4423–4425 [4351–4353]
 Xie, M. (Z) 1328–1331 [1308–1311]
 Xie, R. (Z) 7791–7794 [7677–7680]
 Xie, S.-Y.
 – Crystal Structures of Saturn-Like $\text{C}_{50}\text{Cl}_{10}$ and Pineapple-Shaped C_{64}Cl_4 : Geometric Implications of Double- and Triple-Pentagon-Fused Chlorofullerenes (Z) 5420–5423 [5340–5343]
 DOI: 10.1002/ange.200800338
 Xie, W. (Z) 2886–2890 [2844–2848]
 Xie, Y. (Z) 1143–1145 [1127–1129]
 Xie, Z.-L. (Z) 8751–8754 [8623–8626]
 Xie, Z.-x. (Z) 7560–7563 [7450–7453]
 Xie, Zhaoxiong
 – Synthesis of Trisubstituted Gold Nanocrystals with Exposed High-Index Facets by a Facile Chemical Method

- (Z) 9033–9036 [8901–8904]
 DOI: 10.1002/ange.200802750
 Xie, Zuowei
 – Nickel-Mediated Coupling Reactions of Carboryne with Alkenes: A Synthetic Route to Alkenylcarboranes (Z) 6674–6677 Berichtigung: 7692 [6572–6575 Berichtigung: 7580]
 DOI: 10.1002/ange.200801958
 – Reaction of 13-Vertex Carboranes with Nucleophiles: Unprecedented Cage-Carbon Extrusion and Formation of Monocarbocyclo-dodecaborate Anions (Z) 9589–9591 [9447–9449]
 DOI: 10.1002/ange.200804249
 Xin, J. (Z) 398–400 [392–394]
 Xing, B. Berichtigung: 3125
 Xiong, H.-M. (Z) 4272–4275 [4204–4207]
 Xiong, X. (Z) 7592–7594 [7482–7484]
 Xu, B. (Z) 701–704 [689–692]
 Xu, Chenjie (Z) 179–182 [173–176]
 Xu, Chunhu (Z) 891–895 [877–881]
 Xu, D. (Z) 3596–3598 [3540–3542]
 Xu, Gang (Z) 3621–3623 [3565–3567], 4217–4220 [4149–4152]
 Xu, Guangzhi (Z) 5672–5674 [5590–5592]
 Xu, Hong (Z) 5075–5079 [4997–5001]
 Xu, Huadong (Z) 9065–9068 [8933–8936]
 Xu, Huaping (Z) 9189–9192 [9049–9052]
 Xu, Jiadi (Z) 7982–7985 [7864–7867]
 Xu, Jiaxi (Z) 771–774 Berichtigung: 1564 [759–762 Berichtigung: 1541]
 Xu, Jide (Z) 9642–9645 [9500–9503]
 Xu, Jingjing (Z) 3050–3053 [3008–3011]
 Xu, Jinjie (Z) 7411–7415 [7301–7305]
 Xu, Lai (M) 7704–7713 [7592–7601]
 Xu, Liang (Z) 7368–7372 [7258–7262]
 Xu, Lijin (Z) 8592–8595 [8464–8467]
 Xu, Liping (Z) 1709–1712 [1685–1688]
 Xu, M. (Z) 1079–1083 [1063–1067]
 Xu, P. (Z) 1280–1284 [1260–1264]
 Xu, Qian (Z) 1790–1793 [1766–1769]
 Xu, Qiang
 – Iron-Nanoparticle-Catalyzed Hydrolytic Dehydrogenation of Ammonia Borane for Chemical Hydrogen Storage (Z) 2319–2321 [2287–2289]
 DOI: 10.1002/ange.200704943
 Xu, Qiang (Z) 5907–5910 [5823–5826]
 Xu, R. (Z) 4473–4477 [4401–4405], 7986–7989 [7868–7871]
 Xu, S. J. (Z) 10043–10047 [9895–9899]
 Xu, Sailong (Z) 2500–2503 [2466–2469]
 Xu, Senmiao (Z) 2882–2885 [2840–2843]
 Xu, T. (Z) 9629–9633 [9487–9491]
 Xu, W. (Z) 9819–9822 [9673–9676]
 Xu, Xin (Z) 4614–4617 [4538–4541]
 Xu, Xurong (Z) 3616–3620 [3560–3564]
 Xu, Z. (Z) 4438–4441 [4366–4369]
 Xue, H. (Z) 8963–8966 [8831–8834]
 Xue, M.-X. (Z) 3462–3465 [3414–3417]
 Xue, X. (Z) 920–923 [906–909]
 Xue, Z. (Z) 6526–6529 [6426–6429]



- Yabe, Y. (Z) 9664–9666 [9522–9524]
 Yabu, H. (Z) 8164–8166 [8044–8046]

- Yagai, S.
 – Toroidal Nanoobjects from Rosette Assemblies of Melamine-Linked Oligo(*p*-phenyleneethynylene)s and Cyanurates (Z) 4769–4772 [4691–4694]
 DOI: 10.1002/ange.200800417
 – Transformation from H- to J-Aggregated Perylene Bisimide Dyes by Complexation with Cyanurates (Z) 3415–3419 [3367–3371]
 DOI: 10.1002/ange.200705385
 Yaghi, O. M.
 – Retikuläre Chemie metall-organischer Polymerer (A) 5214–5225 [5136–5147]
 DOI: 10.1002/ange.200705008
 Yakhvarov, D. (Z) 3826–3828 [3766–3768]
 Yalalov, D. A. (Z) 6726–6730 [6624–6628]
 Yam, V. W.-W.
 – Au_{36} Crown: A Macrocyclization Directed by Metal–Metal Bonding Interactions (Z) 4627–4630 [4551–4554]
 DOI: 10.1002/ange.200801001
 Yamada, H. (Z) 5664–5667 [5582–5585]
 Yamada, I.
 – A Perovskite Containing Quadrivalent Iron as a Charge-Disproportionated Ferromagnet (Z) 7140–7143 [7032–7035]
 DOI: 10.1002/ange.200801482
 Yamada, M. (Z) 5064–5066 [4986–4988]
 Yamada, R. (Z) 3474–3477 [3426–3429]
 Yamada, S. (Z) 1084–1087 [1068–1071]
 Yamaguchi, H. (Z) 6166–6168 [6077–6079]
 Yamaguchi, J. (Z) 3634–3636 [3578–3580], 3637–3639 [3581–3583], 6759–6762 [6657–6660]
 Yamaguchi, K. (Z) 2441–2444 [2407–2410], 9389–9391 [9249–9251]
 Yamaguchi, R. (Z) 1100–1103 [1084–1087]
 Yamaguchi, Shigehiro
 – Phosphonium- and Borate-Bridged Zwitterionic Ladder Stilbene and Its Extended Analogues (Z) 5664–5667 [5582–5585]
 DOI: 10.1002/ange.200801834
 Yamaguchi, Shigeru (Z) 6093–6096 [6004–6007]
 Yamaguchi, Syuhei (Z) 2441–2444 [2407–2410]
 Yamaguchi, Takumi (Z) 2097–2099 [2067–2069]
 Yamaguchi, Taro (Z) 3474–3477 [3426–3429]
 Yamamoto, H.
 – Enantioselective 1,3-Dipolar Cycloaddition of Nitrones with Ethyl Vinyl Ether: The Difference between Brønsted and Lewis Acid Catalysis (Z) 2445–2447 [2411–2413]
 DOI: 10.1002/ange.200705314
 – Enantioselective O-Nitroso Aldol Reaction of Silyl Enol Ethers (Z) 3855–3857 [3795–3797]
 DOI: 10.1002/ange.200705679
 – Stereoselective Synthesis of α,α -Chlorofluoro Carbonyl Compounds Leading to the Construction of Fluorinated Chiral Quaternary Carbon Centers (Z) 5880–5882 [5796–5798]
 DOI: 10.1002/ange.200801682
 – Vanadium-Catalyzed Enantioselective Desymmetrization of *meso* Secondary Allylic Alcohols and Homoallylic Alcohols

- (Z) 7630–7632 [7520–7522]
DOI: 10.1002/ange.200802523
- Yamamoto, M. (Z) 8052–8055 [7934–7937]
- Yamamoto, T. (Z) 1696–1699 [1672–1675]
- Yamamoto, Yasunori
- Cyclic Triolborates: Air- and Water-Stable Ate Complexes of Organoboronic Acids (Z) 942–945 [928–931]
DOI: 10.1002/ange.200704162
- Yamamoto, Yohei (Z) 1696–1699 [1672–1675]
- Yamamoto, Yoshinori
- Carbocycle Synthesis through Facile and Efficient Palladium-Catalyzed Allylative De-aromatization of Naphthalene and Phenanthrene Allyl Chlorides (Z) 4438–4441 [4366–4369]
DOI: 10.1002/ange.200800529
- Yamamoto, Yuya (Z) 2842–2845 [2800–2803]
- Yamanaka, I.
- Neutral H₂O₂ Synthesis by Electrolysis of Water and O₂ (Z) 1926–1928 [1900–1902]
DOI: 10.1002/ange.200704431
- Yamane, T. (Z) 6538–6540 [6438–6440]
- Yamanoi, Y. (Z) 6801–6804 [6699–6702]
- Yamashita, H. 9320–9325 [9180–9185]
- Yamashita, Makoto
- Syntheses, Structures, and Reactivities of Borylcopper and -zinc Compounds: 1,4-Silaboration of an α,β -Unsaturated Ketone to Form a γ -Siloxyallylborane (Z) 6708–6712 [6606–6610]
DOI: 10.1002/ange.200801728
- Yamashita, Masahiro (Z) 7874–7877 [7760–7763]
- Yamashita, T. (Z) 6692–6695 [6590–6593]
- Yamashita, Y. (Z) 5695–5697 [5613–5615]
- Yamauchi, Y.
- Mesoporous Platinum with Giant Mesocages Templated from Lyotropic Liquid Crystals Consisting of Diblock Copolymers (Z) 5451–5453 [5371–5373]
DOI: 10.1002/ange.200801381
- Yamazaki, Y. (Z) 8023–8026 [7905–7908]
- Yan, C.
- Metal-Tunable Nanocages as Artificial Chemosensors (Z) 891–895 [877–881]
DOI: 10.1002/ange.200704206
- Yan, H.
- DNA-Tile-Directed Self-Assembly of Quantum Dots into Two-Dimensional Nanopatterns (Z) 5235–5237 [5157–5159]
DOI: 10.1002/ange.200801485
 - Quantum Dot Bioconjugation during Core–Shell Synthesis (Z) 322–325 [316–319]
DOI: 10.1002/ange.200703648
- Yan, H. (Z) 5651–5654 [5569–5572]
- Yan, J.-M. (Z) 2319–2321 [2287–2289]
- Yan, Jie (Z) 7134–7136 [7026–7028]
- Yan, Jun (Z) 8548–8551 [8420–8423]
- Yan, N.
- Aqueous-Phase Fischer–Tropsch Synthesis with a Ruthenium Nanocluster Catalyst (Z) 758–761 [746–749]
DOI: 10.1002/ange.200703481
- Yan, X. (Z) 1070–1073 [1054–1057]
- Yan, Yun
- Nanoribbons Self-Assembled from Triblock Peptide Polymers and Coordination Polymers (Z) 4260–4263 [4192–4195]
DOI: 10.1002/ange.200705242
- Yan, Yushan
- Ionothermal Synthesis of Oriented Zeolite AEL Films and Their Application as Corrosion-Resistant Coatings (Z) 535–538 [525–528]
DOI: 10.1002/ange.200704003
- Yanai, N. (Z) 10031–10034 [9883–9886]
- Yang, C.
- A Simple Carbazole/Oxadiazole Hybrid Molecule: An Excellent Bipolar Host for Green and Red Phosphorescent OLEDs (Z) 8224–8227 [8104–8107]
DOI: 10.1002/ange.200803396
- Yang, C.-f. (Z) 9380–9384 [9240–9244]
- Yang, F. (Z) 5728–5731 [5646–5649]
- Yang, G.-Y.
- Designed Synthesis of POM–Organic Frameworks from [Ni₆PW₆] Building Blocks under Hydrothermal Conditions (Z) 3973–3977 [3909–3913]
DOI: 10.1002/ange.200705709
- Yang, Hong (Z) 4469–4472 [4397–4400]
- Yang, Hua (Z) 2477–2480 [2443–2446]
- Yang, Jian (Z) 4209–4211 [4141–4143]
- Yang, Jing (Z) 3466–3469 [3418–3421]
- Yang, Jun
- A Self-Catalyzing Hydrogen-Storage Material (Z) 896–901 [882–887]
DOI: 10.1002/ange.200703756
- Yang, Li (Z) 5728–5731 [5646–5649], 7589–7591 [7479–7481]
- Yang, Lihua (Z) 3028–3031 [2986–2989]
- Yang, Liping (Z) 6749–6751 [6647–6649]
- Yang, N.
- Vertically Aligned Diamond Nanowires for DNA Sensing (Z) 5261–5263 [5183–5185]
DOI: 10.1002/ange.200801706
- Yang, Peidong
- Surface-Enhanced Raman Spectroscopy for Trace Arsenic Detection in Contaminated Water (Z) 6556–6560 [6456–6460]
DOI: 10.1002/ange.200800776
 - Synthesis of Lead Chalcogenide Alloy and Core–Shell Nanowires (Z) 5687–5690 [5605–5608]
DOI: 10.1002/ange.200801162
- Yang, Peng (Z) 4936–4939 [4858–4861]
- Yang, Pengyuan (Z) 2686–2688 [2646–2648]
- Yang, Q. (Z) 5672–5674 [5590–5592]
- Yang, S.-D. (Z) 1495–1498 [1473–1476]
- Yang, S. H. (Z) 10052–10055 [9904–9907]
- Yang, Shangfeng
- Pyramidalisierung des Kohlenstoffs im Fullerenkäg durch endohedrale Cluster: heterometallische Metallnitridclusterfullerene ohne Scandium (Z) 8318–8322 [8196–8200]
DOI: 10.1002/ange.200802009
- Yang, Shu (Z) 5672–5674 [5590–5592]
- Yang, Shuo (Z) 3790–3794 [3730–3734]
- Yang, W. (Z) 4268–4271 [4200–4203]
- Yang, W.-B. (Z) 8755–8758 [8627–8630]
- Yang, X. (Z) 398–400 [392–394], 7187–7189 [7079–7081]
- Yang, Y.-L. (Z) 6819–6823 [6717–6721]
- Yang, Y.-W. (Z) 2254–2258 [2222–2226]
- Yang, Yajun (Z) 371–373 [365–367]
- Yang, Yong (Z) 8522–8524 [8394–8396], 9392–9395 [9252–9255]
- Yang, Yongan (Z) 2240–2244 [2208–2212], 8766–8769 [8638–8641]
- Yang, Z.
- Janus Colloids Formed by Biphasic Grafting at a Pickering Emulsion Interface (Z) 4037–4039 [3973–3975]
DOI: 10.1002/ange.200705103
- Yao, Jianfeng (Z) 8525–8527 [8397–8399]
- Yao, Jiannian
- Controllable Nanonet Assembly Utilizing a Pressure-Difference Method Based on Anodic Aluminum Oxide Templates (Z) 9037–9040 [8905–8908]
DOI: 10.1002/ange.200802788
 - Optical Waveguide Based on Crystalline Organic Microtubes and Microrods (Z) 7411–7415 [7301–7305]
DOI: 10.1002/ange.200802570
- Yao, Jimin (Z) 5091–5095 [5013–5017]
- Yao, S. (Z) 3294–3297 [3250–3253], 7218–7221 [7110–7113]
- Yao, S. Q.
- Peptide Microarray for High-Throughput Determination of Phosphatase Specificity and Biology (Z) 1722–1726 [1698–1702]
DOI: 10.1002/ange.200703473
 - Rapid Affinity-Based Fingerprinting of 14-3-3 Isoforms Using a Combinatorial Peptide Microarray (Z) 7548–7551 [7438–7441]
DOI: 10.1002/ange.200801395
- Yao, X. (Z) 6772–6775 [6670–6673]
- Yar, M. (Z) 3844–3846 [3784–3786]
- Yashima, E.
- Encapsulation of Fullerenes in a Helical PMMA Cavity Leading to a Robust Processable Complex with a Macromolecular Helicity Memory (Z) 525–529 [515–519]
DOI: 10.1002/ange.200703655
- Yasuda, M. (Z) 6722–6725 [6620–6623]
- Yasuda, N. (Z) 4225–4229 [4157–4161]
- Yazaki, R. (Z) 5695–5697 [5613–5615]
- Ye, B.-C.
- Highly Sensitive Detection of Mercury(II) Ions by Fluorescence Polarization Enhanced by Gold Nanoparticles (Z) 8514–8517 [8386–8389]
DOI: 10.1002/ange.200803069
- Yebeutouchou, R. M. (Z) 4580–4584 [4504–4508]
- Yeh, C.-H. (Z) 4970–4973 [4892–4895]
- Yeh, N.-C. (Z) 8755–8758 [8627–8630]
- Yeh, R. M. (Z) 6151–6153 [6062–6064]
- Yehezkeili, O. (Z) 8396–8400 [8272–8276]
- Yen, C.-H. (Z) 10081–10084 [9933–9936]
- Yen, C. P.-H. (Z) 8785–8788 [8657–8660]
- Yeo, W.-S.
- Mass Spectrometry Signal Amplification Method for Attomolar Detection of Antigens Using Small-Molecule-Tagged Gold Microparticles (Z) 9660–9663 [9518–9521]
DOI: 10.1002/ange.200803893
- Yeom, H.-S. (Z) 7148–7151 [7040–7043]
- Yeon, Y.-R. (Z) 115–118 [109–112]
- Yeremin, A. V. (Z) 3306–3310 [3262–3266]
- Yerushalmi, R. (Z) 4512–4514 [4440–4442]
- Yi, T.
- Ultrasound Switch and Thermal Self-Repair of Morphology and Surface Wettability in a Cholesterol-Based Self-Assembly System

- (Z) 1079–1083 [1063–1067]
DOI: 10.1002/ange.200703946
- Yildiz, H. B. (Z) 6731–6735 [6629–6633], 8396–8400 [8272–8276]
- Yin, B.-C. (Z) 8514–8517 [8386–8389]
- Yin, G. (Z) 4811–4814 [4733–4736], 5522–5525 [5442–5445]
- Yin, H.
- Exogene Wirkstoffe zur Erkennung von Transmembranproteinen von Proteinen (M) 2784–2793 [2744–2752]
DOI: 10.1002/ange.200704780
- Yin, M. (Z) 8528–8531 [8400–8403]
- Yin, P. (Z) 2666–2670 [2626–2630]
- Yin, S. (Z) 9189–9192 [9049–9052]
- Yin, S.-F. (Z) 6692–6695 [6590–6593]
- Yin, Y.
- Core–Satellite Nanocomposite Catalysts Protected by a Porous Silica Shell: Controllable Reactivity, High Stability, and Magnetic Recyclability (Z) 9056–9060 [8924–8928]
DOI: 10.1002/ange.200803968
 - Formation of Hollow Silica Colloids through a Spontaneous Dissolution–Regrowth Process (Z) 5890–5895 [5806–5811]
DOI: 10.1002/ange.200800927
- Ying, J. Y.
- Efficient Catalytic System for the Selective Production of 5-Hydroxymethylfurfural from Glucose and Fructose (Z) 9485–9488 [9345–9348]
DOI: 10.1002/ange.200803207
- Yokota, M. (Z) 4948–4951 [4870–4873]
- Yokota, S. (Z) 10014–10017 [9866–9869]
- Yokoyama, N. (Z) 5067–5070 [4989–4992]
- Yoneyama, Y. (Z) 359–362 [353–356]
- Yonezawa, T. (Z) 6801–6804 [6699–6702]
- Yong, G. (Z) 9485–9488 [9345–9348]
- Yonker, C. (Z) 7603–7606 [7493–7496]
- Yoo, C. I. (Z) 775–779 [763–767]
- Yoo, J.
- A Hybrid Nanoparticle Probe for Dual-Modality Positron Emission Tomography and Magnetic Resonance Imaging (Z) 6355–6358 [6259–6262]
DOI: 10.1002/ange.200801369
- Yoo, K. S. (Z) 9466–9469 [9326–9329]
- Yoo, S. J. (Z) 9447–9450 [9307–9310]
- Yoo, W. C. (Z) 9236–9239 [9096–9099]
- Yoon, D.-W. (Z) 5116–5120 [5038–5042]
- Yoon, J.
- Fluorescent Molecular Logic Gates Using Microfluidic Devices (Z) 886–890 [872–876]
DOI: 10.1002/ange.200703813
- Yoon, K. B.
- Acidity Scale for Metal Oxides and Sanderson's Electronegativities of Lanthanide Elements (Z) 10282–10286 [10128–10132]
DOI: 10.1002/ange.200803837
- Yoon, M.-C. (Z) 9807–9811 [9661–9665]
- Yoon, S. M. (Z) 705–708 [693–696]
- Yoon, Y.-R. (Z) 4601–4604 [4525–4528]
- Yoon, Z. S. (Z) 693–696 [681–684]
- Yorimitsu, H.
- Silver-Catalyzed Transmetalation between Chlorosilanes and Aryl and Alkenyl Grignard Reagents for the Synthesis of Tetraorganosilanes (Z) 5917–5919 [5833–5835]
DOI: 10.1002/ange.200801949
- York, J. T. (Z) 543–546 [533–536]
- Yoshida, J.-i.
- An Electroinitiated Cation Chain Reaction: Intramolecular Carbon–Carbon Bond Formation between Thioacetal and Olefin Groups (Z) 2540–2542 [2506–2508]
DOI: 10.1002/ange.200705748
 - Aryllithium Compounds Bearing Alkoxy-carbonyl Groups: Generation and Reactions Using a Microflow System (Z) 7951–7954 [7833–7836]
DOI: 10.1002/ange.200803205
- Yoshida, R.
- Self-Flocculating/Self-Dispersing Oscillation of Microgels (Z) 931–934 [917–920]
DOI: 10.1002/ange.200703953
- Yoshida, R. (Z) 6792–6795 [6690–6693], 9179–9183 [9039–9043]
- Yoshida, S. (Z) 8434–8438 [8310–8314]
- Yoshifuji, M.
- Poly(Biradicals): Oligomers of 1,3-Diphosphacyclobutane-2,4-diyl Units (Z) 6518–6521 [6418–6421]
DOI: 10.1002/ange.200801461
- Yoshikawa, I. (Z) 1054–1057 [1038–1041]
- Yoshimura, F. (Z) 762–766 [750–754]
- Yoshimura, K. (Z) 5824–5829 [5740–5745]
- Yoshimura, T. (Z) 1318–1320 [1298–1300]
- Yoshino, Tatsuhiko (Z) 9265–9269 [9125–9129]
- Yoshino, Toru (Z) 5709–5712 [5627–5630]
- Yoshio, M. (Z) 2842–2845 [2800–2803]
- Yoshitsugu, M. (Z) 3987–3990 [3923–3926]
- Yoshizawa, K. (Z) 5856–5860 [5772–5776]
- You, C.-C. (Z) 2628–2632 [2590–2594]
- You, J.
- Self-Assembled Bifunctional Catalysis Induced by Metal Coordination Interactions: An Exceptionally Efficient Approach to Enantioselective Hydrophosphonylation (Z) 5728–5731 [5646–5649]
DOI: 10.1002/ange.200801766
- You, X.-Z.
- Ein kernmodifiziertes Rubyrin mit *meso*-Aryl-Substituenten und Phenanthren-anelierten Pyrrolringen als hoch konjugierter NIR-Farbstoff und Hg²⁺-Sonde (Z) 199–203 [193–197]
DOI: 10.1002/ange.200702854
- Youk, S. H. (Z) 7990–7993 [7872–7875]
- Youn, Y. S. (Z) 2452–2455 [2418–2421]
- Young, D. D. (Z) 7592–7594 [7482–7484]
- Young, I. S. (Z) 3634–3636 [3578–3580], 3637–3639 [3581–3583]
- Young, M.
- Monitoring Biomimetic Platinum Nanocluster Formation Using Mass Spectrometry and Cluster-Dependent H₂ Production (Z) 7963–7966 [7845–7848]
DOI: 10.1002/ange.200802481
- Young, N. A.
- TiF₂: Linear or Bent? (Z) 1798–1800 [1774–1776]
DOI: 10.1002/ange.200704667
- Young Jr., V. G. (Z) 543–546 [533–536], 7172–7175 [7064–7067]
- Yousaf, M. N.
- An Electroactive Catalytic Dynamic Substrate that Immobilizes and Releases Patterned Ligands, Proteins, and Cells (Z) 6363–6367 [6267–6271]
DOI: 10.1002/ange.200800166
- Yu, C.
- Solving Complex Concentric Circular Mesostuctures by Using Electron Tomography (Z) 6772–6775 [6670–6673]
DOI: 10.1002/ange.200801755
- Yu, H.-Q. (Z) 9174–9178 [9034–9038]
- Yu, J.-Q.
- Pd^{II}-Catalyzed Enantioselective Activation of C(sp³)–H and C(sp³)–H Bonds Using Monoprotected Amino Acids as Chiral Ligands (Z) 4960–4964 [4882–4886]
DOI: 10.1002/ange.200801030
 - Pd^{II}-Catalyzed Monoselective *ortho* Halogenation of C–H Bonds Assisted by Counter Cations: A Complementary Method to Directed *ortho* Lithiation (Z) 5293–5297 [5215–5219]
DOI: 10.1002/ange.200705613
 - Synthesis of Indolines and Tetrahydroisoquinolines from Arylethylamines by Pd^{II}-Catalyzed C–H Activation Reactions (Z) 6552–6555 [6452–6455]
DOI: 10.1002/ange.200802187
- Yu, J.-S. K. (Z) 7360–7363 [7250–7253], 10081–10084 [9933–9936]
- Yu, Jaehoon
- Amphiphilic Helical Peptides Containing Two Acridine Moieties Display Picomolar Affinity toward HIV-1 RRE and TAR (Z) 140–143 [134–137]
DOI: 10.1002/ange.200703090
- Yu, Jie (Z) 2492–2496 [2458–2462]
- Yu, Jihong
- A Germanate Built from a 6¹²6⁶ Cavity Cotemplated by an (H₂O)₁₆ Cluster and 2-Methylpiperazine (Z) 7986–7989 [7868–7871]
DOI: 10.1002/ange.200801375
- Combining Structure Modeling and Electron Microscopy to Determine Complex Zeolite Framework Structures (Z) 4473–4477 [4401–4405]
DOI: 10.1002/ange.200705175
- Yu, M. (Z) 1079–1083 [1063–1067]
- Yu, M. K. (Z) 5442–5445 [5362–5365]
- Yu, P. (Z) 8729–8732 [8601–8604]
- Yu, R. (Z) 7607–7610 [7497–7500]
- Yu, S. (Z) 555–558 [545–548]
- Yu, S.-Y.
- Au₃₆ Crown: A Macrocyclization Directed by Metal–Metal Bonding Interactions (Z) 4627–4630 [4551–4554]
DOI: 10.1002/ange.200801001
- Yu, T. (Z) 8566–8569 [8438–8441]
- Yu, W. (Z) 1265–1269 [1245–1249]
- Yu, Xiao-Qi
- Iron-Mediated Direct Arylation of Unactivated Arenes (Z) 9029–9032 [8897–8900]
DOI: 10.1002/ange.200802526
- Yu, Xiao-Qiang (Z) 762–766 [750–754], 942–945 [928–931]
- Yu, Yanlei (Z) 5064–5066 [4986–4988]
- Yu, Yongliang (Z) 8027–8030 [7909–7912]
- Yu, Z. (Z) 1328–1331 [1308–1311]
- Yu, Z. T. F. (Z) 1088–1091 [1072–1075]
- Yu, Z.-X. (Z) 4003–4005 [3939–3941]
- Yuan, D. (Z) 4198–4201 [4130–4133], 7373–7376 [7263–7266]
- Yuan, P. (Z) 6772–6775 [6670–6673]
- Yuan, Y. (Z) 8649–8652 [8521–8524]
- Yuasa, J. (Z) 1084–1087 [1068–1071]
- Yudha S., S. (Z) 9458–9461 [9318–9321]

- Yudin, A. K.
– Amphoteric Amino Aldehydes Enable Rapid Assembly of Unprotected Amino Alcohols (Z) 4256–4259 [4188–4191]
DOI: 10.1002/ange.200705776
- Aromatic Fluorine as a Versatile Control Element for the Construction of Molecules with Helical Chirality (Z) 7117–7120 [7009–7012]
DOI: 10.1002/ange.200801991
- Yue, T. (Z) 9596–9599 [9454–9457]
Yue, W. (Z) 8525–8527 [8397–8399]
Yuen, M.-Y. (Z) 10043–10047 [9895–9899]
Yukawa, T. (Z) 9265–9269 [9125–9129]
Yuki, M. (Z) 2682–2685 [2642–2645]
Yulikov, M. (Z) 6886–6890 [6782–6785]
Yun, J.
– Catalytic Asymmetric Boration of Acyclic α,β -Unsaturated Esters and Nitriles (Z) 151–153 [145–147]
DOI: 10.1002/ange.200703699
Yun, M. (Z) 3001–3005 [2959–2963]
Yun, S. Y. (Z) 6297–6299 [6201–6203]
Yuwono, V. M. (Z) 1261–1264 [1241–1244]
- Zacchini, S. (Z) 6768–6771 [6666–6669]
Zachariasse, K. A.
– Polypyrene Dendrimers (Z) 10329–10332 [10175–10178]
DOI: 10.1002/ange.200803408
Zacher, D. (Z) 3487–3490 [3438–3441]
Zaera, F.
– Hydrocarbon Chain Growth on V(100) Single-Crystal Surfaces via Vinyl Intermediates (Z) 6685–6687 [6583–6585]
DOI: 10.1002/ange.200802338
Zahn, D.
– The Nucleation Mechanism of Fluorapatite–Collagen Composites: Ion Association and Motif Control by Collagen Proteins (Z) 5060–5063 [4982–4985]
DOI: 10.1002/ange.200800908
Zahn, S. (Z) 3695–3697 [3639–3641]
Zähringer, U.
– Structure and Dynamics of ^{13}C , ^{15}N -Labeled Lipopolysaccharides in a Membrane Mimetic (Z) 10018–10022 [9870–9874]
DOI: 10.1002/ange.200803474
Zaiß, T. (Z) 767–770 [755–758]
Zakarian, A.
– Total Synthesis of ($\pm$)-Trichoderamide B and of a Putative Biosynthetic Precursor to Aspergillazine A Using an Oxaza-Cope Rearrangement (Z) 6935–6937 [6829–6831]
DOI: 10.1002/ange.200801652
Zakeeruddin, S. M.
– Organic Dye-Sensitized Ionic Liquid Based Solar Cells: Remarkable Enhancement in Performance through Molecular Design of Indoline Sensitizers (Z) 1949–1953 [1923–1927]
DOI: 10.1002/ange.200705225
Zakharov, L. N. (Z) 123–126 [117–120], 9626–9628 [9484–9486]
Zamora, F.
– Highly Conductive Supramolecular Nanostructures of a Covalently Linked Phthalocyanine– C_{60} Fullerene Conjugate (Z) 2056–2061 [2026–2031]
DOI: 10.1002/ange.200705260
Zampella, G. (Z) 9902–9905 [9756–9759]
Zanardi, G. (Z) 9581–9584 [9439–9442]
Zard, S. Z.
– Radical Allylation with α -Branched Allyl Sulfones (Z) 9585–9588 [9443–9446]
DOI: 10.1002/ange.200804298
– The Total Synthesis of ($\pm$)-Fortucine and a Revision of the Structure of Kirkine (Z) 1458–1460 [1436–1438]
DOI: 10.1002/ange.200704996
Zare, R. N.
– Sustained Release of Drugs Dispersed in Polymer Nanoparticles (Z) 7998–8000 [7880–7882]
DOI: 10.1002/ange.200802260
Zarkesh, R. A. (Z) 4793–4796 [4715–4718]
Zarzychny, M. C. (Z) 3851–3854 [3791–3794]
Zavalij, P. (Z) 1461–1464 [1439–1442]
Zayats, M. (A) 7714–7736 [7602–7625]
Zdilla, M. J. (Z) 7811–7814 [7697–7700]
Zecchina, A. (Z) 9409–9413 [9269–9273]
Zehnacker, A.
– Chiralitätskennung zwischen neutralen Molekülen in der Gasphase (A) 7076–7100 [6970–6992]
DOI: 10.1002/ange.200800957
Zeng, Q.-D.
– Site-Selective Fabrication of Two-Dimensional Fullerene Arrays by Using a Supramolecular Template at the Liquid-Solid Interface (Z) 6819–6823 [6717–6721]
DOI: 10.1002/ange.200802518
Zeng, X. (Z) 6169–6172 [6080–6083], 9203–9206 [9063–9066]
Zeng, Y. (Z) 6488–6491 [6388–6391]
Zenobi, R.
– Mass Spectrometric Method for Analyzing Metabolites in Yeast with Single Cell Sensitivity (Z) 5462–5465 [5382–5385]
DOI: 10.1002/ange.200705923
Zepik, H. H.
– Vesikelbildung aus reaktiven Tensiden (Z) 1343–1345 [1323–1325]
DOI: 10.1002/ange.200704022
Zerbetto, F.
– Cadiot–Chodkiewicz Active Template Synthesis of Rotaxanes and Switchable Molecular Shuttles with Weak Intercomponent Interactions (Z) 4464–4468 [4392–4396]
DOI: 10.1002/ange.200800891
– Shaping of a Conformationally Flexible Molecular Structure for Spectroscopy (Z) 3218–3223 [3174–3179]
DOI: 10.1002/ange.200705627
Zettl, A. (Z) 5100–5103 [5022–5025]
Zewail, A. H.
– Ultrafast Electron Diffraction Reveals Dark Structures of the Biological Chromophore Indole (Z) 9638–9641 [9496–9499]
DOI: 10.1002/ange.200804152
Zgierski, M. Z. (Z) 1465–1468 [1443–1446]
Zhan, S.-Z. (Z) 1735–1738 [1711–1714]
Zhang, Chaoxing (Z) 3054–3057 [3012–3015]
Zhang, Chi Berichtigung: 8267
Zhang, D.-H. (Z) 9174–9178 [9034–9038]
Zhang, Fan (Z) 6104–6107 [6015–6018]
Zhang, Fazhi (Z) 2500–2503 [2466–2469]
Zhang, G. (Z) 10325–10328 [10171–10174]
Zhang, Haifei
– Freeze-Align and Heat-Fuse: Microwires and Networks from Nanoparticle Suspensions (Z) 4649–4652 [4573–4576]
DOI: 10.1002/ange.200705512
Zhang, Hao (Z) 4048–4051 [3984–3987]
Zhang, Hong (Z) 5672–5674 [5590–5592]
Zhang, Hongjun (Z) 191–195 [185–189], 8733–8738 [8605–8610]
Zhang, Hongxing (Z) 1292–1295 [1272–1275]
Zhang, Hua (Z) 2311–2314 [2279–2282]
Zhang, Huijun (Z) 1079–1083 [1063–1067]
Zhang, J.-J. (Z) 2523–2526 [2489–2492]
Zhang, Ji (Z) 9029–9032 [8897–8900]
Zhang, Jian (Z) 5514–5517 [5434–5437], 9589–9591 [9447–9449]
Zhang, Jianling (Z) 3054–3057 [3012–3015], 10273–10277 [10119–10123]
Zhang, Jiatao (Z) 1346–1351 [1326–1331]
Zhang, Jie (Z) 3973–3977 [3909–3913], 5907–5910 [5823–5826]
Zhang, Jin
– A Tunable FRET Circuit for Engineering Fluorescent Biosensors (Z) 510–512 [500–502]
DOI: 10.1002/ange.200703493
Zhang, Jing (Z) 1790–1793 [1766–1769], 5701–5704 [5619–5622]
Zhang, Jun (Z) 3596–3598 [3540–3542], 9611–9613 [9469–9471]
Zhang, Junliang
– Tetrasubstituted Furans by a Pd^{II} -Catalyzed Three-Component Michael Addition/Cyclization/Cross-Coupling Reaction (Z) 1929–1932 [1903–1906]
DOI: 10.1002/ange.200704531
Zhang, Junliang (Z) 96–99 [90–93]
Zhang, Junrui (Z) 4831–4833 [4753–4755]
Zhang, K. Y. (Z) 2245–2248 [2213–2216]
Zhang, Kai (Z) 1765–1768 [1741–1744]
Zhang, Ke (Z) 7564–7566 [7454–7456]
Zhang, L.-De (Z) 9629–9633 [9487–9491]
Zhang, Liangren (Z) 4807–4810 [4729–4732]
Zhang, Lide (Z) 371–373 [365–367]
Zhang, Lili (Z) 1432–1435 [1410–1413]
Zhang, Liming
– Platinum-Catalyzed Formation of Cyclic Ketone-Fused Indoles from *N*-(2-Alkynylphenyl)lactams (Z) 352–355 [346–349]
DOI: 10.1002/ange.200702931
Zhang, Lixian Berichtigung: 8267
Zhang, Lixin (Z) 2682–2685 [2642–2645]
Zhang, Miao (Z) 9876–9879 [9730–9733]
Zhang, Min (Z) 3674–3677 [3618–3621]
Zhang, Minjuan (Z) 5687–5690 [5605–5608]
Zhang, Qiao (Z) 5890–5895 [5806–5811], 9056–9060 [8924–8928]
Zhang, Qichun (Z) 119–122 [113–116]
Zhang, Qifeng (Z) 2436–2440 [2402–2406]
Zhang, S.-J. (Z) 10119–10122 [9971–9974]
Zhang, Tao
– Direct Catalytic Conversion of Cellulose into Ethylene Glycol Using Nickel-Pro-

- moted Tungsten Carbide Catalysts
 (Z) 8638–8641 [8510–8513]
 DOI: 10.1002/ange.200803233
- Zhang, Tianfu (Z) 9025–9028 [8893–8896]
 Zhang, Tierui (Z) 5890–5895 [5806–5811],
 9056–9060 [8924–8928]
 Zhang, Ting (Z) 3819–3821 [3759–3761]
 Zhang, W.-X. (Z) 9846–9849 [9700–9703]
 Zhang, Wei (Z) 7630–7632 [7520–7522],
 9470–9473 [9330–9333]
 Zhang, Wen (Z) 9065–9068 [8933–8936]
 Zhang, X.-B. (Z) 2319–2321 [2287–2289]
 Zhang, X. P.
 – Acceptor/Acceptor-Substituted Diazo
 Reagents for Carbene Transfers: Cobalt-
 Catalyzed Asymmetric Z-Cyclopropana-
 tion of Alkenes with α -Nitrodiazoacetates
 (Z) 8588–8591 [8460–8463]
 DOI: 10.1002/ange.200803857
- Zhang, Xi
 – Controlled Self-Assembly Manipulated by
 Charge-Transfer Interactions: From Tubes
 to Vesicles
 (Z) 9189–9192 [9049–9052]
 DOI: 10.1002/ange.200803361
- Zhang, Xianzheng
 – A Facile One-Pot Construction of Supra-
 molecular Polymer Micelles from α -Cyclo-
 dextrin and Poly(ϵ -caprolactone)
 (Z) 5655–5658 [5573–5576]
 DOI: 10.1002/ange.200800952
- Zhang, Xiaolin (Z) 8145–8149 [8025–8029]
 Zhang, Xiaoyang (Z) 8049–8051 [7931–
 7933]
 Zhang, Xin (Z) 4430–4433 [4358–4361]
 Zhang, Xinyi (Z) 8525–8527 [8397–8399]
 Zhang, Xu (Z) 6749–6751 [6647–6649]
 Zhang, Xue (Z) 2882–2885 [2840–2843]
 Zhang, Xumu (Z) 2882–2885 [2840–2843]
 Zhang, Y.-H. (Z) 4960–4964 [4882–4886]
 Zhang, Y. L. (Z) 5907–5910 [5823–5826]
 Zhang, Y.-Z. (Z) 8624–8626 [8496–8498]
 Zhang, Yawen (Z) 9025–9028 [8893–8896]
 Zhang, Yi (Z) 359–362 [353–356], 3964–
 3968 [3900–3904]
 Zhang, Yixin (Z) 3240–3245 [3196–3201]
 Zhang, Yongqiang
 – Bent-Core Mesogens with Branched Car-
 bosilane Termini: Flipping Suprastructural
 Chirality without Reversing Polarity
 (Z) 6998–7002 [6892–6896]
 DOI: 10.1002/ange.200800814
- Zhang, Yugen
 – Efficient Catalytic System for the Selective
 Production of 5-Hydroxymethylfurfural
 from Glucose and Fructose
 (Z) 9485–9488 [9345–9348]
 DOI: 10.1002/ange.200803207
- Zhang, Yun (Z) 3861–3864 [3801–3804]
 Zhang, Z.-B. (Z) 6108–6113 [6019–6024]
 Zhang, Z.-J. (Z) 3621–3623 [3565–3567],
 4217–4220 [4149–4152]
 Zhang, Zhaofu (Z) 1143–1145 [1127–1129]
 Zhang, Zhaojie (Z) 1280–1284 [1260–1264]
 Zhang, Zhaorong (Z) 7611–7614 [7501–
 7504]
 Zhang, Zheng (Z) 8963–8966 [8831–8834]
 Zhang, Zhiqiang (Z) 8224–8227 [8104–
 8107]
 Zhang, Zongren (Z) 3640–3643 [3584–3587]
 Zhao, C. (Z) 5104–5107 [5026–5029]
 Zhao, C.-G.
 – Modularly Designed Organocatalytic
 Assemblies for Direct Nitro-Michael Addi-
 tion Reactions
 (Z) 7828–7831 [7714–7717]
 DOI: 10.1002/ange.200803236
- Zhao, D. (Z) 5728–5731 [5646–5649]
 Zhao, G.-L. (Z) 8596–8600 [8468–8472]
 Zhao, Hong (Z) 8729–8732 [8601–8604]
 Zhao, Hongyu (Z) 9889–9892 [9743–9746]
 Zhao, J.-C. (Z) 5433–5436 [5353–5356]
 Zhao, Jincai
 – Visible-Light-Induced Aerobic Oxidation
 of Alcohols in a Coupled Photocatalytic
 System of Dye-Sensitized TiO₂ and
 TEMPO
 (Z) 9876–9879 [9730–9733]
 DOI: 10.1002/ange.200803630
- Zhao, Junfang (Z) 9812–9814 [9666–9668]
 Zhao, Liang (Z) 6374–6378 [6278–6282],
 7183–7186 [7075–7078]
 Zhao, Lili (Z) 2500–2503 [2466–2469]
 Zhao, Lingzhi (Z) 6772–6775 [6670–6673]
 Zhao, Wei (Z) 5907–5910 [5823–5826]
 Zhao, Weian (M) 6428–6436 [6330–6337]
 Zhao, X. S.
 – Patterning the Surface of Colloidal Micro-
 spheres and Fabrication of Nonspherical
 Particles
 (Z) 4803–4806 [4725–4728]
 DOI: 10.1002/ange.200801061
- Zhao, Y.-Q. (Z) 1275–1279 [1255–1259]
 Zhao, Y. S. (Z) 7411–7415 [7301–7305]
 Zhao, Yanning (Z) 4592–4596 Berichtigung:
 5357 [4516–4520 Berichtigung: 5277]
 Zhao, Yue
 – Fast *Cis*–*Trans* Isomerization of an Azo-
 benzene Derivative in Liquids and Liquid
 Crystals under a Low Electric Field
 (Z) 3652–3655 [3596–3599]
 DOI: 10.1002/ange.200705699
- Zhao, Yueju (Z) 10273–10277 [10119–
 10123]
 Zhao, Z. (Z) 10023–10026 [9875–9878]
 Zhao, Z.-G. (Z) 7159–7163 [7051–7055]
 Zharnikov, M.
 – Electron-Beam Chemical Lithography
 with Aliphatic Self-Assembled Monolayers
 (Z) 1443–1446 [1421–1424]
 DOI: 10.1002/ange.200704105
- Erzeugung nanostrukturierter Polymer-
 büsten auf chemisch identischem Unter-
 grund durch Elektronenstrahlaktivierungs-
 lithographie
 (Z) 6891–6894 [6786–6789]
 DOI: 10.1002/ange.200801858
- Herstellung mikroskaliger Proteinresis-
 tenzgradienten durch Elektronenstrahl-
 Lithographie
 (Z) 7348–7351 [7238–7241]
 DOI: 10.1002/ange.200800810
- Zharnikov, M. (Z) 3455–3457 [3407–3409]
 Zhen, J. (Z) 5701–5704 [5619–5622]
 Zheng, F. (Z) 4614–4617 [4538–4541]
 Zheng, G. (Z) 1964–1967 [1938–1941],
 10099–10102 [9951–9954]
 Zheng, J.-C. (Z) 6297–6299 [6201–6203]
 Zheng, L. (Z) 9033–9036 [8901–8904]
 Zheng, L.-S. (Z) 2432–2435 [2398–2401],
 5420–5423 [5340–5343], 5424–5427
 [5344–5347]
 Zheng, M. (Z) 8638–8641 [8510–8513]
 Zheng, N. (Z) 8810–8814 [8682–8686]
 Zheng, Q.-Y. (Z) 7595–7598 [7485–7488]
 Zheng, S.-T. (Z) 3973–3977 [3909–3913]
 Zheng, Z.-F. (Z) 5433–5436 [5353–5356]
 Zheng, Zhiping
 – A Four-Shell, Nesting Doll-like 3d–4f
 Cluster Containing 108 Metal Ions
 (Z) 2432–2435 [2398–2401]
 DOI: 10.1002/ange.200705731
- Zheng, Zijian (Z) 10099–10102 [9951–9954]
 Zhi, L.
 – Transparent Carbon Films as Electrodes in
 Organic Solar Cells
 (Z) 3032–3034 [2990–2992]
 DOI: 10.1002/ange.200704909
- Zhi, L. (Z) 1727–1730 [1703–1706]
 Zhong, G.
 – Organocatalytic Asymmetric α -Aminoxy-
 lation/Aza-Michael Reactions for the Syn-
 thesis of Functionalized Tetrahydro-1,2-
 oxazines
 (Z) 10341–10345 Berichtigung: 10164
 [10187–10191 Berichtigung: 10014]
 DOI: 10.1002/ange.200803731
- Zhong, Y.-L.
 – A Polar Radical Pair Pathway To Assem-
 ble the Pyrimidinone Core of the HIV
 Integrase Inhibitor Raltegravir Potassium
 (Z) 4202–4204 [4134–4136]
 DOI: 10.1002/ange.200703681
- Zhou, B. (Z) 3424–3428 [3376–3380]
 Zhou, C. (Z) 9611–9613 [9469–9471]
 Zhou, D. H. (Z) 7438–7441 [7328–7331]
 Zhou, G. (Z) 8416–8420 [8292–8296]
 Zhou, H.-C.
 – A Coordinatively Linked Yb Metal–
 Organic Framework Demonstrates High
 Thermal Stability and Uncommon Gas-
 Adsorption Selectivity
 (Z) 4198–4201 [4130–4133]
 DOI: 10.1002/ange.200800312
- Enhancing H₂ Uptake by “Close-Packing”
 Alignment of Open Copper Sites in
 Metal–Organic Frameworks
 (Z) 7373–7376 [7263–7266]
 DOI: 10.1002/ange.200802087
- Zhou, Haifeng (Z) 8592–8595 [8464–8467]
 Zhou, Haoshen
 – The Design of a LiFePO₄/Carbon Nano-
 composite With a Core–Shell Structure
 and Its Synthesis by an In Situ Polymeri-
 zation Restriction Method
 (Z) 7571–7575 [7461–7465]
 DOI: 10.1002/ange.200802539
- Zhou, Jian (Z) 7768–7771 [7656–7658]
 Zhou, Jianrong (Z) 5867–5871 [5783–5787]
 Zhou, Jie Berichtigung: 3125
 Zhou, Jigang (Z) 7845–7849 [7731–7735]
 Zhou, L. (Z) 6772–6775 [6670–6673]
 Zhou, Q. (Z) 5672–5674 [5590–5592]
 Zhou, Q.-L.
 – Catalytic Asymmetric Reaction with
 Water: Enantioselective Synthesis of α -
 Hydroxyesters by a Copper–Carbenoid
 O–H Insertion Reaction
 (Z) 946–948 [932–934]
 DOI: 10.1002/ange.200704651
- Copper-Catalyzed Highly Enantioselective
 Carbenoid Insertion into Si–H Bonds
 (Z) 8624–8626 [8496–8498]
 DOI: 10.1002/ange.200803192
- Enantioselective Rhodium-Catalyzed
 Addition of Arylboronic Acids to α -
 Ketoesters
 (Z) 4423–4425 [4351–4353]
 DOI: 10.1002/ange.200800423
- Zhou, S. (Z) 7795–7798 [7681–7684]
 Zhou, S.-J. (Z) 5420–5423 [5340–5343]
 Zhou, W.-W. (Z) 3621–3623 [3565–3567]
 Zhou, Wang (Z) 4807–4810 [4729–4732]
 Zhou, Wei (Z) 7548–7551 [7438–7441]
 Zhou, Wuzong (Z) 8525–8527 [8397–8399]

- Zhou, Xin (Z) 398–400 [392–394], 7187–7189 [7079–7081]
 Zhou, Xufeng (Z) 6772–6775 [6670–6673]
 Zhou, Yang (Z) 7564–7566 [7454–7456]
 Zhou, Yifeng (Z) 1079–1083 [1063–1067]
 Zhou, Yuming (Z) 1922–1925 [1896–1899]
 Zhou, Zhi-You (Z) 9240–9243 [9100–9103]
 Zhou, Zhiguo (Z) 1079–1083 [1063–1067]
 Zhou, Zhong-Yuan (Z) 3795–3799 [3735–3739]
 Zhou, Zhongyuan (Z) 1300–1303 [1280–1283], 6502–6506 [6402–6406]
 Zhu, B. (Z) 6104–6107 [6015–6018]
 Zhu, Daoben (Z) 7368–7372 [7258–7262]
 Zhu, Di (Z) 10341–10345 Berichtigung: 10164 [10187–10191]
 Zhu, F. (Z) 6492–6494 [6392–6394]
 Zhu, H. (Z) 3790–3794 [3730–3734]
 Zhu, H.-Y.
 – Visible-Light-Driven Oxidation of Organic Contaminants in Air with Gold Nanoparticle Catalysts on Oxide Supports (Z) 5433–5436 [5353–5356]
 DOI: 10.1002/ange.200800602
 Zhu, J. H.
 – One-Pot Synthesis of Potassium-Functionalized Mesoporous γ -Alumina: A Solid Superbase (Z) 3466–3469 [3418–3421]
 DOI: 10.1002/ange.200800034
 Zhu, Jianglong (Z) 8649–8652 [8521–8524]
 Zhu, Jieping
 – Asymmetric Synthesis of 5-(1-Hydroxyalkyl)tetrazoles by Catalytic Enantioselective Passerini-Type Reactions (Z) 9596–9599 [9454–9457]
 DOI: 10.1002/ange.200804213
 – Catalytic Enantioselective Passerini Three-Component Reaction (Z) 394–397 [388–391]
 DOI: 10.1002/ange.200704315
 – Synthesis of α -Ketoamides by a Molecular-Sieves-Promoted Formal Oxidative Coupling of Aliphatic Aldehydes with Isocyanides (Z) 961–964 [947–950]
 DOI: 10.1002/ange.200704840
 – Synthesis of Diastereomers of Complestatin and Chloropeptin I: Substrate-Dependent Atropstereoselectivity of the Intramolecular Suzuki–Miyaura Reaction (Z) 4235–4240 [4167–4172]
 DOI: 10.1002/ange.200800599
 Zhu, Jin
 – Monolayer-Barcoded Nanoparticles for On-Chip DNA Hybridization Assay (Z) 5087–5090 [5009–5012]
 DOI: 10.1002/ange.200800435
 Zhu, Jintao (Z) 2143–2146 [2113–2116]
 Zhu, L.
 – Nanoscale Tubular and Sheetlike Superstructures from Hierarchical Self-Assembly of Polymeric Janus Particles (Z) 10325–10328 [10171–10174]
 DOI: 10.1002/ange.200803315
 Zhu, M.-K. (Z) 3462–3465 [3414–3417]
 Zhu, N. Q. M. (Z) 1088–1091 [1072–1075]
 Zhu, Nianying (Z) 6740–6744 [6638–6642]
 Zhu, Ningning (Z) 8729–8732 [8601–8604]
 Zhu, S.-F. (Z) 946–948 [932–934], 8624–8626 [8496–8498]
 Zhu, S. S. (Z) 800–804 [788–792]
 Zhu, Shaolin (Z) 555–558 [545–548]
 Zhu, Shifa (Z) 8588–8591 [8460–8463]
 Zhu, X. (Z) 9676–9679 [9533–9536]
 Zhu, X.-Y. (Z) 2523–2526 [2489–2492]
 Zhu, Yimin (Z) 9823–9826 [9677–9680]
 Zhu, Yulin (Z) 2666–2670 [2626–2630]
 Zhuang, Jiaqi (Z) 2240–2244 [2208–2212], 3790–3794 [3730–3734], 8766–8769 [8638–8641]
 Zhuang, Jie (Z) 1070–1073 [1054–1057]
 Zhuang, Z. (Z) 5701–5704 [5619–5622]
 Zhuo, R. (Z) 5655–5658 [5573–5576]
 Zi, W. (Z) 2886–2890 [2844–2848]
 Ziatdinov, V. R. (Z) 7967–7970 [7849–7852]
 Zielasek, V. (Z) 9078–9082 [8946–8949]
 Ziemert, N. (Z) 7870–7873 [7756–7759]
 Ziener, U.
 – Ein hierarchisch selbstorganisiertes Wirt-Gast-Netzwerk an der Fest-flüssig-Grenzfläche für die Manipulation einzelner Moleküle (Z) 3881–3885 [3821–3825]
 DOI: 10.1002/ange.200705527
 Zierold, R. (Z) 6272–6274 [6177–6179]
 Ziessel, R.
 – Die vielseitige Chemie von Bodipy-Fluoreszenzfarbstoffen (M) 1202–1219 [1184–1201]
 DOI: 10.1002/ange.200702070
 – Ethynyl–Boron Subphthalocyanines Displaying Efficient Cascade Energy Transfer and Large Stokes Shifts (Z) 9008–9012 [8876–8880]
 DOI: 10.1002/ange.200803131
 Ziller, J. W. (Z) 599–602 [589–592], 4793–4796 [4715–4718]
 Zimmerman, S. C.
 – Substituted 1,3,5-Triazaadamantanes: Biocompatible and Degradable Building Blocks (Z) 8192–8194 [8072–8074]
 DOI: 10.1002/ange.200802222
 Zimmermann, B. (Z) 7211–7214 [7103–7106]
 Zimmermann, J. (Z) 3682–3686 [3626–3630]
 Zimmermann, M. (Z) 787–790 [775–778], 9702–9706 [9560–9564]
 Zimmermann, R. (Z) 8863–8867 [8735–8739]
 Zink, J. I.
 – pH-Responsive Supramolecular Nanovalves Based on Cucurbit[6]uril Pseudorotaxanes (Z) 2254–2258 [2222–2226]
 DOI: 10.1002/ange.200705211
 Zintl, M. (Z) 3508–3510 [3458–3460]
 Zoli, L. (Z) 4230–4234 [4162–4166]
 Zou, J.
 – Solving Complex Concentric Circular Mesostuctures by Using Electron Tomography (Z) 6772–6775 [6670–6673]
 DOI: 10.1002/ange.200801755
 Zou, J.-P. (Z) 4217–4220 [4149–4152]
 Zou, T. (Z) 8224–8227 [8104–8107]
 Zou, W.-Q. (Z) 3621–3623 [3565–3567]
 Zou, X.
 – A Germanate Built from a 6^{126} Cavity Cotemplated by an $(\text{H}_2\text{O})_{16}$ Cluster and 2-Methylpiperazine (Z) 7986–7989 [7868–7871]
 DOI: 10.1002/ange.200801375
 Zou, Y. (Z) 10264–10267 [10110–10113]
 Zou, Z. G. (Z) 3466–3469 [3418–3421]
 Zu, L. (Z) 4245–4247 [4177–4179]
 Zuccheri, G. (Z) 2465–2468 [2431–2434]
 Zumbuehl, A.
 – Stereochemie in Bündenstock: chemische Biologie und organische Synthese im Blickpunkt (T) 5578–5581 [5496–5499]
 DOI: 10.1002/ange.200802643
 Zweckstetter, M.
 – Dissociation of Amyloid Fibrils of α -Synuclein in Supercooled Water (Z) 5124–5126 [5046–5048]
 DOI: 10.1002/ange.200800342
 Zweidinger, S. (Z) 2161–2164 [2131–2134]
 Zweifel, T. (Z) 3289–3293 [3245–3249]

Aufsätze und Kurzaufsätze

Fettgedruckt ist jeweils der Korrespondenzautor, bei dessen Namen auch der Titel der Veröffentlichung und alle Coautoren stehen.

- Adams, R. D.** und **Captain, B.**, Aktivierung von Wasserstoff durch ungesättigte gemischte Metallcluster und -komplexe 258
- Ahn, J.-H.**, siehe **Rogers, J. A.** 5606
- Ali, M. M.**, siehe **Brook, M. A.** 6428
- Allard, S.**, siehe **Scherf, U.** 4138
- Amin, S. B.**, siehe **Marks, T. J.** 2034
- Moussa, J.** und **Amouri, H.**, Supramolekulare Aggregate mit metallorganischen Chinon-Linkern: eine neue Klasse von Koordinationsnetzwerken 1392
- Anderson, K. B.**, siehe **Lambert, J. B.** 9750
- Anthony, J. E.**, Höhere Acene: vielseitige organische Halbleiter 460
- Dadon, Z.**, **Wagner, N.** und **Ashkenasy, G.**, Der Weg zu nichtenzymatischen molekularen Netzwerken 6221
- Aversa, R. J.**, siehe **Nicolaou, K. C.** 7292
- Baca, A. J.**, siehe **Rogers, J. A.** 5606
- Piera, J.** und **Bäckvall, J.-E.**, Katalytische Oxidation von organischen Substraten durch molekularen Sauerstoff und Wasserstoffperoxid über einen mehrstufigen Elektronentransfer – ein biomimetischer Ansatz 3558
- Bartoli, G.**, siehe **Melchiorre, P.** 6232
- Behenna, D. C.**, siehe **Stoltz, B. M.** 2400
- Bertoni, C.**, siehe **Eychmüller, A.** 6638
- Beutner, G. L.**, siehe **Denmark, S. E.** 1584
- Boyer, A.**, siehe **Ley, S. V.** 9542
- Brillas, E.**, siehe **Martínez-Huitle, C. A.** 2024
- Zhao, Weian, Ali, M. M., Brook, M. A.** und **Li, Yingfu**, Rolling-Circle-Amplifikation: Anwendungen in der Nanotechnologie und in der Biodetektion mit funktionellen Nucleinsäuren 6428
- Bruce, P. G.**, **Scrosati, B.** und **Tarascon, J.-M.**, Nanomaterialien für wiederaufladbare Lithiumbatterien 2972
- Surry, D. S.** und **Buchwald, S. L.**, Biarylphosphanliganden in der palladiumkatalysierten Aminierung 6438
- Captain, B.**, siehe **Adams, R. D.** 258
- Gramlich, P. M. E.**, **Wirges, C. T.**, **Manetto, A.** und **Carell, T.**, Postsynthetische DNA-Modifizierung mithilfe der kupferkatalysierten Azid-Alkin-Cycloaddition 8478
- Carlone, A.**, siehe **Melchiorre, P.** 6232
- Carmona, E.** und **Galindo, A.**, Direkte Bindungen zwischen Metallatomen: Dimetallkomplexe von Zink, Cadmium und Quecksilber 6626
- Defieber, C.**, **Grützmacher, H.** und **Carreira, E. M.**, Chirale Olefine als Steuerungsliganden in der asymmetrischen Katalyse 4558
- Çelebi-Ölçüm, N.**, siehe **Houk, K. N.** 7704
- Jun, Y.-w.**, **Lee, J.-H.** und **Cheon, J.**, Chemisches Design von leistungsfähigen Nanosonden für die Kernspintomographie 5200
- Cherny, I.**, siehe **Gazit, E.** 4128
- Choi, W. M.**, siehe **Rogers, J. A.** 5606
- Choudhary, T. V.**, siehe **Choudhary, V. R.** 1852
- Choudhary, T. V.** und **Choudhary, V. R.**, Energieeffiziente Synthesegasproduktion durch katalytische Sauerstoff-Reformierung von Methan 1852
- Claborn, K.**, siehe **Kaminsky, W.** 5790
- Cooney, J.**, siehe **Hudson, S.** 8710
- Wark, A. W.**, **Lee, H. J.** und **Corn, R. M.**, Multiplexmethoden zur Profilierung der MikroRNA-Expression in biologischen Proben 654
- Cosquer, G.**, siehe **Goodby, J. W.** 2794
- Cowling, S. J.**, siehe **Goodby, J. W.** 2794
- Dadon, Z.**, siehe **Ashkenasy, G.** 6221
- Liang, C.**, **Li, Zuojiang** und **Dai, S.**, Mesoporöse Kohlenstoffmaterialien: Synthese und Modifizierung 3754
- Datta, A.**, siehe **Raymond, K. N.** 8696
- Defieber, C.**, siehe **Carreira, E. M.** 4558
- Del Valle, J. R.**, siehe **Hanessian, S.** 1220
- Denmark, S. E.** und **Beutner, G. L.**, Lewis-Base-Katalyse in der organischen Synthese 1584
- Willis, B.**, **Eubanks, L. M.**, **Dickerson, T. J.** und **Janda, K. D.**, Der seltsame Fall des Botulinum-Neurotoxins: chemische und biologische Modulierung des tödlichsten aller Gifte 8488
- Dincă, M.**, siehe **Long, J. R.** 6870
- Domínguez de María, P.**, "Nonsolvens"-Anwendungen von ionischen Flüssigkeiten bei Biotransformationen und in der Organokatalyse 7066
- Dondoni, A.** und **Massi, A.**, Asymmetrische Organokatalyse: Eintritt in die Reifezeit 4716
- Draper, M.**, siehe **Goodby, J. W.** 2794
- Dunn, S.**, siehe **Eychmüller, A.** 6638
- Durand, T.**, siehe **Jahn, U.** 5978
- Edwards, J. K.**, siehe **Hutchings, G. J.** 9332
- Sokolova, V.** und **Eppe, M.**, Anorganische Nanopartikel zum Transport von Nucleinsäuren in Zellen 1402
- Ersmark, K.**, siehe **Hanessian, S.** 1220
- Ertl, G.**, Reaktionen an Oberflächen: vom Atomaren zum Komplexen (Nobel-Vortrag) 3578
- Escuder, B.**, siehe **Hirst, A. R.** 8122
- Ess, D. H.**, siehe **Houk, K. N.** 7704
- Eubanks, L. M.**, siehe **Dickerson, T. J.** 8488
- Rogach, A. L.**, **Gaponik, N.**, **Lupton, J. M.**, **Bertoni, C.**, **Gallardo, D. E.**, **Dunn, S.**, **Li Pira, N.**, **Paderi, M.**, **Repetto, P.**, **Romanov, S. G.**, **O'Dwyer, C.**, **Sotomayor Torres, C. M.** und **Eychmüller, A.**, Leuchtdioden mit Halbleiternanokristallen 6638
- Mugford, P. F.**, **Wagner, U. G.**, **Jiang, Yun**, **Faber, K.** und **Kazlauskas, R. J.**, Enantiokomplementäre Enzyme: Klassifizierung, molekulare Grundlage der Enantiopräferenz und Prognosen für spiegelbildliche Biotransformationen 8912

Fert, A. , Ursprung, Entwicklung und Zukunft der Spintronik (Nobel-Vortrag)	6042
Schwertfeger, H., Fokin, A. A. und Schreiner, P. R. , “Diamonds are a chemist’s best friend”: die großen Geschwister des Adamantans	1038
Forster, Michael , siehe Scherf, U.	4138
Thompson, B. C. und Fréchet, J. M. J. , Polymer-Fulleren-Solarzellen	62
Frederick, M. O. , siehe Nicolaou, K. C.	7292
Siengalewicz, P., Gaich, T. und Mulzer, J. , Alles begann mit einem Irrtum: Die Nomofungin/Communesin-Story	8290
Galano, J.-M. , siehe Jahn, U.	5978
Galindo, A. , siehe Carmona, E.	6626
Gallardo, D. E. , siehe Eychmüller, A.	6638
Galli, C., Gentili, P. und Lanzalunga, O. , Wasserstoffabstraktion und Elektronentransfer mit Aminoxylradikalen: Synthesen und Mechanismen	4868
Gaponik, N. , siehe Eychmüller, A.	6638
Cherny, I. und Gazit, E. , Amyloide: nicht nur pathologische Substanzen, sondern auch geordnete Nanomaterialien	4128
Gee, A. D. , siehe Miller, P. W.	9136
Genêt, J.-P. , siehe Michelet, V.	4338
Gentili, P. , siehe Galli, C.	4868
Gill, R. , siehe Willner, I.	7714
Goodby, J. W., Saez, I. M., Cowling, S. J., Görtz, V., Draper, M., Hall, A. W., Sia, S., Cosquer, G., Lee, S.-E. und Raynes, E. P. , Übertragung und Amplifikation von Informationen und Eigenschaften in nanostrukturierten Flüssigkristallen	2794
Gooßen, K. , siehe Gooßen, L. J.	3144
Gooßen, L. J., Rodríguez, N. und Gooßen, K. , Carbonsäuren als Substrate in der homogenen Katalyse	3144
Görtz, V. , siehe Goodby, J. W.	2794
Gramlich, P. M. E. , siehe Carell, T.	8478
Grützmacher, H. , siehe Carreira, E. M.	4558
Hackenberger, C. P. R. und Schwarzer, D. , Chemoselektive Ligations- und Modifikationsstrategien für Peptide und Proteine	10182
Hahn, F. E. und Jahnke, M. C. , Heterocyclische Carbene – Synthese und Koordinationschemie	3166
Hall, A. W. , siehe Goodby, J. W.	2794
Ersmark, K., Del Valle, J. R. und Hanessian, S. , Aeruginosine: Chemie und Biologie der Serinprotease-Inhibitoren	1220
Harriman, A. , siehe Ziessel, R.	1202
Hartschuh, A. , Spitzenverstärkte optische Nahfeldmikroskopie	8298
Hirst, A. R., Escuder, B., Miravet, J. F. und Smith, D. K. , “High-Tech”-Anwendungen von supramolekularen nanostrukturierten Gelmaterialien – von der regenerativen Medizin bis hin zu elektronischen Bauelementen	8122
Hopf, H. , [2.2]Paracyclophane in Polymerchemie und Materialwissenschaften	9954
Ess, D. H., Wheeler, S. E., Iafe, R. G., Xu, Lai, Çelebi-Ölçüm, N. und Houk, K. N. , Bifurkationen auf den Potentialenergiehyperflächen organischer Reaktionen	7704
Huang, Young , siehe Rogers, J. A.	5606
Hudson, S., Cooney, J. und Magner, E. , Proteine in mesoporösen Silicaten	8710
Edwards, J. K. und Hutchings, G. J. , Palladium- und Gold-Palladium-Katalysatoren für die Direkt-synthese von Wasserstoffperoxid	9332
Iafe, R. G. , siehe Houk, K. N.	7704
Isborn, C. , siehe Kaminsky, W.	5790
Jahn, U., Galano, J.-M. und Durand, T. , Jenseits von Prostaglandinen – Chemie und Biologie radikalisch gebildeter cyclischer oxygenierter Metabolite von mehrfach ungesättigten Fettsäuren	5978
Jahnke, M. C. , siehe Hahn, F. E.	3166
Janda, K. D. , siehe Dickerson, T. J.	8488
Jiang, Yun , siehe Faber, K.	8912
Jocher, C. J. , siehe Raymond, K. N.	8696
Johnson, J. B. , siehe Rovis, T.	852
Jonkheijm, P. , siehe Niemeyer, C. M.	9762
Jun, Y.-w. , siehe Cheon, J.	5200
Kahr, B. , siehe Kaminsky, W.	5790
Claborn, K., Isborn, C., Kaminsky, W. und Kahr, B. , Die optische Aktivität achiraler Substanzen	5790
Kauffman, D. R. , siehe Star, A.	6652
Kazlauskas, R. J. , siehe Faber, K.	8912
Kim, D.-H. , siehe Rogers, J. A.	5606
Kim, H.-S. , siehe Rogers, J. A.	5606
Steinhauser, G. und Klapötke, T. M. , Pyrotechnik mit dem “Ökosiegel”: eine chemische Herausforderung	3376
Wezenberg, S. J. und Kleij, A. W. , Materialanwendungen für Salenstrukturen	2388
Suijkerbuijk, B. M. J. M. und Klein Gebbink, R. J. M. , Porphyrine mit metallorganischen Gruppen: Synthese und Anwendungen	7506
Lambert, J. B., Santiago-Blay, J. A. und Anderson, K. B. , Chemischer Fingerabdruck von fossilen Harzen und rezenten Pflanzenexsudaten	9750
Lanzalunga, O. , siehe Galli, C.	4868
Lee, H. J. , siehe Corn, R. M.	654
Lee, J.-H. , siehe Cheon, J.	5200
Lee, S.-E. , siehe Goodby, J. W.	2794
Veitch, G. E., Boyer, A. und Ley, S. V. , Die Azadirachtin-Story	9542
Li, Yingfu , siehe Brook, M. A.	6428
Li, Zuojiang , siehe Dai, S.	3754
Li Pira, N. , siehe Eychmüller, A.	6638
Liang, C. , siehe Dai, S.	3754
Thibodeaux, C. J., Melançon III, C. E. und Liu, H.-w. , Biosynthese von Naturstoffzuckern und enzymatische Glycodiversifizierung	9960
Dincă, M. und Long, J. R. , Wasserstoffspeicherung in mikroporösen metall-organischen Gerüsten mit koordinativ ungesättigten Metallzentren	6870
Long, N. J. , siehe Miller, P. W.	9136
Lu, Z. , siehe Ma, Shengming	264

<i>Lupton, J. M.</i> , siehe <i>Eychmüller, A.</i>	6638	<i>Jonkheijm, P.</i> , <i>Weinrich, D.</i> , <i>Schröder, H.</i> , <i>Niemeyer, C. M.</i> und <i>Waldmann, H.</i> , Chemische Verfahren zur Herstellung von Proteinbiochips	9762
<i>Lu, Z.</i> und <i>Ma, Shengming</i> , Metallkatalysierte enantioselektive Allylierungen in der asymmetrischen Synthese	264	<i>O'Dwyer, C.</i> , siehe <i>Eychmüller, A.</i>	6638
<i>McCarty, L. S.</i> , siehe <i>Whitesides, G. M.</i>	2218	<i>Tranchemontagne, D. J.</i> , <i>Ni, Z.</i> , <i>O'Keeffe, M.</i> und <i>Yaghi, O. M.</i> , Retikuläre Chemie metall-organischer Polyeder	5214
<i>McDonald, F. M.</i> , siehe <i>Sakurada, K.</i>	5802	<i>Paderi, M.</i> , siehe <i>Eychmüller, A.</i>	6638
<i>Magner, E.</i> , siehe <i>Hudson, S.</i>	8710	<i>Park, J. Y.</i> , siehe <i>Somorjai, G. A.</i>	9352
<i>Maheshwari, V.</i> , siehe <i>Saraf, R.</i>	7926	<i>Piera, J.</i> , siehe <i>Bäckvall, J.-E.</i>	3558
<i>Maid, H.</i> , siehe <i>Saalfank, R. W.</i>	8924	<i>Pilati, T.</i> , siehe <i>Metrangolo, P.</i>	6206
<i>Maier, J.</i> , siehe <i>Merkle, R.</i>	3936	Pinna, N. und <i>Niederberger, M.</i> , Tensidfreie nicht-wässrige Synthese von Metalloxid-Nanostrukturen	5372
<i>Mandal, S.</i> , siehe <i>Natarajan, S.</i>	4876	<i>Werner, E. J.</i> , <i>Datta, A.</i> , <i>Jocher, C. J.</i> und Raymond, K. N. , MRI-Kontrastmittel mit hoher Relaxivität: Komplexchemie im Dienste medizinischer Bildgebung	8696
<i>Manetto, A.</i> , siehe <i>Carell, T.</i>	8478	<i>Raynes, E. P.</i> , siehe <i>Goodby, J. W.</i>	2794
Mann, S. , Das Leben als ein nanoskaliges Phänomen	5386	Reetz, M. T. , Kombinatorische Übergangsmetallkatalyse: Mischungen einzähniger Liganden zur Kontrolle der Enantio-, Diastereo- und Regioselektivität	2592
Marigo, M. , siehe <i>Melchiorre, P.</i>	6232	<i>Repetto, P.</i> , siehe <i>Eychmüller, A.</i>	6638
<i>Amin, S. B.</i> und Marks, T. J. , In-situ-Funktionalisierung von Polyolefinen mit Heteroatomen: Reaktionswege und katalytische Kettenübertragung	2034	Resnati, G. , siehe <i>Metrangolo, P.</i>	6206
Martínez-Huitle, C. A. und <i>Brillas, E.</i> , Elektrochemische Alternativen für die Trinkwasserdesinfektion	2024	<i>Rodríguez, N.</i> , siehe <i>Goößen, L. J.</i>	3144
Massi, A. , siehe <i>Dondoni, A.</i>	4716	<i>Rogach, A. L.</i> , siehe <i>Eychmüller, A.</i>	6638
<i>Meitl, M. A.</i> , siehe <i>Rogers, J. A.</i>	5606	<i>Baca, A. J.</i> , <i>Ahn, J.-H.</i> , <i>Sun, Yugang</i> , <i>Meitl, M. A.</i> , <i>Menard, E.</i> , <i>Kim, H.-S.</i> , <i>Choi, W. M.</i> , <i>Kim, D.-H.</i> , <i>Huang, Young</i> und Rogers, J. A. , Halbleiterdrähte und -bänder als flexible Bauelemente für die Hochleistungselektronik	5606
<i>Melançon III, C. E.</i> , siehe <i>Liu, H.-w.</i>	9960	<i>Romanov, S. G.</i> , siehe <i>Eychmüller, A.</i>	6638
Melchiorre, P. , <i>Marigo, M.</i> , <i>Carlone, A.</i> und <i>Bartoli, G.</i> , Die asymmetrische Aminokatalyse – Goldtausch in der organischen Chemie	6232	<i>Johnson, J. B.</i> und Rovis, T. , Nicht ganz unbeteiligt: der Einfluss von Olefinen auf übergangsmetallkatalysierte Kreuzkupplungen	852
<i>Menard, E.</i> , siehe <i>Rogers, J. A.</i>	5606	Saalfank, R. W. , <i>Maid, H.</i> und <i>Scheurer, A.</i> , Supramolekulare Koordinationschemie – Synergie von Zufallsentdeckung und rationalem Design	8924
Merkle, R. und <i>Maier, J.</i> , Wie wird Sauerstoff in Oxide eingebaut? Kinetische Studie einer "simplen" Feststoffreaktion am Modellmaterial SrTiO ₃	3936	<i>Saez, I. M.</i> , siehe <i>Goodby, J. W.</i>	2794
Metrangolo, P. , <i>Meyer, Franck</i> , <i>Pilati, T.</i> , <i>Resnati, G.</i> und <i>Terraneo, G.</i> , Halogenbrücken in der supramolekularen Chemie	6206	Sakurada, K. , <i>McDonald, F. M.</i> und <i>Shimada, F.</i> , Regenerative Medizin und stammzellbasierte Wirkstoffentwicklung	5802
<i>Meyer, Franck</i> , siehe <i>Metrangolo, P.</i>	6206	Santiago-Blay, J. A. , siehe <i>Lambert, J. B.</i>	9750
Michelet, V. , <i>Toullec, P. Y.</i> und <i>Genêt, J.-P.</i> , Cycloisomerisierungen von 1, <i>n</i> -Eninen: faszinierende metallkatalysierte Umlagerungen und mechanistische Einblicke	4338	<i>Maheshwari, V.</i> und Saraf, R. , Tastsysteme mit künstlichem Tastsinn wie beim menschlichen Finger	7926
Miller, P. W. , <i>Long, N. J.</i> , <i>Vilar, R.</i> und <i>Gee, A. D.</i> , Synthese von ¹¹ C-, ¹⁸ F-, ¹⁵ O- und ¹³ N-Radiotracer für die Positronenemissionstomographie	9136	<i>Allard, S.</i> , <i>Forster, Michael</i> , <i>Souharce, B.</i> , <i>Thiem, H.</i> und Scherf, U. , Organische Halbleiter für aus Lösung prozessierbare Feldeffekttransistoren	4138
<i>Miravet, J. F.</i> , siehe <i>Hirst, A. R.</i>	8122	<i>Scheurer, A.</i> , siehe <i>Saalfank, R. W.</i>	8924
Morris, R. E. und <i>Wheatley, P. S.</i> , Gasspeicherung in nanoporösen Materialien	5044	<i>Nielsen, T. E.</i> und Schreiber, S. L. , Der optimale Molekülsatz für Screening-Anwendungen: eine Synthesestrategie	52
<i>Moussa, J.</i> , siehe <i>Amouri, H.</i>	1392	Schreiner, P. R. , siehe <i>Fokin, A. A.</i>	1038
<i>Mugford, P. F.</i> , siehe <i>Faber, K.</i>	8912	Schrock, R. R. , Die katalytische Reduktion von Distickstoff zu Ammoniak mit Molybdän: Theorie und Experiment	5594
Mulzer, J. , siehe <i>Gaich, T.</i>	8290	<i>Schröder, H.</i> , siehe <i>Niemeyer, C. M.</i>	9762
<i>Tiefenbacher, K.</i> und Mulzer, J. , Synthese von Platenzym	2582		
Natarajan, S. und <i>Mandal, S.</i> , Offene Gerüststrukturen von Übergangsmetallen	4876		
<i>Ni, Z.</i> , siehe <i>O'Keeffe, M.</i>	5214		
Nicolaou, K. C. , <i>Frederick, M. O.</i> und <i>Aversa, R. J.</i> , Die Entdeckung und Synthese von marinen Polyethern	7292		
Niederberger, M. , siehe <i>Pinna, N.</i>	5372		
<i>Nielsen, T. E.</i> , siehe <i>Schreiber, S. L.</i>	52		

Schwarzer, D. , siehe Hackenberger, C. P. R.	10182	Toullec, P. Y. , siehe Michelet, V.	4338
Schwertfeger, H. , siehe Fokin, A. A.	1038	Tranchemontagne, D. J. , siehe O'Keeffe, M.	5214
Scrosati, B. , siehe Bruce, P. G.	2972	Ulrich, G. , siehe Ziessel, R.	1202
Shimada, F. , siehe Sakurada, K.	5802	Veitch, G. E. , siehe Ley, S. V.	9542
Sia, S. , siehe Goodby, J. W.	2794	Vilar, R. , siehe Miller, P. W.	9136
Siengalewicz, P. , siehe Gaich, T.	8290	Wagner, N. , siehe Ashkenasy, G.	6221
Smith, D. K. , siehe Hirst, A. R.	8122	Wagner, U. G. , siehe Faber, K.	8912
Sokolova, V. , siehe Epple, M.	1402	Waldmann, H. , siehe Niemeyer, C. M.	9762
Somorjai, G. A. und Park, J. Y. , Molekulare Faktoren der katalytischen Selektivität	9352	Wark, A. W. , siehe Corn, R. M.	654
Sotomayor Torres, C. M. , siehe Eychmüller, A.	6638	Weingärtner, H. , Zum Verständnis ionischer Flüssig- keiten auf molekularer Ebene: Fakten, Probleme und Kontroversen	664
Souharce, B. , siehe Scherf, U.	4138	Weinrich, D. , siehe Niemeyer, C. M.	9762
Kauffman, D. R. und Star, A. , Gas- und Dampfsenso- ren auf der Basis von Kohlenstoff-Nanoröhren	6652	Werner, E. J. , siehe Raymond, K. N.	8696
Stöveken, T. und Steinbüchel, A. , Bakterielle Acyl- transferasen als Alternative für lipasekatalysierte Acylierungen zur Produktion von Oleochemikalien und Brennstoffen	3746	Wezenberg, S. J. , siehe Kleij, A. W.	2388
Steinhauser, G. , siehe Klapötke, T. M.	3376	Wheatley, P. S. , siehe Morris, R. E.	5044
Stockdill, J. L. , siehe Stoltz, B. M.	2400	Wheeler, S. E. , siehe Houk, K. N.	7704
Stöcker, M. , Bio- und BTL-Kraftstoffe in der Bio- raffinerie: katalytische Umwandlung Lignocellulose- reicher Biomasse mit porösen Stoffen	9340	McCarty, L. S. und Whitesides, G. M. , Elektrostatische Aufladung durch Separierung von Ionen an Grenz- flächen: Kontaktelektrisierung von ionischen Elek- treten	2218
Behenna, D. C. , Stockdill, J. L. und Stoltz, B. M. , Bio- logie und Chemie der Zoanthamin-Alkaloide	2400	Willis, B. , siehe Dickerson, T. J.	8488
Stöveken, T. , siehe Steinbüchel, A.	3746	Gill, R. , Zayats, M. und Willner, I. , Halb- leiterquantenpunkte für die Bioanalyse	7714
Suhm, M. A. , siehe Zehnacker, A.	7076	Wirges, C. T. , siehe Carell, T.	8478
Suijkerbuijk, B. M. J. M. , siehe Klein Gebbink, R. J. M.	7506	Xu, Lai , siehe Houk, K. N.	7704
Sun, Yugang , siehe Rogers, J. A.	5606	Yaghi, O. M. , siehe O'Keeffe, M.	5214
Surry, D. S. , siehe Buchwald, S. L.	6438	Yin, H. , Exogene Wirkstoffe zur Erkennung von Transmembrandomänen von Proteinen	2784
Tarascon, J.-M. , siehe Bruce, P. G.	2972	Zayats, M. , siehe Willner, I.	7714
Terraneo, G. , siehe Metrangolo, P.	6206	Zehnacker, A. und Suhm, M. A. , Chiralitätserkennung zwischen neutralen Molekülen in der Gasphase ...	7076
Thibodeaux, C. J. , siehe Liu, H.-w.	9960	Zhao, Weian , siehe Brook, M. A.	6428
Thiem, H. , siehe Scherf, U.	4138	Ulrich, G. , Ziessel, R. und Harriman, A. , Die vielsei- tige Chemie von Bodipy-Fluoreszenzfarbstoffen ...	1202
Thompson, B. C. , siehe Fréchet, J. M. J.	62		
Tiefenbacher, K. , siehe Mulzer, J.	2582		

Essays

Barbas III, C. F. , Die verlorene Organokatalyse: moderne Chemie, klassische Chemie und ein un- bemerkter Biosynthesemechanismus	44	Edwards, P. P. , Gray, H. B. , Lodge, M. T. J. und Wil- liams, R. J. P. , Elektronentransfer und elektronische Leitung durch ein Zwischenmedium	6860
Bornmann, L. und Daniel, H.-D. , Die Effektivität des Peer-Review-Verfahrens: Übereinstimmungs- reliabilität und Vorhersagevalidität der Manuskript- begutachtung bei der <i>Angewandten Chemie</i>	7285	Gray, H. B. , siehe Edwards, P. P.	6860
Bozonnet, M. , siehe Crespy, D.	3368	Hoffmann, R. , Schleyer, P. von R. und Schaefer III, H. F. , Die Vorhersage von Molekülen – mehr Rea- lismus bitte!	7276
Crespy, D. , Bozonnet, M. und Meier, M. , 100 Jahre Bakelit: das Material für 1000 Anwendungen	3368	Hoffmann, R. und Hopf, H. , Moleküle in Not – und was wir von ihnen lernen	4548
Daniel, H.-D. , siehe Bornmann, L.	7285	Hopf, H. , siehe Hoffmann, R.	4548
		Langen, P. und Hucho, F. , Karl Lohmann und die Entdeckung des ATP	1848

Hyde, S. T., O’Keeffe, M. und Proserpio, D. M., Netze und Gyroide: wenig bekannt und doch in Chemie, Materialwissenschaften und Mathematik allgegenwärtig	8116	Schleyer, P. von R., siehe <i>Hoffmann, R.</i>	7276
Jansen, M. und Wedig, U., Das Teil im Ganzen – Missverständnisse um chemische Konzepte	10176	Silverman, R. B., Von der Grundlagenforschung zum Blockbuster: die Entdeckung des Antiepileptikums Lyrica	3552
Langen, P., siehe <i>Hucho, F.</i>	1848	Thomas, J. M., Lord Rutherford (1871–1937): Der Newton des Atoms und Chemie-Nobelpreisträger des Jahres 1908	9532
Lodge, M. T. J., siehe <i>Edwards, P. P.</i>	6860	Tidwell, T. T., Hugo (Ugo) Schiff, Schiff-Basen und hundert Jahre β -Lactam-Synthese	1032
Meier, M., siehe <i>Crespy, D.</i>	3368	Wedig, U., siehe <i>Jansen, M.</i>	10176
O’Keeffe, M., siehe <i>Hyde, S. T.</i>	8116	Williams, R. J. P., siehe <i>Edwards, P. P.</i>	6860
Proserpio, D. M., siehe <i>Hyde, S. T.</i>	8116		
Schaefer III, H. F., siehe <i>Hoffmann, R.</i>			

Highlights

<i>Albini, A.</i> , siehe <i>Bonesi, S. M.</i>	10172	<i>Craig, S. L.</i> , Von Gurken und anderen Stachelhäutern	8904
<i>Alcaide, B.</i> und <i>Almendros, P.</i> , Organokatalytische Reaktionen mit Acetaldehyd	4710	<i>Song, Y.-F.</i> und <i>Cronin, L.</i> , Postsynthetische kovalente Modifizierung von metall-organischen Gerüsten (MOFs)	4713
<i>Aldridge, S.</i> , Ein homoleptischer oktaedrischer Nickel(IV)-Komplex mit sehr starken Zinn(II)- σ -Donorliganden	2382	<i>Dondoni, A.</i> , Die Entwicklung der Thiol-En-Kupplung als Klick-Prozess für die Materialwissenschaften und die bioorganische Chemie	9133
<i>Wang, Wenxin</i> und <i>Alexander, C.</i> , Selbstzerlegende Polymere	7921	<i>Duschek, A.</i> , siehe <i>Kirsch, S. F.</i>	5787
<i>Almendros, P.</i> , siehe <i>Alcaide, B.</i>	4710	<i>Elbing, M.</i> , siehe <i>Bazan, G. C.</i>	846
<i>Arndt, H.-D.</i> und <i>Riedrich, M.</i> , Synthese mariner Alkaloide aus der Oroidin-Reihe	4864	<i>Enthaler, S.</i> , siehe <i>Beller, M.</i>	3363
<i>Pons, V.</i> und <i>Baker, R. T.</i> , Lösliche hochpolymere Bor-Stickstoff-Verbindungen durch Metallkomplexe-katalysierte Dehydrierungen von Amin-Boran-Addukten	9742	<i>Eppele, M.</i> , Von Metallkomplexen zu Nanomineralien: die Bildung anorganischer Nanopartikel auf Fibrillen von Transferrin	5038
<i>Elbing, M.</i> und <i>Bazan, G. C.</i> , Design organischer optoelektronischer Materialien durch laterale Borylsubstitution	846	<i>Fagnoni, M.</i> , siehe <i>Bonesi, S. M.</i>	10172
<i>Enthaler, S.</i> , <i>Junge, K.</i> und <i>Beller, M.</i> , Eisenkatalyse – ein nachhaltiges Prinzip mit Perspektive?	3363	<i>Feldkamp, U.</i> und <i>Niemeyer, C. M.</i> , Rationale Konstruktion von dynamischen DNA-Systemen	3933
<i>Berkefeld, A.</i> , siehe <i>Mecking, S.</i>	2572	<i>Walsh, C. T.</i> und <i>Fischbach, M. A.</i> , Inhibitoren der Sterolbiosynthese als Antibiotika gegen <i>Staphylococcus aureus</i>	5784
<i>Berkessel, A.</i> , Asymmetrische Epoxidierung von Olefinen mit Wasserstoffperoxid – Katalyse durch ein Aspartat enthaltendes Tripeptid	3735	<i>Fischer, R. A.</i> und <i>Wöll, C.</i> , Funktionalisierter Koordinationsraum in metall-organischen Gerüsten	8285
<i>Bilke, J. L.</i> , siehe <i>O'Brien, P.</i>	2774	<i>Glorius, F.</i> , Asymmetrische Kreuzkupplung von nicht-aktivierten sekundären Alkylhalogeniden	8474
<i>Binder, W. H.</i> , Polymerinduzierte transiente Poren in Lipidmembranen	3136	<i>Gourdon, A.</i> , Kovalente Kupplung auf Oberflächen im Ultrahochvakuum	7056
<i>Böckmann, A.</i> , Bestimmung hochaufgelöster dreidimensionaler Proteinstrukturen anhand der Festkörperlaser-NMR-Spektren	6200	<i>Grabow, L. C.</i> , siehe <i>Mavrikakis, M.</i>	7500
<i>Bonesi, S. M.</i> , <i>Fagnoni, M.</i> und <i>Albini, A.</i> , Biaryl-bildung mithilfe von C-Abgangsgruppen: Warum nicht?	10172	<i>Grela, K.</i> , Die Metathese kleiner Ringe – lohnenswert und anspruchsvoll zugleich	5586
<i>Bongers, N.</i> , siehe <i>Krause, N.</i>	2208	<i>Greulich, K.-O.</i> , Die Welleneigenschaft schwerer Moleküle – und ihre Anwendung in der Massenspektrometrie	8110
<i>Bräse, S.</i> , siehe <i>Nising, C. F.</i>	9529	<i>Gross, Z.</i> , Dioxomangan(V)-Komplexe nach Groves und Spiro	2777
<i>Brunet, V. A.</i> , siehe <i>O'Hagan, D.</i>	1198	<i>Grützmaier, H.</i> , Kooperierende Liganden in der Katalyse	1838
<i>Bucher, G.</i> , Hydroxycarben: einem molekularen Maulwurf bei der Arbeit zugeschaut	7064	<i>Haase, C.</i> , siehe <i>Seitz, O.</i>	1575
<i>Burghard, M.</i> , Ein Güterzug aus Nanoröhren zum Lastentransport auf der Nanoskala	8694	<i>Kaufhold, O.</i> und <i>Hahn, F. E.</i> , Carbodicarbene: Verbindungen mit zweibändigem Kohlenstoff(0)-Atom	4122
<i>Butenschön, H.</i> , Oxazaborolidine als Katalysatoren für enantioselektive Cycloadditionen: Jetzt auch [2 + 2]!	3544	<i>Hashmi, A. S. K.</i> , "High Noon" in der Gold-Katalyse: Carben versus Carbokation	6856
<i>Butenschön, H.</i> , Siebenringe durch Cyclisierungen an Übergangsmetall-Komplexen: [4 + 3], [3 + 2 + 2] und [5 + 2]	5367	<i>Hausch, F.</i> , Betablocker in Aktion: die Struktur des β_2 -Adrenozeptors im Kristall	3360
<i>Christmann, M.</i> , Selektive Oxidation aliphatischer C-H-Bindungen in der Synthese von komplexen Molekülen	2780	<i>Hicks, R. G.</i> , Metallkomplexe von Aminylradikalen ..	7503
<i>Cintas, P.</i> , Entstehung von Homochiralität unter präbiotischen Bedingungen	2960	<i>Himmel, H.-J.</i> und <i>Linti, G.</i> , GaI als Ligand in Übergangsmetallkomplexen – eine Alternative zu CO oder N ₂ ?	6425
<i>Cölfen, H.</i> , Synthese von Einkristallen mit komplexer Form über amorphe Vorstufen	2385	<i>Hüsing, N.</i> , Poröse Halbleiter aus Chalkogenidclustern	2018
<i>Connon, S. J.</i> , Die katalytische asymmetrische Strecker-Reaktion: Fortschritte bei Ketaminen	1194	<i>Jauch, J.</i> , Totalsynthese von Azadirachtin – nach 22 Jahren endlich am Ziel	34
		<i>Jin, R.</i> , Hochstabile Nanopartikel für Biologie und Biomedizin	6852
		<i>Johrendt, D.</i> und <i>Pöttgen, R.</i> , Pnictidoxide – eine neue Klasse von Hoch- <i>T_C</i> -Supraleitern	4860
		<i>Junge, K.</i> , siehe <i>Beller, M.</i>	3363

Jux, N. , Der Porphyrin-Twist: Hückel- und Möbius-Aromatizität	2577
Kane, R. S. , Herstellung von komplexen polymeren Mikro- und Nanostrukturen: Lithographie in Mikrofluidiksystemen	1388
Prokopcová, H. und Kappe, C. O. , Kupferkatalysierte C-C-Kupplung von Thioestern und Boronsäuren unter aeroben Bedingungen	3732
Kaufhold, O. , siehe Hahn, F. E.	4122
Kenward, A. L. , siehe Piers, W. E.	38
Kerman, K. , siehe Kraatz, H.-B.	6622
Khan, T. A. , siehe McGlacken, G. P.	1843
Dushek, A. und Kirsch, S. F. , Verknüpfung der Konzepte: duale Katalyse mit carbophilen Lewis-Säuren	5787
Köhler, J. , Quadratisch-planar koordiniertes Eisen im Schicht-Ferrat(II) SrFeO_2	4544
Köhn, R. D. , Reaktivität von Chromkomplexen unter Spinkontrolle	251
Kerman, K. und Kraatz, H.-B. , Bildung von Proteinaggregaten durch Metallkoordination	6622
Bongers, N. und Krause, N. , Goldene Aussichten in der stereoselektiven Katalyse	2208
Le Marquand, P. , siehe Tam, W.	2968
Lelieveld, J. , Ein umgekehrtes Ozonloch auf dem Mars	9950
Lindahl, P. A. , Kohlenmonoxid-Dehydrogenasen: Implikationen einer C-Clusterstruktur mit gebundenem Carboxylat	4118
Linti, G. , siehe Himmel, H.-J.	6425
Liu, Zhiqiang , siehe Marder, T. B.	248
Lueken, H. , Magnetoelektrischer Effekt in YMnO_3 und HoMnO_3	8690
Lutz, J.-F. , Kupferfreie Azid-Alkin-Cycloadditionen: Erkenntnisse und Perspektiven	2212
Lynam, J. M. , Neue Wege zur Funktionalisierung von P_4	843
McGlacken, G. P. und Khan, T. A. , Bildung von Carbanionen mit neutralen organischen Elektronentransferreagentien: ein Radikalkonzept	1843
Mahata, K. , siehe Schmittel, M.	5364
Maheshwari, S. , siehe Tsapatsis, M.	4332
Liu, Zhiqiang und Marder, T. B. , B-N und C-C im Vergleich: Wie ähnlich sind sie einander?	248
Mastalerz, M. , Die nächste Generation formstabiler Zeolith-Analoga: kovalent gebundene organische Netzwerkverbindungen	453
Sakai, N. und Matile, S. , Metall-organische Gerüste: der Einbau von Schwermetallen in synthetische Ionenkanäle und Poren	9745
Grabow, L. C. und Mavrikakis, M. , Nanokatalyse: Nach dem Goldrausch	7500
Berkefeld, A. und Mecking, S. , Katalytische Copolymerisation von polaren Vinylmonomeren $\text{H}_2\text{C}=\text{CHX}$	2572
Meyer, G. , Großvolumige Liganden und eingefangene Elektronen: Perspektiven für die Chemie zweiwertiger Lanthanide	5040
Mindiola, D. J. , Hydrazidokomplexe früher Übergangsmetalle: maskierte Metallanitrene durch Spaltung von N-N-Bindungen	1580
Mishra, R. , siehe Winter, R.	6618
Monnier, F. und Taillefer, M. , Katalytische C-C-, C-N- und C-O-Ullmann-Kupplungen	3140
Moore, B. S. , Erweiterung des Biosyntheserepertoires in der ribosomalen Peptidsynthese	9526
Morris, R. E. , Ionische Flüssigkeiten und Mikrowellen: Synthese von Zeolithen für kommende Anwendungen	450
Weissman, K. J. und Müller, R. , Kristallstruktur einer molekularen Synthesemaschine	8470
Niedner-Schatteburg, G. , Infrarotspektroskopie und Ab-initio-Theorie des isolierten H_3O_2^+ : vom Eimer Wasser zur Schrödinger-Gleichung und zurück	1024
Niemeyer, C. M. , siehe Feldkamp, U.	3933
Nienhaus, G. U. , Das grün fluoreszierende Protein: Schlüssel zur Untersuchung chemischer Prozesse in lebenden Zellen	9130
Nising, C. F. und Bräse, S. , Highlights der Steroidchemie: chemische Totalsynthese versus Semi-synthese	9529
O'Brien, P. und Bilke, J. L. , Das Potenzial asymmetrischer Deprotonierungen in der Synthese: Arylierung von Carbanionen	2774
Rendler, S. und Oestreich, M. , Kinetische Racematspaltung und Desymmetrisierung durch stereoselektive Silylierung von Alkoholen	254
Brunet, V. A. und O'Hagan, D. , Katalytische asymmetrische Fluorierungen	1198
Olivucci, M. und Santoro, F. , Chemische Selektivität durch Kontrolle der Dynamik angeregter Zustände	6420
Perkins, M. V. , Totalsynthese des Enzyminhibitors Spirastrellolid A – Bestätigung der Konfiguration ..	2963
Petrushina, M. A. , Koordination an Buckybowls: der erste konkav gebundene Metallkomplex	1572
Kenward, A. L. und Piers, W. E. , Heterolytische H_2 -Aktivierung durch Nichtmetalle	38
Roth, A. und Plass, W. , Carboxylatverbrückte Zweikernzentren in Oxygenasen: Dieisen, Dimangan oder doch besser heterozweikernig?	7700
Plenio, H. , Katalysatoren für die Sonogashira-Kupplung – unedle Metalle auf dem Vormarsch	7060
Pohl, N. L. , Perfluorierte Marker als Ankergruppen für Mikroarrays	3930
Pons, V. , siehe Baker, R. T.	9742
Pöttgen, R. , siehe Johrendt, D.	4860
Prokopcová, H. , siehe Kappe, C. O.	3732
Rendler, S. , siehe Oestreich, M.	254
Riedrich, M. , siehe Arndt, H.-D.	4864
Robertson, N. , Lichtsammelsysteme für Farbstoffsolarzellen	1028
Rolff, M. , siehe Tuczek, F.	2378
Rosenthal, U. , Neuland entdecken – fünfgliedrige Metallacyklen und ihre Reaktionen	5196
Rosseinsky, M. J. , Ein direkter Zugang zu metastabilen Festkörpern	8907

<i>Roth, A.</i> , siehe <i>Plass, W.</i>	7700	<i>Le Marquand, P.</i> und <i>Tam, W.</i> , Enantioselektive palladiumkatalysierte Trimethylenmethan-[3 + 2]-Cycloadditionen	2968
<i>Sakai, N.</i> , siehe <i>Matile, S.</i>	9745	<i>Trapp, O.</i> , Messen auf molekularer Ebene – Chemie an der Schnittstelle zur Informationstechnologie	8278
<i>Santoro, F.</i> , siehe <i>Olivucci, M.</i>	6420	<i>Tsapatsis, M.</i> und <i>Maheshwari, S.</i> , Poröse Materialien mit molekularen Pfeilern: Wege aus dem Labyrinth	4332
<i>Scheschkewitz, D.</i> , Eine neutrale, basenstabilisierte B=B-Bindung: ein Lückenschluss	2021	<i>Rolff, M.</i> und <i>Tuczek, F.</i> , Wie hydroxylieren Kupferenzyme aliphatische Substrate? Jüngste Erkenntnisse aus der Chemie synthetischer Modellsysteme ...	2378
<i>Schmid, G.</i> , Ionisch vernetzte Goldcluster und Goldnanopartikel	3548	<i>Walsh, C. T.</i> , siehe <i>Fischbach, M. A.</i>	5784
<i>Schmitt, M.</i> und <i>Mahata, K.</i> , Vielfalt und Komplexität durch reversible vielfach-orthogonale Wechselwirkungen in Mehrkomponentensystemen	5364	<i>Wang, Wenxin</i> , siehe <i>Alexander, C.</i>	7921
<i>Schoonheydt, R. A.</i> , Zeolithkristalle: Morphologie und Katalyse	9328	<i>Ward, T. R.</i> , Künstliche Enzyme maßgeschneidert: Kombination von Computerdesign und gerichteter Evolution	7918
<i>Haase, C.</i> und <i>Seitz, O.</i> , Mehr Spielraum für die native chemische Peptidkupplung	1575	<i>Weder, C.</i> , Mikroporöse Polymere mit einstellbarer Porengröße	456
<i>Sessoli, R.</i> , Rekord-Hartmagnete: Glauber-Dynamik als Schlüssel zum Verständnis	5590	<i>Weissman, K. J.</i> , siehe <i>Müller, R.</i>	8470
<i>Wietor, J.-L.</i> und <i>Sijbesma, R. P.</i> , Ein selbstheilendes Elastomer	8282	<i>Westerhausen, M.</i> , Molekulare Magnesium(I)-Verbindungen – mehr als nur eine Laborkuriosität	2215
<i>Simmel, F. C.</i> , Dreidimensionale Nanokonstruktion mit DNA	5968	<i>Wietor, J.-L.</i> , siehe <i>Sijbesma, R. P.</i>	8282
<i>Song, Y.-F.</i> , siehe <i>Cronin, L.</i>	4713	<i>Wills, M.</i> , Asymmetrische Katalyse mit Luft als Oxidationsmittel zur kinetischen Racematspaltung von sekundären Alkoholen	4334
<i>Spada, G. P.</i> , Induktion starker Circular dichroismus-effekte durch Ausrichtung achiraler selbstorganisierter Fasern in konvektiven und in Wirbelströmungen	646	<i>Winpenny, R. E. P.</i> , Quanteninformationsverarbeitung mithilfe molekularer Nanomagnete als Qubits	8112
<i>Spiess, H. W.</i> , NMR-Spektroskopie: Wo sind die Grenzen der Nachweisempfindlichkeit?	649	<i>Mishra, R.</i> und <i>Winter, R.</i> , Kälte- und druckinduzierte Dissoziation von Proteinaggregaten und Amyloidfibrillen	6618
<i>Strasdeit, H.</i> , Spaltung von Quecksilber-Alkyl-Bindungen nach dem Vorbild der Organoquecksilber-Lyase	840	<i>Wöll, C.</i> , siehe <i>Fischer, R. A.</i>	8285
<i>Süss-Fink, G.</i> , Wasseroxidation: ein robuster, rein anorganischer Katalysator	5972	<i>Wöll, C.</i> , Spektroskopische Charakterisierung und kontrollierte Veränderung eines Einzelmoleküls durch das Tunneln von Elektronen	1384
<i>Taillefer, M.</i> , siehe <i>Monnier, F.</i>	3140		

Buch-Rezensionen

Bei den Buchrezensionen sind die Autoren/Herausgeber, die Buchtitel und die Rezensenten genannt.

Autobiographie/Biographie

Hargittai, I., Hargittai, M.	Candid Science VI	Kauffman, G. B., Kauffman, L. M.	7498
------------------------------	-------------------	-------------------------------------	------

Biographie

Wieland, S., Hertkorn, A.-B., Dunkel, F. Jaenicke, L.	Heinrich Wieland Profile der Biochemie	Hopf, H. Vaupel, E.	5582 3925
--	---	------------------------	--------------

Industrielle Chemie

Hertwig, K., Martens, L.	Chemische Verfahrenstechnik	Busch, M.	4540
Bartholomew, C. H., Farrauto, R. J.	Fundamentals of Industrial Catalytic Processes	Cornils, B.	1189
Rand, D. A. J., Dell, R. M.	Hydrogen Energy	Kreysa, G., Jüttner, K.	5965
Johnson, D. S., Li, J. J.	The Art of Drug Synthesis	Schaschke, N.	5193

Lehrbuch

Duke, C. V. A., Williams, C. D.	Chemistry for Environmental and Earth Sciences	Lenoir, D.	5781
Rogers, B., Pennathur, S., Adams, J.	Nanotechnology	Bachmann, J., Nielsch, K.	4856
Lüning, U.	Organische Reaktionen	Waldvogel, S. R.	1190
Brückner, R., Brauckmüller, S., Beckhaus, H.-D., Dirksen, J., Goepfel, D., Oestreich, M.	Praktikum Präparative Organische Chemie	Fessner, W.-D.	8106
Gossauer, A.	Struktur und Reaktivität der Biomoleküle	Schmuck, C.	6416

Lexikon/Enzyklopädie/Handbuch

Cornils, B., Herrmann, W. A., Muhler, M., Wong, C.-H.	Catalysis from A to Z	Centi, G.	1569
Hames, I.	Peer Review and Manuscript Management in Scientific Journals	Daniel, H.-D.	1834

Monographie/Forschungsbericht aus den Materialwissenschaften

Monk, P. M. S., Mortimer, R. J., Rosseinsky, D. R.	Electrochromism and Electrochromic Devices	Reynolds, J. R.	7053
Endres, F., Abbott, A. P., MacFarlane, D. R.	Electrodeposition from Ionic Liquids	Welton, T.	4540
Shahinpoor, M., Schneider, H.-J.	Intelligent Materials	Hilgers, P., Riechers, A., König, B.	3133
Rao, C. N. R., Müller, A., Cheetham, A. K.	Nanomaterials Chemistry	Simon, U.	2204
Pelesko, J. A.	Self Assembly	Nitschke, J.	6198
Koch, C. C., Ovid'ko, I. A., Seal, S., Veprek, S.	Structural Nanocrystalline Materials	Sholl, D. S.	1022, 2374
Severn, J. R., Chadwick, J. C.	Tailor-Made Polymers	Busico, V.	6850

Monographie/Forschungsbericht aus der Analytischen Chemie

Becker, J. S.	Inorganic Mass Spectrometry	Uggerud, E.	4328
Dinnebier, R. E., Billinge, S. J. L.	Powder Diffraction	Sironi, A.	8686
Workman, J., Jr., Weyer, L.	Practical Guide to Interpretive Near-Infrared Spectroscopy	Salzer, R.	4706
Hibbert, D. B.	Quality Assurance for the Analytical Chemistry Laboratory	Vogel, M.	1380
Marsili, R.	Sensory-Directed Flavor Analysis	Breme, K., Fernandez, X., Meierhenrich, U. J.	31

Monographie/Forschungsbericht aus der Anorganischen Chemie

Li, W.-K., Zhou, G.-D., Mak, T. C. W.	Advanced Structural Inorganic Chemistry	Rothenberger, A.	8467
Štěpnička, P.	Ferrocenes	Jäkle, F., Sheridan, J. B.	7699
Langa, F., Nierengarten, J.-F.	Fullerenes	Akasaka, T.	643
Marusak, R. A., Doan, K., Cummings, S. D.	Integrated Approach to Coordination Chemistry	Klein, A.	446

Wright, P. A.	Microporous Framework Solids	Volkmer, D.	7275
Fehlner, T. P., Halet, J.-F., Saillard, J.-Y.	Molecular Clusters	Albert, B.	8902
Monographie/Forschungsbericht aus der Biochemie/Bioorganischen Chemie			
Bégué, J.-P., Bonnet-Delpon, D.	Bioorganic and Medicinal Chemistry of Fluorine	Kauffman, G. B.	8275
Lindhorst, T. K.	Essentials of Carbohydrate Chemistry and Biochemistry	Hoffmann-Röder, A.	1380
Hecht, S., Huc, I.	Foldamers	Gellman, S.	642
Compain, P., Martin, O. R.	Iminosugars	Krämer, K.	9518
Sigel, A., Sigel, H., Sigel, R. K. O.	Nickel and Its Surprising Impact in Nature	Ragsdale, S. W.	836
Gazit, E.	Plenty of Room for Biology at the Bottom	Samori, B.	242
Renger, G.	Primary Processes of Photosynthesis	Senge, M. O.	7052
Mayer, R. J., Ciechanover, A. J., Rechsteiner, M.	Protein Degradation	Giannis, A.	5964
Neidle, S., Balasubramanian, S.	Quadruplex Nucleic Acids	Müller, S.	2956
Lilley, D. M. J., Eckstein, F.	Ribozymes and RNA Catalysis	Jäschke, A.	8686
Monographie/Forschungsbericht aus der Medizinischen Chemie			
Corey, E. J., Czako, B., Kürti, L.	Molecules and Medicine	Metternich, R. E., Burgey, C. S.	2203
Monographie/Forschungsbericht aus der Organischen Chemie			
Gotor, V., Alfonso, I., García-Urdiales, E.	Asymmetric Organic Synthesis with Enzymes	Berglund, P.	6614
Sinnott, M. L.	Carbohydrate Chemistry and Biochemistry	Schweizer, F.	5780
Li, C.-J., Chan, T.-H.	Comprehensive Organic Reactions in Aqueous Media	Shaughnessy, K. H.	2014
Blunt, J. W., Munro, M. H. G.	Dictionary of Marine Natural Products	Krohn, K.	5034
Wolf, C.	Dynamic Stereochemistry of Chiral Compounds	Bornscheuer, U.	5362
Paquette, L. A.	Fluorine-Containing Reagents	Haufe, G.	4115
Demchenko, A. V.	Handbook of Chemical Glycosylation	D. B. W.	5361
Fattorusso, E., Taglialatela-Scafati, O.	Modern Alkaloids	Spiteller, P.	2770
Li, J. J.	Name Reactions for Functional Group Transformations	Sälinger, D.	2771
Hudlický, T., Reed, J. W.	The Way of Synthesis	Rinner, U., Mulzer, J.	32
Pignataro, B.	Tomorrow's Chemistry Today	Kauffman, G. B.	8106
Monographie/Forschungsbericht aus der Physikalischen/Theoretischen Chemie			
Shaik, S. S., Hiberty, P. C.	A Chemist's Guide to Valence Bond Theory	Nemirowski, A., Schreiner, P. R.	9948
Bakmutov, V. I.	Dihydrogen Bonds	Desiraju, G. R.	7908
Hites, R. A.	Elements of Environmental Chemistry	Lenoir, D.	2569
Hynes, J. T., Klinman, J. P., Limbach, H.-H., Schowen, R. L.	Hydrogen-Transfer Reactions	Beyer, M. K.	1833
Kuhs, W. F.	Physics and Chemistry of Ice	Geil, B.	2015
Monographie/Forschungsbericht aus der Wissenschaftsgeschichte			
Buckingham, J.	Bitter Nemesis	Seeman, J. I.	3356
Bertomeu-Sánchez, J. R., Nieto-Galan, A.	Chemistry, Medicine, and Crime	Kauffman, G. B.	3728
Bock, R.	Elektrische Entladungen in Gasen bei vermindertem Druck	Heering, P.	9738
Daston, L., Galison, P.	Objektivität	Eisner, W.	9127
Monographie/Forschungsbericht über Katalysen			
Behr, A.	Angewandte homogene Katalyse	Cornils, B.	4327
Maruoka, K.	Asymmetric Phase Transfer Catalysis	Makosza, M.	9126
Rothenberg, G.	Catalysis	Cornils, B.	5583
Astruc, D.	Nanoparticles and Catalysis	Wong, M. S.	7909
Baugh, L. S., Canich, J. A. M.	Stereoselective Polymerization with Single-Site Catalysts	Resconi, L.	8275
van Leeuwen, P. W. N. M.	Supramolecular Catalysis	Lützen, A.	6417
Monographie/Forschungsbericht über spektroskopische Methoden			
Rieger, P. H.	Electron Spin Resonance	Jeschke, G.	2955
Likhtenshtein, G. L., Yamauchi, J., Nakatsuji, S.'i., Smirnov, A. I., Tamura, R.	Nitroxides	Turro, N. J., Chen, J. Y.-C.	9739
Kaim, W., Klein, A.	Spectroelectrochemistry	Compton, R. G.	9518

Sachbuch

Beyer, L., Hoyer, E.	Chemische Wegzeichen	Möckel, K.	8468
Hanson, J. R.	Chemistry in the Garden	Sell, C.	2569
Atkins, P.	Four Laws that Drive the Universe	Cooper, A.	3132
Nicolaou, K. C., Montagnon, T.	Molecules that Changed the World	Metternich, R. E., Nantermet, P. G.	3355
Allhoff, F., Lin, P., Moor, J., Weckert, J.	Nanoethics	Altmann, J.	3924
Herdewijn, P., Kisakürek, M. V.	Origin of Life	Meierhenrich, U.	8466
Sengoopta, C.	The Most Secret Quintessence of Life	Ottow, E., Weinmann, H.	3541

Korrespondenzen

Lahav, M., Leiserowitz, L.	Comments on "Mirror Symmetry Breaking" of the Centrosymmetric CaCO ₃ Crystals with Amino Acids	3738
Loges, N., Wolf, S. E., Panthöfer, M., Müller, L., Reinnig, M.-C., Hoffmann, T., Tremel, W.	Reply to "Mirror Symmetry Breaking" of the Centrosymmetric CaCO ₃ Crystals with Amino Acids	3741
Villiers, C., Thuéry, P., Ephritikhine, M.	The First <i>cis</i> -Dioxido Uranyl Compound under Scrutiny	5976
Frenking, G.	Keine neuen sinnvollen Vorschläge	7280
Koch, W.	Exzellente, wertvoll und unterhaltsam	7282
Reiher, M.	Wichtig für die Begriffsfindung in der Computerchemie	7283
Bickelhaupt, F. M.	Attraktiv und überzeugend	7284
Krapp, A., Frenking, G.	Kommentar zu "Homoleptische Silber(I)-Acetylen-Komplexe"	7912
Himmel, D., Trapp, N., Krossing, I., Altmannshofer, S., Herz, V., Eickerling, G., Scherer, W.	Reply	7914
Cao, R., Anderson, T. M., Hillesheim, D. A., Kögerler, P., Hardcastle, K. I., Hill, C. L.	Platinum-Containing Polyoxometalates	9520
Kortz, U., Lee, U., Joo, H.-C., Park, K.-M., Mal, S. S., Dickman, M. H., Jameson, G. B.	Platinum-Containing Polyoxometalates	9523

Nachrufe

Snieckus, V.	Albert I. Meyers	2012
Hübscher, U.	Arthur Kornberg	1188
Crimmins, M. T.	Ernest Ludwig Eliel	9949
Kaim, W.	Hans Bock	2954
Kroneck, P. M. H.	Helmut Beinert	2202
Rathore, R.	Jay Kazuo Kochi	9326
Corey, E. J., Rudenstine, N. L.	Jeremy R. Knowles	8900
von Kiedrowski, G.	Leslie E. Orgel	2372
Seppelt, K.	Neil Bartlett	8685