



Auf diesen drei Seiten weisen wir auf wichtige aktuelle Beiträge in unseren Schwesterzeitschriften hin. Wenn Sie die Seiten online lesen, dann können Sie

die Artikel mit einem Klick direkt aufrufen, ansonsten sind sie durch Eingabe der DOIs über Wiley InterScience leicht online zugänglich.




Carbon Nanotubes

C. Backes, U. Mundloch, A. Ebel, F. Hauke, A. Hirsch*

Dispersion of HiPco® and CoMoCAT® Single-Walled Nanotubes (SWNTs) by Water Soluble Pyrene Derivatives—Depletion of Small Diameter SWNTs

Nanotube surfactant design—the dispersion of SWNTs by designed surfactants based on water-soluble pyrene derivatives is reported. Significantly, nanotubes of small diameters are depleted in the supernatant after centrifugation presenting the foundation for future nanotube separation by selective dispersion.



Chem. Eur. J.
DOI: 10.1002/chem.200903420




Ring-Opening Polymerization


A. Arbaoui, C. Redshaw,* M. R. J. Elsegood, V. E. Wright, A. Yoshizawa, T. Yamato

Iron(III) and Zinc(II) Calixarene Complexes: Synthesis, Structural Studies, and Use as Precatalysts for ϵ -Caprolactone Polymerization

Opening rings: Synthetic routes have been investigated towards new iron(III) precatalysts for ϵ -caprolactone, utilizing the heterobimetallic reagents $[(\text{THF})\text{MFe}(\text{O}t\text{Bu})_3]_2$ ($\text{M} = \text{Na}, \text{K}$) and calix[n]arenes or oxacalixarenes. Improved polymerization activity is observed in the case of the related zinc(II) systems over that observed for the iron(III) heterobimetallic systems.



Chem. Asian J.
DOI: 10.1002/asia.200900514




RNA


F. Wachowius, C. Höbartner*

Chemical RNA Modifications for Studies of RNA Structure and Dynamics

RNA watching: Artificial nucleoside modifications (see figure for examples) add unique properties to functional RNAs for the exploration of RNA structures, folding pathways, dynamic conformations, catalysis mechanisms, and small-molecule recognition by using various biophysical methods including NMR, EPR, and fluorescence spectroscopies and X-ray crystallography. This article provides an overview of recent applications.



ChemBioChem
DOI: 10.1002/cbic.200900697





ChemPhysChem
DOI: 10.1002/cphc.200900673

Pt/Ceria Catalysts

Y. Lykhach,* T. Staudt, M. P. A. Lorenz, R. Streber, A. Bayer, H.-P. Steinrück, J. Libuda

Microscopic Insights into Methane Activation and Related Processes on Pt/Ceria Model Catalysts

Supporting role: Ceria-supported noble-metal catalysts release oxygen, which may help to reduce the formation of carbonaceous residues during hydrocarbon reforming. The microscopic origins of these effects are examined using single-crystal-based supported model catalysts. The systems involve Pt nanoparticles on well-defined CeO₂(111) films studied by molecular beam experiments, XPS, and STM (see picture).




ChemMedChem
DOI: 10.1002/cmdc.200900476

Drug Discovery

J. P. Ribeiro, S. André, F. J. Cañada, H.-J. Gabius, A. P. Butera, R. J. Alves, J. Jiménez-Barbero*

Lectin-Based Drug Design: Combined Strategy to Identify Lead Compounds using STD NMR Spectroscopy, Solid-phase Assays and Cell Binding for a Plant Toxin Model

Carbohydrate chemistry: Sugar-binding proteins, lectins, are an increasingly valid target in drug design with growing awareness of the biological importance of glycans. A series of modified lactosides containing aromatic aglycan moieties were tested in a plant toxin model for their ability to block lectin binding to cell-surface glycans and consequently prevent the uptake of the plant toxin by the cell.





ChemSusChem
DOI: 10.1002/cssc.200900191

Lithium Storage

Y.-S. Hu,* P. Adelhelm, B. M. Smarsly,* J. Maier

Highly Stable Lithium Storage Performance in a Porous Carbon/Silicon Nanocomposite

A porous carbon/silicon nanocomposite was synthesized in a one-step procedure based on a "soft-templating" methodology, taking advantage of phase separation between mesophase-pitch and organic polymers as soft templates. The resulting nanocomposite exhibits a highly stable reversible capacity of 450 mA h g⁻¹ in a vinylene carbonate-containing electrolyte.




ChemCatChem
DOI: 10.1002/cctc.200900261


Ionic Liquids

U. Hintermair, T. Höfener, T. Pullmann, G. Franciò, W. Leitner*

Continuous Enantioselective Hydrogenation with a Molecular Catalyst in Supported Ionic Liquid Phase under Supercritical CO₂ Flow

Highly efficient continuous-flow asymmetric catalysis was achieved by combination of supported ionic liquid phase (SILP) catalysts with supercritical CO₂ (scCO₂) as the mobile phase, as demonstrated for enantioselective hydrogenation in the presence of a molecular rhodium-QUINAPHOS complex. The integrated reaction and separation process yielded chemically and enantiomerically pure products without the need for organic solvents.






Cu Chemosensors

S. Seo, H. Y. Lee, M. Park, J. M. Lim, D. Kang,* J. Yoon,* J. H. Jung*

Fluorescein-Functionalized Silica Nanoparticles as a Selective Fluorogenic Chemosensor for Cu^{2+} in Living Cells

The optical binding ability of fluorescein-functionalized silica nanoparticles to heavy metal ions was investigated in aqueous solution. These nanoparticles act as a new type of synthetic fluorogenic chemosensor for imaging Cu^{2+} ions in living cells.



Eur. J. Inorg. Chem.
DOI: 10.1002/ejic.200901039




Supramolecular Chemistry

H. Maeda,* R. Fujii, Y. Haketa

Supramolecular Assemblies Derived from Formyl-Substituted π -Conjugated Acyclic Anion Receptors

The synthesis and properties of formyl-substituted dipyrrolyl diketone- BF_2 complexes (anion receptors) and their extended derivatives are reported. The extended derivatives, which are prepared by formation of Schiff bases and subsequent reduction, behave as building subunits to provide anion-responsive gel-like materials.



Eur. J. Org. Chem.
DOI: 10.1002/ejoc.200901346

New Journal

Heterogeneous, Homogeneous and BioCatalysis

www.chemcatchem.org

FREE ONLINE ACCESS

In 2010 for all users from institutions that have registered

Ask your librarian to register for complimentary online access TODAY

www.interscience.wiley.com/newjournals

A journal of

Founding Societies:

A journal of