# Top-Beiträge ...



Auf diesen drei Seiten weisen wir auf wichtige aktuelle Beiträge in unseren Schwesterzeitschriften hin. Wenn Sie die Seiten online lesen, dann können Sie die Artikel mit einem Klick direkt aufrufen, ansonsten sind sie durch Eingabe der DOIs über Wiley Inter-Science leicht online zugänglich.




#### Donor-Acceptor Systems

T. Kojima,\* K. Hanabusa, K. Ohkubo, M. Shiro, S. Fukuzumi\*

Construction of Sn<sup>IV</sup> Porphyrin/Trinuclear Ruthenium Cluster Dyads Linked by Pyridine Carboxylates: Photoinduced Electron Transfer in the Marcus Inverted Region

**Saddle up!** Saddle-distorted Sn<sup>IV</sup> porphyrin complexes form stable conglomerates with trinuclear Ru clusters with use of pyridine carboxylates as linkers (see figure). These novel dyads exhibit efficient photo-induced electron transfer, in which Sn porphyrin moieties act as electron donors and Ru clusters act as electron acceptors.



Chem. Eur. J.

DOI: 10.1002/chem.200902939




#### Nanomaterials

D. Wang, Z. Wang, P. Zhao, W. Zheng, Q. Peng, L. Liu, X. Chen, Y. Li $^{\star}$ 

Rare-Earth Oxide Nanostructures: Rules of Rare-Earth Nitrate Thermolysis in Octadecylamine

The final structure: The decomposed regularity of rare-earth nitrates in octadecylamine was studied systematically and rare-earth oxides with various nanostructures including flowers, plates, belts, and rods were obtained. The investigation of their catalytic and luminescent properties indicates potential applications of as-obtained materials.



Chem. Asian J.

DOI: 10.1002/asia.200900499



#### Cell Adhesion

A. Pulsipher, M. N. Yousaf\*

Surface Chemistry and Cell Biological Tools for the Analysis of Cell Adhesion and Migration

Sticking with SAMs: Within the past few years, the surface-chemistry community has actively pursued the development and integration of strategies to control the interface between cells and a solid support. In doing so, tailored substrates that aim to mimic the extracellular matrix and induce cellular behavior have been generated. Recent advances in the design and utility of self-assembled monolayers (SAMs) as dynamic surfaces for the analysis of cell adhesion and migration will be discussed.






Cell - Adhesion - Polarization - Migration - Co-Culture

ChemBioChem

DOI: 10.1002/cbic.200900787

### ... aus unseren Schwesterzeitschriften



#### Organic Photovoltaic Devices

N. J. Tremblay, A. A. Gorodetsky, M. P. Cox, T. Schiros, B. Kim,

- R. Steiner, Z. Bullard, A. Sattler, W.-Y. So, Y. Itoh, M. F. Toney,
- H. Ogasawara, A. P. Ramirez, I. Kymissis,\* M. L. Steigerwald,
- C. Nuckolls\*


Photovoltaic Universal Joints: Ball-and-Socket Interfaces in Molecular Photovoltaic Cells

A new approach toward higher efficiency organic photovoltaic devices (OPVs) is described. Complementarity in shape between the donor (contorted hexabenzocoronene, see picture) and acceptor (buckminsterfullerene) molecules results in OPVs that perform surprisingly well. This exploitation of host–guest chemistry at the organic/organic interface demonstrates a new direction for OPV device design.



### ChemPhysChem

DOI: 10.1002/cphc.200900941



#### Drug Discovery

M. Colombo,\* S. Vallese, I. Peretto, X. Jacq, J.-C. Rain, F. Colland, P. Guedat\*


Synthesis and Biological Evaluation of 9-Oxo-9*H*-indeno-[1,2-*b*]pyrazine-2,3-dicarbonitrile Analogues as Potential Inhibitors of Deubiquitinating Enzymes

**Ubiquitin-specific proteases 7 and 8** (USP7 and USP8) have been identified as promising anticancer targets. A new series of compounds that inhibit this class of cysteine proteases was discovered; selected compounds show  $IC_{50}$  values in the sub-micromolar range and display in vitro specificity for USP8.



#### ChemMedChem

DOI: 10.1002/cmdc.200900409



#### Reusable Catalysts

H. Kobayashi, T. Komanoya, K. Hara, A. Fukuoka\*


Water-Tolerant Mesoporous-Carbon-Supported Ruthenium Catalysts for the Hydrolysis of Cellulose to Glucose

Best Supporting Role: Ru/CMK-3 is a water-tolerant and reusable catalyst for the hydrolysis of cellulose, and exhibits high glucose yields and turnover numbers due to a synergistic effect between CMK-3 and Ru. CMK-3 contributes to the conversion of cellulose into oligosaccharides, while Ru promotes the hydrolysis of oligosaccharides to glucose.



#### ChemSusChem

DOI: **10.1002/cssc.200900296** 



#### Raney Nickel

N. Mahata,\* A. F. Cunha, J. J. M. Órfão, J. L. Figueiredo

Simultaneous Elimination of Pyrophoricity and Enhancement of Activity of Raney Nickel by Carbon Deposition: Synthesis of Highly Active NiC Catalysts

In good NiC: Nickel-carbon composite catalysts were synthesized by controlled carbon deposition over Raney nickel. The use of these catalysts simultaneously eliminates pyrophoricity and enhances the activity in comparison to Raney nickel. The catalysts are stable under normal atmospheric condition and exhibit excellent activity, superior to the parent Raney nickel, in the hydrogenation of several organic substrates.



#### ChemCatChem

DOI: 10.1002/cctc.200900299

# Top-Beiträge




#### In Situ Metal-Promoted Reactions

H.-B. Zhu, L. Li, G. Xu, S.-H. Gou\*

Reaction Diversity of the S–S Bond Promoted by Metal Coordination: From Discovery to Controllable Reactions

Promoted by metal coordination, the disulfide ligand of 2-ppds undergoes diverse in situ reactions, such as S-oxidation and C-S and S-S bond scission, which can be orientated towards one specific product under appropriate reaction conditions.



Eur. J. Inorg. Chem.

DOI: 10.1002/ejic.200900913




#### **Band-Gap Tuning**

A. Wild, C. Friebe, A. Winter, M. D. Hager, U.-W. Grummt, U. S. Schubert\*

 $\pi$ -Conjugated 2,2':6',2"-Bis (terpyridines): Systematical Tuning of the Optical Properties by Variation of the Linkage between the Terpyridines and the  $\pi$ -Conjugated System

By varying both the spacer unit and the linker in conjugated bis(terpyridines), a library of  $\pi\text{-}conjugated$  bis(terpyridines) has been synthesized, enabling structure–property relationships of these materials to be studied. With the same conjugated backbone, the absorption and emission maxima can be tuned over a range of about 80 nm just by varying the connecting unit.



Eur. J. Org. Chem.

DOI: 10.1002/ejoc.200901112

