



The Benzyne Aza-Claisen Reaction

A. A. Cant, G. H. V. Bertrand,
J. L. Henderson, L. Roberts,
M. F. Greaney* ————— 5301–5304

Angew. Chem. 2009, 121

DOI: 10.1002/ange.200901410

Den Verbindungen **14a**, **14b** und **14c** ist in Tabelle 3 dieser Zuschrift fälschlicherweise die *E*-Doppelbindungskonfiguration zugewiesen. Die korrekte Konfiguration ist *Z*, wie hier in der korrigierten Tabelle gezeigt. Diese Berichtigung wird ergänzt durch eine revidierte Hintergrundinformation.

Die Autoren entschuldigen sich für dieses Versehen.

Tabelle 3: Synthesis of medium-ring amines using the benzyne aza-Claisen rearrangement.^[a]

Entry	Amine	Product	Yield [%] ^[b]	
1			41	
2 ^[c]			40	
3			28	

[a] Reaction conditions: *o*-trimethylsilylphenyl triflate (1 equiv), amine (1.5 equiv), and CsF (3 equiv) in toluene (0.75 mL) and MeCN (0.25 mL). Reactions were carried out on a 0.2 mmol scale and were stirred for 24 hours at room temperature and then heated at reflux for 48 hours in a sealed tube. [b] Yield of isolated product. [c] 2 equivalents of *o*-trimethylsilylphenyl triflate to 1 equivalent of amine was used. Bn = benzyl.