

- [5] H. Sugiyama, C. Lian, M. Isomura, I. Saito, A. H.-J. Wang, *Proc. Natl. Acad. Sci. USA* **1996**, *93*, 14405–14410.
- [6] Recent reviews: a) D. E. Wemmer, P. B. Dervan, *Curr. Opin. Struct. Biol.* **1997**, *7*, 355–361; b) P. E. Nielsen, *Chem. Eur. J.* **1997**, *3*, 505–508; see also c) J. M. Turner, E. E. Baird, P. B. Dervan, *J. Am. Chem. Soc.* **1997**, *119*, 7636–7644; d) R. P. Lamamie de Clairac, B. H. Geierstanger, M. Mrksinch, P. B. Dervan, D. E. Wemmer, *J. Am. Chem. Soc.* **1997**, *119*, 7909–7916; e) S. E. Swalley, E. E. Baird, P. B. Dervan, *J. Am. Chem. Soc.* **1997**, *119*, 6953–6961; f) X. Chen, B. Ramakrishnan, M. Sundaralingam, *J. Mol. Biol.* **1997**, *267*, 1157–1170; g) M. L. Kapla, D. S. Goodsell, G. W. Han, T. K. Chiu, J. W. Lown, R. E. Dickerson, *Structure* **1997**, *5*, 1033–1046; h) S. E. Swalley, E. E. Baird, P. B. Dervan, *Chem. Eur. J.* **1997**, *3*, 1600–1607; i) C. L. Kielkopf, E. E. Baird, P. B. Dervan, D. C. Rees, *Nat. Struct. Biol.* **1998**, *5*, 104–109.
- [7] a) S. White, E. E. Baird, P. B. Dervan, *Chem. Biol.* **1997**, *4*, 569–578; b) S. White, E. E. Baird, P. B. Dervan, *Biochemistry* **1996**, *35*, 12532–12537.
- [8] T. Yasuzawa, K. Muroi, M. Ichimura, I. Takahashi, T. Ogawa, K. Takahashi, H. Sano, Y. Saitoh, *Chem. Pharm. Bull.* **1995**, *43*, 378–391.
- [9] E. E. Baird, P. B. Dervan, *J. Am. Chem. Soc.* **1996**, *118*, 6141–6146.
- [10] Alkylation by a heterodimer was directly confirmed by electrospray ionization mass spectrometry: **9a**-Dist-ODN 1: calcd: 5863.3, found: 5863.2; **9b**-Dist-ODN 2: calcd: 5861.4, found: 5860.8.
- [11] Subsequent treatment with hot piperidine (90 °C, 20 min) did not further increase the intensity of the cleavage bands, indicating that the present heating condition is sufficient to cleave all alkylated DNA.
- [12] a) A. Abu-Daya, P. M. Brown, K. R. Fox, *Nucleic Acids Res.* **1995**, *23*, 3385–3392; b) C. M. Nun, E. Garman, S. Neidle, *Biochemistry* **1997**, *36*, 4792–4799; c) D. L. Boger, T. Ishizaki, H. Zarrinmayeh, S. A. Munk, P. A. Kitos, O. Suntornwat, *J. Am. Chem. Soc.* **1990**, *112*, 8961–8971.
- [13] a) J. W. Trauger, E. E. Baird, P. B. Dervan, *Nature* **1996**, *382*, 559–561; b) S. White, J. W. Szweczyk, J. M. Turner, E. E. Baird, P. B. Dervan, *Nature* **1998**, *391*, 468–471.
- [14] J. M. Gottesfeld, L. Neely, J. W. Trauger, E. E. Baird, P. B. Dervan, *Nature* **1997**, *387*, 202–205.

An Open-Framework Germanate with Polycubane-Like Topology**

Hailian Li, Mohamed Eddaoudi, and Omar M. Yaghi*

The ability of germanates to form extended structures with GeO_4 tetrahedra, GeO_5 trigonal bipyramids, and GeO_6 octahedra, coupled with their tendency to adopt a lower M–O–M (M = Ge) minimum angle than that of silicate-based solids, implies that a high number of possible structures with open-framework topologies can be potentially accessed.^[1–3] Unexpectedly, however, only a few porous germanates have been reported thus far.^[4–9] By using synthetic methods analogous to those employed for the production of zeolites and related crystalline materials,^[10] we have synthesized and structurally characterized an open-framework germanate

$[\text{Ge}_9\text{O}_{18}(\text{OH})_4] \cdot 2\text{H}_2\text{ppz} \cdot 0.5\text{H}_2\text{O}$ (ASU-14, ppz = piperazine = $\text{HNC}_4\text{H}_8\text{NH}$), which is constructed from Ge_9 body-centered parallelepiped building blocks. These are linked together at each of their eight vertices to give the rare polycubane topology with an intersecting channel system of ten- and eight-membered rings in which the piperazinium cations and water molecules reside.

ASU-14 was prepared by heating a mixture of germanium dioxide, piperazine, water, pyridine, and HF in the molar ratio 1.0:2.4:31.0:27.7:0.80 to 165 °C for four days. A crystalline colorless solid was recovered in 76% yield (based on germanium dioxide) upon cooling this mixture. Elemental microanalysis performed on a bulk sample of this material gave the composition $[\text{Ge}_9\text{O}_{18}(\text{OH})_4] \cdot (\text{H}_2\text{ppz})_2(\text{H}_2\text{O})_{0.5}$ (calcd: C 8.04, H 2.45, N 4.69, Ge 54.68, F 0.00%; found: C 7.70, H 2.47, N 4.61, Ge 53.06, F 0.19%).

An X-ray diffraction analysis of a single crystal isolated from the reaction product revealed a three-dimensional open framework constructed from the $[\text{Ge}_9\text{O}_{18}(\text{OH})_4]$ units shown in Figure 1. A GeO_6 octahedral germanium center links two Ge_4 units that are related by an inversion center. Each of these




Figure 1. The building block unit present in crystalline $[\text{Ge}_9\text{O}_{18}(\text{OH})_4] \cdot 2\text{H}_2\text{ppz} \cdot 0.5\text{H}_2\text{O}$ (ASU-14), with atoms represented by spheres: blue: Ge, green: O, pink: OH.

units is constructed from a pair of GeO_4 tetrahedra and a pair of $\text{GeO}_4(\text{OH})$ trigonal bipyramids. These are linked together through doubly bridging oxides to yield eight germanium centers that are positioned at what can be considered as the corners of a body-centered parallelepiped building block. The tetrahedral and trigonal bipyramidal Ge atoms are connected to the Ge atom at the center through doubly and triply bridging oxides, respectively. All Ge–O distances for tetrahedral germanium centers (mean: 1.734(9) Å) are similar to those reported for the quartz modification of GeO_2

[*] Prof. O. M. Yaghi, H. Li, M. Eddaoudi
Supramolecular Design and Discovery Group
Department of Chemistry and Biochemistry
Arizona State University, Tempe, AZ 85287–1604 (USA)
Fax: (+1) 602-965-2747
E-mail: oyaghi@asu.edu

[**] This work was supported by the National Science Foundation (CHE-9702131). We thank Prof. M. O’Keeffe for invaluable discussions.

(1.741(3) Å).^[11] The Ge–O distances within the trigonal bipyramidal and octahedral germanium centers vary in the range 1.763(10)–2.005(9) Å, which is in general agreement with those observed in similar compounds.^[4–9] However, each trigonal bipyramidal Ge atom has a terminal hydroxide ligand as evidenced by their slightly elongated Ge–OH contacts (1.779(9) and 1.763(9) Å) relative to other Ge–O(doubly bridging) distances (1.736(8) and 1.734(8) Å) in the structure, and by the presence of a sharp band at 3671 cm^{−1} in the FT-IR spectrum of this material, which is within the expected range for $\tilde{\nu}_{\text{O-H}}$ stretching frequency.^[12] The remaining oxygen atoms, connected to each of the Ge atoms at the corners (one per Ge atom), serve as doubly bridging linkers to neighboring Ge₉ clusters; which thus yields an open framework with an intersecting three-dimensional channel system (Figure 2 top).

The Ge₉ units observed in ASU-14 are closely related to similar parallelepiped building blocks that can be discerned in the germanate [Ge₁₈O₃₈(OH)₄]^{8−}.^[5] Here, instead of having four terminal hydroxide ligands linked to Ge₄ units as observed in the title compound, only two hydroxide groups act as terminal ligands while the remaining two condense to form a doubly bridging oxide that serves to link two different Ge₄ units of the same Ge₉ arrangement.

An instructive way to view the net adopted by ASU-14 involves the recognition that each of the Ge centers at the corners of the parallelepiped building blocks is in fact four coordinate, which leads to an open polycubane-like topology of the composition GeO₂ (Figure 2 bottom). This topology is a rare structural arrangement that was proposed nearly forty years ago, but only achieved recently in the porous structure of the aluminium cobalt phosphate (ACP-1) material.^[13, 14] Here Co(Al)PO₄ cube units are linked at their corners into a cubic body-centered array that leads to pseudo-octagonal micropores with a diameter of 3.8 Å. Larger pores are observed in ASU-14 as a consequence of the larger size of the parallelepiped building blocks. In fact, three intersecting channels run along the crystallographic *a*, *b*, and *c* axes and permeate the framework with ten-, ten-, and eight-membered ring apertures with free pore diameters of nearly 5 × 6, 5 × 6, and 4 × 4 Å, respectively. The foregoing discussion of the structure requires that the framework has a charge of 4−, which is balanced by two diprotonated ppz guests that occupy the channels as confirmed by elemental microanalysis (see above). It should be noted that because of crystallographic disorder of the guests it is difficult to exclude the possibility that small amounts of solvent species such as pyridine are in the pores in addition to piperazinium cations and water. Preliminary thermal gravimetric measurements on a crystalline sample (42.37 mg) of this material showed no mass loss up to 200 °C. A gradual weight loss of 12.6 % is observed in the temperature range 200–330 °C, which is attributed to the decomposition of Hppz and liberation of water from the channels (calculated: 15.5 %). It appears that Hppz is strongly bound to the framework since a lower than expected weight loss is observed upon heating. Consequently, attempts to exchange Hppz with inorganic cations such as Na⁺ and Ag⁺ were not successful.

We believe that germanates offer many possibilities for the formation of cluster building blocks, which are an attractive




Figure 2. The crystal structure of the three-dimensional porous framework of ASU-14: top: viewed along the crystallographic *b* axis with all guest species omitted for clarity; bottom: a view representing its topology with only the four-coordinate germanium centers shown. The color code is the same as that used in Figure 1.

aspect of this chemistry that is expected to yield a more extensive class of open-frameworks than that of silicate-based compounds.

Experimental Section

X-ray structure analysis: Colorless columnar single crystals of [Ge₉O₁₈(OH)₄] · 2H₂ppz · 0.5H₂O (ASU-14) were analyzed at −155 ± 1 °C, triclinic, space group *P* − 1 (No. 2), *a* = 10.1385(3), *b* = 10.3465(3), *c* = 12.8517(1) Å, *α* = 89.597(1), *β* = 89.291(1), *γ* = 88.923(1)°, *V* = 1347.74(6) Å³, *Z* = 2, ρ_{calcd} = 2.870 g cm^{−3}, $\mu(\text{MoK}\alpha)$ = 99.84 cm^{−1}. A full hemisphere of diffracted intensities (θ = 0.3° counted for a total of 10.0 s per frame) was measured

with graphite-monochromated $\text{MoK}\alpha$ radiation on a Siemens/Bruker SMART CCD single crystal diffraction system. Cell constants and an orientation matrix were obtained from least-squares refinement by using the measured positions of 4386 reflections with $I > 10\sigma$ in the range $3.00 < 2\theta < 45.00^\circ$. The Siemens/Bruker program SHELXTL-PC software package was used to solve the structure by direct methods. All stages of weighted full-matrix least-squares refinement were conducted with F_o^2 data with the SHELXTL-PC Version 5 software package and converged to give $R_1(F) = 0.062$ for 3300 independent absorption-corrected reflections with $2\theta(\text{MoK}\alpha) < 49.5^\circ$ and $I > 2.50\sigma(I)$ and $wR_2(F^2) = 0.069$ with a GOF = 1.70. As a consequence of the twinning found in the crystal some reflections were from the major twin only, and some were measured from both components. At the end of the refinement 87 reflections which had $F_o > F_c$ and $w\Delta F^2 > 5$ were removed from the refinement to allow all of the Ge atoms to refine anisotropically. Crystallographic data (excluding structure factors) for the structure reported in this paper have been deposited with the Cambridge Crystallographic Data Centre as supplementary publication no. CCDC-114519. Copies of the data can be obtained free of charge on application to CCDC, 12 Union Road, Cambridge CB2 1EZ, UK (fax: (+44) 1223-336-033; e-mail: deposit@ccdc.cam.ac.uk).

Received: May 12, 1998

Revised version: October 29, 1998 [Z11848IE]

German version: *Angew. Chem.* **1999**, *111*, 682–685

Keywords: cubanes • germanium • microporosity • solid-state structures • zeolite analogues

- [1] A. F. Wells, *Structural Inorganic Chemistry*, 5th ed, Clarendon, Oxford, **1984**.
- [2] M. O'Keeffe, B. G. Hyde, *Crystal Structures: I. Patterns and Symmetry*, Mineralogical Society of America, Washington, DC (USA), **1996**.
- [3] W. M. Meier, D. H. Olson, Ch. Baerlocher, *Atlas of Zeolite Structure Types*, Elsevier, Boston, MA (USA), **1996**.
- [4] M. A. Roberts, A. N. Fitch, *Z. Kristallogr.* **1996**, *211*, 378–387.
- [5] R. H. Jones, J. Chen, J. M. Thomas, A. George, M. B. Hursthouse, R. Xu, S. Li, Y. Lu, G. Yang, *Chem. Mater.* **1992**, *4*, 808–812.
- [6] J. C. Cheng, R. Xu, G. Yang, *J. Chem. Soc. Dalton Trans.* **1991**, 1537–1540.
- [7] C. Cascales, E. Gutierrez-Puebla, M. A. Monge, C. Ruiz-Valero *Angew. Chem.* **1998**, *110*, 135–138; *Angew. Chem. Int. Ed.* **1998**, *37*, 129–131.
- [8] A. J. C. Wilson, Eds. *Structure Reports, Vol. 11*, Oosthoek-Utrecht, The Netherlands, **1947–1948**, p. 405.
- [9] S. Feng, M. Tsai, M. Greenblatt, *Chem. Mater.* **1992**, *4*, 388–393.
- [10] J. M. Newsam, in *Solid State Chemistry: Compounds* (Eds.: A. K. Cheetham, P. Day), Clarendon, Oxford, **1992**.
- [11] G. S. Smith, P. B. Isaacs, *Acta Cryst.* **1964**, *17*, 842.
- [12] E. A. Knyazev, A. N. Akulov, *Russ. J. Inorg. Chem. (Engl. Transl.)* **1973**, *18*, 139–141.
- [13] R. M. Barrer, F. W. Bultitude, I. S. Kerr, *J. Chem. Soc.* **1959**, 1521–1528.
- [14] P. Feng, X. Bu, G. D. Stucky, *Science* **1997**, *388*, 735–740.

Induced Color Change of Conjugated Polymeric Vesicles by Interfacial Catalysis of Phospholipase A_2 **

Sheldon Yoshio Okada, Raz Jelinek, and Deborah Charych*

Conjugated polymers (CPs) such as polydiacetylene (PDA), polythiophene, and polypyrrole display a remarkable array of color transitions that arise from thermal changes (thermochromism),^[1] mechanical stress (mechanochromism),^[2] or ion binding (ionochromism).^[1, 3] The color changes can be ascribed to a change in the effective length of conjugation of the delocalized, π -conjugated polymer backbone.^[4] The application of these “smart” materials for the detection of biological targets (biochromism)^[5–11] is only just beginning to be exploited.

Interfacial catalysis on biomembranes plays a key role in extra- and intracellular processes and covers a range of enzyme classes such as lipolytic enzymes, acyltransferases, protein kinases, and glycosidases. In particular, lipolytic enzymes are involved in important biochemical processes, such as fat digestion and signal transduction. Recent interest in one such enzyme, phospholipase A_2 (PLA_2),^[12, 13] is motivated by its role in the release of arachidonate and lysophospholipids from membranes. These compounds are the precursors for the biosynthesis of eicosanoids (for example, prostaglandins, leukotrienes) that have been implicated in a range of inflammatory diseases such as asthma, ischaemia, and rheumatoid arthritis.^[14–16] Accordingly, the identification of PLA_2 inhibitors is an active area of current research that may lead to novel therapeutics and new biochemical insights into the mechanisms of enzyme activity.^[16–18]

PLA_2 catalyzes the hydrolysis of an acyl ester bond exclusively at the 2-acyl position in glycerophospholipids to

[*] Dr. D. Charych^[+]

Principal Investigator, Center for Advanced Materials
Materials Sciences Division
Lawrence Berkeley National Laboratory, Berkeley, CA 94720 (USA)
S. Y. Okada^[++]
Center for Advanced Materials, Materials Sciences Division
Lawrence Berkeley National Laboratory, Berkeley, CA 94720 (USA)
Prof. R. Jelinek
Department of Chemistry, Ben Gurion University of the Negev
Beer-Sheva 84105 (Israel)

[+] New address:

Chiron Technologies
4560 Horton Avenue, Emeryville, CA 94607 (USA)
Fax: (+1) 510-923-3360
E-mail: deb_charych@cc.chiron.com

[++] New address:

Department of Chemistry
Caltech University
Pasadena, CA (USA)

[**] This work was supported by the Office of Naval Research (Contract No. N0001497F0181) and the Director, Office of Energy Research, Office of Basic Energy Sciences, Division of Materials Sciences, and also by the Division of Energy Bio-Sciences of the U.S. Department of Energy (Contract No. DE-AC03-76SF0098). We thank Professor Mahendra Jain for his kind gift of inhibitor compound MJ33 and for his helpful comments and suggestions. D.C. acknowledges Dr. Mark Alper, Project Director of the Biomolecular Materials Program for his continued support.