## Spotlights ...

## **Gas Adsorption**


D. G. Samsonenko, H. Kim, Y. Sun, G.-H. Kim, H.-S. Lee, K. Kim\*

Microporous Magnesium and Manganese Formates for Acetylene Storage and Separation

Chem. Asian J.

DOI: 10.1002/asia.200600390

**Exclusive entry:** Microporous magnesium and manganese formates show not only a high capacity for acetylene sorption but also remarkable selectivity over  $CO_2$ ,  $CH_4$ ,  $N_2$ ,  $O_2$ , and  $H_2$  at room temperature. The single-crystal X-ray structure analysis of the acetylene-adsorbed metal formates reveals two acetylene sorption sites.



### Solid-state NMR Spectroscopy


Y. Li, D. A. Berthold, H. L. Frericks, R. B. Gennis, C. M. Rienstra\*

Partial <sup>13</sup>C and <sup>15</sup>N Chemical-Shift Assignments of the Disulfide-Bond-Forming Enzyme DsbB by 3D Magic-Angle Spinning NMR Spectroscopy

**ChemBioChem** 

DOI: 10.1002/cbic.200600484

Another piece of the puzzle. A 20 kDa integral membrane protein DsbB has been studied by 2D and 3D solid-state NMR. Partial chemical-shift assignments have been made in the transmembrane helices.




#### **Optical Rotation**

B. C. Mort, J. Autschbach\*

Temperature Dependence of the Optical Rotation in Six Bicyclic Organic Molecules Calculated by Vibrational Averaging

Chem Phys Chem

DOI: 10.1002/cphc.200600757



Accurate predictions: A computational model which includes vibrational corrections is used to compute optical rotations in bicyclic molecules. The inclusion

of temperature effects in the vibrational averaging elucidates the temperature dependence (see figure) of the optical rotation from a purely vibrational effect.

## **Functionalized Nanoparticles**


J. Li, X. Wang,\* C. Wang, B. Chen, Y. Dai, R. Zhang, M. Song, G. Lv, D. Fu

The Enhancement Effect of Gold Nanoparticles in Drug Delivery and as Biomarkers of Drug-Resistant Cancer Cells

ChemMedChem

DOI: 10.1002/cmdc.200600264

A golden opportunity: Functionalized gold nanoparticles (NPs) synergistically enhance the delivery of drugs to, and serve as biomarkers of drug-resistant leukemia cells. The combination of 3-mercaptopropionic acid capped Au NPs with anticancer drugs could be a new approach to the treatment of cancer.





# ... on our Sister Journals



$$\{Mn(5-Cl-salen)\}^{+} \longrightarrow Trinuclear$$

$$\{Mn(salen)\}^{+} \longrightarrow Neutral Chain$$

$$\{Mn(5-Br-salen)\}^{+} \longrightarrow Anionic Chain$$

$$\{Mn(saltmen)\}^{+} \longrightarrow 2D \text{ layer}$$

Four cyanido-bridged complexes derived from the [Cr(CN)<sub>5</sub>(NO)]⊃3– anion and Mn<sup>III</sup> Schiff-base cations have been synthesized with trinuclear. 1D chain or 2D

layered molecular structures. Antiferromagnetic Mn<sup>III</sup>–Cr<sup>I</sup> coupling has been exclusively observed in these complexes.

#### Heterodimetallic Complexes

Z.-H. Ni, Lei Zheng, L.-F. Zhang, A.-L. Cui, W.-W. Ni, C.-C. Zhao, H.-Z. Kou\*

Cyanido-Bridged Dimetallic Complexes Derived from Manganese(III) Schiff Bases and Pentacyanidonitrosylchromate(I): Synthesis, Crystal Structure and Magnetic Properties

Eur. J. Inorg. Chem.

DOI: 10.1002/ejic.200600958

Carbocyclic DNA lesion analogs provide a powerful tool for the investigation of the recognition of DNA lesions by DNA glycosylases. Here, we report the synthesis of carbocyclic analogs of the DNA lesions 7,8-dihydro-8-oxo-2'-deoxyguanosine and spiroiminodihydantoin as a nucleoside as well as in single-stranded DNA.


#### Carbocyclic Spiroiminodihydantoin

H. Müller, T. Carell\*

A Carbocyclic Analog of the Oxidatively Generated DNA Lesion Spiroiminodihydantoin

Eur. J. Org. Chem.

DOI: 10.1002/ejoc.200600982



A new methodology based on quasi-relativistic time-dependent density functional theory (TD-DFT) has been applied in order to interpret experimental covalen-

cies from the S K-edge pre-edge intensities obtained for a series of transition-metal dithiolene complexes (see example in diagram).

## **Coordination Modes**

K. Ray, S. DeBeer George, E. I. Solomon, K. Wieghardt,\* F. Neese\*

Description of the Ground-State Covalencies of the Bis(dithiolato) Transition-Metal Complexes from X-ray Absorption Spectroscopy and Time-Dependent Density-Functional Calculations

Chem. Eur. J.

DOI: 10.1002/chem.200601425



On these pages, we feature a selection of the excellent work that has recently been published in our sister journals. DOIs are given for easy online access through Wiley InterScience. Full biblio-

graphic details are given where available at the time of this issue's publication. If you are reading these pages on a computer, click on any of the items to read the full article.