

A Journal of the Gesellschaft Deutscher Chemiker

Angewandte Chemie

International Edition

GDCh

2007–46
www.angewandte.org



Publication Dates and Pagination 2007

Issue	Pagination	Print Publication*	Issue	Pagination	Print Publication*
1 – 2	1 – 308	December 18	26	4799 – 5032	June 25
3	309 – 474	January 8	27	5033 – 5246	July 2
4	475 – 640	January 15	28	5247 – 5448	July 9
5	641 – 806	January 22	29	5449 – 5632	July 16
6	807 – 990	January 29	30	5633 – 5806	July 23
7	991 – 1188	February 5	31	5807 – 5984	August 3
8	1189 – 1350	February 12	32	5985 – 6200	August 13
9	1351 – 1544	February 19	33	6201 – 6380	August 20
10	1545 – 1748	February 26	34	6381 – 6558	August 27
11	1749 – 1926	March 5	35	6559 – 6740	September 3
12	1927 – 2122	March 12	36	6741 – 6932	September 10
13	2123 – 2332	March 19	37	6933 – 7132	September 17
14	2333 – 2544	March 26	38	7133 – 7332	September 24
15	2545 – 2726	April 2	39	7333 – 7518	October 1
16	2727 – 2954	April 13	40	7519 – 7714	October 8
17	2955 – 3156	April 20	41	7715 – 7902	October 15
18	3157 – 3380	April 27	42	7903 – 8090	October 22
19	3381 – 3590	May 4	43	8091 – 8304	November 5
20	3591 – 3770	May 11	44	8305 – 8520	November 12
21	3771 – 3990	May 18	45	8521 – 8718	November 19
22	3991 – 4192	May 25	46	8719 – 8916	November 26
23	4193 – 4404	June 4	47	8917 – 9118	December 3
24	4405 – 4586	June 11	48	9119 – 9452	December 10
25	4587 – 4798	June 18			

* All articles were previously available online.

Author Index

The entry for correspondence authors includes the complete information regarding the article. For the coauthors, the type of article and the page numbers are listed. The page numbers in square brackets refer to the German edition [*Angew. Chem.* **2007**, 119] of *Angewandte Chemie*.

(C) = Communication (E) = Essay (H) = Highlight (L) = Correspondence (M) = Minireview (O) = Obituary
(R) = Review Article (T) = Meeting Review



- Abad, A. (C) 1536–1538 [1558–1560]
Abbenhuis, H. C. L. (C) 5003–5006 [5091–5094]
Abboud, J.-L. M.
– How Can a Carbon Atom Be Covalently Bound to Five Ligands? The Case of $\text{Si}_2(\text{CH}_3)_7^+$ (C) 381–385 [385–389]
DOI: 10.1002/anie.200601164
Abboud, K. A. (C) 884–888 [902–906]
Abe, H.
– Translation of Mutarotation into Induced Circular Dichroism Signals through Helix Inversion of Host Polymers (C) 3059–3061 [3119–3121]
DOI: 10.1002/anie.200604176
Abe, S. Corrigendum: 8734
Abe, S. (C) 4350–4355 [4428–4433]
Abouaf, R. (C) 5238–5241 [5331–5334]
Abraham, S. (C) 5720–5723 [5822–5825]
Abrahams, B. F.
– An Extensive Class of Solids Full of Holes Large Enough To Enclose over 200 Molecules of H_2O (C) 8640–8643 [8794–8797]
DOI: 10.1002/anie.200702656
Acharyya, R. (C) 9110–9113 [9270–9273]
Ackermann, L.
– Domino N–H/C–H Bond Activation: Palladium-Catalyzed Synthesis of Annulated Heterocycles Using Dichloro(hetero)arenes (C) 1627–1629 [1652–1654]
DOI: 10.1002/anie.200603833
– Ruthenium(IV) Alkylidenes as Precatalysts for Direct Arylations of Alkenes with Aryl Chlorides and an Application to Sequential Catalysis (C) 6364–6367 [6482–6485]
DOI: 10.1002/anie.200701727
Adams, C. J. (C) 1124–1128 [1142–1146]
Adams, D. J. (C) 9243–9247 [9403–9407]
Adams, H. (C) 6159–6162 [6271–6274]
Adams, R. D.
– Bimetallic Ru–Sn Nanoparticle Catalysts for the Solvent-Free Selective Hydrogenation of 1,5,9-Cyclododecatriene to Cyclododecene (C) 8182–8185 [8330–8333]
DOI: 10.1002/anie.200702274
– Saturated Versus Unsaturated: Ligand Addition to the Saturated Metal Site in an Unsaturated Binuclear Metal Complex (C) 5714–5716 [5816–5818]
DOI: 10.1002/anie.200701370
Addadi, L. (C) 291–294 [295–298]
Adelfinskaya, O. (C) 4356–4358 [4434–4436]
Adeuya, A. (C) 9198–9201 [9358–9361]
Adhikari, S. S. Corrigendum: 2971
Adrio, J. (C) 9261–9264 [9421–9424]
Affronte, M. (C) 4456–4460 [4540–4544]
Afonso, C. A. M.
– One-Pot Enzymatic Resolution and Separation of *sec*-Alcohols Based on Ionic Acylating Agents (C) 8178–8181 [8326–8329]
DOI: 10.1002/anie.200701774
Afonso, C. A. M. (C) 5750–5753 [5852–5855]
Agarwal, P. (C) 3111–3114 [3171–3174]
Agel, F. (C) 7281–7285 [7419–7423]
Aggarwal, V. K.
– Asymmetric Synthesis of α -Substituted Allyl Boranes and Their Application in the Synthesis of Iso-agatharesinol (C) 359–362 [363–366]
DOI: 10.1002/anie.200603659
– Lithiated Carbamates: Chiral Carbenoids for Iterative Homologation of Boranes and Boronic Esters (C) 7491–7494 [7635–7638]
DOI: 10.1002/anie.200702146
– Reactions of Iminium Ions with Michael Acceptors through a Morita–Baylis–Hillman-Type Reaction: Enantiocontrol and Applications in Synthesis (C) 1893–1896 [1925–1928]
DOI: 10.1002/anie.200604715
Agrawal, N. (C) 4316–4319 [4394–4397]
Aguilar, E. (C) 2610–2612 [2664–2666]
Ahlquist, M. (C) 1730–1733 [1760–1763]
Ahlrichs, R.
– Boron Cluster Cations: Transition from Planar to Cylindrical Structures (C) 8503–8506 [8656–8659]
DOI: 10.1002/anie.200701915
Ahlrichs, R. (C) 8254–8257 [8402–8405]
Ahmadian, M. R. (C) 2704–2707 [2759–2763]
Ahmadibeni, Y. (C) 4739–4743 [4823–4827]
Ahn, J. Y. (C) 7064–7067 [7194–7197]
Ahn, W.-S. (C) 8230–8233 [8378–8381]
Ahn, Y. (C) 7393–7395 [7537–7539]
Ai, M. (C) 3033–3036 [3093–3096]
Aida, T.
– Amplified Chiral Transformation through Helical Assembly (C) 6476–6480 [6596–6600]
DOI: 10.1002/anie.200701668
– Chiroptical Sensing of Asymmetric Hydrocarbons Using a Homochiral Supramolecular Box from a Bismetallporphyrin Rotamer (C) 2031–2035 [2077–2081]
DOI: 10.1002/anie.200604330
– Spectroscopic Visualization of Vortex Flows Using Dye-Containing Nanofibers (C) 8198–8202 [8346–8350]
DOI: 10.1002/anie.200703083
Aikyo, S. (C) 764–768 [778–782]
Aime, S.
– From Spherical to Osmotically Shrunken Paramagnetic Liposomes: An Improved Generation of LIPOCEST MRI Agents with Highly Shifted Water Protons (C) 966–968 [984–986]
DOI: 10.1002/anie.200604027
Aimi, J. (C) 2031–2035 [2077–2081]
Ajami, D. (C) 242–244 [246–248], 9283–9286 [9443–9446]
Ajayaghosh, A.
– Molecular Wire Encapsulated into π Organogels: Efficient Supramolecular Light-Harvesting Antennae with Color-Tunable Emission (C) 6260–6265 [6376–6381]
DOI: 10.1002/anie.200701925
– Self-Assembly of Tripodal Squaraines: Cation-Assisted Expression of Molecular Chirality and Change from Spherical to Helical Morphology (C) 230–233 [234–237]
DOI: 10.1002/anie.200603611
Ajayaghosh, A. (C) 1825–1828 [1857–1860]
Ajayan, P. M.
– In Situ Synthesis and Assembly of Gold Nanoparticles Embedded in Glass-Forming Liquid Crystals (C) 3269–3274 [3333–3338]
DOI: 10.1002/anie.200604218
Akagi, F. (C) 8778–8781 [8934–8937]
Akai, S. (C) 7458–7461 [7602–7605]
Akasaka, T.
– Experimental and Theoretical Studies of the Scandium Carbide Endohedral Metallofullerene $\text{Sc}_2\text{C}_2@C_{82}$ and Its Carbene Derivative (C) 5562–5564 [5658–5660]
DOI: 10.1002/anie.200701049
Akashi, M.
– Fabrication of Cellular Multilayers with Nanometer-Sized Extracellular Matrix Films (C) 4689–4692 [4773–4776]
DOI: 10.1002/anie.200701089
Akiba, T. (C) 5734–5736 [5836–5838]
Akkerman, F. A. (C) 4902–4904 [4989–4991]
Akutagawa, T.
– Large Anisotropy and Effect of Deuteration on Permittivity in an Olefin Copper(I) Complex (C) 6852–6856 [6976–6980]
DOI: 10.1002/anie.200700629
Al-Helal, M. (C) 6278–6283 [6394–6399]
Al-Rashid, Z. F. (C) 4069–4072 [4147–4150]
Al-Shamery, K. (C) 2923–2926 [2981–2984]
Alaerts, L. (C) 4293–4297 [4371–4375]
Alam, M. A. (C) 6476–6480 [6596–6600], 8198–8202 [8346–8350]

- Alavi, S.
– Hydrogen-Gas Migration through Clathrate Hydrate Cages
(C) 6102–6105 Corrigendum: 8933 [6214–6217 Corrigendum: 9091]
DOI: 10.1002/anie.200700250
- Albericio, F. (C) 7766–7769 [7912–7916]
- Albert, D. (C) 4898–4901 [4985–4988]
- Albertshofer, K. (C) 5572–5575 [5668–5671]
- Albini, A. (C) 2531–2534 [2583–2586], 6495–6498 [6615–6618]
- Albrecht, C. H.
– Recognition of “Mirror-Image” DNA by Small Molecules
(C) 8384–8387 [8536–8539]
DOI: 10.1002/anie.200703007
- Albrecht, M.
– Neutral Ligands with Exceptional Donor Ability for Palladium-Catalyzed Alkene Hydrogenation
(C) 6293–6296 [6409–6412]
DOI: 10.1002/anie.200702199
- Alcaide, B.
– Metal-Catalyzed Regiodivergent Cyclization of γ -Allenols: Tetrahydrofurans versus Oxepanes
(C) 6684–6687 [6804–6807]
DOI: 10.1002/anie.200701611
- Alcami, M. (C) 7874–7877 [8020–8023]
- Alconcel, S. (C) 4933–4936 [5021–5024]
- Aldridge, S.
– Cationic Terminal Aminoborylene Complexes: Controlled Stepwise Insertion into M=B and B=N Double Bonds
(C) 2043–2046 [2089–2092]
DOI: 10.1002/anie.200604838
- Alemán, J. (C) 5515–5519 [5611–5615], 5520–5523 [5616–5619]
- Alemdaroglu, F. E. (C) 1172–1175 [1191–1194]
- Aleshchenkov, S. (C) 7693–7696 [7837–7840]
- Alexakis, A.
– 1,4-Dichloro- and 1,4-Dibromo-2-butenes as Substrates for Cu-Catalyzed Asymmetric Allylic Substitution
(C) 2619–2622 [2673–2676]
DOI: 10.1002/anie.200604963
- SimplePhos Monodentate Ligands: Synthesis and Application in Copper-Catalyzed Reactions
(C) 7462–7465 [7606–7609]
DOI: 10.1002/anie.200702186
- Alfonta, L. (C) 6073–6075 [6185–6187]
- Aliev, A. E.
– Noncovalent Functional-Group–Arene Interactions
(C) 7823–7826 [7969–7972]
DOI: 10.1002/anie.200701463
- Allen, D. D. (C) 1716–1718 [1746–1748]
- Allison, T. C. (C) 7853–7855 [7999–8001]
- Allix, M. (C) 8785–8789 [8941–8945]
- Almendros, P.
– Metal-Catalyzed Regiodivergent Cyclization of γ -Allenols: Tetrahydrofurans versus Oxepanes
(C) 6684–6687 [6804–6807]
DOI: 10.1002/anie.200701611
- Almer, J. (C) 1113–1116 [1131–1134]
- Altenhöner, K. (C) 5321–5324 [5415–5418]
- Altermann, S. (C) 6529–6532 [6649–6652]
- Althammer, A. (C) 1627–1629 [1652–1654]
- Altmannshofer, S. (C) 8295–8298 [8445–8449]
- Alvarez, E. (C) 1296–1299 [1318–1321]
- Álvarez-Bercedo, P. (C) 6364–6367 [6482–6485]
- Álvarez-Gutiérrez, J. M. (C) 1281–1283 [1303–1305]
- Álvarez-Rodrigo, L. (C) 2607–2609 [2661–2663]
- Alves, S. (C) 872–877 [890–895]
- Amabilino, D. B.
– Supramolecular Conducting Nanowires from Organogels
(C) 238–241 [242–245]
DOI: 10.1002/anie.200602483
- Amano, M. (C) 8808–8813 [8964–8969]
- Amara, P.
– The Enamine Intermediate May Not Be Universal to Thiamine Catalysis
(C) 9019–9022 [9177–9180]
DOI: 10.1002/anie.200702993
- Amatore, C.
– Synthesis and Electrochemical Properties of Fullerene-Rich Nanoclusters Synthesized by Cobalt-Catalyzed Cyclotrimerization of Bis(aryl)alkyne Fullerodendrimers
(C) 951–954 [969–972]
DOI: 10.1002/anie.200603765
- Amaya, T. (C) 8376–8379 [8528–8531]
- Amessou, M. (C) 6469–6472 [6589–6592]
- Amewu, R. (C) 6278–6283 [6394–6399]
- Amirjalayer, S. (C) 463–466 [467–470]
- Ammann, M. (C) 363–368 [367–372]
- Amorati, R.
– Intermolecular Hydrogen Bonding Modulates the Hydrogen-Atom-Donating Ability of Hydroquinones
(C) 6336–6338 [6452–6454]
DOI: 10.1002/anie.200701957
- Amsharov, K. Yu. (C) 8419–8421 [8571–8573]
- An, B. H. (C) 3663–3667 [3737–3741]
- An, B.-K. (C) 1978–1982 [2024–2028]
- An, H. (C) 3680–3682 [3754–3756]
- An, K. (C) 5397–5401 [5493–5497]
- Anderson, D. J. (C) 3741–3744 [3815–3818]
- Anderson, D. R. (C) 7262–7265 [7400–7403]
- Anderson, E. A. (C) 6699–6702 [6819–6822]
- Anderson, H. L.
– Insulated Molecular Wires
(R) 1028–1064 [1046–1083]
DOI: 10.1002/anie.200601780
- Solid-Phase Synthesis of Oligo(phenylene ethynylene) Rotaxanes
(C) 6845–6848 [6969–6972]
DOI: 10.1002/anie.200702349
- Template-Directed Synthesis of a π -Conjugated Porphyrin Nanoring
(C) 3122–3125 [3183–3186]
DOI: 10.1002/anie.200604601
- Anderson, K. W. (C) 7509–7512 [7653–7656]
- Anderson, L. L. (C) 369–372 [373–376]
- Anderson, O. P. (C) 4111–4114 [4189–4192]
- Andexer, J. (C) 8679–8681 [8833–8835]
- Ando, Y. (C) 5934–5937 [6038–6041]
- André, V. (C) 5750–5753 [5852–5855]
- Andréasson, J.
– Molecular 2:1 Digital Multiplexer
(C) 958–961 [976–979]
DOI: 10.1002/anie.200603856
- Andreotto, E. (C) 1246–1252 [1268–1274]
- Andreev, Yu. G. (C) 2848–2850 [2906–2908]
- Andrei, H.-S. Corrigendum: 5999
- Andrei, H.-S. (C) 4754–4756 [4838–4840]
- Andrés, J. (C) 286–290 [290–294]
- Andrews, L.
– Chirality, Agostic Interactions, and Pyramidalicity in Actinide Methylidene Complexes
(C) 9045–9049 [9203–9207]
DOI: 10.1002/anie.200702771
- Mercury Is a Transition Metal: The First Experimental Evidence for HgF₄
(C) 8371–8375 [8523–8527]
DOI: 10.1002/anie.200703710
- The Activation of Hydrogen by Li Atoms To Form [(LiH)₂]
(C) 2602–2606 [2656–2660]
DOI: 10.1002/anie.200605211
- Andrews, S. P. (C) 9331–9334 [9492–9495]
- Andrisano, V. (C) 3689–3692 [3763–3766]
- Andronesi, O. C. (C) 459–462 [463–466]
- Andruniów, T. (C) 414–420 [418–424]
- Andrushko, V. (C) 5971–5974 [6075–6078]
- Ang, C. Y. (C) 2448–2452 [2500–2504]
- Angeles, A. R. (C) 1451–1454 [1473–1476]
- Angelici, R. J.
– Cyaphide (C $\equiv$ P[–]): The Phosphorus Analogue of Cyanide (C $\equiv$ N[–])
(H) 330–332 [334–336]
DOI: 10.1002/anie.200603724
- Angelin, M. (C) 948–950 [934–968]
- Angell, Y. (C) 3649–3651 [3723–3725]
- Angermund, K. (C) 3745–3749 [3819–3823]
- Anilkumar, G. (C) 7293–7296 [7431–7435]
- Anlauf, S. (C) 2039–2042 [2085–2088]
- Annaraj, J. (C) 377–380 [381–384]
- Anslyn, E. V.
– The Discriminatory Power of Differential Receptor Arrays Is Improved by Pre-screening—A Demonstration in the Analysis of Tachykinins and Similar Peptides
(C) 8212–8215 [8360–8363]
DOI: 10.1002/anie.200701236
- Antonchick, A. P. (C) 2097–2100 [2143–2146], 4562–4565 [4646–4649], 6903–6906 [7027–7030]
- Antonelli, D. M.
– A Solid-State ¹⁷O NMR Study of Local Order and Crystallinity in Amine-Templated Mesoporous Nb Oxide
(C) 2635–2638 [2689–2692]
DOI: 10.1002/anie.200604602
- Antonietti, M.
– Metal-Free Activation of CO₂ by Mesoporous Graphitic Carbon Nitride
(C) 2717–2720 [2773–2776]
DOI: 10.1002/anie.200603478
- Anwander, R.
– Alkyl Migration and an Unusual Tetramethylaluminate Coordination Mode: Unexpected Reactivity of Organolanthanide Imino–Amido–Pyridine Complexes
(C) 3126–3130 [3187–3191]
DOI: 10.1002/anie.200604729
- Rare-Earth Metal Mixed Chloro/Methyl Compounds: Heterogeneous–Homogeneous Borderline Catalysts in 1,3-Diene Polymerization
(C) 6508–6513 [6628–6633]
DOI: 10.1002/anie.200604829
- Anwar, J.
– Asymmetric Crystal Growth of α -Resorcinol from the Vapor Phase: Surface Reconstruction and Conformational Change Are the Culprits
(C) 5537–5540 [5633–5636]
DOI: 10.1002/anie.200701127

- Anwar, M. S.
– Para-Hydrogen-Enhanced Hyperpolarized Gas-Phase Magnetic Resonance Imaging (C) 4064–4068 [4142–4146]
DOI: 10.1002/anie.200700830
- Anzenbacher Jr., P.
– Rational Design of a Fluorescence-Turn-On Sensor Array for Phosphates in Blood Serum (C) 7849–7852 [7995–7998]
DOI: 10.1002/anie.200702611
- Aota, A. (C) 878–880 [896–898]
- Aoyagi, S. (C) 7617–7620 [7761–7764]
- Aoyama, K. (C) 5024–5027 [5112–5115]
- Apeloig, Y.
– Dual Character of Arduengo Carbene–Radical Adducts: Addition versus Coordination Product (C) 7408–7411 [7552–7555]
DOI: 10.1002/anie.200702297
- Aplander, K. (C) 4543–4546 [4627–4630]
- Apostolidis, C. (C) 919–922 [937–940]
- Appella, D. H.
– γ -Substituted Peptide Nucleic Acids Constructed from L-Lysine are a Versatile Scaffold for Multifunctional Display (C) 1414–1418 [1436–1440]
DOI: 10.1002/anie.200603483
- Appendino, G.
– The 1,2,3-Triazole Ring as a Peptido- and Olefinomimetic Element: Discovery of Click Vanilloids and Cannabinoids (C) 9312–9315 [9472–9475]
DOI: 10.1002/anie.200703590
- Aprahamian, I. (C) 4675–4679 [4759–4763]
- Arab, M. (C) 9287–9290 [9447–9450]
- Arai, K. (C) 955–957 [973–975]
- Arakawa, T. (C) 704–706 [718–720]
- Aranda, P. (C) 923–925 [941–943]
- Aratake, S. (C) 4922–4925 [5010–5013]
- Araujo, N. C. (C) 6278–6283 [6394–6399]
- Arcos, D. (M) 7548–7558 [7692–7703]
- Ardisson, J.
– α -Oxygenated Crotyltitanium and Dyo-tropic Rearrangement in the Total Synthesis of Discodermolide (C) 1917–1921 [1949–1953]
DOI: 10.1002/anie.200604629
- Argüello, G. A. (C) 3754–3757 [3828–3831]
- Ariger, M. A. (C) 3139–3143 [3200–3204]
- Arimoto, H.
– Asymmetric Total Synthesis of Pinnaic Acid (C) 5746–5749 [5848–5851]
DOI: 10.1002/anie.200701581
- Arion, V. B. (C) 2690–2693 [2744–2747]
- Armaroli, N.
– The Future of Energy Supply: Challenges and Opportunities (E) 52–66 [52–67]
DOI: 10.1002/anie.200602373
- Armstrong, D.
– A Metallocavitand Functioning as a Container for Anions: Formation of Noncovalent Linear Assemblies Mediated by a Cyclodextrin-Entrapped NO_3^- Ion (C) 2663–2665 [2717–2719]
DOI: 10.1002/anie.200604564
- Armstrong, A.
– Exploiting Organocatalysis: Enantioselective Synthesis of Vinyl Glycines by Allylic Sulfimide [2,3] Sigmatropic Rearrangement (C) 5369–5372 [5465–5468]
DOI: 10.1002/anie.200701459
- Armstrong, A. (E) 3798–3800 [3872–3874]
- Armstrong, D. W.
– Highly Efficient Asymmetric Direct Stoichiometric Aldol Reactions on/in Water (C) 9073–9077 [9231–9235]
DOI: 10.1002/anie.200703606
- Arnal-Hérault, C. (C) 4268–4272 [4346–4350], 8409–8413 [8561–8565]
- Arnaut, L. G. (C) 2094–2096 [2140–2142]
- Arndt, H.-D.
– Peptide-Embedded Heterocycles by Mild Single and Multiple Aza-Wittig Ring Closures (C) 2701–2703 [2755–2758]
DOI: 10.1002/anie.200604507
- Arndt, P. (C) 6907–6910 [7031–7035]
- Arnesano, F. (C) 7993–7995 [8139–8141], 9062–9064 [9220–9222]
- Arnold, D. P.
– Azoporphyrin: The Porphyrin Analogue of Azobenzene (C) 2090–2093 [2136–2139]
DOI: 10.1002/anie.200604658
- Arnold, F. H.
– Engineered Alkane-Hydroxylating Cytochrome P450_{BM3} Exhibiting Nativelike Catalytic Properties (C) 8414–8418 [8566–8570]
DOI: 10.1002/anie.200702616
- Arnold, J.
– Synthesis and Properties of Oxygen-Centered Tetradecaimido Hexatantalum Clusters (C) 369–372 [373–376]
DOI: 10.1002/anie.200603019
- Arrayás, R. G. (C) 3329–3332 [3393–3396]
- Arrieta, A. (C) 3028–3032 [3088–3092]
- Arrio, M.-A. (C) 1287–1289 [1309–1311]
- Artman III, G. D. (C) 2257–2261 [2307–2311]
- Arunkumar, E. (C) 5528–5531 [5624–5627]
- Asai, N. Corrigendum: 8734
- Asai, N. (C) 4350–4355 [4428–4433]
- Asakoka, T. (C) 4310–4315 [4388–4393]
- Asay, M. (C) 9078–9080 [9236–9238]
- Asazawa, K. (C) 8024–8027 [8170–8173]
- Asefa, T.
– Efficient Bifunctional Nanocatalysts by Simple Postgrafting of Spatially Isolated Catalytic Groups on Mesoporous Materials (C) 2879–2882 [2937–2940]
DOI: 10.1002/anie.200604570
- Ashcroft, N. W.
– The Chemical Imagination at Work in Very Tight Places (R) 3620–3642 [3694–3717]
DOI: 10.1002/anie.200602485
- Ashton, K. (C) 6167–6171 [6279–6283]
- Ashton, R. (C) 2207–2209 [2257–2259]
- Ashweek, N. J. (C) 4359–4363 [4437–4441]
- Asmis, K. R.
– Gas-Phase Infrared Spectroscopy and Multidimensional Quantum Calculations of the Protonated Ammonia Dimer N_2H_7^+ (C) 8691–8694 [8846–8849]
DOI: 10.1002/anie.200702607
- Unexpected Structures of Aluminum Oxide Clusters in the Gas Phase (C) 3372–3375 [3437–3440]
DOI: 10.1002/anie.200604823
- Aso, A. (C) 6325–6328 [6441–6444]
- Assenmacher, W. (C) 6368–6371 [6486–6490]
- Asthagiri, D. N. (C) 2669–2671 [2723–2725]
- Astruc, D.
– Click Assembly of 1,2,3-Triazole-Linked Dendrimers, Including Ferrocenyl Dendrimers, Which Sense Both Oxo Anions and Metal Cations (C) 872–877 [890–895]
DOI: 10.1002/anie.200602858
- “Homeopathic” Catalytic Activity and Atom-Leaching Mechanism in Miyaura–Suzuki Reactions under Ambient Conditions with Precise Dendrimer-Stabilized Pd Nanoparticles (C) 8644–8648 [8798–8802]
DOI: 10.1002/anie.200703067
- Athanassiou, E. K. (C) 4909–4912 [4996–4999]
- Athanassiou, Z. (C) 9101–9104 [9260–9264]
- Athans, A. J. (C) 9032–9035 [9190–9193]
- Attias, A.-J.
– Surface Noncovalent Bonding for Rational Design of Hierarchical Molecular Self-Assemblies (C) 7404–7407 [7548–7551]
DOI: 10.1002/anie.200702376
- Atwood, J. L.
– A Hydrogen-Bonded Hexameric Nanotubular Assembly (C) 2394–2397 [2446–2449]
DOI: 10.1002/anie.200604453
- Guest and Ligand Behavior in Zinc-Seamed Pyrogallol[4]arene Molecular Capsules (C) 8601–8604 [8755–8758]
DOI: 10.1002/anie.200702941
- Atzrodt, J.
– The Renaissance of H/D Exchange (R) 7744–7765 [7890–7911]
DOI: 10.1002/anie.200700039
- Audrain, H.
– Positron Emission Tomography (PET) and Microfluidic Devices: A Breakthrough on the Microscale? (H) 1772–1775 [1802–1805]
DOI: 10.1002/anie.200603509
- Audrain, H. (C) 2875–2878 [2933–2936]
- Auer, D. (C) 4780–4782 [4864–4866]
- Augustyn, K. E. (C) 5731–5733 [5833–5835]
- Aureggi, V. (C) 8440–8444 [8592–8596]
- Auriemma, F.
– Polymorphic Superelasticity in Semicrystalline Polymers (C) 4325–4328 [4403–4406]
DOI: 10.1002/anie.200605021
- Auvray, L. (C) 7988–7992 [8134–8138]
- Averkiv, B. B. (C) 4277–4280 [4355–4358], 4550–4553 [4634–4637]
- Aversa, R. J. (C) 8875–8879 [9031–9035]
- Avlasevich, Yu. (C) 7693–7696 [7837–7840]
- Awaga, K.
– Electrochromism and Stable n-Type Doping of Highly Oriented Thin Films of Tetrakis(thiadiazole)porphyrazine (C) 5532–5536 [5628–5632]
DOI: 10.1002/anie.200700702
- Ayats, C. (C) 7633–7635 [7777–7779]
- Ayala, C.
– Combining Resonant Piezoelectric Micro-membranes with Molecularly Imprinted Polymers (C) 9271–9274 [9431–9434]
DOI: 10.1002/anie.200703881
- Aznar, F. (C) 1529–1532 [1551–1554], 5587–5590 [5683–5686]
- Aznavour, K. (C) 1109–1112 [1127–1130]
- Azov, V. A. (C) 4184–4187 [4262–4265]



Azuma, H. (C) 2891–2894 [2949–2952]
Azzouz, M. (C) 576–579 [582–585]

Babakhani, A. (C) 8234–8237 [8382–8385]
Bacchiega, S. (C) 9312–9315 [9472–9475]
Baceiredo, A.
– Encapsulated N-Heterocyclic Carbenes in Silicones without Reactivity Modification (C) 8632–8635 [8786–8789]
DOI: 10.1002/anie.200702288
– Synthesis of a Mixed Phosphonium–Sulfonium Bisylide $R_3P=C=SR_2$ (C) 9078–9080 [9236–9238]
DOI: 10.1002/anie.200704071
Bach, M. A. (C) 6907–6910 [7031–7035]
Bach, T.
– Total Synthesis of the Thiazolyl Peptide GE2270 A (C) 4771–4774 [4855–4858]
DOI: 10.1002/anie.200700684
Bacher, A. (C) 8057–8059 [8203–8205]
Bachorz, R. A. (C) 7449–7452 [7593–7596]
Back, C.-K. (C) 6305–6308 [6421–6424]
Bacquet, G. (C) 2523–2526 [2575–2578]
Badía, D. (C) 5168–5170 [5260–5262]
Badin, M. G. (C) 3762–3764 [3837–3839]
Bae, I. (C) 1730–1733 [1760–1763]
Bae, M. N. (C) 4960–4963 [5048–5051]
Baek, K. (C) 3471–3474 [3541–3544]
Baglioni, P.
– Molecular Recognition Drives Oligonucleotide Binding to Nucleolipid Self-Assemblies (C) 3070–3073 [3130–3133]
DOI: 10.1002/anie.200604826
Bagno, A. (C) 3255–3258 [3319–3322]
Bähn, S. (C) 8291–8294 [8440–8444]
Bai, F. (C) 6650–6653 [6770–6773]
Bai, G. (C) 1856–1859 [1888–1891]
Bai, H. (C) 3319–3322 [3383–3386]
Bai, H.-T. (C) 897–900 [915–918]
Baidya, M. (C) 6176–6179 [6288–6292]
Baiker, A.
– Controlling the Sense of Enantioselection on Surfaces by Conformational Changes of Adsorbed Modifiers (C) 3905–3908 [3979–3982]
DOI: 10.1002/anie.200604776
Bailey, B. C. (C) 8246–8249 [8394–8397]
Baitinger, M. (C) 6725–6728 [6846–6850]
Bajor, G. (C) 2697–2700 [2751–2754]
Baker, R. T.
– Acid Initiation of Ammonia–Borane Dehydrogenation for Hydrogen Storage (C) 746–749 [760–763]
DOI: 10.1002/anie.200603285
Baker-Glenn, C. A. G. (C) 4359–4363 [4437–4441]
Bakker, E.
– Modern Potentiometry (M) 5660–5668 [5758–5767]
DOI: 10.1002/anie.200605068
Balas, F. (M) 7548–7558 [7692–7703]
Balasubramanian, S.
– Ligand-Driven G-Quadruplex Conformational Switching By Using an Unusual Mode of Interaction

(C) 5405–5407 [5501–5503]
DOI: 10.1002/anie.200605075
Balázs, G. (C) 5966–5970 [6070–6074]
Balci, S. (C) 3149–3151 [3210–3212]
Baldacchini, T. (R) 6238–6258 [6352–6374]
Baldauf, C. (C) 7766–7769 [7912–7916]
Baldini, C. (C) 2047–2050 [2093–2096]
Baldus, M.
– Secondary Structure, Dynamics, and Topology of a Seven-Helix Receptor in Native Membranes, Studied by Solid-State NMR Spectroscopy (C) 459–462 [463–466]
DOI: 10.1002/anie.200602139
Balec, R. J. (C) 8148–8152 [8296–8300]
Baleizão, C. (C) 2317–2319 [2368–2371]
Balili, M. N. (C) 8160–8163 [8308–8311]
Balke, B. (R) 668–699 [680–713]
Ballester, P. (C) 198–201 [202–205]
Ballesteros, A. (C) 1281–1283 [1303–1305], 2610–2612 [2664–2666]
Balsara, N. P. (C) 2627–2630 [2681–2684]
Baltzer, L. (C) 400–404 [404–408]
Balushev, S.
– Blue-Green Up-Conversion: Noncoherent Excitation by NIR Light (C) 7693–7696 [7837–7840]
DOI: 10.1002/anie.200700414
Balzani, V.
– The Future of Energy Supply: Challenges and Opportunities (E) 52–66 [52–67]
DOI: 10.1002/anie.200602373
Banchelli, M. (C) 3070–3073 [3130–3133]
Bandichhor, R. (C) 6361–6363 [6478–6481]
Bandyopadhyay, S. (C) 958–961 [976–979]
Banerji, B. (C) 5896–5900 [6000–6004]
Banert, K.
– The Exciting Chemistry of Tetraazidomethane (C) 1168–1171 [1187–1190]
DOI: 10.1002/anie.200603960
Banide, E. V. (C) 2907–2910 [2965–2968]
Banik, B. K. (C) 3028–3032 [3088–3092]
Banu, A. (C) 4268–4272 [4346–4350]
Bao, X. (C) 962–965 [980–983]
Bar-Sadan, M. (C) 623–627 [631–635]
Baran, P. S.
– Massadine Chloride: A Biosynthetic Precursor of Massadine and Styllasidine (C) 6721–6724 Corrigendum: 8107 [6842–6845 Corrigendum: 8253]
DOI: 10.1002/anie.200701935
– The Pursuit of Palau'amine (M) 6586–6594 [6706–6714]
DOI: 10.1002/anie.200701798
Baranoff, E. D. (C) 4680–4683 [4764–4767]
Baranov, V.
– Polymer-Based Elemental Tags for Sensitive Bioassays (C) 6111–6114 [6223–6226]
DOI: 10.1002/anie.200700796
Baratta, W.
– Highly Diastereoselective Formation of Ruthenium Complexes for Efficient Catalytic Asymmetric Transfer Hydrogenation (C) 7651–7654 [7795–7798]
DOI: 10.1002/anie.200702278
Barbas III, C. F.
– A Way to Highly Enantiomerically Enriched aza-Morita–Baylis–Hillman–Type Products (C) 1878–1880 [1910–1912]
DOI: 10.1002/anie.200603973

– Mimicking Fructose and Rhamnulose Aldolases: Organocatalytic *syn*-Aldol Reactions with Unprotected Dihydroxyacetone (C) 5572–5575 [5668–5671]
DOI: 10.1002/anie.200701269
Barberá, J. (C) 1873–1877 [1905–1909]
Barboiu, M.
– Amplification and Transcription of the Dynamic Supramolecular Chirality of the Guanine Quadruplex (C) 4268–4272 [4346–4350]
DOI: 10.1002/anie.200700787
– Functional G-Quartet Macroscopic Membrane Films (C) 8409–8413 [8561–8565]
DOI: 10.1002/anie.200702605
Barch, M. (C) 1999–2001 [2045–2047]
Barder, T. E. (C) 5359–5363 [5455–5459], 7232–7235 [7370–7373]
Barhate, N. (C) 2655–2658 [2709–2712]
Barluenga, J.
– Chromium(0) Alkynylcarbene Complexes as C_p -Electrophilic Carbene Equivalents: Regioselective Access to Dienes and Dienes (C) 2610–2612 [2664–2666]
DOI: 10.1002/anie.200605197
– [4 + 1]/[2 + 1] Cycloaddition Reactions of Fischer Carbene Complexes with α,β -Unsaturated Ketones and Aldehydes (C) 4136–4140 [4214–4218]
DOI: 10.1002/anie.200605167
– Direct *ortho* Iodination of β - and γ -Aryl Alkylamine Derivatives (C) 1281–1283 [1303–1305]
DOI: 10.1002/anie.200603631
– *N*-Tosylhydrazones as Reagents for Cross-Coupling Reactions: A Route to Polysubstituted Olefins (C) 5587–5590 [5683–5686]
DOI: 10.1002/anie.200701815
– Synthesis of Cyclohexanol Derivatives by Zirconocene-Mediated Ring-Contraction Reactions of Seven-Membered Cyclic Enol Ethers (C) 2607–2609 [2661–2663]
DOI: 10.1002/anie.200605172
– The Azaallylic Anion as a Synthon for Pd-Catalyzed Synthesis of Heterocycles: Domino Two- and Three-Component Synthesis of Indoles (C) 1529–1532 [1551–1554]
DOI: 10.1002/anie.200604407
Barluenga, S. (C) 6899–6902 [7023–7026]
Barner-Kowollik, C. (C) 3099–3103 [3159–3163]
Barnes, C. L. (C) 6622–6625 [6742–6745]
Barnes, P. (C) 8832–8835 [8988–8991]
Baro, A. (R) 4832–4887 [4916–4973]
Baron, G. V. (C) 4293–4297 [4371–4375]
Barone, V.
– Ab Initio Calculations of Absorption Spectra of Large Molecules in Solution: Coumarin C153 (C) 405–408 [409–412]
DOI: 10.1002/anie.200602907
Barra, L. (C) 8682–8685 [8836–8839]
Barrett, A. G. M.
– Trifluoromethyl Coordination and C–F Bond Activation at Calcium (C) 6339–6342 [6455–6458]
DOI: 10.1002/anie.200701945
Barrett, D. G. (C) 7437–7439 [7581–7583]
Barros, N. (C) 2010–2012 [2056–2058]

- Barth, J. V. (C) 710–713 [724–727], 1814–1818 [1846–1850]
 Barth, R. (C) 5791–5794 [5893–5896]
 Bartoli, G. (C) 4504–4506 [4588–4590], 6882–6885 [7006–7009]
 Bartolini, M. (C) 3689–3692 [3763–3766]
 Barton, J. K.
 – Distance-Independent DNA Charge Transport across an Adenine Tract (C) 5731–5733 [5833–5835]
 DOI: 10.1002/anie.200701522
 Barton, V. E. (C) 6278–6283 [6394–6399]
 Basabe-Desmonts, L. (C) 2215–2219 [2265–2269]
 Bash, R. (C) 9054–9056 [9212–9214]
 Bashir, A. (C) 3762–3764 [3837–3839]
 Basilio, A. (C) 4684–4688 [4768–4772]
 Basosi, R. (C) 414–420 [418–424]
 Basset, J.-M.
 – Direct Transformation of Ethylene into Propylene Catalyzed by a Tungsten Hydride Supported on Alumina: Trifunctional Single-Site Catalysis (C) 7202–7205 [7340–7343]
 DOI: 10.1002/anie.200701199
 – Homologation of Propane Catalyzed by Oxide-Supported Zirconium Dihydride and Dialkyl Complexes (C) 2288–2290 [2338–2340]
 DOI: 10.1002/anie.200604158
 Basset, J. M.
 – CH_3ReO_3 on $\gamma\text{-Al}_2\text{O}_3$: Understanding Its Structure, Initiation, and Reactivity in Olefin Metathesis (C) 3870–3873 [3944–3947]
 DOI: 10.1002/anie.200700211
 Bassil, B. S. (C) 6192–6195 [6305–6308]
 Batchelor, R. J. (C) 8804–8807 [8960–8963]
 Bateman, R. H. (C) 8001–8004 [8147–8150]
 Batt, C. A.
 – A Facile Preparative Method for Aggregation-Free Gold Nanoparticles Using Poly(styrene-*block*-cysteine) (C) 5720–5723 [5822–5825]
 DOI: 10.1002/anie.200701060
 Bau, R. (C) 1109–1112 [1127–1130]
 Bauch, S. (C) 7307–7310 [7447–7451]
 Baudoin, O.
 – New Approaches for Decarboxylative Biaryl Coupling (H) 1373–1375 [1395–1397]
 DOI: 10.1002/anie.200604494
 Baudouin, A. (C) 3870–3873 [3944–3947]
 Bauer, S. (C) 6857–6860 [6981–6984]
 Bäuerle, P.
 – Functionalized 3D Oligothiophene Dendrons and Dendrimers—Novel Macromolecules for Organic Electronics (C) 1679–1683 [1709–1713]
 DOI: 10.1002/anie.200602653
 – Oligothiophene-Based Catenanes: Synthesis and Electronic Properties of a Novel Conjugated Topological Structure (C) 363–368 [367–372]
 DOI: 10.1002/anie.200602652
 Bäuerle, P. (C) 7856–7859 [8002–8005]
 Baum, B. (C) 9105–9109 [9265–9269]
 Baum, D. A. (C) 3502–3504 [3572–3574]
 Baumann, G. (C) 628–632 [636–640]
 Baumann, W. (C) 6907–6910 [7031–7035]
 Baumeister, U. (C) 7972–7975 [8118–8121]
 Bäumer, M. (C) 2923–2926 [2981–2984]
 Baumgarten, M. (C) 5524–5527 [5620–5623]
 Bautz, J. (C) 8067–8070 [8213–8216]
 Baxter, C. A. (C) 1097–1100 [1115–1118]
 Baya, M. (C) 429–432 [433–436]
 Bayardon, J. (C) 5971–5974 [6075–6078]
 Bayburt, T. H. (C) 8796–8798 [8952–8954]
 Bayley, H.
 – Formation of a Chiral Center and Pyrimidal Inversion at the Single-Molecule Level (C) 7412–7416 [7556–7560]
 DOI: 10.1002/anie.200700736
 Bayrhuber, M. (C) 1176–1179 [1195–1198]
 Bazin, B. (C) 7417–7419 [7561–7563]
 Beal, P. A.
 – Macrocyclic Helix-Threading Peptides for Targeting RNA (C) 7044–7047 [7174–7177]
 DOI: 10.1002/anie.200702247
 Beale, A. M. (C) 1465–1468 [1487–1490], 8832–8835 [8988–8991]
 Beau, F. (C) 3275–3277 [3339–3341]
 Beau, J.-M.
 – Tandem Catalysis for a One-Pot Regioselective Protection of Carbohydrates: The Example of Glucose (C) 8662–8665 [8816–8819]
 DOI: 10.1002/anie.200703437
 Beauchemin, A. (C) 4693–4697 [4777–4781], 4698–4703 [4782–4787]
 Beaufils, F. (C) 9265–9270 [9425–9430]
 Beaune, G. (C) 5421–5424 [5517–5520]
 Bebbington, M. W. P. (C) 3333–3336 [3397–3400]
 Becerril, J. (C) 4471–4473 [4555–4557]
 Beck, B. Corrigendum: 2347
 Beck, Z. Q. (C) 9298–9300 [9458–9460]
 Becker, C. F. W. (C) 4180–4183 [4258–4261]
 Becker, J. (C) 1645–1649 [1672–1676]
 Becker, K. (C) 3450–3455 [3520–3525]
 Becker, S. (C) 1176–1179 [1195–1198]
 Becker, T. (C) 5226–5230 [5319–5323]
 Beckerle, K. (C) 4790–4793 [4874–4877], 8507–8510 [8660–8663]
 Beckers, H. (C) 3754–3757 [3828–3831]
 Beckmann, E. (C) 7629–7632 [7773–7776], 7633–7635 [7777–7779]
 Beckmann, J.
 – Formation of Mixed-Valent Aryltellurenyl Halides RX_2TeTeR (C) 8277–8280 [8425–8428]
 DOI: 10.1002/anie.200702341
 Beeler, A. B. (C) 7470–7472 [7614–7616]
 Beer, S. (C) 8890–8894 [9047–9051]
 Begum, S. A. (C) 2086–2089 [2132–2135]
 Behenna, D. C. (C) 4077–4080 [4155–4158]
 Behm, M. Corrigendum: 653
 Beifuss, U.
 – Triethyl Phosphite Mediated Domino Reaction: Direct Conversion of ω -Nitroalkenes Into N-Heterocycles (C) 3353–3355 [3417–3419]
 DOI: 10.1002/anie.200605260
 Bejan, I. (C) 3349–3352 [3413–3416], 5783–5786 [5885–5888]
 Bejot, R. (C) 1719–1722 [1749–1752]
 Belder, D.
 – Microfluidic Glass Chips with an Integrated Nanospray Emitter for Coupling to a Mass Spectrometer (C) 4913–4916 [5000–5003]
 DOI: 10.1002/anie.200605152
 Bell, A. (C) 4477–4480 [4561–4564]
 Bell, C. M. (C) 761–763 [775–777]
 Bell, S. E. J.
 – Remarkably Simple Fabrication of Superhydrophobic Surfaces Using Electroless Galvanic Deposition (C) 1710–1712 [1740–1742]
 DOI: 10.1002/anie.200604596
 Bellas, V. (R) 5082–5104 [5174–5197]
 Beller, M.
 – A General Ruthenium-Catalyzed Synthesis of Aromatic Amines (C) 8291–8294 [8440–8444]
 DOI: 10.1002/anie.200703119
 – Iron-Catalyzed Asymmetric Epoxidation of Aromatic Alkenes Using Hydrogen Peroxide (C) 7293–7296 [7431–7435]
 DOI: 10.1002/anie.200701235
 – Tuning Catalytic Activity between Homogeneous and Heterogeneous Catalysis: Improved Activity and Selectivity of Free Nano- Fe_2O_3 in Selective Oxidations (C) 8866–8868 [9022–9024]
 DOI: 10.1002/anie.200703418
 Belov, V. (C) 6266–6270 [6382–6386]
 Beltran, M. (C) 2493–2496 [2545–2548]
 Belver-Coldeira, C. (C) 8629–8631 [8783–8785]
 Ben-David, Y. (C) 1901–1904 [1933–1936], 2269–2272 [2319–2322]
 Bénard, D. (C) 3533–3536 [3603–3606]
 Bender, D. (C) 2875–2878 [2933–2936]
 Bendikov, M.
 – Planar [6]Radialenes: Structure, Synthesis, and Aromaticity of Benzotriselenophene and Benzotrithiophene (C) 8814–8818 [8970–8974]
 DOI: 10.1002/anie.200703123
 Benet-Buchholz, J. (C) 198–201 [202–205], 2039–2042 [2085–2088], 5943–5946 [6047–6050], 7247–7250 [7385–7388]
 Benkö, Z. (C) 8682–8685 [8836–8839]
 Bennici, S. M. (C) 5412–5416 [5508–5512]
 Bennie, L. (C) 2273–2275 [2323–2325]
 Benninger, R. K. P. (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
 Beratan, D. N.
 – Contribution of a Solute's Chiral Solvent Imprint to Optical Rotation (C) 6450–6452 [6570–6572]
 DOI: 10.1002/anie.200702273
 Berberan-Santos, M. N. (C) 2317–2319 [2368–2371]
 Bercot, E. A. (C) 4514–4518 [4598–4602]
 Berger, A. (C) 6829–6832 [6953–6956]
 Berger, R.
 – Engineering the Structural Properties of DNA Block Copolymer Micelles by Molecular Recognition (C) 1172–1175 [1191–1194]
 DOI: 10.1002/anie.200603064
 Berggård, T. (C) 5754–5756 [5856–5858]
 Bergman, R. G.
 – Catalytic Deprotection of Acetals in Basic Solution with a Self-Assembled Supramolecular “Nanozyme” (C) 8587–8589 [8741–8743]
 DOI: 10.1002/anie.200703371
 – Kinetic Control and Multiple Mechanisms for C–H Bond Activation by a Zr=N Complex (C) 5580–5582 [5676–5678]
 DOI: 10.1002/anie.200701816
 – Synthesis and Properties of Oxygen-Centered Tetradecaimido Hexatantalum Clusters (C) 369–372 [373–376]
 DOI: 10.1002/anie.200603019

- Bergwerff, J. A. (C) 7224–7227 [7362–7365], 8832–8835 [8988–8991]
- Berkowitz, D. B.
- “Cassette” In Situ Enzymatic Screening Identifies Complementary Chiral Scaffolds for Hydrolytic Kinetic Resolution Across a Range of Epoxides (C) 7010–7014 [7140–7144]
DOI: 10.1002/anie.200701280
- Berlouis, L. E. A. (C) 5178–5183 [5270–5275]
- Berná, J. (C) 5709–5713 [5811–5815]
- Bernardinelli, G. (C) 7462–7465 [7606–7609], 8484–8487 [8636–8639]
- Bernardo de la Rúa, R. (C) 2610–2612 [2664–2666]
- Berne, C. (C) 1843–1846 [1875–1878]
- Berner, S. (C) 5115–5119 [5207–5211]
- Bernhardt, E.
- *clos*-[B₂₁H₁₈][−]: A Face-Fused Diicosahedral Borate Ion (C) 2927–2930 [2985–2988]
DOI: 10.1002/anie.200604077
- Bernhardt, E. (C) 6346–6349 [6462–6465], (R) 9180–9196 [9340–9357]
- Bernskoetter, W. H. (C) 2858–2861 [2916–2919]
- Bertelsen, S. (H) 7356–7359 [7500–7503]
- Bertermann, R. (C) 3367–3371 [3431–3436]
- Berthet, J.-C.
- The Crucial Role of the f Electrons in the Bent or Linear Configuration of Uranium Cyanido Metallocenes (C) 2010–2012 [2056–2058]
DOI: 10.1002/anie.200604114
- Berthiol, F. (C) 7803–7805 [7949–7951]
- Berti, D.
- Molecular Recognition Drives Oligonucleotide Binding to Nucleolipid Self-Assemblies (C) 3070–3073 [3130–3133]
DOI: 10.1002/anie.200604826
- Bertini, I. (C) 1079–1082 [1097–1100]
- Bertrán, J. (C) 286–290 [290–294]
- Bertrand, D. (C) 3505–3508 [3575–3578]
- Bertrand, G.
- Carbene Activation of P₄ and Subsequent Derivatization (C) 7052–7055 [7182–7185]
DOI: 10.1002/anie.200703055
 - Intramolecular “Hydroiminium” of Alkenes: Application to the Synthesis of Conjugate Acids of Cyclic Alkyl Amino Carbenes (CAACs) (C) 2899–2902 [2957–2960]
DOI: 10.1002/anie.200605083
 - Recently Reported Crystalline Isothiazole Carbenes: Myth or Reality (C) 6922–6925 [7047–7050]
DOI: 10.1002/anie.200702272
 - Thermal Valence Isomerization of 2,3-Diborata-1,4-diphosphoniabuta-1,3-dienes to Bicyclo[1.1.0]butanes and Cyclobutane-1,3-diyls (C) 5741–5745 [5843–5847]
DOI: 10.1002/anie.200701578
- Bertrand, G. (C) 7262–7265 [7400–7403], 9078–9080 [9236–9238]
- Bertrand, S. (C) 3505–3508 [3575–3578]
- Bertz, S. H.
- Organocuprate Cross-Coupling: The Central Role of the Copper(III) Intermediate and the Importance of the Copper(I) Precursor (C) 7082–7085 [7212–7215]
DOI: 10.1002/anie.200703035
- Besenbacher, F. (C) 9227–9230 [9387–9390]
- Besseling, N. A. M. (C) 1807–1809 [1839–1841]
- Betzler, J.-F.
- α -Oxygenated Crotyltitanium and Dyo-tropic Rearrangement in the Total Synthesis of Discodermolide (C) 1917–1921 [1949–1953]
DOI: 10.1002/anie.200604629
- Beweries, T. (C) 6907–6910 [7031–7035]
- Beyermann, W. P. (C) 4342–4345 [4420–4423]
- Bezuidenhout, B. C. B. (C) 2273–2275 [2323–2325]
- Bhasikuttan, A. C.
- Efficient Fluorescence Enhancement and Cooperative Binding of an Organic Dye in a Supra-biomolecular Host–Protein Assembly (C) 4120–4122 [4198–4200]
DOI: 10.1002/anie.200604757
 - Interaction of Malachite Green with Guanine-Rich Single-Stranded DNA: Preferential Binding to a G-Quadruplex (C) 9305–9307 [9465–9467]
DOI: 10.1002/anie.200703251
- Bhattacharya, P. (C) 2635–2638 [2689–2692]
- Bhayana, B. (C) 6833–6836 [6957–6960]
- Bhushan, K. R. (C) 7969–7971 [8115–8117]
- Bi, H.-P. (C) 7068–7071 [7198–7201]
- Biagini, G. A. (C) 6278–6283 [6394–6399]
- Biasini, M. (C) 4342–4345 [4420–4423]
- Bierbaum, V. M. (C) 4948–4950 [5036–5038]
- Biernat, J. (C) 9215–9219 [9375–9379]
- Biglari, A. (C) 7210–7213 [7348–7351]
- Biju, A. T. (C) 2070–2073 [2116–2119]
- Bikondoa, O. (C) 549–552 [555–558]
- Billingsley, K. L. (C) 5359–5363 [5455–5459]
- Billups, W. E.
- Functionalization of Potassium Graphite (C) 4486–4488 [4570–4572]
DOI: 10.1002/anie.200605175
- Binder, J. T. (C) 2310–2313 [2360–2363]
- Bindl, M. (C) 9275–9278 [9435–9438]
- Binks, B. P.
- Double Inversion of Emulsions By Using Nanoparticles and a Di-Chain Surfactant (C) 5389–5392 [5485–5488]
DOI: 10.1002/anie.200700880
- Birkedal, H. (C) 1113–1116 [1131–1134]
- Birzoi, R. M. (C) 8682–8685 [8836–8839]
- Biscoe, M. R. (C) 7232–7235 [7370–7373]
- Bisio, C. (C) 8895–8897 [9052–9055]
- Bisoyi, H. K. (C) 1501–1503 [1523–1525]
- Bitter, S. (C) 254–259 [258–263]
- Bitterlich, B. (C) 7293–7296 [7431–7435]
- Bittner, A. M.
- Self-Assembly of Metal–Virus Nanodumbbells (C) 3149–3151 [3210–3212]
DOI: 10.1002/anie.200604558
- Blackmond, D. G.
- Water in Organocatalytic Processes: Debunking the Myths (E) 3798–3800 [3872–3874]
DOI: 10.1002/anie.200604952
- Blacque, O. (C) 6514–6517 [6634–6637]
- Blaha, P. (C) 5115–5119 [5207–5211]
- Blake, A. J. (C) 584–586 [590–592], 8013–8016 [8159–8162]
- Blanco, J. B. (C) 6886–6890 [7010–7014]
- Blanco, M. C. (C) 6184–6187 [6297–6300]
- Blanksby, S. J.
- Superoxide Does React with Peroxides: Direct Observation of the Haber–Weiss Reaction in the Gas Phase (C) 4948–4950 [5036–5038]
DOI: 10.1002/anie.200700219
- Blann, K. (C) 2273–2275 [2323–2325]
- Blanpain, B. (C) 1706–1709 [1736–1739]
- Blasco, T. (C) 3938–3941 [4012–4015]
- Blaurock, S. (C) 6732–6734 [6855–6857]
- Blechert, S.
- Deactivation of Ruthenium Olefin Metathesis Catalysts through Intramolecular Carbene–Arene Bond Formation (C) 8082–8085 [8228–8231]
DOI: 10.1002/anie.200702560
 - Palladium-Catalyzed Synthesis of Substituted Cycloheptane-1,4-diones by an Asymmetric Ring-Expanding Allylation (AREA) (C) 3966–3970 [4040–4044]
DOI: 10.1002/anie.200604553
- Bléger, D. (C) 7404–7407 [7548–7551]
- Bleuzen, A.
- Structural Rearrangements Induced by Photoexcitation in a RbCoFe Prussian Blue Derivative (C) 1287–1289 [1309–1311]
DOI: 10.1002/anie.200603829
- Blight, B. A. (C) 2835–2838 [2893–2896]
- Blom, M. N. (C) 2944–2948 [3002–3006]
- Blommers, M. J. J. (C) 1864–1868 [1896–1900]
- Blum, L. J. (C) 4108–4110 [4186–4188]
- Blunk, D.
- Bicyclic Peroxides and Perorthoesters with 1,2,4-Trioxane Structures (C) 8883–8886 [9040–9043]
DOI: 10.1002/anie.200701397
- Bo, C. (C) 202–205 [206–209]
- Boato, F. (C) 9015–9018 [9173–9176]
- Boatz, J. A. (C) 2869–2874 [2927–2932], 3023–3027 [3083–3087]
- Bobbio, C. (C) 5106–5110 [5198–5202]
- Böcker, A. (C) 5336–5339 [5432–5435]
- Böckmann, A. (C) 1079–1082 [1097–1100]
- Bocola, M. (C) 8679–8681 [8833–8835]
- Bode, H. B.
- Reversible Sugar Transfer by Glycosyltransferases as a Tool for Natural Product (Bio)synthesis (H) 2147–2150 [2195–2198]
DOI: 10.1002/anie.200604671
- Bode, J. W. (C) 3252–3254 [3316–3318]
- Bode, S. E. (C) 5916–5920 [6020–6024]
- Bodwell, G. J. (C) 5417–5420 [5513–5516]
- Boehler, R. (C) 1476–1480 [1498–1502]
- Boehmer, J. (C) 5428–5430 [5524–5526]
- Boese, R.
- On the Polymorphism of Aspirin: Crystalline Aspirin as Intergrowths of Two “Polymorphic” Domains (C) 618–622 [625–630]
DOI: 10.1002/anie.200603373
 - On the Polymorphism of Aspirin (C) 615–617 [621–624]
DOI: 10.1002/anie.200602378
- Bogdan, A. R. (C) 1698–1701 [1728–1731]
- Bogdanoff, P. (C) 7311–7314 [7452–7455]
- Bögge, H. (C) 4477–4480 [4561–4564], 6106–6110 [6218–6222]
- Boggio-Pasqua, M. (C) 530–536 [536–542]

- Bogyo, M.
– A Mild Chemically Cleavable Linker System for Functional Proteomic Applications (C) 1284–1286 [1306–1308]
DOI: 10.1002/anie.200603811
- Böhlmann, W. (C) 3118–3121 [3179–3182], (L) 6926 [7051]
- Böhmerle, K. (C) 1716–1718 [1746–1748]
- Boitrel, B.
– Bismuth and Lead Hanging-Carboxylate Porphyrins: An Unexpected Homobimetallic Lead(II) Complex (C) 5120–5124 [5212–5216]
DOI: 10.1002/anie.200700543
- Bojer, D. (C) 4176–4179 [4254–4257]
- Bokov, A. A. (C) 8804–8807 [8960–8963]
- Boland, W. (C) 4783–4785 [4867–4869]
- Bolbach, G. (C) 3710–3713 [3784–3787]
- Boldyrev, A. I.
– CB₇[−]: Experimental and Theoretical Evidence against Hypercoordinate Planar Carbon (C) 4550–4553 [4634–4637]
DOI: 10.1002/anie.200700869
- δ Aromaticity in [Ta₃O₃][−] (C) 4277–4280 [4355–4358]
DOI: 10.1002/anie.200700442
- Bolliger, J. L. (C) 6514–6517 [6634–6637]
- Bolm, C.
– Iron-Catalyzed N-Arylation of Nitrogen Nucleophiles (C) 8862–8865 [9018–9021]
DOI: 10.1002/anie.200703299
- Bolognesi, M. L. (C) 3689–3692 [3763–3766]
- Bolshakov, I. A. (C) 7678–7680 [7822–7824]
- Bolskar, R. D. (C) 4111–4114 [4189–4192]
- Boltalina, O. V.
– Discovering and Verifying Elusive Fullerene Cage Isomers: Structures of C₂p¹¹-(C₇₄-D_{3h})(CF₃)₁₂ and C₂p¹¹-(C₇₈-D_{3h}(5))(CF₃)₁₂ (C) 4111–4114 [4189–4192]
DOI: 10.1002/anie.200604968
- Bombis, C. (C) 9227–9230 [9387–9390]
- Bonalumi, N. (C) 3905–3908 [3979–3982]
- Bonazzi, S. (H) 5656–5658 [5754–5756], (C) 8707–8710 [8862–8865]
- Bonchio, M.
– Asymmetric Tetraprotonation of γ -[(SiO₄)W₁₀O₃₂]^{8−} Triggers a Catalytic Epoxidation Reaction: Perspectives in the Assignment of the Active Catalyst (C) 3255–3258 [3319–3322]
DOI: 10.1002/anie.200605120
- Bond, A. D.
– On the Polymorphism of Aspirin: Crystalline Aspirin as Intergrowths of Two “Polymorphic” Domains (C) 618–622 [625–630]
DOI: 10.1002/anie.200603373
- Bond, A. D. (C) 615–617 [621–624], 6093–6097 [6205–6209]
- Bondarev, O. (C) 4523–4526 Corrigendum: 8107 [4607–4610 Corrigendum: 8253]
- Bonifazi, D. (C) 4089–4092 [4167–4170]
- Bonne, D. (C) 2485–2488 [2537–2540]
- Bonner, M. (C) 1521–1524 [1543–1546]
- Bonnette, F. (C) 8632–8635 [8786–8789]
- Bontemps, S. (C) 3333–3336 [3397–3400], 8583–8586 [8737–8740]
- Bonten, M. H. (C) 2314–2316 [2364–2367]
- Boons, G.-J.
– A Highly Convergent Chemical Synthesis of Conformational Epitopes of Rhamnogalacturonan II (C) 6148–6151 [6260–6263]
DOI: 10.1002/anie.200701750
- Borchert, H.
– Ligand-Capped Pt Nanocrystals as Oxide-Supported Catalysts: FTIR Spectroscopic Investigations of the Adsorption and Oxidation of CO (C) 2923–2926 [2981–2984]
DOI: 10.1002/anie.200604460
- Borden, W. T.
– The “Bond-Stretched Invertomer” of Hexafluorocyclopropane—a New Type of Reactive Intermediate (C) 2666–2668 [2720–2722]
DOI: 10.1002/anie.200604574
- Borek, C. (C) 1109–1112 [1127–1130]
- Borguet, E.
– Dynamics of Porphyrin Electron-Transfer Reactions at the Electrode–Electrolyte Interface at the Molecular Level (C) 6098–6101 [6210–6213]
DOI: 10.1002/anie.200603822
- Borho, N. (C) 2276–2279 [2326–2329]
- Borin, A. C. (C) 1469–1472 [1491–1494]
- Borisov, S. M. (C) 2317–2319 [2368–2371]
- Born, R. (C) 6364–6367 [6482–6485]
- Börner, A.
– Propylene Carbonate as a Solvent for Asymmetric Hydrogenations (C) 5971–5974 [6075–6078]
DOI: 10.1002/anie.200700990
- Börner, H. G.
– Mimicking Biosilicification: Programmed Coassembly of Peptide–Polymer Nanotapes and Silica (C) 9023–9026 [9181–9184]
DOI: 10.1002/anie.200703752
- Bornscheuer, U. T.
– Isoenzymes of Pig-Liver Esterase Reveal Striking Differences in Enantioselectivities (C) 8492–8494 [8644–8646]
DOI: 10.1002/anie.200703256
- Boronat, M. (C) 3938–3941 [4012–4015]
- Borriess, R. (C) 8195–8197 [8343–8345]
- Borrmann, H. (C) 6725–6728 [6846–6850]
- Börsch, M. (C) 1172–1175 [1191–1194]
- Bosch, L. (C) 3926–3930 [4000–4004]
- Bosco, M. (C) 4504–4506 [4588–4590]
- Bosdet, M. J. D. (C) 4940–4943 [5028–5031]
- Bösmann, A. (C) 1293–1295 [1315–1317]
- Bossi, M.
– Photochromic Rhodamines Provide Nanoscopy with Optical Sectioning (C) 6266–6270 [6382–6386]
DOI: 10.1002/anie.200702167
- Boswell, E. M. (C) 8182–8185 [8330–8333]
- Botana, E. (C) 198–201 [202–205]
- Botta, M.
– Discovery of Non-Nucleoside Inhibitors of HIV-1 Reverse Transcriptase Competing with the Nucleotide Substrate (C) 1810–1813 [1842–1845]
DOI: 10.1002/anie.200604165
- Böttcher, C.
– Supramolecular Structure of 5-nm Spherical Micelles with D₃ Symmetry Assembled from Amphiphilic [3:3]-Hexakis Adducts of C₆₀ (C) 4393–4396 [4472–4475]
DOI: 10.1002/anie.200604784
- Böttcher, C. (C) 1265–1269 [1287–1292]
- Böttcher, D. (C) 8492–8494 [8644–8646]
- Böttger, L. H. (C) 8495–8499 [8647–8652]
- Bou Chedid, R. (C) 3131–3134 [3192–3195]
- Bouchard, L.-S. (C) 4064–4068 [4142–4146]
- Bouchez, L. C. (C) 9265–9270 [9425–9430]
- Boudon, C. (C) 6357–6360 [6473–6477]
- Bouhadir, G. (C) 3333–3336 [3397–3400], 8583–8586 [8737–8740]
- Bouillon, C. (C) 2398–2402 [2450–2454]
- Boulatov, R.
– Simple Heme Dimers with Strongly Cooperative Ligand Binding (C) 8368–8370 [8520–8522]
DOI: 10.1002/anie.200702120
- Bourg, J.-B. (C) 2899–2902 [2957–2960], 5741–5745 [5843–5847]
- Bourgogne, C. (C) 2659–2662 [2713–2716]
- Bourissou, D.
– Photoisomerizable Heterodienes Derived from a Phosphine Borane (C) 3333–3336 [3397–3400]
DOI: 10.1002/anie.200605078
- Thermal Valence Isomerization of 2,3-Diborata-1,4-diphosphoniabuta-1,3-dienes to Bicyclo[1.1.0]butanes and Cyclobutane-1,3-diyls (C) 5741–5745 [5843–5847]
DOI: 10.1002/anie.200701578
- Transition-Metal Complexes Featuring Z-Type Ligands: Agreement or Discrepancy between Geometry and dⁿ Configuration? (C) 8583–8586 [8737–8740]
DOI: 10.1002/anie.200703518
- Bournaud, C. (C) 7462–7465 [7606–7609]
- Bouvet, D. R. (C) 941–944 [959–962]
- Bowden, M. E. (C) 8995–8997 [9153–9155]
- Bowen, M. L. (C) 1716–1718 [1746–1748]
- Boyer, A. (C) 7629–7632 [7773–7776], 7633–7635 [7777–7779]
- Bracken, W. C. (C) 9036–9039 [9194–9197]
- Bradner, J. E. (C) 7960–7964 [8106–8110]
- Brainina, K. Z. (C) 8079–8081 [8225–8227]
- Branchadell, V. (C) 9078–9080 [9236–9238]
- Branda, N. R.
– Creating a Reactive Eneiyne by Using Visible Light: Photocontrol of the Bergman Cyclization (C) 8017–8019 [8163–8165]
DOI: 10.1002/anie.200703034
- Brandenberger, L. (C) 8258–8261 [8406–8409]
- Brandhorst, K. (C) 8890–8894 [9047–9051]
- Brasch, N. E.
– Nitroxylcob(III)alamin: Synthesis and X-ray Structural Characterization (C) 5140–5143 [5232–5235]
DOI: 10.1002/anie.200701131
- Brasholz, M. (C) 1634–1637 [1659–1662]
- Brau, R. R. (C) 1999–2001 [2045–2047]
- Brauer, D. J. (C) 2927–2930 [2985–2988]
- Braun, T.
– Catalytic C–F Bond Activation of Hexafluoropropene by Rhodium: Formation of (3,3,3-Trifluoropropyl)silanes (C) 5321–5324 [5415–5418]
DOI: 10.1002/anie.200700711
- Palladium Fluoro Complexes: Useful Tools To Access Organometallic Metallamacrocycles (C) 8674–8678 [8828–8832]
DOI: 10.1002/anie.200703393
- Braunschweig, H.
– Borylene Metathesis through [2 + 2] Cycloaddition

- (C) 8071–8073 [8217–8219]
DOI: 10.1002/anie.200702982
- Interaction between d- and p-Block Metals: Synthesis and Structure of Platinum–Alane Adducts (C) 7782–7784 [7929–7931]
DOI: 10.1002/anie.200702726
 - Lithiumboryl—A Synthon for a Nucleophilic Boryl Anion (H) 1946–1948 [1990–1992]
DOI: 10.1002/anie.200605053
 - Selective Dimetalation of $[\text{Mn}(\eta^5\text{-C}_5\text{H}_5)(\eta^6\text{-C}_6\text{H}_6)]$: Crystal Structure and Conversion to Strained $[\eta]$ Metalloarenophanes (C) 1630–1633 [1655–1658]
DOI: 10.1002/anie.200604391
 - Stepwise Intermetal Borylene Transfer: Synthesis and Structure of Mono- and Dinuclear Cobalt–Borylene Complexes (C) 5212–5214 [5304–5306]
DOI: 10.1002/anie.200701142
 - Synthesis and Electronic Structure of a Ferroborene (C) 5215–5218 [5307–5310]
DOI: 10.1002/anie.200700382
 - Synthesis and Electronic Structure of a Terminal Alkylborylene Complex (C) 7785–7787 [7932–7934]
DOI: 10.1002/anie.200702029
 - Synthesis and Structure of a Cationic Platinum Borylene Complex (C) 3979–3982 [4054–4057]
DOI: 10.1002/anie.200605191
- Braunstein, P.
- Unprecedented Tetranuclear Complexes with 20-Electron Ni^{II} Centers: The Role of Pressure and Temperature on Their Solid-State and Solution Fragmentation (C) 6438–6441 [6558–6561]
DOI: 10.1002/anie.200701483
- Bray, P. G.
- Evidence for a Common Non-Heme Chelatable-Iron-Dependent Activation Mechanism for Semisynthetic and Synthetic Endoperoxide Antimalarial Drugs (C) 6278–6283 [6394–6399]
DOI: 10.1002/anie.200604697
- Brayshaw, S. K. (C) 7844–7848 [7990–7994]
- Brechin, E. K.
- A Ferromagnetic Mixed-Valent Mn Supertetrahedron: Towards Low-Temperature Magnetic Refrigeration with Molecular Clusters (C) 4456–4460 [4540–4544]
DOI: 10.1002/anie.200701027
- Brecker, L. (C) 9320–9322 [9480–9482]
- Bredow, T. (C) 2931–2934 [2989–2992]
- Bregant, S. (C) 3275–3277 [3339–3341]
- Brégier, F. (C) 445–448 [449–452]
- Breinbauer, R. (C) 7700–7703 [7844–7847]
- Breit, B.
- Reagent Directing Group Controlled Organic Synthesis: Total Synthesis of (*R,R,R*)- α -Tocopherol (C) 8670–8673 [8824–8827]
DOI: 10.1002/anie.200703268
 - Self-Assembly of Bidentate Ligands for Combinatorial Homogeneous Catalysis: Methanol-Stable Platforms Analogous to the Adenine–Thymine Base Pair (C) 3037–3039 [3097–3099]
DOI: 10.1002/anie.200605202
- Breitenbruch, G. (C) 3745–3749 [3819–3823]
- Breitenstein, D. (C) 5332–5335 [5427–5431]
- Bremholm, M. (C) 1113–1116 [1131–1134]
- Brennan, P. E. (C) 591–597 [597–603]
- Brenner, V. (C) 2463–2466 [2515–2518]
- Brennessel, W. W. (C) 598–600 [604–606], 6132–6136 [6244–6248]
- Breu, J.
- Polymorphism in Benzamide: Solving a 175-Year-Old Riddle (C) 6729–6731 [6851–6854]
DOI: 10.1002/anie.200701383
- Bricout, H. (C) 3040–3042 [3100–3102]
- Bridges, C. A. (C) 4539–4542 [4623–4626], 8785–8789 [8941–8945]
- Briehn, C. (C) 449–453 [453–457]
- Brik, A. (C) 5975–5979 [6079–6083]
- Brías, R. P. (C) 5111–5114 [5203–5206]
- Brinkmann, C. (C) 6903–6906 [7027–7030]
- Brinks, M. K. (C) 5231–5233 [5324–5326]
- Britton, R. (C) 6167–6171 [6279–6283]
- Brodmann, T. (C) 6123–6125 [6235–6237]
- Brogden, A. L. (C) 3850–3854 [3924–3928]
- Brooks, J. (C) 1109–1112 [1127–1130]
- Broos, J.
- The Emitting State of Tryptophan in Proteins with Highly Blue-Shifted Fluorescence (C) 5137–5139 [5229–5231]
DOI: 10.1002/anie.200700839
- Bröring, M.
- Revisiting the Electronic Ground State of Copper Corroles (C) 445–448 [449–452]
DOI: 10.1002/anie.200603676
 - Supramolecular Bioinorganic Chemistry: Model Complexes of Cytochrome *c* Oxidase Meet Functional Surfaces (H) 6222–6224 [6336–6338]
DOI: 10.1002/anie.200702254
- Brotzel, F. (C) 6176–6179 [6288–6292]
- Brown, C. M. (C) 1419–1422 [1441–1444]
- Brown, J. (C) 1109–1112 [1127–1130]
- Brown, J. M.
- Alkyl Radical Generation in Water under Ambient Conditions—A New Look at the Guareschi Reaction of 1897 (C) 7655–7658 [7799–7802]
DOI: 10.1002/anie.200700632
- Brown, L. J. (C) 941–944 [959–962]
- Brown, M. K. (C) 1097–1100 [1115–1118]
- Brown, R. C. D.
- A Solid-Phase Route to ^{18}F -Labeled Tracers, Exemplified by the Synthesis of [^{18}F]2-Fluoro-2-deoxy-D-glucose (C) 941–944 [959–962]
DOI: 10.1002/anie.200603394
- Brown, S. P.
- Distinguishing Anhydrous and Hydrated Forms of an Active Pharmaceutical Ingredient in a Tablet Formulation Using Solid-State NMR Spectroscopy (C) 8036–8038 [8182–8184]
DOI: 10.1002/anie.200702582
- Browne, D. L. (C) 8656–8658 [8810–8812]
- Bruce, P. G.
- Crystalline Small-Molecule Electrolytes (C) 2848–2850 [2906–2908]
DOI: 10.1002/anie.200604934
 - Ordered Three-Dimensional Arrays of Monodispersed Mn_3O_4 Nanoparticles with a Core–Shell Structure and Spin-Glass Behavior (C) 3946–3950 [4020–4024]
DOI: 10.1002/anie.200700087
- Brückner, A. (C) 8866–8868 [9022–9024]
- Brückner, R.
- Discrimination of β -Ketoesters by Ruthenium(II)–Binap-Catalyzed Asymmetric Hydrogenation (C) 6537–6541 [6657–6661]
DOI: 10.1002/anie.200700021
 - Variable Synthesis of the Optically Active Thiotetronic Acid Antibiotics Thiolactomycin, Thiotetromycin, and 834-B1 (C) 1160–1163 [1178–1182]
DOI: 10.1002/anie.200603562
- Brüggemann, J. (C) 254–259 [258–263]
- Brümmer, Mathias (C) 3372–3375 [3437–3440], 8691–8694 [8846–8849]
- Brümmer, Michael (C) 3131–3134 [3192–3195]
- Brune, H. (C) 710–713 [724–727], 1814–1818 [1846–1850]
- Brunner, E. (C) 5966–5970 [6070–6074]
- Brunner, N. A. (C) 2039–2042 [2085–2088]
- Brunsveld, L.
- A Synthetic Supramolecular Construct Modulating Protein Assembly in Cells (C) 1798–1802 [1830–1834]
DOI: 10.1002/anie.200604222
- Brüschweiler, R.
- Robust Deconvolution of Complex Mixtures by Covariance TOCSY Spectroscopy (C) 2639–2642 [2693–2696]
DOI: 10.1002/anie.200604599
- Brüshhaber, E. (C) 8492–8494 [8644–8646]
- Brutschy, B.
- Polyamide Struts for DNA Architectures (C) 4382–4384 [4460–4462]
DOI: 10.1002/anie.200700469
- Brydson, R. M. (C) 8593–8596 [8747–8750]
- Brym, M. (C) 4159–4162 [4237–4240], 4511–4513 [4595–4597]
- Bu, X.
- Chiralization of Diamond Nets: Stretchable Helices and Chiral and Achiral Nets with Nearly Identical Unit Cells (C) 6115–6118 [6227–6230]
DOI: 10.1002/anie.200701374
 - Organic Cation and Chiral Anion Templated 3D Homochiral Open-Framework Materials with Unusual Square-Planar $\{\text{M}_4(\text{OH})\}$ Units (C) 8388–8391 [8540–8543]
DOI: 10.1002/anie.200703008
- Bucher, J.-P. (C) 2659–2662 [2713–2716]
- Buchwald, S. L.
- A General Method for the Direct α -Arylation of Aldehydes with Aryl Bromides and Chlorides (C) 7236–7239 [7374–7377]
DOI: 10.1002/anie.200703009
 - A Palladium-Catalyzed Regiospecific Synthesis of *N*-Aryl Benzimidazoles (C) 7509–7512 [7653–7656]
DOI: 10.1002/anie.200702542
 - Accelerating Reactions with Microreactors at Elevated Temperatures and Pressures: Profiling Aminocarbonylation Reactions (C) 1734–1737 [1764–1767]
DOI: 10.1002/anie.200604175
 - Electronic Effects on the Selectivity of Pd-Catalyzed C–N Bond-Forming Reactions Using Biarylphosphine Ligands: The Competitive Roles of Amine Binding and Acidity (C) 7232–7235 [7370–7373]
DOI: 10.1002/anie.200702122
 - Palladium-Catalyzed Aminocarbonylation of Aryl Chlorides at Atmospheric Pres-

- sure: The Dual Role of Sodium Phenoxide (C) 8460–8463 [8612–8615]
DOI: 10.1002/anie.200702943
- Palladium-Catalyzed Borylation of Aryl Chlorides: Scope, Applications, and Computational Studies (C) 5359–5363 [5455–5459]
DOI: 10.1002/anie.200701551
 - Buck, J. (M) 1212–1219 [1232–1240]
 - Budarin, V. (C) 7210–7213 [7348–7351]
 - Bugnariu, D. (C) 8682–8685 [8836–8839]
 - Bulic, B. (C) 9215–9219 [9375–9379]
 - Bull, J. A. (C) 1869–1872 [1901–1904]
 - Bull, S. D. (C) 2280–2283 [2330–2333]
 - Bull, S. R. (C) 5873–5876 [5977–5980]
 - Bullock, R. M.
 - An Iron Catalyst for Ketone Hydrogenations under Mild Conditions (H) 7360–7363 [7504–7507]
DOI: 10.1002/anie.200703053
 - Bulmus, V.
 - In Situ Formation of Protein–Polymer Conjugates through Reversible Addition Fragmentation Chain Transfer Polymerization (C) 3099–3103 [3159–3163]
DOI: 10.1002/anie.200604922
 - Bulusu, S. (C) 2915–2918 [2973–2976]
 - Buñuel, E. Corrigendum: 1941
 - Buñuel, E. (C) 8790–8795 [8946–8951]
 - Burakowska, E. (C) 8164–8167 [8312–8315]
 - Burasov, A. V. (C) 7655–7658 [7799–7802]
 - Burazero, S. (C) 5510–5514 [5606–5610]
 - Burchardt, M. (R) 1584–1617 [1604–1640]
 - Burck, S. (C) 2919–2922 [2977–2980]
 - Burdet, F. (C) 7574–7578 [7718–7722]
 - Burdick, J. (C) 1508–1511 [1530–1533]
 - Burgert, R. (C) 5795–5798 [5897–5900]
 - Burgess, K.
 - α,ω -Functionalized 2,4-Dimethylpentane Dyads and 2,4,6-Trimethylheptane Triads through Asymmetric Hydrogenation (C) 1129–1131 [1147–1149]
DOI: 10.1002/anie.200603635
 - Base Dependence in Copper-Catalyzed Huisgen Reactions: Efficient Formation of Bistriazoles (C) 3649–3651 [3723–3725]
DOI: 10.1002/anie.200700399
 - Chemiluminescent Energy-Transfer Cassettes Based on Fluorescein and Nile Red (C) 1684–1687 [1714–1717]
DOI: 10.1002/anie.200603307
 - Burguete, M. I.
 - Efficient Chirality Switching in the Addition of Diethylzinc to Aldehydes in the Presence of Simple Chiral α -Amino Amides (C) 9002–9005 [9160–9163]
DOI: 10.1002/anie.200702259
 - Buriez, O.
 - Electrochemical Aerobic Oxidation of Aminocyclopropanes to Endoperoxides (C) 8046–8049 [8192–8195]
DOI: 10.1002/anie.200702903
 - Burke, B. J. (C) 7629–7632 [7773–7776], 7633–7635 [7777–7779]
 - Burke, S. D.
 - Total Synthesis of Phorbolazone B (C) 769–772 [783–786]
DOI: 10.1002/anie.200603656
 - Burkhardt, U. (C) 6725–6728 [6846–6850]
 - Burlakov, V. V. (C) 6907–6910 [7031–7035]
 - Burley, G. A. (C) 4184–4187 [4262–4265]
 - Burns, P. C. (C) 8043–8045 [8189–8191]
 - Buron, F. (C) 8979–8982 [9137–9140]
 - Burrell, A. J. M. (C) 6159–6162 [6271–6274]
Burrell, A. K.
 - Calcium Amidotrihydroborate: A Hydrogen Storage Material (C) 8995–8997 [9153–9155]
DOI: 10.1002/anie.200702240
 - Burrows, H. D. (C) 2094–2096 [2140–2142]
 - Burschka, C. (C) 7001–7005 [7131–7135], 7006–7009 [7136–7139]
 - Burt, S. R. (C) 4064–4068 [4142–4146]
 - Burzler, M. (C) 7785–7787 [7932–7934], 8071–8073 [8217–8219]
 - Busby, M. (C) 8898–8902 [9056–9060]
 - Buschmann, H.-J.
 - Supramolecular Solid–Gas Complexes: A Thermodynamic Approach (C) 6499–6501 [6619–6621]
DOI: 10.1002/anie.200701666
 - Busi, E. (C) 414–420 [418–424]
 - Buss, V.
 - Origin of Spectral Tuning in Rhodopsin—It Is Not the Binding Pocket (C) 269–271 [273–275]
DOI: 10.1002/anie.200603306
 - Busse, C. (C) 9227–9230 [9387–9390]
 - Butenschön, H.
 - A New Oxocarbon $C_{12}O_6$ via Highly Strained Benzyne Intermediates (H) 4012–4014 [4086–4089]
DOI: 10.1002/anie.200700926
 - Butler, M. F. (C) 9243–9247 [9403–9407]
 - Butte, M. J. (C) 1318–1320 [1340–1342]
 - Büttner, A. (C) 5219–5222 [5311–5314]
 - Buzas, A. K. (C) 1141–1144 [1159–1162]
 - Cabella, C. (C) 966–968 [984–986]
 - Cabelli, D. (C) 4169–4172 [4247–4250]
 - Cabello, C. (C) 6688–6691 [6808–6811]
 - Cabrera, S. (C) 1101–1104 [1119–1122], 5520–5523 [5616–5619]
 - Cabuil, V. (C) 5421–5424 [5517–5520]
 - Caddick, S. (C) 5750–5753 [5852–5855]
 - Cafun, J.-D. (C) 1287–1289 [1309–1311]
 - Cagney, G. (C) 5754–5756 [5856–5858]
 - Cahiez, G.
 - Iron-Catalyzed Alkylations of Aromatic Grignard Reagents (C) 4364–4366 [4442–4444]
DOI: 10.1002/anie.200700742
 - Cai, H. (C) 1089–1093 [1107–1111]
 - Cai, W. (C) 3264–3268 [3328–3332]
 - Cai, Y. (C) 5724–5727 [5826–5829]
 - Caines, M. E. C. (C) 4474–4476 [4558–4560]
 - Cairns, A. J. (C) 3278–3283 [3342–3347]
 - Caldwell, J. J. (C) 2631–2634 [2685–2688]
 - Calero, S.
 - A Computational Method To Characterize Framework Aluminum in Aluminosilicates (C) 276–278 [280–282]
DOI: 10.1002/anie.200603136
 - Calhoun, L. A. (C) 7799–7802 [7945–7948]
 - Call, E. K. (C) 4991–4994 [5079–5082]
 - Callis, P. R. (C) 5137–5139 [5229–5231]
 - Calzaferri, G. (C) 6188–6191 [6301–6304], 8898–8902 [9056–9060]
 - Camerel, F. (C) 2659–2662 [2713–2716]
 - Caminade, A.-M.
 - Multiplication of Human Natural Killer Cells by Nanosized Phosphonate-Capped Dendrimers (C) 2523–2526 [2575–2578]
DOI: 10.1002/anie.200604651
 - Campagna, S.
 - Molecular Wire Type Behavior of Polycationic Multinuclear Rack-Type Ru^{II} Complexes of Polytopic Hydrazone-Based Ligands (C) 6144–6147 [6256–6259]
DOI: 10.1002/anie.200700388
 - Campagne, J.-M.
 - Total Syntheses of Lysobactin (Katansin B) (H) 8548–8552 [8700–8704]
DOI: 10.1002/anie.200702687
 - Campana, A. G. Corrigendum: 1941
 - Campbell, N. L. (C) 8574–8578 [8728–8732]
 - Campomanes, P. (C) 2607–2609 [2661–2663]
 - Camus, M.-S. (C) 2681–2684 [2735–2738]
 - Canac, Y.
 - A Diaminocarbene–Phosphonium Ylide: Direct Access to C,C Chelating Ligands (C) 6313–6315 [6429–6431]
DOI: 10.1002/anie.200701490
 - Canac, Y. (C) 2899–2902 [2957–2960]
 - Canales, E. (C) 397–399 [401–403]
 - Cañas-Ventura, M. E. (C) 1814–1818 [1846–1850]
 - Cancio, R. (C) 1810–1813 [1842–1845]
 - Cantat, T. (C) 5947–5950 [6051–6054]
 - Canter, G. W. (C) 5137–5139 [5229–5231]
 - Cantrill, S. J. (C) 218–222 [222–226]
 - Cao, Benjamin (C) 7048–7051 [7178–7181]
 - Cao, Bin (C) 5554–5558 Corrigendum: 7730 [5650–5654 Corrigendum: 7874]
 - Cao, L. (C) 6505–6507 [6625–6627]
 - Cao, Z.
 - Deprotonation Mechanism of NH_4^+ in the *Escherichia coli* Ammonium Transporter AmtB: Insight from QM and QM/MM Calculations (C) 6811–6815 [6935–6939]
DOI: 10.1002/anie.200701348
 - Capretto, D. A. (C) 5184–5186 [5276–5278]
 - Capsoni, S. (C) 3689–3692 [3763–3766]
 - Captain, B. (C) 5714–5716 [5816–5818], 8182–8185 [8330–8333]
 - Caravan, P.
 - Collagen-Targeted MRI Contrast Agent for Molecular Imaging of Fibrosis (C) 8171–8173 [8319–8321]
DOI: 10.1002/anie.200700700
 - Carballeira, J. D. (C) 8597–8600 [8751–8754]
 - Carbó, J. J. (C) 3095–3098 [3155–3158]
 - Carbó-Argibay, E. (C) 8983–8987 [9141–9145]
 - Cárdenas, D. J. Corrigendum: 1941
 - Cárdenas, D. J.
 - Ni-Catalyzed Cascade Formation of $C(sp^3)$ – $C(sp^3)$ Bonds by Cyclization and Cross-Coupling Reactions of Iodoalkanes with Alkyl Zinc Halides (C) 8790–8795 [8946–8951]
DOI: 10.1002/anie.200702528
 - Cardin, C. J.
 - Ligand Bridging of the DNA Holliday Junction: Molecular Recognition of a Stacked-X Four-Way Junction by a Small Molecule (C) 3850–3854 [3924–3928]
DOI: 10.1002/anie.200603760



- Carell, T.
– Controlled Stacking of 10 Transition-Metal Ions inside a DNA Duplex (C) 250–253 [254–257]
DOI: 10.1002/anie.200603099
- DNA–Metal Base Pairs (M) 6226–6236 [6340–6350]
DOI: 10.1002/anie.200701185
- DNA Photography: An Ultrasensitive DNA-Detection Method Based on Photographic Techniques (C) 4184–4187 [4262–4265]
DOI: 10.1002/anie.200605023
- Synthesis of the Transfer-RNA Nucleoside Queuosine by Using a Chiral Allyl Azide Intermediate (C) 2325–2327 [2377–2379]
DOI: 10.1002/anie.200604579
- Carioni, K. (C) 1881–1884 [1913–1916]
- Carlomagno, T.
– Structural Basis of the Activity of the Microtubule-Stabilizing Agent Etoposide A Studied by NMR Spectroscopy in Solution (C) 1864–1868 [1896–1900]
DOI: 10.1002/anie.200604505
- Carlone, A. (C) 1101–1104 [1119–1122], 4504–4506 [4588–4590], 6882–6885 [7006–7009]
- Carmona, E.
– Cyclopentadienyl Zincates: Synthesis and X-ray Studies of Sodium and Potassium Salts of the $[\text{Zn}(\text{C}_5\text{H}_5)_3]^-$ and $[\text{Zn}_2(\text{C}_5\text{H}_5)_3]^-$ Ions (C) 1296–1299 [1318–1321]
DOI: 10.1002/anie.200603875
- Carosi, L. (C) 5913–5915 [6017–6019]
- Carpentier, J.-F.
– Highly Isospecific Styrene Polymerization Catalyzed by Single-Component Bridged Bis(indenyl) Allyl Yttrium and Neodymium Complexes (C) 7240–7243 [7378–7381]
DOI: 10.1002/anie.200702353
- When Single-Site Polymerization Catalysis Meets Chirality: Optical Activity of Stereoregular Polyolefins (H) 6404–6406 [6524–6526]
DOI: 10.1002/anie.200701664
- Carpentier, V. D. (C) 7891–7895 [8037–8041]
- Carraro, M. (C) 3255–3258 [3319–3322]
- Carreira, E. M.
– Cu^I-Catalyzed Conjugate Addition of Ethyl Propiolate (C) 4964–4967 [5052–5055]
DOI: 10.1002/anie.200701098
- Enantioselective Preparation of 1,1-Diarylethanes: Aldehydes as Removable Steering Groups for Asymmetric Synthesis (C) 9331–9334 [9492–9495]
DOI: 10.1002/anie.200702995
- Iridium-Catalyzed Synthesis of Primary Allylic Amines from Allylic Alcohols: Sulfamic Acid as Ammonia Equivalent (C) 3139–3143 [3200–3204]
DOI: 10.1002/anie.200700159
- Mild Cobalt-Catalyzed Hydrocyanation of Olefins with Tosyl Cyanide (C) 4519–4522 [4603–4606]
DOI: 10.1002/anie.200700575
- Pd-Catalyzed Cleavage of Benzylic Nitro Bonds: New Opportunities for Asymmetric Synthesis (C) 2078–2081 [2124–2127]
DOI: 10.1002/anie.200604263
- Carrella, L. M. (C) 4662–4666 [4746–4750]
- Carrera, C. (C) 966–968 [984–986]
- Carret, S. (C) 6870–6873 [6994–6997]
- Carretero, J. C.
– Alkylation of Aryl *N*-(2-Pyridylsulfonyl)aldehydes with Organozinc Halides: Conciliation of Reactivity and Chemoselectivity (C) 9257–9260 [9417–9420]
DOI: 10.1002/anie.200703239
- Catalytic Asymmetric Conjugate Reduction of β,β -Disubstituted α,β -Unsaturated Sulfones (C) 3329–3332 [3393–3396]
DOI: 10.1002/anie.200700296
- Oligopyrrole Synthesis by 1,3-Dipolar Cycloaddition of Azomethine Ylides with Bissulfonyl Ethylenes (C) 9261–9264 [9421–9424]
DOI: 10.1002/anie.200703258
- Carrillo, L. (C) 5168–5170 [5260–5262]
- Carter, R. G. Corrigendum: 1004
- Cartier dit Moulin, C. (C) 1287–1289 [1309–1311]
- Caruso, F.
– Exploiting the Directionality of DNA: Controlled Shrinkage of Engineered Oligonucleotide Capsules (C) 2677–2680 [2731–2734]
DOI: 10.1002/anie.200605135
- Casado, J. (C) 9057–9061 [9215–9219]
- Cascio, M. G. (C) 9312–9315 [9472–9475]
- Case, D. A. (C) 2839–2843 [2897–2901]
- Castedo, L. (C) 6886–6890 [7010–7014]
- Castelletto, V. (R) 4442–4455 [4524–4538]
- Castet, F. (C) 1533–1535 [1555–1557]
- Cattaneo, A. (C) 3689–3692 [3763–3766]
- Cavalli, A. (C) 3689–3692 [3763–3766]
- Cave, G. W. V. (C) 218–222 [222–226]
- Cavero, E. (C) 5175–5177 [5267–5269]
- Cea-Olivares, R. (C) 2895–2898 [2953–2956]
- Cecere, G. (C) 6167–6171 [6279–6283]
- Cedervall, T. (C) 5754–5756 [5856–5858]
- Cekan, P. (C) 2655–2658 [2709–2712]
- Cencic, R. (C) 7831–7834 [7977–7980]
- Černý, R.
– Magnesium Borohydride: Synthesis and Crystal Structure (C) 5765–5767 [5867–5869]
DOI: 10.1002/anie.200700773
- Cha, J. K.
– Stereoselective Synthesis of 2,4,6-Trisubstituted Tetrahydropyrans by the Use of Cyclopropanols as Homoanols (C) 3326–3328 [3390–3392]
DOI: 10.1002/anie.200700172
- Cha, S.-S. (C) 8230–8233 [8378–8381]
- Chabre, Y. M. (H) 1010–1017 [1028–1035]
- Chacko, S. (C) 4933–4936 [5021–5024]
- Chae, P. S. (C) 7064–7067 [7194–7197]
- Chakraborty, S. (C) 4486–4488 [4570–4572]
- Chalker, P. R. (C) 4539–4542 [4623–4626]
- Challand, M. R. (C) 9223–9226 [9383–9386]
- Challinor, L. (C) 5369–5372 [5465–5468]
- Champion, G. (C) 1287–1289 [1309–1311]
- Champion, S. (C) 941–944 [959–962]
- Chan, A. (C) 3107–3110 [3167–3170]
- Chan, C. (C) 1444–1447 [1466–1469], 1448–1450 [1470–1472]
- Chan, E. W. L. (C) 3881–3884 [3955–3958]
- Chan, M. K. (C) 1992–1994 [2038–2040]
- Chan, P. W. H. (C) 6852–6856 [6976–6980]
- Chan, S. I.
– Redox Potentiometry Studies of Particulate Methane Monooxygenase: Support for a Trinuclear Copper Cluster Active Site (C) 1992–1994 [2038–2040]
DOI: 10.1002/anie.200604647
- Chan, W. T. K. (C) 3084–3086 [3144–3146]
- Chan, W. Y. (C) 9069–9072 [9227–9230]
- Chandra, A.
– Creating Interfaces by Stretching the Solvent Is Key to Metallic Ammonia Solutions (C) 3676–3679 [3750–3753]
DOI: 10.1002/anie.200604431
- Chandrasekhar, S. (C) 6297–6300 [6413–6416]
- Chandrasekharan, M. (C) 373–376 [377–380]
- Chang, C.-H. (C) 2418–2421 [2470–2473]
- Chang, C. J.
– A Bright and Specific Fluorescent Sensor for Mercury in Water, Cells, and Tissue (C) 6658–6661 [6778–6781]
DOI: 10.1002/anie.200701785
- Chang, C. K.
– A Supramolecular-Hydrogel-Encapsulated Hemin as an Artificial Enzyme to Mimic Peroxidase (C) 4285–4289 [4363–4367]
DOI: 10.1002/anie.200700404
- Chang, G. (C) 7023–7025 [7153–7155]
- Chang, H.-C. (C) 3865–3869 [3939–3943]
- Chang, H.-K. (C) 4744–4747 [4828–4831]
- Chang, H.-T.
– Synthesis of Highly Fluorescent Gold Nanoparticles for Sensing Mercury(II) (C) 6824–6828 [6948–6952]
DOI: 10.1002/anie.200700803
- Chang, J.-S.
– Porous Cobalt(II)–Organic Frameworks with Corrugated Walls: Structurally Robust Gas-Sorption Materials (C) 272–275 [276–279]
DOI: 10.1002/anie.200601627
- Chang, L.-Y. (C) 3683–3685 [3757–3759]
- Chang, S.
– Copper-Catalyzed Synthesis of *N*-Sulfonyl-1,2,3-triazoles: Controlling Selectivity (C) 1730–1733 [1760–1763]
DOI: 10.1002/anie.200604241
- Rate-Accelerated Nonconventional Amide Synthesis in Water: A Practical Catalytic Aldol-Surrogate Reaction (C) 1897–1900 [1929–1932]
DOI: 10.1002/anie.200604358
- Chang, Y.-T.
– Understanding the Activity of Small Molecules in the Genomics Context (H) 3616–3618 [3689–3691]
DOI: 10.1002/anie.200604972
- Chapman, N. R. (C) 8220–8222 [8368–8370]
- Chaput, J. C.
– Self-Assembled Peptide Nanoarrays: An Approach to Studying Protein–Protein Interactions (C) 3051–3054 [3111–3114]
DOI: 10.1002/anie.200603919
- Charette, A. B.
– Catalytic Enantioselective Reduction of β,β -Disubstituted Vinyl Phenyl Sulfones by Using Bisphosphine Monoxide Ligands (C) 5955–5957 [6059–6061]
DOI: 10.1002/anie.200701367
- Tetraarylphosphonium Salts as Soluble Supports for the Synthesis of Small Molecules

- (C) 5011–5014 [5099–5102]
DOI: 10.1002/anie.200700833
- Charra, F.
- Surface Noncovalent Bonding for Rational Design of Hierarchical Molecular Self-Assemblies
(C) 7404–7407 [7548–7551]
DOI: 10.1002/anie.200702376
- Chase, P. A. (C) 8050–8053 Corrigendum: 9136 [8196–8199 Corrigendum: 9296], (R) 8558–8573 [8710–8726]
- Chatchawalsaisin, J. (C) 5537–5540 [5633–5636]
- Chatgililoglu, C.
- The Sulfhydryl Radical (HS/S[•]): A Contender for the Isomerization of Double Bonds in Membrane Lipids
(C) 1914–1916 [1946–1948]
DOI: 10.1002/anie.200604525
- Chatterjee, C. (C) 2814–2818 [2872–2876]
- Chattopadhyay, J. (C) 4486–4488 [4570–4572]
- Chaudret, B.
- Hybrid Co–Au Nanorods: Controlling Au Nucleation and Location
(C) 7079–7081 [7209–7211]
DOI: 10.1002/anie.200702017
- Chaur, M. N. (C) 9032–9035 [9190–9193]
- Chauvin, R.
- A Diaminocarbene–Phosphonium Ylide: Direct Access to C,C Chelating Ligands
(C) 6313–6315 [6429–6431]
DOI: 10.1002/anie.200701490
 - Hexasilylated Total Carbomer of Benzene
(C) 4337–4341 [4415–4419]
DOI: 10.1002/anie.200605262
- Chavez Vasquez, P. (C) 6438–6441 [6558–6561]
- Cheah, K.-W. Corrigendum: 1558
- Chechik, V.
- Hopping of Thiolate Ligands between Au Nanoparticles Revealed by EPR Spectroscopy
(C) 3304–3307 [3368–3371]
DOI: 10.1002/anie.200604070
- Cheetham, A. K. (C) 5877–5879 [5981–5983]
- Chelucci, G. (C) 7651–7654 [7795–7798]
- Chen, B. (C) 565–568 [571–574]
- Chen, C. (C) 5393–5396 [5489–5492], 6650–6653 [6770–6773]
- Chen, C.-A. (C) 5373–5376 [5469–5472]
- Chen, C.-H. Corrigendum: 1558
- Chen, C.-H.
- Charge-Monitoring Laser-Induced Acoustic Desorption Mass Spectrometry for Cell and Microparticle Mass Distribution Measurement
(C) 3865–3869 [3939–3943]
DOI: 10.1002/anie.200700309
- Chen, C.-H. (C) 4481–4485 [4565–4569]
- Chen, C.-h. (C) 4481–4485 [4565–4569]
- Chen, C.-L. (C) 1992–1994 [2038–2040]
- Chen, D.
- One-Pot Synthesis of Amphiphilic Polymeric Janus Particles and Their Self-Assembly into Supramicelles with a Narrow Size Distribution
(C) 6321–6324 [6437–6440]
DOI: 10.1002/anie.200700209
- Chen, D. Y.-K.
- Construction of the “Left Domain” of Haplophytine
(C) 4715–4718 [4799–4802]
DOI: 10.1002/anie.200701947
- Total Synthesis of the Originally Proposed and Revised Structures of Palmerolide A
(C) 5896–5900 [6000–6004]
DOI: 10.1002/anie.200702243
- Chen, G. (C) 7383–7387 [7527–7531]
- Chen, H.
- Neutral Desorption Sampling of Living Objects for Rapid Analysis by Extractive Electrospray Ionization Mass Spectrometry
(C) 7591–7594 [7735–7738]
DOI: 10.1002/anie.200702200
- Chen, H. (C) 580–583 [586–589]
- Chen, J.-H. (C) 897–900 [915–918]
- Chen, J. J. L. (C) 9054–9056 [9212–9214]
- Chen, J. S. (C) 4704–4707 [4788–4791]
- Chen, Jian (C) 7015–7018 [7145–7148]
- Chen, Jingyi (C) 4917–4921 [5005–5009]
- Chen, K. H.-C. (C) 1992–1994 [2038–2040]
- Chen, Kai (C) 6820–6823 [6944–6947]
- Chen, Kang
- Spin Relaxation Enhancement Confirms Dominance of Extended Conformations in Short Alanine Peptides
(C) 9036–9039 [9194–9197]
DOI: 10.1002/anie.200703376
- Chen, M. M. (C) 8414–8418 [8566–8570]
- Chen, P. P.-Y. (C) 1992–1994 [2038–2040]
- Chen, Q.-Z. Corrigendum: 2347
- Chen, S. (C) 1094–1096 [1112–1114]
- Chen, W.
- Stereoselective Synthesis of Ferrocene-Based C₂-Symmetric Diphosphine Ligands: Application to the Highly Enantioselective Hydrogenation of α -Substituted Cinnamic Acids
(C) 4141–4144 [4219–4222]
DOI: 10.1002/anie.200604493
- Chen, W. (Sichuan University) (C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137], 7667–7670 [7811–7814]
- Chen, W.-T. (C) 3249–3251 [3313–3315], 3909–3911 [3983–3985]
- Chen, W. (Tsinghua University) (C) 6650–6653 [6770–6773]
- Chen, X.-H. (C) 8195–8197 [8343–8345]
- Chen, X.-M.
- A “Star” Antiferromagnet: A Polymeric Iron(III) Acetate That Exhibits Both Spin Frustration and Long-Range Magnetic Ordering
(C) 6076–6080 [6188–6192]
DOI: 10.1002/anie.200701954
- Chen, X.-M. (C) 1832–1835 [1864–1867], 3456–3459 [3526–3529]
- Chen, X.-W. (C) 1823–1824 [1855–1856]
- Chen, Xi
- Disaccharides as Sialic Acid Aldolase Substrates: Synthesis of Disaccharides Containing a Sialic Acid at the Reducing End
(C) 2249–2253 [2299–2303]
DOI: 10.1002/anie.200604799
- Chen, Xiantong (C) 2051–2054 [2097–2100]
- Chen, Xiaochuan (C) 3962–3965 [4036–4039]
- Chen, Xin
- Formation of Titania/Silica Hybrid Nanowires Containing Linear Mesocage Arrays by Evaporation-Induced Block-Copolymer Self-Assembly and Atomic Layer Deposition
(C) 6829–6832 [6953–6956]
DOI: 10.1002/anie.200700923
- Chen, Y.-C.
- Enantioselective 1,3-Dipolar Cycloaddition of Cyclic Enones Catalyzed by Multifunctional Primary Amines: Beneficial Effects of Hydrogen Bonding
(C) 7667–7670 [7811–7814]
DOI: 10.1002/anie.200702618
 - Highly Asymmetric Michael Addition to α,β -Unsaturated Ketones Catalyzed by 9-Amino-9-deoxyepiquinine
(C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137]
DOI: 10.1002/anie.200603612
- Chen, Y.-S. (C) 1113–1116 [1131–1134]
- Chen, Yan (C) 8819–8822 [8975–8978]
- Chen, Yanan (C) 7015–7018 [7145–7148]
- Chen, Zhongping (C) 4767–4770 [4851–4854]
- Chen, Zhongwei (C) 4060–4063 [4138–4141]
- Cheng, C.-H.
- Nickel-Catalyzed Coupling of Arynes, Alkenes, and Boronic Acids: Dual Role of the Boronic Acid
(C) 5921–5924 [6025–6028]
DOI: 10.1002/anie.200701063
- Cheng, F. (C) 4089–4092 [4167–4170]
- Cheng, J. (C) 5554–5558 Corrigendum: 7730 [5650–5654 Corrigendum: 7874]
- Cheng, S. (C) 3313–3315 [3377–3379]
- Cheng, Y.-M. (C) 2418–2421 [2470–2473]
- Cheon, H.-S. (C) 1333–1336 [1355–1358]
- Cheon, J.
- Two-Dimensional Nanosheet Crystals
(C) 8828–8831 [8984–8987]
DOI: 10.1002/anie.200703175
- Cheprakov, A. (C) 7693–7696 [7837–7840]
- Chérion, F.
- A Stable Room-Temperature Molecular Assembly of Zwitterionic Organic Dipoles Guided by a Si(111)-7 $\times$ 7 Template Effect
(C) 9287–9290 [9447–9450]
DOI: 10.1002/anie.200702794
- Chernous, K. (C) 7655–7658 [7799–7802]
- Chernov, S. (C) 7693–7696 [7837–7840]
- Chessari, G. (C) 7823–7826 [7969–7972]
- Chevolot, Y.
- DNA-Based Carbohydrate Biochips: A Platform for Surface Glyco-Engineering
(C) 2398–2402 [2450–2454]
DOI: 10.1002/anie.200604955
- Chheda, J. N. (R) 7164–7183 [7298–7318]
- Chi, L.
- Site-Selective Surface-Initiated Polymerization by Langmuir–Blodgett Lithography
(C) 5231–5233 [5324–5326]
DOI: 10.1002/anie.200605020
- Chi, Y.
- Blue-Emitting Heteroleptic Iridium(III) Complexes Suitable for High-Efficiency Phosphorescent OLEDs
(C) 2418–2421 [2470–2473]
DOI: 10.1002/anie.200604733
- Chianese, A. R.
- Electrophilic Activation of Alkenes by Platinum(II): So Much More Than a Slow Version of Palladium(II)
(R) 4042–4059 [4118–4136]
DOI: 10.1002/anie.200603954
- Chianese, A. R. (C) 6670–6673 [6790–6793]
- Chiara, J. L. (C) 4115–4119 [4193–4197]
- Chiavarino, B. (C) 1995–1998 [2041–2044]
- Chichak, K. S. (C) 218–222 [222–226]
- Chiche, A. (C) 6460–6463 [6580–6583]
- Chikashige, Y. (C) 6646–6649 [6766–6769]

- Chippindale, A. M.
– Surprises from a Simple Material—The Structure and Properties of Nickel Cyanide (C) 7116–7118 [7246–7248]
DOI: 10.1002/anie.200701246
- Chirik, P. J.
– Nitrogen–Carbon Bond Formation from N₂ and CO₂ Promoted by a Hafnocene Dinuclear Complex Yields a Substituted Hydrazine (C) 2858–2861 [2916–2919]
DOI: 10.1002/anie.200604099
- Chithra, P. (C) 230–233 [234–237]
- Chiu, C.-W. (C) 1723–1725 [1753–1755], 6878–6881 [7002–7005]
- Chiu, D. T.
– Dynamic Modulation of Chemical Concentration in an Aqueous Droplet (C) 1326–1328 [1348–1350]
DOI: 10.1002/anie.200603072
- Chiu, M.-J. (C) 3533–3536 [3603–3606]
- Chiu, S.-H.
– Highly Selective Na⁺-Templated Formation of [2]Pseudorotaxanes Exhibiting Significant Optical Outputs (C) 2013–2017 [2059–2063]
DOI: 10.1002/anie.200604166
- Using Acetate Anions To Induce Translational Isomerization in a Neutral Urea-Based Molecular Switch (C) 6629–6633 [6749–6753]
DOI: 10.1002/anie.200702197
- Chivers, T.
– Silicon Analogues of Crown Ethers and Cryptands: A New Chapter in Host–Guest Chemistry? (H) 4610–4613 [4694–4697]
DOI: 10.1002/anie.200701822
- Chlenov, A. (C) 5148–5151 [5240–5243]
- Chmielewski, P. J.
– Synthesis, Characterization, and Chirality of Dimeric N-Confused Porphyrin–Zinc Complexes: Toward the Enantioselective Synthesis of Bis(porphyrinoid) Systems (C) 7432–7436 [7576–7580]
DOI: 10.1002/anie.200701860
- Chmura, A. J. (C) 2280–2283 [2330–2333]
- Cho, B. R.
– A Two-Photon Fluorescent Probe for Calcium Waves in Living Tissue (C) 7445–7448 [7589–7592]
DOI: 10.1002/anie.200701720
- Environment-Sensitive Two-Photon Probe for Intracellular Free Magnesium Ions in Live Tissue (C) 3460–3463 [3530–3533]
DOI: 10.1002/anie.200700169
- Cho, C.-G.
– Total Synthesis of (±)-*trans*-Dihydronarciclasine through a Highly *endo*-Selective Diels–Alder Cycloaddition of 3,5-Dibromo-2-pyrone (C) 2303–2305 [2353–2355]
DOI: 10.1002/anie.200604612
- Cho, J. U. (C) 3663–3667 [3737–3741]
- Cho, M.-H. (C) 2018–2022 [2064–2068]
- Cho, M. K. (C) 3663–3667 [3737–3741]
- Cho, S. H. (C) 1897–1900 [1929–1932]
- Cho, S. O.
– High-Yield Synthesis of Single-Crystalline Gold Nano-octahedra (C) 3264–3268 [3328–3332]
DOI: 10.1002/anie.200604167
- Chobot, S. E. (C) 4145–4147 [4223–4225]
- Choi, E.-S. (C) 2303–2305 [2353–2355]
- Choi, J.-S. (C) 8230–8233 [8378–8381]
- Choi, Kihang (C) 8230–8233 [8378–8381]
- Choi, Kuwon (C) 5779–5782 [5881–5884]
- Choi, S. B. (C) 8230–8233 [8378–8381]
- Choi, S.-H. (C) 8230–8233 [8378–8381]
- Choi, S. Y. (C) 6172–6175 [6284–6287]
- Choi, Yongdoo (C) 707–709 [721–723]
- Choi, YongMan (C) 7214–7219 [7352–7357]
- Chojnacki, P. (C) 8850–8853 [9006–9009]
- Chou, P.-T.
– Blue-Emitting Heteroleptic Iridium(III) Complexes Suitable for High-Efficiency Phosphorescent OLEDs (C) 2418–2421 [2470–2473]
DOI: 10.1002/anie.200604733
- Chouraqi, G. (C) 6167–6171 [6279–6283]
- Chow, C.-F. (C) 5007–5010 [5095–5098]
- Christe, K. O.
– Convenient Access to Trifluoromethanol (C) 6155–6158 [6267–6270]
DOI: 10.1002/anie.200701823
- Monocapped Trigonal-Prismatic Transition-Metal Heptaazides: Syntheses, Properties, and Structures of [Nb(N₃)₇]²⁻ and [Ta(N₃)₇]²⁻ (C) 2869–2874 [2927–2932]
DOI: 10.1002/anie.200604520
- Synthesis and Characterization of (Z)-[N₃NFO]⁺ and (E)-[N₃NFO]⁺ (C) 3023–3027 [3083–3087]
DOI: 10.1002/anie.200700130
- The Binary Selenium(IV) Azides Se(N₃)₄, [Se(N₃)₅]⁻, and [Se(N₃)₆]²⁻ (C) 8686–8690 [8840–8845]
DOI: 10.1002/anie.200702758
- Christl, M.
– 1,7-Diaza[12]annulene Derivatives? 100-Year-Old Pyridinium Salts! (L) 9152–9153 [9312–9313]
DOI: 10.1002/anie.200704704
- Christmann, M.
– Efficient Synthesis and Resolution of Pyrrolizidines (C) 2883–2886 [2941–2944]
DOI: 10.1002/anie.200605035
- Christou, G.
– “Spin Tweaking” of a High-Spin Molecule: An Mn₂₅ Single-Molecule Magnet with an S = 61/2 Ground State (C) 884–888 [902–906]
DOI: 10.1002/anie.200603254
- Chu, L.-Q. (C) 4944–4947 [5032–5035]
- Chu, L.-Y.
– Controllable Monodisperse Multiple Emulsions (C) 8970–8974 [9128–9132]
DOI: 10.1002/anie.200701358
- Chu, M. (C) 3865–3869 [3939–3943]
- Chuang, Y.-C. (C) 5934–5937 [6038–6041]
- Chuck, C. J. (C) 2280–2283 [2330–2333]
- Chun, I. S. (C) 4960–4963 [5048–5051]
- Chung, F. (C) 4489–4491 [4573–4575]
- Chung, S.-K.
– Guanidine-Containing Molecular Transporters: Sorbitol-Based Transporters Show High Intracellular Selectivity toward Mitochondria (C) 5880–5884 [5984–5988]
DOI: 10.1002/anie.200701346
- Chung, Y. K.
– (N-Heterocyclic Carbene)Gold(I)-Catalyzed Cycloisomerization of Cyclohexadienyl Alkynes to Tetracyclo-[3.3.0.0^{2,8}.0^{4,6}]octanes (C) 6172–6175 [6284–6287]
DOI: 10.1002/anie.200702028
- Chuprakov, S. (C) 4757–4759 [4841–4843]
- Churchill, A. C. L. (C) 901–904 [919–922]
- Chwalisz, P. (C) 7869–7873 [8015–8019]
- Cid, J.-J. (C) 8358–8362 [8510–8514]
- Cifuentes, M. P. (C) 731–733 [745–747]
- Cintas, P.
– Forcing and Controlling Chemical Reactions with Ultrasound (H) 5476–5478 [5573–5575]
DOI: 10.1002/anie.200701567
- Tracing the Origins and Evolution of Chirality and Handedness in Chemical Language (E) 4016–4024 [4090–4099]
DOI: 10.1002/anie.200603714
- Ciobanu, O. (C) 9110–9113 [9270–9273]
- Ciriminna, R. (M) 4434–4440 [4516–4522]
- Clardy, J. (C) 901–904 [919–922]
- Claridge, T. D. W. (C) 6845–6848 [6969–6972], 7412–7416 [7556–7560]
- Clark, J. H. (C) 7210–7213 [7348–7351]
- Clark, J. S.
– A Concise Total Synthesis of (±)-Vigilarol (C) 437–440 [441–444]
DOI: 10.1002/anie.200603880
- Clark, N. A. (C) 1473–1475 [1495–1497]
- Clark, T. P. (C) 8460–8463 [8612–8615]
- Clarke, M. L.
– Self-Assembly of Organocatalysts: Fine-Tuning Organocatalytic Reactions (C) 930–933 [948–951]
DOI: 10.1002/anie.200602912
- Clavaguera, C. (C) 1427–1430 [1449–1452]
- Clavier, H.
– Sustainable Concepts in Olefin Metathesis (R) 6786–6801 [6906–6922]
DOI: 10.1002/anie.200605099
- Clegg, W. (C) 4662–4666 [4746–4750]
- Clément, O. (C) 5421–5424 [5517–5520]
- Clever, G. H. (C) 250–253 [254–257], (M) 6226–6236 [6340–6350]
- Clive, D. L. J.
– All-Carbon Intramolecular Conjugate Displacement Reactions: An Effective Route to Carbocycles (C) 9295–9297 [9455–9457]
DOI: 10.1002/anie.200703022
- Synthesis of the Otellones A and B: Use of a Cyclopropyl Group as Both a Steric Shield and a Vinyl Equivalent (C) 3738–3740 [3812–3814]
DOI: 10.1002/anie.200700517
- Cloarec, J.-P. (C) 2398–2402 [2450–2454]
- Cloke, F. G. N. (C) 5750–5753 [5852–5855], 7072–7074 [7202–7204]
- Clososki, G. C. (C) 7681–7684 [7825–7828]
- Clough, C. R. (C) 973–976 [991–994]
- Cloutet, E. (C) 872–877 [890–895]
- Cobos, C. J. (C) 3754–3757 [3828–3831]
- Coetzee, J. (C) 2497–2500 [2549–2552]
- Coetzee, K. (C) 2497–2500 [2549–2552]
- Cohen, J. D. (C) 7956–7959 [8102–8105]
- Cohen, R. (C) 1901–1904 [1933–1936]
- Cohen Stuart, M. A.
– Hierarchical Self-Assembly in Solutions Containing Metal Ions, Ligand, and Diblock Copolymer (C) 1807–1809 [1839–1841]
DOI: 10.1002/anie.200604039
- Coldham, I.
– Highly Efficient Synthesis of Tricyclic Amines by a Cyclization/Cycloaddition

- Cascade: Total Syntheses of Aspidospermine, Aspidospermidine, and Quebrachamine (C) 6159–6162 [6271–6274]
DOI: 10.1002/anie.200701943
- Cole, K. P. (C) 8875–8879 [9031–9035]
Cole, P. A.
- A Selective Chemical Probe for Coenzyme A-Requiring Enzymes (C) 7621–7624 [7765–7768]
DOI: 10.1002/anie.200702485
- Coles, S. J. (C) 7823–7826 [7969–7972]
Coll, C. (C) 1675–1678 [1705–1708]
Collado, M. (C) 9002–9005 [9160–9163]
Collum, D. B.
- Lithium Diisopropylamide: Solution Kinetics and Implications for Organic Synthesis (R) 3002–3017 [3060–3077]
DOI: 10.1002/anie.200603038
- Colombi Ciacchi, L. (C) 4492–4495 [4576–4579]
Colquhoun, H. M. (C) 1124–1128 [1142–1146]
Comba, P.
- Biomimetic High-Valent Non-Heme Iron Oxidants for the *cis*-Dihydroxylation and Epoxidation of Olefins (C) 8067–8070 [8213–8216]
DOI: 10.1002/anie.200701681
- Commerçon, A. (C) 1917–1921 [1949–1953]
Concepción, P. (C) 3938–3941 [4012–4015], 7266–7269 [7404–7407]
Connon, S. J.
- A Magnetic-Nanoparticle-Supported 4-*N,N*-Dialkylaminopyridine Catalyst: Excellent Reactivity Combined with Facile Catalyst Recovery and Recyclability (C) 4329–4332 [4407–4410]
DOI: 10.1002/anie.200605216
- Connor, S. (C) 2414–2417 [2466–2469]
Conrad, J. (C) 3353–3355 [3417–3419]
Constant, S. (C) 2082–2085 [2128–2131], 8979–8982 [9137–9140]
Constantinescu, D. (C) 8887–8889 [9044–9046]
Cónsul Tejero, E. (C) 445–448 [449–452]
Cook, J. L. (C) 3706–3709 [3780–3783]
Coombe, V. (E) 3798–3800 [3872–3874]
Coombs, N. D. (C) 2043–2046 [2089–2092]
Cooper, A. I.
- Conjugated Microporous Poly(arylene-ethynylene) Networks (C) 8574–8578 [8728–8732]
DOI: 10.1002/anie.200701595
 - Direct Synthesis of Anisotropic Polymer Nanoparticles (C) 9243–9247 [9403–9407]
DOI: 10.1002/anie.200703348
- Cooper, G. J. T. (C) 1340–1344 [1362–1366]
Cooper, I. R. (C) 5106–5110 [5198–5202]
Cope, S. (C) 7082–7085 [7212–7215]
Copéret, C.
- CH_3ReO_3 on $\gamma\text{-Al}_2\text{O}_3$: Understanding Its Structure, Initiation, and Reactivity in Olefin Metathesis (C) 3870–3873 [3944–3947]
DOI: 10.1002/anie.200700211
- Copéret, C. (C) 2288–2290 [2338–2340]
Coquet, R. (C) 7220–7223 [7358–7361]
Coquière, D. (C) 9308–9311 [9468–9471]
Corbett, P. T. (C) 8858–8861 [9014–9017]
Cordaro, J. G. (C) 7878–7881 [8024–8027]
Córdova, A.
- Enantioselective Organocatalytic Hydrophosphination of α,β -Unsaturated Aldehydes (C) 4507–4510 [4591–4594]
DOI: 10.1002/anie.200700916
 - Organocatalytic Enantioselective Aziridination of α,β -Unsaturated Aldehydes (C) 778–781 [792–795]
DOI: 10.1002/anie.200603810
- Corey, E. J.
- *Frank H. Westheimer* (O) 3610 [3682]
DOI: 10.1002/anie.200701685
- Corgier, B. P. (C) 4108–4110 [4186–4188]
Corma, A.
- A Different Reaction Pathway for the Reduction of Aromatic Nitro Compounds on Gold Catalysts (C) 7266–7269 [7404–7407]
DOI: 10.1002/anie.200700823
 - A General Method for the Preparation of Ethers Using Water-Resistant Solid Lewis Acids (C) 298–300 [302–304]
DOI: 10.1002/anie.200604018
 - Carbonylation of Methanol on Metal–Acid Zeolites: Evidence for a Mechanism Involving a Multisite Active Center (C) 3938–3941 [4012–4015]
DOI: 10.1002/anie.200700029
 - Catalysis by Gold(I) and Gold(III): A Parallelism between Homo- and Heterogeneous Catalysts for Copper-Free Sonogashira Cross-Coupling Reactions (C) 1536–1538 [1558–1560]
DOI: 10.1002/anie.200604746
 - Gold Nanoparticles and Gold(III) Complexes as General and Selective Hydrosilylation Catalysts (C) 7820–7822 [7966–7968]
DOI: 10.1002/anie.200702032
 - Synergies between Bio- and Oil Refineries for the Production of Fuels from Biomass (R) 7184–7201 [7320–7338]
DOI: 10.1002/anie.200604504
- Corr, S. A. (C) 4329–4332 [4407–4410]
Correa, A. (C) 8862–8865 [9018–9021]
Correa-Duarte, M. A.
- Pt-Catalyzed Formation of Ni Nanoshells on Carbon Nanotubes (C) 7026–7030 [7156–7160]
DOI: 10.1002/anie.200701671
- Corso, M. (C) 5115–5119 [5207–5211]
Cortez, G. A. (C) 4534–4538 [4618–4622]
Coskuner, O.
- Water Dissociation in the Presence of Metal Ions (C) 7853–7855 [7999–8001]
DOI: 10.1002/anie.200701617
- Cosnier, S. (C) 7244–7246 [7382–7384]
Cossío, F. P.
- On the Stereodivergent Behavior Observed in the Staudinger Reaction between Methoxyketene and (*E*)-*N*-Benzylidenearyl Amines (C) 3028–3032 [3088–3092]
DOI: 10.1002/anie.200605231
- Cossio, F. P. (C) 8632–8635 [8786–8789]
Cossy, J.
- Iron-Catalyzed Cross-Coupling of Alkyl Halides with Alkenyl Grignard Reagents (C) 6521–6524 [6641–6644]
DOI: 10.1002/anie.200702206
- Costa, B. (C) 3308–3312 [3372–3376]
Costantini, G. (C) 4492–4495 [4576–4579]
Costes, J.-P.
- A Cubic 3d–4f Structure with Only Ferromagnetic Gd–Mn Interactions (C) 2851–2854 [2909–2912]
DOI: 10.1002/anie.200605062
- Cot, D. (C) 8409–8413 [8561–8565]
Coulembier, O. (C) 4719–4721 [4803–4805]
Courillon, C.
- Radical Cyclization of *N*-Acylecyanamides: Total Synthesis of Luotonin A (C) 576–579 [582–585]
DOI: 10.1002/anie.200602940
- Couty, F. (C) 572–575 [578–581]
Couve-Bonnaire, S. (C) 1290–1292 [1312–1314]
Cowie, M.
- Carbon–Fluorine Bond Activation in Fluoroolefins: Clear Documentation of Cooperative C–F Bond Activation by Adjacent Metal Centers (C) 3741–3744 [3815–3818]
DOI: 10.1002/anie.200603972
- Cox, J. R. (C) 1988–1991 [2034–2037], 4333–4336 [4411–4414]
Cox, R. J.
- The Chemical Mechanism of D-1-Deoxyxylulose-5-phosphate Reductoisomerase from *Escherichia coli* (C) 4926–4929 [5014–5017]
DOI: 10.1002/anie.200700647
- Coyer, S. R. (C) 6837–6840 [6961–6964]
Cozzi, P. G.
- Reformatsky Reactions Meet Catalysis and Stereoselectivity (H) 2568–2571 Corrigendum: 6948 [2620–2623 Corrigendum: 7074]
DOI: 10.1002/anie.200604344
- Craan, T. (C) 9105–9109 [9265–9269]
Craig, D.
- Sulfone-Mediated Total Synthesis of ($\pm$)-Lepadiformine (C) 2631–2634 [2685–2688]
DOI: 10.1002/anie.200604670
- Cravotto, G.
- Forcing and Controlling Chemical Reactions with Ultrasound (H) 5476–5478 [5573–5575]
DOI: 10.1002/anie.200701567
- Crawford, J. J. (C) 4704–4707 [4788–4791]
Crawford, N. R. M. (C) 8503–8506 [8656–8659]
Crawford, P. C. (C) 1124–1128 [1142–1146]
Credi, A.
- Molecules That Make Decisions (H) 5472–5475 [5568–5572]
DOI: 10.1002/anie.200700879
- Crego-Calama, M.
- Self-Assembled Monolayers of a Multifunctional Organic Radical (C) 2215–2219 [2265–2269]
DOI: 10.1002/anie.200603599
- Crestoni, M. E. (C) 1995–1998 [2041–2044]
Crimmin, M. R. (C) 6339–6342 [6455–6458]
Crisma, M.
- Crystal Structure of a Spin-Labeled, Channel-Forming Alamethicin Analogue (C) 2047–2050 [2093–2096]
DOI: 10.1002/anie.200604417
- Crivillers, N. (C) 2215–2219 [2265–2269]
Croft, A. (C) 9223–9226 [9383–9386]
Crone, B. (C) 2310–2313 [2360–2363]
Cronin, L.
- Modular Assembly of a Functional Polyoxometalate-Based Open Framework

- Constructed from Unsupported Ag¹... Ag¹ Interactions
(C) 7579–7582 [7723–7726]
DOI: 10.1002/anie.200702698
- Noncovalently Connected Frameworks with Nanoscale Channels Assembled from a Tethered Polyoxometalate–Pyrene Hybrid
(C) 3900–3904 [3974–3978]
DOI: 10.1002/anie.200604734
 - Structural and Compositional Control in {M₁₂} Cobalt and Nickel Coordination Clusters Detected Magnetochemically and with Cryospray Mass Spectrometry
(C) 1340–1344 [1362–1366]
DOI: 10.1002/anie.200603870
- Cronje, S. (C) 2497–2500 [2549–2552]
Crook, N. C. (C) 8414–8418 [8566–8570]
Crous, R. (C) 2273–2275 [2323–2325]
Crowley, J. D. (C) 5709–5713 [5811–5815]
Crudden, C. M.
- Regioselectivity of the Rhodium-Catalyzed Hydroboration of Vinyl Arenes: Electronic Twists and Mechanistic Shifts
(C) 7799–7802 [7945–7948]
DOI: 10.1002/anie.200702563
- Csihony, S. (C) 2627–2630 [2681–2684]
Cuerva, J. M. Corrigendum: 1941
Cui, G. (C) 3464–3467 [3534–3537], 5417–5420 [5513–5516]
Cui, L.-F. (C) 742–745 [756–759]
Cui, Q. (C) 2839–2843 [2897–2901]
Cui, W. (C) 9235–9238 [9395–9398]
Cui, Y.-P.
- Large Anisotropy and Effect of Deuteration on Permittivity in an Olefin Copper(I) Complex
(C) 6852–6856 [6976–6980]
DOI: 10.1002/anie.200700629
- Cui, Yi Corrigendum: 5647
Cui, Yong
- Cation-Dependent Nonlinear Optical Behavior in an Octupolar 3D Anionic Metal–Organic Open Framework
(C) 6301–6304 [6417–6420]
DOI: 10.1002/anie.200701056
- Cui, Yue (C) 2431–2434 [2483–2486], 6996–7000 [7126–7130]
Culkin, D. A. (C) 2627–2630 [2681–2684]
Cullen, A. J. (C) 1066–1070 [1084–1088]
Cummings, R. (C) 4684–4688 [4768–4772]
Cummins, C. C.
- A Terminal Nitride-to-Phosphide Conversion Sequence Followed by Tungsten Phosphide Functionalization Using a Diphenylphosphonium Synthon
(C) 973–976 [991–994]
DOI: 10.1002/anie.200604736
 - An Isolable and Monomeric Phosphorus Radical That Is Resonance-Stabilized by the Vanadium(IV/V) Redox Couple
(C) 3111–3114 [3171–3174]
DOI: 10.1002/anie.200700059
- Dabros, M. (C) 1988–1991 [2034–2037], 4132–4135 [4210–4213]
Daguenet, C. (C) 5384–5388 [5480–5484]
Dahlbom, M. (C) 9227–9230 [9387–9390]
Dai, H.
- siRNA Delivery into Human T Cells and Primary Cells with Carbon-Nanotube Transporters
(C) 2023–2027 [2069–2073]
DOI: 10.1002/anie.200604295
- Dai, Q. (C) 3714–3717 [3788–3791]
Dai, X. (C) 4367–4369 [4445–4447]
Dailly, A. (C) 1419–1422 [1441–1444]
Dakas, P.-Y. (C) 6899–6902 [7023–7026]
Dalgarno, S. J. (C) 8601–8604 [8755–8758]
Dalla, V. (C) 7090–7093 [7220–7223]
Dalton, G. T. (C) 731–733 [745–747]
Daltrozzi, E.
- Near-Infrared Dyes and Fluorophores Based on Diketopyrrolopyrroles
(C) 3750–3753 [3824–3827]
DOI: 10.1002/anie.200604763
- Daniell, H. W. (C) 6845–6848 [6969–6972]
Danishefsky, S. J.
- Conformational Locking through Allylic Strain as a Device for Stereocontrol—Total Synthesis of Grandisine A
(C) 7789–7792 [7935–7938]
DOI: 10.1002/anie.200703245
 - Development of Efficient Methods for Accomplishing Cysteine-Free Peptide and Glycopeptide Coupling
(C) 7383–7387 [7527–7531]
DOI: 10.1002/anie.200702865
 - Differentiation of Nonconventional “Carbanions”—The Total Synthesis of Nemosone and Clusianone
(C) 8840–8844 [8996–9000]
DOI: 10.1002/anie.200703886
 - Free-Radical-Based, Specific Desulfurization of Cysteine: A Powerful Advance in the Synthesis of Polypeptides and Glycopolypeptides
(C) 9248–9252 [9408–9412]
DOI: 10.1002/anie.200704195
 - On the Rearrangement of an Azaspiroindolenine to a Precursor to Phalarine: Mechanistic Insights
(C) 1444–1447 [1466–1469]
DOI: 10.1002/anie.200604071
 - Total Synthesis of (+)-Isomigrastatin
(C) 5576–5579 [5672–5675]
DOI: 10.1002/anie.200701837
 - Total Synthesis of Paecilomycin A
(C) 2199–2202 [2249–2252]
DOI: 10.1002/anie.200605058
 - Total Synthesis of Peribysin E Necessitates Revision of the Assignment of its Absolute Configuration
(C) 1451–1454 [1473–1476]
DOI: 10.1002/anie.200604308
 - Total Synthesis of Phalarine
(C) 1448–1450 [1470–1472]
DOI: 10.1002/anie.200604072
- Daran, J.-C. (C) 429–432 [433–436]
Dardel, F.
- NMR-Guided Fragment-Based Approach for the Design of tRNA^{Lys} Ligands
(C) 4489–4491 [4573–4575]
DOI: 10.1002/anie.200605201
- Darder, M. (C) 923–925 [941–943]
Darling, G. R. (C) 7613–7616 [7757–7760]
Das, A. (C) 4744–4747 [4828–4831]
Das, B. (C) 8171–8173 [8319–8321]
Däschlein, C. (C) 4780–4782 [4864–4866]
Dasgupta, J. (C) 8028–8031 [8174–8177]
Date, S. M. (C) 386–388 Corrigendum: 2348 [390–392 Corrigendum: 2400]
Datta, S. (C) 4744–4747 [4828–4831]
Dauenhauer, P. J. (C) 5864–5867 [5968–5971]
Dávalos, J. Z. (C) 381–385 [385–389]
David, A. (C) 3275–3277 [3339–3341]
Davidson, A. (C) 9101–9104 [9260–9264]
Davidson, M. G.
- A Germanium Alkoxide Supported by a C₃-Symmetric Ligand for the Stereoselective Synthesis of Highly Heterotactic Polylactide under Solvent-Free Conditions
(C) 2280–2283 [2330–2333]
DOI: 10.1002/anie.200603944
- Davies, E. S. (C) 8013–8016 [8159–8162]
Davies, G. J.
- A Glycosynthase Catalyst for the Synthesis of Flavonoid Glycosides
(C) 3885–3888 [3959–3962]
DOI: 10.1002/anie.200604177
 - Molecular Basis for Trehalase Inhibition Revealed by the Structure of Trehalase in Complex with Potent Inhibitors
(C) 4115–4119 [4193–4197]
DOI: 10.1002/anie.200604825
- Davies, J. (C) 6278–6283 [6394–6399]
Davies, P. W.
- Catalytic Carbophilic Activation: Catalysis by Platinum and Gold π Acids
(R) 3410–3449 [3478–3519]
DOI: 10.1002/anie.200604335
- Davies, P. W. (C) 4760–4763 [4844–4847]
Davies, R. P.
- Structural Studies on a Lithium Organo-Amidocuprate in the Solid State and in Solution
(C) 5191–5194 [5283–5286]
DOI: 10.1002/anie.200700822
- Davis, B. G.
- A Glycosynthase Catalyst for the Synthesis of Flavonoid Glycosides
(C) 3885–3888 [3959–3962]
DOI: 10.1002/anie.200604177
 - IR-Spectral Signatures of Aromatic–Sugar Complexes: Probing Carbohydrate–Protein Interactions
(C) 3644–3648 [3718–3722]
DOI: 10.1002/anie.200605116
- Davis, B. L. (C) 8995–8997 [9153–9155]
Davis, D. M. (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
Davis, T. P.
- In Situ Formation of Protein–Polymer Conjugates through Reversible Addition Fragmentation Chain Transfer Polymerization
(C) 3099–3103 [3159–3163]
DOI: 10.1002/anie.200604922
- Dawe, L. N. (C) 7440–7444 [7584–7588]
Dawson, K. A. (C) 5754–5756 [5856–5858]
Day, M. W. (C) 5148–5151 [5240–5243]
De Cola, L.
- Assembling Micro Crystals through Cooperative Coordinative Interactions
(C) 8898–8902 [9056–9060]
DOI: 10.1002/anie.200701948
 - Self-Assembling Living Systems with Functional Nanomaterials
(C) 6188–6191 [6301–6304]
DOI: 10.1002/anie.200701019
- de Cózar, A. (C) 3028–3032 [3088–3092]
de Cuba, K. R. (C) 7485–7487 [7629–7631]



da Silva, C. E. (C) 8895–8897 [9052–9055]
Da Silva, E. (C) 198–201 [202–205]
da Silva, G. F. Z. (C) 3337–3341 [3401–3405]

- De Feyter, S.
– Molecularly Defined Shape-Persistent 2D Oligomers: The Covalent-Template Approach to Molecular Spoked Wheels (C) 6802–6806 [6926–6930]
DOI: 10.1002/anie.200701614
- Structural Transformation of a Two-Dimensional Molecular Network in Response to Selective Guest Inclusion (C) 2831–2834 [2889–2892]
DOI: 10.1002/anie.200604782
- de Figueiredo, R. M. (C) 2883–2886 [2941–2944]
- de Greef, T. F. A. (C) 8206–8211 [8354–8359]
- de Groot, F. M. F.
– Controlling the Bonding of CO on Cobalt Clusters by Coadsorption of H₂ (C) 5317–5320 [5411–5414]
DOI: 10.1002/anie.200605165
- de Jong, K. P.
– The Preparation of Supported NiO and Co₃O₄ Nanoparticles by the Nitric Oxide Controlled Thermal Decomposition of Nitrates (C) 4547–4549 [4631–4633]
DOI: 10.1002/anie.200700608
- de Jongh, L. J.
– Long-Range Magnetic Ordering in a Tb^{III}–Mo^V Cyanido-Bridged Quasi-One-Dimensional Complex (C) 6081–6084 [6193–6196]
DOI: 10.1002/anie.200701847
- de Jongh, P. E. (C) 4547–4549 [4631–4633]
- De Jonghe, L. C. (C) 1136–1140 [1154–1158]
- de Keizer, A. (C) 1807–1809 [1839–1841]
- de la Fuente, M. R. (C) 5175–5177 [5267–5269]
- de Lemos, E. (C) 1917–1921 [1949–1953]
- De Lucchi, O. (C) 4972–4975 [5060–5063]
- de Meijere, A.
– 1,1'-Linked Cyclopropane Derivatives: The Helical Conformation of Quinquecyclopropanol (C) 6545–6548 [6665–6668]
DOI: 10.1002/anie.200702013
- Octacyclopentylcubane and Some of Its Isomers (C) 4574–4576 [4658–4660]
DOI: 10.1002/anie.200605150
- de Mello, A. J.
– Fluorescence-Lifetime Imaging of DNA–Dye Interactions within Continuous-Flow Microfluidic Systems (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
DOI: 10.1002/anie.200604112
- de Mello, A. J. (C) 2875–2878 [2933–2936]
- de Mendoza, J.
– Inclusion of Cavitands and Calix[4]arenes into a Metallobridged *para*-(1*H*-Imidazo[4,5-*f*][3,8]phenanthroline-2-yl)-Expanded Calix[4]arene (C) 198–201 [202–205]
DOI: 10.1002/anie.200603180
- Selective Binding and Easy Separation of C₇₀ by Nanoscale Self-Assembled Capsules (C) 202–205 [206–209]
DOI: 10.1002/anie.200603223
- de Miranda, M. P. (C) 4073–4076 [4151–4154]
- De Petrocellis, L. (C) 9312–9315 [9472–9475]
- De Pol, S. (C) 3976–3978 [4050–4053]
- De Riccardis, F. (C) 2470–2477 [2522–2529]
- De Rosa, C. (C) 4325–4328 [4403–4406]
- de Saa, D. (C) 2610–2612 [2664–2666]
- De Schryver, F. C. (C) 1706–1709 [1736–1739], 2831–2834 [2889–2892]
- De Sterck, B. (C) 1311–1314 [1333–1336]
- De Vita, A. (C) 4492–4495 [4576–4579]
- De Vos, D. E.
– Selective Adsorption and Separation of Xylene Isomers and Ethylbenzene with the Microporous Vanadium(IV) Terephthalate MIL-47 (C) 4293–4297 [4371–4375]
DOI: 10.1002/anie.200700056
- Space- and Time-Resolved Visualization of Acid Catalysis in ZSM-5 Crystals by Fluorescence Microscopy (C) 1706–1709 [1736–1739]
DOI: 10.1002/anie.200604336
- de Vries, A. H. M. (C) 1497–1500 [1519–1522]
- de Vries, J. G.
– High Enantioselectivity Is Induced by a Single Monodentate Phosphoramidite Ligand in Iridium-Catalyzed Asymmetric Hydrogenation (C) 1497–1500 [1519–1522]
DOI: 10.1002/anie.200603930
- de Vries, J. G. (C) 1893–1896 [1925–1928]
- de Waal, E. (C) 5137–5139 [5229–5231]
- de Wildeman, S. M. A. (C) 8452–8454 [8604–8606]
- Debaerdemaeker, T. (C) 1679–1683 [1709–1713]
- Debieux, C. (C) 7473–7476 [7617–7620]
- Decaudin, D. (C) 6469–6472 [6589–6592]
- Decken, A. (C) 4979–4982 [5067–5070]
- Dědeček, J. (C) 7286–7289 [7424–7427]
- Dedecker, P. (H) 8330–8332 [8480–8482]
- Defieber, C. (C) 3139–3143 [3200–3204]
- Degenstein, N. J. (C) 5864–5867 [5968–5971]
- DeHope, A. (C) 6922–6925 [7047–7050]
- Deiss, F. (C) 4081–4084 [4159–4162]
- Deiters, A.
– A General Approach to Chemo- and Regioselective Cyclotrimerization Reactions (C) 5187–5190 [5279–5282]
DOI: 10.1002/anie.200700802
- Photochemical Activation of Protein Expression in Bacterial Cells (C) 4290–4292 [4368–4370]
DOI: 10.1002/anie.200700057
- Dekhane, M. (C) 2485–2488 [2537–2540]
- del Río, D. (C) 1296–1299 [1318–1321]
- Delamarche, E.
– Facile Preparation of Complex Protein Architectures with Sub-100-nm Resolution on Surfaces (C) 6837–6840 [6961–6964]
DOI: 10.1002/anie.200700989
- Delaunais, G. (C) 4979–4982 [5067–5070]
- Delbecq, F. (C) 3870–3873 [3944–3947]
- Delgado, O. (C) 4771–4774 [4855–4858]
- Della Pina, C. (M) 4434–4440 [4516–4522]
- Delli Castelli, D. (C) 966–968 [984–986]
- Delo, S. A. (C) 6666–6669 [6786–6789]
- Delsuc, N. (C) 214–217 [218–221]
- Demel, P. (C) 8670–8673 [8824–8827]
- Demirel, A. L.
– Formation of Polyamide Nanofibers by Directional Crystallization in Aqueous Solution (C) 8622–8624 [8776–8778]
DOI: 10.1002/anie.200703486
- Demmer, U. (C) 2408–2413 Corrigendum: 2970 [2460–2465 Corrigendum: 3028]
- Dempwolff, A. L. (C) 5598–5601 [5694–5697]
- Demuth, M.
– A Titanium Disilicide Derived Semiconducting Catalyst for Water Splitting under Solar Radiation—Reversible Storage of Oxygen and Hydrogen (C) 7770–7774 [7917–7921]
DOI: 10.1002/anie.200701626
- den Breejen, J. P. (C) 4547–4549 [4631–4633]
- Denayer, J. F. M. (C) 4293–4297 [4371–4375]
- Dendukuri, D. (C) 9027–9031 [9185–9189]
- Deng, J. (C) 7810–7813 [7956–7959]
- Deng, J.-G.
– Highly Asymmetric Michael Addition to α,β -Unsaturated Ketones Catalyzed by 9-Amino-9-deoxyepiquinine (C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137]
DOI: 10.1002/anie.200603612
- Deng, W. (C) 5144–5147 [5236–5239]
- Deng, W.-Q. (C) 6289–6292 [6405–6408]
- Deng, Z.
– Grafting Single-Walled Carbon Nanotubes with Highly Hybridizable DNA Sequences: Potential Building Blocks for DNA-Programmed Material Assembly (C) 7481–7484 [7625–7628]
DOI: 10.1002/anie.200701748
- Denifl, S. (C) 5238–5241 [5331–5334], 8057–8059 [8203–8205]
- Dent, A. J. (C) 5356–5358 [5452–5454]
- Denton, R. M. (C) 4712–4714 [4796–4798], 7501–7505 [7645–7649], 8875–8879 [9031–9035]
- Depla, A. (C) 4293–4297 [4371–4375]
- Deprés, J.-P.
– Access to Guaianolides: Highly Efficient Stereocontrolled Total Synthesis of ($\pm$)-Geigerin (C) 6870–6873 [6994–6997]
DOI: 10.1002/anie.200702031
- Derdau, V.
– The Renaissance of H/D Exchange (R) 7744–7765 [7890–7911]
DOI: 10.1002/anie.200700039
- Dervan, P. B.
– Addressing Single Molecules on DNA Nanostructures (C) 7956–7959 [8102–8105]
DOI: 10.1002/anie.200702767
- Recognition of “Mirror-Image” DNA by Small Molecules (C) 8384–8387 [8536–8539]
DOI: 10.1002/anie.200703007
- Desai, L. V. (C) 5737–5740 [5839–5842]
- Desiraju, G. R.
– Crystal Engineering: A Holistic View (R) 8342–8356 [8492–8508]
DOI: 10.1002/anie.200700534
- On the Polymorphism of Aspirin: Crystal-line Aspirin as Intergrowths of Two “Polymorphic” Domains (C) 618–622 [625–630]
DOI: 10.1002/anie.200603373
- On the Polymorphism of Aspirin (C) 615–617 [621–624]
DOI: 10.1002/anie.200602378
- Deska, J. (C) 4570–4573 [4654–4657]

- DesMarteau, D. D.
– Synthesis of Pentafluorosulfanyl Trifluoro-
vinyl Ether and Its Facile Rearrangement
to Difluoro(pentafluorosulfanyl)acetyl
Fluoride
(C) 6626–6628 [6746–6748]
DOI: 10.1002/anie.200702425
- Desrosiers, J.-N. (C) 5955–5957 [6059–6061]
- Destarac, M. (C) 8632–8635 [8786–8789]
- Deutsch, C. (C) 1650–1653 [1677–1681]
- Devel, L. (C) 3275–3277 [3339–3341]
- Devine, P. N.
– Diastereoselective Reductive Amination
of Aryl Trifluoromethyl Ketones and α -
Amino Esters
(C) 1839–1842 [1871–1874]
DOI: 10.1002/anie.200603745
- Dewhurst, R. D. (C) 2899–2902 [2957–2960]
- Dewynter, G.
– Transannular Rearrangement of Activated
Lactams: Stereoselective Synthesis of Sub-
stituted Pyrrolidine-2,4-diones from Dike-
topiperazines
(C) 7488–7490 [7632–7634]
DOI: 10.1002/anie.200702132
- Dey, S. (C) 7010–7014 [7140–7144]
- Dhanya, R. (C) 2887–2890 [2945–2948]
- Di Marzo, V.
– The 1,2,3-Triazole Ring as a Peptido- and
Olefinomimetic Element: Discovery of
Click Vanilloids and Cannabinoids
(C) 9312–9315 [9472–9475]
DOI: 10.1002/anie.200703590
- Diaconescu, P. L.
– Palladium Nanoparticles Supported on
Polyaniline Nanofibers as a Semi-Hetero-
geneous Catalyst in Water
(C) 7251–7254 [7389–7392]
DOI: 10.1002/anie.200701389
- Diallo, A. K. (C) 8644–8648 [8798–8802]
- Dias, H. V. R.
– Thermally Stable Gold(I) Ethylene
Adducts: $[(\text{HB}\{3,5-(\text{CF}_3)_2\text{Pz}\}_3\text{Au}-$
 $(\text{CH}_2=\text{CH}_2)]$ and $[(\text{HB}\{3-(\text{CF}_3)_2,5-(\text{Ph})\text{Pz}\}_3-$
 $\text{Au}(\text{CH}_2=\text{CH}_2)]$
(C) 7814–7816 [7960–7962]
DOI: 10.1002/anie.200703328
- Dibrov, S. M. (C) 226–229 [230–233]
- Dichiarante, V. (C) 6495–6498 [6615–6618]
- Dichtel, W. R. (C) 4675–4679 [4759–4763]
- Dickerson, M. B. (C) 5724–5727 [5826–
5829]
- Dickinson, C. (C) 8574–8578 [8728–8732]
- Dickman, M. H. (C) 6192–6195 [6305–6308]
- Dickschat, J. S. (C) 2712–2716 [2768–2772],
8287–8290 [8436–8439]
- Dickson, R. M.
– In Vitro and Intracellular Production of
Peptide-Encapsulated Fluorescent Silver
Nanoclusters
(C) 2028–2030 [2074–2076]
DOI: 10.1002/anie.200604253
- Diederich, F.
– A Supramolecular Multiposition Rotary
Device
(C) 4089–4092 [4167–4170]
DOI: 10.1002/anie.200700285
– Charge-Transfer Chromophores by Cyclo-
addition–Retro-electrocyclization: Multi-
valent Systems and Cascade Reactions
(C) 6357–6360 [6473–6477]
DOI: 10.1002/anie.200701733
– Container Molecules with Portals: Revers-
ibly Switchable Cycloalkane Complexa-
tion
(C) 260–264 [264–268]
DOI: 10.1002/anie.200603366
– Editorial: 40 Years of Supramolecular
Chemistry
68–69 [68–70]
DOI: 10.1002/anie.200602704
– Molecular Torsion Balances: Evidence for
Favorable Orthogonal Dipolar Interac-
tions Between Organic Fluorine and
Amide Groups
(C) 8270–8273 [8418–8421]
DOI: 10.1002/anie.200702497
– Phosphate Recognition in Structural Biol-
ogy
(R) 338–352 [342–357]
DOI: 10.1002/anie.200603420
– Potent Inhibitors of tRNA-Guanine Trans-
glycosylase, an Enzyme Linked to the
Pathogenicity of the *Shigella* Bacterium:
Charge-Assisted Hydrogen Bonding
(C) 8266–8269 [8414–8417]
DOI: 10.1002/anie.200702961
- Diederich, W. E. (C) 9105–9109 [9265–
9269]
- Diefenbach, M.
– Towards Molecular Magnetic Switching
with an Electric Bias
(C) 7640–7643 [7784–7787]
DOI: 10.1002/anie.200701901
- Diez, M. T. (C) 4684–4688 [4768–4772]
- Diez Gil, C. (C) 6184–6187 [6297–6300]
- Díez-González, S.
– N-Heterocyclic Carbenes as Organocata-
lysts
(M) 2988–3000 [3046–3058]
DOI: 10.1002/anie.200603380
- Dillmore, W. S. (C) 3066–3069 [3126–3129]
- Dimicoli, I. (C) 2463–2466 [2515–2518]
- Dincă, M. (C) 1419–1422 [1441–1444]
- Dinda, R. (C) 9110–9113 [9270–9273]
- Dinér, P. (C) 1983–1987 [2029–2033]
- Ding, F. (C) 7498–7500 [7642–7644]
- Ding, Ke (C) 1172–1175 [1191–1194]
- Ding, Kunlun (C) 7255–7258 [7393–7396]
- Ding, R. (C) 4543–4546 [4627–4630]
- Diniz da Costa, J. C. (C) 3062–3065 [3122–
3125]
- Dinnebier, R. E. (C) 6729–6731 [6851–
6854]
- Dismukes, G. C.
– ESEEM Spectroscopy Reveals Carbonate
and an N-Donor Protein-Ligand Binding
to Mn^{2+} in the Photoassembly Reaction of
the Mn_4Ca Cluster in Photosystem II
(C) 8028–8031 [8174–8177]
DOI: 10.1002/anie.200702347
- Distefano, M. D.
– A Universal Method for the Preparation of
Covalent Protein–DNA Conjugates for
Use in Creating Protein Nanostructures
(C) 8819–8822 [8975–8978]
DOI: 10.1002/anie.200701942
- Dittmann, E. (C) 2712–2716 [2768–2772]
- Dittrich, B. (C) 2935–2938 [2993–2996]
- Dive, V.
– Cross-Linking Yield Variation of a Potent
Matrix Metalloproteinase Photoaffinity
Probe and Consequences for Functional
Proteomics
(C) 3275–3277 [3339–3341]
DOI: 10.1002/anie.200604408
- Dixon, D. A.
– Acid Initiation of Ammonia–Borane
Dehydrogenation for Hydrogen Storage
(C) 746–749 [760–763]
DOI: 10.1002/anie.200603285
- Dixon, D. J.
– Site-Isolated Base- and Acid-Mediated
Michael-Initiated Cyclization Cascades
(C) 5428–5430 [5524–5526]
DOI: 10.1002/anie.200701079
- Dixon, N. E. (C) 3356–3358 [3420–3422]
- Diyabalanage, H. V. K. (C) 8995–8997
[9153–9155]
- Djurovich, P. I. (C) 1109–1112 [1127–1130]
- Do, P. H. (C) 6658–6661 [6778–6781]
- Döbler, J. (C) 3372–3375 [3437–3440]
- Dobryakov, A. L. (C) 3758–3761 [3832–
3836]
- Doderer, K. (C) 8492–8494 [8644–8646]
- Dognon, J.-P. (C) 1427–1430 [1449–1452]
- Dohi, T. (C) 7458–7461 [7602–7605]
- Doi, M. (C) 2220–2223 [2270–2273]
- Doi, T. (C) 5559–5561 [5655–5657]
- Doi, Y. (C) 3550–3552 [3620–3622]
- Doko, T. (C) 3047–3050 [3107–3110]
- Dolbier Jr., W. R. (C) 2666–2668 [2720–
2722]
- Dömling, A. Corrigendum: 2347
- Donath, E.
– Viruses as Building Blocks for Materials
and Devices
(M) 3184–3193 [3246–3255]
DOI: 10.1002/anie.200603445
- Donati, N. (C) 3567–3570 [3637–3640]
- Dondi, D. (C) 2531–2534 [2583–2586]
- Dong, F. (C) 9253–9256 [9413–9416]
- Dong, W.-F.
– Layer-by-Layer Constructed Macroporous
Architectures
(C) 1702–1705 [1732–1735]
DOI: 10.1002/anie.200604143
- Donnadieu, B. (C) 2899–2902 [2957–2960],
6922–6925 [7047–7050], 7052–7055
[7182–7185]
- Donnelly, S. C. (C) 5754–5756 [5856–5858]
- Donnio, B. (C) 1431–1435 [1453–1457],
2659–2662 [2713–2716]
- Dopfer, O. Corrigendum: 5999
- Dopfer, O.
– Infrared Spectra of Isolated Protonated
Polycyclic Aromatic Hydrocarbons: Proto-
nated Naphthalene
(C) 6714–6716 [6834–6837]
DOI: 10.1002/anie.200701838
– IR Spectra of Protonated Carbonic Acid
and Its Isomeric $\text{H}_3\text{O}^+ \cdot \text{CO}_2$ Complex
(C) 4754–4756 [4838–4840]
DOI: 10.1002/anie.200700750
- Dorbandt, I. (C) 7311–7314 [7452–7455]
- Dormann, K. L. (C) 1160–1163 [1178–1182]
- Dorn, D. C. (C) 1451–1454 [1473–1476]
- Dorofeev, A. S. (C) 7655–7658 [7799–7802]
- Dorton, D. (C) 7082–7085 [7212–7215]
- Dosche, C. (C) 1671–1674 [1701–1704]
- Dose, C. (C) 8384–8387 [8536–8539]
- Doszczak, L. (C) 3367–3371 [3431–3436]
- Dothager, R. S. (C) 2066–2069 [2112–2115]
- Dötz, K. H.
– An Air-Stable Organometallic Low-
Molecular-Mass Gelator: Synthesis,
Aggregation, and Catalytic Application of
a Palladium Pincer Complex
(C) 6368–6371 [6486–6490]
DOI: 10.1002/anie.200701486
- Dou, S.-X. (C) 750–753 [764–767]
- Doublet, M.-L. (C) 3259–3263 [3323–3327]

- Doucet, H.
– Palladium-Based Catalytic Systems for the Synthesis of Conjugated Enynes by Sonogashira Reactions and Related Alkynylation (R) 834–871 [850–888]
DOI: 10.1002/anie.200602761
- Douillard, L. (C) 7404–7407 [7548–7551]
- Douke, T. (C) 5024–5027 [5112–5115]
- Doyle, A. G. (C) 3701–3705 [3775–3779]
- Doyle, P. S.
– A Route to Three-Dimensional Structures in a Microfluidic Device: Stop-Flow Interference Lithography (C) 9027–9031 [9185–9189]
DOI: 10.1002/anie.200703525
- Drechsler, M. (C) 1807–1809 [1839–1841]
- Drennan, C. L. (C) 4145–4147 [4223–4225]
- Dressel, M. (C) 4477–4480 [4561–4564], 6106–6110 [6218–6222]
- Dreyer, B. J. (C) 5864–5867 [5968–5971]
- Drissi, M.
– Consecutive Insertion of a Silylene into the P_4 Tetrahedron: Facile Access to Strained SiP_4 and Si_2P_2 Cage Compounds (C) 4511–4513 [4595–4597]
DOI: 10.1002/anie.200701203
- From a Stable Silylene to a Mixed-Valent Disiloxane and an Isolable Silaformamide—Borane Complex with Considerable Silicon–Oxygen Double-Bond Character (C) 4159–4162 [4237–4240]
DOI: 10.1002/anie.200700398
- Driver, S. M. (C) 700–703 [714–717]
- Drochner, D. (C) 5916–5920 [6020–6024]
- Dronskowski, R. (C) 2931–2934 [2989–2992], 6372–6375 [6491–6494]
- Drylie, E. A. (C) 7839–7843 [7985–7989]
- Du, L. (C) 6626–6628 [6746–6748]
- Du, W. (C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137], 7667–7670 [7811–7814]
- du Mont, W.-W.
– From 2,4-Diphospha-3-Thia- and -3-Sele-napentadienes $[(Me_3Si)_2C=P]_2E$ to Hetero-norbornane Cage Compounds (C) 8682–8685 [8836–8839]
DOI: 10.1002/anie.200703000
- Duan, L. (C) 2431–2434 [2483–2486], 6996–7000 [7126–7130]
- Duan, T. (C) 3579–3583 [3650–3654]
- Duan, W.-L. (C) 5901–5903 [6005–6007]
- Duan, X.-H. (C) 7068–7071 [7198–7201]
- Duan, Y.-Z. (C) 7667–7670 [7811–7814]
- Duan, Z.-C. (C) 7810–7813 [7956–7959]
- Duarte, M. T. (C) 5750–5753 [5852–5855]
- Dubbaka, S. R. (C) 9093–9096 [9251–9255]
- Dubbeldam, D. (C) 276–278 [280–282], 4496–4499 [4580–4583]
- Dubertret, B. (C) 5421–5424 [5517–5520]
- Dubois, G. (C) 945–947 [963–965]
- Dubois, P. (C) 4719–4721 [4803–4805]
- Duchateau, R.
– Single-Site, Single-Component Catalysts for Very High Molecular Weight Polyethylene: A Robust “Ready-To-Go” Vanadium π -Bonded Complex Without a Preformed V–C Bond (C) 6119–6122 [6231–6234]
DOI: 10.1002/anie.200701703
- Duckworth, B. P. (C) 8819–8822 [8975–8978]
- Dudnik, A. S. (C) 5195–5197 [5287–5289]
- Duhayon, C. (C) 4337–4341 [4415–4419], 6313–6315 [6429–6431]
- Dumas, S. (C) 8171–8173 [8319–8321]
- Dumelin, C. E. (C) 4671–4674 [4755–4758]
- Dumesic, J. A.
– Liquid-Phase Catalytic Processing of Biomass-Derived Oxygenated Hydrocarbons to Fuels and Chemicals (R) 7164–7183 [7298–7318]
DOI: 10.1002/anie.200604274
- Duncan, T. V. (C) 9235–9238 [9395–9398]
- Dunet, H. (C) 5238–5241 [5331–5334]
- Dunin-Borkowski, R. E.
– Aberration-Corrected Imaging of Active Sites on Industrial Catalyst Nanoparticles (C) 3683–3685 [3757–3759]
DOI: 10.1002/anie.200604811
- Dunn, T. B. (C) 4693–4697 [4777–4781], 4698–4703 [4782–4787]
- Dunsby, C. (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
- Dunsch, L.
– Violating the Isolated Pentagon Rule (IPR): The Endohedral Non-IPR C_{70} Cage of $Sc_3N@C_{70}$ (C) 1256–1259 [1278–1281]
DOI: 10.1002/anie.200603281
- Dupas, G. (C) 7090–7093 [7220–7223]
- Duplais, C. (C) 4364–4366 [4442–4444]
- Durola, F. (C) 3537–3540 [3607–3610]
- Duschek, A. (C) 2310–2313 [2360–2363]
- Dutheil, G. (C) 1290–1292 [1312–1314], 7491–7494 [7635–7638]
- Duval, P. B.
– A *cis*-Dioxido Uranyl: Fluxional Carboxylate Activation from a Reversible Coordination Polymer (C) 6622–6625 [6742–6745]
DOI: 10.1002/anie.200701513
- Duverger, E. (C) 9287–9290 [9447–9450]
- Duxbury, C. J. (C) 8452–8454 [8604–8606]
- Dyson, P. J. (C) 5384–5388 [5480–5484]
- Edelmann, A. (C) 6732–6734 [6855–6857]
- Edelmann, F. T.
– $[(C_5Me_5)_2Yb(\mu-\eta^8, \eta^8-cot'')Yb(\mu-\eta^8, \eta^8-cot'')Yb(C_5Me_5)]$ —A Unique Tetradecar Sandwich Complex of a Divalent Lanthanide (C) 6732–6734 [6855–6857]
DOI: 10.1002/anie.200702148
- Edge, R. (C) 7844–7848 [7990–7994]
- Edie, M. J. (C) 6706–6709 [6826–6829]
- Edmonds, D. J. (C) 3942–3945 [4016–4019], 4712–4714 [4796–4798]
- Edura, T. (C) 5364–5368 [5460–5464]
- Edwards, D. R. (C) 7799–7802 [7945–7948]
- Edwards, M. A. (C) 584–586 [590–592]
- Edwards, N. Y. (C) 8212–8215 [8360–8363]
- Edwards, P. P.
– Gold in a Metallic Divided State—From Faraday to Present-Day Nanoscience (E) 5480–5486 [5576–5582]
DOI: 10.1002/anie.200700428
- Eggeling, C. (C) 6266–6270 [6382–6386]
- Eggert, T.
– An *R*-Selective Hydroxynitrile Lyase from *Arabidopsis thaliana* with an α/β -Hydrolase Fold (C) 8679–8681 [8833–8835]
DOI: 10.1002/anie.200701455
- Egner, A. (C) 6266–6270 [6382–6386]
- Egusa, S. (C) 2063–2065 [2109–2111]
- Ehler, D. S. (C) 2669–2671 [2723–2725]
- Ehlers, A.
– Mechanisms of Cyaphide ($C\equiv P^-$) Formation (C) 7878–7881 [8024–8027]
DOI: 10.1002/anie.200702442
- Ehlers, A. P. (C) 3750–3753 [3824–3827]
- Ehli, C. (C) 3521–3525 [3591–3595]
- Eichberg, M. J. (C) 6894–6898 [7018–7022]
- Eichelberger, U. Corrigendum: 2347
- Eichhöfer, A. (C) 8254–8257 [8402–8405]
- Eichler, J.
– Synthetic Mimetics of the CD4 Binding Site of HIV-1 gp120 for the Design of Immunogens (C) 1253–1255 [1275–1277]
DOI: 10.1002/anie.200603274
- Einhorn, C. (C) 3080–3083 [3140–3143]
- Einhorn, J.
– Variable C_2 -Symmetric Analogues of *N*-Hydroxyphthalimide as Enantioselective Catalysts for Aerobic Oxidation: Kinetic Resolution of Oxazolidines (C) 3080–3083 [3140–3143]
DOI: 10.1002/anie.200603780
- Eisenberger, P. (C) 754–757 [768–771]
- Eklund, P. (C) 4148–4150 [4226–4228]
- El Alaoui, A. (C) 6469–6472 [6589–6592]
- El-Idreesy, T. T. (C) 8883–8886 [9040–9043]
- El Sous, M. (C) 7835–7838 [7981–7984]
- Eliash, R. (C) 3710–3713 [3784–3787]
- Eliot, A. C. (C) 9089–9092 [9247–9250]
- Elisei, F. (C) 414–420 [418–424]
- Eller, S. (C) 4173–4175 [4251–4253]
- Ellinger, B. (C) 4180–4183 [4258–4261]
- Elliott, B. (C) 6626–6628 [6746–6748], 9032–9035 [9190–9193]
- Elliott, S. J.
– Direct Electrochemical Characterization of Archaeal Thioredoxins (C) 4145–4147 [4223–4225]
DOI: 10.1002/anie.200604620
- Ellis, D. (C) 6706–6709 [6826–6829]
- Ellis, D. E. (C) 4496–4499 [4580–4583]
- Ellis, G. (C) 6278–6283 [6394–6399]



- Ebeling, H. (C) 4790–4793 [4874–4877]
- Ebi, T. (C) 1086–1088 [1104–1106]
- Ebitani, K. (C) 3288–3290 [3352–3354]
- Echavarren, A. M.
– Intramolecular Carbostannylation of Alkynes Catalyzed by Silver(I) Species (C) 2672–2676 [2726–2730]
DOI: 10.1002/anie.200605041
- Echegoyen, L.
– The Large $Nd_3N@C_{2n}$ ($40 \leq n \leq 49$) Cluster Fullerene Family: Preferential Templating of a C_{88} Cage by a Trimetallic Nitride Cluster (C) 9032–9035 [9190–9193]
DOI: 10.1002/anie.200703489
- Echegoyen, L. (C) 6626–6628 [6746–6748], 9081–9085 [9239–9243]
- Écija, D. (C) 7874–7877 [8020–8023]
- Eckert, J. (C) 3278–3283 [3342–3347]
- Eddaoudi, M.
– Assembly of Metal–Organic Frameworks (MOFs) Based on Indium–Trimer Building Blocks: A Porous MOF with soc Topology and High Hydrogen Storage (C) 3278–3283 [3342–3347]
DOI: 10.1002/anie.200604306

- Ellis, J. E.
– Bis(1,2,3,4- η^4 -anthracene)ferrate(1 –): A Paramagnetic Homoleptic Polyarene Transition-Metal Anion (C) 6132–6136 [6244–6248]
DOI: 10.1002/anie.200701353
- [Fe(CNXYl)₄]^{2–}: An Isolable and Structurally Characterized Homoleptic Isocyanide-metalate Dianion (C) 598–600 [604–606]
DOI: 10.1002/anie.200603746
- Ellison, G. B. (C) 4948–4950 [5036–5038]
- Ellul, C. E. (C) 6343–6345 [6459–6461]
- Elsegood, M. R. J. (C) 7453–7457 [7597–7601]
- Elsner, P. (C) 9202–9205 [9362–9365]
- Emerson, J. P. (H) 8553–8556 [8705–8708]
- Emery, P. R. (C) 4132–4135 [4210–4213]
- Emmrechts, G. (C) 2501–2504 [2553–2556]
- Emsley, L.
– Solid-State NMR Spectroscopy of a Paramagnetic Protein: Assignment and Study of Human Dimeric Oxidized Cu^{II}–Zn^{II} Superoxide Dismutase (SOD) (C) 1079–1082 [1097–1100]
DOI: 10.1002/anie.200603093
- Enders, D.
– Asymmetric Nucleophilic Glyoxylation through a Metalated α -Aminonitrile Derivative in Michael Additions to Nitroalkenes (C) 2314–2316 [2364–2367]
DOI: 10.1002/anie.200604802
- Asymmetric Organocatalytic Domino Reactions (M) 1570–1581 [1590–1601]
DOI: 10.1002/anie.200603129
- Organocatalytic One-Pot Asymmetric Synthesis of Functionalized Tricyclic Carbon Frameworks from a Triple-Cascade/Diels–Alder Sequence (C) 467–469 [471–473]
DOI: 10.1002/anie.200603434
- Endlar, D. (C) 7655–7658 [7799–7802]
- Endo, K. (C) 8060–8062 [8206–8208]
- Engelhard, M.
– Secondary Structure, Dynamics, and Topology of a Seven-Helix Receptor in Native Membranes, Studied by Solid-State NMR Spectroscopy (C) 459–462 [463–466]
DOI: 10.1002/anie.200602139
- Engelhardt, L. (C) 1340–1344 [1362–1366], 6106–6110 [6218–6222]
- Englert, U. (C) 5164–5167 [5256–5259]
- Englund, E. A. (C) 1414–1418 [1436–1440]
- Engmann, S. (C) 9032–9035 [9190–9193]
- Enick, R. M.
– Fiber Formation by Highly CO₂-Soluble Bisureas Containing Peracetylated Carbohydrate Groups (C) 3284–3287 [3348–3351]
DOI: 10.1002/anie.200604844
- Enkelmann, V. (C) 5524–5527 [5620–5623]
- Enright, G. D. (C) 8220–8222 [8368–8370]
- Enyashin, A. N. (C) 623–627 [631–635]
- Ephritikhine, M.
– The Crucial Role of the f Electrons in the Bent or Linear Configuration of Uranium Cyanido Metalloenes (C) 2010–2012 [2056–2058]
DOI: 10.1002/anie.200604114
- Epstein, F. H. (C) 8171–8173 [8319–8321]
- Eremenko, O. V. (C) 4302–4305 [4380–4383]
- Erhardt, S. (C) 6706–6709 [6826–6829]
- Eriksson, L. (C) 4507–4510 [4591–4594]
- Erker, G.
– A 1,8-Naphthylene-Bridged Bis(indenyl)-zinc THF Adduct: Formation and Structure of an ansa-Zincocene Derivative (C) 4905–4908 [4992–4995]
DOI: 10.1002/anie.200605069
- Ermler, U.
– Towards Biological Supramolecular Chemistry: A Variety of Pocket-Templated, Individual Metal Oxide Cluster Nucleations in the Cavity of a Mo/W-Storage Protein (C) 2408–2413 Corrigendum: 2970 [2460–2465 Corrigendum: 3028]
DOI: 10.1002/anie.200604858
- Ernst, K.-H.
– Buckybowls on Metal Surfaces: Symmetry Mismatch and Enantiomorphism of Corannulene on Cu(110) (C) 8258–8261 [8406–8409]
DOI: 10.1002/anie.200700610
- Ernst, S.
– Zeolite SSZ-53: An Extra-Large-Pore Zeolite with Interesting Catalytic Properties (C) 7304–7306 [7443–7446]
DOI: 10.1002/anie.200701634
- Eschenmoser, A.
– Mapping the Landscape of Potentially Primordial Informational Oligomers: Oligodipeptides and Oligodipeptoids Tagged with Triazines as Recognition Elements (C) 2470–2477 [2522–2529]
DOI: 10.1002/anie.200603207
- Mapping the Landscape of Potentially Primordial Informational Oligomers: Oligodipeptides Tagged with 2,4-Disubstituted 5-Aminopyrimidines as Recognition Elements (C) 2478–2484 [2530–2536]
DOI: 10.1002/anie.200603209
- Escorihuela, J. (C) 9002–9005 [9160–9163]
- Escudero-Adán, E. C. (C) 7247–7250 [7385–7388]
- Esdaile, L. J. (C) 2090–2093 [2136–2139]
- Eshdat, L. (C) 1473–1475 [1495–1497]
- Espinosa Alonso, L. (C) 7224–7227 [7362–7365]
- Esposito, S. (C) 4325–4328 [4403–4406]
- Esposti, S. (C) 2531–2534 [2583–2586]
- Esquivias, J. (C) 9257–9260 [9417–9420]
- Eswaramoorthy, M.
– Form Emerges from Formless Entities: Temperature-Induced Self-Assembly and Growth of ZnO Nanoparticles into Zeptoliter Bowls and Troughs (C) 5962–5965 [6066–6069]
DOI: 10.1002/anie.200701771
- Etzkorn, M. (C) 459–462 [463–466]
- Eubank, J. F. (C) 3278–3283 [3342–3347]
- Eujen, R. (C) 6346–6349 [6462–6465]
- Evangelisti, M.
– A Ferromagnetic Mixed-Valent Mn Supertetrahedron: Towards Low-Temperature Magnetic Refrigeration with Molecular Clusters (C) 4456–4460 [4540–4544]
DOI: 10.1002/anie.200701027
- Evano, G.
– Total Synthesis of Paliurine F (C) 572–575 [578–581]
DOI: 10.1002/anie.200602865
- Evans, D. A.
– Enantioselective Synthesis of Oasomycin A, Part I: Synthesis of the C1–C12 and C13–C28 Subunits (C) 537–540 [543–546]
DOI: 10.1002/anie.200603653
- Enantioselective Synthesis of Oasomycin A, Part II: Synthesis of the C29–C46 Subunit (C) 541–544 [547–550]
DOI: 10.1002/anie.200603654
- Enantioselective Synthesis of Oasomycin A, Part III: Fragment Assembly and Confirmation of Structure (C) 545–548 [551–554]
DOI: 10.1002/anie.200603652
- Total Synthesis of (+)-Azaspiracid-1. Part I: Synthesis of the Fully Elaborated ABCD Aldehyde (C) 4693–4697 [4777–4781]
DOI: 10.1002/anie.200701515
- Total Synthesis of (+)-Azaspiracid-1. Part II: Synthesis of the EFGHI Sulfone and Completion of the Synthesis (C) 4698–4703 [4782–4787]
DOI: 10.1002/anie.200701520
- Evans, Jaime (C) 1329–1332 [1351–1354]
- Evans, John
– Rhodium Dispersion during NO/CO Conversions (C) 5356–5358 [5452–5454]
DOI: 10.1002/anie.200701419
- Evans, P.
– X-ray Crystal Structure of an Alkene–Pentacarbonyldicobalt–Alkyne Complex: Isolation of a Stable Magnus-Type Pauson–Khand Reaction Intermediate (C) 2907–2910 [2965–2968]
DOI: 10.1002/anie.200605171
- Evans, P. A.
– Enantioselective Total Synthesis of the Polycyclic Guanidine-Containing Marine Alkaloid (–)-Batzelladine D (C) 7417–7419 [7561–7563]
DOI: 10.1002/anie.200700840
- Exler, J. H. (C) 3559–3562 [3629–3632]



- Fabbretti, F. (C) 6915–6917 [7040–7042]
- Faber, K.
– Asymmetric Bioreduction of Activated Alkenes Using Cloned 12-Oxophytodienate Reductase Isoenzymes OPR-1 and OPR-3 from *Lycopersicon esculentum* (Tomato): A Striking Change of Stereoselectivity (C) 3934–3937 [4008–4011]
DOI: 10.1002/anie.200605168
- Fabris, F.
– Gas Hosting in Enantiopure Self-Assembled Oximes (C) 4972–4975 [5060–5063]
DOI: 10.1002/anie.200701123
- Fackler Jr., J. P.
– Frank Albert Cotton (O) 3790 [3864]
DOI: 10.1002/anie.200701625

- Fagnoni, M.
- Acylation of Electrophilic Olefins through Decatungstate-Photocatalyzed Activation of Aldehydes (C) 2531–2534 [2583–2586] DOI: 10.1002/anie.200604820
 - Metal-Free Synthesis of Sterically Crowded Biphenyls by Direct Ar–H Substitution in Alkyl Benzenes (C) 6495–6498 [6615–6618] DOI: 10.1002/anie.200701462
- Faivre, D. (C) 8495–8499 [8647–8652]
- Falciani, C. (C) 1810–1813 [1842–1845]
- Falciola, C. A. (C) 2619–2622 [2673–2676], 7462–7465 [7606–7609]
- Falck, J. R.
- Chromium–Carbyne Complexes: Intermediates for Organic Synthesis (C) 1719–1722 [1749–1752] DOI: 10.1002/anie.200604015
 - Synthesis and Stereochemical Assignment of FR252921, a Promising Immunosuppressant (C) 4527–4529 [4611–4613] DOI: 10.1002/anie.200700321
- Falqui, A. (C) 7079–7081 [7209–7211]
- Famulok, M.
- Polyamide Struts for DNA Architectures (C) 4382–4384 [4460–4462] DOI: 10.1002/anie.200700469
 - RNA Ligands That Distinguish Metabolite-Induced Conformations in the TPP Riboswitch (C) 557–560 [563–566] DOI: 10.1002/anie.200603166
- Fan, B.-M. (C) 1275–1277 [1297–1299]
- Fan, D. (C) 3342–3345 [3406–3409]
- Fan, Hongjun (C) 8246–8249 [8394–8397]
- Fan, Hongyou (C) 8445–8448 [8597–8600]
- Fan, J. (C) 8013–8016 [8159–8162]
- Fan, R. (C) 2414–2417 [2466–2469]
- Fan, Y. (C) 2051–2054 [2097–2100]
- Fañanás, F. J. (C) 2607–2609 [2661–2663]
- Fandrick, D. R. (C) 6123–6125 [6235–6237]
- Fang, F.-C. (C) 2418–2421 [2470–2473]
- Fang, G. Y. (C) 359–362 [363–366]
- Fang, Q.-R. (C) 6638–6642 [6758–6762]
- Fang, Xiaohong (C) 3915–3917 [3989–3991]
- Fang, Xikui (C) 3877–3880 [3951–3954]
- Fang, Z. (C) 5554–5558 Corrigendum: 7730 [5650–5654 Corrigendum: 7874]
- Fanghänel, T. (C) 919–922 [937–940]
- Fanlo, H. (C) 4136–4140 [4214–4218]
- Farha, O. K. (C) 3018–3022 [3078–3082]
- Farjon, J. Corrigendum: 7730
- Farquhar, E. R. (H) 8553–8556 [8705–8708]
- Farran, D. (C) 7488–7490 [7632–7634]
- Farrer, R. A. (R) 6238–6258 [6352–6374]
- Fasan, R. (C) 8414–8418 [8566–8570]
- Fasel, R.
- Buckybowls on Metal Surfaces: Symmetry Mismatch and Enantiomorphism of Corannulene on Cu(110) (C) 8258–8261 [8406–8409] DOI: 10.1002/anie.200700610
 - Self-Assembly of Periodic Bicomponent Wires and Ribbons (C) 1814–1818 [1846–1850] DOI: 10.1002/anie.200604083
- Fässler, T. F.
- $[\text{Au}_3\text{Ge}_{45}]^9-$ —A Binary Anion Containing a $\{\text{Ge}_{45}\}$ Cluster (C) 5310–5313 [5404–5407] DOI: 10.1002/anie.200603389
 - $[\text{Au}_3\text{Ge}_{18}]^{5-}$ —A Gold–Germanium Cluster with Remarkable Au–Au Interactions (C) 1638–1640 [1663–1666] DOI: 10.1002/anie.200602003
 - Germanium(*cf*136): A New Crystalline Modification of Germanium with the Porous Clathrate-II Structure (H) 2572–2575 [2624–2628] DOI: 10.1002/anie.200604586
 - $\text{Na}_{29}\text{Zn}_{24}\text{Sn}_{32}$: A Zintl Phase Containing a Novel Type of $\{\text{Sn}_{14}\}$ Enneahedra and Heteroatomic $\{\text{Zn}_8\text{Sn}_4\}$ Icosahedra (C) 3144–3148 [3205–3209] DOI: 10.1002/anie.200604356
- Fateyev, V. N. (C) 7244–7246 [7382–7384]
- Faulds, K.
- Quantitative Simultaneous Multianalyte Detection of DNA by Dual-Wavelength Surface-Enhanced Resonance Raman Scattering (C) 1829–1831 [1861–1863] DOI: 10.1002/anie.200604265
- Favor, D. A. (C) 4698–4703 [4782–4787]
- Fdez. Galván, I. (C) 9019–9022 [9177–9180]
- Fecher, G. H. (R) 668–699 [680–713]
- Fedushkin, I. L.
- $[(\text{dpp-bian})\text{Zn}(\text{Zn}(\text{dpp-bian}))]$: A Zinc–Zinc-Bonded Compound Supported by Radical-Anionic Ligands (C) 4302–4305 [4380–4383] DOI: 10.1002/anie.200605251
- Fehr, C.
- Catalytic Enantioselective Tautomerization of Isolated Enols (C) 7119–7121 [7249–7251] DOI: 10.1002/anie.200701428
- Fehr, C. (C) 1307–1310 [1329–1332]
- Fekl, U.
- Push–Pull Molybdenum Trisulfonates Allow Rapid Nonconventional Binding of Ethylene at Ligand Sulfur Atoms (C) 7644–7647 [7788–7791] DOI: 10.1002/anie.200702036
- Feldman, K. (C) 4956–4959 [5044–5047]
- Feldmann, J.
- Pentavalent Arsenic Can Bind to Biomolecules (C) 2594–2597 [2648–2651] DOI: 10.1002/anie.200604805
- Felser, C.
- Spintronics: A Challenge for Materials Science and Solid-State Chemistry (R) 668–699 [680–713] DOI: 10.1002/anie.200601815
- Feng, F. (C) 7882–7886 [8028–8032]
- Feng, J.
- The Chemical Imagination at Work in *Very Tight Places* (R) 3620–3642 [3694–3717] DOI: 10.1002/anie.200602485
- Feng, P. (C) 8388–8391 [8540–8543]
- Feng, Xiaoming
- Asymmetric Activation of *tropos* 2,2'-Biphenol with Cinchonine Generates an Effective Catalyst for the Asymmetric Strecker Reaction of *N*-Tosyl-Protected Aldimines and Ketoimines (C) 8468–8470 [8620–8622] DOI: 10.1002/anie.200703188
- Feng, Xiaoying (C) 3313–3315 [3377–3379]
- Feng, Xinliang (C) 3033–3036 [3093–3096]
- Fenske, Daniela (C) 2923–2926 [2981–2984]
- Fenske, Dieter
- Molecular Structure and Theoretical Studies of $(\text{PPh}_3)_2[\text{Bi}_{10}\text{Cu}_{10}(\text{SPh})_{24}]$ (C) 8254–8257 [8402–8405] DOI: 10.1002/anie.200703325
- Fensterbank, L.
- From PtCl_2 - and Acid-Catalyzed to Uncatalyzed Cycloisomerization of 2-Propargyl Anilines: Access to Functionalized Indoles (C) 1881–1884 [1913–1916] DOI: 10.1002/anie.200604026
- Férey, G. (C) 3259–3263 [3323–3327], 5877–5879 [5981–5983]
- Ferguson, M. J. (C) 9081–9085 [9239–9243]
- Feringa, B. L.
- Controlled Rotary Motion in a Monolayer of Molecular Motors (C) 1278–1280 [1300–1302] DOI: 10.1002/anie.200603618
 - Molecular Transmission: Controlling the Twist Sense of a Helical Polymer with a Single Light-Driven Molecular Motor (C) 3693–3696 [3767–3770] DOI: 10.1002/anie.200604941
- Feringa, B. L. (C) 9308–9311 [9468–9471]
- Fernández, I. (C) 5215–5218 [5307–5310]
- Fernández-Cortabitarte, C. (C) 5425–5427 [5521–5523]
- Fernández-García, M.
- “Oxidationless” Promotion of Rapid Palladium Redispersion by Oxygen during Redox $\text{CO}/(\text{NO} + \text{O}_2)$ Cycling (C) 8629–8631 [8783–8785] DOI: 10.1002/anie.200702134
- Fernández-Nieves, A. (C) 1819–1822 [1851–1854]
- Fernández-Rodríguez, M. A. (C) 2610–2612 [2664–2666]
- Ferré, N. (C) 414–420 [418–424]
- Ferreira, A. C.
- Borate Esters as Alternative Acid Promoters in the Palladium-Catalyzed Methoxycarbonylation of Ethylene (C) 2273–2275 [2323–2325] DOI: 10.1002/anie.200603751
- Ferrer, J. M. (C) 1999–2001 [2045–2047]
- Ferreri, C. (C) 1914–1916 [1946–1948]
- Ferri, D. (C) 3905–3908 [3979–3982]
- Ferris, L. A. (C) 4333–4336 [4411–4414]
- Fesko, K. (C) 1624–1626 [1648–1651]
- Fessard, T. C. (C) 2078–2081 [2124–2127], 9331–9334 [9492–9495]
- Fettinger, J. C. (C) 8782–8784 [8938–8940]
- Fey, T.
- The Renaissance of H/D Exchange (R) 7744–7765 [7890–7911] DOI: 10.1002/anie.200700039
- Fianchini, M. (C) 2188–2191 [2238–2241]
- Ficht, S. (C) 5975–5979 [6079–6083]
- Fiddy, S. G. (C) 5356–5358 [5452–5454]
- Fiechter, S.
- On the Structure of Carbon-Supported Selenium-Modified Ruthenium Nanoparticles as Electrocatalysts for Oxygen Reduction in Fuel Cells (C) 7311–7314 [7452–7455] DOI: 10.1002/anie.200701473
- Field, M. J. (C) 9019–9022 [9177–9180]
- Fiellie, A.
- Controlling the Bonding of CO on Cobalt Clusters by Coadsorption of H_2 (C) 5317–5320 [5411–5414] DOI: 10.1002/anie.200605165
- Filinchuk, Y.
- Magnesium Borohydride: Synthesis and Crystal Structure (C) 5765–5767 [5867–5869] DOI: 10.1002/anie.200700773

- Filinchuk, Y. (C) 8895–8897 [9052–9055]
 Filser, C. (C) 2108–2111 [2155–2159]
 Findeisen, M. (C) 3118–3121 [3179–3182], (L) 6926 [7051]
 Findlay, A. D. (C) 6699–6702 [6819–6822]
 Fink, G.
 – Helical Microstructure of Polynorbornene (C) 3745–3749 [3819–3823]
 DOI: 10.1002/anie.200604264
 Finn, M. G. (C) 7023–7025 [7153–7155]
 Finsy, V. (C) 4293–4297 [4371–4375]
 Finze, M.
 – Carbon Extrusion/Cluster Contraction: Synthesis of the Fluorinated Cyano-*closo*-Undecaborate $K_2[3\text{-NC-closo-B}_{11}\text{F}_{10}]$ (C) 8880–8882 [9036–9039]
 DOI: 10.1002/anie.200703385
 – Trifluoromethylboranes and -Borates: New Synthetic Strategies and Applications (R) 9180–9196 [9340–9357]
 DOI: 10.1002/anie.200700826
 Finze, M. (C) 2927–2930 [2985–2988]
 Fioravanti, G. (C) 3521–3525 [3591–3595]
 Fiorini-Debuschert, C. (C) 7404–7407 [7548–7551]
 Fire, A. Z.
 – Gene Silencing by Double-Stranded RNA (Nobel Lecture) (R) 6966–6984 [7094–7113]
 DOI: 10.1002/anie.200701979
 Fischer, D. (C) 4764–4766 [4848–4850]
 Fischer, D. F. (C) 7704–7707 [7848–7851]
 Fischer, F. R. (R) 338–352 [342–357], (C) 8270–8273 [8418–8421]
 Fischer, G. M. (C) 3750–3753 [3824–3827]
 Fischer, P. (C) 6184–6187 [6297–6300]
 Fischer, R. (C) 1618–1623 [1642–1647], (M) 1950–1956 [1994–2001]
 Fischer, R. W. (C) 7301–7303 [7440–7442]
 Fischlechner, M. (M) 3184–3193 [3246–3255]
 Fisher, J. (C) 9086–9088 [9244–9246]
 FitzGerald, N. J. (C) 8640–8643 [8794–8797]
 Flannigan, D. J. (C) 9206–9210 [9366–9370]
 Flapper, J. (C) 8590–8592 [8744–8746]
 Fleming, F. F.
 – Metalated Nitriles: Internal 1,2-Asymmetric Induction (C) 7098–7100 [7228–7230]
 DOI: 10.1002/anie.200701550
 Fleming, M. J. (C) 433–436 [437–440]
 Fletcher, S. (C) 223–225 [227–229]
 Flood, A. H. (C) 6093–6097 [6205–6209]
 Floreancig, P. E.
 – Oxidative Cleavage in the Construction of Complex Molecules: Synthesis of the Leucascandrolide A Macrolactone (C) 8464–8467 [8616–8619]
 DOI: 10.1002/anie.200702999
 Florence, G. J. (C) 6167–6171 [6279–6283]
 Florent, J.-C. (C) 6469–6472 [6589–6592]
 Flórez, J. (C) 4136–4140 [4214–4218]
 Flors, C. (H) 8330–8332 [8480–8482]
 Flosadóttir, H. D. (C) 8057–8059 [8203–8205]
 Flowers II, R. A.
 – Mechanistic Studies of Proton-Donor Coordination to Samarium Diiodide (C) 8160–8163 [8308–8311]
 DOI: 10.1002/anie.200702571
 – Solvation-Controlled Luminescence of Sm^{III} Complexes (C) 1145–1148 [1163–1166]
 DOI: 10.1002/anie.200604100
 Flügge, S. (C) 5545–5548 [5641–5644]
 Flynn, G. W.
 – Forming Aromatic Hemispheres on Transition-Metal Surfaces (C) 7891–7895 [8037–8041]
 DOI: 10.1002/anie.200701117
 Fokin, V. V.
 – Copper-Catalyzed Synthesis of *N*-Sulfonyl-1,2,3-triazoles: Controlling Selectivity (C) 1730–1733 [1760–1763]
 DOI: 10.1002/anie.200604241
 Fokwa, B. P. T. (C) 6372–6375 [6491–6494]
 Fölling, J. (C) 6266–6270 [6382–6386]
 Fomin, E. (C) 5757–5761 [5859–5863]
 Fonović, M. (C) 1284–1286 [1306–1308]
 Fontaine, F.-G.
 – Synthesis and Characterization of Tantalum(V) Boronate Clusters: Multifunctional Lewis Acid Cages for Binding Guests (C) 4979–4982 [5067–5070]
 DOI: 10.1002/anie.200700801
 Fontecilla-Camps, J. C.
 – The Enamine Intermediate May Not Be Universal to Thiamine Catalysis (C) 9019–9022 [9177–9180]
 DOI: 10.1002/anie.200702993
 Förch, R. (C) 4944–4947 [5032–5035]
 Ford, J. (C) 3896–3899 [3970–3973]
 Forest, E.
 – Discrimination and Selective Enhancement of Signals in the MALDI Mass Spectrum of a Protein by Combining a Matrix-Based Label for Lysine Residues with a Neutral Matrix (C) 5594–5597 [5690–5693]
 DOI: 10.1002/anie.200700811
 Fornarini, S.
 – Meisenheimer Complexes Positively Characterized as Stable Intermediates in the Gas Phase (C) 1995–1998 [2041–2044]
 DOI: 10.1002/anie.200604630
 Forrest, S. R. (C) 1109–1112 [1127–1130]
 Forró, L. (C) 441–444 [445–448]
 Förster, C. (C) 1156–1159 [1174–1177]
 Forster, M. (C) 5212–5214 [5304–5306]
 Forster, P. M. (C) 5877–5879 [5981–5983]
 Forster, R. (C) 7281–7285 [7419–7423]
 Forsyth, C. J.
 – Gold(I)-Catalyzed Bis-Spiroketalization: Synthesis of the Trioxadispiroketal-Containing A–D Rings of Azaspiracid (C) 279–282 [283–286]
 DOI: 10.1002/anie.200601963
 Fossati, G. (C) 3526–3529 [3596–3599]
 Fossey, J. S.
 – An Intermolecular Double [2+2] Cyclo-dimerization of a Tetraalkyne (C) 2266–2268 [2316–2318]
 DOI: 10.1002/anie.200604259
 Foster, B. S. (C) 1839–1842 [1871–1874]
 Fourkas, J. T.
 – Multiphoton Fabrication (R) 6238–6258 [6352–6374]
 DOI: 10.1002/anie.200603995
 Fournié, J.-J. (C) 2523–2526 [2575–2578]
 Fout, A. R. (C) 8246–8249 [8394–8397]
 Fowler, P. W. (C) 1889–1892 [1921–1924]
 Fox, A. R. (C) 973–976 [991–994]
 Foxon, S. P. (C) 3686–3688 [3760–3762]
 Foy, M. (C) 5754–5756 [5856–5858]
 Fragosó, A. (C) 202–205 [206–209]
 Frampton, M. J. (R) 1028–1064 [1046–1083]
 Français, A. (C) 8662–8665 [8816–8819]
 Franchi, P. (C) 6336–6338 [6452–6454]
 Francis, M. B.
 – Integration of a Self-Assembling Protein Scaffold with Water-Soluble Single-Walled Carbon Nanotubes (C) 4370–4373 [4448–4451]
 DOI: 10.1002/anie.200700333
 Francisco, J. S.
 – Side-On versus End-On Bonding of O_2 to the FSO_3 Radical: Matrix Isolation and Ab Initio Study of FSO_3 (C) 3754–3757 [3828–3831]
 DOI: 10.1002/anie.200604346
 François, B. Corrigendum: 2971
 Frangioni, J. V.
 – Synthesis of Conjugatable Bisphosphonates for Molecular Imaging of Large Animals (C) 7969–7971 [8115–8117]
 DOI: 10.1002/anie.200701216
 Frank, D. (C) 4574–4576 [4658–4660]
 Franke, R. (C) 1253–1255 [1275–1277]
 Franks, W. T. (C) 8380–8383 [8532–8535]
 Frech, C. M.
 – Short, Facile, and High-Yielding Synthesis of Extremely Efficient Pincer-Type Suzuki Catalysts Bearing Aminophosphine Substituents (C) 6514–6517 [6634–6637]
 DOI: 10.1002/anie.200701804
 Fréchet, J. M. J.
 – Fluorocarbon Resist for High-Speed Scanning Probe Lithography (C) 7477–7480 [7621–7624]
 DOI: 10.1002/anie.200701496
 Frederick, M. O. (E) 5278–5282 [5372–5376], (C) 8875–8879 [9031–9035]
 Fredrickson, D. C. (R) 1958–1976 [2004–2023]
 Freire, F. (C) 7056–7059 [7186–7189]
 Freixa, Z. (C) 7247–7250 [7385–7388]
 French, P. M. W.
 – Fluorescence-Lifetime Imaging of DNA–Dye Interactions within Continuous-Flow Microfluidic Systems (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
 DOI: 10.1002/anie.200604112
 Frenking, G. Corrigendum: 5263
 Frenking, G.
 – $\text{C}(\text{NHC})_2$: Divalent Carbon(0) Compounds with N-Heterocyclic Carbene Ligands—Theoretical Evidence for a Class of Molecules with Promising Chemical Properties (C) 8695–8698 [8850–8853]
 DOI: 10.1002/anie.200701632
 – Reply to Réplique: A New Concept for Bonding in Carbodiphosphoranes? (L) 2986–2987 [3044–3045]
 DOI: 10.1002/anie.200700327
 – Synthesis and Electronic Structure of a Ferroborene (C) 5215–5218 [5307–5310]
 DOI: 10.1002/anie.200700382
 Fretz, M. (C) 5880–5884 [5984–5988]
 Freund, H.-J. (C) 8703–8706 [8858–8861]
 Freund-Renard, A. (C) 9015–9018 [9173–9176]
 Frey, H.-M. (C) 7449–7452 [7593–7596]
 Frey, J. A. (C) 7449–7452 [7593–7596]
 Freyzer, Y. (C) 1999–2001 [2045–2047]
 Friedrich, T. (C) 8605–8608 [8759–8762]
 Frigato, T. (C) 2939–2943 [2997–3001]
 Fröhlich, R. (C) 1645–1649 [1672–1676], 2883–2886 [2941–2944], 3131–3134

- [3192–3195], 4176–4179 [4254–4257], 4905–4908 [4992–4995]
Fromherz, P.
– Recombinant Serotonin Receptor on a Transistor as a Prototype for Cell-Based Biosensors
(C) 5787–5790 [5889–5892]
DOI: 10.1002/anie.200700726
Fronczek, F. R. (C) 6305–6308 [6421–6424]
Fryd, M. (C) 9235–9238 [9395–9398]
Frye, H. N. (C) 4085–4088 [4163–4166]
Fryzuk, M. D.
– Dinitrogen Activation by Group 4 Metal Complexes
(H) 3180–3183 [3242–3245]
DOI: 10.1002/anie.200605245
Fu, C.
– Highly Selective Thiirane of 1,2-Allenyl Sulfones with Br₂ and Na₂S₂O₃: Mechanism and Asymmetric Synthesis of Alkylidenethiiranes
(C) 4379–4381 [4457–4459]
DOI: 10.1002/anie.200700619
Fu, Da-W. (C) 6852–6856 [6976–6980]
Fu, G. C.
– Catalytic Asymmetric Synthesis of Tertiary Alkyl Chlorides
(C) 977–979 [995–997]
DOI: 10.1002/anie.200604312
– Enantioselective Synthesis of Protected Amines by the Catalytic Asymmetric Addition of Hydrazoic Acid to Ketenes
(C) 4367–4369 [4445–4447]
DOI: 10.1002/anie.200700697
– Hiayama Reactions of Activated and Unactivated Secondary Alkyl Halides Catalyzed by a Nickel/Norephedrine Complex
(C) 3556–3558 [3626–3628]
DOI: 10.1002/anie.200700440
Fu, L. (C) 295–297 [299–301]
Fu, N. (C) 5528–5531 [5624–5627]
Fu, Q. (C) 8445–8448 [8597–8600]
Fu, X. (C) 3313–3315 [3377–3379]
Fuchigami, T. (C) 3550–3552 [3620–3622]
Fuchs, H. (C) 5231–5233 [5324–5326]
Fudickar, W. (C) 7689–7692 [7833–7836]
Fuentes, J. A. (C) 930–933 [948–951]
Fujii, Keisuke (C) 5938–5942 [6042–6046]
Fujii, Kotaro Corrigendum: 486
Fujii, N.
– Direct Synthesis of 2-(Aminomethyl)-indoles through Copper(I)-Catalyzed Domino Three-Component Coupling and Cyclization Reactions
(C) 2295–2298 Corrigendum: 3173 [2345–2348 Corrigendum: 3235]
DOI: 10.1002/anie.200604342
Fujii, N. (C) 6325–6328 [6441–6444]
Fujii, S. (C) 5007–5010 [5095–5098]
Fujimori, S. (C) 4964–4967 [5052–5055]
Fujimoto, M. (C) 5440–5443 [5536–5539]
Fujinawa, T. (C) 5532–5536 [5628–5632]
Fujisawa, Y. (C) 3074–3079 [3134–3139]
Fujishiro, T. (C) 3656–3659 [3730–3733]
Fujita, E.
– Photochemical and Radiolytic Production of an Organic Hydride Donor with a Ru^{II} Complex Containing an NAD⁺ Model Ligand
(C) 4169–4172 [4247–4250]
DOI: 10.1002/anie.200700304
Fujita, E. (C) 5728–5730 [5830–5832]
Fujita, K.
– Imidazolyl Cyclodextrins: Artificial Serine Proteases Enabling Regiospecific Reactions
(C) 5024–5027 [5112–5115]
DOI: 10.1002/anie.200701156
Fujita, M.
– Chirality Enrichment through the Heterorecognition of Enantiomers in an Achiral Coordination Host
(C) 3874–3876 [3948–3950]
DOI: 10.1002/anie.200700103
– Nanometer-Sized Shell Molecules That Confine Endohedral Polymerizing Units
(C) 1083–1085 [1101–1103]
DOI: 10.1002/anie.200603561
– Porphine Dimeric Assemblies in Organic-Pillared Coordination Cages
(C) 1803–1806 [1835–1838]
DOI: 10.1002/anie.200604790
– Solvato-Controlled Assembly of Pd₃L₆ and Pd₃L₈ Coordination “Boxes”
(C) 2819–2822 [2877–2880]
DOI: 10.1002/anie.200605084
– Switching the Interior Hydrophobicity of a Self-Assembled Spherical Complex through the Photoisomerization of Confined Azobenzene Chromophores
(C) 5133–5136 [5225–5228]
DOI: 10.1002/anie.200700793
– The Confined Cavity of a Coordination Cage Suppresses the Photocleavage of α -Diketones To Give Cyclization Products through Kinetically Unfavorable Pathways
(C) 5717–5719 [5819–5821]
DOI: 10.1002/anie.200701250
– Thermo-to-Photo-Switching of the Chromic Behavior of Salicylideneanilines by Inclusion in a Porous Coordination Network
(C) 6643–6645 [6763–6765]
DOI: 10.1002/anie.200700999
Fujita, N. (Kyushu University) (C) 210–213 [214–217]
Fujita, N. (University of Tokyo) (C) 6476–6480 [6596–6600]
Fujitani, N. (C) 3074–3079 [3134–3139]
Fujiwara, H. (C) 3922–3925 [3996–3999], 5202–5205 [5294–5297]
Fujiwara, M.
– Installing Dynamic Molecular Photomechanics in Mesopores: A Multifunctional Controlled-Release Nanosystem
(C) 2241–2244 [2291–2294]
DOI: 10.1002/anie.200604850
Fujiwara, R. (C) 1120–1123 [1138–1141]
Fukin, G. K. (C) 4302–4305 [4380–4383]
Fukuda, T. (C) 1304–1306 [1326–1328]
Fukudome, M. (C) 5024–5027 [5112–5115]
Fukui, H. (C) 4527–4529 [4611–4613]
Fukumoto, Kazuhiro (C) 2891–2894 [2949–2952]
Fukumoto, Kenta (C) 1852–1855 [1884–1887]
Fukushima, T. (C) 4169–4172 [4247–4250]
Fukuyama, Takahide (C) 5559–5561 [5655–5657]
Fukuyama, Tohru
– A Practical Synthesis of (–)-Oseltamivir
(C) 5734–5736 [5836–5838]
DOI: 10.1002/anie.200701754
Fukuzumi, S.
– Direct EPR Detection of a Hydrogen-Bonded Complex between a Semiquinone Radical Anion and a Protonated Amino Acid, and Electron Transfer Driven by Hydrogen Bonding
(C) 3553–3555 [3623–3625]
DOI: 10.1002/anie.200700157
– Modulation of Characteristics of a Ruthenium-Coordinated Flavin Analogue That Shows an Unusual Coordination Mode
(C) 905–908 [923–926]
DOI: 10.1002/anie.200604028
Fuller, A.-M. L. (C) 5015–5019 [5103–5107]
Fumoto, M. (C) 8808–8813 [8964–8969]
Funami, H. (C) 909–911 [927–929]
Funel, J.-A. (C) 9265–9270 [9425–9430]
Funston, A. M. (C) 3517–3520 [3587–3590]
Furche, F. (C) 2944–2948 [3002–3006]
Furet, E. (C) 5120–5124 [5212–5216]
Furkert, D. P. Corrigendum: 1004
Fürstner, A.
– Catalytic Carbophilic Activation: Catalysis by Platinum and Gold π Acids
(R) 3410–3449 [3478–3519]
DOI: 10.1002/anie.200604335
– Concise Total Synthesis of Cruentaren A
(C) 9275–9278 [9435–9438]
DOI: 10.1002/anie.200703839
– Total Syntheses of Amphidinolide H and G
(C) 9265–9270 [9425–9430]
DOI: 10.1002/anie.200704024
– Total Synthesis of the Antibiotic Erypoeigin H and Cognates by a PtCl₂-Catalyzed Cycloisomerization Reaction
(C) 4760–4763 [4844–4847]
DOI: 10.1002/anie.200700895
– Two Manifolds for Metal-Catalyzed Intramolecular Diels–Alder Reactions of Unactivated Alkynes
(C) 8845–8849 [9001–9005]
DOI: 10.1002/anie.200703321
– What is Amphidinolide V? Report on a Likely Conquest
(C) 5545–5548 [5641–5644]
DOI: 10.1002/anie.200701640
Fürtig, B. (M) 1212–1219 [1232–1240]
Furukawa, K. (C) 2306–2309 [2356–2359]
Furukawa, S. (C) 2831–2834 [2889–2892]
Furukawa, S.-i. (C) 3544–3546 [3614–3616]
Furusawa, T. (C) 5717–5719 [5819–5821]
Furusho, Y.
– Enantioselective Synthesis of Complementary Double-Helical Molecules that Catalyze Asymmetric Reactions
(C) 5885–5888 [5989–5992]
DOI: 10.1002/anie.200701735
– Multicomponent Cylindrical Assemblies Driven by Amidinium–Carboxylate Salt-Bridge Formation
(C) 2435–2439 [2487–2491]
DOI: 10.1002/anie.200603921
Furuta, H.
– Benzene Ring Trimer Interactions Modulate Supramolecular Structures
(C) 3672–3675 [3746–3749]
DOI: 10.1002/anie.200604371
Furutani, Y. (C) 8010–8012 [8156–8158]
Fusi, S. (C) 414–420 [418–424]
Futaki, S. (C) 5880–5884 [5984–5988]



- Gabbaï, F. P.
– A 9-Borylated Acridinyl Radical
(C) 1723–1725 [1753–1755]
DOI: 10.1002/anie.200604119
- Structural Changes Accompanying the Stepwise Population of a B–C π Bond
(C) 6878–6881 [7002–7005]
DOI: 10.1002/anie.200702299
- Gabor, B. (C) 3745–3749 [3819–3823]
- Gábová, V. (C) 7286–7289 [7424–7427]
- Gabrielli, W. F. (C) 2497–2500 [2549–2552]
- Gade, L. H.
– A Zirconium Hydrazide as a Synthron for a Metallanitrene Equivalent: Atom-by-Atom Assembly of $[\text{EN}_2]^-$ Units (E = S, Se) by Chalcogen-Atom Transfer in the Coordination Sphere of a Transition Metal
(C) 8426–8430 [8578–8582]
DOI: 10.1002/anie.200703938
- Gademann, K.
– Total Synthesis, Configuration, and Biological Evaluation of Anguinomycin C
(C) 8707–8710 [8862–8865]
DOI: 10.1002/anie.200703134
- Total Synthesis of Complex Cyanobacterial Alkaloids without Using Protecting Groups
(H) 5656–5658 [5754–5756]
DOI: 10.1002/anie.200701881
- Gaefke, G. (C) 3450–3455 [3520–3525]
- Gagey, N. (C) 2467–2469 [2519–2521]
- Gäggeler, H. W. (C) 1663–1666 [1692–1695]
- Gagliardi, L. (C) 1469–1472 [1491–1494]
- Gagliardo, M. (R) 8558–8573 [8710–8726]
- Gagné, M. R.
– Gold(I)-Catalyzed Asymmetric Cycloisomerization of Eneallenes into Vinylcyclohexenes
(C) 6670–6673 [6790–6793]
DOI: 10.1002/anie.200701959
- Gagné, M. R. (R) 4042–4059 [4118–4136]
- Gagnepain, J. (C) 1533–1535 [1555–1557]
- Gagosz, F.
– Gold(I)-Catalyzed 5-*endo* Hydroxy- and Alkoxy-cyclization of 1,5-Enynes: Efficient Access to Functionalized Cyclopentenones
(C) 1141–1144 [1159–1162]
DOI: 10.1002/anie.200604140
- Gallardo, I.
– Evidence for a π Dimer in the Electrochemical Reduction of 1,3,5-Trinitrobenzene: A Reversible N_2 -Fixation System
(C) 1321–1325 [1343–1347]
DOI: 10.1002/anie.200602690
- Gallego, J. M. (C) 7874–7877 [8020–8023]
- Galliford, C. V. (M) 8748–8758 [8902–8912]
- Gallon, B. J. (C) 7251–7254 [7389–7392]
- Galzitskaya, O. V. (C) 1481–1484 [1503–1506]
- Gambarotta, S.
– Single-Site, Single-Component Catalysts for Very High Molecular Weight Polyethylene: A Robust “Ready-To-Go” Vanadium π -Bonded Complex Without a Preformed V–C Bond
(C) 6119–6122 [6231–6234]
DOI: 10.1002/anie.200701703
- Gamblin, D. P. (C) 3644–3648 [3718–3722]
- Gammon, S. T. (C) 5528–5531 [5624–5627]
- Ganin, A. Y. (C) 8574–8578 [8728–8732]
- Gans-Eichler, T. (C) 2043–2046 [2089–2092]
- Gao, C.
– Honeycomb-Patterned Photoluminescent Films Fabricated by Self-Assembly of Hyperbranched Polymers
(C) 4128–4131 [4206–4209]
DOI: 10.1002/anie.200604429
- Gao, De (C) 2224–2227 [2274–2277]
- Gao, M. Corrigendum: 653
- Gao, S.
– Stringing Oxo-Centered Trinuclear $[\text{Mn}^{\text{III}}_3\text{O}]$ Units into Single-Chain Magnets with Formate or Azide Linkers
(C) 7388–7392 [7532–7536]
DOI: 10.1002/anie.200702648
- Gao, Z.
– Direct Detection of Nucleic Acids by Tagging Phosphates on Their Backbones with Conductive Nanoparticles
(C) 2051–2054 [2097–2100]
DOI: 10.1002/anie.200603605
- Gao, Z.-Q. Corrigendum: 1558
- Garbuzynskiy, S. O. (C) 1481–1484 [1503–1506]
- García, Á. (C) 4115–4119 [4193–4197]
- García, A. J. (C) 6837–6840 [6961–6964]
- García, F. (C) 3084–3086 [3144–3146], 5425–5427 [5521–5523], 7827–7830 [7973–7976]
- García, H. (C) 1536–1538 [1558–1560]
- García, P. (C) 3754–3757 [3828–3831]
- García, P. M. L. (C) 7378–7382 [7522–7526]
- García-Álvarez, J. (C) 1105–1108 [1123–1126]
- García-García, F. J. (C) 1164–1167 [1183–1186]
- García-García, P. (C) 2610–2612 [2664–2666]
- García-Garibay, M. A.
– Molecular Crystals on the Move: From Single-Crystal-to-Single-Crystal Photoreactions to Molecular Machinery
(H) 8945–8947 [9103–9105]
DOI: 10.1002/anie.200702443
- Parallel Syntheses of (+)- and (–)- α -Cuparenone by Radical Combination in Crystalline Solids
(C) 6485–6487 [6605–6607]
DOI: 10.1002/anie.200700679
- García-Iglesias, M. (C) 8790–8795 [8946–8951]
- García-Pérez, E. (C) 276–278 [280–282]
- Gardner III, S. J. (C) 9198–9201 [9358–9361]
- Garon, C. N. (C) 4979–4982 [5067–5070]
- Gärtner, M. (C) 1618–1623 [1642–1647], (M) 1950–1956 [1994–2001]
- Gaspar, B. (C) 4519–4522 [4603–4606]
- Gass, M. H. (C) 8593–8596 [8747–8750]
- Gaston, N. (C) 1663–1666 [1692–1695]
- Gather, M. C. (C) 4388–4392 [4467–4471]
- Gatti, F. (C) 6918–6921 [7043–7046]
- Gau, H.-M.
– Highly Enantioselective Aryl Additions of $[\text{AlAr}_3(\text{thf})]$ to Ketones Catalyzed by a Titanium(IV) Catalyst of (*S*)-Binol
(C) 5373–5376 [5469–5472]
DOI: 10.1002/anie.200701201
- Gaub, H. E. (C) 2232–2237 [2282–2287], 8384–8387 [8536–8539]
- Gaus, K. (C) 3976–3978 [4050–4053]
- Gautier-Luneau, I.
– Promising Material for Infrared Nonlinear Optics: NaI_3O_8 Salt Containing an Octaoxotriiodate(V) Anion Formed from Condensation of $[\text{IO}_3]^-$ Ions
(C) 8488–8491 [8640–8643]
DOI: 10.1002/anie.200703340
- Gawin, R. (C) 7206–7209 [7344–7347]
- Gazit, E.
– Bioinspired Design of Nanocages by Self-Assembling Triskelion Peptide Elements
(C) 2002–2004 [2048–2050]
DOI: 10.1002/anie.200604383
- Ge, J. (C) 4342–4345 [4420–4423], 7428–7431 [7572–7575]
- Gee, A. (C) 2875–2878 [2933–2936]
- Geiger, A. (C) 8907–8911 [9065–9069]
- Gelalcha, F. G. (C) 7293–7296 [7431–7435]
- Gelbrich, T. (C) 3118–3121 [3179–3182], (L) 6926 [7051]
- Gelin, C. F. (C) 7501–7505 [7645–7649]
- Gellman, S. H.
– Catalytic Metathesis of Simple Secondary Amides
(C) 761–763 [775–777]
DOI: 10.1002/anie.200603588
- Thermodynamic Analysis of β -Sheet Secondary Structure by Backbone Thioester Exchange
(C) 7056–7059 [7186–7189]
DOI: 10.1002/anie.200702449
- Gemming, S. (C) 623–627 [631–635]
- Gendreizig, S. (C) 4281–4284 [4359–4362]
- Genereux, J. C. (C) 5731–5733 [5833–5835]
- Geng, W. (C) 738–741 [752–755]
- Genilloud, O. (C) 4684–4688 [4768–4772]
- Geoghegan, M.
– Controlling Network-Brush Interactions to Achieve Switchable Adhesion
(C) 6460–6463 [6580–6583]
DOI: 10.1002/anie.200701796
- Geoghegan, D. B.
– Single-Crystal Organic Nanowires of Copper-Tetracyanoquinodimethane: Synthesis, Patterning, Characterization, and Device Applications
(C) 2650–2654 [2704–2708]
DOI: 10.1002/anie.200604397
- George, S. J. (C) 1825–1828 [1857–1860], 6260–6265 [6376–6381], 8203–8205 [8351–8353], 8206–8211 [8354–8359]
- Geourjon, C. (C) 5594–5597 [5690–5693]
- Gerard, B. (C) 7831–7834 [7977–7980]
- Gerber, H.-D. (C) 9105–9109 [9265–9269]
- Gerlach, C. (C) 8511–8514 [8664–8667], 9105–9109 [9265–9269]
- Gershman, Z. (C) 4320–4324 [4398–4402]
- Gessler, S. (C) 8082–8085 [8228–8231]
- Gessner, V. H. (C) 4566–4569 [4650–4653], 8281–8283 [8429–8432]
- Gevorgyan, V.
– Metal-Catalyzed [1,2]-Alkyl Shift in Allenyl Ketones: Synthesis of Multisubstituted Furans
(C) 5195–5197 [5287–5289]
DOI: 10.1002/anie.200701128
- Rh-Catalyzed Transannulation of Pyridotriazoles with Alkynes and Nitriles
(C) 4757–4759 [4841–4843]
DOI: 10.1002/anie.200700804
- Gey, C. (C) 5219–5222 [5311–5314]
- Ghadiri, M. R.
– Design of Molecular Logic Devices Based on a Programmable DNA-Regulated Semi-synthetic Enzyme

- (C) 3955–3958 [4029–4032]
DOI: 10.1002/anie.200700047
- Ghasparian, A. (C) 9015–9018 [9173–9176]
- Ghodke, H. B. (C) 2646–2649 [2700–2703]
- Gholami, M. (C) 9081–9085 [9239–9243]
- Ghosh, Somraj (C) 7098–7100 [7228–7230]
- Ghosh, Sujit K. (C) 7965–7968 [8111–8114]
- Ghosh, Sunil K.
- A Highly Regio- and Stereoselective Vinylogous Horner–Wadsworth–Emmons Route to Densely Substituted 1,3-Butadienes (C) 386–388 Corrigendum: 2348 [390–392 Corrigendum: 2400]
DOI: 10.1002/anie.200604013
 - Ghosh, Surajit (C) 2002–2004 [2048–2050]
 - Giacomina, F. (C) 1497–1500 [1519–1522]
 - Gianneschi, N. C. (C) 3955–3958 [4029–4032]
 - Giannis, A.
 - Phloroglucinol Derivatives Guttiferone G, Aristoforin, and Hyperforin: Inhibitors of Human Sirtuins SIRT1 and SIRT2 (C) 5219–5222 [5311–5314]
DOI: 10.1002/anie.200605207
 - Giannotti, M. I. (C) 8400–8404 [8552–8556]
 - Gibbons, P. (C) 6278–6283 [6394–6399]
 - Gibson, A. M. (C) 941–944 [959–962]
 - Gibson, D. M. (C) 901–904 [919–922]
 - Gibson, R. P. (C) 4115–4119 [4193–4197]
 - Gieck, C. (C) 8895–8897 [9052–9055]
 - Gierlich, J. (C) 4184–4187 [4262–4265]
 - Giese, B.
 - Site-Specific DNA Cleavage on a Solid Support: A Method for Mismatch Detection (C) 2112–2114 [2160–2162]
DOI: 10.1002/anie.200603092
 - Giesselmann, F.
 - Discotic Liquid Crystals: From Tailor-Made Synthesis to Plastic Electronics (R) 4832–4887 [4916–4973]
DOI: 10.1002/anie.200604203
 - Giles, K. (C) 8001–8004 [8147–8150]
 - Gill, M. R. (C) 3686–3688 [3760–3762]
 - Gillies, E. R. (C) 4081–4084 [4159–4162]
 - Gillingham, D. G. (C) 3860–3864 [3934–3938]
 - Gilmour, R. (C) 9265–9270 [9425–9430]
 - Giménez, R.
 - Roof-Shaped Pyrazaboles as a Structural Motif for Bent-Core Liquid Crystals (C) 5175–5177 [5267–5269]
DOI: 10.1002/anie.200700820
 - Gimeno, M. C. (C) 6184–6187 [6297–6300]
 - Gingras, M.
 - Cleavable Dendrimers (H) 1010–1017 [1028–1035]
DOI: 10.1002/anie.200601962
 - Giordano, L. (C) 8703–8706 [8858–8861]
 - Giraud, N. (C) 1079–1082 [1097–1100]
 - Giribabu, L. (C) 373–376 [377–380]
 - Gisselbrecht, J.-P. (C) 6357–6360 [6473–6477]
 - Givaja, G. (C) 584–586 [590–592]
 - Glaser, T. (C) 6106–6110 [6218–6222]
 - Glaum, R. (C) 9097–9100 [9256–9259]
 - Glöckler, J. (C) 1164–1167 [1183–1186]
 - Gloeckner, C. (C) 3115–3117 [3175–3178]
 - Gloster, T. M. (C) 4115–4119 [4193–4197]
 - Gobbi, L. (C) 437–440 [441–444]
 - Goddard III, W. A.
 - Improved Designs of Metal–Organic Frameworks for Hydrogen Storage (C) 6289–6292 [6405–6408]
DOI: 10.1002/anie.200700303
 - Goeldner, M.
 - Fluorescent Epibatidine Agonists for Neuronal and Muscle-Type Nicotinic Acetylcholine Receptors (C) 3505–3508 [3575–3578]
DOI: 10.1002/anie.200604807
 - Goettmann, F. (C) 2717–2720 [2773–2776]
 - Gohy, J.-F. (C) 7988–7992 [8134–8138]
 - Gois, P. M. P.
 - Tuning the Reactivity of Dirhodium(II) Complexes with Axial N-Heterocyclic Carbene Ligands: The Arylation of Aldehydes (C) 5750–5753 [5852–5855]
DOI: 10.1002/anie.200700924
 - Goldberg, D. P.
 - H₂O₂ Oxidations Catalyzed by an Iron(III) Corrolazine: Avoiding High-Valent Iron–Oxido Species? (C) 3718–3721 [3792–3795]
DOI: 10.1002/anie.200605156
 - Goldberg, I.
 - DNA Binding and Catalytic Properties of Positively Charged Corroles (C) 4320–4324 [4398–4402]
DOI: 10.1002/anie.200700757
 - Goldberg, K. I.
 - C–H Bond Activation by Rhodium(I) Hydroxide and Phenoxide Complexes (C) 4736–4738 [4820–4822]
DOI: 10.1002/anie.200700270
 - Goldup, S. M. (C) 5709–5713 [5811–5815]
 - Görlitz, P.
 - Editorial: Chemistry, Journals, and Sustainability 6744–6747 [6866–6869]
DOI: 10.1002/anie.200703635
 - Editorial: 200 Years of John Wiley and Sons 4–5 [4–5]
DOI: 10.1002/anie.200604745
 - Gómez, E. (C) 3043–3046 [3103–3106]
 - Gomez, E. D. (C) 2627–2630 [2681–2684]
 - Gómez Arrayás, R.
 - Alkylation of Aryl N-(2-Pyridylsulfonyl)aldehydes with Organozinc Halides: Conciliation of Reactivity and Chemoselectivity (C) 9257–9260 [9417–9420]
DOI: 10.1002/anie.200703239
 - Gómez-Avilés, A. (C) 923–925 [941–943]
 - Gómez-Bengoia, E. (C) 8054–8056 [8200–8202]
 - Gonçalves, D. P. N. (C) 5405–5407 [5501–5503]
 - Gong, Y. (C) 2911–2914 [2969–2972]
 - Gontard, L. C. (C) 3683–3685 [3757–3759]
 - Gonzalez, A. Z. (C) 397–399 [401–403]
 - Gonzalez, I. (C) 4684–4688 [4768–4772]
 - González, J. M. (C) 1281–1283 [1303–1305]
 - González-Arellano, C. (C) 1536–1538 [1558–1560], 7820–7822 [7966–7968]
 - González-Gallardo, S. (C) 2895–2898 [2953–2956]
 - Gooseman, N. E. J. (C) 5904–5908 [6008–6012]
 - Goößen, L. J.
 - Heterodimerization of Olefins: A Highly Promising Strategy for the Selective Synthesis of Functionalized Alkenes (H) 7544–7546 [7688–7690]
DOI: 10.1002/anie.200702936
 - Gopalsamuthiram, V. (C) 769–772 [783–786]
 - Gordin, M. D.
 - D. I. Mendeleev: Reflecting on His Death in 1907 (E) 2758–2765 [2814–2821]
DOI: 10.1002/anie.200601976
 - Gorfe, A. A.
 - Free Energy Profile of H-ras Membrane Anchor upon Membrane Insertion (C) 8234–8237 [8382–8385]
DOI: 10.1002/anie.200702379
 - Goriachko, A. (C) 5115–5119 [5207–5211]
 - Görts, H. (C) 1618–1623 [1642–1647]
 - Gornitzka, H. (C) 5741–5745 [5843–5847]
 - Gösele, U. (C) 6829–6832 [6953–6956]
 - Gothelf, K. V.
 - Covalent Interlinking of an Aldehyde and an Amine on a Au(111) Surface in Ultra-high Vacuum (C) 9227–9230 [9387–9390]
DOI: 10.1002/anie.200702859
 - Goto, A. (C) 1304–1306 [1326–1328]
 - Goto, M. (C) 2063–2065 [2109–2111]
 - Goto, N. K. (C) 2005–2009 [2051–2055]
 - Gottschalk, T. (C) 260–264 [264–268]
 - Götz, G. (C) 363–368 [367–372], 7856–7859 [8002–8005]
 - Gou, F.-R. (C) 7068–7071 [7198–7201]
 - Gou, S. (C) 8468–8470 [8620–8622]
 - Gourlaouen, C. (C) 553–556 [559–562]
 - Gouverneur, V.
 - A Concise Synthesis of Enantioenriched Fluorinated Carbocycles (C) 5106–5110 [5198–5202]
DOI: 10.1002/anie.200701365
 - Charles Mioskowski (O) 6220 [6334]
DOI: 10.1002/anie.200703070
 - Gouzerh, P. (C) 4477–4480 [4561–4564]
 - Gracias, D. H.
 - Remote Radio-Frequency Controlled Nanoliter Chemistry and Chemical Delivery on Substrates (C) 4991–4994 [5079–5082]
DOI: 10.1002/anie.200604414
 - Gradinaru, J. (C) 5510–5514 [5606–5610]
 - Graham, D.
 - Quantitative Simultaneous Multianalyte Detection of DNA by Dual-Wavelength Surface-Enhanced Resonance Raman Scattering (C) 1829–1831 [1861–1863]
DOI: 10.1002/anie.200604265
 - Graham, D. V. (C) 4662–4666 [4746–4750]
 - Grainger, R. S.
 - Formal Synthesis of (–)-Aphanorphine Using Sequential Photomediated Radical Reactions of Dithiocarbamates (C) 5377–5380 [5473–5476]
DOI: 10.1002/anie.200701055
 - Gramlich, P. M. E. (C) 4184–4187 [4262–4265]
 - Grandjean, F. (C) 6076–6080 [6188–6192]
 - Grandl, J. (C) 3505–3508 [3575–3578]
 - Grant, D. J. (C) 746–749 [760–763]
 - Granucci, F. (C) 3308–3312 [3372–3376]
 - Grapperhaus, C. A.
 - Singlet Diradical Character of an Oxidized Ruthenium Trithiolate: Electronic Structure and Reactivity (C) 4085–4088 [4163–4166]
DOI: 10.1002/anie.200700297
 - Grass, R. N. (C) 4909–4912 [4996–4999]
 - Grasso, G. (C) 7993–7995 [8139–8141]
 - Grätzel, M. (C) 373–376 [377–380], 8358–8362 [8510–8514]

- Gray, H.
– *Fred Basolo*
(O) 2746–2747 [2802–2803]
DOI: 10.1002/anie.200701155
- Greaney, M. F.
– Direct Arylation of Thiazoles on Water
(C) 7996–8000 [8142–8146]
DOI: 10.1002/anie.200702141
- Greber, T. (C) 5115–5119 [5207–5211],
8258–8261 [8406–8409]
- Grechin, A. G. (C) 6499–6501 [6619–6621]
- Grée, R.
– A Catalytic Method for Converting Vinylic
Furanoses into Cyclopentenones
(C) 6297–6300 [6413–6416]
DOI: 10.1002/anie.200701663
- Green, D. E. (C) 1716–1718 [1746–1748]
- Green, J. C.
– $[Rh_7(PiPr_3)_6H_{18}][BAr^F_4]_2$: A Molecular
Rh(111) Surface Decorated with 18 Hydro-
gen Atoms
(C) 7844–7848 [7990–7994]
DOI: 10.1002/anie.200703069
- Green, M. J. (C) 2273–2275 [2323–2325]
- Green, S. P. (C) 8618–8621 [8772–8775]
- Greenberg, E. F. (C) 7960–7964 [8106–
8110]
- Greenberg, M. M.
– Use of Fluorescence Sensors To Determine
that 2-Deoxyribonolactone Is the Major
Alkali-Labile Deoxyribose Lesion Pro-
duced in Oxidatively Damaged DNA
(C) 561–564 [567–570]
DOI: 10.1002/anie.200603454
- Gregoriades, L. J. (C) 5966–5970 [6070–
6074], 9323–9326 [9483–9487]
- Greiner, A.
– Electrospinning: A Fascinating Method for
the Preparation of Ultrathin Fibers
(R) 5670–5703 [5770–5805]
DOI: 10.1002/anie.200604646
- Grela, K.
– A Dormant Ruthenium Catalyst Bearing a
Chelating Carboxylate Ligand: In Situ
Activation and Application in Metathesis
Reactions
(C) 7206–7209 [7344–7347]
DOI: 10.1002/anie.200701302
- Sustainable Concepts in Olefin Metathesis
(R) 6786–6801 [6906–6922]
DOI: 10.1002/anie.200605099
- Grellier, M.
– Ruthenium Complexes Carrying Hydride,
Dihydrogen, and Phosphine Ligands:
Reversible Hydrogen Release
(C) 2613–2615 [2667–2669]
DOI: 10.1002/anie.200605038
- Grenèche, J.-M. (C) 3259–3263 [3323–3327]
- Grenier, C. R. G. (C) 714–717 [728–731]
- Greshock, T. J. (C) 2262–2265 [2312–2315]
- Griegel, H.
– Overcoming Thermodynamic and Kinetic
Limitations of Aldolase-Catalyzed Reac-
tions by Applying Multienzymatic
Dynamic Kinetic Asymmetric Transforma-
tions
(C) 1624–1626 [1648–1651]
DOI: 10.1002/anie.200604142
- Griesbeck, A. G.
– Bicyclic Peroxides and Perorthoesters with
1,2,4-Trioxane Structures
(C) 8883–8886 [9040–9043]
DOI: 10.1002/anie.200701397
- Griesinger, C. Corrigendum: 7730
- Griesinger, C. (C) 1864–1868 [1896–1900]
- Griffe, L. (C) 2523–2526 [2575–2578]
- Griffey, R. H. Corrigendum: 2971
- Griffin, B. M. (C) 9089–9092 [9247–9250]
- Griffin, J. M. (C) 8036–8038 [8182–8184]
- Grimley, J. S. (C) 8157–8159 [8305–8307]
- Grimme, S.
– Estimation of the Kinetic Acidity from
Substrate Conformation—Stereochemical
Course of the Deprotonation of Cyclo-
hexenyl Carbamates
(C) 1645–1649 [1672–1676]
DOI: 10.1002/anie.200603347
- Homolytic Substitution at Phosphorus for
the Synthesis of Alkyl and Aryl Phos-
phanes
(C) 6533–6536 [6653–6656]
DOI: 10.1002/anie.200701650
- Grin, Yu.
– $K_7B_5Si_{30}$, a Borosilicide with the Clathra-
te I Structure
(C) 6725–6728 [6846–6850]
DOI: 10.1002/anie.200701028
- Grierrane, A. (C) 1296–1299 [1318–1321]
- Grochala, W.
– The Chemical Imagination at Work in *Very*
Tight Places
(R) 3620–3642 [3694–3717]
DOI: 10.1002/anie.200602485
- Groenhorst, G. (C) 530–536 [536–542]
- Groening, O. (C) 5115–5119 [5207–5211]
- Gröger, C. (C) 5966–5970 [6070–6074]
- Gröhn, F. (C) 1693–1697 [1723–1727]
- Grondal, C. (M) 1570–1581 [1590–1601]
- Gröning, O. (C) 8258–8261 [8406–8409]
- Gropp, E. (C) 1465–1468 [1487–1490]
- Gross, M. (C) 6357–6360 [6473–6477]
- Gross, Z.
– DNA Binding and Catalytic Properties of
Positively Charged Corroles
(C) 4320–4324 [4398–4402]
DOI: 10.1002/anie.200700757
- Grossmann, T. N. (C) 5223–5225 [5315–
5318]
- Grover, R. K. (C) 2839–2843 [2897–2901]
- Grubbs, A. W. (C) 2257–2261 [2307–2311],
2262–2265 [2312–2315]
- Grubbs, R. H.
– Double C–H Activation of an N-Hetero-
cyclic Carbene Ligand in a Ruthenium
Olefin Metathesis Catalyst
(C) 5148–5151 [5240–5243]
DOI: 10.1002/anie.200701234
- Small-Molecule N-Heterocyclic-Carbene-
Containing Olefin-Metathesis Catalysts
for Use in Water
(C) 5152–5155 [5244–5247]
DOI: 10.1002/anie.200701258
- Synthesis and Reactivity of Olefin Meta-
thesis Catalysts Bearing Cyclic (Alkyl)-
(Amino)Carbenes
(C) 7262–7265 [7400–7403]
DOI: 10.1002/anie.200702085
- Grube, A. (C) 2320–2324 [2372–2376], (M)
6586–6594 [6706–6714], (C) 6721–6724
Corrigendum: 8107 [6842–6845 Corrigen-
dum: 8253]
- Grubmüller, H.
– Elastic Properties of Photoswitchable Azo-
benzene Polymers from Molecular Dynam-
ics Simulations
(C) 2232–2237 [2282–2287]
DOI: 10.1002/anie.200604595
- Photoswitching of the Fluorescent Protein
asFP595: Mechanism, Proton Pathways,
and Absorption Spectra
(C) 530–536 [536–542]
DOI: 10.1002/anie.200602315
- Grund, S. (C) 628–632 [636–640]
- Grunenberg, J. (C) 8890–8894 [9047–9051]
- Grunwald, J. D. (C) 557–560 [563–566]
- Gruss, K. (C) 7782–7784 [7929–7931]
- Grützmacher, H.
– Mechanisms of Cyaphide ($C\equiv P^-$) Forma-
tion
(C) 7878–7881 [8024–8027]
DOI: 10.1002/anie.200702442
- Metalloenzyme-Inspired Catalysis: Selec-
tive Oxidation of Primary Alcohols with an
Iridium–Aminyl-Radical Complex
(C) 3567–3570 [3637–3640]
DOI: 10.1002/anie.200605170
- Grzelczak, M. (C) 7026–7030 [7156–7160]
- Grzybowski, B. A.
– Synthesis of Heterodimeric Sphere–Prism
Nanostructures via Metastable Gold
Supraspheres
(C) 8363–8367 [8515–8519]
DOI: 10.1002/anie.200702570
- Gsell, S. (C) 5115–5119 [5207–5211]
- Gu, D. (C) 1089–1093 [1107–1111]
- Gu, Jian (C) 6089–6092 [6201–6204]
- Gu, Jiande
– Findings on the Electron-Attachment-
Induced Abasic Site in a DNA Double
Helix
(C) 3479–3481 [3549–3551]
DOI: 10.1002/anie.200604603
- Gu, Jianli (C) 7498–7500 [7642–7644]
- Gu, N.
– Fibrous Aggregation of Magnetite Nano-
particles Induced by a Time-Varied Mag-
netic Field
(C) 4767–4770 [4851–4854]
DOI: 10.1002/anie.200604474
- Gu, W. (C) 2939–2943 [2997–3001]
- Gu, X.
– Crossed-Molecular-Beam Study on the
Formation of Phenylacetylene from
Phenyl Radicals and Acetylene
(C) 6866–6869 [6990–6993]
DOI: 10.1002/anie.200701890
- Güclü, D. (C) 3349–3352 [3413–3416]
- Gudat, D.
– Metal-Assisted, Reversible Phosphinyl
Phosphination of the Carbon–Nitrogen
Triple Bond in a Nitrile
(C) 2919–2922 [2977–2980]
DOI: 10.1002/anie.200604622
- Guduru, R. (C) 5896–5900 [6000–6004]
- Guérinot, A. (C) 6521–6524 [6641–6644]
- Guerrero, M. A. (C) 2478–2484 [2530–2536]
- Gueta, R. (C) 291–294 [295–298]
- Guillena, G. (M) 2358–2364 [2410–2416]
- Guillon, D. (C) 2659–2662 [2713–2716]
- Guillou, N. (C) 5877–5879 [5981–5983]
- Guirado, G. (C) 1321–1325 [1343–1347]
- Gulari, E. (C) 4667–4670 [4751–4754]
- Guldi, D. M.
– Fullerenes: Multitask Components in
Molecular Machinery
(M) 8120–8126 [8266–8272]
DOI: 10.1002/anie.200702725
- Tuning Electron Transfer through Transla-
tional Motion in Molecular Shuttles
(C) 3521–3525 [3591–3595]
DOI: 10.1002/anie.200605039
- Gulyás, H. (C) 7247–7250 [7385–7388]
- Gunaratnam, M. (C) 2493–2496 [2545–
2548]
- Gundel, G. (C) 4173–4175 [4251–4253]

- Gun'ko, Yu.
- A Magnetic-Nanoparticle-Supported 4-*N,N*-Dialkylaminopyridine Catalyst: Excellent Reactivity Combined with Facile Catalyst Recovery and Recyclability (C) 4329–4332 [4407–4410]
DOI: 10.1002/anie.200605216
- Guo, G.-C.
- A White-Light-Emitting Borate-Based Inorganic–Organic Hybrid Open Framework (C) 3909–3911 [3983–3985]
DOI: 10.1002/anie.200604946
 - Photochromism of a Methyl Viologen Bismuth(III) Chloride: Structural Variation Before and After UV Irradiation (C) 3249–3251 [3313–3315]
DOI: 10.1002/anie.200700122
- Guo, H. (C) 5206–5208 [5298–5300]
- Guo, J. (C) 7104–7107 [7234–7237]
- Guo, L.-N. (C) 7068–7071 [7198–7201]
- Guo, M.
- Hydrogen Peroxide Triggered Prochelor Activation, Subsequent Metal Chelation, and Attenuation of the Fenton Reaction (C) 4722–4725 Corrigendum: 6948 [4806–4809 Corrigendum: 7074]
DOI: 10.1002/anie.200604859
- Guo, W. (C) 4486–4488 [4570–4572]
- Guo, X. (C) 1337–1339 [1359–1361]
- Guo, Y.
- Crossed-Molecular-Beam Study on the Formation of Phenylacetylene from Phenyl Radicals and Acetylene (C) 6866–6869 [6990–6993]
DOI: 10.1002/anie.200701890
- Guo, Zhihong (C) 8216–8219 [8364–8367]
- Guo, Zhiqian (C) 5549–5553 [5645–5649]
- Guo, Zufeng (C) 8216–8219 [8364–8367]
- Gurlo, A.
- In Situ and Operando Spectroscopy for Assessing Mechanisms of Gas Sensing (R) 3826–3848 [3900–3923]
DOI: 10.1002/anie.200602597
- Gust, D.
- Molecular 2:1 Digital Multiplexer (C) 958–961 [976–979]
DOI: 10.1002/anie.200603856
- Gust, T. (C) 8682–8685 [8836–8839]
- Gutierrez-Rodriguez, M. (C) 7700–7703 [7844–7847]
- Güttinger, S. (C) 8707–8710 [8862–8865]
- Guy, I. L. (C) 425–428 [429–432]
- Guyon, E.
- *Pierre-Gilles de Gennes* (O) 6004 [6108]
DOI: 10.1002/anie.200702849
- Ha, S. (C) 4684–4688 [4768–4772]
- Haag, R.
- Cross-Linked Glycerol Dendrimers and Hyperbranched Polymers as Ionophoric, Organic Nanoparticles Soluble in Water and Organic Solvents (C) 8164–8167 [8312–8315]
DOI: 10.1002/anie.200702580
- Supramolecular Aggregates of Dendritic Multishell Architectures as Universal Nanocarriers (C) 1265–1269 [1287–1292]
DOI: 10.1002/anie.200603801
- Haam, S.
- Multifunctional Magneto-Polymeric Nanohybrids for Targeted Detection and Synergistic Therapeutic Effects on Breast Cancer (C) 8836–8839 [8992–8995]
DOI: 10.1002/anie.200703554
- Haarmann, F. (C) 6725–6728 [6846–6850]
- Haas, S. (C) 7311–7314 [7452–7455]
- Haba, Y. (C) 234–237 [238–241]
- Haberhauer, G.
- *C*₂-Symmetric Metacyclophanes: A Possible Alternative to *o,o'*-Bridged Binaphthyls (C) 4397–4399 [4476–4479]
DOI: 10.1002/anie.200605098
- Haberz, P. Corrigendum: 7730
- Habiak, V. (C) 4364–4366 [4442–4444]
- Häbich, D. (C) 2039–2042 [2085–2088]
- Hachisu, Y. (C) 3252–3254 [3316–3318]
- Hackett, S. F. J. (C) 8593–8596 [8747–8750]
- Hada, M. (C) 1120–1123 [1138–1141]
- Hadermann, J. (C) 4539–4542 [4623–4626]
- Hadiprono, G. (C) 3579–3583 [3650–3654]
- Hadley, E. B. (C) 7056–7059 [7186–7189]
- Hägele, C. (R) 4832–4887 [4916–4973]
- Hagemann, H. (C) 5765–5767 [5867–5869]
- Hagenhoff, B. (C) 5332–5335 [5427–5431]
- Hahn, M. (C) 2512–2514 [2564–2566]
- Hahn, N. (C) 8988–8991 [9146–9149]
- Hahn, U. (C) 951–954 [969–972]
- Haiges, R.
- Monocapped Trigonal-Prismatic Transition-Metal Heptaazides: Syntheses, Properties, and Structures of [Nb(N₃)₇]²⁻ and [Ta(N₃)₇]²⁻ (C) 2869–2874 [2927–2932]
DOI: 10.1002/anie.200604520
- Haiges, R. (C) 3023–3027 [3083–3087], 6155–6158 [6267–6270], 8686–8690 [8840–8845]
- Hainfeld, J. F.
- Assembly of Nanoparticle–Protein Binding Complexes: From Monomers to Ordered Arrays (C) 5111–5114 [5203–5206]
DOI: 10.1002/anie.200701180
- Haire, R. G. (C) 919–922 [937–940]
- Haitani, S. (C) 4306–4309 [4384–4387]
- Håkansson, K. (C) 8455–8459 [8607–8611]
- Håkansson, M.
- Facile Synthesis of Well-Defined Sodium Hydridoalkylzincates(II) (C) 6678–6680 [6798–6800]
DOI: 10.1002/anie.200701477
- Halas, N. J.
- Plasmonic Nanoshell Arrays Combine Surface-Enhanced Vibrational Spectroscopies on a Single Substrate (C) 9040–9044 [9198–9202]
DOI: 10.1002/anie.200702072
- Halcrow, M. A.
- A Hexacopper Fluoro Metallacrown Cavitand and its Alkali-Metal Complexes (C) 4073–4076 [4151–4154]
DOI: 10.1002/anie.200700584
- Halet, J.-F. (C) 5120–5124 [5212–5216]
- Halime, Z. (C) 5120–5124 [5212–5216]
- Hall, D. G.
- Catalytic Enantioselective Preparation of α -Substituted Allylboronates: One-Pot Addition to Functionalized Aldehydes and a Route to Chiral Allylic Trifluoroborate Reagents (C) 5913–5915 [6017–6019]
DOI: 10.1002/anie.200700975
- Hall, M. (C) 3934–3937 [4008–4011]
- Ham, S. (C) 2508–2511 [2560–2563]
- Hamasaka, G. (C) 5381–5383 [5477–5479]
- Hamashima, Y. (C) 5435–5439 [5531–5535]
- Hamilton, A. D.
- Allosteric Control of Self-Assembly: Modulating the Formation of Guanine Quadruplexes through Orthogonal Aromatic Interactions (C) 7583–7586 [7727–7730]
DOI: 10.1002/anie.200701883
- Benzoylurea Oligomers: Synthetic Foldamers That Mimic Extended α Helices (C) 8614–8617 [8768–8771]
DOI: 10.1002/anie.200701869
- Fiber Formation by Highly CO₂-Soluble Bisureas Containing Peracetylated Carbohydrate Groups (C) 3284–3287 [3348–3351]
DOI: 10.1002/anie.200604844
- Helix Mimetics as Inhibitors of the Interaction of the Estrogen Receptor with Coactivator Peptides (C) 4471–4473 [4555–4557]
DOI: 10.1002/anie.200700657
- Protein Recognition and Denaturation by Self-Assembling Fragments on a DNA Quadruplex Scaffold (C) 223–225 [227–229]
DOI: 10.1002/anie.200603479
- Hamley, I. W.
- Biological Soft Materials (R) 4442–4455 [4524–4538]
DOI: 10.1002/anie.200603922
- Peptide Fibrillization (R) 8128–8147 [8274–8295]
DOI: 10.1002/anie.200700861
- Hammar, P. (C) 4507–4510 [4591–4594]
- Hammer, B. (C) 9227–9230 [9387–9390]
- Hammond, D. M. (C) 4184–4187 [4262–4265]
- Hampe, O. (C) 4775–4779 [4859–4863]
- Hampel, F. (C) 265–268 [269–272]
- Han, Bo (C) 2470–2477 [2522–2529]
- Han, Buxing
- CO₂ Cycloaddition Reactions Catalyzed by an Ionic Liquid Grafted onto a Highly Cross-Linked Polymer Matrix (C) 7255–7258 [7393–7396]
DOI: 10.1002/anie.200701467
- Reverse Micelles in Carbon Dioxide with Ionic-Liquid Domains (C) 3313–3315 [3377–3379]
DOI: 10.1002/anie.200605019
- Han, D. (C) 1094–1096 [1112–1114]
- Han, J. (C) 1684–1687 [1714–1717]
- Han, M. S. (C) 3468–3470 [3538–3540], 4093–4096 [4171–4174]
- Han, Sang Soo (C) 6289–6292 [6405–6408]
- Han, Sung Sik (C) 3471–3474 [3541–3544]
- Han, W. S. (C) 1419–1422 [1441–1444]
- Han, X. (C) 7481–7484 [7625–7628]
- Han, Y.-K. (C) 1436–1439 [1458–1461]
- Hancock, L. F. (C) 8223–8225 [8371–8373]
- Hancock, S. M. (C) 4474–4476 [4558–4560]
- Haneda, T. (C) 6643–6645 [6763–6765]
- Hanefeld, P. (C) 7290–7292 [7428–7430]



- Häner, R.
– Helical Arrangement of Interstrand Stacked Pyrenes in a DNA Framework (C) 4464–4467 [4548–4551]
DOI: 10.1002/anie.200700891
- Hanessian, S. Corrigendum: 2971
- Hangauer, D. G. (C) 8511–8514 [8664–8667]
- Hanif, M. (C) 3245–3248 [3309–3312]
- Hänni, K. D. (C) 5709–5713 [5811–5815]
- Hannibal, L. (C) 5140–5143 [5232–5235]
- Hannon, A. C. (C) 7116–7118 [7246–7248]
- Hannon, M. J.
– Dinuclear Ruthenium(II) Triple-Stranded Helicates: Luminescent Supramolecular Cylinders That Bind and Coil DNA and Exhibit Activity against Cancer Cell Lines (C) 4374–4378 [4452–4456]
DOI: 10.1002/anie.200700656
- Hanquet, G.
– A Convergent Strategy for the Pamamycin Macrodilides: Total Synthesis of Pamamycin-607, Pamamycin-593, and Pamamycin-621D Precursors (C) 7086–7089 [7216–7219]
DOI: 10.1002/anie.200701749
- Hansch, C. H. (C) 3018–3022 [3078–3082]
- Hansen, T. S. (C) 6093–6097 [6205–6209]
- Hanson, K. (C) 1109–1112 [1127–1130]
- Hanzawa, Y.
– Synthesis of 2,3-Disubstituted Indoles by a Rhodium-Catalyzed Aromatic Amino-Claissen Rearrangement of *N*-Propargyl Anilines (C) 3931–3933 [4005–4007]
DOI: 10.1002/anie.200605162
- Hao, J.
– Self-Patterning of Hydrophobic Materials into Highly Ordered Honeycomb Nanostructures at the Air/Water Interface (C) 3342–3345 [3406–3409]
DOI: 10.1002/anie.200604180
- Hao, Z.-M. (C) 3456–3459 [3526–3529]
- Hapiot, F. (C) 3040–3042 [3100–3102]
- Haq, S. (C) 7613–7616 [7757–7760]
- Hara, K. (C) 5381–5383 [5477–5479]
- Harada, Akira
– A Chemical-Responsive Supramolecular Hydrogel from Modified Cyclodextrins (C) 5144–5147 [5236–5239]
DOI: 10.1002/anie.200701272
- Harada, Atsushi (C) 234–237 [238–241]
- Harada, S. (C) 7458–7461 [7602–7605]
- Harada, T. (C) 8198–8202 [8346–8350]
- Hardie, M. J.
– Star-Burst Prisms with Cyclotrimeratrylene-Type Ligands: A [Pd₆L₈]¹²⁺ Stella Octangular Structure (C) 9086–9088 [9244–9246]
DOI: 10.1002/anie.200703903
- Harding, L. P. (C) 9086–9088 [9244–9246]
- Harkal, S. (C) 2701–2703 [2755–2758]
- Harmer, J. (C) 3567–3570 [3637–3640]
- Harrison, A. (C) 3946–3950 [4020–4024]
- Harrison, D. J. (C) 7644–7647 [7788–7791]
- Harrity, J. P. A.
– A Sydnone Cycloaddition Route to Pyrazole Boronic Esters (C) 8656–8658 [8810–8812]
DOI: 10.1002/anie.200703767
- Harrowven, D. C.
– Thermally Induced Cyclobutenone Rearrangements and Domino Reactions (C) 425–428 [429–432]
DOI: 10.1002/anie.200603538
- Hartig, J. (C) 1658–1662 [1687–1691], 3579–3583 [3650–3654], 6549–6552 [6669–6672]
- Hartig, J. S.
– Teaching Bacteria New Tricks—With RNA Switches (H) 7741–7743 [7887–7889]
DOI: 10.1002/anie.200703088
- Hartmann, J. (C) 2426–2430 [2478–2482]
- Hartnagel, U. (C) 4393–4396 [4472–4475]
- Hartnig, C. (C) 7311–7314 [7452–7455]
- Hartwig, J. F.
– Primary *tert*- and *sec*-Allylamines via Palladium-Catalyzed Hydroamination and Allylic Substitution with Hydrazine and Hydroxylamine Derivatives (C) 7259–7261 [7397–7399]
DOI: 10.1002/anie.200701899
- Reductive Elimination of Ether from T-Shaped, Monomeric Arylpalladium Alkoxides (C) 7674–7677 [7818–7821]
DOI: 10.1002/anie.200702809
- Haruta, M.
– Gold Catalysts: Towards Sustainable Chemistry (H) 7154–7156 [7288–7290]
DOI: 10.1002/anie.200701622
- Harvey, I. (C) 8593–8596 [8747–8750]
- Hasegawa, T. (C) 5885–5888 [5989–5992]
- Hashimoto, H.
– Synthesis and Structure of a Hydrido(hydrosilylene)ruthenium Complex and Its Reactions with Nitriles (C) 8192–8194 [8340–8342]
DOI: 10.1002/anie.200703154
- Hashimoto, K. (C) 3238–3241 [3302–3305]
- Hashimoto, Y. (C) 926–929 [944–947]
- Hashizume, D. (C) 4983–4986 [5071–5074], 8625–8628 [8779–8782]
- Hashmi, A. S. K.
– Gold-Catalyzed Benzylic C–H Activation at Room Temperature (C) 6184–6187 [6297–6300]
DOI: 10.1002/anie.200701521
- Hassan, Y. A. (C) 4316–4319 [4394–4397]
- Hatakeyama, S.
– Total Synthesis of Neooxazolomycin (C) 6703–6705 [6823–6825]
DOI: 10.1002/anie.200702229
- Hatt, H.
– Prediction of Perception: Probing the hOR17-4 Olfactory Receptor Model with Silicon Analogues of Bourgeonal and Lilial (C) 3367–3371 [3431–3436]
DOI: 10.1002/anie.200605002
- Hatton, T. A. (C) 9027–9031 [9185–9189]
- Hatzakis, N. S. (C) 7378–7382 [7522–7526]
- Hauer, B. (C) 3316–3318 [3380–3382]
- Haug, T. T. (C) 2310–2313 [2360–2363]
- Haupt, K.
– Combining Resonant Piezoelectric Micro-membranes with Molecularly Imprinted Polymers (C) 9271–9274 [9431–9434]
DOI: 10.1002/anie.200703881
- Hauser, P. (C) 1658–1662 [1687–1691]
- Häusig, U. (C) 4913–4916 [5000–5003]
- Hawthorne, M. F.
– Alkoxy Derivatives of Dodecaborate: Discrete Nanomolecular Ions with Tunable Pseudometallic Properties (C) 3018–3022 [3078–3082]
DOI: 10.1002/anie.200605126
- Hay, M. B. (C) 6492–6494 [6612–6614]
- Hayashi, T.
– A Cationic Rhodium–Chiral Diene Complex as a High-Performance Catalyst for the Intramolecular Asymmetric [4 + 2] Cycloaddition of Alkyne-1,3-Dienes (C) 7277–7280 [7415–7418]
DOI: 10.1002/anie.200702586
- Palladium-Catalyzed Asymmetric [3 + 3] Cycloaddition of Trimethylenemethane Derivatives with Nitrones (C) 5901–5903 [6005–6007]
DOI: 10.1002/anie.200701529
- Rhodium-Catalyzed Aryl Transfer from Trisubstituted Aryl Methanols to α,β -Unsaturated Carbonyl Compounds (C) 4937–4939 [5025–5027]
DOI: 10.1002/anie.200700902
- Rhodium-Catalyzed Asymmetric Synthesis of 3,3-Disubstituted 1-Indanones (C) 3735–3737 [3809–3811]
DOI: 10.1002/anie.200700226
- Hayashi, Y.
– Diphenylprolinol Silyl Ether as a Catalyst in an Enantioselective, Catalytic, Tandem Michael/Henry Reaction for the Control of Four Stereocenters (C) 4922–4925 [5010–5013]
DOI: 10.1002/anie.200700909
- Hayden, B. E.
– Enhanced Activity for Electrocatalytic Oxidation of Carbon Monoxide on Titania-Supported Gold Nanoparticles (C) 3530–3532 [3600–3602]
DOI: 10.1002/anie.200604633
- Hayes, S. T. (C) 437–440 [441–444]
- Hazelard, D. (C) 4922–4925 [5010–5013]
- Hazell, R. G. (C) 9202–9205 [9362–9365]
- He, A. (C) 1719–1722 [1749–1752], 4527–4529 [4611–4613]
- He, C.
– Silver-Catalyzed Intermolecular Amination of C–H Groups (C) 5184–5186 [5276–5278]
DOI: 10.1002/anie.200700760
- He, F. (C) 3245–3248 [3309–3312]
- He, G. (C) 9065–9068 [9223–9226]
- He, J. (C) 7255–7258 [7393–7396]
- He, M.-L. (C) 6464–6468 [6584–6588]
- He, Qiang (C) 2431–2434 [2483–2486], 6996–7000 [7126–7130]
- He, Qiwen (C) 6658–6661 [6778–6781]
- He, T. (C) 9243–9247 [9403–9407]
- He, Y. (C) 6098–6101 [6210–6213]
- Hébert, C. (C) 7319–7323 [7460–7464]
- Hechenberger, M. (C) 5336–5339 [5432–5435]
- Heckel, A.
– Polyamide Struts for DNA Architectures (C) 4382–4384 [4460–4462]
DOI: 10.1002/anie.200700469
- Heckenroth, M. (C) 6293–6296 [6409–6412]
- Heckmann, D. (C) 3571–3574 [3641–3644]
- Hedrick, J. L.
– A Distinctive Organocatalytic Approach to Complex Macromolecular Architectures (C) 4719–4721 [4803–4805]
DOI: 10.1002/anie.200700522
- Hedrick, J. L. (C) 2627–2630 [2681–2684]
- Heeger, A. J.
– Alan G. MacDiarmid (O) 2140–2141 [2188–2189]
DOI: 10.1002/anie.200700747
- Hegge, J. (C) 6155–6158 [6267–6270]
- Heilmann, E. K. (C) 4760–4763 [4844–4847]

- Heimann, A. C. (C) 1444–1447 [1466–1469], 1448–1450 [1470–1472]
- Heine, A. (C) 7697–7699 [7841–7843], 8511–8514 [8664–8667]
- Heinekey, D. M.
 - C–H Bond Activation by Rhodium(I) Hydroxide and Phenoxide Complexes (C) 4736–4738 [4820–4822]
DOI: 10.1002/anie.200700270
- Heinemann, F. W. (C) 265–268 [269–272]
- Heinicke, J. W.
 - Stabilization of Unsymmetrically Annealed Imidazol-2-ylidenes with Respect to Their Higher Group 14 Homologues by n/π -HOMO Inversion (C) 2697–2700 [2751–2754]
DOI: 10.1002/anie.200604516
- Heinrich, M. (C) 7988–7992 [8134–8138]
- Heinze, J.
 - Trinuclear Cyanines (TNCs) Revisited: A New Class of Electrochromics by Intramolecular π/σ Switching (C) 449–453 [453–457]
DOI: 10.1002/anie.200602596
- Heise, A.
 - Enzyme-Responsive Materials: Chirality to Program Polymer Reactivity (C) 8452–8454 [8604–8606]
DOI: 10.1002/anie.200702438
- Heitz, V.
 - A Liquid-Crystalline [2]Catenane and Its Copper(I) Complex (C) 4680–4683 [4764–4767]
DOI: 10.1002/anie.200700308
- Hell, C. (C) 445–448 [449–452]
- Hell, S. W.
 - Photochromic Rhodamines Provide Nanoscopy with Optical Sectioning (C) 6266–6270 [6382–6386]
DOI: 10.1002/anie.200702167
- Helliwell, M. (C) 5568–5571 [5664–5667]
- Helm, M. D. (C) 8656–8658 [8810–8812]
- Helm, P. A. (C) 8171–8173 [8319–8321]
- Helmchen, G.
 - Gold-Catalyzed Intermolecular Addition of Carbonyl Compounds to 1,6-Enynes (C) 5598–5601 [5694–5697]
DOI: 10.1002/anie.200701378
- Helms, V.
 - Dynamic Protonation Equilibrium of Solvated Acetic Acid (C) 2939–2943 [2997–3001]
DOI: 10.1002/anie.200603583
- Hempenius, M. A. (C) 1702–1705 [1732–1735], 8400–8404 [8552–8556]
- Hennig, L. (C) 5219–5222 [5311–5314]
- Henry, M. (C) 6106–6110 [6218–6222]
- Hensen, E. J. M.
 - Water-Promoted Hydrocarbon Activation Catalyzed by Binuclear Gallium Sites in ZSM-5 Zeolite (C) 7273–7276 [7411–7414]
DOI: 10.1002/anie.200702463
- Hepp, A. (C) 4176–4179 [4254–4257]
- Her, J.-H. (C) 1521–1524 [1543–1546]
- Herath, K. B. (C) 4684–4688 [4768–4772]
- Herbert, D. E. (R) 5060–5081 [5152–5173]
- Herdewijn, P.
 - Amino Acid Phosphoramidate Nucleotides as Alternative Substrates for HIV-1 Reverse Transcriptase (C) 4356–4358 [4434–4436]
DOI: 10.1002/anie.200605016
 - Enzymatic Synthesis of Phosphonomethyl Oligonucleotides by Terminator Polymerase (C) 2501–2504 [2553–2556]
DOI: 10.1002/anie.200603435
- Herdtschke, E. (C) 7290–7292 [7428–7430], 7651–7654 [7795–7798]
- Hergenrother, P. J.
 - A Colorimetric Substrate for Poly(ADP-Ribose) Polymerase-1, VPARP, and Tankyrase-1 (C) 2066–2069 [2112–2115]
DOI: 10.1002/anie.200603988
- Herlambang, D. L. (C) 3099–3103 [3159–3163]
- Herrmann, A. (C) 2444–2447 [2496–2499]
- Herrmann, T.
 - Functional Architecture of HCV IRES Domain II Stabilized by Divalent Metal Ions in the Crystal and in Solution (C) 226–229 [230–233]
DOI: 10.1002/anie.200603807
- Hernandez, H. H. (C) 4145–4147 [4223–4225]
- Hernández, V. (C) 9057–9061 [9215–9219]
- Hernández-Creus, A. (C) 8823–8827 [8979–8983]
- Herrera, I. (C) 6111–6114 [6223–6226]
- Herrero, R. (C) 381–385 [385–389]
- Herrmann, A.
 - Controlled Release of Volatiles under Mild Reaction Conditions: From Nature to Everyday Products (R) 5836–5863 [5938–5967]
DOI: 10.1002/anie.200700264
 - Engineering the Structural Properties of DNA Block Copolymer Micelles by Molecular Recognition (C) 1172–1175 [1191–1194]
DOI: 10.1002/anie.200603064
- Herrmann, C. (C) 8887–8889 [9044–9046]
- Herrmann, H. (C) 8426–8430 [8578–8582]
- Herrmann, W. A.
 - A Cheap, Efficient, and Environmentally Benign Synthesis of the Versatile Catalyst Methyltrioxorhenium (MTO) (C) 7301–7303 [7440–7442]
DOI: 10.1002/anie.200703017
 - Ernst Otto Fischer (O) 6578–6579 [6698–6699]
DOI: 10.1002/anie.200703517
- Herten, D.-P.
 - Direct Monitoring of Formation and Dissociation of Individual Metal Complexes by Single-Molecule Fluorescence Spectroscopy (C) 3363–3366 Corrigendum: 5049 [3427–3430 Corrigendum: 5137]
DOI: 10.1002/anie.200604965
- Hertweck, C.
 - A Binuclear Manganese Cluster That Catalyzes Radical-Mediated N-Oxygenation (C) 8605–8608 [8759–8762]
DOI: 10.1002/anie.200703089
 - Geminal Bismethylation Prevents Polyketide Oxidation and Dimerization in the Benastatin Pathway (C) 7035–7038 [7165–7168]
DOI: 10.1002/anie.200702033
- Herz, V. (C) 8295–8298 [8445–8449]
- Hesp, B. H. (C) 5137–5139 [5229–5231]
- Hesse, M. (C) 8277–8280 [8425–8428]
- Hetherington, C. J. D. (C) 3683–3685 [3757–3759]
- Hett, R. (C) 8405–8408 [8557–8560]
- Heyde, M. (C) 8703–8706 [8858–8861]
- Heymann, M. (C) 5594–5597 [5690–5693]
- Hibara, A. (C) 878–880 [896–898], 1180–1183 [1199–1202]
- Hibble, S. J.
 - Surprises from a Simple Material—The Structure and Properties of Nickel Cyanide (C) 7116–7118 [7246–7248]
DOI: 10.1002/anie.200701246
- Hickmann, V. (C) 2325–2327 [2377–2379]
- Hidai, M. (C) 5431–5434 [5527–5530]
- Hiemstra, H.
 - Catalytic Asymmetric Pictet–Spengler Reactions via Sulfonyliminium Ions (C) 7485–7487 [7629–7631]
DOI: 10.1002/anie.200701808
- Hierso, J.-C.
 - Palladium-Based Catalytic Systems for the Synthesis of Conjugated Enynes by Sonogashira Reactions and Related Alkynylation (R) 834–871 [850–888]
DOI: 10.1002/anie.200602761
- Hijazi, A. K. (C) 7290–7292 [7428–7430]
- Hilfert, L. (C) 6732–6734 [6855–6857]
- Hilgemann, M. (C) 8079–8081 [8225–8227]
- Hilker, I. (C) 8452–8454 [8604–8606]
- Hill, C. L.
 - Multiple Reversible Protonation of Polyoxyanion Surfaces: Direct Observation of Dynamic Structural Effects from Proton Transfer (C) 3877–3880 [3951–3954]
DOI: 10.1002/anie.200700004
- Hill, M. S.
 - Trifluoromethyl Coordination and C–F Bond Activation at Calcium (C) 6339–6342 [6455–6458]
DOI: 10.1002/anie.200701945
- Hillebrecht, A. (C) 7697–7699 [7841–7843]
- Hilt, G.
 - Cobalt-Catalyzed Alder–Ene Reaction (C) 8500–8502 [8653–8655]
DOI: 10.1002/anie.200703180
- Hilvert, D.
 - Enhancing Activity and Controlling Stereoselectivity in a Designed PLP-Dependent Aldolase (C) 4468–4470 [4552–4554]
DOI: 10.1002/anie.200700710
 - Minimalist Active-Site Redesign: Teaching Old Enzymes New Tricks (R) 3212–3236 [3274–3300]
DOI: 10.1002/anie.200604205
- Himmel, D. (C) 3971–3975 [4045–4049]
- Himmel, H.-J.
 - Synthesis and Structural Characterization of a Stable Dimeric Boron(II) Dication (C) 9110–9113 [9270–9273]
DOI: 10.1002/anie.200703616
- Himo, F. (C) 4507–4510 [4591–4594]
- Hindsgaul, O.
 - Assessing the Terminal Glycosylation of a Glycoprotein by the Naked Eye (C) 2403–2407 [2455–2459]
DOI: 10.1002/anie.200604936
- Hinou, H. (C) 3074–3079 [3134–3139]
- Hinou, T. (C) 2220–2223 [2270–2273]
- Hintermann, L.
 - Nucleophilic Addition of Organometallic Reagents to Cinchona Alkaloids: Simple Access to Diverse Architectures (C) 5164–5167 [5256–5259]
DOI: 10.1002/anie.200701341
- Hiramatsu, D. (C) 4987–4990 [5075–5078]
- Hirano, H. (C) 7595–7599 [7739–7743]
- Hirano, M. (C) 3951–3954 [4025–4028]

- Hirano, S. Corrigendum: 486
Hirao, H. (C) 8168–8170 [8316–8318]
Hirao, T.
– A Concave-Bound CpFe Complex of Sumanene as a Metal in a π Bowl (C) 8376–8379 [8528–8531]
DOI: 10.1002/anie.200702826
Hirao, Y. (C) 3300–3303 [3364–3367]
Hirata, N. (C) 7648–7650 [7792–7794]
Hiroshima, K. (C) 4310–4315 [4388–4393]
Hirota, H. (C) 2254–2256 [2304–2306]
Hiroto, S. (C) 5125–5128 [5217–5220]
Hirsch, A.
– Supramolecular Structure of 5-nm Spherical Micelles with D_3 Symmetry Assembled from Amphiphilic [3:3]-Hexakis Adducts of C_{60} (C) 4393–4396 [4472–4475]
DOI: 10.1002/anie.200604784
Hirsch, A. K. H. (R) 338–352 [342–357]
Hirsch, T. (C) 1253–1255 [1275–1277]
Hirtz, M. (C) 5231–5233 [5324–5326]
Hisaki, I. (C) 2220–2223 [2270–2273], 5125–5128 [5217–5220]
Hitchcock, P. B. (C) 5191–5194 [5283–5286], 6339–6342 [6455–6458]
Hiyama, T.
– Nickel-Catalyzed Addition of Pyridine-*N*-oxides across Alkynes (C) 8872–8874 [9028–9030]
DOI: 10.1002/anie.200703758
Hiyama, T. (C) 3055–3058 [3115–3118], 8659–8661 [8813–8815]
Hleba, Y. B. (C) 7799–7802 [7945–7948]
Ho, C.-L. Corrigendum: 1558
Ho, C.-Y. (C) 782–785 Corrigendum: 1201 [796–799 Corrigendum: 1221]
Ho, D. (C) 8384–8387 [8536–8539]
Ho, J. (C) 8445–8448 [8597–8600]
Ho, K. (C) 6126–6131 [6238–6243]
Ho, N.-H. (C) 707–709 [721–723]
Höbartner, C. (C) 7420–7424 [7564–7568]
Hobbs, H. R. (C) 7860–7863 [8006–8009]
Höbenreich, H. (C) 8597–8600 [8751–8754]
Hocke, H. (C) 704–706 [718–720]
Hodgson, D. M.
– Lithiation-Induced Migrations from Nitrogen to Carbon in Terminal Aziridines (C) 2245–2248 [2295–2298]
DOI: 10.1002/anie.200604920
Hoeftgen, E. R. (C) 2887–2890 [2945–2948]
Hoell, A. (C) 7311–7314 [7452–7455]
Hoffman, S. D. (C) 3144–3148 [3205–3209]
Hoffmann, M. (C) 3122–3125 [3183–3186]
Hoffmann, P. (C) 4913–4916 [5000–5003]
Hoffmann, R.
– Interpenetrating Polar and Nonpolar Sublattices in Intermetallics: The NaCd_2 Structure (R) 1958–1976 [2004–2023]
DOI: 10.1002/anie.200601678
– The Chemical Imagination at Work in Very Tight Places (R) 3620–3642 [3694–3717]
DOI: 10.1002/anie.200602485
Hoffmann, S. D. (C) 1638–1640 [1663–1666], 5310–5313 [5404–5407]
Hofkens, J.
– 3D Nanoscopy: Bringing Biological Nanostructures into Sharp Focus (H) 8330–8332 [8480–8482]
DOI: 10.1002/anie.200703314
Hofkens, J. (C) 1706–1709 [1736–1739]
Hofmann, H.-J. (C) 3118–3121 [3179–3182], (L) 6926 [7051]
Hofmann, O. (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
Hofmeister, A. (C) 2512–2514 [2564–2566], 4574–4576 [4658–4660]
Hofstadt, W. (C) 7307–7310 [7447–7451]
Hoge, B. (C) 6155–6158 [6267–6270]
Höger, S.
– Exciton Accumulation in π -Conjugated Wires Encapsulated by Light-Harvesting Macrocycles (C) 3450–3455 [3520–3525]
DOI: 10.1002/anie.200605072
– Molecularly Defined Shape-Persistent 2D Oligomers: The Covalent-Template Approach to Molecular Spoked Wheels (C) 6802–6806 [6926–6930]
DOI: 10.1002/anie.200701614
Hogg, L. M. (C) 4662–4666 [4746–4750]
Holder, P. G. (C) 4370–4373 [4448–4451]
Holdt, H.-J.
– Luminescence Detection of Open-Shell Transition-Metal Ions by Photoinduced Electron Transfer Controlled by Internal Charge Transfer of a Receptor (C) 1671–1674 [1701–1704]
DOI: 10.1002/anie.200603992
Hollmann, D. (C) 8291–8294 [8440–8444]
Hollmann, F. (C) 2903–2906 [2961–2964]
Holloway, G. (C) 7835–7838 [7981–7984]
Holodniy, M. (C) 2023–2027 [2069–2073]
Hölscher, M. (C) 2269–2272 [2319–2322]
Holthausen, M. C.
– Revisiting the Electronic Ground State of Copper Corroles (C) 445–448 [449–452]
DOI: 10.1002/anie.200603676
Holý, A. (C) 2501–2504 [2553–2556]
Holz, J. (C) 5971–5974 [6075–6078]
Holzmann, J. (C) 8907–8911 [9065–9069]
Holzwarth, A. (C) 3758–3761 [3832–3836]
Hong, C. S. (C) 1436–1439 [1458–1461]
Hong, J. H. (C) 3460–3463 [3530–3533], 7445–7448 [7589–7592]
Hong, Jongki (C) 4960–4963 [5048–5051]
Hong, Jooyeon (C) 2508–2511 [2560–2563]
Hong, M. S. (C) 2616–2618 [2670–2672]
Hong, S. H. (C) 5148–5151 [5240–5243]
Hong, S.-J. (C) 2508–2511 [2560–2563]
Hong, S. Y. (C) 623–627 [631–635]
Hong, W.-X. (C) 7023–7025 [7153–7155]
Hopcroft, N. H. (C) 3850–3854 [3924–3928]
Hopke, J. (C) 4783–4785 [4867–4869]
Hopkins, A. D.
– An Unexpected Pathway in the Cage Opening and Aggregation of P_4 (C) 3084–3086 [3144–3146]
DOI: 10.1002/anie.200604267
Hoppe, D.
– Estimation of the Kinetic Acidity from Substrate Conformation—Stereochemical Course of the Deprotonation of Cyclohexenyl Carbamates (C) 1645–1649 [1672–1676]
DOI: 10.1002/anie.200603347
– Stereo- and Regiochemical Divergence in the Substitution of a Lithiated Alk-1-en-3-yn-2-yl Carbamate: Synthesis of Highly Enantioenriched Vinylallenes or Alk-3-en-5-yn-1-ols (C) 3131–3134 [3192–3195]
DOI: 10.1002/anie.200604978
Hoppe, P. (C) 1476–1480 [1498–1502]
Hori, A.
– 1:1 Cross-Assembly of Two β -Diketone Complexes through Arene–Perfluoroarene Interactions (C) 7617–7620 [7761–7764]
DOI: 10.1002/anie.200702662
Horie, M.
– A Crystalline Supramolecular Switch: Controlling the Optical Anisotropy through the Collective Dynamic Motion of Molecules (C) 4983–4986 [5071–5074]
DOI: 10.1002/anie.200700708
Horikawa, M. (C) 7060–7063 [7190–7193]
Horike, S. (C) 889–892 [907–910]
Horino, Y.
– Rhenium-Catalyzed C–H and C–C Bond Activation (H) 2144–2146 [2192–2194]
DOI: 10.1002/anie.200605228
Horiuchi, S.
– A Supramolecular Ferroelectric Realized by Collective Proton Transfer (C) 3497–3501 [3567–3571]
DOI: 10.1002/anie.200700407
Hornauer, S. (C) 5191–5194 [5283–5286]
Hornung, J. (C) 6802–6806 [6926–6930]
Hörtner, S. R. (C) 8266–8269 [8414–8417]
Horton, P. N. (C) 7823–7826 [7969–7972]
Horvath-Bordon, E. (C) 1476–1480 [1498–1502]
Hoshi, H. (C) 3074–3079 [3134–3139]
Hoshi, Y. (C) 7396–7398 [7540–7542]
Hosseini, M. W.
– Molecular Tectonics on Surfaces: Bottom-Up Fabrication of 1D Coordination Networks That Form 1D and 2D Arrays on Graphite (C) 245–249 [249–253]
DOI: 10.1002/anie.200603558
Hotta, J.-i. (H) 8330–8332 [8480–8482]
Hotze, A. C. G. (C) 4374–4378 [4452–4456]
Hou, Y.
– A General Strategy for Synthesizing FePt Nanowires and Nanorods (C) 6333–6335 [6449–6451]
DOI: 10.1002/anie.200702001
Hou, Y. (C) 6329–6332 [6445–6448]
Hou, Z.
– Cationic Alkyl Rare-Earth Metal Complexes Bearing an Ancillary Bis(phosphinophenyl)amido Ligand: A Catalytic System for Living *cis*-1,4-Polymerization and Copolymerization of Isoprene and Butadiene (C) 1909–1913 [1941–1945]
DOI: 10.1002/anie.200604348
Houghton, J. (C) 429–432 [433–436]
Houk, K. N. (C) 6894–6898 [7018–7022]
Housseman, C. (M) 4614–4628 [4698–4712]
Hövelmann, C. H. (C) 7125–7127 [7255–7258]
Hoveyda, A. H.
– All-Carbon Quaternary Stereogenic Centers by Enantioselective Cu-Catalyzed Conjugate Additions Promoted by a Chiral N-Heterocyclic Carbene (C) 1097–1100 [1115–1118]
DOI: 10.1002/anie.200604511
– Chiral N-Heterocyclic Carbenes in Natural Product Synthesis: Application of Ru-Catalyzed Asymmetric Ring-Opening/Cross-Metathesis and Cu-Catalyzed Allylic Alkylation to Total Synthesis of Baconipyrene C (C) 3860–3864 [3934–3938]
DOI: 10.1002/anie.200700501

- Efficient Enantioselective Synthesis of Piperidines through Catalytic Asymmetric Ring-Opening/Cross-Metathesis Reactions (C) 4534–4538 [4618–4622]
DOI: 10.1002/anie.200605130
- Enantioselective Synthesis of Allylsilanes Bearing Tertiary and Quaternary Si-Substituted Carbons through Cu-Catalyzed Allylic Alkylations with Alkylzinc and Arylzinc Reagents (C) 4554–4558 [4638–4642]
DOI: 10.1002/anie.200700841
- Kinetic Resolution of 1,2-Diols through Highly Site- and Enantioselective Catalytic Silylation (C) 8471–8474 [8623–8626]
DOI: 10.1002/anie.200703650
- Hovius, R. (C) 3505–3508 [3575–3578]
- Hoyt, H. M. (C) 5580–5582 [5676–5678]
- Hoyt, M. T. (C) 2066–2069 [2112–2115]
- Hrbek, J. (C) 1329–1332 [1351–1354]
- Hrib, C. G. (C) 8890–8894 [9047–9051]
- Hrovat, D. A. (C) 2666–2668 [2720–2722]
- Hsin, T.-M. (C) 8032–8035 [8178–8181]
- Hsu, C.-H. (C) 4481–4485 [4565–4569]
- Hsu, C.-J. (C) 2418–2421 [2470–2473]
- Hsueh, S.-Y. (C) 2013–2017 [2059–2063]
- Hsung, R. P.
- Stereoselective Simmons–Smith Cyclopropanation of Chiral Enamides (C) 4069–4072 [4147–4150]
DOI: 10.1002/anie.200700681
- Hu, C. (C) 7010–7014 [7140–7144]
- Hu, H.-S. (C) 9045–9049 [9203–9207]
- Hu, J.
- A Remarkably Efficient Fluoroalkylation of Cyclic Sulfates and Sulfamides with PhSO₂CF₃H: Facile Entry into β -Difluoromethylated or β -Difluoromethylenated Alcohols and Amines (C) 786–789 [800–803]
DOI: 10.1002/anie.200603983
- Stereoselective Difluoromethylation Using Me₃SiCF₂SPh: Synthesis of Chiral 2,4-Disubstituted 3,3-Difluoropyrrolidines (C) 2489–2492 [2541–2544]
DOI: 10.1002/anie.200604783
- Hu, Lianghai (C) 962–965 [980–983]
- Hu, Litan (C) 6634–6637 [6754–6757]
- Hu, M. (C) 5111–5114 [5203–5206]
- Hu, W.
- Efficient Trapping of Oxonium Ylides with Imines: A Highly Diastereoselective Three-Component Reaction for the Synthesis of β -Amino- α -hydroxyesters with Quaternary Stereocenters (C) 1337–1339 [1359–1361]
DOI: 10.1002/anie.200604389
- Hu, X. (C) 8468–8470 [8620–8622]
- Hu, X.-P.
- Highly Enantioselective Synthesis of α -Hydroxy Phosphonic Acid Derivatives by Rh-Catalyzed Asymmetric Hydrogenation with Phosphine–Phosphoramidite Ligands (C) 7810–7813 [7956–7959]
DOI: 10.1002/anie.200702924
- Hu, Yong (C) 7104–7107 [7234–7237]
- Hu, Yongxing (C) 4342–4345 [4420–4423], 7428–7431 [7572–7575]
- Hu, Yulai (C) 941–944 [959–962]
- Hu, Z. (C) 1819–1822 [1851–1854]
- Hua, Z. (C) 7383–7387 [7527–7531]
- Huang, C. (C) 5393–5396 [5489–5492]
- Huang, C.-C. (C) 6824–6828 [6948–6952]
- Huang, F. (C) 1462–1464 [1484–1486]
- Huang, H. (C) 1337–1339 [1359–1361]
- Huang, J.-S. (C) 3249–3251 [3313–3315], 3909–3911 [3983–3985]
- Huang, Jia-Di (C) 7810–7813 [7956–7959]
- Huang, Jian-Dong
- Bismuth Complexes Inhibit the SARS Coronavirus (C) 6464–6468 [6584–6588]
DOI: 10.1002/anie.200701021
- Huang, Jiaping (C) 2414–2417 [2466–2469]
- Huang, Jing (C) 8020–8023 [8166–8169]
- Huang, Junmin (C) 9073–9077 [9231–9235]
- Huang, R.-B. (C) 8475–8479 [8627–8631]
- Huang, S. (C) 2249–2253 [2299–2303]
- Huang, S.-L. (C) 4481–4485 [4565–4569]
- Huang, W. (C) 4550–4553 [4634–4637]
- Huang, W.-H. (C) 7425–7427 [7569–7571]
- Huang, Xiaohua (C) 8468–8470 [8620–8622]
- Huang, Xiaohua (C) 7509–7512 [7653–7656]
- Huang, Xin (C) 742–745 [756–759]
- Huang, Y. (C) 1089–1093 [1107–1111]
- Huang, Y.-L. (C) 6629–6633 [6749–6753]
- Huard, A. (C) 7404–7407 [7548–7551]
- Huber, D. (C) 5238–5241 [5331–5334]
- Huber, G. W. (R) 7164–7183 [7298–7318], 7184–7201 [7320–7338]
- Huber, S. (C) 8898–8902 [9056–9060]
- Hübner, O. (C) 9110–9113 [9270–9273]
- Hübscher, U. (C) 1810–1813 [1842–1845]
- Huc, I.
- Development and Biological Assessment of Fully Water-Soluble Helical Aromatic Amide Foldamers (C) 4081–4084 [4159–4162]
DOI: 10.1002/anie.200700301
- Proteomorphous Objects from Abiotic Backbones (C) 214–217 [218–221]
DOI: 10.1002/anie.200603390
- Huck, W. T. S.
- A Self-Assembly Approach to Chemical Micropatterning of Poly(dimethylsiloxane) (C) 6634–6637 [6754–6757]
DOI: 10.1002/anie.200702286
- Self-Assembly Meets Nanofabrication: Recent Developments in Microcontact Printing and Dip-Pen Nanolithography (H) 2754–2757 [2810–2813]
DOI: 10.1002/anie.200604819
- Huerta, E. (C) 202–205 [206–209]
- Huffman, J. (C) 7019–7022 [7149–7152]
- Huffman, J. C. (C) 8246–8249 [8394–8397]
- Hughes, G.
- Diastereoselective Reductive Amination of Aryl Trifluoromethyl Ketones and α -Amino Esters (C) 1839–1842 [1871–1874]
DOI: 10.1002/anie.200603745
- Hughes, R. A. (R) 7930–7954 [8076–8101]
- Hughes, R. H. (C) 6278–6283 [6394–6399]
- Huguenot, F. (C) 3526–3529 [3596–3599]
- Huh, Y.-M.
- Multifunctional Magneto-Polymeric Nanohybrids for Targeted Detection and Synergistic Therapeutic Effects on Breast Cancer (C) 8836–8839 [8992–8995]
DOI: 10.1002/anie.200703554
- Hui, J. K.-H. (C) 7980–7983 [8126–8129]
- Hull, M. W. (C) 6695–6698 [6815–6818]
- Hummel, A. (C) 8492–8494 [8644–8646]
- Hümmerich, D. (C) 3559–3562 [3629–3632]
- Humphrey, M. G.
- Two-Photon and Three-Photon Absorption in an Organometallic Dendrimer (C) 731–733 [745–747]
DOI: 10.1002/anie.200602341
- Humphrey, S. M. (C) 272–275 [276–279]
- Humphreys, P. G. (C) 2245–2248 [2295–2298]
- Hung, W.-C. (C) 6629–6633 [6749–6753]
- Hung, W. Y. (C) 9065–9068 [9223–9226]
- Hungria, A. B. (C) 8182–8185 [8330–8333]
- Hünig, S.
- Trinuclear Cyanines (TNCs) Revisited: A New Class of Electrochromics by Intramolecular π/σ Switching (C) 449–453 [453–457]
DOI: 10.1002/anie.200602596
- Hunter, C. A.
- Solvent Effects on Hydrogen Bonding (C) 3706–3709 [3780–3783]
DOI: 10.1002/anie.200604966
- Hunter, C. A. (C) 7823–7826 [7969–7972]
- Hunter, L. (C) 7887–7890 [8033–8036]
- Huo, Z. (C) 6650–6653 [6770–6773]
- Huppertz, H.
- Formation of Edge-Sharing BO₄ Tetrahedra in the High-Pressure Borate HP-NiB₂O₄ (C) 9097–9100 [9256–9259]
DOI: 10.1002/anie.200703399
- Hursthouse, M. B. (C) 7823–7826 [7969–7972]
- Huskens, J.
- Molecular Printboards as a General Platform for Protein Immobilization: A Supramolecular Solution to Nonspecific Adsorption (C) 4104–4107 [4182–4185]
DOI: 10.1002/anie.200605104
- Hutchings, M. G. (C) 1869–1872 [1901–1904]
- Hüttel, M. R. M. (C) 467–469 [471–473], (M) 1570–1581 [1590–1601]
- Huynh, M. H. V. (R) 5284–5304 [5378–5399]
- Hwang, F. W. (C) 4757–4759 [4841–4843]
- Hwang, I. (C) 210–213 [214–217]
- Hwang, L. P. (C) 4481–4485 [4565–4569]
- Hwang, Y. (C) 7621–7624 [7765–7768]
- Hwu, S.-J.
- A Low-Dimensional Iron(II) Phosphate Exhibiting Field-Dependent Magnetization Steps (C) 5344–5347 [5440–5443]
DOI: 10.1002/anie.200604236
- Hybertsen, M. S. (C) 7891–7895 [8037–8041]
- Hyeon, T.
- A Magnetically Recyclable Nanocomposite Catalyst for Olefin Epoxidation (C) 7039–7043 [7169–7173]
DOI: 10.1002/anie.200702386
- Development of a T₁ Contrast Agent for Magnetic Resonance Imaging Using MnO Nanoparticles (C) 5397–5401 [5493–5497]
DOI: 10.1002/anie.200604775
- Synthesis of Monodisperse Spherical Nanocrystals (R) 4630–4660 [4714–4745]
DOI: 10.1002/anie.200603148
- Hyung, S.-J. (C) 8001–8004 [8147–8150]



- Iacobita, C. (C) 2659–2662 [2713–2716]
 Ibrahim, I. (C) 778–781 [792–795], 4507–4510 [4591–4594]
 Ichimura, A. (C) 5938–5942 [6042–6046]
 Ichinohe, M. (C) 3346–3348 [3410–3412], 3349–3352 [3413–3416]
 Ide, Y. (C) 8449–8451 [8601–8603]
 Ido, K. (C) 8010–8012 [8156–8158]
 Ieawsuwan, W. (C) 2097–2100 [2143–2146]
 Igashira-Kamiyama, A. (C) 2422–2425 [2474–2477]
 Iglesias, E.
 – Catalytic Consequences of Composition in Polyoxometalate Clusters with Keggin Structure (C) 7864–7868 [8010–8014]
 DOI: 10.1002/anie.200701292
 – RuO₂ Clusters within LTA Zeolite Cages: Consequences of Encapsulation on Catalytic Reactivity and Selectivity (C) 3697–3700 [3771–3774]
 DOI: 10.1002/anie.200700128
 – Synergistic Effects of TiO₂ and Palladium-Based Cocatalysts on the Selective Oxidation of Ethene to Acetic Acid on Mo–V–Nb Oxide Domains (C) 8649–8652 [8803–8806]
 DOI: 10.1002/anie.200700593
 Iglesias, A. (C) 6350–6353 [6466–6469]
 Iglesias, M. (C) 1536–1538 [1558–1560], 7820–7822 [7966–7968]
 Iiduka, Y. (C) 5562–5564 [5658–5660]
 Itaka, T. (C) 6275–6277 [6391–6393]
 Ikeda, C. (C) 2306–2309 [2356–2359]
 Ikeda, Haruo (C) 4930–4932 [5018–5020]
 Ikeda, Hiroshi
 – Thermoluminescence Originating from the Singlet Excited State of 1,4-Diarylcyclohexane-1,4-diyls: A Potentially General Strategy for the Observation of Short-Lived Biradicals (C) 7396–7398 [7540–7542]
 DOI: 10.1002/anie.200702512
 Ikeda, Taichi (C) 4675–4679 [4759–4763]
 Ikeda, Tomiki
 – Photomechanical Effects of Ferroelectric Liquid-Crystalline Elastomers Containing Azobenzene Chromophores (C) 881–883 [899–901]
 DOI: 10.1002/anie.200603053
 – Photomechanics of Liquid-Crystalline Elastomers and Other Polymers (R) 506–528 [512–535]
 DOI: 10.1002/anie.200602372
 Ikeda, Y. (C) 1180–1183 [1199–1202]
 Ikkala, O. (C) 7600–7604 [7744–7748]
 Ikushima, Y.
 – Rapid and Highly Selective Copper-Free Sonogashira Coupling in High-Pressure, High-Temperature Water in a Microfluidic System (C) 5129–5132 [5221–5224]
 DOI: 10.1002/anie.200700611
 Ikushima, Y. (C) 6284–6288 [6400–6404]
 Illa, O. (C) 9078–9080 [9236–9238]
 Illas, F.
 – On the Mechanism of Formation of Metal Nanowires by Self-Assembly (C) 7094–7097 [7224–7227]
 DOI: 10.1002/anie.200701613
 Illas, F. (C) 2055–2058 [2101–2104]
 Imai, H.
 – One-Pot Synthesis of Manganese Oxide Nanosheets in Aqueous Solution: Chelation-Mediated Parallel Control of Reaction and Morphology (C) 4951–4955 [5039–5043]
 DOI: 10.1002/anie.200700244
 Imai, N. (C) 6703–6705 [6823–6825]
 Imamoto, T.
 – Synthesis and Enantioselectivity of P-Chiral Phosphine Ligands with Alkynyl Groups (C) 8636–8639 [8790–8793]
 DOI: 10.1002/anie.200702513
 Imanishi, T.
 – Highly Stable Pyrimidine-Motif Triplex Formation at Physiological pH Values by a Bridged Nucleic Acid Analogue (C) 4306–4309 [4384–4387]
 DOI: 10.1002/anie.200604857
 Immel, S. (C) 6721–6724 Corrigendum: 8107 [6842–6845 Corrigendum: 8253]
 Improta, R.
 – Ab Initio Calculations of Absorption Spectra of Large Molecules in Solution: Coumarin C153 (C) 405–408 [409–412]
 DOI: 10.1002/anie.200602907
 Inada, Y. (C) 4310–4315 [4388–4393], 9253–9256 [9413–9416]
 Inagaki, J. (C) 8666–8669 [8820–8823]
 Incarvito, C. D. (C) 7674–7677 [7818–7821]
 Ingólfsson, O.
 – Combined Experimental and Theoretical Study on the Nature and the Metastable Decay Pathways of the Amino Acid Ion Fragment [M–H]⁺ (C) 8057–8059 [8203–8205]
 DOI: 10.1002/anie.200703327
 Injan, N. (C) 5238–5241 [5331–5334]
 Innocenti, A. (C) 7697–7699 [7841–7843]
 Inoue, M. (C) 2306–2309 [2356–2359]
 Inoue, R. (C) 5440–5443 [5536–5539]
 Inoue, S. (C) 3346–3348 [3410–3412], 3349–3352 [3413–3416]
 Inoue, T. (C) 5938–5942 [6042–6046]
 Inouye, M.
 – Translation of Mutarotation into Induced Circular Dichroism Signals through Helix Inversion of Host Polymers (C) 3059–3061 [3119–3121]
 DOI: 10.1002/anie.200604176
 Inumaru, K.
 – Water-Tolerant, Highly Active Solid Acid Catalysts Composed of the Keggin-Type Polyoxometalate H₃PW₁₂O₄₀ Immobilized in Hydrophobic Nanospaces of Organomodified Mesoporous Silica (C) 7625–7628 [7769–7772]
 DOI: 10.1002/anie.200702478
 Ipe, U. (C) 2108–2111 [2155–2159]
 Iranzo, O. (C) 6688–6691 [6808–6811]
 Irie, H. (C) 3238–3241 [3302–3305]
 Irran, E. (C) 2931–2934 [2989–2992]
 Isaacs, L.
 – Chiral Recognition inside a Chiral Cucurbituril (C) 7425–7427 [7569–7571]
 DOI: 10.1002/anie.200702189
 Ishida, T. (H) 7154–7156 [7288–7290]
 Ishida, Y. (C) 727–730 [741–744]
 Ishihara, J. (C) 6703–6705 [6823–6825]
 Ishihara, K.
 – The Oxorhenium(VII)-Catalyzed Direct Condensation of Phosphoric Acid with an Alcohol (C) 1423–1426 [1445–1448]
 DOI: 10.1002/anie.200604333
 Ishihara, T. (C) 7625–7628 [7769–7772]
 Ishii, E. (C) 3296–3299 [3360–3363]
 Ishii, Maiko (C) 8396–8399 [8548–8551]
 Ishii, Manabu (C) 8005–8009 [8151–8155]
 Ishii, N. (C) 8198–8202 [8346–8350]
 Ismagilov, R. F.
 – Response to Shape Emerges in a Complex Biochemical Network and Its Simple Chemical Analogue (C) 3660–3662 [3734–3736]
 DOI: 10.1002/anie.200604995
 Isobe, K. (C) 5938–5942 [6042–6046]
 Isoda, K. (C) 4675–4679 [4759–4763]
 Isogai, K. (C) 5938–5942 [6042–6046]
 Isozaki, K. (C) 2855–2857 [2913–2915]
 Istrate, F. M. (C) 1141–1144 [1159–1162]
 Ito, A.
 – Intramolecular Spin Transfer in a Spiro-Fused Bis(triarylamine) (C) 3300–3303 [3364–3367]
 DOI: 10.1002/anie.200603360
 Itoh, D. Corrigendum: 8734
 Itoh, D. (C) 1512–1516 [1534–1538], 4350–4355 [4428–4433]
 Itoh, Y. (C) 8060–8062 [8206–8208]
 Ivanov, I. N. (C) 2650–2654 [2704–2708]
 Iversen, B. B. Corrigendum: 653
 Iversen, B. B.
 – In Situ High-Energy Synchrotron Radiation Study of Sol–Gel Nanoparticle Formation in Supercritical Fluids (C) 1113–1116 [1131–1134]
 DOI: 10.1002/anie.200603386
 Iversen, S. B. (C) 1113–1116 [1131–1134]
 Iwamoto, O. (C) 8625–8628 [8779–8782]
 Iwasawa, N.
 – Preparation of Substituted Cyclopentadienes through Platinum(II)-Catalyzed Cyclization of 1,2,4-Trienes (C) 909–911 [927–929]
 DOI: 10.1002/anie.200603986
 Iwasawa, Y.
 – In Situ Time-Resolved Dynamic Surface Events on the Pt/C Cathode in a Fuel Cell under Operando Conditions (C) 4310–4315 [4388–4393]
 DOI: 10.1002/anie.200604732
 – Origin and Dynamics of Oxygen Storage/Release in a Pt/Ordered CeO₂–ZrO₂ Catalyst Studied by Time-Resolved XAFS Analysis (C) 9253–9256 [9413–9416]
 DOI: 10.1002/anie.200703085
 – Selective Formation of a Coordinatively Unsaturated Metal Complex at a Surface: A SiO₂-Immobilized, Three-Coordinate Ruthenium Catalyst for Alkene Epoxidation (C) 7220–7223 [7358–7361]
 DOI: 10.1002/anie.200700980
 Iwashita, A. (C) 3513–3516 [3583–3586]
 Iwashita, T. (C) 7060–7063 [7190–7193]
 Iyoda, T. (C) 1120–1123 [1138–1141]



- Jaakola, V.-P. (C) 7023–7025 [7153–7155]
Jabor, J. K. (C) 6354–6356 [6470–6472]
Jabri, A. (C) 6119–6122 [6231–6234]
Jack, R. S. (C) 8079–8081 [8225–8227]
Jackson, A. (C) 941–944 [959–962]
Jackson, J. B.
– The Emitting State of Tryptophan in Proteins with Highly Blue-Shifted Fluorescence (C) 5137–5139 [5229–5231]
DOI: 10.1002/anie.200700839
Jacob, T.
– The Au(111)/Electrolyte Interface: A Tunnel-Spectroscopic and DFT Investigation (C) 8903–8906 [9061–9064]
DOI: 10.1002/anie.200702868
Jacobs, P. A. (C) 1706–1709 [1736–1739], 4293–4297 [4371–4375]
Jacobsen, D. W. (C) 5140–5143 [5232–5235]
Jacobsen, E. N.
– Enantioselective Alkylation of Acyclic α,α -Disubstituted Tributyltin Enolates Catalyzed by a {Cr(salen)} Complex (C) 3701–3705 [3775–3779]
DOI: 10.1002/anie.200604901
– Indium-Mediated Asymmetric Allylation of Acylhydrazones Using a Chiral Urea Catalyst (C) 1315–1317 [1337–1339]
DOI: 10.1002/anie.200603354
Jacques, S. D. M. (C) 8832–8835 [8988–8991]
Jacques, V. (C) 8171–8173 [8319–8321]
Jacques, X. (C) 5947–5950 [6051–6054]
Jaenicke, L.
– Centenary of the Award of a Nobel Prize to Eduard Buchner, the Father of Biochemistry in a Test Tube and Thus of Experimental Molecular Bioscience (E) 6776–6782 [6900–6905]
DOI: 10.1002/anie.200700390
Jagner, S. (C) 6678–6680 [6798–6800]
Jahn, E.-M. (C) 2325–2327 [2377–2379]
Jain, K. R. (C) 7290–7292 [7428–7430]
Jakob, S. (C) 9097–9100 [9256–9259]
Jamison, T. F.
– Highly Selective Coupling of Alkenes and Aldehydes Catalyzed by [Ni(NHC)-{P(OPh)₃}]₂: Synergy between a Strong σ Donor and a Strong π Acceptor (C) 782–785 Corrigendum: 1201 [796–799 Corrigendum: 1221]
DOI: 10.1002/anie.200603907
Jana, C. K. (C) 6542–6544 [6662–6664]
Jancik, V. (C) 2895–2898 [2953–2956]
Jang, J.-H. (C) 9027–9031 [9185–9189]
Jang, K. (C) 1152–1155 [1170–1173]
Jang, S.-R. (C) 8358–8362 [8510–8514]
Jang, S. Y. (C) 5779–5782 [5881–5884]
Jang, Y. (R) 4630–4660 [4714–4745], (C) 7039–7043 [7169–7173]
Jang, Y. A. (C) 7064–7067 [7194–7197]
Janik, M. J. (C) 7864–7868 [8010–8014]
Jankiewicz, B. J. (C) 9198–9201 [9358–9361]
Jansen, M.
– Connectivity of the Chiral D_2 -Symmetric Isomer of C_{76} through a Crystal-Structure Determination of $C_{76}Cl_{18} \cdot TiCl_4$ (C) 8419–8421 [8571–8573]
DOI: 10.1002/anie.200702632
Jansen, R. (C) 4898–4901 [4985–4988]
Janshoff, A. (C) 5618–5623 [5716–5721]
Janssen, D. (C) 4898–4901 [4985–4988]
Janssen, R. A. J. (C) 1679–1683 [1709–1713]
Janssens, E. (C) 3372–3375 [3437–3440]
Jaquet, R. (C) 6911–6914 [7036–7039]
Jarvis, E. A. A. (C) 7853–7855 [7999–8001]
Jaspars, M. (C) 2594–2597 [2648–2651]
Jatzke, C. (C) 5336–5339 [5432–5435]
Jaun, B. (C) 260–264 [264–268]
Jautze, S. (C) 1260–1264 [1282–1286]
Jayanthi, T. T. (C) 5921–5924 [6025–6028]
Jayasuriya, H.
– Isolation and Structure of Platencin: A FabH and FabF Dual Inhibitor with Potent Broad-Spectrum Antibiotic Activity (C) 4684–4688 [4768–4772]
DOI: 10.1002/anie.200701058
Jayawickramarajah, J. (C) 223–225 [227–229], 7583–7586 [7727–7730]
Jazzar, R. (C) 2899–2902 [2957–2960]
Jean, L. (C) 9275–9278 [9435–9438]
Jeffries, G. D. M. (C) 1326–1328 [1348–1350]
Jemmis, E. D.
– Tandem Si–C and C–H Activation for Decamethylhafnocene and Bis(trimethylsilyl)acetylene (C) 6907–6910 [7031–7035]
DOI: 10.1002/anie.200701565
Jenke-Kodama, H. (C) 2712–2716 [2768–2772]
Jennings, M. C. (C) 2835–2838 [2893–2896]
Jensen, H. (C) 1113–1116 [1131–1134]
Jensen, K. F.
– Accelerating Reactions with Microreactors at Elevated Temperatures and Pressures: Profiling Aminocarbonylation Reactions (C) 1734–1737 [1764–1767]
DOI: 10.1002/anie.200604175
– Multistep Continuous-Flow Microchemical Synthesis Involving Multiple Reactions and Separations (C) 5704–5708 [5806–5810]
DOI: 10.1002/anie.200701434
Jensen, K. H. (C) 4748–4750 [4832–4834]
Jensen, P. (C) 2090–2093 [2136–2139]
Jeon, H. (C) 5779–5782 [5881–5884]
Jeon, W. S. (C) 210–213 [214–217]
Jeong, K. (C) 7064–7067 [7194–7197]
Jeong, N. C. (C) 3087–3090 [3147–3150], 5868–5872 [5972–5976]
Jeong, S.-D. (C) 2508–2511 [2560–2563]
Jeong, W. (C) 2627–2630 [2681–2684]
Jeong, W. B. (C) 6361–6363 [6478–6481]
Jeppesen, J. O.
– Preparation of Cyclobis(paraquat-*p*-phenylene)-Based [2]Rotaxanes Without Flexible Glycol Chains (C) 6093–6097 [6205–6209]
DOI: 10.1002/anie.200701722
Jérôme, R.
– Fast Multiresponsive Micellar Gels from a Smart ABC Triblock Copolymer (C) 7988–7992 [8134–8138]
DOI: 10.1002/anie.200701757
Jeske, H. (C) 3149–3151 [3210–3212]
Jess, A. (C) 7281–7285 [7419–7423]
Jewett, J. C. (C) 6502–6504 [6622–6624]
Jhon, Y. H. (C) 8230–8233 [8378–8381]
Jhung, S. H. (C) 272–275 [276–279]
Ji, H. (C) 1094–1096 [1112–1114]
Ji, X. Corrigendum: 5647
Ji, Y.-Y. (C) 6638–6642 [6758–6762]
Jia, G.
– A Metellanaphthalene Complex from Zinc Reduction of a Vinylcarbyne Complex (C) 9065–9068 [9223–9226]
DOI: 10.1002/anie.200703289
Jia, X. (C) 3342–3345 [3406–3409]
Jia, Y.-X. (C) 5565–5567 [5661–5663]
Jia, Y.-x. (C) 8484–8487 [8636–8639]
Jiang, Hao (C) 9202–9205 [9362–9365]
Jiang, Hongzhou (C) 5873–5876 [5977–5980]
Jiang, Hua (C) 6446–6449 [6566–6569]
Jiang, J.-Q. (C) 6464–6468 [6584–6588]
Jiang, J.-X. (C) 8574–8578 [8728–8732]
Jiang, Jianzhuang
– Superstructure Formation and Rearrangement in the Adlayer of a Rare-Earth-Metal Triple-Decker Sandwich Complex at the Electrochemical Interface (C) 1071–1074 [1089–1092]
DOI: 10.1002/anie.200603585
Jiang, Jun (C) 8468–8470 [8620–8622]
Jiang, Lei
– Enthalpy-Driven Three-State Switching of a Superhydrophilic/Superhydrophobic Surface (C) 3915–3917 [3989–3991]
DOI: 10.1002/anie.200700439
Jiang, Lihua (C) 7621–7624 [7765–7768]
Jiang, M. (C) 6321–6324 [6437–6440]
Jiang, T. (C) 7255–7258 [7393–7396]
Jiang, W. (C) 3732–3734 [3806–3808], 8445–8448 [8597–8600]
Jiang, Xiaogang (C) 962–965 [980–983]
Jiang, Xingyu
– A Method for Patterning Multiple Types of Cells by Using Electrochemical Desorption of Self-Assembled Monolayers within Microfluidic Channels (C) 1094–1096 [1112–1114]
DOI: 10.1002/anie.200603844
Jiang, Xiquan
– Reversible Surface Switching of Nanogel Triggered by External Stimuli (C) 7104–7107 [7234–7237]
DOI: 10.1002/anie.200701368
Jiang, Xuan (C) 7019–7022 [7149–7152]
Jiao, F. (C) 3946–3950 [4020–4024]
Jickells, S. M. (C) 4100–4103 [4178–4181]
Jilek, R. E. (C) 6132–6136 [6244–6248]
Jiménez-Aquino, A. (C) 1529–1532 [1551–1554]
Jin, B.-Y. (C) 897–900 [915–918]
Jin, S.
– A Room-Temperature Liquid-Crystalline Phase with Crystalline π Stacks (C) 3896–3899 [3970–3973]
DOI: 10.1002/anie.200604607
Jin, T. (C) 3323–3325 [3387–3389]
Jin, X. (C) 2911–2914 [2969–2972]
Jin, Z. (C) 6638–6642 [6758–6762]
Jitsukawa, K. (C) 3288–3290 [3352–3354]
Jochum, A. (C) 2398–2402 [2450–2454]
Joensen, K. D. (C) 1113–1116 [1131–1134]
Johannes, L. (C) 6469–6472 [6589–6592]
John, G.
– In Situ Synthesis and Assembly of Gold Nanoparticles Embedded in Glass-Forming Liquid Crystals

- (C) 3269–3274 [3333–3338]
DOI: 10.1002/anie.200604218
- John, H. (C) 449–453 [453–457]
- Johns, A. M. (C) 7259–7261 [7397–7399]
- Johnson, B. P. (C) 3971–3975 [4045–4049]
- Johnson, J. B. (C) 4514–4518 [4598–4602]
- Johnson, J. R. (C) 5528–5531 [5624–5627]
- Johnson, L. W.
– Microfluidic Control of Fluorescence Resonance Energy Transfer: Breaking the FRET Limit
(C) 3482–3485 [3552–3555]
DOI: 10.1002/anie.200604861
- Johnson, M. A.
– Gas-Phase Infrared Spectroscopy and Multidimensional Quantum Calculations of the Protonated Ammonia Dimer $N_2H_7^+$
(C) 8691–8694 [8846–8849]
DOI: 10.1002/anie.200702607
- Johnsson, K.
– Inducing and Sensing Protein–Protein Interactions in Living Cells by Selective Cross-linking
(C) 4281–4284 [4359–4362]
DOI: 10.1002/anie.200700408
- Johnston, A. P. R. (C) 2677–2680 [2731–2734]
- Johnston-Cox, H. (C) 226–229 [230–233]
- Johnstone, R. D. L. (C) 4456–4460 [4540–4544]
- Johrendt, D. (C) 9097–9100 [9256–9259]
- Joncheray, T. J. (C) 714–717 [728–731]
- Jones, A. (C) 5880–5884 [5984–5988]
- Jones, Cameron
– “Dissolution” of Indium(I) Iodide: Synthesis and Structural Characterization of the Neutral Indium Sub-Halide Cluster Complex $[In_6I_8(tmeda)_4]$
(C) 8618–8621 [8772–8775]
DOI: 10.1002/anie.200703809
- Jones, Cameron (C) 2043–2046 [2089–2092]
- Jones, Claire (C) 2108–2111 [2155–2159]
- Jones, L. F. (C) 4073–4076 [4151–4154]
- Jones, M. (C) 6278–6283 [6394–6399]
- Jones, M. D. (C) 2280–2283 [2330–2333]
- Jones, P. G. (C) 2663–2665 [2717–2719], 2697–2700 [2751–2754], 8682–8685 [8836–8839], 8890–8894 [9047–9051]
- Jones, S. C. (C) 5724–5727 [5826–5829]
- Jonkheijm, P. (C) 7700–7703 [7844–7847]
- Jönsson, H. (C) 8057–8059 [8203–8205]
- Joo, J. (R) 4630–4660 [4714–4745]
- Joo, Y.-H. (C) 1168–1171 [1187–1190]
- Jordan, E. (C) 3359–3362 [3423–3426]
- Jordan, J. P. (C) 5152–5155 [5244–5247]
- Jørgensen, K. A.
– A New Approach for an Organocatalytic Multicomponent Domino Asymmetric Reaction
(C) 1101–1104 [1119–1122]
DOI: 10.1002/anie.200604479
- Asymmetric Organocatalytic α -Arylation of Aldehydes
(C) 5520–5523 [5616–5619]
DOI: 10.1002/anie.200701207
- Enantioselective Organocatalytic Conjugate Addition of N Heterocycles to α,β -Unsaturated Aldehydes
(C) 1983–1987 [2029–2033]
DOI: 10.1002/anie.200604854
- How to Make Five Contiguous Stereocenters in One Reaction: Asymmetric Organocatalytic Synthesis of Pentasubstituted Cyclohexanes
(C) 9202–9205 [9362–9365]
DOI: 10.1002/anie.200704454
- Organocatalytic Highly Enantioselective α -Arylation of β -Ketoesters
(C) 5515–5519 [5611–5615]
DOI: 10.1002/anie.200701009
- Radicals in Asymmetric Organocatalysis
(H) 7356–7359 [7500–7503]
DOI: 10.1002/anie.200702834
- Jose, J. (C) 1684–1687 [1714–1717]
- Jouaiti, A. (C) 245–249 [249–253]
- Joubert, J. (C) 3870–3873 [3944–3947]
- Joyce, G. F.
– Forty Years of In Vitro Evolution
(R) 6420–6436 [6540–6557]
DOI: 10.1002/anie.200701369
- Judele, R. (R) 4832–4887 [4916–4973]
- Juhl, M. (C) 4693–4697 [4777–4781], 4698–4703 [4782–4787]
- Jullien, L.
– Two-Photon Uncaging with the Efficient 3,5-Dibromo-2,4-dihydroxycinnamic Caging Group
(C) 2467–2469 [2519–2521]
DOI: 10.1002/anie.200604598
- Jun, S. (C) 3959–3961 Corrigendum: 5263 [4033–4035 Corrigendum: 5357]
- Jun, Y.-w. (C) 8828–8831 [8984–8987]
- Jung, B. (C) 2616–2618 [2670–2672]
- Jung, C. (C) 3460–3463 [3530–3533]
- Jung, D. H. (C) 8230–8233 [8378–8381]
- Jung, H. H. (C) 8464–8467 [8616–8619]
- Jung, J. (C) 1436–1439 [1458–1461]
- Jung, M. (C) 3471–3474 [3541–3544]
- Jung, O.-S.
– Interactions of Microcrystals through Free Pyridyl Groups: Microcross and Chain-Arrayed Supercrystals of a Palladium(II) Complex
(C) 4960–4963 [5048–5051]
DOI: 10.1002/anie.200701152
- Jung, S.-Y. (C) 3460–3463 [3530–3533]
- Jung, T.
– A Supramolecular Multiposition Rotary Device
(C) 4089–4092 [4167–4170]
DOI: 10.1002/anie.200700285
- Jung, W.
– $K_7B_7Si_{39}$, a Borosilicide with the Clathrate I Structure
(C) 6725–6728 [6846–6850]
DOI: 10.1002/anie.200701028
- Jung, Y.-S. (C) 1176–1179 [1195–1198]
- Jurca, T. (C) 8050–8053 Corrigendum: 9136 [8196–8199 Corrigendum: 9296]
- Justice, A. K. (C) 6152–6154 [6264–6266]
- Justicia, J. Corrigendum: 1941
- Jyoti, B. (C) 5356–5358 [5452–5454]
- Kabashima, T. (C) 8226–8229 [8374–8377]
- Kacprzynski, M. A. (C) 4554–4558 [4638–4642]
- Kadoh, Y. (C) 6325–6328 [6441–6444]
- Kadowaki, K. (C) 4689–4692 [4773–4776]
- Kadri, A. (C) 3149–3151 [3210–3212]
- Kagechika, K. (C) 4693–4697 [4777–4781], 4698–4703 [4782–4787]
- Kahlert, H. (C) 8079–8081 [8225–8227]
- Kai, M.
– Dextran-Based Polymeric Chemiluminescent Compounds for the Sensitive Optical Imaging of a Cytochrome P450 Protein on a Solid-Phase Membrane
(C) 8226–8229 [8374–8377]
DOI: 10.1002/anie.200702290
- Kaim, W.
– Unconventional Mixed-Valent Complexes of Ruthenium and Osmium
(R) 1778–1796 [1808–1828]
DOI: 10.1002/anie.200602737
- Kaiser, R. I.
– Crossed-Molecular-Beam Study on the Formation of Phenylacetylene from Phenyl Radicals and Acetylene
(C) 6866–6869 [6990–6993]
DOI: 10.1002/anie.200701890
- Kaiser, T. E. (C) 5541–5544 [5637–5640]
- Kajiwar, T. (C) 2422–2425 [2474–2477]
- Kakiguchi, K. (C) 7458–7461 [7602–7605]
- Kalamajka, R. (C) 2299–2302 [2349–2352]
- Kalesse, M.
– Chivosazole A—Elucidation of the Absolute and Relative Configuration
(C) 4898–4901 [4985–4988]
DOI: 10.1002/anie.200605198
- Kalidindi, S. (C) 6361–6363 [6478–6481]
- Kallenbach, N. R.
– Spin Relaxation Enhancement Confirms Dominance of Extended Conformations in Short Alanine Peptides
(C) 9036–9039 [9194–9197]
DOI: 10.1002/anie.200703376
- Kalli, A. (C) 8455–8459 [8607–8611]
- Kaluarachchi, H. (C) 8804–8807 [8960–8963]
- Kalyanasundaram, K. (C) 373–376 [377–380]
- Kamachi, T. (C) 980–983 [998–1001], 2291–2294 [2341–2344]
- Kamada, K.
– Strong Two-Photon Absorption of Singlet Diradical Hydrocarbons
(C) 3544–3546 [3614–3616]
DOI: 10.1002/anie.200605061
- Kambe, N.
– Copper-Catalyzed Cross-Coupling Reaction of Grignard Reagents with Primary-Alkyl Halides: Remarkable Effect of 1-Phenylpropyne
(C) 2086–2089 [2132–2135]
DOI: 10.1002/anie.200603451
- Definitive Evidence for the Insertion of Terminal Alkynes into ArylS–Pt Bonds: “o-Halogen Effect” in Stoichiometric and Catalytic Reactions
(C) 5929–5933 [6033–6037]
DOI: 10.1002/anie.200604986
- Kamiya, Y. (C) 7625–7628 [7769–7772]
- Kamm, B.
– Production of Platform Chemicals and Synthesis Gas from Biomass
(H) 5056–5058 [5146–5149]
DOI: 10.1002/anie.200604514
- Kamps, I. (C) 4176–4179 [4254–4257]
- Kan, C. (C) 7383–7387 [7527–7531]
- Kan, D. (C) 6453–6456 [6573–6576]
- Kanada, R. M. Corrigendum: 8734
- Kanada, R. M. (C) 4350–4355 [4428–4433]
- Kanchiku, S. (C) 3889–3891 [3963–3965]
- Kandori, H.
– Clay Mimics Color Tuning in Visual Pigments



- (C) 8010–8012 [8156–8158]
DOI: 10.1002/anie.200702368
- Kandre, R. (C) 4956–4959 [5044–5047]
- Kane, R. S.
- Raftlike Polyvalent Inhibitors of the Anthrax Toxin: Modulating Inhibitory Potency by Formation of Lipid Microdomains (C) 2207–2209 [2257–2259]
DOI: 10.1002/anie.200604317
- Kaneda, K.
- Montmorillonite-Entrapped Sub-nanoordered Pd Clusters as a Heterogeneous Catalyst for Allylic Substitution Reactions (C) 3288–3290 [3352–3354]
DOI: 10.1002/anie.200604644
- Kanehara, M. (C) 1713–1715 [1743–1745]
- Kaner, R. B. (C) 7251–7254 [7389–7392]
- Kang, Q.-Q. (C) 8475–8479 [8627–8631]
- Kang, S. H.
- Enantioselective Synthesis of Tertiary Alcohols by the Desymmetrizing Benzoylation of 2-Substituted Glycerols (C) 2616–2618 [2670–2672]
DOI: 10.1002/anie.200604977
- Kang, Y.-B. (C) 3918–3921 [3992–3995]
- Kang, Y.-M. (C) 750–753 [764–767]
- Kanno, Akira (C) 7595–7599 [7739–7743]
- Kanno, Ayumi (C) 3931–3933 [4005–4007]
- Kano, K.
- Supramolecular Complex of Cytochrome c with a Polyanionic β -Cyclodextrin (C) 727–730 [741–744]
DOI: 10.1002/anie.200603471
- Kano, T. (C) 1738–1740 [1768–1770]
- Kansy, M. (C) 8266–8269 [8414–8417]
- Kantchev, E. A. B. (R) 2768–2813 [2824–2870]
- Kanyiva, K. S. (C) 8872–8874 [9028–9030]
- Kapatsina, E. (R) 4832–4887 [4916–4973]
- Kappes, M. M.
- Boron Cluster Cations: Transition from Planar to Cylindrical Structures (C) 8503–8506 [8656–8659]
DOI: 10.1002/anie.200701915
- Kappes, M. M. (C) 2944–2948 [3002–3006]
- Kapurniotu, A.
- IAPP Mimic Blocks A β Cytotoxic Self-Assembly: Cross-Suppression of Amyloid Toxicity of A β and IAPP Suggests a Molecular Link between Alzheimer's Disease and Type II Diabetes (C) 1246–1252 [1268–1274]
DOI: 10.1002/anie.200604056
- Karafilidis, C. (C) 3745–3749 [3819–3823]
- Karaghiosoff, K. (C) 8682–8685 [8836–8839]
- Karatsu, T. (C) 8005–8009 [8151–8155]
- Karimi, B.
- Green, Transition-Metal-Free Aerobic Oxidation of Alcohols Using a Highly Durable Supported Organocatalyst (C) 7210–7213 [7348–7351]
DOI: 10.1002/anie.200701918
- Kariuki, B. M. (C) 4374–4378 [4452–4456]
- Karonen, M. (C) 4148–4150 [4226–4228]
- Kárpáti, S. (C) 5306–5309 [5400–5403]
- Kartika, R. (C) 6874–6877 [6998–7001]
- Karunakaran, V. (C) 5329–5331 [5423–5426]
- Karwacki, L. (C) 7228–7231 [7366–7369]
- Karyakin, A. A.
- Electrochemical Sensor with Record Performance Characteristics (C) 7678–7680 [7822–7824]
DOI: 10.1002/anie.200700341
- The Limiting Performance Characteristics in Bioelectrocatalysis of Hydrogenase Enzymes (C) 7244–7246 [7382–7384]
DOI: 10.1002/anie.200701096
- Karyakina, E. E. (C) 7244–7246 [7382–7384], 7678–7680 [7822–7824]
- Kasatkin, I. (C) 7324–7327 [7465–7468]
- Kastrup, C. J. (C) 3660–3662 [3734–3736]
- Katagiri, H. (C) 2435–2439 [2487–2491], 5885–5888 [5989–5992]
- Kataoka, K.
- Encapsulation of Myoglobin in PEGylated Polyion Complex Vesicles Made from a Pair of Oppositely Charged Block Ionomers: A Physiologically Available Oxygen Carrier (C) 6085–6088 [6197–6200]
DOI: 10.1002/anie.200701776
- Kato, H. (C) 2254–2256 [2304–2306]
- Kato, K. (C) 2694–2696 [2748–2750]
- Kato, N. (C) 3509–3512 [3579–3582]
- Kato, S.
- Superoxide Does React with Peroxides: Direct Observation of the Haber–Weiss Reaction in the Gas Phase (C) 4948–4950 [5036–5038]
DOI: 10.1002/anie.200700219
- Kato, Takashi
- A Liquid-Crystalline Bistable [2]Rotaxane (C) 4675–4679 [4759–4763]
DOI: 10.1002/anie.200700305
 - A Liquid-Crystalline [2]Catenane and Its Copper(I) Complex (C) 4680–4683 [4764–4767]
DOI: 10.1002/anie.200700308
 - 1-Alkyl-2,3,5,6,7,8-hexasilabicyclo[2.2.2]octanes: Unconventional Class of Mesomorphic Columnar Compounds (C) 3055–3058 [3115–3118]
DOI: 10.1002/anie.200604170
- Kato, Tatsuhisa (C) 1803–1806 [1835–1838]
- Kato, Tsuyoshi (C) 8632–8635 [8786–8789], 9078–9080 [9236–9238]
- Katoh, T. (C) 4937–4939 [5025–5027]
- Katou, T. (C) 1493–1496 [1515–1518]
- Katsukawa, M. (C) 1423–1426 [1445–1448]
- Katsuki, T.
- Asymmetric Oxidation Catalysis by a Chiral Al(salalen) Complex: Highly Enantioselective Oxidation of Sulfides with Aqueous Hydrogen Peroxide (C) 4729–4731 [4813–4815]
DOI: 10.1002/anie.200700792
 - Construction of an Aryliridium–Salen Complex for Highly *cis*- and Enantioselective Cyclopropanations (C) 3889–3891 [3963–3965]
DOI: 10.1002/anie.200604385
 - Titanium-Catalyzed Asymmetric Epoxidation of Non-Activated Olefins with Hydrogen Peroxide (C) 4559–4561 [4643–4645]
DOI: 10.1002/anie.200700949
- Katz, M. (C) 8804–8807 [8960–8963]
- Kaul, C. (M) 6226–6236 [6340–6350]
- Kaupp, M.
- Mercury Is a Transition Metal: The First Experimental Evidence for HgF₄ (C) 8371–8375 [8523–8527]
DOI: 10.1002/anie.200703710
- Kaupp, M. (C) 7001–7005 [7131–7135]
- Kauppinen, E. I. (C) 6446–6449 [6566–6569]
- Kawabata, Y. (C) 5440–5443 [5536–5539]
- Kawaguchi, H.
- Dinitrogen Cleavage by a Diniobium Tetrahydride Complex: Formation of a Nitride and Its Conversion into Imide Species (C) 8778–8781 [8934–8937]
DOI: 10.1002/anie.200703336
- Kawai, N. (C) 7803–7805 [7949–7951]
- Kawanami, H.
- A Highly Selective, High-Speed, and Hydrolysis-Free O-Acylation in Subcritical Water in the Absence of a Catalyst (C) 6284–6288 [6400–6404]
DOI: 10.1002/anie.200700180
 - Rapid and Highly Selective Copper-Free Sonogashira Coupling in High-Pressure, High-Temperature Water in a Microfluidic System (C) 5129–5132 [5221–5224]
DOI: 10.1002/anie.200700611
- Kawano, M.
- Thermo-to-Photo-Switching of the Chromic Behavior of Salicylideneanilines by Inclusion in a Porous Coordination Network (C) 6643–6645 [6763–6765]
DOI: 10.1002/anie.200700999
- Kawano, M. (C) 2819–2822 [2877–2880], 5717–5719 [5819–5821]
- Kawase, T.
- Cyclic [5]Paraphenyleneacetylene: Synthesis, Properties, and Formation of a Ring-in-Ring Complex Showing a Considerably Large Association Constant and Entropy Effect (C) 1086–1088 [1104–1106]
DOI: 10.1002/anie.200603707
- Kawata, A. (C) 7793–7795 [7939–7941]
- Kawata, Y. (C) 2306–2309 [2356–2359]
- Kawauchi, T. (C) 5348–5351 [5444–5447]
- Kay, E. R. (R) 72–191 [72–196]
- Kayahara, E. (C) 1304–1306 [1326–1328]
- Kazane, S. A. (C) 4554–4558 [4638–4642]
- Kazmaier, U.
- Stereoselective Syntheses and Reactions of Stannylated Peptides (C) 4570–4573 [4654–4657]
DOI: 10.1002/anie.200700759
- Ke, Y. (C) 6089–6092 [6201–6204]
- Keating, A. (C) 6126–6131 [6238–6243]
- Kehr, G. (C) 4905–4908 [4992–4995]
- Keilhauer, I. (C) 3579–3583 [3650–3654]
- Keim, W. (E) 6010–6013 [6116–6120]
- Keizer, T. S. (C) 2669–2671 [2723–2725]
- Kelleher, N. L. (C) 7621–7624 [7765–7768], 9089–9092 [9247–9250]
- Keller, M. (C) 3037–3039 [3097–3099]
- Keller, P. (C) 1164–1167 [1183–1186]
- Keller, Sandro (C) 1654–1657 [1682–1686]
- Keller, Simone (C) 8284–8286 [8433–8435]
- Kellert, M. (C) 4780–4782 [4864–4866]
- Kelling, A. (C) 1671–1674 [1701–1704]
- Kellogg, R. M.
- The Crystallization Behavior of Proline and Its Role in Asymmetric Organocatalysis (H) 494–497 [498–502]
DOI: 10.1002/anie.200603028
- Kelm, H. (C) 1156–1159 [1174–1177], 1270–1273 [1293–1296]
- Kelting, R. (C) 8503–8506 [8656–8659]
- Kemp, T. F. (C) 2635–2638 [2689–2692]
- Kempe, P. (C) 628–632 [636–640]
- Kempe, R.
- An Efficient Bimetallic Rhodium Catalyst for the Direct Arylation of Unactivated

- Arenes
(C) 3135–3138 [3196–3199]
DOI: 10.1002/anie.200604988
- Kendrick, J. (C) 5537–5540 [5633–5636]
- Kennedy, A. R. (C) 1105–1108 [1123–1126], 4662–4666 [4746–4750]
- Kennedy-Smith, J. J. (C) 7671–7673 [7815–7817]
- Kent, S. B. H.
– Convergent Chemical Synthesis and Crystal Structure of a 203 Amino Acid “Covalent Dimer” HIV-1 Protease Enzyme Molecule
(C) 1667–1670 [1697–1700]
DOI: 10.1002/anie.200604087
- Kenttämää, H. I.
– Reactivity of an Aromatic α,α,σ -Triradical: The 2,4,6-Tridehydropyridinium Cation
(C) 9198–9201 [9358–9361]
DOI: 10.1002/anie.200701732
- Kepert, C. J.
– A Thermal Spin Transition in a Nanoporous Iron(II) Coordination Framework Material
(C) 2059–2062 [2105–2108]
DOI: 10.1002/anie.200603977
- Kerber, W. D. (C) 3718–3721 [3792–3795]
- Kermagoret, A. (C) 6438–6441 [6558–6561]
- Kern, K. (C) 710–713 [724–727], 3149–3151 [3210–3212], 4492–4495 [4576–4579]
- Kerpen, K. (C) 7770–7774 [7917–7921]
- Kesavan, S. (C) 7470–7472 [7614–7616]
- Kessel, S. (C) 9023–9026 [9181–9184]
- Kessler, H.
– Probing Integrin Selectivity: Rational Design of Highly Active and Selective Ligands for the $\alpha 5\beta 1$ and $\alpha v\beta 3$ Integrin Receptor
(C) 3571–3574 [3641–3644]
DOI: 10.1002/anie.200700008
- Ketkov, S. Y.
– Direct Detection of Individual Bis(arene) Rotational Isomers in the Gas Phase by Mass-Analyzed Threshold Ionization Spectroscopy
(C) 7072–7074 [7202–7204]
DOI: 10.1002/anie.200702233
- Ketkov, S. Y. (C) 4302–4305 [4380–4383]
- Khalimon, A. Y. (C) 4530–4533 [4614–4617]
- Khan, A. A. (C) 2104–2107 [2150–2154]
- Khan, I. (C) 941–944 [959–962]
- Khanal, B. P. (C) 2195–2198 [2245–2248]
- Khanra, S. (C) 5568–5571 [5664–5667]
- Khaskin, E. (C) 6309–6312 [6425–6428]
- Khimyak, Y. Z. (C) 8574–8578 [8728–8732]
- Khlistunova, I. (C) 9215–9219 [9375–9379]
- Khlobystov, A. N.
– Controlled Assembly of Silver(I)-Pyridylfullerene Networks
(C) 8013–8016 [8159–8162]
DOI: 10.1002/anie.200700769
- Khoo, M. L. (C) 7835–7838 [7981–7984]
- Khvostichenko, D. (C) 8368–8370 [8520–8522]
- Kiebele, A. (C) 4089–4092 [4167–4170]
- Kiefer, W. (C) 4786–4789 [4870–4873]
- Kiel, A. (C) 3363–3366 Corrigendum: 5049 [3427–3430 Corrigendum: 5137]
- Kieltsch, I. (C) 754–757 [768–771]
- Kienle, M. (C) 9093–9096 [9251–9255]
- Kiesewetter, M. K. (C) 4719–4721 [4803–4805]
- Kilbinger, A. F. M.
– Learning from Nature: β -Sheet-Mimicking Copolymers Get Organized
(M) 8334–8340 [8484–8490]
DOI: 10.1002/anie.200701167
- Kilner, C. A. (C) 4073–4076 [4151–4154]
- Kim, B. (C) 4726–4728 [4810–4812]
- Kim, B.-G.
– High-Throughput Identification of Substrate Specificity for Protein Kinase by Using an Improved One-Bead-One-Compound Library Approach
(C) 5408–5411 [5504–5507]
DOI: 10.1002/anie.200700195
- Kim, B.-K. (C) 6654–6657 [6774–6777]
- Kim, B. R. (C) 3460–3463 [3530–3533], 7445–7448 [7589–7592]
- Kim, C.
– Controlled Release of Guest Molecules from Mesoporous Silica Particles Based on a pH-Responsive Polypseudorotaxane Motif
(C) 1455–1457 [1477–1479]
DOI: 10.1002/anie.200603404
- Kim, D.-C. (C) 5880–5884 [5984–5988]
- Kim, D.-W.
– Formation of Lithium-Driven Active/Inactive Nanocomposite Electrodes Based on $\text{Ca}_3\text{Co}_4\text{O}_9$ Nanoplates
(C) 6654–6657 [6774–6777]
DOI: 10.1002/anie.200701628
- Kim, Deukjoon
– Substrate-Controlled Asymmetric Total Synthesis of (+)-Microcladallene B with a Bromination Strategy Based on a Nucleophile-Assisting Leaving Group
(C) 4726–4728 [4810–4812]
DOI: 10.1002/anie.200700854
- Kim, Deukjoon (C) 8422–8425 [8574–8577]
- Kim, Dongho
– Extrusion of Boron(III) Subporphyrin from *meso*-Heptakis(pentafluorophenyl)-[32]heptaphyrin upon Cooperative Cu^{II} and B^{III} Metalation
(C) 5591–5593 [5687–5689]
DOI: 10.1002/anie.200701682
- Synthesis of Doubly β -to- β 1,3-Butadiyne-Bridged Diporphyrins: Enforced Planar Structures and Large Two-Photon Absorption Cross Sections
(C) 5125–5128 [5217–5220]
DOI: 10.1002/anie.200700550
- Kim, Dongwoo (C) 210–213 [214–217], 3471–3474 [3541–3544]
- Kim, E. (C) 3471–3474 [3541–3544]
- Kim, E.-M. (C) 5408–5411 [5504–5507]
- Kim, G.-H. (C) 8230–8233 [8378–8381]
- Kim, H. J. (C) 1152–1155 [1170–1173]
- Kim, H. M. (C) 3460–3463 [3530–3533], 7445–7448 [7589–7592]
- Kim, H.-S.
– Protein Kinase Assay on Peptide-Conjugated Gold Nanoparticles by Using Secondary-Ion Mass Spectrometric Imaging
(C) 6816–6819 [6940–6943]
DOI: 10.1002/anie.200701418
- Kim, H. S. (C) 3471–3474 [3541–3544]
- Kim, Hee-Joon (C) 210–213 [214–217]
- Kim, Ho-Joong (C) 6807–6810 [6931–6934]
- Kim, Hyongsu (C) 4726–4728 [4810–4812]
- Kim, Hyunuk (C) 210–213 [214–217], 8230–8233 [8378–8381]
- Kim, I.
– A Facile Preparative Method for Aggregation-Free Gold Nanoparticles Using Poly(styrene-*block*-cysteine)
(C) 5720–5723 [5822–5825]
DOI: 10.1002/anie.200701060
- Kim, I.-S. (C) 5779–5782 [5881–5884]
- Kim, J.-G. (C) 8828–8831 [8984–8987]
- Kim, J. H. (C) 3087–3090 [3147–3150]
- Kim, J. S. (C) 3680–3682 [3754–3756]
- Kim, J.-W. (C) 1819–1822 [1851–1854], 8970–8974 [9128–9132]
- Kim, J. Y. (C) 377–380 [381–384]
- Kim, Jaemin (C) 6333–6335 [6449–6451]
- Kim, Jaeyun (C) 7039–7043 [7169–7173]
- Kim, Jaheon
– Crystal Structure and Guest Uptake of a Mesoporous Metal–Organic Framework Containing Cages of 3.9 and 4.7 nm in Diameter
(C) 8230–8233 [8378–8381]
DOI: 10.1002/anie.200702324
- Kim, Jeeyeon (C) 3471–3474 [3541–3544], 7393–7395 [7537–7539]
- Kim, Jinheung
– $[\text{Mn}(\text{tmc})(\text{O}_2)]^+$: A Side-On Peroxido Manganese(III) Complex Bearing a Non-Heme Ligand
(C) 377–380 [381–384]
DOI: 10.1002/anie.200603414
- Kim, Jinsang
– Signal-Amplifying Conjugated Polymer–DNA Hybrid Chips
(C) 4667–4670 [4751–4754]
DOI: 10.1002/anie.200700419
- Kim, Jong-Ho (C) 5779–5782 [5881–5884]
- Kim, June-Hyung (C) 5408–5411 [5504–5507]
- Kim, Justin (C) 3104–3106 [3164–3166]
- Kim, K.-S. (C) 5397–5401 [5493–5497]
- Kim, K.-T. (C) 5880–5884 [5984–5988]
- Kim, Kil Suk (C) 5125–5128 [5217–5220], 5591–5593 [5687–5689]
- Kim, Kimoon
– Carbohydrate Wheels: Cucurbituril-Based Carbohydrate Clusters
(C) 7393–7395 [7537–7539]
DOI: 10.1002/anie.200702540
- Cucurbit[7]uril: A Simple Macrocyclic, pH-Triggered Hydrogelator Exhibiting Guest-Induced Stimuli-Responsive Behavior
(C) 210–213 [214–217]
DOI: 10.1002/anie.200603149
- Direct Synthesis of Polymer Nanocapsules with a Noncovalently Tailorable Surface
(C) 3471–3474 [3541–3544]
DOI: 10.1002/anie.200604526
- Kim, Kimoon (C) 8230–8233 [8378–8381]
- Kim, Kwang S.
– Towards Molecular Magnetic Switching with an Electric Bias
(C) 7640–7643 [7784–7787]
DOI: 10.1002/anie.200701901
- Kim, Kwangmeyung (C) 5779–5782 [5881–5884]
- Kim, M. (C) 3656–3659 [3730–3733]
- Kim, M. G. (C) 7064–7067 [7194–7197]
- Kim, M.-s. (C) 7064–7067 [7194–7197]
- Kim, S.-H. (C) 5397–5401 [5493–5497]
- Kim, S. H. (C) 1730–1733 [1760–1763]
- Kim, S.-J. (Seoul) (C) 377–380 [381–384]
- Kim, S.-J. (TU Munich) (C) 3144–3148 [3205–3209]
- Kim, S. M. (C) 6172–6175 [6284–6287]
- Kim, S.-O. (C) 5397–5401 [5493–5497]
- Kim, S. T. (C) 5397–5401 [5493–5497]
- Kim, S.-W. (C) 5397–5401 [5493–5497]
- Kim, Sanghee
– Solid-Phase Library Synthesis of Polyynes Similar to Natural Products

- (C) 8422–8425 [8574–8577]
DOI: 10.1002/anie.200703208
- Kim, Sanghee (C) 4726–4728 [4810–4812]
- Kim, Soonho (C) 734–737 [748–751]
- Kim, Sungjee (C) 8230–8233 [8378–8381]
- Kim, Y.-G. (C) 5408–5411 [5504–5507]
- Kim, Y. J. (C) 8828–8831 [8984–8987]
- Kim, Y. K.
- Iron–Gold Barcode Nanowires (C) 3663–3667 [3737–3741]
DOI: 10.1002/anie.200605136
 - Kim, Y.-P. (C) 6816–6819 [6940–6943]
 - Kim, YooJin (C) 9235–9238 [9395–9398]
 - Kim, Youngkook (C) 7393–7395 [7537–7539]
 - Kim, Youngmee (C) 377–380 [381–384]
 - Kimura, H. (Kokura Synth. Ind., Japan) (M) 4434–4440 [4516–4522]
 - Kimura, H. (Niigata-Universität) (C) (M) 8869–8871 [9025–9027]
 - Kinach, R. (C) 6111–6114 [6223–6226]
 - Kindermann, M. (C) 4281–4284 [4359–4362]
 - Kindler, B. L. J. (C) 8076–8078 [8222–8224]
 - King, D. A.
 - Massively Cooperative Adsorbate-Induced Surface Restructuring and Nanocluster Formation (C) 700–703 [714–717]
DOI: 10.1002/anie.200603325
 - Kinoshita, M. (C) 7220–7223 [7358–7361]
 - Kinrade, S. D.
 - The Structure of Silicate Anions in Aqueous Alkaline Solutions (C) 8148–8152 [8296–8300]
DOI: 10.1002/anie.200702986
 - Kinski, I. (C) 9097–9100 [9256–9259]
 - Kiren, S. (C) 7108–7111 [7238–7241]
 - Kirillov, E. (C) 7240–7243 [7378–7381]
 - Kirke, H. M. (C) 7860–7863 [8006–8009]
 - Kirkland, A. I. (C) 3683–3685 [3757–3759]
 - Kirsch, P.
 - Synthesis and Conformation of Multi-Vicinal Fluoroalkane Diastereoisomers (C) 7887–7890 [8033–8036]
DOI: 10.1002/anie.200701988
 - Kirsch, S. F.
 - Catalyzed Tandem Reaction of 3-Silyloxy-1,5-enynes Consisting of Cyclization and Pinacol Rearrangement (C) 2310–2313 [2360–2363]
DOI: 10.1002/anie.200604544
 - Kirschhock, C. E. A. (C) 4293–4297 [4371–4375]
 - Kirschning, A.
 - Sustainable Concepts in Olefin Metathesis (R) 6786–6801 [6906–6922]
DOI: 10.1002/anie.200605099
 - Kirste, V. (C) 605–608 [611–614]
 - Kishi, R. (C) 3544–3546 [3614–3616]
 - Kishi, Y.
 - Aggregation Behavior of Tetraenoic Fatty Acids in Aqueous Solution (C) 1333–1336 [1355–1358]
DOI: 10.1002/anie.200603979
 - Kishikawa, K.
 - Columnar Superstructures of Non-Disc-Shaped Molecules Generated by Arene–Perfluoroarene Face-to-Face Interactions (C) 764–768 [778–782]
DOI: 10.1002/anie.200603594
 - Kishimura, A. (C) 6085–6088 [6197–6200]
 - Kissounko, D. A. (C) 761–763 [775–777]
 - Kita, H. (C) 6662–6665 [6782–6785]
 - Kita, T. (C) 7648–7650 [7792–7794]
 - Kita, Y.
 - Total Synthesis of (±)- γ -Rubromycin on the Basis of Two Aromatic Pummerer-Type Reactions (C) 7458–7461 [7602–7605]
DOI: 10.1002/anie.200702382
 - Kitagawa, S.
 - A Flexible Porous Coordination Polymer Functionalized by Unsaturated Metal Clusters (C) 889–892 [907–910]
DOI: 10.1002/anie.200603270
 - Reversible Topochemical Transformation of a Soft Crystal of a Coordination Polymer (C) 7965–7968 [8111–8114]
DOI: 10.1002/anie.200703086
 - Topotactic Linear Radical Polymerization of Divinylbenzenes in Porous Coordination Polymers (C) 4987–4990 [5075–5078]
DOI: 10.1002/anie.200700242
 - Kitagawa, T. (C) 2210–2214 [2260–2264]
 - Kitagawa, Y. (C) 5024–5027 [5112–5115]
 - Kitahara, T. (C) 1512–1516 [1534–1538]
 - Kitamori, T.
 - Countercurrent Laminar Microflow for Highly Efficient Solvent Extraction (C) 878–880 [896–898]
DOI: 10.1002/anie.200600122
 - NMR Study of Water Molecules Confined in Extended Nanospaces (C) 1180–1183 [1199–1202]
DOI: 10.1002/anie.200604502
 - Kitamura, A. (C) 8005–8009 [8151–8155]
 - Kitaura, T.
 - Synthesis of Cellulose In Vitro by Using a Cellulase/Surfactant Complex in a Non-aqueous Medium (C) 2063–2065 [2109–2111]
DOI: 10.1002/anie.200603981
 - Kitayama, T. (C) 723–726 [737–740]
 - Kiuchi, T. (C) 6442–6445 [6562–6565]
 - Kivala, M. (C) 6357–6360 [6473–6477]
 - Kjeldsen, F. (C) 1481–1484 [1503–1506]
 - Klaiber, I. (C) 3353–3355 [3417–3419]
 - Klajn, R. (C) 8363–8367 [8515–8519]
 - Klamroth, T. (C) 1671–1674 [1701–1704]
 - Klapötke, T. M.
 - The Binary Selenium(IV) Azides $\text{Se}(\text{N}_3)_4$, $[\text{Se}(\text{N}_3)_5]^-$, and $[\text{Se}(\text{N}_3)_6]^{2-}$ (C) 8686–8690 [8840–8845]
DOI: 10.1002/anie.200702758
 - Klappenberger, F. (C) 710–713 [724–727]
 - Klare, H. F. T. (C) 9335–9338 [9496–9499]
 - Klare, J. E. (C) 3892–3895 [3966–3969]
 - Kläui, W.
 - With Phosphinophosphonic Acids to Nanostructured, Water-Soluble, and Catalytically Active Rhodium Clusters (C) 1164–1167 [1183–1186]
DOI: 10.1002/anie.200603402
 - Klebe, G.
 - How Reliable Are Current Docking Approaches for Structure-Based Drug Design? Lessons from Aldose Reductase (C) 3575–3578 [3645–3649]
DOI: 10.1002/anie.200603625
 - KNOBLE: A Knowledge-Based Approach for the Design and Synthesis of Readily Accessible Small-Molecule Chemical Probes To Test Protein Binding (C) 9105–9109 [9265–9269]
DOI: 10.1002/anie.200703323
 - Potent Inhibitors of tRNA-Guanine Transglycosylase, an Enzyme Linked to the Pathogenicity of the *Shigella* Bacterium: Charge-Assisted Hydrogen Bonding (C) 8266–8269 [8414–8417]
DOI: 10.1002/anie.200702961
 - Saccharin Inhibits Carbonic Anhydrases: Possible Explanation for its Unpleasant Metallic Aftertaste (C) 7697–7699 [7841–7843]
DOI: 10.1002/anie.200701189
 - Thermodynamic Inhibition Profile of a Cyclopentyl and a Cyclohexyl Derivative towards Thrombin: The Same but for Different Reasons (C) 8511–8514 [8664–8667]
DOI: 10.1002/anie.200701169
 - Klein, K. (C) 1693–1697 [1723–1727]
 - Klein Gebbink, R. J. M. (R) 8558–8573 [8710–8726]
 - Klenze, R. (C) 919–922 [937–940]
 - Klepper, F. (C) 2325–2327 [2377–2379]
 - Klett, J. (C) 1105–1108 [1123–1126], 4662–4666 [4746–4750]
 - Klimant, I.
 - Separable Magnetic Sensors for the Optical Determination of Oxygen (C) 8850–8853 [9006–9009]
DOI: 10.1002/anie.200702068
 - Klingen, A. R. (C) 530–536 [536–542]
 - Klinkhammer, K. W.
 - Stable Mononuclear Lead(III) Compound: A Lead-Centered Radical (C) 1156–1159 [1174–1177]
DOI: 10.1002/anie.200603323
 - Klinowski, J.
 - Systematic Enumeration of Microporous Solids: Towards Designer Catalysts (E) 7160–7163 [7294–7297]
DOI: 10.1002/anie.200700666
 - Kloek, S. M. (C) 4736–4738 [4820–4822]
 - Klopper, W.
 - Nucleobase–Fluorobenzene Interactions: Hydrogen Bonding Wins over π Stacking (C) 7449–7452 [7593–7596]
DOI: 10.1002/anie.200701171
 - Kloth, M. (C) 5568–5571 [5664–5667]
 - Klotz, E. J. F. (C) 6845–6848 [6969–6972]
 - Klöwer, F. (C) 6549–6552 [6669–6672]
 - Kluser, E. (C) 6293–6296 [6409–6412]
 - Klütze, S. (C) 1164–1167 [1183–1186]
 - Knez, M. (C) 6829–6832 [6953–6956]
 - Kniep, B. (C) 7324–7327 [7465–7468]
 - Knight, C. T. G. (C) 8148–8152 [8296–8300]
 - Knochel, P.
 - Copper(I)-Mediated Oxidative Cross-Coupling between Functionalized Alkynyl Lithium and Aryl Magnesium Reagents (C) 9093–9096 [9251–9255]
DOI: 10.1002/anie.200703097
 - Direct Magnesiumation of Polyfunctionalized Arenes and Heteroarenes Using $(\text{tmp})_2\text{Mg} \cdot 2\text{LiCl}$ (C) 7681–7684 [7825–7828]
DOI: 10.1002/anie.200701487
 - $(\text{tmp})_2\text{Zn} \cdot 2\text{MgCl}_2 \cdot 2\text{LiCl}$: A Chemoselective Base for the Directed Zincation of Sensitive Arenes and Heteroarenes (C) 7685–7688 [7829–7832]
DOI: 10.1002/anie.200701984
 - Knochel, P. (C) 9291–9294 [9451–9454]
 - Knoll, W.
 - Surface-Plasmon-Enhanced Fluorescence Spectroscopy for DNA Detection Using Fluorescently Labeled PNA as “DNA Indicator”

- (C) 4944–4947 [5032–5035]
DOI: 10.1002/anie.200605247
- Knopff, O.
– Enantioselective Intramolecular Aldol Addition/Dehydration Reaction of a Macrocyclic Diketone: Synthesis of the Musk Odorants (*R*)-Muscone and (*R,Z*)-5-Muscenone
(C) 1307–1310 [1329–1332]
DOI: 10.1002/anie.200604518
- Knosp, W. M. (C) 5352–5355 [5448–5451]
Knudsen, M. M. (C) 9227–9230 [9387–9390]
Knyrim, J. S. (C) 9097–9100 [9256–9259]
Ko, C. (C) 4069–4072 [4147–4150]
Ko, E. H. (C) 7064–7067 [7194–7197]
Ko, E.-Y. (C) 734–737 [748–751]
Ko, H.-J. (C) 8836–8839 [8992–8995]
Ko, J. (C) 8358–8362 [8510–8514]
Ko, Y.-D. (C) 6654–6657 [6774–6777]
Ko, Y.-G. (C) 3460–3463 [3530–3533]
Ko, Y. H. (C) 3471–3474 [3541–3544], 7393–7395 [7537–7539]
Kobayashi, N.
– *meso*-Aryl Subporphyrins
(C) 758–760 [772–774]
DOI: 10.1002/anie.200603520
– Superstructure Formation and Rearrangement in the Adlayer of a Rare-Earth-Metal Triple-Decker Sandwich Complex at the Electrochemical Interface
(C) 1071–1074 [1089–1092]
DOI: 10.1002/anie.200603585
Kobayashi, Shinjiro (C) 6176–6179 [6288–6292]
Kobayashi, Shū
– Aerobic Oxidation of Alcohols at Room Temperature and Atmospheric Conditions Catalyzed by Reusable Gold Nanoclusters Stabilized by the Benzene Rings of Polystyrene Derivatives
(C) 4151–4154 [4229–4232]
DOI: 10.1002/anie.200700080
– Catalytic Activation of Pinacolyl Allylboronate with Indium(I): Development of a General Catalytic Allylboration of Ketones
(C) 5909–5912 [6013–6016]
DOI: 10.1002/anie.200700899
– Catalytic Asymmetric Michael Reactions with Enamides as Nucleophiles
(C) 7803–7805 [7949–7951]
DOI: 10.1002/anie.200702517
– Enantioselective Desymmetrization of *meso* Epoxides with Anilines Catalyzed by a Niobium Complex of a Chiral Multidentate Binol Derivative
(C) 955–957 [973–975]
DOI: 10.1002/anie.200603787
– Enesulfonamides as Nucleophiles in Catalytic Asymmetric Reactions
(C) 3047–3050 [3107–3110]
DOI: 10.1002/anie.200605054
Kobayashi, T. (C) 8024–8027 [8170–8173]
Kobayashi, Y. (C) 6271–6274 [6387–6390]
Köbberling, J. (C) 2039–2042 [2085–2088]
Koch, C. (C) 3575–3578 [3645–3649]
Koch, F. M. (C) 2685–2689 [2739–2743]
Koch, K. (C) 5795–5798 [5897–5900]
Köck, M.
– Chemistry Unprotected
(T) 5268–5271 [5362–5365]
DOI: 10.1002/anie.200702455
– Massadine Chloride: A Biosynthetic Precursor of Massadine and Stylissadine
(C) 6721–6724 Corrigendum: 8107 [6842–6845 Corrigendum: 8253]
DOI: 10.1002/anie.200701935
– Structural Assignment of Tetrabromostyloguanidine: Does the Relative Configuration of the Palau'amines Need Revision? (C) 2320–2324 [2372–2376]
DOI: 10.1002/anie.200604076
– The Pursuit of Palau'amine
(M) 6586–6594 [6706–6714]
DOI: 10.1002/anie.200701798
Kočovský, P.
– Enantioselective Synthesis of 1,2-Diarylaziridines by the Organocatalytic Reductive Amination of α -Chloroketones
(C) 3722–3724 [3796–3798]
DOI: 10.1002/anie.200700165
Kodadek, T.
– A Cell-Permeable Synthetic Transcription Factor Mimic
(C) 2865–2868 [2923–2926]
DOI: 10.1002/anie.200604485
Koehler, A. N. (C) 7960–7964 [8106–8110]
Koerner, S. (C) 8171–8173 [8319–8321]
Koga, N. (C) 5938–5942 [6042–6046]
Kögerler, P.
– Structural and Compositional Control in {M₁₂} Cobalt and Nickel Coordination Clusters Detected Magnetochemically and with Cryospray Mass Spectrometry
(C) 1340–1344 [1362–1366]
DOI: 10.1002/anie.200603870
Kögerler, P. (C) 7579–7582 [7723–7726]
Kögl, M. (C) 9320–9322 [9480–9482]
Köhler, K. (C) 7697–7699 [7841–7843]
Kohmoto, S. (C) 764–768 [778–782]
Köhn, M. (C) 7700–7703 [7844–7847]
Koide, A. (Chiba University) (C) 8636–8639 [8790–8793]
Koide, A. (University of Tokyo) (C) 6085–6088 [6197–6200]
Koizumi, S. (C) 4123–4127 [4201–4205]
Koizumi, T.-a. (C) 4169–4172 [4247–4250], 7112–7115 [7242–7245]
Kojima, C. (C) 234–237 [238–241]
Kojima, R. W. (C) 7251–7254 [7389–7392]
Kojima, Takahiko
– Modulation of Characteristics of a Ruthenium-Coordinated Flavin Analogue That Shows an Unusual Coordination Mode
(C) 905–908 [923–926]
DOI: 10.1002/anie.200604028
Kojima, Takahiro (C) 6643–6645 [6763–6765]
Kolsch, B.
– Amide-to-Ester Substitution in Coiled Coils: The Effect of Removing Hydrogen Bonds on Protein Structure
(C) 7766–7769 [7912–7916]
DOI: 10.1002/anie.200702218
Kolb, D. M. (C) 8903–8906 [9061–9064]
Kolb, U. (C) 3464–3467 [3534–3537]
Koller, H.
– Matrix Effect on Motional Coupling and Long-Range Transport of Cations in Zeolites
(C) 3359–3362 [3423–3426]
DOI: 10.1002/anie.200605049
Kolmakov, A. (C) 4298–4301 [4376–4379]
Kolny-Olesiak, J. (C) 2923–2926 [2981–2984]
Kolodney, G. (C) 9291–9294 [9451–9454]
Kolodziej, A. (C) 8171–8173 [8319–8321]
Kolter, T.
– The Fatty Acid Factory of Yeasts
(H) 6772–6775 [6895–6898]
DOI: 10.1002/anie.200702930
Komagawa, Y. (C) 6662–6665 [6782–6785]
Kondo, H. (C) 8808–8813 [8964–8969]
Kondo, M. (C) 6271–6274 [6387–6390]
Kondo, T.
– Highly Selective Dimerization of Styrenes and Linear Co-dimerization of Styrenes with Ethylene Catalyzed by a Ruthenium Complex
(C) 5958–5961 [6062–6065]
DOI: 10.1002/anie.200701583
– Regio- and Stereoselective Synthesis of Enamides and Dienamides by Ruthenium-Catalyzed Co-Oligomerization of *N*-Vinylamides with Alkenes or Alkynes
(C) 5160–5163 [5252–5255]
DOI: 10.1002/anie.200701356
Kondo, Y.
– Deprotonative Metalation Using Ate Compounds: Synergy, Synthesis, and Structure Building
(R) 3802–3824 [3876–3899]
DOI: 10.1002/anie.200604369
Kong, J. (C) 2051–2054 [2097–2100]
König, B. (C) 4574–4576 [4658–4660]
König, H. M. (M) 8334–8340 [8484–8490]
Königsmann, M. (C) 3567–3570 [3637–3640]
Konno, T.
– A Nickel(II) Gold(I) *D*-Penicillamine Coordination System with Multiple Switching in Color, Magnetism, and Chirality
(C) 2422–2425 [2474–2477]
DOI: 10.1002/anie.200604728
Kono, K.
– Comparison of Thermosensitive Properties of Poly(amidoamine) Dendrimers with Peripheral *N*-Isopropylamide Groups and Linear Polymers with the Same Groups
(C) 234–237 [238–241]
DOI: 10.1002/anie.200603346
Konta, S. (C) 2284–2287 [2334–2337]
Kooijman, H. (C) 6081–6084 [6193–6196]
Kopelman, R.
– Ultrafine Hydrogel Nanoparticles: Synthetic Approach and Therapeutic Application in Living Cells
(C) 2224–2227 [2274–2277]
DOI: 10.1002/anie.200603927
Köppe, R. (C) 3579–3583 [3650–3654]
Koptuyg, I. V. (C) 4064–4068 [4142–4146], 7224–7227 [7362–7365]
Korblova, E. (C) 1473–1475 [1495–1497]
Koritsanszky, T. (C) 2935–2938 [2993–2996]
Kornatowski, J. (C) 7228–7231 [7366–7369]
Kornberg, R.
– The Molecular Basis of Eukaryotic Transcription (Nobel Lecture)
(R) 6956–6965 [7082–7092]
DOI: 10.1002/anie.200701832
Korobkov, I. (C) 6119–6122 [6231–6234]
Korth, H.-G.
– Carbon Radicals of Low Reactivity against Oxygen: Radically Different Antioxidants
(H) 5274–5276 [5368–5370]
DOI: 10.1002/anie.200701569
Kortz, U.
– The Tungstogermanate
[Ce₂₀Ge₁₀W₁₀₀O₃₇₆(OH)₄(H₂O)₃₀]⁵⁶⁻: A Polyoxometalate Containing 20 Cerium(III) Atoms

- (C) 6192–6195 [6305–6308]
DOI: 10.1002/anie.200701422
- Korukottu, J. (C) 1176–1179 [1195–1198]
- Koshino, H. (C) 8625–8628 [8779–8782]
- Kostiainen, M. A.
– Optically Triggered Release of DNA from Multivalent Dendrons by Degrading and Charge-Switching Multivalency (C) 7600–7604 [7744–7748]
DOI: 10.1002/anie.200701200
- Kotko, O. (C) 2944–2948 [3002–3006]
- Kotake, Y. Corrigendum: 8734
- Kotake, Y.
– Total Synthesis of the Potent Antitumor Macrolides Pladienolide B and D (C) 4350–4355 [4428–4433]
DOI: 10.1002/anie.200604997
- Kotani, Masashi (C) 1304–1306 [1326–1328]
- Kotani, Miyuki (C) 3922–3925 [3996–3999]
- Kotsis, K. (C) 5624–5627 [5722–5725]
- Kotzyba-Hibert, F. (C) 3505–3508 [3575–3578]
- Kou, C. A. (C) 1451–1454 [1473–1476]
- Koukiekolo, R. (C) 2005–2009 [2051–2055]
- Kouno, T. (C) 2291–2294 [2341–2344]
- Kováčik, R. (C) 4894–4897 [4980–4984], 5624–5627 [5722–5725]
- Kovacs, J. (C) 3363–3366 Corrigendum: 5049 [3427–3430 Corrigendum: 5137]
- Kovtunov, K. V. (C) 4064–4068 [4142–4146]
- Kowalczyk, D. (C) 2108–2111 [2155–2159]
- Kowalewski, T. (C) 2453–2457 [2505–2509]
- Kox, M. H. F. (C) 3652–3655 [3726–3729], 7228–7231 [7366–7369]
- Kozak, J. A. (C) 354–358 [358–362]
- Kozhushkov, S. I. (C) 6545–6548 [6665–6668]
- Kozlowski, P. M.
– Does Cob(II)alamin Act as a Conductor in Coenzyme B₁₂ Dependent Mutases? (C) 980–983 [998–1001]
DOI: 10.1002/anie.200602977
- Singlet Diradical Character of an Oxidized Ruthenium Trithiolate: Electronic Structure and Reactivity (C) 4085–4088 [4163–4166]
DOI: 10.1002/anie.200700297
- Kozmin, S. A.
– Spirofungin A: Stereoselective Synthesis and Inhibition of Isoleucyl-tRNA Synthetase (C) 8854–8857 [9010–9013]
DOI: 10.1002/anie.200702440
- Kraft, P.
– Prediction of Perception: Probing the hOR17-4 Olfactory Receptor Model with Silicon Analogues of Bourgeonal and Lilial (C) 3367–3371 [3431–3436]
DOI: 10.1002/anie.200605002
- Kragl, U.
– An R-Selective Hydroxynitrile Lyase from *Arabidopsis thaliana* with an α/β -Hydrolase Fold (C) 8679–8681 [8833–8835]
DOI: 10.1002/anie.200701455
- Do We Understand the Volatility of Ionic Liquids? (H) 6582–6584 [6702–6704]
DOI: 10.1002/anie.200702157
- Krakert, S. (C) 3762–3764 [3837–3839]
- Kralj, J. G. (C) 5704–5708 [5806–5810]
- Kramer, A. (C) 1654–1657 [1682–1686]
- Kramer, C. (C) 8266–8269 [8414–8417]
- Kramer, R. (C) 6537–6541 [6657–6661]
- Krämer, R. (C) 3363–3366 Corrigendum: 5049 [3427–3430 Corrigendum: 5137]
- Krasnoff, S. B. (C) 901–904 [919–922]
- Krätz, O.
– 1807: Observations Regarding Chemistry in the Anglo-Saxon World during the Napoleonic Period (E) 24–51 [24–51]
DOI: 10.1002/anie.200602455
- Kraus, F. (C) 1638–1640 [1663–1666]
- Krause, N.
– Small but Effective: Copper Hydride Catalyzed Synthesis of α -Hydroxyallenes (C) 1650–1653 [1677–1681]
DOI: 10.1002/anie.200603739
- Krauss, I. J. (C) 5576–5579 [5672–5675]
- Kräutler, B.
– Colorless Tetrapyrrolic Chlorophyll Catabolites Found in Ripening Fruit Are Effective Antioxidants (C) 8699–8702 [8854–8857]
DOI: 10.1002/anie.200703587
- Kravtsov, V. C. (C) 3278–3283 [3342–3347]
- Krecmerová, M. (C) 2501–2504 [2553–2556]
- Kreft, O.
– Shell-in-Shell Microcapsules: A Novel Tool for Integrated, Spatially Confined Enzymatic Reactions (C) 5605–5608 [5702–5705]
DOI: 10.1002/anie.200701173
- Kreher, D. (C) 7404–7407 [7548–7551]
- Kressierer, C. J. (C) 2112–2114 [2160–2162]
- Kretschmann, O. (C) 2708–2711 [2764–2767]
- Kretzschmar, I. (C) 1654–1657 [1682–1686]
- Krieger, F. (C) 3505–3508 [3575–3578]
- Kriek, M. (C) 9223–9226 [9383–9386]
- Krinsky, J. L. (C) 369–372 [373–376]
- Krishna, K. S. (C) 5962–5965 [6066–6069]
- Krishnamurthy, M. (C) 7044–7047 [7174–7177]
- Krishnamurthy, R.
– Mapping the Landscape of Potentially Primordial Informational Oligomers: Oligodipeptides and Oligodipeptoids Tagged with Triazines as Recognition Elements (C) 2470–2477 [2522–2529]
DOI: 10.1002/anie.200603207
- Mapping the Landscape of Potentially Primordial Informational Oligomers: Oligodipeptides Tagged with 2,4-Disubstituted 5-Aminopyrimidines as Recognition Elements (C) 2478–2484 [2530–2536]
DOI: 10.1002/anie.200603209
- Krishnan, R. (C) 2646–2649 [2700–2703]
- Krishnan, Y.
– The I-Tetraplex Building Block: Rational Design and Controlled Fabrication of Robust 1D DNA Scaffolds through Non-Watson–Crick Interactions (C) 2646–2649 [2700–2703]
DOI: 10.1002/anie.200604461
- Kröger, N.
– Silica Immobilization of an Enzyme through Genetic Engineering of the Diatom *Thalassiosira pseudonana* (C) 1843–1846 [1875–1878]
DOI: 10.1002/anie.200603928
- Kroke, E. (C) 1476–1480 [1498–1502]
- Kroll, P. (C) 1476–1480 [1498–1502]
- Kronik, L.
– Local Atomic Order and Infrared Spectra of Biogenic Calcite (C) 291–294 [295–298]
DOI: 10.1002/anie.200603327
- Krossing, I.
– Homoleptic Silver(I) Acetylene Complexes (C) 8295–8298 [8445–8449]
DOI: 10.1002/anie.200702688
- How to Predict the Physical Properties of Ionic Liquids: A Volume-Based Approach (C) 5384–5388 [5480–5484]
DOI: 10.1002/anie.200700941
- Krossing, I. (C) 5310–5313 [5404–5407]
- Kroutil, W. (C) 3934–3937 [4008–4011]
- Krüger, H.-J. (C) 1156–1159 [1174–1177], 1270–1273 [1293–1296]
- Krumm, B. (C) 8686–8690 [8840–8845]
- Ku, S.-Y. (C) 7101–7103 [7231–7233]
- Kuang, X. (C) 8785–8789 [8941–8945]
- Kubicek, K. (C) 1864–1868 [1896–1900]
- Kubo, M. (C) 5532–5536 [5628–5632]
- Kubo, O. (C) 7458–7461 [7602–7605]
- Kubo, T. (C) 3544–3546 [3614–3616]
- Kubota, Y. (C) 4987–4990 [5075–5078]
- Kuhn, A. (C) 454–458 [458–462]
- Kühn, F. E.
– A Cheap, Efficient, and Environmentally Benign Synthesis of the Versatile Catalyst Methyltrioxorhenium (MTO) (C) 7301–7303 [7440–7442]
DOI: 10.1002/anie.200703017
- Molybdenum(III) Compounds as Catalysts for 2-Methylpropene Polymerization (C) 7290–7292 [7428–7430]
DOI: 10.1002/anie.200700748
- Kühn, O.
– Gas-Phase Infrared Spectroscopy and Multidimensional Quantum Calculations of the Protonated Ammonia Dimer N₂H₇⁺ (C) 8691–8694 [8846–8849]
DOI: 10.1002/anie.200702607
- Kühne, J. (C) 1307–1310 [1329–1332]
- Kühnel, E. (C) 7075–7078 [7205–7208]
- Kuiper, S. M. (C) 7378–7382 [7522–7526]
- Kuklya, A. (C) 7770–7774 [7917–7921]
- Kulicke, K. (C) 5892–5895 [5996–5999]
- Kumai, R. (C) 3497–3501 [3567–3571]
- Kumaki, J.
– Supramolecular Helical Structure of the Stereocomplex Composed of Complementary Isotactic and Syndiotactic Poly(methyl methacrylate)s as Revealed by Atomic Force Microscopy (C) 5348–5351 [5444–5447]
DOI: 10.1002/anie.200700455
- Two-Dimensional Helix-Bundle Formation of a Dynamic Helical Poly(phenylacetylene) with Achiral Pendant Groups on Graphite (C) 7605–7608 [7749–7752]
DOI: 10.1002/anie.200701546
- Kumar, A. (C) 3269–3274 [3333–3338]
- Kumar, D. (C) 4085–4088 [4163–4166]
- Kumar, D. N. (C) 3080–3083 [3140–3143]
- Kumar, G. V. P. (C) 2646–2649 [2700–2703]
- Kumar, N. (C) 9220–9222 [9380–9382]
- Kumar, S.
– Aligned Carbon Nanotubes in the Supramolecular Order of Discotic Liquid Crystals (C) 1501–1503 [1523–1525]
DOI: 10.1002/anie.200603967
- Kumbhar, A. (C) 9032–9035 [9190–9193]
- Kume, S. (C) 6271–6274 [6387–6390]

- Kündig, E. P.
– Bulky Chiral Carbene Ligands and Their Application in the Palladium-Catalyzed Asymmetric Intramolecular α -Arylation of Amides
(C) 8484–8487 [8636–8639]
DOI: 10.1002/anie.200703408
- Kundu, J. (C) 9040–9044 [9198–9202]
- Kunetsky, R. (C) 6266–6270 [6382–6386]
- Kung, H.-F. (C) 6464–6468 [6584–6588]
- Kuninobu, Y.
– Indium-Catalyzed Retro-Claisen Condensation
(C) 7793–7795 [7939–7941]
DOI: 10.1002/anie.200702798
- Manganese-Catalyzed Insertion of Aldehydes into a C–H Bond
(C) 6518–6520 [6638–6640]
DOI: 10.1002/anie.200702256
- Rhenium- and Gold-Catalyzed Coupling of Aromatic Aldehydes with Trimethyl-(phenylethynyl)silane: Synthesis of Diethynylmethanes
(C) 3296–3299 [3360–3363]
DOI: 10.1002/anie.200700183
- Kuniyasu, H.
– Definitive Evidence for the Insertion of Terminal Alkynes into ArylS–Pt Bonds: “*o*-Halogen Effect” in Stoichiometric and Catalytic Reactions
(C) 5929–5933 [6033–6037]
DOI: 10.1002/anie.200604986
- Kuniyasu, H. (C) 2086–2089 [2132–2135]
- Kuntz, C. (C) 3971–3975 [4045–4049]
- Kunz, D.
– Synthetic Routes to N-Heterocyclic Carbene Complexes: Pyridine–Carbene Tauomerizations
(H) 3405–3408 [3473–3476]
DOI: 10.1002/anie.200700192
- Kunz, H.
– Enantioselective Strecker Reaction Catalyzed by an Organocatalyst Lacking a Hydrogen-Bond-Donor Function
(C) 9339–9341 [9500–9502]
DOI: 10.1002/anie.200703179
- Saccharide-Induced Peptide Conformation in Glycopeptides of the Recognition Region of LI-Cadherin
(C) 454–458 [458–462]
DOI: 10.1002/anie.200602494
- Synthetic Glycopeptides from the E-Selectin Ligand I with Varied Sialyl Lewis^x Structure as Cell-Adhesion Inhibitors of E-Selectin
(C) 2108–2111 [2155–2159]
DOI: 10.1002/anie.200604442
- Synthetic Vaccines of Tumor-Associated Glycopeptide Antigens by Immune-Compatible Thioether Linkage to Bovine Serum Albumin
(C) 5226–5230 [5319–5323]
DOI: 10.1002/anie.200700964
- Kunze, B. (C) 2712–2716 [2768–2772], 8287–8290 [8436–8439]
- Kuo, J. S. (C) 1326–1328 [1348–1350]
- Kupfer, T. (C) 1630–1633 [1655–1658], 7785–7787 [7932–7934]
- Küppers, T. (C) 6346–6349 [6462–6465]
- Kurahashi, T. (C) 6545–6548 [6665–6668]
- Kurata, H. (C) 1086–1088 [1104–1106]
- Kuriwaki, I. (C) 7458–7461 [7602–7605]
- Kuroda, K.
– Orientational Control of Hexagonally Packed Silica Mesochannels in Lithographically Designed Confined Nanospaces
(C) 5364–5368 [5460–5464]
DOI: 10.1002/anie.200700689
- Kuroguchi, M. (C) 3074–3079 [3134–3139], 8808–8813 [8964–8969]
- Kuroki, S. (C) 8392–8395 [8544–8547]
- Kurosawa, H. (C) 3509–3512 [3579–3582], 4930–4932 [5018–5020], 5440–5443 [5536–5539]
- Kurpiers, T. (C) 5234–5237 [5327–5330]
- Kurppa, K.
– Controlled Hybrid Nanostructures through Protein-Mediated Noncovalent Functionalization of Carbon Nanotubes
(C) 6446–6449 [6566–6569]
DOI: 10.1002/anie.200702298
- Kurr, P. (C) 7324–7327 [7465–7468]
- Kusama, H. (C) 909–911 [927–929]
- Kusanagi, H. (C) 5348–5351 [5444–5447]
- Küstner, B. (C) 4786–4789 [4870–4873]
- Kusumoto, S.
– A Practical Synthesis of the Phytosiderophore 2'-Deoxymugineic Acid: A Key to the Mechanistic Study of Iron Acquisition by Gramineaceous Plants
(C) 7060–7063 [7190–7193]
DOI: 10.1002/anie.200702403
- Kutateladze, A. G.
– Photoamplification and Multiple Tag Release in a Linear Peptide-Based Array of Dithiane Adducts
(C) 6137–6140 [6249–6252]
DOI: 10.1002/anie.200701512
- Kutay, U.
– Total Synthesis, Configuration, and Biological Evaluation of Anguinomycin C
(C) 8707–8710 [8862–8865]
DOI: 10.1002/anie.200703134
- Kuznetsov, V. L. (C) 441–444 [445–448]
- Kværnø, L. (C) 4693–4697 [4777–4781], 4698–4703 [4782–4787]
- Kwak, Y. (C) 1304–1306 [1326–1328]
- Kwon, I. C.
– Protein-Phosphorylation-Responsive Polymeric Nanoparticles for Imaging Protein Kinase Activities in Single Living Cells
(C) 5779–5782 [5881–5884]
DOI: 10.1002/anie.200700767
- Kwon, J. A. (C) 4960–4963 [5048–5051]
- Kwon, S. G. (R) 4630–4660 [4714–4745]
- Kwon, S.-K. (C) 1978–1982 [2024–2028]
- Kyritsakas, N. (C) 245–249 [249–253]
- Kyrylenko, S. (C) 5219–5222 [5311–5314]
- La Motta, C. (C) 3575–3578 [3645–3649]
- La Spina, R. (C) 6460–6463 [6580–6583]
- Lachgar, A.
– Directed Assembly of Cluster-Based Supramolecules into One-Dimensional Coordination Polymers
(C) 4995–4998 [5083–5086]
DOI: 10.1002/anie.200604268
- Lachkar, M. (C) 5120–5124 [5212–5216]
- Lacour, J.
– Air- and Microwave-Stable (C₃H₅)Ru Catalysts for Improved Regio- and Enantioselective Carroll Rearrangements
(C) 8979–8982 [9137–9140]
DOI: 10.1002/anie.200704019
- An Enantioselective CpRu-Catalyzed Carroll Rearrangement
(C) 2082–2085 [2128–2131]
DOI: 10.1002/anie.200604573
- Lægsgaard, E. (C) 9227–9230 [9387–9390]
- Laffan, D. D. P. (C) 7075–7078 [7205–7208]
- LaFratta, C. N. (R) 6238–6258 [6352–6374]
- Lagoudakis, P. G. (C) 3450–3455 [3520–3525]
- Lagrange, D. (C) 9271–9274 [9431–9434]
- Laguna, A.
– Gold-Catalyzed Benzylic C–H Activation at Room Temperature
(C) 6184–6187 [6297–6300]
DOI: 10.1002/anie.200701521
- Lahav, M.
– Racemic β Sheets in Biochirogenesis
(C) 3710–3713 [3784–3787]
DOI: 10.1002/anie.200605040
- Lahiri, G. K.
– Unconventional Mixed-Valent Complexes of Ruthenium and Osmium
(R) 1778–1796 [1808–1828]
DOI: 10.1002/anie.200602737
- Lai, C.-C. (C) 2013–2017 [2059–2063], 6629–6633 [6749–6753]
- Lai, J. (C) 5393–5396 [5489–5492]
- Lai, J. C.-H. (C) 1992–1994 [2038–2040]
- Lai, X. (C) 738–741 [752–755]
- Lakshmikantham, M. (C) 373–376 [377–380]
- Lam, Y.-h. (C) 5106–5110 [5198–5202]
- Lambert, R. M. (C) 2055–2058 [2101–2104]
- Lamberti, C. (C) 1465–1468 [1487–1490]
- Landa, A. (C) 8431–8435 [8583–8587]
- Landis, C. R.
– Reaction of Molecular Oxygen with an NHC-Coordinated Pd⁰ Complex: Computational Insights and Experimental Implications
(C) 601–604 [607–610]
DOI: 10.1002/anie.200603667
- Lang, H. (C) 1168–1171 [1187–1190]
- Lang, M. J.
– Detecting Force-Induced Molecular Transitions with Fluorescence Resonant Energy Transfer
(C) 1999–2001 [2045–2047]
DOI: 10.1002/anie.200604546
- Langenberg, D. (C) 5624–5627 [5722–5725]
- Langer, J. (M) 1950–1956 [1994–2001]
- Langridge, S. (C) 6460–6463 [6580–6583]
- Lanners, S. (C) 7086–7089 [7216–7219]
- Lanucara, F. (C) 1995–1998 [2041–2044]
- Laocharoensuk, R. (C) 1508–1511 [1530–1533]
- Larionov, O. (C) 5545–5548 [5641–5644]
- Larmour, I. A. (C) 1710–1712 [1740–1742]
- Larock, R. C.
– Palladium-Catalyzed, Sequential, Three-Component Cross-Coupling of Aryl Halides, Alkynes, and Arynes
(C) 2535–2538 [2587–2590]
DOI: 10.1002/anie.200604969
- Larsen, S.
– Insight into Solid-State Entropy from Diffraction Data
(C) 8609–8613 [8763–8767]
DOI: 10.1002/anie.200702423
- Larsson, R. (C) 948–950 [966–968]
- Laschat, S.
– Discotic Liquid Crystals: From Tailor-Made Synthesis to Plastic Electronics



- (R) 4832–4887 [4916–4973]
DOI: 10.1002/anie.200604203
- Lascoux, D. (C) 5594–5597 [5690–5693]
Lashuel, H. A.
- Disruption of Amyloid-Derived Peptide Assemblies through the Controlled Induction of a β -Sheet to α -Helix Transformation: Application of the Switch Concept (C) 2681–2684 [2735–2738]
DOI: 10.1002/anie.200603681
- Laskowski, R. (C) 5115–5119 [5207–5211]
Lata, C. J. (C) 7799–7802 [7945–7948]
Latassa, D. (C) 5011–5014 [5099–5102]
Latos-Grażyński, L.
- Expanded Porphyrin with a Split Personality: A Hückel–Möbius Aromaticity Switch (C) 7869–7873 [8015–8019]
DOI: 10.1002/anie.200700555
- Latterini, L. (C) 414–420 [418–424]
Laukhin, V. (C) 238–241 [242–245]
Laukhina, E. (C) 238–241 [242–245]
Laurent, A. (C) 4108–4110 [4186–4188]
Laurich, D. (C) 9265–9270 [9425–9430]
Laursen, B. W. (C) 6093–6097 [6205–6209]
Lautens, M.
- Enantioselective Total Synthesis of (+)-Homochelidonine by a Pd^{II}-Catalyzed Asymmetric Ring-Opening Reaction of a *meso*-Azabicyclic Alkene with an Aryl Boronic Acid (C) 433–436 [437–440]
DOI: 10.1002/anie.200603945
 - Stereochemical and Mechanistic Investigations of a Palladium-Catalyzed Annulation of Secondary Alkyl Iodides (C) 1485–1488 [1507–1510]
DOI: 10.1002/anie.200603888
- Lauterbach, S. (C) 1476–1480 [1498–1502]
Lavallo, V. (C) 6922–6925 [7047–7050], 7262–7265 [7400–7403]
Lavilla, R.
- Double Insertion of Isocyanides into Dihydropyridines: Direct Access to Substituted Benzimidazolium Salts (C) 3043–3046 [3103–3106]
DOI: 10.1002/anie.200605070
- Law, D. (C) 3938–3941 [4012–4015]
Le Floch, P.
- From a Stable Dianion to a Stable Carbenoid (C) 5947–5950 [6051–6054]
DOI: 10.1002/anie.200701588
- Le Goff, X. F. (C) 5947–5950 [6051–6054]
Le Roux, E. (C) 7202–7205 [7340–7343]
Lecea, B. (C) 3028–3032 [3088–3092]
Lechtken, A. (C) 2944–2948 [3002–3006]
Leclère, P. E. L. G. (C) 8206–8211 [8354–8359]
Lecourt, T. (C) 4489–4491 [4573–4575]
Ledo-Suárez, A. (C) 8823–8827 [8979–8983]
Lee, A. F.
- High-Activity, Single-Site Mesoporous Pd/Al₂O₃ Catalysts for Selective Aerobic Oxidation of Allylic Alcohols (C) 8593–8596 [8747–8750]
DOI: 10.1002/anie.200702534
- Lee, A.-L. (C) 5709–5713 [5811–5815]
Lee, B.-S. (C) 5408–5411 [5504–5507]
Lee, C. (C) 1525–1528 [1547–1550]
Lee, C.-S. (C) 5408–5411 [5504–5507]
Lee, C. Y. (C) 1436–1439 [1458–1461]
Lee, Chang-Hee
- A Binol-Strapped Calix[4]pyrrole as a Model Chirogenic Receptor for the Enantioselective Recognition of Carboxylate Anions (C) 2508–2511 [2560–2563]
DOI: 10.1002/anie.200604161
- Lee, Chia-Hwa (C) 3533–3536 [3603–3606]
Lee, Choong-Hwan (C) 8836–8839 [8992–8995]
Lee, D.-k. (C) 3471–3474 [3541–3544]
Lee, Dongwhan
- Signal-Amplifying Resonance Energy Transfer: A Dynamic Multichromophore Array for Allosteric Switching (C) 7019–7022 [7149–7152]
DOI: 10.1002/anie.200701410
- Lee, Doohwan (C) 734–737 [748–751]
Lee, E. (C) 3475–3478 [3545–3548], 6807–6810 [6931–6934], 9011–9014 [9169–9172]
Lee, E. C. (C) 977–979 [995–997]
Lee, E. J. (C) 3264–3268 [3328–3332]
Lee, G.-H. (C) 3533–3536 [3603–3606]
Lee, H. C.
- Supported Pt–Co Catalysts for Selective CO Oxidation in a Hydrogen-Rich Stream (C) 734–737 [748–751]
DOI: 10.1002/anie.200603144
- Lee, H. G. (C) 3326–3328 [3390–3392]
Lee, H.-i. (C) 2453–2457 [2505–2509]
Lee, H.-Y. (C) 8455–8459 [8607–8611]
Lee, H. Y. (C) 2018–2022 [2064–2068]
Lee, I. S. (C) 5397–5401 [5493–5497]
Lee, J. S. (C) 3087–3090 [3147–3150]
Lee, Jae-Seung (C) 4093–4096 [4171–4174]
Lee, Jaehwa (C) 7064–7067 [7194–7197]
Lee, Jeongkuk (C) 7064–7067 [7194–7197]
Lee, Jong-Sook
- Peculiar Nonmonotonic Water Incorporation in Oxides Detected by Local In Situ Optical Absorption Spectroscopy (C) 8992–8994 [9150–9152]
DOI: 10.1002/anie.200701765
- Lee, Ju Hun (C) 3663–3667 [3737–3741]
Lee, Jun Hee (C) 912–914 [930–932]
Lee, Jun-Seok (H) 3616–3618 [3689–3691]
Lee, Jung Hee
- Development of a T₁ Contrast Agent for Magnetic Resonance Imaging Using MnO Nanoparticles (C) 5397–5401 [5493–5497]
DOI: 10.1002/anie.200604775
- Lee, Jung Heon (C) 9006–9010 [9164–9168]
Lee, K. E. (C) 3471–3474 [3541–3544]
Lee, K.-H. (C) 6824–6828 [6948–6952]
Lee, K. J. (C) 3460–3463 [3530–3533], 7445–7448 [7589–7592]
Lee, Kangwon (C) 4667–4670 [4751–4754]
Lee, Kwangyeol (C) 8836–8839 [8992–8995]
Lee, M.
- Cell-Penetrating-Peptide-Coated Nanoribbons for Intracellular Nanocarriers (C) 3475–3478 [3545–3548]
DOI: 10.1002/anie.200604576
 - Controlled Bioactive Nanostructures from Self-Assembly of Peptide Building Blocks (C) 9011–9014 [9169–9172]
DOI: 10.1002/anie.200702732
 - Self-Assembly of T-Shaped Aromatic Amphiphiles into Stimulus-Responsive Nanofibers (C) 6807–6810 [6931–6934]
DOI: 10.1002/anie.200702136
- Lee, M. H. (C) 5868–5872 [5972–5976]
Lee, M. W. (C) 3018–3022 [3078–3082]
Lee, S. C. (C) 1455–1457 [1477–1479]
- Lee, S. J. (R) 4042–4059 [4118–4136], (C) 6670–6673 [6790–6793]
Lee, S.-L. (C) 4481–4485 [4565–4569]
Lee, Seonwoo (C) 8422–8425 [8574–8577]
Lee, Seulki (C) 5779–5782 [5881–5884]
Lee, Shuitong
- Single-Crystal Organic Microtubes with a Rectangular Cross Section (C) 1525–1528 [1547–1550]
DOI: 10.1002/anie.200604359
- Lee, Stephen
- Interpenetrating Polar and Nonpolar Sublattices in Intermetallics: The NaCd₂ Structure (R) 1958–1976 [2004–2023]
DOI: 10.1002/anie.200601678
- Lee, T. (C) 8422–8425 [8574–8577]
Lee, T. G.
- Protein Kinase Assay on Peptide-Conjugated Gold Nanoparticles by Using Secondary-Ion Mass Spectrometric Imaging (C) 6816–6819 [6940–6943]
DOI: 10.1002/anie.200701418
- Lee, T. Y. (C) 7064–7067 [7194–7197]
Lee, V. Ya. (R) 6596–6620 [6716–6740]
Lee, W. S. (C) 5880–5884 [5984–5988]
Lee, Y. J. (C) 3087–3090 [3147–3150]
Lee, Y.-M. (C) 377–380 [381–384]
Lee, Y. M. (C) 8422–8425 [8574–8577]
Lee, Y.-S. (C) 5408–5411 [5504–5507]
Lee-Smith, E. E. (C) 4100–4103 [4178–4181]
Leevy, W. M. (C) 5528–5531 [5624–5627]
Lefort, L.
- High Enantioselectivity Is Induced by a Single Monodentate Phosphoramidite Ligand in Iridium-Catalyzed Asymmetric Hydrogenation (C) 1497–1500 [1519–1522]
DOI: 10.1002/anie.200603930
- Léger, J.-M. (C) 214–217 [218–221]
Leggett, R. (C) 4100–4103 [4178–4181]
Lehmann, C. W.
- [Me₃Si][R-CB₁₁F₁₁]-Synthesis and Properties (C) 6346–6349 [6462–6465]
DOI: 10.1002/anie.200701136
- Lehmann, G. (C) 8405–8408 [8557–8560]
Lehmann, J. (C) 6894–6898 [7018–7022]
Lehn, J.-M.
- Metallopolymers: Neutral Dynamic Metallosupramolecular Polymers Displaying Transformation of Mechanical and Optical Properties on Constitutional Exchange (C) 5007–5010 [5095–5098]
DOI: 10.1002/anie.200700727
 - Molecular Wire Type Behavior of Polycationic Multinuclear Rack-Type Ru^{II} Complexes of Polytopic Hydrazone-Based Ligands (C) 6144–6147 [6256–6259]
DOI: 10.1002/anie.200700388
- Lei, L. (C) 7988–7992 [8134–8138]
Lei, S. (C) 6802–6806 [6926–6930]
Leigh, D. A.
- A Catalytic Palladium Active-Metal Template Pathway to [2]Rotaxanes (C) 5709–5713 [5811–5815]
DOI: 10.1002/anie.200701678
 - One Template, Multiple Rings: Controlled Iterative Addition of Macrocycles onto a Single Binding Site Rotaxane Thread (C) 5015–5019 [5103–5107]
DOI: 10.1002/anie.200700933

- Synthetic Molecular Motors and Mechanical Machines
(R) 72–191 [72–196]
DOI: 10.1002/anie.200504313
- Lein, M. (C) 2444–2447 [2496–2499]
- Leist, R. (C) 7449–7452 [7593–7596]
- Leitch, D. C. (C) 354–358 [358–362]
- Leitner, W.
- H/D Exchange at Aromatic and Heteroaromatic Hydrocarbons Using D₂O as the Deuterium Source and Ruthenium Dihydrogen Complexes as the Catalyst
(C) 2269–2272 [2319–2322]
DOI: 10.1002/anie.200603677
- Leitus, G. (C) 1901–1904 [1933–1936]
- Lemaire, J. (C) 1995–1998 [2041–2044], 6714–6716 [6834–6837]
- Lemercier, G. (C) 4281–4284 [4359–4362]
- Lemker, E. S. (C) 605–608 [611–614]
- Leng, S. (C) 3896–3899 [3970–3973]
- Lennartson, A. (C) 6678–6680 [6798–6800]
- Lentz, D.
- Stabilization of Tetrafluorobutatriene by Complex Formation
(C) 4902–4904 [4989–4991]
DOI: 10.1002/anie.200701081
- Leonard, P. W. (C) 6894–6898 [7018–7022]
- Leong, T. G. (C) 4991–4994 [5079–5082]
- Lerch, M.
- γ -TaON: A Metastable Polymorph of Tantalum Oxynitride
(C) 2931–2934 [2989–2992]
DOI: 10.1002/anie.200604351
- Lescop, C. (C) 8242–8245 [8390–8393]
- Less, R. J. (C) 7827–7830 [7973–7976]
- Lesthaeghe, D.
- Zeolite Shape-Selectivity in the *gem*-Methylation of Aromatic Hydrocarbons
(C) 1311–1314 [1333–1336]
DOI: 10.1002/anie.200604309
- Leszczynski, J.
- Findings on the Electron-Attachment-Induced Abasic Site in a DNA Double Helix
(C) 3479–3481 [3549–3551]
DOI: 10.1002/anie.200604603
- Leutwyler, S.
- Nucleobase–Fluorobenzene Interactions: Hydrogen Bonding Wins over π Stacking
(C) 7449–7452 [7593–7596]
DOI: 10.1002/anie.200701171
- Levacher, V.
- Organocatalytic Enantioselective Protonation of Silyl Enolates Mediated by Cinchona Alkaloids and a Latent Source of HF
(C) 7090–7093 [7220–7223]
DOI: 10.1002/anie.200701683
- Lewington, J. (C) 3855–3859 [3929–3933]
- Ley, S. V.
- A Relay Route for the Synthesis of Azadirachtin
(C) 7633–7635 [7777–7779]
DOI: 10.1002/anie.200703028
- Chemical Variation of Natural-Product-Like Scaffolds: Design, Synthesis, and Biological Activity of Fused Bicyclic Acetal Derivatives
(C) 2493–2496 [2545–2548]
DOI: 10.1002/anie.200604688
- Synthesis of Azadirachtin: A Long but Successful Journey
(C) 7629–7632 [7773–7776]
DOI: 10.1002/anie.200703027
- Total Synthesis of Rapamycin
(C) 591–597 [597–603]
DOI: 10.1002/anie.200604053
- Leyh, B. (C) 7988–7992 [8134–8138]
- Leznoff, D. B.
- Highly Birefringent Materials Designed Using Coordination Polymer Synthetic Methodology
(C) 8804–8807 [8960–8963]
DOI: 10.1002/anie.200702885
- L'hoest, P. (C) 1706–1709 [1736–1739]
- Li, A. (C) 3942–3945 [4016–4019]
- Li, B. (C) 5554–5558 Corrigendum: 7730 [5650–5654 Corrigendum: 7874]
- Li, C.-J.
- FeCl₂-Catalyzed Selective C–C Bond Formation by Oxidative Activation of a Benzylic C–H Bond
(C) 6505–6507 [6625–6627]
DOI: 10.1002/anie.200701782
- Gold(I)-Catalyzed Annulation of Salicylaldehydes and Aryl Acetylenes as an Expedient Route to Isoflavanones
(C) 1117–1119 [1135–1137]
DOI: 10.1002/anie.200603495
- Li, Can
- Enhanced Cooperative Activation Effect in the Hydrolytic Kinetic Resolution of Epoxides on [Co(salen)] Catalysts Confined in Nanocages
(C) 6861–6865 [6985–6989]
DOI: 10.1002/anie.200701747
- Mesoporous Organic–Inorganic Hybrid Materials Built Using Polyhedral Oligomeric Silsesquioxane Blocks
(C) 5003–5006 [5091–5094]
DOI: 10.1002/anie.200700640
- Li, Chaomin (C) 1444–1447 [1466–1469], 1448–1450 [1470–1472]
- Li, Chengbin (C) 7286–7289 [7424–7427]
- Li, Chunbao Corrigendum: 5647
- Li, Chunsen (C) 8168–8170 [8316–8318]
- Li, Cuncheng (C) 3264–3268 [3328–3332]
- Li, Fan (C) 1885–1888 [1917–1920], 6666–6669 [6786–6789]
- Li, Fei (C) 3245–3248 [3309–3312]
- Li, Fengyu (C) 2515–2517 [2567–2569]
- Li, Gao (C) 6301–6304 [6417–6420]
- Li, Guotao (C) 5156–5159 [5248–5251]
- Li, Haijuan (C) 421–424 [425–428]
- Li, Hao (C) 3732–3734 [3806–3808], 9050–9053 [9208–9211]
- Li, Haolong (C) 1300–1303 [1322–1325]
- Li, Hongxia (C) 5762–5764 [5864–5866]
- Li, J. (Beijing)
- Chirality, Agostic Interactions, and Pyramidalicity in Actinide Methylidene Complexes
(C) 9045–9049 [9203–9207]
DOI: 10.1002/anie.200702771
- Remarkable Dinitrogen Activation and Cleavage by the Gd Dimer: From Dinitrogen Complexes to Ring and Cage Nitrides
(C) 2911–2914 [2969–2972]
DOI: 10.1002/anie.200605218
- Li, J. (Richland, USA)
- Endohedral Stannasphenes M@Sn₁₂²⁻: A Rich Class of Stable Molecular Cage Clusters
(C) 742–745 [756–759]
DOI: 10.1002/anie.200603226
- Li, Jie Corrigendum: 5647
- Li, Jixue (C) 738–741 [752–755]
- Li, Junbai
- Adenosine Triphosphate Biosynthesis Catalyzed by F₁F₀ ATP Synthase Assembled in Polymer Microcapsules
(C) 6996–7000 [7126–7130]
DOI: 10.1002/anie.200700331
- Transition of Cationic Dipeptide Nanotubes into Vesicles and Oligonucleotide Delivery
(C) 2431–2434 [2483–2486]
DOI: 10.1002/anie.200603387
- Li, L.-s. (C) 5873–5876 [5977–5980]
- Li, N.-S. (C) 3714–3717 [3788–3791]
- Li, Q. (C) 3486–3489 [3556–3559]
- Li, R. (C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137]
- Li, Shen (C) 1275–1277 [1297–1299]
- Li, Shuwei
- Chemoenzymatic Enrichment of Phosphotyrosine-Containing Peptides
(C) 4751–4753 [4835–4837]
DOI: 10.1002/anie.200700633
- Li, Shuyan (C) 5393–5396 [5489–5492]
- Li, Shuyou (C) 8436–8439 [8588–8591]
- Li, W. (C) 4060–4063 [4138–4141]
- Li, X.-L. (C) 6820–6823 [6944–6947]
- Li, Xiaoguang
- Superconducting and Oxidation-Resistant Coaxial Lead–Polymer Nanocables
(C) 5772–5774 [5874–5876]
DOI: 10.1002/anie.200701591
- Li, Xiaotian
- Ordered Mesoporous Copper Oxide with Crystalline Walls
(C) 738–741 [752–755]
DOI: 10.1002/anie.200603210
- Li, Xin (C) 962–965 [980–983]
- Li, Xing (C) 6301–6304 [6417–6420]
- Li, Xuebing (C) 8649–8652 [8803–8806]
- Li, Y.-Z. (C) 6820–6823 [6944–6947]
- Li, Ya (C) 2489–2492 [2541–2544]
- Li, Yadong
- A Versatile Bottom-up Assembly Approach to Colloidal Spheres from Nanocrystals
(C) 6650–6653 [6770–6773]
DOI: 10.1002/anie.200701355
- Tetrahedral Colloidal Crystals of Ag₂S Nanocrystals
(C) 8174–8177 [8322–8325]
DOI: 10.1002/anie.200701307
- Li, Yigang (C) 7976–7979 [8122–8125]
- Li, Yong (C) 1094–1096 [1112–1114]
- Li, Yongfeng (C) 279–282 [283–286]
- Li, Yue (C) 3264–3268 [3328–3332]
- Li, Yuliang (C) 7882–7886 [8028–8032]
- Li, Yulin (C) 7481–7484 [7625–7628]
- Li, Zhichun (C) 4500–4503 [4584–4587]
- Li, Zhiping
- FeCl₂-Catalyzed Selective C–C Bond Formation by Oxidative Activation of a Benzylic C–H Bond
(C) 6505–6507 [6625–6627]
DOI: 10.1002/anie.200701782
- Li, Zigang (C) 5184–5186 [5276–5278]
- Lian, B. (C) 4790–4793 [4874–4877], 8507–8510 [8660–8663]
- Liang, G. (C) 8216–8219 [8364–8367]
- Liang, H.
- A Single-Molecule-Magnetic, Cubane-Based, Triangular Co₁₂ Supercluster
(C) 1832–1835 [1864–1867]
DOI: 10.1002/anie.200602922
- Liang, X. (C) 6650–6653 [6770–6773]

- Liang, Y.-M.
– Highly Regioselective Synthesis of Spirocyclic Compounds by a Palladium-Catalyzed Intermolecular Tandem Reaction (C) 7068–7071 [7198–7201]
DOI: 10.1002/anie.200702238
- Licence, P.
– Rewritable Imaging on the Surface of Frozen Ionic Liquids (C) 4163–4165 [4241–4243]
DOI: 10.1002/anie.200700144
- Liébert, C. (C) 2310–2313 [2360–2363]
- Lieberwirth, I. (C) 3464–3467 [3534–3537]
- Liepins, V. (C) 9265–9270 [9425–9430]
- Liew, R. (C) 8799–8803 [8955–8959]
- Liimatainen, J. (C) 4148–4150 [4226–4228]
- Lillington, M. (C) 1889–1892 [1921–1924]
- Lim, B. (C) 9279–9282 [9439–9442]
- Lim, H.-S. (C) 2865–2868 [2923–2926]
- Lim, J. H. (C) 1436–1439 [1458–1461]
- Lim, K.-H. (C) 5397–5401 [5493–5497]
- Lim, S. P. (C) 3356–3358 [3420–3422]
- Lim, Y.-b. (C) 3475–3478 [3545–3548], 9011–9014 [9169–9172]
- Limb, A. J. (C) 549–552 [555–558]
- Limberg, C.
– Solvent-Dependent Oxidation of a (Pyridylmethyl)amino Ligand by FeCl₃ To Give a Water-Soluble Blue Fluorophore (C) 5329–5331 [5423–5426]
DOI: 10.1002/anie.200700389
- Limtrakul, J. (C) 5238–5241 [5331–5334]
- Lin, Chenxiang (C) 6089–6092 [6201–6204]
- Lin, Chunyan (C) 6681–6683 [6801–6803]
- Lin, H. (C) 7498–7500 [7642–7644]
- Lin, H.-H. (C) 3865–3869 [3939–3943]
- Lin, H.-W. (C) 893–896 [911–914]
- Lin, Hsin-Chieh (C) 897–900 [915–918]
- Lin, Huan-Chang (C) 3865–3869 [3939–3943]
- Lin, J.-C. (C) 3533–3536 [3603–3606]
- Lin, M. C. (C) 7214–7219 [7352–7357]
- Lin, M. C. M. (C) 6464–6468 [6584–6588]
- Lin, N.
– Surface-Assisted Assembly of 2D Metal–Organic Networks That Exhibit Unusual Threefold Coordination Symmetry (C) 710–713 [724–727]
DOI: 10.1002/anie.200603644
- Lin, N.-T. (C) 4481–4485 [4565–4569]
- Lin, S. H. (R) 3196–3210 [3258–3273]
- Lin, S.-Y. (C) 4481–4485 [4565–4569]
- Lin, W.-Y. (C) 897–900 [915–918]
- Lin, Weili (C) 3680–3682 [3754–3756]
- Lin, Wenbin
– Heterogeneous Asymmetric Catalysis with Homochiral Metal–Organic Frameworks: Network-Structure-Dependent Catalytic Activity (C) 1075–1078 [1093–1096]
DOI: 10.1002/anie.200602099
- Hybrid Silica Nanoparticles for Multimodal Imaging (C) 3680–3682 [3754–3756]
DOI: 10.1002/anie.200604738
- Lin, X. (C) 3490–3493 Corrigendum: 5647 [3560–3563 Corrigendum: 5744]
- Lin, Y. (C) 8186–8191 [8334–8339]
- Lin, Y.-P. (C) 6464–6468 [6584–6588]
- Lin, Z. H. (C) 4530–4533 [4614–4617]
- Lin, Zhenyang Corrigendum: 1558
- Lin, Zhenyang
– A Metallocene Complex from Zinc Reduction of a Vinylcarbyne Complex (C) 9065–9068 [9223–9226]
DOI: 10.1002/anie.200703289
- Lin, Zhiquan
– Evaporation-Induced Self-Assembly of Nanoparticles from a Sphere-on-Flat Geometry (C) 1860–1863 [1892–1895]
DOI: 10.1002/anie.200604540
- Lincoln, P.
– Kinetic Recognition of AT-Rich DNA by Ruthenium Complexes (C) 2203–2206 [2253–2256]
DOI: 10.1002/anie.200604294
- Lindel, T.
– Chemistry Unprotected (T) 5268–5271 [5362–5365]
DOI: 10.1002/anie.200702455
- Linden, A. (C) 4972–4975 [5060–5063]
- Linder, D. (C) 8979–8982 [9137–9140]
- Linder, M. B. (C) 6446–6449 [6566–6569]
- Linderoth, T. R.
– Covalent Interlinking of an Aldehyde and an Amine on a Au(111) Surface in Ultra-high Vacuum (C) 9227–9230 [9387–9390]
DOI: 10.1002/anie.200702859
- Lindner, W.
– Spontaneous Knotting—From Oligoamide Threads to Trefoil Knots (C) 254–259 [258–263]
DOI: 10.1002/anie.200601938
- Lindqvist-Reis, P.
– The Structures and Optical Spectra of Hydrated Transplutonium Ions in the Solid State and in Solution (C) 919–922 [937–940]
DOI: 10.1002/anie.200603947
- Lindström, U. M.
– α -Amino Acid Induced Rate Acceleration in Aqueous Biphasic Lewis Acid Catalyzed Michael Addition Reactions (C) 4543–4546 [4627–4630]
DOI: 10.1002/anie.200700560
- Lingenfelder, M.
– Tracking the Chiral Recognition of Adsorbed Dipeptides at the Single-Molecule Level (C) 4492–4495 [4576–4579]
DOI: 10.1002/anie.200700194
- Linghu, X. (C) 7671–7673 [7815–7817]
- Linker, T.
– Molecular Switches Flipped by Oxygen (C) 7689–7692 [7833–7836]
DOI: 10.1002/anie.200700443
- Linse, S. (C) 5754–5756 [5856–5858]
- Lipshutz, B. H. (C) 1650–1653 [1677–1681]
- List, B. Corrigendum: 2971
- List, B.
– Catalytic Asymmetric Acylcyanation of Imines (C) 612–614 [618–620]
DOI: 10.1002/anie.200603630
- Proline-Catalyzed Mannich Reaction of Aldehydes with *N*-Boc-Imines (C) 609–611 [615–617]
DOI: 10.1002/anie.200603188
- Lister, T. (C) 4712–4714 [4796–4798], 7501–7505 [7645–7649]
- Liu, Bei (C) 276–278 [280–282]
- Liu, Bo (C) 3644–3648 [3718–3722]
- Liu, C. (C) 4128–4131 [4206–4209]
- Liu, Dazhan (C) 3738–3740 [3812–3814]
- Liu, Dongsheng
– Enthalpy-Driven Three-State Switching of a Superhydrophilic/Superhydrophobic Surface (C) 3915–3917 [3989–3991]
DOI: 10.1002/anie.200700439
- Light-Driven Conformational Switch of i-Motif DNA (C) 2515–2517 [2567–2569]
DOI: 10.1002/anie.200604589
- Liu, F. (C) 7856–7859 [8002–8005], 7972–7975 [8118–8121]
- Liu, G.-Z. (C) 2827–2830 [2885–2888]
- Liu, H.-K.
– Preparation and Electrochemical Properties of SnO₂ Nanowires for Application in Lithium-Ion Batteries (C) 750–753 [764–767]
DOI: 10.1002/anie.200603309
- Liu, H. L. (C) 3663–3667 [3737–3741]
- Liu, Haichao
– Cellulose Conversion into Polyols Catalyzed by Reversibly Formed Acids and Supported Ruthenium Clusters in Hot Water (C) 7636–7639 [7780–7783]
DOI: 10.1002/anie.200702661
- Liu, Haipeng (C) 6473–6475 [6593–6595]
- Liu, Huajie (C) 2515–2517 [2567–2569], 3915–3917 [3989–3991]
- Liu, I. P.-C. (C) 3533–3536 [3603–3606]
- Liu, J.-M. (C) 6820–6823 [6944–6947]
- Liu, Jiehua (C) 3313–3315 [3377–3379]
- Liu, Jingquan (C) 3099–3103 [3159–3163]
- Liu, Jingyuan (C) 5762–5764 [5864–5866]
- Liu, Juewen (C) 7587–7590 [7731–7734], 9006–9010 [9164–9168]
- Liu, Jun (C) 786–789 [800–803]
- Liu, Li (C) 7891–7895 [8037–8041]
- Liu, Lihong (C) 3062–3065 [3122–3125]
- Liu, Liping (C) 6650–6653 [6770–6773]
- Liu, M.
– Computational Study on the Catalytic Mechanism of Oxygen Reduction on La_{0.5}Sr_{0.5}MnO₃ in Solid Oxide Fuel Cells (C) 7214–7219 [7352–7357]
DOI: 10.1002/anie.200700411
- Liu, M. T. H. (C) 5562–5564 [5658–5660]
- Liu, N. (C) 7613–7616 [7757–7760]
- Liu, P. (C) 1329–1332 [1351–1354]
- Liu, Qiuhua (C) 6068–6072 [6180–6184]
- Liu, Qun
– Domino Ring-Opening/Recyclization Reactions of Doubly Activated Cyclopropanes as a Strategy for the Synthesis of Furoquinoline Derivatives (C) 1726–1729 [1756–1759]
DOI: 10.1002/anie.200604276
- Liu, R.-S.
– PtCl₂-Catalyzed Hydrative Cyclization of Trialkyne Functionalities to Form Bicyclic Spiro Ketones (C) 4744–4747 [4828–4831]
DOI: 10.1002/anie.200700022
- Liu, Rongrong (C) 8799–8803 [8955–8959]
- Liu, Rui (C) 8388–8391 [8540–8543]
- Liu, Shaomin (C) 3062–3065 [3122–3125]
- Liu, Sheng (C) 7506–7508 [7650–7652]
- Liu, Shiyong (C) 6321–6324 [6437–6440]
- Liu, T.
– Self-Patterning of Hydrophobic Materials into Highly Ordered Honeycomb Nanostructures at the Air/Water Interface (C) 3342–3345 [3406–3409]
DOI: 10.1002/anie.200604180
- Liu, Wang (C) 7098–7100 [7228–7230]
- Liu, Wenshe (C) 6073–6075 [6185–6187], 9239–9242 [9399–9402]

- Liu, X.-Y. (C) 7068–7071 [7198–7201]
 Liu, Xiaohua (C) 8468–8470 [8620–8622]
 Liu, Xiaoqing (C) 421–424 [425–428]
 Liu, Y. (Arizona State University) (C) 3051–3054 [3111–3114], 6089–6092 [6201–6204]
 Liu, Y.-H. (C) 2013–2017 [2059–2063], 6629–6633 [6749–6753]
 Liu, Y. (Shanghai) (C) 6301–6304 [6417–6420]
 Liu, Yu (C) 6820–6823 [6944–6947], 7399–7403 [7543–7547]
 Liu, Yun (C) 1419–1422 [1441–1444]
 Liu, Yunling (C) 3278–3283 [3342–3347]
 Liu, Zhigang (C) 9036–9039 [9194–9197]
 Liu, Zhijian (C) 2535–2538 [2587–2590], 7259–7261 [7397–7399]
 Liu, Zhuang (C) 2023–2027 [2069–2073]
 Livage, C.
 – Effect of Mixing of Metal Cations on the Topology of Metal Oxide Networks (C) 5877–5879 [5981–5983]
 DOI: 10.1002/anie.200700247
 Liz-Marzán, L. M.
 – Chemical Sharpening of Gold Nanorods: The Rod-to-Octahedron Transition (C) 8983–8987 [9141–9145]
 DOI: 10.1002/anie.200703259
 Liz-Marzán, L. M. (C) 3517–3520 [3587–3590], 7026–7030 [7156–7160]
 Llamas, T. (C) 3329–3332 [3393–3396]
 Lledó, A. (C) 5943–5946 [6047–6050]
 Llewellyn, N. M. (C) 1462–1464 [1484–1486]
 Lloret Fillol, J. (C) 8426–8430 [8578–8582]
 Lloyd-Jones, G. C.
 – Mechanism of Methyl Esterification of Carboxylic Acids by Trimethylsilyldiazomethane (C) 7075–7078 [7205–7208]
 DOI: 10.1002/anie.200702131
 Loaiza, Ó. A. (C) 1508–1511 [1530–1533]
 Lobastov, V. A. (C) 9206–9210 [9366–9370]
 Lobkovsky, E. (C) 2858–2861 [2916–2919]
 Lochner, E. J. (C) 8653–8655 [8807–8809]
 Lockman, P. R. (C) 1716–1718 [1746–1748]
 Loges, N. (C) 5618–5623 [5716–5721]
 Löhmannsröben, H.-G. (C) 1671–1674 [1701–1704]
 Loiseau, F. (C) 6144–6147 [6256–6259]
 Lokey, R. S.
 – A Practical Solid-Phase Synthesis of Glu⁷-Phalloidin and Entry into Fluorescent F-Actin-Binding Reagents (C) 3547–3549 [3617–3619]
 DOI: 10.1002/anie.200700017
 Long, De-L. (C) 1340–1344 [1362–1366], 3900–3904 [3974–3978], 7579–7582 [7723–7726]
 Long, G. J.
 – A “Star” Antiferromagnet: A Polymeric Iron(III) Acetate That Exhibits Both Spin Frustration and Long-Range Magnetic Ordering (C) 6076–6080 [6188–6192]
 DOI: 10.1002/anie.200701954
 Long, J. R.
 – Observation of Cu²⁺–H₂ Interactions in a Fully Desolvated Sodalite-Type Metal–Organic Framework (C) 1419–1422 [1441–1444]
 DOI: 10.1002/anie.200604362
 – Synthesis and Ligand-Exchange Kinetics of the Solvated Trigonal-Prismatic Clusters [W₆CCl₁₂L₆]²⁺ (L = dmf, py) (C) 3494–3496 [3564–3566]
 DOI: 10.1002/anie.200700151
 Long, La-S.
 – Chiral Symmetry Breaking by Chemically Manipulating Statistical Fluctuation in Crystallization (C) 8475–8479 [8627–8631]
 DOI: 10.1002/anie.200703443
 Long, N. J.
 – Rapid Multiphase Carbonylation Reactions by Using a Microtube Reactor: Applications in Positron Emission Tomography ¹¹C-Radiolabeling (C) 2875–2878 [2933–2936]
 DOI: 10.1002/anie.200604541
 Lopes, D. (C) 576–579 [582–585]
 Lopez, M. E. (C) 6706–6709 [6826–6829]
 Lopez, N.
 – Low-Basicity Oxygen Atoms: A Key in the Search for Propylene Epoxidation Catalysts (C) 2055–2058 [2101–2104]
 DOI: 10.1002/anie.200603803
 López, S. (C) 4136–4140 [4214–4218]
 López, X. (C) 3533–3536 [3603–3606]
 Lopez de Laorden, C. (C) 8067–8070 [8213–8216]
 López de Lara González, G. (C) 8079–8081 [8225–8227]
 López Navarrete, J. T.
 – On the Biradicaloid Nature of Long Quinoidal Oligothiophenes: Experimental Evidence Guided by Theoretical Studies (C) 9057–9061 [9215–9219]
 DOI: 10.1002/anie.200703244
 López-Pérez, A. (C) 9261–9264 [9421–9424]
 López-Quintela, M. A.
 – Facile Synthesis of Stable Subnanosized Silver Clusters in Microemulsions (C) 8823–8827 [8979–8983]
 DOI: 10.1002/anie.200702427
 Lorenz, U. J. (C) 6714–6716 [6834–6837]
 Lorenz, V. (C) 6732–6734 [6855–6857]
 Lörcincz, J. (C) 6725–6728 [6846–6850]
 Loschen, R. (C) 2269–2272 [2319–2322]
 Lotesta, S. D. (C) 7108–7111 [7238–7241]
 Lou, X. (C) 6111–6114 [6223–6226]
 Lough, A. J. (C) 7644–7647 [7788–7791], 9069–9072 [9227–9230]
 Lourenço, N. M. T. (C) 8178–8181 [8326–8329]
 Love, J. B.
 – Dioxygen Reduction at Dicobalt Complexes of a Schiff Base Calixpyrrole Ligand (C) 584–586 [590–592]
 DOI: 10.1002/anie.200603201
 Low, C. M. R. (C) 3706–3709 [3780–3783]
 Lowe, J. T. (C) 9211–9214 [9371–9374]
 Lu, A.-H. (R) 1222–1244 [1242–1266]
 Lu, C. (C) 3490–3493 Corrigendum: 5647 [3560–3563 Corrigendum: 5744]
 Lu, D. (C) 7796–7798 [7942–7944]
 Lu, G. Q.
 – Bioceramic Macrocapsules for Cell Immunisation (C) 3062–3065 [3122–3125]
 DOI: 10.1002/anie.200604682
 Lu, G. Q. (C) 8579–8582 [8733–8736]
 Lu, H. (C) 8220–8222 [8368–8370]
 Lu, Jianzhong (C) 8226–8229 [8374–8377]
 Lu, Juntao (C) 2862–2864 [2920–2922]
 Lu, L. Corrigendum: 1004
 Lu, L.-Y. (C) 6464–6468 [6584–6588]
 Lu, P. (C) 3245–3248 [3309–3312]
 Lu, Q.-B.
 – Real-Time Observation of a Molecular Reaction Mechanism of Aqueous 5-Halo-2'-deoxyuridines under UV/Ionizing Radiation (C) 6316–6320 [6432–6436]
 DOI: 10.1002/anie.200701559
 Lu, T. (C) 4069–4072 [4147–4150]
 Lu, X. (C) 5772–5774 [5874–5876]
 Lü, X.-Q. (C) 7399–7403 [7543–7547]
 Lu, Yi
 – Rational Design of “Turn-On” Allosteric DNzyme Catalytic Beacons for Aqueous Mercury Ions with Ultrahigh Sensitivity and Selectivity (C) 7587–7590 [7731–7734]
 DOI: 10.1002/anie.200702006
 – Site-Specific Control of Distances between Gold Nanoparticles Using Phosphorothioate Anchors on DNA and a Short Bifunctional Molecular Fastener (C) 9006–9010 [9164–9168]
 DOI: 10.1002/anie.200702569
 Lu, Yingchun Corrigendum: 2347
 Luban, M. (C) 1340–1344 [1362–1366], 6106–6110 [6218–6222]
 Lubkoll, J. (C) 6841–6844 [6965–6968]
 Lubomska, M. (C) 1278–1280 [1300–1302]
 Lucas, B. S. (C) 769–772 [783–786]
 Ludden, M. J. W. (C) 4104–4107 [4182–4185]
 Ludlow, R. F. (C) 5762–5764 [5864–5866]
 Ludwig, K. (C) 4393–4396 [4472–4475]
 Ludwig, R.
 – Do We Understand the Volatility of Ionic Liquids? (H) 6582–6584 [6702–6704]
 DOI: 10.1002/anie.200702157
 – Pressure and Salt Effects in Simulated Water: Two Sides of the Same Coin? (C) 8907–8911 [9065–9069]
 DOI: 10.1002/anie.200702736
 Luebke, R. (C) 3278–3283 [3342–3347]
 Luger, P.
 – Novel Approaches to the Experimental Charge Density of Vitamin B₁₂ (C) 2935–2938 [2993–2996]
 DOI: 10.1002/anie.200603901
 Luh, T.-Y.
 – A Bridging Double Bond as an Electron Acceptor for Optical Nonlinearity of Furan-Containing [n.2]Cyclophenes (C) 897–900 [915–918]
 DOI: 10.1002/anie.200603557
 – From Polynorbornene to the Complementary Polynorbornene by Replication (C) 4481–4485 [4565–4569]
 DOI: 10.1002/anie.200700472
 Luis, S. V.
 – Efficient Chirality Switching in the Addition of Diethylzinc to Aldehydes in the Presence of Simple Chiral α -Amino Amides (C) 9002–9005 [9160–9163]
 DOI: 10.1002/anie.200702259
 Lukens, W. (C) 3870–3873 [3944–3947]
 Lumento, F. (C) 414–420 [418–424]
 Lund, K. (C) 3051–3054 [3111–3114]
 Lundberg, D. (C) 5889–5891 Corrigendum: 9135 [5993–5995 Corrigendum: 9295]
 Lundgren, R. J. (C) 4732–4735 [4816–4819]
 Lunn, M. D. (C) 2280–2283 [2330–2333]
 Luo, C. (C) 7636–7639 [7780–7783]
 Luo, T. (C) 8250–8253 [8398–8401]
 Luo, Yi (C) 1909–1913 [1941–1945]

- Luo, Yulan (C) 7015–7018 [7145–7148]
Lupton, J. M.
– Exciton Accumulation in π -Conjugated Wires Encapsulated by Light-Harvesting Macrocycles
(C) 3450–3455 [3520–3525]
DOI: 10.1002/anie.200605072
- Lusby, P. J. (C) 5015–5019 [5103–5107]
Lusi, M. (C) 1124–1128 [1142–1146]
Lutz, J.-F.
– 1,3-Dipolar Cycloadditions of Azides and Alkynes: A Universal Ligation Tool in Polymer and Materials Science
(M) 1018–1025 [1036–1043]
DOI: 10.1002/anie.200604050
- Luy, B.
– Approaching the Megadalton: NMR Spectroscopy of Protein Complexes
(H) 4214–4216 [4292–4294]
DOI: 10.1002/anie.200701093
- Lydon, D. P. (C) 5175–5177 [5267–5269]
Lykakis, I. N. (C) 1914–1916 [1946–1948]
Lymar, E. S. (C) 5111–5114 [5203–5206]
Lynch, I.
– Detailed Identification of Plasma Proteins Adsorbed on Copolymer Nanoparticles
(C) 5754–5756 [5856–5858]
DOI: 10.1002/anie.200700465
- Lyness, C. (C) 373–376 [377–380]
Lyon, J. T. (C) 9045–9049 [9203–9207]
Lysenko, I. L. (C) 3326–3328 [3390–3392]
Lysova, A. A. (C) 7224–7227 [7362–7365]
- Ma, C.-Q. (C) 1679–1683 [1709–1713]
Ma, D.
– Synthesis of 1,2-Disubstituted Benzimidazoles by a Cu-Catalyzed Cascade Aryl Amination/Condensation Process
(C) 2598–2601 [2652–2655]
DOI: 10.1002/anie.200700071
- Ma, J. (C) 1333–1336 [1355–1358]
Ma, M. (C) 1905–1908 [1937–1940]
Ma, Nianchun (C) 941–944 [959–962]
Ma, Ning (C) 2823–2826 [2881–2884]
Ma, Shengming
– Highly Selective Thiirane of 1,2-Allenyl Sulfones with Br_2 and $\text{Na}_2\text{S}_2\text{O}_3$: Mechanism and Asymmetric Synthesis of Alkylidenethiiranes
(C) 4379–4381 [4457–4459]
DOI: 10.1002/anie.200700619
- Ma, Shengqian (C) 2458–2462 [2510–2514]
Ma, Xingquan (C) 7023–7025 [7153–7155]
Ma, Xinyong (C) 3915–3917 [3989–3991]
Ma, Yuguang
– Thermal Cycloaddition Facilitated by Orthogonal π - π Organization through Conformational Transfer in a Swivel-Cruciform Oligo(phenylenevinylene)
(C) 3245–3248 [3309–3312]
DOI: 10.1002/anie.200603878
- Ma, Yujie (C) 1702–1705 [1732–1735]
McBreen, P. H. (C) 7891–7895 [8037–8041]
McCahill, J. S. J. (C) 4968–4971 [5056–5059]
McCammon, J. A. (C) 8234–8237 [8382–8385]
McCarty, L. S. (C) 206–209 [210–213]
- McCauley, K. M. (C) 977–979 [995–997]
McCleskey, T. M.
– Beryllium Displacement of H^+ from Strong Hydrogen Bonds
(C) 2669–2671 [2723–2725]
DOI: 10.1002/anie.200604623
- McClary, A. (C) 2074–2077 [2120–2123]
McCormack, P. J.
– Stereoselective Synthesis of Ferrocene-Based C_2 -Symmetric Diphosphine Ligands: Application to the Highly Enantioselective Hydrogenation of α -Substituted Cinnamic Acids
(C) 4141–4144 [4219–4222]
DOI: 10.1002/anie.200604493
- McCunn, L. R. (C) 8691–8694 [8846–8849]
McDaniel, W. (C) 8223–8225 [8371–8373]
McDevitt, J. T.
– The Discriminatory Power of Differential Receptor Arrays Is Improved by Prescreening—A Demonstration in the Analysis of Tachykinins and Similar Peptides
(C) 8212–8215 [8360–8363]
DOI: 10.1002/anie.200701236
- MacDonald, N. C. (C) 4298–4301 [4376–4379]
McDonald, R. (C) 3741–3744 [3815–3818], 4732–4735 [4816–4819], 9081–9085 [9239–9243]
McGinty, R. K. (C) 2814–2818 [2872–2876]
McGlinchey, M. J.
– X-ray Crystal Structure of an Alkene–Pentacarbonyldicobalt–Alkyne Complex: Isolation of a Stable Magnus-Type Pauson–Khand Reaction Intermediate
(C) 2907–2910 [2965–2968]
DOI: 10.1002/anie.200605171
- Macgregor, S. A.
– The Mechanism of Reduction and Metalation of *para* Carboranes: The Missing 13-Vertex MC_5B_{10} Isomer
(C) 6706–6709 [6826–6829]
DOI: 10.1002/anie.200702058
- Machado de Carvalho, L. (C) 8079–8081 [8225–8227]
Macheroux, P. (C) 3934–3937 [4008–4011]
Macht, J. (C) 7864–7868 [8010–8014]
Machut, C. (C) 3040–3042 [3100–3102]
McInnes, E. J. L.
– Synthesis of Molecular Vanadium(III) Phosphonates
(C) 5568–5571 [5664–5667]
DOI: 10.1002/anie.200701115
- McInnes, E. J. L. (C) 7844–7848 [7990–7994]
Mack, A. V. (C) 6073–6075 [6185–6187]
McKay, D. J. (C) 1839–1842 [1871–1874]
McKenzie, F. (C) 1829–1831 [1861–1863]
McKie, R. (C) 6525–6528 [6645–6648]
McKinlay, R. M. (C) 2394–2397 [2446–2449]
MacLachlan, M. J.
– Supramolecular Assembly of Zinc Salphen Complexes: Access to Metal-Containing Gels and Nanofibers
(C) 7980–7983 [8126–8129]
DOI: 10.1002/anie.200702680
- McLaren, I. (C) 1476–1480 [1498–1502]
McLaughlin, M. (C) 3912–3914 [3986–3988]
McLean, E. J. (C) 2047–2050 [2093–2096]
McLean, P. (C) 8223–8225 [8371–8373]
McLellan, J. M. (C) 790–794 [804–808]
Macleod, N. A. (C) 3644–3648 [3718–3722]
- McMahon, T. B.
– Stabilization of the Zwitterionic Structure of Proline by an Alkylammonium Ion in the Gas Phase
(C) 3668–3671 [3742–3745]
DOI: 10.1002/anie.200605174
- McManus, H. A. (C) 433–436 [437–440]
McMillan, P. F. (C) 1476–1480 [1498–1502]
McMurtrie, J. C. (C) 2090–2093 [2136–2139]
McNeil, A. J. (R) 3002–3017 [3060–3077]
McPartlin, M. (C) 3084–3086 [3144–3146], 5425–5427 [5521–5523], 7827–7830 [7973–7976]
McPherson, O. M. (C) 7960–7964 [8106–8110]
McQuade, D. T.
– Improving Solid-Supported Catalyst Productivity by Using Simplified Packed-Bed Microreactors
(C) 1698–1701 [1728–1731]
DOI: 10.1002/anie.200603854
- McRae, K. J. (C) 537–540 [543–546], 541–544 [547–550], 545–548 [551–554]
Maddess, M. L. (C) 591–597 [597–603]
Madelaide, C. (C) 8046–8049 [8192–8195]
Madsen, A. Ø. (C) 8609–8613 [8763–8767]
Maeda, T. (C) 881–883 [899–901]
Maeda, Y. (C) 5562–5564 [5658–5660]
Maerten, E. (C) 5520–5523 [5616–5619]
Maes, M. (C) 4293–4297 [4371–4375]
Maga, G. (C) 1810–1813 [1842–1845]
Magnolia, S. (C) 7651–7654 [7795–7798]
Magrez, A.
– Evidence of an Equimolar C_2H_2 – CO_2 Reaction in the Synthesis of Carbon Nanotubes
(C) 441–444 [445–448]
DOI: 10.1002/anie.200603764
- Magri, A. (C) 7993–7995 [8139–8141]
Magull, J. (C) 2512–2514 [2564–2566], 4574–4576 [4658–4660]
Magusin, P. C. M. M. (C) 5003–5006 [5091–5094]
Magyar, J. S.
– *Fred Basolo*
(O) 2746–2747 [2802–2803]
DOI: 10.1002/anie.200701155
- Mahesh, M. (C) 5178–5183 [5270–5275]
Mahmood, A. (C) 7491–7494 [7635–7638]
Mahmoudkhani, A. H. (C) 795–798 [809–812]
Mahnke, J. (C) 8682–8685 [8836–8839]
Mahon, M. F. (C) 2266–2268 [2316–2318], 2280–2283 [2330–2333], 6343–6345 [6459–6461]
Mahrenholz, C. C. (C) 1654–1657 [1682–1686]
Maid, H. (C) 265–268 [269–272]
Maier, J.
– Peculiar Nonmonotonic Water Incorporation in Oxides Detected by Local In Situ Optical Absorption Spectroscopy
(C) 8992–8994 [9150–9152]
DOI: 10.1002/anie.200701765
- Maier, M. E.
– Total Synthesis of Cruentaren A
(C) 5209–5211 [5301–5303]
DOI: 10.1002/anie.200701423
- Maier, N. M. (C) 254–259 [258–263]
Maier, W. F.
– Combinatorial and High-Throughput Materials Science
(R) 6016–6067 [6122–6179]
DOI: 10.1002/anie.200603675
- Maisonhaute, E. (C) 951–954 [969–972]



- Maiti, K. K. (C) 5880–5884 [5984–5988]
Maiti, S.
– i-Motif Formation with Locked Nucleic Acid (LNA)
(C) 9220–9222 [9380–9382]
DOI: 10.1002/anie.200701667
Maitre, P. (C) 1995–1998 [2041–2044],
6714–6716 [6834–6837]
Maitrejean, M. (C) 4783–4785 [4867–4869]
Majima, T.
– Relationship between Charge Transfer and Charge Recombination Determines Photo-current Efficiency through DNA Films
(C) 6681–6683 [6801–6803]
DOI: 10.1002/anie.200701525
Majjigapu, J. R. R. (C) 6137–6140 [6249–6252]
Majjigapu, K. (C) 6137–6140 [6249–6252]
Majoral, J.-P.
– Multiplication of Human Natural Killer Cells by Nanosized Phosphonate-Capped Dendrimers
(C) 2523–2526 [2575–2578]
DOI: 10.1002/anie.200604651
Majumder, U. (C) 4715–4718 [4799–4802]
Makal, A. (C) 7206–7209 [7344–7347]
Makaritis, A. (C) 3275–3277 [3339–3341]
Makoudi, Y. (C) 9287–9290 [9447–9450]
Malacria, M.
– From PtCl₂- and Acid-Catalyzed to Uncatalyzed Cyclization of 2-Propargyl Anilines: Access to Functionalized Indoles
(C) 1881–1884 [1913–1916]
DOI: 10.1002/anie.200604026
– Radical Cyclization of *N*-Acylcyanamides: Total Synthesis of Luotonin A
(C) 576–579 [582–585]
DOI: 10.1002/anie.200602940
Malinovskii, V. L. (C) 4464–4467 [4548–4551]
Malkov, A. V.
– Enantioselective Synthesis of 1,2-Diarylaziridines by the Organocatalytic Reductive Amination of α -Chloroketones
(C) 3722–3724 [3796–3798]
DOI: 10.1002/anie.200700165
Mallat, T. (C) 3905–3908 [3979–3982]
Mallia, V. A. (C) 3269–3274 [3333–3338]
Maloney, D. J. (C) 7789–7792 [7935–7938]
Mamiya, J.-i. (R) 506–528 [512–535], (C) 881–883 [899–901]
Mandal, M. (C) 5576–5579 [5672–5675]
Mandelkow, E.
– Rhodanine-Based Tau Aggregation Inhibitors in Cell Models of Tauopathy
(C) 9215–9219 [9375–9379]
DOI: 10.1002/anie.200704051
Mandelkow, E.-M. (C) 9215–9219 [9375–9379]
Manetti, F. (C) 1810–1813 [1842–1845]
Manetto, A. (C) 4184–4187 [4262–4265]
Mani, P. (C) 8988–8991 [9146–9149]
Manivannan, R. (C) 4790–4793 [4874–4877]
Mankad, N. P. (C) 5768–5771 [5870–5873]
Manners, I.
– Block Copolymers with Functional Inorganic Blocks: Living Addition Polymerization of Inorganic Monomers
(H) 1565–1568 [1586–1589]
DOI: 10.1002/anie.200604503
– Organometallic Macrocycles and Cyclic Polymers by the Bipyridine-Initiated Photolytic Ring Opening of a Silicon-Bridged [1]Ferrocenophane
(C) 9069–9072 [9227–9230]
DOI: 10.1002/anie.200703430
– Strained Metallocenophanes and Related Organometallic Rings Containing π -Hydrocarbon Ligands and Transition-Metal Centers
(R) 5060–5081 [5152–5173]
DOI: 10.1002/anie.200604409
Manning, A. R. (C) 2907–2910 [2965–2968]
Manoli, M. (C) 4456–4460 [4540–4544]
Mansaray, H. (C) 5568–5571 [5664–5667]
Mansoori, U. (C) 5962–5965 [6066–6069]
Mao, C.
– Fluorescent Carbon Nanoparticles Derived from Candle Soot
(C) 6473–6475 [6593–6595]
DOI: 10.1002/anie.200701271
Maraval, A. (C) 2288–2290 [2338–2340], 2523–2526 [2575–2578]
Maraval, V. (C) 4337–4341 [4415–4419]
Marcaccio, M. (C) 3521–3525 [3591–3595]
Marcelis, A. T. M. (C) 1807–1809 [1839–1841]
Marchand, P. (C) 2523–2526 [2575–2578]
Marchese, L.
– Layered Assembly of Organic Molecules and Host–Guest Interactions in a CAL-1 Chabazite-Type Precursor of H-SAPO-34 Catalysts
(C) 8895–8897 [9052–9055]
DOI: 10.1002/anie.200703141
Marcos, M. D. (C) 1675–1678 [1705–1708]
Marcoux, D. (C) 5011–5014 [5099–5102]
Marder, S. R.
– Thin, Conformal, and Continuous SnO₂ Coatings on Three-Dimensional Biosilica Templates through Hydroxy-Group Amplification and Layer-By-Layer Alkoxide Deposition
(C) 5724–5727 [5826–5829]
DOI: 10.1002/anie.200701297
Marder, T. B.
– Will We Soon Be Fueling our Automobiles with Ammonia–Borane?
(H) 8116–8118 [8262–8264]
DOI: 10.1002/anie.200703150
Marek, I.
– An Efficient, Facile, and General Stereoselective Synthesis of Heterosubstituted Alkylidenecyclopropanes
(C) 8039–8042 [8185–8188]
DOI: 10.1002/anie.200702713
– Diastereodivergent Synthesis of Enantio-merically Pure Homoallylic Amine Derivatives Containing Quaternary Carbon Stereocenters
(C) 9291–9294 [9451–9454]
DOI: 10.1002/anie.200702981
– Enantioselectively Enriched Cyclopropene Derivatives: Versatile Building Blocks in Asymmetric Synthesis
(R) 7364–7376 [7508–7520]
DOI: 10.1002/anie.200604774
Margotti, E. (C) 3689–3692 [3763–3766]
Marigo, M. (C) 1101–1104 [1119–1122], 1983–1987 [2029–2033]
Marin, G. B. (C) 1311–1314 [1333–1336]
Marin, V. L. (C) 8796–8798 [8952–8954]
Marinelli, L. (C) 3571–3574 [3641–3644]
Marini, F.
– Organocatalytic Asymmetric α -Selenenylation of Aldehydes
(C) 6882–6885 [7006–7009]
DOI: 10.1002/anie.200702318
Marinzi, C. (C) 3308–3312 [3372–3376]
Marion, N. (H) 2750–2752 [2806–2809], (M) 2988–3000 [3046–3058]
Marjanovic, J. (C) 8854–8857 [9010–9013]
Märk, T. D. (C) 5238–5241 [5331–5334], 8057–8059 [8203–8205]
Märker, A. (C) 6894–6898 [7018–7022]
Markert, C. (C) 5892–5895 [5996–5999]
Maron, L.
– The Crucial Role of the *f* Electrons in the Bent or Linear Configuration of Uranium Cyanido Metallocenes
(C) 2010–2012 [2056–2058]
DOI: 10.1002/anie.200604114
– Transition-Metal Complexes Featuring Z-Type Ligands: Agreement or Discrepancy between Geometry and *dⁿ* Configuration?
(C) 8583–8586 [8737–8740]
DOI: 10.1002/anie.200703518
Marquet, J. (C) 1321–1325 [1343–1347]
Marquette, C. A.
– A Versatile Method for Direct and Covalent Immobilization of DNA and Proteins on Biochips
(C) 4108–4110 [4186–4188]
DOI: 10.1002/anie.200605010
Marquez, C. A. (C) 6915–6917 [7040–7042]
Marsais, F. (C) 7090–7093 [7220–7223]
Marschner, C.
– Hafnium: Stepping into the Limelight!
(H) 6770–6771 [6892–6894]
DOI: 10.1002/anie.200702573
Marsh, E. N. G.
– Intrinsic Deuterium Kinetic Isotope Effects in Glutamate Mutase Measured by an Intramolecular Competition Experiment
(C) 8455–8459 [8607–8611]
DOI: 10.1002/anie.200702448
Marshall, P. A. (C) 4539–4542 [4623–4626]
Martell, S. (C) 459–462 [463–466]
Martens, J. A. (C) 4293–4297 [4371–4375]
Martí, S. (C) 286–290 [290–294]
Martín, A. (C) 3095–3098 [3155–3158]
Martin, D. R. (C) 8036–8038 [8182–8184]
Martín, F. (C) 7874–7877 [8020–8023]
Martin, J. M. L.
– The Unexpected Role of CO in C–H Oxidative Addition by a Cationic Rhodium(I) Complex
(C) 1901–1904 [1933–1936]
DOI: 10.1002/anie.200604357
Martin, L. C. (C) 3084–3086 [3144–3146]
Martín, N.
– Concave Tetrathiafulvalene-Type Donors as Supramolecular Partners for Fullerenes
(C) 1847–1851 [1879–1883]
DOI: 10.1002/anie.200604327
– Crossover Site-Selectivity in the Adsorption of the Fullerene Derivative PCBM on Au(111)
(C) 7874–7877 [8020–8023]
DOI: 10.1002/anie.200702531
Martín, R. (C) 7236–7239 [7374–7377]
Martinelli, J. R. (C) 1734–1737 [1764–1767], 8460–8463 [8612–8615]
Martínez, A. W. (C) 1318–1320 [1340–1342]
Martínez, J.
– Discrimination and Selective Enhancement of Signals in the MALDI Mass Spectrum of a Protein by Combining a Matrix-Based Label for Lysine Residues with a Neutral Matrix
(C) 5594–5597 [5690–5693]
DOI: 10.1002/anie.200700811

- Transannular Rearrangement of Activated Lactams: Stereoselective Synthesis of Substituted Pyrrolidine-2,4-diones from Diketopiperazines (C) 7488–7490 [7632–7634]
DOI: 10.1002/anie.200702132
- Martínez-Arias, A. (C) 8629–8631 [8783–8785]
- Martínez del Campo, T. (C) 6684–6687 [6804–6807], 7075–7078 [7205–7208]
- Martínez-Ferrero, E. (C) 8358–8362 [8510–8514]
- Martínez-Mañez, R.
- A Simple Approach for the Selective and Sensitive Colorimetric Detection of Anionic Surfactants in Water (C) 1675–1678 [1705–1708]
DOI: 10.1002/anie.200603800
- Martins, F. (C) 9223–9226 [9383–9386]
- Martins, R. (C) 2403–2407 [2455–2459]
- Martynova, I. M. (C) 393–396 [397–400]
- Maruoka, K.
- Recent Advances in Asymmetric Phase-Transfer Catalysis (R) 4222–4266 [4300–4345]
DOI: 10.1002/anie.200601737
- *syn*-Selective and Enantioselective Direct Cross-Aldol Reactions between Aldehydes Catalyzed by an Axially Chiral Amino Sulfonamide (C) 1738–1740 [1768–1770]
DOI: 10.1002/anie.200604640
- Maruyama, K. (C) 8238–8241 [8386–8389]
- Marx, A.
- Evolving a Thermostable DNA Polymerase That Amplifies from Highly Damaged Templates (C) 3115–3117 [3175–3178]
DOI: 10.1002/anie.200603987
- Proline-Modified DNA as Catalyst of the Aldol Reaction (C) 7297–7300 [7436–7439]
DOI: 10.1002/anie.200701416
- Marx, D.
- Creating Interfaces by Stretching the Solvent Is Key to Metallic Ammonia Solutions (C) 3676–3679 [3750–3753]
DOI: 10.1002/anie.200604431
- Marx, D. (C) 4894–4897 [4980–4984]
- Mas-Marzá, E. (C) 3729–3731 [3803–3805]
- Mas-Torrent, M. (C) 2215–2219 [2265–2269]
- Masarwa, A. (R) 7364–7376 [7508–7520], (C) 8039–8042 [8185–8188]
- Mascal, M.
- Fluoride-Selective Host Based on Anion- π Interactions, Ion Pairing, and Hydrogen Bonding: Synthesis and Fluoride-Ion Sandwich Complex (C) 8782–8784 [8938–8940]
DOI: 10.1002/anie.200704005
- Mascareñas, J. L.
- Specific DNA Recognition by a Synthetic, Monomeric Cys₂His₂ Zinc-Finger Peptide Conjugated to a Minor-Groove Binder (C) 6886–6890 [7010–7014]
DOI: 10.1002/anie.200702345
- Masdeu, C. (C) 3043–3046 [3103–3106]
- Maslen, S. L. (C) 7629–7632 [7773–7776]
- Mason, A. (C) 4719–4721 [4803–4805]
- Mason, B. P. (C) 1698–1701 [1728–1731]
- Massey, A. P. (C) 2655–2658 [2709–2712]
- Massip, S. (C) 214–217 [218–221]
- Masson, G.
- The Enantioselective Morita–Baylis–Hillman Reaction and Its Aza Counterpart (M) 4614–4628 [4698–4712]
DOI: 10.1002/anie.200604366
- Masuda, J. D. (C) 7052–7055 [7182–7185]
- Mata, J. A. (C) 3729–3731 [3803–3805]
- Mateo-Alonso, A.
- Fullerenes: Multitask Components in Molecular Machinery (M) 8120–8126 [8266–8272]
DOI: 10.1002/anie.200702725
- Tuning Electron Transfer through Translational Motion in Molecular Shuttles (C) 3521–3525 [3591–3595]
DOI: 10.1002/anie.200605039
- Mathevet, F. (C) 7404–7407 [7548–7551]
- Mathew, S. C. (C) 2070–2073 [2116–2119]
- Mathew, T. (C) 4933–4936 [5021–5024]
- Mathiasch, B. (C) 5618–5623 [5716–5721]
- Matsubara, K. (C) 1688–1692 [1718–1722]
- Matsubara, R. (C) 3047–3050 [3107–3110], 4151–4154 [4229–4232], 7803–7805 [7949–7951]
- Matsuda, A. (C) 758–760 [772–774]
- Matsuda, S. (C) 3238–3241 [3302–3305]
- Matsudaira, P. (C) 1999–2001 [2045–2047]
- Matsui, H.
- Fabrication of Au Nanowires of Uniform Length and Diameter Using a Monodisperse and Rigid Biomolecular Template: Collagen-like Triple Helix (C) 3319–3322 [3383–3386]
DOI: 10.1002/anie.200605213
- Matsukawa, Y. (C) 2220–2223 [2270–2273]
- Matsuki, S. (C) 5160–5163 [5252–5255]
- Matsumoto, Kazuhiro (C) 3889–3891 [3963–3965], 4559–4561 [4643–4645], 4729–4731 [4813–4815]
- Matsumoto, Kazuyuki (C) 8392–8395 [8544–8547]
- Matsumoto, Kouzou (C) 1086–1088 [1104–1106]
- Matsumoto, S.-i. (C) 4310–4315 [4388–4393]
- Matsumoto, Y. (C) 926–929 [944–947]
- Matsumura, S. (C) 8396–8399 [8548–8551]
- Matsunaga, S.
- Bismuth-Catalyzed Direct Substitution of the Hydroxy Group in Alcohols with Sulfonamides, Carbamates, and Carboxamides (C) 409–413 [413–417]
DOI: 10.1002/anie.200602909
- Matsuo, K. (C) 2844–2847 [2902–2905]
- Matsuo, T. (C) 8778–8781 [8934–8937]
- Matsuo, Y.
- AlCl₃-Mediated Mono-, Di-, and Trihydroarylation of [60]Fullerene (C) 3513–3516 [3583–3586]
DOI: 10.1002/anie.200700062
- Matsuo, Y. (C) 2844–2847 [2902–2905]
- Matsusaki, M. (C) 4689–4692 [4773–4776]
- Matsushima, K. (C) 5129–5132 [5221–5224], 6284–6288 [6400–6404]
- Matsuzawa, H. (C) 6488–6491 [6608–6611]
- Matt, D.
- A Metallocavitand Functioning as a Container for Anions: Formation of Noncovalent Linear Assemblies Mediated by a Cyclodextrin-Entrapped NO₃⁻ Ion (C) 2663–2665 [2717–2719]
DOI: 10.1002/anie.200604564
- Mattay, J.
- Photochemistry of Arenes—Reloaded (H) 663–665 [674–677]
DOI: 10.1002/anie.200603337
- Matus, M. H. (C) 746–749 [760–763]
- Matyjaszewski, K.
- Light-Induced Reversible Formation of Polymeric Micelles (C) 2453–2457 [2505–2509]
DOI: 10.1002/anie.200604278
- Matzanke, B. F. (C) 8495–8499 [8647–8652]
- Mauduit, M.
- A Dormant Ruthenium Catalyst Bearing a Chelating Carboxylate Ligand: In Situ Activation and Application in Metathesis Reactions (C) 7206–7209 [7344–7347]
DOI: 10.1002/anie.200701302
- Sustainable Concepts in Olefin Metathesis (R) 6786–6801 [6906–6922]
DOI: 10.1002/anie.200605099
- Mauksch, M.
- Evidence of Asymmetric Autocatalysis in Organocatalytic Reactions (C) 393–396 [397–400]
DOI: 10.1002/anie.200603517
- Maul, M. (C) 4184–4187 [4262–4265]
- Mauracher, A. (C) 8057–8059 [8203–8205]
- Maverick, A. W.
- Copper β -Diketonate Molecular Squares and Their Host–Guest Reactions (C) 6305–6308 [6421–6424]
DOI: 10.1002/anie.200701252
- Mavrikakis, M. (C) 5757–5761 [5859–5863]
- May, C. (C) 1270–1273 [1293–1296]
- May, K. (C) 8254–8257 [8402–8405]
- May, T. L. (C) 1097–1100 [1115–1118], 4554–4558 [4638–4642]
- Mayer, G. (C) 557–560 [563–566]
- Mayer, P. (C) 2101–2103 [2147–2149]
- Mayer, U. F. J. (R) 5060–5081 [5152–5173]
- Maynadié, J. (C) 2010–2012 [2056–2058]
- Mayr, H.
- DABCO and DMAP—Why Are They Different in Organocatalysis? (C) 6176–6179 [6288–6292]
DOI: 10.1002/anie.200701489
- Nucleophilicity Parameters for Alkyl and Aryl Isocyanides (C) 3563–3566 [3633–3636]
DOI: 10.1002/anie.200605205
- Mayr, H. (C) 9093–9096 [9251–9255]
- Mazars, C. (C) 4783–4785 [4867–4869]
- Mazzanti, M.
- Self-Assembly of Polyoxo Clusters and Extended Frameworks by Controlled Hydrolysis of Low-Valent Uranium (C) 7574–7578 [7718–7722]
DOI: 10.1002/anie.200702374
- Mazzon, R. (C) 966–968 [984–986]
- Mbafor, W. (C) 4141–4144 [4219–4222]
- Mealli, C.
- Models for the Hydrogenases Put the Focus Where It Should Be—Hydrogen (H) 8942–8944 [9100–9102]
DOI: 10.1002/anie.200703413
- Mebs, S. (C) 2935–2938 [2993–2996]
- Medarova, Z.
- Synthesis and Testing of Beta-Cell-Specific Streptozotocin-Derived Near-Infrared Imaging Probes (C) 8998–9001 [9156–9159]
DOI: 10.1002/anie.200702183
- Medda, R. (C) 6266–6270 [6382–6386]
- Meeldijk, J. D. (C) 4547–4549 [4631–4633]
- Meerholz, K.
- New Crosslinkable Hole Conductors for Blue-Phosphorescent Organic Light-Emitting Diodes

- (C) 4388–4392 [4467–4471]
DOI: 10.1002/anie.200605055
- Meermann, C. (C) 6508–6513 [6628–6633]
- Meetsma, A. (C) 1497–1500 [1519–1522]
- Meharg, A. A. (C) 2594–2597 [2648–2651]
- Mei, E. (C) 1684–1687 [1714–1717]
- Meij, A. M. M. (C) 2273–2275 [2323–2325]
- Meijer, E. W.
- Amplification of Chirality in Dynamic Supramolecular Aggregates (R) 8948–8968 [9106–9126]
DOI: 10.1002/anie.200701285
 - Helicity Induction and Amplification in an Oligo(*p*-phenylenevinylene) Assembly through Hydrogen-Bonded Chiral Acids (C) 8206–8211 [8354–8359]
DOI: 10.1002/anie.200702730
 - Macroscopic Origin of Circular Dichroism Effects by Alignment of Self-Assembled Fibers in Solution (C) 8203–8205 [8351–8353]
DOI: 10.1002/anie.200703075
- Meijer, G. (C) 3372–3375 [3437–3440], 5317–5320 [5411–5414]
- Meijer, H. E. H. (C) 4956–4959 [5044–5047]
- Meiler, J. (C) 1864–1868 [1896–1900]
- Meindl, K. (C) 6545–6548 [6665–6668]
- Meisel, M.
- Unexpected Reactions of $[\text{Ag}(\text{NCCH}_3)_3] \cdot [(\text{V}_2\text{O}_3)_2(\text{RPO}_3)_4 \cdot \text{C} \cdot \text{F}]$ Cage Compounds with H_2 and NO (C) 6354–6356 [6470–6472]
DOI: 10.1002/anie.200701211
- Melchiorre, C.
- A Small Molecule Targeting the Multifactorial Nature of Alzheimer's Disease (C) 3689–3692 [3763–3766]
DOI: 10.1002/anie.200700256
- Melchiorre, P.
- Organocatalytic Asymmetric α -Selenenylation of Aldehydes (C) 6882–6885 [7006–7009]
DOI: 10.1002/anie.200702318
 - Organocatalytic Asymmetric Hydrophosphination of α,β -Unsaturated Aldehydes (C) 4504–4506 [4588–4590]
DOI: 10.1002/anie.200700754
- Melin, F. (C) 9032–9035 [9190–9193], 9081–9085 [9239–9243]
- Melkko, S. (C) 4671–4674 [4755–4758]
- Mell, A. (C) 8679–8681 [8833–8835]
- Mello, C. C.
- Return to the RNAi World: Rethinking Gene Expression and Evolution (Nobel Lecture) (R) 6985–6994 [7114–7124]
DOI: 10.1002/anie.200701713
- Mena, M.
- Addition of Terminal Alkynes to a Molecular Titanium–Zinc Nitride (C) 3095–3098 [3155–3158]
DOI: 10.1002/anie.200604677
- Mena-Osteritz, E. (C) 363–368 [367–372], 1679–1683 [1709–1713]
- Ménager, C.
- Giant Vesicles Containing Magnetic Nanoparticles and Quantum Dots: Feasibility and Tracking by Fiber Confocal Fluorescence Microscopy (C) 5421–5424 [5517–5520]
DOI: 10.1002/anie.200700581
- Mende, F. (C) 4577–4580 [4661–4665]
- Mendez-Polanco, M. A. (C) 9235–9238 [9395–9398]
- Meng, Xiangmin (C) 7796–7798 [7942–7944]
- Meng, Xiangmin (C) 1525–1528 [1547–1550]
DOI: 10.1002/anie.200702140
- Meng, Y. (C) 1089–1093 [1107–1111]
- Menger, F. M.
- [12]Annulene Gemini Surfactants: Structure and Self-Assembly (C) 5889–5891 Corrigendum: 9135 [5993–5995 Corrigendum: 9295]
DOI: 10.1002/anie.200702140
- Menon, S. Corrigendum: 2347
- Menz, H. (C) 2310–2313 [2360–2363]
- Menzel, H. (C) 4574–4576 [4658–4660]
- Menzel, M. (C) 8067–8070 [8213–8216]
- Meppelder, G.-J. M. (C) 4790–4793 [4874–4877]
- Merca, A. (C) 6106–6110 [6218–6222]
- Mercer, A. E. (C) 6278–6283 [6394–6399]
- Mercy, M. (C) 8583–8586 [8737–8740]
- Merisor, E. (C) 3353–3355 [3417–3419]
- Merkel, M. (C) 1716–1718 [1746–1748]
- Mertig, M. (C) 6089–6092 [6201–6204]
- Meskers, S. C. J.
- Macroscopic Origin of Circular Dichroism Effects by Alignment of Self-Assembled Fibers in Solution (C) 8203–8205 [8351–8353]
DOI: 10.1002/anie.200703075
- Self-Assembled Hybrid Oligo(*p*-phenylenevinylene)–Gold Nanoparticle Tapes (C) 1825–1828 [1857–1860]
DOI: 10.1002/anie.200604225
- Messmore, B. W. (C) 5873–5876 [5977–5980]
- Metcalfe, W. W. (C) 9089–9092 [9247–9250]
- Métivier, P. (C) 2523–2526 [2575–2578]
- Metselaar, G. A. (C) 202–205 [206–209]
- Metz, S. (C) 7006–7009 [7136–7139]
- Metzger, J. O.
- Electrospray Ionization Mass Spectrometric Study on the Direct Organocatalytic α -Halogenation of Aldehydes (C) 6915–6917 [7040–7042]
DOI: 10.1002/anie.200700266
- Meuwly, M. (C) 5892–5895 [5996–5999]
- Mey, I. (C) 5618–5623 [5716–5721]
- Meyer, Albert (C) 2398–2402 [2450–2454]
- Meyer, Axel (C) 3571–3574 [3641–3644]
- Meyer, B.
- CO_2 Activation by ZnO through the Formation of an Unusual Tridentate Surface Carbonate (C) 5624–5627 [5722–5725]
DOI: 10.1002/anie.200700564
 - *F* Centers versus Dimer Vacancies on ZnO Surfaces: Characterization by STM and STS Calculations (C) 4894–4897 [4980–4984]
DOI: 10.1002/anie.200604399
- Meyer, B. (C) 7315–7318 [7456–7459]
- Meyer, H.-D.
- Dynamics and Infrared Spectroscopy of the Protonated Water Dimer (C) 6918–6921 [7043–7046]
DOI: 10.1002/anie.200702201
- Meyer, K. (C) 3111–3114 [3171–3174]
- Meyer, M. (C) 8622–8624 [8776–8778]
- Meyer, T. J.
- The Possible Role of Proton-Coupled Electron Transfer (PCET) in Water Oxidation by Photosystem II (R) 5284–5304 [5378–5399]
DOI: 10.1002/anie.200600917
- Meyer-Zaika, W. (C) 1164–1167 [1183–1186]
- Mézailles, N. (C) 5947–5950 [6051–6054]
- Mezari, B. (C) 5003–5006 [5091–5094]
- Mi, B.-X. Corrigendum: 1558
- Micalizio, G. C.
- A Site- and Stereoselective Intermolecular Alkene–Alkyne Coupling Process (C) 1440–1443 [1462–1465]
DOI: 10.1002/anie.200603515
 - An Alkoxide-Directed Intermolecular [2 + 2 + 1] Annulation: A Three-Component Coupling Reaction for the Synthesis of Tetrasubstituted α,β -Unsaturated γ -Lactams (C) 3912–3914 [3986–3988]
DOI: 10.1002/anie.200605060
- Michalczyk, R. (C) 2669–2671 [2723–2725]
- Michalski, L. (C) 1109–1112 [1127–1130]
- Michau, M. (C) 4268–4272 [4346–4350], 8409–8413 [8561–8565]
- Michel, P. (C) 2493–2496 [2545–2548]
- Mickler, W. (C) 1671–1674 [1701–1704]
- Micouin, L.
- NMR-Guided Fragment-Based Approach for the Design of tRNA^{Lys} Ligands (C) 4489–4491 [4573–4575]
DOI: 10.1002/anie.200605201
- Micouin, L. (C) 7462–7465 [7606–7609]
- Midgley, P. A. (C) 8182–8185 [8330–8333]
- Miehe, G. (C) 1476–1480 [1498–1502]
- Mielgo, A. (C) 8054–8056 [8200–8202], 8431–8435 [8583–8587]
- Migawa, M. T. Corrigendum: 2971
- Mignani, G. (C) 8632–8635 [8786–8789]
- Mignani, S. (C) 1881–1884 [1913–1916]
- Mihovilovic, M. D.
- Metal-Assisted Multicomponent Reactions Involving Carbon Monoxide—Towards Heterocycle Synthesis (H) 3612–3615 [3684–3688]
DOI: 10.1002/anie.200604743
- Mika, S. (C) 3353–3355 [3417–3419]
- Mikhel, I. S. (C) 7462–7465 [7606–7609]
- Milardi, D. (C) 7993–7995 [8139–8141]
- Milelli, A. (C) 9202–9205 [9362–9365]
- Millange, F. (C) 3259–3263 [3323–3327]
- Millar, D. P. (C) 2839–2843 [2897–2901]
- Miller, E. W. (C) 6658–6661 [6778–6781]
- Miller, J. S.
- Cross-Linked Layered Structure of Magnetically Ordered $[\text{Fe}(\text{TCNE})_2] \cdot z \text{CH}_2\text{Cl}_2$ Determined by Rietveld Refinement of Synchrotron Powder Diffraction Data (C) 1521–1524 [1543–1546]
DOI: 10.1002/anie.200604164
- Miller, N. A. (C) 937–940 [955–958]
- Miller, P. W. (C) 2875–2878 [2933–2936]
- Miller, S. M. (C) 4111–4114 [4189–4192]
- Millot, N. (C) 941–944 [959–962]
- Mills, C. E. (C) 3855–3859 [3929–3933]
- Millstone, J. E. (C) 8436–8439 [8588–8591]
- Milroy, L.-G. (C) 2493–2496 [2545–2548]
- Milstein, D.
- The Unexpected Role of CO in C–H Oxidative Addition by a Cationic Rhodium(I) Complex (C) 1901–1904 [1933–1936]
DOI: 10.1002/anie.200604357
- Milstein, D. (C) 2269–2272 [2319–2322]
- Mimna, R. (C) 2681–2684 [2735–2738]
- Min, J. H. (C) 3663–3667 [3737–3741]
- Min, S.-J. (C) 2199–2202 [2249–2252]
- Minamino, S. (C) 5559–5561 [5655–5657]
- Minassi, A. (C) 9312–9315 [9472–9475]
- Mindiola, D. J.
- An Alkylidene Analogue of Tebbe's Reagent: Trapping Reactions of a Tita-

- nium Neopentylidyne by Incomplete and Complete 1,2-Additions
(C) 8246–8249 [8394–8397]
DOI: 10.1002/anie.200703079
- Ming, L.-J.
– Metallo-ROS in Alzheimer's Disease: Oxidation of Neurotransmitters by Cu^{II}- β -Amyloid and Neuropathology of the Disease
(C) 3337–3341 [3401–3405]
DOI: 10.1002/anie.200604421
- Minh, D. T. (C) 8079–8081 [8225–8227]
- Mink, D. (C) 1624–1626 [1648–1651]
- Mioskowski, C.
– Chromium–Carbyne Complexes: Intermediates for Organic Synthesis
(C) 1719–1722 [1749–1752]
DOI: 10.1002/anie.200604015
- Mir, M. H. (C) 5925–5928 [6029–6032]
- Miranda, R.
– Crossover Site-Selectivity in the Adsorption of the Fullerene Derivative PCBM on Au(111)
(C) 7874–7877 [8020–8023]
DOI: 10.1002/anie.200702531
- Mirkin, C. A.
– A Gold-Nanoparticle-Based Real-Time Colorimetric Screening Method for Endonuclease Activity and Inhibition
(C) 3468–3470 [3538–3540]
DOI: 10.1002/anie.200605249
- Colorimetric Detection of Mercuric Ion (Hg²⁺) in Aqueous Media using DNA-Functionalized Gold Nanoparticles
(C) 4093–4096 [4171–4174]
DOI: 10.1002/anie.200700269
- pH-Switchable Silver Nanoprism Growth Pathways
(C) 2036–2038 [2082–2084]
DOI: 10.1002/anie.200604637
- Plasmon-Driven Synthesis of Triangular Core–Shell Nanoprisms from Gold Seeds
(C) 8436–8439 [8588–8591]
DOI: 10.1002/anie.200703185
- Mistlberger, G. (C) 8850–8853 [9006–9009]
- Mitchell, G. R. (C) 4325–4328 [4403–4406]
- Mitchell, R. H. (C) 958–961 [976–979]
- Miteva, T.
– Blue-Green Up-Conversion: Noncoherent Excitation by NIR Light
(C) 7693–7696 [7837–7840]
DOI: 10.1002/anie.200700414
- Mithöfer, A.
– Structural Requirements of Jasmonates and Synthetic Analogues as Inducers of Ca²⁺ Signals in the Nucleus and the Cytosol of Plant Cells
(C) 4783–4785 [4867–4869]
DOI: 10.1002/anie.200604989
- Mitra, A. W. (C) 8471–8474 [8623–8626]
- Mitsudo, T.-a. (C) 5160–5163 [5252–5255], 5958–5961 [6062–6065]
- Mitsudome, T. (C) 3288–3290 [3352–3354]
- Mitsui, T. (C) 5757–5761 [5859–5863]
- Mittapalli, G. K. (C) 2470–2477 [2522–2529], 2478–2484 [2530–2536]
- Mitterpleininger, J. K. M. (C) 7301–7303 [7440–7442]
- Mitton-Fry, M. J. (C) 1066–1070 [1084–1088]
- Mitzel, N. W.
– Carbanions with Two N Substituents: Nucleophilic Acyl-Group-Transfer Reagents
(C) 4176–4179 [4254–4257]
DOI: 10.1002/anie.200700113
- Miura, T. (C) 7101–7103 [7231–7233]
- Miyaji, H. (C) 2508–2511 [2560–2563]
- Miyake, Y. (C) 6488–6491 [6608–6611]
- Miyamoto, N. (C) 4123–4127 [4201–4205]
- Miyamura, H. (C) 4151–4154 [4229–4232]
- Miyashita, K. (C) 4306–4309 [4384–4387]
- Miyata, M.
– Well-Designed Supramolecular Clusters Comprising Triphenylmethylamine and Various Sulfonic Acids
(C) 2220–2223 [2270–2273]
DOI: 10.1002/anie.200603841
- Miyatake, K. (C) 6646–6649 [6766–6769]
- Miyazaki, S. (C) 905–908 [923–926]
- Miyazaki, Y. (C) 4151–4154 [4229–4232]
- Miyazato, Y. (C) 5728–5730 [5830–5832]
- Miyoshi, H. (C) 5934–5937 [6038–6041]
- Miyoshi, Y. (C) 5532–5536 [5628–5632]
- Mizobe, Yasushi
– Isolation of a Cubane-Type Metal Sulfido Cluster with a Molecular Nitrogen Ligand
(C) 5431–5434 [5527–5530]
DOI: 10.1002/anie.200701044
- Mizobe, Yuji (C) 2220–2223 [2270–2273]
- Mizorogi, N. (C) 5562–5564 [5658–5660]
- Mizugaki, T. (C) 3288–3290 [3352–3354]
- Mizui, Y. Corrigendum: 8734
- Mizui, Y. (C) 4350–4355 [4428–4433]
- Mizuno, K. (C) 7396–7398 [7540–7542]
- Mizuno, N. Corrigendum: 4006
- Mizuno, N.
– A One-Pot Synthesis of Primary Amides from Aldoximes or Aldehydes in Water in the Presence of a Supported Rhodium Catalyst
(C) 5202–5205 [5294–5297]
DOI: 10.1002/anie.200701273
- A Tungsten–Tin Mixed Hydroxide as an Efficient Heterogeneous Catalyst for Dehydration of Aldoximes to Nitriles
(C) 3922–3925 [3996–3999]
DOI: 10.1002/anie.200605004
- Mó, O. (C) 381–385 [385–389]
- Mo, Y.
– Deprotonation Mechanism of NH₄⁺ in the *Escherichia coli* Ammonium Transporter AmtB: Insight from QM and QM/MM Calculations
(C) 6811–6815 [6935–6939]
DOI: 10.1002/anie.200701348
- Mochida, K. (C) 3055–3058 [3115–3118]
- Modica, J. (C) 3066–3069 [3126–3129]
- Moehle, K. (C) 9015–9018 [9173–9176], 9101–9104 [9260–9264]
- Mogridge, J.
– Raftlike Polyvalent Inhibitors of the Anthrax Toxin: Modulating Inhibitory Potency by Formation of Lipid Microdomains
(C) 2207–2209 [2257–2259]
DOI: 10.1002/anie.200604317
- Mohammed, K. (C) 4141–4144 [4219–4222]
- Mohammed, O. F. (C) 1458–1461 [1480–1483]
- Mohanty, J. (C) 4120–4122 [4198–4200], 9305–9307 [9465–9467]
- Möhwald, H. (C) 1702–1705 [1732–1735], 5605–5608 [5702–5705], 6996–7000 [7126–7130]
- Moir, J. H. (C) 5369–5372 [5465–5468]
- Moise, J. (C) 7823–7826 [7969–7972]
- Mokaddem, Y. (C) 4385–4387 [4463–4466]
- Mokhir, A.
– Nucleic Acid Binders Activated by Light of Selectable Wavelength
(C) 6180–6183 [6293–6296]
DOI: 10.1002/anie.200700641
- Mokhir, A. (C) 3363–3366 Corrigendum: 5049 [3427–3430 Corrigendum: 5137]
- Moldenhauer, J. (C) 8195–8197 [8343–8345]
- Molev, G. (C) 7408–7411 [7552–7555]
- Moliner, V.
– Computer-Aided Rational Design of Catalytic Antibodies: The 1F7 Case
(C) 286–290 [290–294]
DOI: 10.1002/anie.200603293
- Möllers, R. (C) 5332–5335 [5427–5431]
- Molnár, G. (C) 5306–5309 [5400–5403]
- Monaco, G. (C) 1889–1892 [1921–1924]
- Mondière, R. J. G. (C) 8597–8600 [8751–8754]
- Monflier, E.
– Self-Assembled Supramolecular Bidentate Ligands for Aqueous Organometallic Catalysis
(C) 3040–3042 [3100–3102]
DOI: 10.1002/anie.200605166
- Mongin, F.
– Deprotonative Metalation Using Ate Compounds: Synergy, Synthesis, and Structure Building
(R) 3802–3824 [3876–3899]
DOI: 10.1002/anie.200604369
- Monillas, W. H. (C) 6692–6694 [6812–6814]
- Mons, M.
– Chirality-Controlled Formation of β -Turn Secondary Structures in Short Peptide Chains: Gas-Phase Experiment versus Quantum Chemistry
(C) 2463–2466 [2515–2518]
DOI: 10.1002/anie.200604416
- Montag, M. (C) 1901–1904 [1933–1936]
- Montaville, P. (C) 1176–1179 [1195–1198]
- Montero, A. (C) 4712–4714 [4796–4798]
- Moody, C. J.
– Enantioselective Insertion of Metal Carbenes into N–H Bonds: A Potentially Versatile Route to Chiral Amine Derivatives
(H) 9148–9150 [9308–9310]
DOI: 10.1002/anie.200703016
- From Amino Acids to Heteroaromatics—Thiopeptide Antibiotics, Nature's Heterocyclic Peptides
(R) 7930–7954 [8076–8101]
DOI: 10.1002/anie.200700728
- Moon, D. W. (C) 6816–6819 [6940–6943]
- Moon, J. H.
– Live-Cell-Permeable Poly(*p*-phenylene ethynylene)
(C) 8223–8225 [8371–8373]
DOI: 10.1002/anie.200701991
- Moon, K.-S. (C) 6807–6810 [6931–6934]
- Moon, T. (C) 8828–8831 [8984–8987]
- Moore, A.
– Synthesis and Testing of Beta-Cell-Specific Streptozotocin-Derived Near-Infrared Imaging Probes
(C) 8998–9001 [9156–9159]
DOI: 10.1002/anie.200702183
- Moore, A. L.
– Molecular 2:1 Digital Multiplexer
(C) 958–961 [976–979]
DOI: 10.1002/anie.200603856
- Moore, J. G. (C) 8653–8655 [8807–8809]
- Moore, J. L. (C) 9301–9304 [9461–9464]
- Moore, M. A. S. (C) 1451–1454 [1473–1476]

- Moore, T. A.
– Molecular 2:1 Digital Multiplexer (C) 958–961 [976–979]
DOI: 10.1002/anie.200603856
- Mootz, H. D.
– Regioselective Cysteine Bioconjugation by Appending a Labeled Cystein Tag to a Protein by Using Protein Splicing in *trans* (C) 5234–5237 [5327–5330]
DOI: 10.1002/anie.200700719
- Morcrette, M. (C) 3259–3263 [3323–3327]
- Morey, J. V. (C) 5425–5427 [5521–5523]
- Morgenstern, A. (C) 919–922 [937–940]
- Morgner, N. (C) 2944–2948 [3002–3006]
- Mori, H. (C) 5431–5434 [5527–5530]
- Mori, K. (C) 3288–3290 [3352–3354]
- Mori, K. (Nagoya) (C) 4273–4276 [4351–4354]
- Mori, K. (Tokyo) (C) 1512–1516 [1534–1538]
- Mori, N. (C) 1512–1516 [1534–1538]
- Moriel, P. (C) 3139–3143 [3200–3204], 5587–5590 [5683–5686]
- Morimoto, T. (C) 3672–3675 [3746–3749]
- Morimoto, Y.
– Assignment of the Absolute Configuration of the Marine Pentacyclic Polyether (+)-Enshuol by Total Synthesis (C) 6481–6484 [6601–6604]
DOI: 10.1002/anie.200701737
- Total Synthesis and Determination of the Absolute Configuration of (+)-Intricate-tetraol (C) 1132–1135 [1150–1153]
DOI: 10.1002/anie.200603806
- Morishima, Y.
– Thermally Responsive Polymer Vesicles (H) 1370–1372 [1392–1394]
DOI: 10.1002/anie.200603405
- Morita, K. (C) 2844–2847 [2902–2905]
- Morita, N. (C) 7458–7461 [7602–7605]
- Morita, Y. (C) 3544–3546 [3614–3616]
- Morokuma, K.
– Origin of Chemoselectivity of TMP Zincate Bases and Differences between TMP Zincate and Alkyl Lithium Reagents: A DFT Study on Model Systems (C) 926–929 [944–947]
DOI: 10.1002/anie.200602664
- Morozov, S. V. (C) 7244–7246 [7382–7384]
- Morrall, J. P. (C) 731–733 [745–747]
- Morris, J. A. (C) 7996–8000 [8142–8146]
- Morris, R. E.
– Ionothermal Synthesis of Unusual Choline-Templated Cobalt Aluminophosphates (C) 7839–7843 [7985–7989]
DOI: 10.1002/anie.200702239
- Morvan, F. (C) 2398–2402 [2450–2454]
- Moskovits, M. (C) 4298–4301 [4376–4379]
- Moss, J. R.
– High-Yield Synthesis of Medium and Large Platinacycloalkanes from Bis(alkenyl) Precursors (C) 3541–3543 [3611–3613]
DOI: 10.1002/anie.200604979
- Mössinger, D. (C) 6802–6806 [6926–6930]
- Motherwell, W. B.
– Noncovalent Functional-Group–Arene Interactions (C) 7823–7826 [7969–7972]
DOI: 10.1002/anie.200701463
- Motoyoshi, H. (C) 2078–2081 [2124–2127], 9331–9334 [9492–9495]
- Moubaraki, B. (C) 2059–2062 [2105–2108]
- Movassaghi, M.
– Concise Total Synthesis of (–)-Calycanthine, (+)-Chimonanthine, and (+)-Folicanthine (C) 3725–3728 [3799–3802]
DOI: 10.1002/anie.200700705
- Stereoselective Intermolecular Formal [3+3] Cycloaddition Reaction of Cyclic Enamines and Enones (C) 565–568 [571–574]
DOI: 10.1002/anie.200603302
- Moya-Cabrera, M.
– Preparation of Molecular Alumoxane Hydrides, Hydroxides, and Hydrogensulfides (C) 2895–2898 [2953–2956]
DOI: 10.1002/anie.200605081
- Moyeux, A. (C) 4364–4366 [4442–4444]
- Mrksich, M.
– Dynamic Hydrogels: Translating a Protein Conformational Change into Macroscopic Motion (C) 3066–3069 [3126–3129]
DOI: 10.1002/anie.200604808
- Functional Assays of Membrane-Bound Proteins with SAMDI-TOF Mass Spectrometry (C) 8796–8798 [8952–8954]
DOI: 10.1002/anie.200702694
- Mück-Lichtenfeld, C. (C) 6533–6536 [6653–6656]
- Muckerman, J. T. (C) 4169–4172 [4247–4250], 5728–5730 [5830–5832]
- Mueller, J. D. (C) 8819–8822 [8975–8978]
- Mueller, L. (C) 2453–2457 [2505–2509]
- Muhler, M.
– Tuning the Reactivity of Oxide Surfaces by Charge-Accepting Adsorbates (C) 7315–7318 [7456–7459]
DOI: 10.1002/anie.200702815
- Muhler, M. (C) 5624–5627 [5722–5725]
- Muir, T. W.
– Auxiliary-Mediated Site-Specific Peptide Ubiquitylation (C) 2814–2818 [2872–2876]
DOI: 10.1002/anie.200605155
- Mukhopadhyay, P. (C) 6450–6452 [6570–6572]
- Mulder, A. (C) 4104–4107 [4182–4185]
- Mulder, J. A. (C) 4693–4697 [4777–4781], 4698–4703 [4782–4787]
- Mühlaupt, R. (C) 4790–4793 [4874–4877]
- Mullen, C. (C) 8380–8383 [8532–8535]
- Müllen, K.
– Annularly Fused Hexapyrrolohexaazacoronenes: An Extended π System with Multiple Interior Nitrogen Atoms Displays Stable Oxidation States (C) 5524–5527 [5620–5623]
DOI: 10.1002/anie.200701452
- One-Dimensional Porous Carbon/Platinum Composites for Nanoscale Electrodes (C) 3464–3467 [3534–3537]
DOI: 10.1002/anie.200700077
- Self-Assembly of Positively Charged Discotic PAHs: From Nanofibers to Nanotubes (C) 5417–5420 [5513–5516]
DOI: 10.1002/anie.200700515
- Triangle-Shaped Polycyclic Aromatic Hydrocarbons (C) 3033–3036 [3093–3096]
DOI: 10.1002/anie.200605224
- Müllen, K. (C) 714–717 [728–731], 1814–1818 [1846–1850], 7693–7696 [7837–7840]
- Mullen, L. B. (C) 4166–4168 [4244–4246], 8063–8066 [8209–8212]
- Müller, Achim
– Extending the $\{(Mo)Mo_3\}_{12}M_{50}$ Capsule Keplerate Sequence: A $\{Cr_{30}\}$ Cluster of $S=3/2$ Metal Centers with a $\{Na(H_2O)_{12}\}$ Encapsulate (C) 6106–6110 [6218–6222]
DOI: 10.1002/anie.200700795
- Metal-Oxide-Based Nucleation Process under Confined Conditions: Two Mixed-Valence V_6 -Type Aggregates Closing the W_{48} Wheel-Type Cluster Cavities (C) 4477–4480 [4561–4564]
DOI: 10.1002/anie.200700441
- Towards Biological Supramolecular Chemistry: A Variety of Pocket-Templated, Individual Metal Oxide Cluster Nucleations in the Cavity of a Mo/W-Storage Protein (C) 2408–2413 Corrigendum: 2970 [2460–2465 Corrigendum: 3028]
DOI: 10.1002/anie.200604858
- Müller, André (C) 3316–3318 [3380–3382]
- Müller, E. M. (C) 2232–2237 [2282–2287]
- Müller, H. (C) 1671–1674 [1701–1704]
- Müller, H. M. (C) 4771–4774 [4855–4858]
- Müller, Jens
– An Artificial Base Pair, Mediated by Hydrogen Bonding and Metal-Ion Binding (C) 5602–5604 [5698–5701]
DOI: 10.1002/anie.200700315
- Müller, Jessica (C) 2082–2085 [2128–2131], 8979–8982 [9137–9140]
- Müller, Jörg (C) 7775–7777 [7922–7924]
- Müller, M.
– Synthesis, Biosynthesis, and Absolute Configuration of Vioxanthin (C) 5916–5920 [6020–6024]
DOI: 10.1002/anie.200701014
- Müller, M. M. (C) 4468–4470 [4552–4554]
- Müller, N. (C) 1293–1295 [1315–1317]
- Müller, P. (C) 3111–3114 [3171–3174]
- Müller, R.
– A TypeII Polyketide Synthase from the Gram-Negative Bacterium *Stigmatella aurantiaca* Is Involved in Aurachin Alkaloid Biosynthesis (C) 2712–2716 [2768–2772]
DOI: 10.1002/anie.200603513
- Reversible Sugar Transfer by Glycosyltransferases as a Tool for Natural Product (Bio)synthesis (H) 2147–2150 [2195–2198]
DOI: 10.1002/anie.200604671
- Müller, R. (C) 4898–4901 [4985–4988], 8287–8290 [8436–8439]
- Müller, S. (C) 254–259 [258–263]
- Müller, T. (C) 8699–8702 [8854–8857]
- Müller, U. (C) 254–259 [258–263]
- Müller, W. M. (C) 254–259 [258–263]
- Müller-Bunz, H. (C) 2907–2910 [2965–2968]
- Müller-Buschbaum, K.
– $^3[Eu(Tzpy)_2]$: A Homoleptic Framework Containing $[Eu^{III}N_{12}]$ Icosahedra (C) 4385–4387 [4463–4466]
DOI: 10.1002/anie.200603682
- Mulvaney, P.
– Spectroscopy and High-Resolution Microscopy of Single Nanocrystals by a Focused Ion Beam Registration Method (C) 3517–3520 [3587–3590]
DOI: 10.1002/anie.200700033

- Mulvey, R. E.
- Alkali-Metal-Mediated Manganation: A Method for Directly Attaching Manganese(II) Centers to Aromatic Frameworks (C) 1105–1108 [1123–1126]
DOI: 10.1002/anie.200604542
 - Deprotonative Metalation Using Ate Compounds: Synergy, Synthesis, and Structure Building (R) 3802–3824 [3876–3899]
DOI: 10.1002/anie.200604369
 - Sodium-Mediated Manganation: Direct Mono- and Dimanganation of Benzene and Synthesis of a Transition-Metal Inverse-Crown Complex (C) 4662–4666 [4746–4750]
DOI: 10.1002/anie.200700965
- Mulzer, J.
- A Diels–Alder Approach to (–)-Ovalicin (C) 2690–2693 [2744–2747]
DOI: 10.1002/anie.200604781
 - Protecting-Group-Free Formal Synthesis of Platensimycin (C) 8074–8075 [8220–8221]
DOI: 10.1002/anie.200702852
 - Total Synthesis and Configurational Assignment of Pasteurestin A and B (C) 9320–9322 [9480–9482]
DOI: 10.1002/anie.200703457
 - Total Synthesis of Efomycine M (C) 5791–5794 [5893–5896]
DOI: 10.1002/anie.200701065
- Munday, R. H. (C) 8460–8463 [8612–8615]
- Muñiz, K.
- Exploring the Nickel-Catalyzed Oxidation of Alkenes: A Diamination by Sulfamide Transfer (C) 7125–7127 [7255–7258]
DOI: 10.1002/anie.200702160
 - Phenanthroline Ligands in Aryl Palladium Hydrazinato Complexes: Catalysts for Efficient Coupling of Azo Compounds with Aryl Boronic Acids (C) 6350–6353 [6466–6469]
DOI: 10.1002/anie.200700288
- Munoz, O. (C) 2470–2477 [2522–2529]
- Munro, I. (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
- Münzel, M. (C) 9105–9109 [9265–9269]
- Murahashi, T.
- Discrete Triangular Tripalladium Sandwich Complexes of Arenes (C) 5440–5443 [5536–5539]
DOI: 10.1002/anie.200701665
 - Rearrangement of a Pd₄ Skeleton from a 1D Chain to a 2D Sheet on the Face of a Perylene or Fluoranthene Ligand Caused by Exchange of the Binder Molecule (C) 3509–3512 [3579–3582]
DOI: 10.1002/anie.200700340
- Murakami, M.
- Stereoselective Synthesis of α -Allenols by Rhodium-Catalyzed Reaction of Alkynyl Oxiranes with Arylboronic Acids (C) 7101–7103 [7231–7233]
DOI: 10.1002/anie.200701505
 - Yoshihiko Ito (O) 3176 [3238]
DOI: 10.1002/anie.200701275
- Murase, T. (C) 1083–1085 [1101–1103], 5133–5136 [5225–5228]
- Murata, K. (C) 2291–2294 [2341–2344]
- Murata, M.
- Protonation-Induced Cyclocondensation of 1-Aryl Ethynylantraquinones: Expanding the π Conjugation (C) 6271–6274 [6387–6390]
DOI: 10.1002/anie.200701766
- Murata, S. (C) 4310–4315 [4388–4393]
- Murata, Y. (C) 7060–7063 [7190–7193]
- Murdoch, W. J. (C) 4999–5002 [5087–5090]
- Murphy, A. (C) 945–947 [963–965]
- Murphy, E. R. (C) 1734–1737 [1764–1767]
- Murphy, J. A.
- Homoleptic Crown N-Heterocyclic Carbene Complexes (C) 6525–6528 [6645–6648]
DOI: 10.1002/anie.200702138
 - The Generation of Aryl Anions by Double Electron Transfer to Aryl Iodides from a Neutral Ground-State Organic Super-Electron Donor (C) 5178–5183 [5270–5275]
DOI: 10.1002/anie.200700554
- Murphy, M. (C) 7082–7085 [7212–7215]
- Murphy, W. L. (C) 3066–3069 [3126–3129]
- Murray, K. S. (C) 2059–2062 [2105–2108]
- Murrie, M. (C) 4456–4460 [4540–4544]
- Murugan, R.
- Fast Lithium Ion Conduction in Garnet-Type Li₇La₃Zr₂O₁₂ (C) 7778–7781 [7925–7928]
DOI: 10.1002/anie.200701144
- Murn, C. A. (C) 549–552 [555–558], 5568–5571 [5664–5667]
- Musa, M. M. (C) 3091–3094 [3151–3154]
- Musaev, D. G. (C) 5889–5891 Corrigendum: 9135 [5993–5995 Corrigendum: 9295]
- Musgrave, C. B.
- Catalyzed Dehydrogenation of Ammonia–Borane by Iridium Dihydrogen Pincer Complex Differs from Ethane Dehydrogenation (C) 8153–8156 [8301–8304]
DOI: 10.1002/anie.200702886
- Musza, L. (C) 2039–2042 [2085–2088]
- Mutter, M.
- Disruption of Amyloid-Derived Peptide Assemblies through the Controlled Induction of a β -Sheet to α -Helix Transformation: Application of the Switch Concept (C) 2681–2684 [2735–2738]
DOI: 10.1002/anie.200603681
- Myers, E. L. (C) 1893–1896 [1925–1928]
- Myers, M. (C) 7891–7895 [8037–8041]
- Mynott, R. J.
- Helical Microstructure of Polynorbornene (C) 3745–3749 [3819–3823]
DOI: 10.1002/anie.200604264
- Nagasaki, K.
- Total Synthesis of (–)-Decarbamoyloxysaxitoxin (C) 8625–8628 [8779–8782]
DOI: 10.1002/anie.200703326
- Nagase, S.
- Experimental and Theoretical Studies of the Scandium Carbide Endohedral Metallofullerene Sc₂C₂@C₈₂ and Its Carbene Derivative (C) 5562–5564 [5658–5660]
DOI: 10.1002/anie.200701049
- Nagendran, S. (C) 2512–2514 [2564–2566]
- Nagl, S. (C) 2317–2319 [2368–2371]
- Nagorny, P. (C) 537–540 [543–546], 541–544 [547–550], 545–548 [551–554]
- Nah, H. (C) 8828–8831 [8984–8987]
- Nair, V.
- A Novel Reaction of the “Huisgen Zwitterion” with Chalcones and Dienones: An Efficient Strategy for the Synthesis of Pyrazoline and Pyrazolopyridazine Derivatives (C) 2070–2073 [2116–2119]
DOI: 10.1002/anie.200604025
- Nakagawa, O. (C) 4500–4503 [4584–4587]
- Nakagawa, Y. Corrigendum: 4006
- Nakahara, Y. (C) 4689–4692 [4773–4776]
- Nakahodo, T. (C) 5562–5564 [5658–5660]
- Nakai, T. (C) 4367–4369 [4445–4447]
- Nakajima, A. (C) 3550–3552 [3620–3622]
- Nakajima, H. (C) 3656–3659 [3730–3733]
- Nakajima, K. (C) 5562–5564 [5658–5660]
- Nakamura, E.
- AlCl₃-Mediated Mono-, Di-, and Trihydroarylation of [60]Fullerene (C) 3513–3516 [3583–3586]
DOI: 10.1002/anie.200700062
 - Indium-Catalyzed Cycloisomerization of ω -Alkynyl- β -ketoesters into Six- to Fifteen-Membered Rings (C) 8060–8062 [8206–8208]
DOI: 10.1002/anie.200702928
 - Regioselective Eightfold and Tenfold Additions of a Pyridine-Modified Organo-copper Reagent to [60]Fullerene (C) 2844–2847 [2902–2905]
DOI: 10.1002/anie.200604839
- Nakamura, I.
- Gold- and Indium-Catalyzed Synthesis of 3- and 6-Sulfonylindoles from *ortho*-Alkynyl-*N*-sulfonylanilines (C) 2284–2287 [2334–2337]
DOI: 10.1002/anie.200604038
- Nakamura, Masaharu (C) 8060–8062 [8206–8208]
- Nakamura, Michio (C) 1504–1507 [1526–1529]
- Nakamura, S.
- Highly Enantioselective Reactions of α -Sulfonyl Carbanions of Trifluoromethyl Sulfones (C) 7648–7650 [7792–7794]
DOI: 10.1002/anie.200702185
- Nakamura, S. (C) 8666–8669 [8820–8823]
- Nakamura, Takamitsu (C) 1086–1088 [1104–1106]
- Nakamura, Takayoshi
- Large Anisotropy and Effect of Deuteration on Permittivity in an Olefin Copper(I) Complex (C) 6852–6856 [6976–6980]
DOI: 10.1002/anie.200700629
- Nakamura, Y. (C) 7458–7461 [7602–7605]
- Nakane, D. (C) 7648–7650 [7792–7794]



- Na, H. B. (C) 5397–5401 [5493–5497]
- Na, H.-K. (C) 2508–2511 [2560–2563]
- Na, O. S. (C) 3471–3474 [3541–3544]
- Naber, J. R. (C) 1839–1842 [1871–1874]
- Nachtsheim, B. J. (C) 2097–2100 [2143–2146]
- Nad, S. (C) 9231–9234 [9391–9394]
- Nagai, K. (C) 7605–7608 [7749–7752]
- Nagai, M. Corrigendum: 8734
- Nagai, M. (C) 4350–4355 [4428–4433]
- Nagai, Y. (C) 9253–9256 [9413–9416]
- Nagano, S. (C) 3656–3659 [3730–3733]

- Nakanishi, H. (C) 4310–4315 [4388–4393]
 Nakano, M. (C) 3544–3546 [3614–3616]
 Nakao, Y.
 – Nickel-Catalyzed Addition of Pyridine-*N*-oxides across Alkynes (C) 8872–8874 [9028–9030]
 DOI: 10.1002/anie.200703758
 Nakasuji, K. (C) 3544–3546 [3614–3616], 5938–5942 [6042–6046]
 Nakato, T.
 – Extremely Stable Photoinduced Charge Separation in a Colloidal System Composed of Semiconducting Niobate and Clay Nanosheets (C) 4123–4127 [4201–4205]
 DOI: 10.1002/anie.200604483
 Nakaya, M. (C) 1713–1715 [1743–1745]
 Nakazawa, H. (C) 5938–5942 [6042–6046]
 Nam, D.-H. (C) 5397–5401 [5493–5497]
 Nam, H. Y. (C) 5779–5782 [5881–5884]
 Nam, W.
 – Experimental and Theoretical Evidence for Nonheme Iron(III) Alkylperoxo Species as Sluggish Oxidants in Oxygenation Reactions (C) 2291–2294 [2341–2344]
 DOI: 10.1002/anie.200604219
 – [Mn(tmc)(O₂)]⁺: A Side-On Peroxido Manganese(III) Complex Bearing a Non-Heme Ligand (C) 377–380 [381–384]
 DOI: 10.1002/anie.200603414
 Namai, H. (C) 7396–7398 [7540–7542]
 Namba, K. (C) 7060–7063 [7190–7193]
 Namiki, K. (C) 6271–6274 [6387–6390]
 Nandi, C. K. (C) 4382–4384 [4460–4462]
 Naota, T.
 – Ultrasound-Induced Gelation of Organic Fluids with Metalated Peptides (C) 2855–2857 [2913–2915]
 DOI: 10.1002/anie.200605067
 Narayana, C. (C) 2646–2649 [2700–2703]
 Naruta, Y. (C) 8975–8978 [9133–9136]
 Naseri, V. (C) 7827–7830 [7973–7976]
 Nash, J. J.
 – Reactivity of an Aromatic σ,σ,σ -Triradical: The 2,4,6-Tridehydropyridinium Cation (C) 9198–9201 [9358–9361]
 DOI: 10.1002/anie.200701732
 Nasibulin, A. G. (C) 6446–6449 [6566–6569]
 Nastasi, F. (C) 6144–6147 [6256–6259]
 Nata, M. (C) 3055–3058 [3115–3118]
 Natan, A. (C) 291–294 [295–298]
 Natarajan, A. (C) 6485–6487 [6605–6607]
 Natile, G.
 – Interaction between Platinum Complexes and a Methionine Motif Found in Copper Transport Proteins (C) 9062–9064 [9220–9222]
 DOI: 10.1002/anie.200703271
 – Ubiquitin Stability and the Lys63-Linked Polyubiquitination Site Are Compromised on Copper Binding (C) 7993–7995 [8139–8141]
 DOI: 10.1002/anie.200701987
 Nau, W. M.
 – Efficient Fluorescence Enhancement and Cooperative Binding of an Organic Dye in a Supra-biomolecular Host–Protein Assembly (C) 4120–4122 [4198–4200]
 DOI: 10.1002/anie.200604757
 Naumann, R. (C) 605–608 [611–614]
 Nawrath, T. (C) 8287–8290 [8436–8439]
 Nazeeruddin, M. K.
 – Efficient Sensitization of Nanocrystalline TiO₂ Films by a Near-IR-Absorbing Unsymmetrical Zinc Phthalocyanine (C) 373–376 [377–380]
 DOI: 10.1002/anie.200603098
 – Molecular Cosensitization for Efficient Panchromatic Dye-Sensitized Solar Cells (C) 8358–8362 [8510–8514]
 DOI: 10.1002/anie.200703106
 Nechab, M. (C) 3080–3083 [3140–3143]
 Neels, A. (C) 6293–6296 [6409–6412]
 Negru, M. (C) 9339–9341 [9500–9502]
 Neidle, S. (C) 2493–2496 [2545–2548]
 Neil, M. A. A. (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
 Neisius, T. (C) 5306–5309 [5400–5403]
 Nelles, G. (C) 7693–7696 [7837–7840]
 Nembenna, S. (C) 2512–2514 [2564–2566]
 Nenu, C. N. (C) 1465–1468 [1487–1490]
 Nerdal, W. (C) 6508–6513 [6628–6633]
 Neri, D.
 – Isolation of High-Affinity Trypsin Inhibitors from a DNA-Encoded Chemical Library (C) 4671–4674 [4755–4758]
 DOI: 10.1002/anie.200700654
 Netscher, T. (C) 8670–8673 [8824–8827]
 Neuburger, M. (C) 5892–5895 [5996–5999]
 Neugebauer, J.
 – Induced Chirality in Achiral Media—How Theory Unravels Mysterious Solvent Effects (H) 7738–7740 [7884–7886]
 DOI: 10.1002/anie.200702858
 Neumann, B. (C) 8674–8678 [8828–8832]
 Neumann, E. (C) 8274–8276 [8422–8424]
 Neumüller, B. Corrigendum: 5263
 Neumüller, B.
 – Reply to Réplique: A New Concept for Bonding in Carbodiphosphoranes? (L) 2986–2987 [3044–3045]
 DOI: 10.1002/anie.200700327
 Neurock, M. (C) 7864–7868 [8010–8014]
 Neuville, L. (C) 3291–3295 [3355–3359]
 Neveu, P. (C) 2467–2469 [2519–2521]
 Nevill, C. R. (C) 915–918 [933–936]
 Neville, S. M. (C) 2059–2062 [2105–2108]
 Newell, B. S. (C) 4111–4114 [4189–4192]
 Newman, A. D. (C) 8593–8596 [8747–8750]
 Newton, G. N. (C) 1340–1344 [1362–1366]
 Newton, M. A.
 – “Oxidationless” Promotion of Rapid Palladium Redispersion by Oxygen during Redox CO/(NO + O₂) Cycling (C) 8629–8631 [8783–8785]
 DOI: 10.1002/anie.200702134
 Newton, M. A. (C) 5356–5358 [5452–5454]
 Neyman, K. M.
 – On the Mechanism of Formation of Metal Nanowires by Self-Assembly (C) 7094–7097 [7224–7227]
 DOI: 10.1002/anie.200701613
 Ng, D. (C) 6485–6487 [6605–6607]
 Ng, P. Y. (C) 5352–5355 [5448–5451]
 Ngouansavanh, T. (C) 5775–5778 [5877–5880]
 Nguyen, B. (C) 7655–7658 [7799–7802]
 Nguyen, H. N. (C) 7509–7512 [7653–7656]
 Nguyen, L.-H. D. (C) 5219–5222 [5311–5314]
 Nguyen, N. (C) 7644–7647 [7788–7791]
 Ni, C. (C) 786–789 [800–803]
 Ni, W. (C) 9089–9092 [9247–9250]
 Nibbering, E. T. J.
 – Base-Induced Solvent Switches in Acid–Base Reactions (C) 1458–1461 [1480–1483]
 DOI: 10.1002/anie.200603383
 Nič, M. (C) 7823–7826 [7969–7972]
 Nicolaou, K. C.
 – Adamantaplatensimycin: A Bioactive Analogue of Platensimycin (C) 4712–4714 [4796–4798]
 DOI: 10.1002/anie.200701548
 – Asymmetric Total Syntheses of Platensimycin (C) 3942–3945 [4016–4019]
 DOI: 10.1002/anie.200700586
 – Cascade Reactions Involving Formal [2 + 2] Thermal Cycloadditions: Total Synthesis of Artochamins F, H, I, and J (C) 7501–7505 [7645–7649]
 DOI: 10.1002/anie.200702363
 – Chemical Synthesis of the GHIJK Ring System and Further Experimental Support for the Originally Assigned Structure of Maitotoxin (C) 8875–8879 [9031–9035]
 DOI: 10.1002/anie.200703742
 – Construction of the “Left Domain” of Haplophytine (C) 4715–4718 [4799–4802]
 DOI: 10.1002/anie.200701947
 – On the Structure of Maitotoxin (E) 5278–5282 [5372–5376]
 DOI: 10.1002/anie.200604656
 – Total Synthesis and Revised Structure of Biyouyanagin A (C) 4708–4711 [4792–4795]
 DOI: 10.1002/anie.200701552
 – Total Synthesis and Stereochemistry of Uncialamycin (C) 4704–4707 [4788–4791]
 DOI: 10.1002/anie.200700917
 – Total Synthesis of the Originally Proposed and Revised Structures of Palmerolide A (C) 5896–5900 [6000–6004]
 DOI: 10.1002/anie.200702243
 Nicotra, F. (C) 3308–3312 [3372–3376]
 Nicu, L. (C) 9271–9274 [9431–9434]
 Nie, L. (C) 6321–6324 [6437–6440]
 Nieger, M. (C) 2104–2107 [2150–2154], 2919–2922 [2977–2980], 6368–6371 [6486–6490], 9327–9330 [9488–9491]
 Nielsch, K. (C) 6829–6832 [6953–6956]
 Nielsen, J. T. (C) 9220–9222 [9380–9382]
 Nielsen, M. (C) 1983–1987 [2029–2033], (H) 7356–7359 [7500–7503]
 Nielsen, M. L. (C) 1481–1484 [1503–1506]
 Nielsen, R. P. (C) 1113–1116 [1131–1134]
 Niemeyer, C. M.
 – Generation of Live-Cell Microarrays by Means of DNA-Directed Immobilization of Specific Cell-Surface Ligands (C) 4180–4183 [4258–4261]
 DOI: 10.1002/anie.200604467
 Niemeyer, C. M. (C) 7700–7703 [7844–7847]
 Nierengarten, J.-F.
 – Synthesis and Electrochemical Properties of Fullerene-Rich Nanoclusters Synthesized by Cobalt-Catalyzed Cyclotrimerization of Bis(aryl)alkyne Fullerodendrimers (C) 951–954 [969–972]
 DOI: 10.1002/anie.200603765
 Nieuwkoop, A. J. (C) 8380–8383 [8532–8535]
 Nijjima, J. Corrigendum: 8734
 Nijjima, J. (C) 4350–4355 [4428–4433]

- Nijhuis, T. A. (C) 5412–5416 [5508–5512]
Nikitin, E. B. (C) 8782–8784 [8938–8940]
Nikonov, G. I.
– Persistent Silylium Ions Stabilized by Polyagostic Si–H···Si Interactions
(C) 4530–4533 [4614–4617]
DOI: 10.1002/anie.200604258
Nilekar, A. U. (C) 5757–5761 [5859–5863]
Nilius, N. (C) 8703–8706 [8858–8861]
Nishibayashi, Y.
– Ruthenium-Catalyzed Enantioselective Propargylation of Aromatic Compounds with Propargylic Alcohols via Allenylidene Intermediates
(C) 6488–6491 [6608–6611]
DOI: 10.1002/anie.200701261
Nishibori, E. (C) 7617–7620 [7761–7764]
Nishida, G. (C) 3951–3954 [4025–4028]
Nishihara, H.
– Protonation-Induced Cyclocondensation of 1-Aryl Ethynylantraquinones: Expanding the π Conjugation
(C) 6271–6274 [6387–6390]
DOI: 10.1002/anie.200701766
Nishikawa, Y. (C) 6481–6484 [6601–6604]
Nishimura, S.-I.
– Highly Efficient and Versatile Synthesis of Proteoglycan Core Structures from 1,6-Anhydro- β -lactose as a Key Starting Material
(C) 3074–3079 [3134–3139]
DOI: 10.1002/anie.200604909
– Reverse Glycoblotting Allows Rapid-Enrichment Glycoproteomics of Biopharmaceuticals and Disease-Related Biomarkers
(C) 8808–8813 [8964–8969]
DOI: 10.1002/anie.200702919
Nishimura, T.
– Rhodium-Catalyzed Aryl Transfer from Trisubstituted Aryl Methanols to α,β -Unsaturated Carbonyl Compounds
(C) 4937–4939 [5025–5027]
DOI: 10.1002/anie.200700902
Nishina, Y. (C) 6518–6520 [6638–6640]
Nishiura, M. (C) 1909–1913 [1941–1945]
Nishiyama, Yoshitaka (C) 1086–1088 [1104–1106]
Nishiyama, Yoshiyuki Corrigendum: 4006
Nitz, M.
– Polymer-Based Elemental Tags for Sensitive Bioassays
(C) 6111–6114 [6223–6226]
DOI: 10.1002/anie.200700796
Niu, Haijun Corrigendum: 653
Niu, Hongjun (C) 4539–4542 [4623–4626], 8574–8578 [8728–8732]
Niu, W. (C) 421–424 [425–428]
Niwa, O.
– Neurite Imaging of Living PC12 Cells with Scanning Electrochemical/Near-Field Optical/Atomic Force Microscopy
(C) 8238–8241 [8386–8389]
DOI: 10.1002/anie.200702617
Niwa, T. (C) 2643–2645 [2697–2699]
Nizkorodov, S. A. Corrigendum: 5999
Nizkorodov, S. A. (C) 4754–4756 [4838–4840]
Nobukuni, H. (C) 8975–8978 [9133–9136]
Nocton, G. (C) 7574–7578 [7718–7722]
Noda, K. (C) 3149–3151 [3210–3212]
Nodasaka, Y. (C) 1493–1496 [1515–1518]
Noels, A. F.
– Carbene Chemistry: Stereoregular Polymers from Diazo Compounds
(H) 1208–1210 [1228–1230]
DOI: 10.1002/anie.200603660
Noeske, J. (M) 1212–1219 [1232–1240]
Noeske, T. (C) 5336–5339 [5432–5435]
Nogai, S. D. (C) 2497–2500 [2549–2552]
Noguchi, K. (C) 3951–3954 [4025–4028]
Noh, S. B. (C) 5125–5128 [5217–5220]
Noh, S. J. (C) 3663–3667 [3737–3741]
Nohra, B. (C) 8242–8245 [8390–8393]
Nojiri, Y. (C) 2254–2256 [2304–2306]
Nolan, S. P.
– N-Heterocyclic Carbenes as Organocatalysts
(M) 2988–3000 [3046–3058]
DOI: 10.1002/anie.200603380
– Propargylic Esters in Gold Catalysis: Access to Diversity
(H) 2750–2752 [2806–2809]
DOI: 10.1002/anie.200604773
– Sustainable Concepts in Olefin Metathesis
(R) 6786–6801 [6906–6922]
DOI: 10.1002/anie.200605099
Nolis, P. (C) 7495–7497 [7639–7641]
Nolte, C. (C) 2101–2103 [2147–2149]
Nolte, R. J. M. (C) 7378–7382 [7522–7526]
Nomura, M. (C) 4310–4315 [4388–4393], 9253–9256 [9413–9416]
Nonaka, M. (C) 878–880 [896–898]
Nonaka, T. (C) 2891–2894 [2949–2952]
Nordell, P. (C) 2203–2206 [2253–2256]
Nordén, B. (C) 2203–2206 [2253–2256]
Norouzi-Arasi, H. (C) 7086–7089 [7216–7219]
Norton, J. E. (C) 6894–6898 [7018–7022]
Nose, K. (C) 3288–3290 [3352–3354]
Nosse, B. (C) 6361–6363 [6478–6481]
Nöth, H.
– Nils Wiberg
(O) 5052 [5140]
DOI: 10.1002/anie.200702371
Nottbohm, A. C. (C) 2066–2069 [2112–2115]
Novo, C. (C) 3517–3520 [3587–3590]
Nozaki, K.
– Boryl Anion Attacks Transition-Metal Chlorides To Form Boryl Complexes: Syntheses, Spectroscopic, and Structural Studies on Group 11 Borylmatal Complexes
(C) 6710–6713 [6830–6833]
DOI: 10.1002/anie.200702369
Nuckolls, C.
– Encoding Molecular-Wire Formation within Nanoscale Sockets
(C) 3892–3895 [3966–3969]
DOI: 10.1002/anie.200604398
– Forming Aromatic Hemispheres on Transition-Metal Surfaces
(C) 7891–7895 [8037–8041]
DOI: 10.1002/anie.200701117
Núñez, A. (C) 7125–7127 [7255–7258]
Nuyken, O. (C) 4388–4392 [4467–4471], 7290–7292 [7428–7430]
Nygaard, S. (C) 6093–6097 [6205–6209]
Nyulászi, L. (C) 8682–8685 [8836–8839]
Ó Dálaigh, C. (C) 4329–4332 [4407–4410]
Oaki, Y. (C) 4951–4955 [5039–5043]
Obika, S. (C) 4306–4309 [4384–4387]
O'Brien, C. J. (R) 2768–2813 [2824–2870]
Ochiai, M. (C) 8192–8194 [8340–8342]
Ochida, A. (C) 5381–5383 [5477–5479]
Oda, K. (C) 764–768 [778–782]
Oda, M. (C) 1086–1088 [1104–1106]
Odedra, A. (C) 4744–4747 [4828–4831]
Odell, B. (C) 3122–3125 [3183–3186], 6845–6848 [6969–6972], 7655–7658 [7799–7802]
O'Doherty, G. A.
– De Novo Asymmetric Synthesis of the Anthrax Tetrasaccharide by a Palladium-Catalyzed Glycosylation Reaction
(C) 5206–5208 [5298–5300]
DOI: 10.1002/anie.200701354
Oesterhelt, D. (C) 605–608 [611–614]
Oestreich, M.
– Chiral Recognition with Silicon-Stereogenic Silanes: Remarkable Selectivity Factors in the Kinetic Resolution of Donor-Functionalized Alcohols
(C) 9335–9338 [9496–9499]
DOI: 10.1002/anie.200703847
– Polishing a Diamond in the Rough: “Cu–H” Catalysis with Silanes
(M) 498–504 [504–510]
DOI: 10.1002/anie.200602668
Offermanns, H.
– Friedrich Asinger (1907–1999): A Mediator between Basic and Applied Research
(E) 6010–6013 [6116–6120]
DOI: 10.1002/anie.200700904
Ogasawara, Y. (C) 3922–3925 [3996–3999], 5202–5205 [5294–5297]
Ogawa, M.
– Interlayer Modification of a Layered Titanate with Two Kinds of Organic Functional Units for Molecule-Specific Adsorption
(C) 8449–8451 [8601–8603]
DOI: 10.1002/anie.200702360
Ogawa, M. (C) 8010–8012 [8156–8158]
Ogawa, S. (C) 8666–8669 [8820–8823]
Oger, E. (C) 8503–8506 [8656–8659]
Ogle, C. A.
– Organocuprate Cross-Coupling: The Central Role of the Copper(III) Intermediate and the Importance of the Copper(I) Precursor
(C) 7082–7085 [7212–7215]
DOI: 10.1002/anie.200703035
Ogletree, D. F. (C) 5757–5761 [5859–5863]
Ogoshi, S.
– Formation of an Aza-nickelacycle by Reaction of an Imine and an Alkyne with Nickel(0): Oxidative Cyclization, Insertion, and Reductive Elimination
(C) 4930–4932 [5018–5020]
DOI: 10.1002/anie.200700688
Ogoshi, S. (C) 5440–5443 [5536–5539]
Ogura, T. (C) 8636–8639 [8790–8793]
Oh, D. H. (C) 7393–7395 [7537–7539]
Oh, E. (C) 6816–6819 [6940–6943]
Oh, J. K. (C) 2453–2457 [2505–2509]
Oh, K. (C) 1455–1457 [1477–1479]
Oh, Y.-H. (C) 6816–6819 [6940–6943]
O'Hagan, D.
– An Electrostatic *Gauche* Effect in β -Fluoro- and β -Hydroxy-*N*-ethylpyridinium Cations
(C) 5904–5908 [6008–6012]
DOI: 10.1002/anie.200700714
– Synthesis and Conformation of Multi-Vicinal Fluoroalkane Diastereoisomers



- (C) 7887–7890 [8033–8036]
DOI: 10.1002/anie.200701988
- O'Hair, R. A. J.
– Sixty Years after Wittig: Gas-Phase Synthesis of Lithium Trimethylammonium Methylide, $[(\text{CH}_3)_3\text{NCH}_2\text{Li}]^+$ (C) 7048–7051 [7178–7181]
DOI: 10.1002/anie.200701972
- Ohki, Y. (H) 3180–3183 [3242–3245]
Ohkoshi, S.-i.
– A Millimeter-Wave Absorber Based on Gallium-Substituted ϵ -Iron Oxide Nanomagnets (C) 8392–8395 [8544–8547]
DOI: 10.1002/anie.200703010
- Coexistence of Ferroelectricity and Ferromagnetism in a Rubidium Manganese Hexacyanoferrate (C) 3238–3241 [3302–3305]
DOI: 10.1002/anie.200604452
- Ohkubo, K. (C) 905–908 [923–926]
Ohno, Hiroaki
– Direct Synthesis of 2-(Aminomethyl)indoles through Copper(I)-Catalyzed Domino Three-Component Coupling and Cyclization Reactions (C) 2295–2298 Corrigendum: 3173 [2345–2348 Corrigendum: 3235]
DOI: 10.1002/anie.200604342
- Heck-Type Cyclization of Oxime Ethers: Stereoselective Carbon–Carbon Bond Formation with Aryl Halides To Produce Heterocyclic Oximes (C) 6325–6328 [6441–6444]
DOI: 10.1002/anie.200701868
- Ohno, Hiroyuki
– LCST-Type Phase Changes of a Mixture of Water and Ionic Liquids Derived from Amino Acids (C) 1852–1855 [1884–1887]
DOI: 10.1002/anie.200604402
- Ohsawa, S. (C) 7605–7608 [7749–7752]
Ohsuna, T. (C) 5364–5368 [5460–5464]
Ohta, K. (C) 3544–3546 [3614–3616]
Ohta, S. (C) 3544–3546 [3614–3616]
Ohta, Takehiro (C) 2210–2214 [2260–2264]
Ohta, Tomihisa (C) 2254–2256 [2304–2306]
Ohta, Y. (C) 2295–2298 Corrigendum: 3173 [2345–2348 Corrigendum: 3235]
Oiarbide, M. (C) 8431–8435 [8583–8587]
Oishi, S. (C) 2295–2298 Corrigendum: 3173 [2345–2348 Corrigendum: 3235]
Oka, A. (C) 8024–8027 [8170–8173]
Oka, K. (C) 8238–8241 [8386–8389]
Okada, T. (C) 6141–6143 [6253–6255]
Okano, T. (C) 4922–4925 [5010–5013]
Okazaki, Y. (C) 1120–1123 [1138–1141]
Okita, T. (C) 1132–1135 [1150–1153]
Okoshi, K. (C) 5348–5351 [5444–5447], 7605–7608 [7749–7752]
Okuda, J.
– Regioselective 1-Hexene Oligomerization Using Cationic Bis(phenolato) Group 4 Metal Catalysts: Switch from 1,2- to 2,1-Insertion (C) 8507–8510 [8660–8663]
DOI: 10.1002/anie.200703218
- Stereospecific Styrene Enchainment at a Titanium Site within a Helical Ligand Framework: Evidence for the Formation of Homochiral Polystyrene (C) 4790–4793 [4874–4877]
DOI: 10.1002/anie.200700783
- Okuhara, T. (C) 7625–7628 [7769–7772]
Okumura, K. (C) 4310–4315 [4388–4393]
Olah, G. A.
– Stereoselective Monofluoromethylation of Primary and Secondary Alcohols by Using a Fluorocarbon Nucleophile in a Mitsunobu Reaction (C) 4933–4936 [5021–5024]
DOI: 10.1002/anie.200700834
- O'Leary, D. J. (C) 7262–7265 [7400–7403]
Olhava, E. J. (C) 4693–4697 [4777–4781], 4698–4703 [4782–4787]
Olivella, S. (C) 5943–5946 [6047–6050]
Olivucci, M.
– Quantum Chemical Modeling and Preparation of a Biomimetic Photochemical Switch (C) 414–420 [418–424]
DOI: 10.1002/anie.200602915
- Oller-López, J. L. Corrigendum: 1941
Olsson, V. J. (C) 6891–6893 [7015–7017]
Oltra, J. E. Corrigendum: 1941
Omura, S. (C) 5559–5561 [5655–5657]
O'Neill, P. M.
– Evidence for a Common Non-Heme Chelatable-Iron-Dependent Activation Mechanism for Semisynthetic and Synthetic Endoperoxide Antimalarial Drugs (C) 6278–6283 [6394–6399]
DOI: 10.1002/anie.200604697
- Önfelt, B. (C) 2228–2231 Corrigendum: 8536 [2278–2281 Corrigendum: 8689]
Ong, W. W. (C) 7470–7472 [7614–7616]
Ongania, K.-H. (C) 8699–8702 [8854–8857]
Ono, K. (C) 1803–1806 [1835–1838]
Ono, S. (C) 4500–4503 [4584–4587]
Onyango, E. O. (C) 6703–6705 [6823–6825]
Ooi, T. (R) 4222–4266 [4300–4345]
Opahle, I. (C) 1663–1666 [1692–1695]
Oram, N. (C) 6159–6162 [6271–6274]
Orendt, A. M. (C) 7044–7047 [7174–7177]
Organ, M. G.
– Palladium Complexes of N-Heterocyclic Carbenes as Catalysts for Cross-Coupling Reactions—A Synthetic Chemist's Perspective (R) 2768–2813 [2824–2870]
DOI: 10.1002/anie.200601663
- Ornatsky, O. (C) 6111–6114 [6223–6226]
Ornelas, C. (C) 872–877 [890–895], 8644–8648 [8798–8802]
Orpen, A. G.
– Solid-State Interconversions of Coordination Networks and Hydrogen-Bonded Salts (C) 1124–1128 [1142–1146]
DOI: 10.1002/anie.200603593
- Ortel, I. (C) 8284–8286 [8433–8435]
Ortí, E.
– Concave Tetrathiafulvalene-Type Donors as Supramolecular Partners for Fullerenes (C) 1847–1851 [1879–1883]
DOI: 10.1002/anie.200604327
- On the Biradicaloid Nature of Long Quinoidal Oligothiophenes: Experimental Evidence Guided by Theoretical Studies (C) 9057–9061 [9215–9219]
DOI: 10.1002/anie.200703244
- Orvig, C.
– Combating Alzheimer's Disease With Multifunctional Molecules Designed for Metal Passivation (C) 1716–1718 [1746–1748]
DOI: 10.1002/anie.200603866
- Osada, K. (C) 6085–6088 [6197–6200]
Osakada, K.
– A Crystalline Supramolecular Switch: Controlling the Optical Anisotropy through the Collective Dynamic Motion of Molecules (C) 4983–4986 [5071–5074]
DOI: 10.1002/anie.200700708
- Pd-Catalyzed Polymerization of Dienes that Involves Chain-Walking Isomerization of the Growing Polymer End: Synthesis of Polymers Composed of Polymethylene and Five-Membered-Ring Units (C) 6141–6143 [6253–6255]
DOI: 10.1002/anie.200701630
- Osborn, D. P. (C) 591–597 [597–603]
Oseroff, S. B. (C) 8823–8827 [8979–8983]
O'Shea, P. D. (C) 1839–1842 [1871–1874]
Oshima, K.
– Palladium-Catalyzed 2-Pyridylmethyl Transfer from 2-(2-Pyridyl)ethanol Derivatives to Organic Halides by Chelation-Assisted Cleavage of Unstrained $\text{C}_{\text{sp}^3}\text{--}\text{C}_{\text{sp}^3}$ Bonds (C) 2643–2645 [2697–2699]
DOI: 10.1002/anie.200604472
- Oshovsky, G. V. (R) 2366–2393 [2418–2445]
Osornio, Y. M. (C) 2478–2484 [2530–2536]
Ostermeier, M. (C) 5329–5331 [5423–5426]
Osterwalder, J.
– Boron Nitride Nanomesh: Functionality from a Corrugated Monolayer (C) 5115–5119 [5207–5211]
DOI: 10.1002/anie.200700234
- Osuka, A.
– Extrusion of Boron(III) Subporphyrin from *meso*-Heptakis(pentafluorophenyl)[32]heptaphyrin upon Cooperative Cu^{II} and B^{III} Metalation (C) 5591–5593 [5687–5689]
DOI: 10.1002/anie.200701682
- Intramolecular [3 + 2] Annulation of 5-Aryl-, 20-Ethynyl-Substituted [26]Hexaphyrin(1.1.1.1.1.1) Triggered by Molecular Compression through a Dynamic Conformational Change (C) 5171–5174 [5263–5266]
DOI: 10.1002/anie.200700958
- Synthesis of Calix[3]dipyrins by a Modified Lindsey Protocol (C) 2306–2309 [2356–2359]
DOI: 10.1002/anie.200604882
- Synthesis of Doubly β -to- β 1,3-Butadiyne-Bridged Diporphyrins: Enforced Planar Structures and Large Two-Photon Absorption Cross Sections (C) 5125–5128 [5217–5220]
DOI: 10.1002/anie.200700550
- Otero, R. (C) 7874–7877 [8020–8023]
Otsubo, T. (C) 9057–9061 [9215–9219]
Otter, M. (C) 6188–6191 [6301–6304]
Ottiger, P. (C) 7449–7452 [7593–7596]
Otting, G.
– Cell-Free Transcription/Translation from PCR-Amplified DNA for High-Throughput NMR Studies (C) 3356–3358 [3420–3422]
DOI: 10.1002/anie.200605237
- Otto, S.
– Host–Guest Binding Constants Can Be Estimated Directly from the Product Distributions of Dynamic Combinatorial Libraries (C) 5762–5764 [5864–5866]
DOI: 10.1002/anie.200700292
- Systems Chemistry: Pattern Formation in Random Dynamic Combinatorial Libraries

- (C) 8858–8861 [9014–9017]
DOI: 10.1002/anie.200702460
Ouali, A. (C) 934–936 [952–954]
Oudeyer, S. (C) 7090–7093 [7220–7223]
Outten, R. A. (C) 8670–8673 [8824–8827]
Over, H. (C) 5115–5119 [5207–5211]
Overgaard, J. (C) 5520–5523 [5616–5619]
Overman, L. E.
– Total Synthesis of Complex Cyclotryptamine Alkaloids: Stereocontrolled Construction of Quaternary Carbon Stereocenters
(R) 5488–5508 [5584–5605]
DOI: 10.1002/anie.200700612
Overwin, H. (C) 1253–1255 [1275–1277]
Owen, D. (C) 7835–7838 [7981–7984]
Öxler, F. Corrigendum: 5263
Öxler, F. (L) 2986–2987 [3044–3045]
Oya, K. (C) 2031–2035 [2077–2081]
Ozawa, K. (C) 3356–3358 [3420–3422]
Ozawa, T.
– Cyclic Luciferase for Real-Time Sensing of Caspase-3 Activities in Living Mammals
(C) 7595–7599 [7739–7743]
DOI: 10.1002/anie.200700538
Özolat, A. (C) 2104–2107 [2150–2154], 9327–9330 [9488–9491]
Ozkaya, D. (C) 3683–3685 [3757–3759]



- Pacchioni, G. (C) 8703–8706 [8858–8861]
Pachamuthu, K. Corrigendum: 2971
Pacífico, J. (C) 8983–8987 [9141–9145]
Paddon-Row, M. N. (C) 937–940 [955–958]
Paetzold, P.
– Nils Wiberg
(O) 5052 [5140]
DOI: 10.1002/anie.200702371
Pagliaro, M.
– From Glycerol to Value-Added Products
(M) 4434–4440 [4516–4522]
DOI: 10.1002/anie.200604694
Pahadi, N. K. (C) 4764–4766 [4848–4850]
Paik, I.-H. (C) 3284–3287 [3348–3351]
Pal, H. (C) 4120–4122 [4198–4200], 9305–9307 [9465–9467]
Palacios, M. A. (C) 7849–7852 [7995–7998]
Palais, L. (C) 7462–7465 [7606–7609]
Palehepitiya Gamage, C. S. (C) 2192–2194 [2242–2244]
Palermo, V. (H) 4428–4432 [4510–4514]
Palmans, A. R. A. (R) 8948–8968 [9106–9126]
Palmino, F. (C) 9287–9290 [9447–9450]
Palmqvist, A. E. C. Corrigendum: 653
Palmqvist, A. E. C.
– A Crystalline, Large-Pore, Microporous Semiconductor
(C) 718–722 [732–736]
DOI: 10.1002/anie.200603075
Palomares, E. (C) 8358–8362 [8510–8514]
Palomo, C.
– Regio- and Enantioselective Direct Oxidation Reaction of Aldehydes Catalyzed by α,α -Diphenylprolinol Trimethylsilyl Ether
(C) 8054–8056 [8200–8202]
DOI: 10.1002/anie.200703001
– Water-Compatible Iminium Activation: Organocatalytic Michael Reactions of Carbon-Centered Nucleophiles with Enals
(C) 8431–8435 [8583–8587]
DOI: 10.1002/anie.200703261
Pammer, F. (C) 1270–1273 [1293–1296]
Pan, F. (C) 7388–7392 [7532–7536]
Pan, J. (C) 3896–3899 [3970–3973]
Pan, M. (C) 7399–7403 [7543–7547]
Pan, N. (C) 6442–6445 [6562–6565]
Pan, S. C. Corrigendum: 2971
Pan, S. C. (C) 612–614 [618–620]
Pan, Z. (C) 2650–2654 [2704–2708]
Pancrazi, A. (C) 1917–1921 [1949–1953]
Pank, J. S.
– Total Synthesis and Stereochemical Reassignment of (+)-Neopeltolide
(C) 9211–9214 [9371–9374]
DOI: 10.1002/anie.200704122
Panek, J. S. (C) 7470–7472 [7614–7616]
Panella, L. (C) 1497–1500 [1519–1522]
Pannecoucke, X.
– Diastereomeric Fluoroolefins as Peptide Bond Mimics Prepared by Asymmetric Reductive Amination of α -Fluoroenones
(C) 1290–1292 [1312–1314]
DOI: 10.1002/anie.200604246
Pantazopoulos, P. (C) 8998–9001 [9156–9159]
Panthöfer, M. (C) 5618–5623 [5716–5721]
Pantos, G. D. (C) 194–197 Corrigendum: 2138 [198–201 Corrigendum: 2185], 2238–2240 [2288–2290], 5405–5407 [5501–5503]
Paolucci, F.
– Fullerenes: Multitask Components in Molecular Machinery
(M) 8120–8126 [8266–8272]
DOI: 10.1002/anie.200702725
– Tuning Electron Transfer through Translational Motion in Molecular Shuttles
(C) 3521–3525 [3591–3595]
DOI: 10.1002/anie.200605039
Pape, T. (C) 4176–4179 [4254–4257]
Paquette, L. A.
– Asymmetric Synthesis of the Phytopathogen (+)-Fomannosin
(C) 7817–7819 [7963–7965]
DOI: 10.1002/anie.200702056
Paramelle, D. (C) 5594–5597 [5690–5693]
Parang, K.
– Synthesis and Evaluation of Modified Oligodeoxynucleotides Containing Diphosphodiester Internucleotide Linkages
(C) 4739–4743 [4823–4827]
DOI: 10.1002/anie.200605029
Parella, T.
– Multiple FID Acquisition of Complementary HMBC Data
(C) 7495–7497 [7639–7641]
DOI: 10.1002/anie.200702258
Parisel, O.
– Is an Electronic Shield at the Molecular Origin of Lead Poisoning? A Computational Modeling Experiment
(C) 553–556 [559–562]
DOI: 10.1002/anie.200603037
Parisi, J. (C) 2923–2926 [2981–2984]
Pariya, C. (C) 6305–6308 [6421–6424]
Park, B. (C) 8828–8831 [8984–8987]
Park, B. K. (C) 1436–1439 [1458–1461]
Park, C. (C) 1455–1457 [1477–1479]
Park, C. G. (C) 3471–3474 [3541–3544]
Park, E. D.
– Supported Pt–Co Catalysts for Selective CO Oxidation in a Hydrogen-Rich Stream
(C) 734–737 [748–751]
DOI: 10.1002/anie.200603144
Park, H.-Y. (C) 5408–5411 [5504–5507]
Park, J.-G. (C) 6654–6657 [6774–6777]
Park, J. H. (C) 6172–6175 [6284–6287]
Park, J.-S. (C) 7445–7448 [7589–7592]
Park, J. T.
– $[\text{Os}_3(\text{CO})_6(\text{PMe}_2)_3](\mu_3\text{-}\eta^2\text{-}\eta^2\text{-C}_{60})[\text{Re}_3(\mu\text{-H})_3(\text{CO})_9]$: A Fullerene[60] Coordinated to Two Different Trinuclear Clusters
(C) 1436–1439 [1458–1461]
DOI: 10.1002/anie.200603882
Park, Janghyun (C) 4726–4728 [4810–4812]
Park, Jongmin (C) 2018–2022 [2064–2068]
Park, Jongnam (R) 4630–4660 [4714–4745]
Park, K. (C) 5779–5782 [5881–5884]
Park, K. H. (C) 1152–1155 [1170–1173]
Park, K. M. (C) 3471–3474 [3541–3544], 7393–7395 [7537–7539]
Park, M. (C) 5397–5401 [5493–5497]
Park, M. J. (C) 2291–2294 [2341–2344]
Park, M.-S. (C) 750–753 [764–767]
Park, Q.-H. (C) 3264–3268 [3328–3332]
Park, R.-W. (C) 5779–5782 [5881–5884]
Park, S. B.
– Development of a Cy3-Labeled Glucose Bioprobe and Its Application in Bioimaging and Screening for Anticancer Agents
(C) 2018–2022 [2064–2068]
DOI: 10.1002/anie.200604364
Park, S.-J.
– Interfacial Assembly of Nanoparticles in Discrete Block-Copolymer Aggregates
(C) 9235–9238 [9395–9398]
DOI: 10.1002/anie.200703032
Park, S. R. (C) 5178–5183 [5270–5275], 6525–6528 [6645–6648]
Park, S.-w. (C) 8828–8831 [8984–8987]
Park, S. Y.
– Photopatterned Arrays of Fluorescent Organic Nanoparticles
(C) 1978–1982 [2024–2028]
DOI: 10.1002/anie.200604209
Park, Sehoon (C) 6141–6143 [6253–6255]
Park, Soyoung (C) 5901–5903 [6005–6007]
Park, Y. I. (C) 5397–5401 [5493–5497]
Park, Y. K. (C) 8230–8233 [8378–8381]
Parker, A. W. (C) 3686–3688 [3760–3762]
Parnham, E. R. (C) 7839–7843 [7985–7989]
Parrot, I. (C) 7488–7490 [7632–7634]
Parschau, M. (C) 8258–8261 [8406–8409]
Parsons, C. G. (C) 5336–5339 [5432–5435]
Parsons, S. (C) 4456–4460 [4540–4544]
Parui, P. P. (C) 4382–4384 [4460–4462]
Parvez, M. (C) 4940–4943 [5028–5031]
Pasc, A. (C) 8409–8413 [8561–8565]
Pasca, E. (C) 6081–6084 [6193–6196]
Paschek, D.
– Pressure and Salt Effects in Simulated Water: Two Sides of the Same Coin?
(C) 8907–8911 [9065–9069]
DOI: 10.1002/anie.200702736
Pascoe, D. D. (C) 425–428 [429–432]
Pascu, G. I. (C) 4374–4378 [4452–4456]
Pascual, S. (C) 9078–9080 [9236–9238]
Pasquato, L.
– Substrate Modulation of the Activity of an Artificial Nanoesterase Made of Peptide-Functionalized Gold Nanoparticles
(C) 400–404 [404–408]
DOI: 10.1002/anie.200602581
Passchier, J. (C) 2875–2878 [2933–2936]

- Pastor, E. (C) 8823–8827 [8979–8983]
 Pastore, H. O.
 – Layered Assembly of Organic Molecules and Host–Guest Interactions in a CAL-1 Chabasite-Type Precursor of H-SAPO-34 Catalysts
 (C) 8895–8897 [9052–9055]
 DOI: 10.1002/anie.200703141
 Pastoriza-Santos, I.
 – Chemical Sharpening of Gold Nanorods: The Rod-to-Octahedron Transition
 (C) 8983–8987 [9141–9145]
 DOI: 10.1002/anie.200703259
 Pastoriza-Santos, I. (C) 3517–3520 [3587–3590]
 Pasunoori, L. (C) 4704–4707 [4788–4791]
 Patel, S. A. (C) 2028–2030 [2074–2076]
 Paterson, I.
 – Synthesis of an Advanced C10–C32 Spiroacetal Fragment and Assignment of the Absolute Configuration of Spirangien A
 (C) 6699–6702 [6819–6822]
 DOI: 10.1002/anie.200702735
 – Total Synthesis of (–)-Reidispangiolide A, an Actin-Targeting Marine Macrolide
 (C) 6167–6171 [6279–6283]
 DOI: 10.1002/anie.200702178
 Pathak, B. (C) 6907–6910 [7031–7035]
 Patil, N. T. (C) 4764–4766 [4848–4850]
 Patora, K. (C) 9101–9104 [9260–9264]
 Patra, A. (C) 8814–8818 [8970–8974]
 Patra, P. K. (C) 2448–2452 [2500–2504]
 Patriceon, J. (C) 3040–3042 [3100–3102]
 Pattacini, R. (C) 6438–6441 [6558–6561]
 Pattenden, G.
 – Total Synthesis of (–)-Ulapualide A: The Danger of Overdependence on NMR Spectroscopy in Assignment of Stereochemistry
 (C) 4359–4363 [4437–4441]
 DOI: 10.1002/anie.200700459
 Paul, A.
 – Catalyzed Dehydrogenation of Ammonia–Borane by Iridium Dihydrogen Pincer Complex Differs from Ethane Dehydrogenation
 (C) 8153–8156 [8301–8304]
 DOI: 10.1002/anie.200702886
 Payer, D. (C) 710–713 [724–727]
 Payne, R. J. (C) 5975–5979 [6079–6083]
 Peach, M. J. G. (C) 5904–5908 [6008–6012]
 Pécaut, J. (C) 7574–7578 [7718–7722]
 Pecoraro, V. L.
 – Heterochromia in Designed Metallopeptides: Geometry-Selective Binding of Cd^{II} in a De Novo Peptide
 (C) 6688–6691 [6808–6811]
 DOI: 10.1002/anie.200701729
 Pedersen, J. S. (C) 1113–1116 [1131–1134]
 Pedrero, M. (C) 1508–1511 [1530–1533]
 Pedulli, G. F. (C) 6336–6338 [6452–6454]
 Peggion, C. (C) 2047–2050 [2093–2096]
 Peitz, I. (C) 5787–5790 [5889–5892]
 Peitz, S. (C) 6907–6910 [7031–7035]
 Pelaez, F. (C) 4684–4688 [4768–4772]
 Pelascini, F. (C) 4790–4793 [4874–4877]
 Pelletier, J. (C) 7831–7834 [7977–7980]
 Pellizzaro, L. (C) 4972–4975 [5060–5063]
 Pellois, J.-P. (C) 2814–2818 [2872–2876]
 Pelster, S. A. (C) 2299–2302 [2349–2352], 6674–6677 [6794–6797]
 Peng, L. (C) 1905–1908 [1937–1940]
 Peng, Q.
 – Tetrahedral Colloidal Crystals of Ag₂S Nanocrystals
 (C) 8174–8177 [8322–8325]
 DOI: 10.1002/anie.200701307
 Peng, Q. (C) 6650–6653 [6770–6773]
 Peng, S. (C) 4155–4158 [4233–4236]
 Peng, S.-M.
 – Structural, Magnetic, and Theoretical Characterization of a Heterometallic Polypyridylamide Complex
 (C) 3533–3536 [3603–3606]
 DOI: 10.1002/anie.200604313
 Peng, S.-M. (C) 2013–2017 [2059–2063], 6629–6633 [6749–6753]
 Peng, W.-P. (C) 3865–3869 [3939–3943]
 Peng, Xiaogang Corrigendum: 2559
 Peng, Xiaowen (C) 7817–7819 [7963–7965]
 Pengo, P. (C) 194–197 Corrigendum: 2138 [198–201 Corrigendum: 2185], 400–404 [404–408]
 Pennycuik, S. J. (C) 2650–2654 [2704–2708]
 Pentecost, C. D. (C) 218–222 [222–226]
 Peoples, A. J. (C) 7056–7059 [7186–7189]
 Pereira Navaza, A. (C) 569–571 [575–577]
 Perepichka, D. F.
 – Metal Nanoparticles: From “Artificial Atoms” to “Artificial Molecules”
 (H) 6006–6008 [6112–6114]
 DOI: 10.1002/anie.200701554
 Pérez, E. M. (C) 1847–1851 [1879–1883]
 Pérez, J. M. (C) 9327–9330 [9488–9491]
 Pérez, M. (C) 1329–1332 [1351–1354]
 Pérez del Pino, A. (C) 238–241 [242–245]
 Pérez-Juste, J. (C) 8983–8987 [9141–9145]
 Pérez Lustres, J. L.
 – S₂ → S₁ Internal Conversion in β-Carotene: Strong Vibronic Coupling from Amplitude Oscillations of Transient Absorption Bands
 (C) 3758–3761 [3832–3836]
 DOI: 10.1002/anie.200604762
 Pérez-Redondo, A. (C) 3095–3098 [3155–3158]
 Pérez-Trujillo, M. (C) 7495–7497 [7639–7641]
 Perez-Velasco, A. (C) 3706–3709 [3780–3783]
 Peri, F.
 – Inhibition of Lipid A Stimulated Activation of Human Dendritic Cells and Macrophages by Amino and Hydroxylamino Monosaccharides
 (C) 3308–3312 [3372–3376]
 DOI: 10.1002/anie.200604932
 Peris, E.
 – Triazolediylidenes: A Versatile Class of Ligands for the Preparation of Discrete Molecules of Homo- and Hetero-Binuclear Complexes for Improved Catalytic Applications
 (C) 3729–3731 [3803–3805]
 DOI: 10.1002/anie.200700535
 Perriat, P. (C) 4108–4110 [4186–4188]
 Perrone, S. (C) 9291–9294 [9451–9454]
 Perruchas, S. (C) 2215–2219 [2265–2269]
 Perutz, R. N.
 – The σ-CAM Mechanism: σ Complexes as the Basis of σ-Bond Metathesis at Late-Transition-Metal Centers
 (R) 2578–2592 [2630–2645]
 DOI: 10.1002/anie.200603224
 Peteanu, L. (C) 2453–2457 [2505–2509]
 Peterlik, H. (C) 6368–6371 [6486–6490]
 Peters, A. J. (C) 218–222 [222–226]
 Peters, J. C.
 – Terminal Fe^{II}-N₂ and Fe^{II}...H–C Interactions Supported by Tris(phosphino)silyl Ligands
 (C) 5768–5771 [5870–5873]
 DOI: 10.1002/anie.200701188
 Peters, R.
 – Asymmetric Formation of Allylic Amines with N-Substituted Quaternary Stereocenters by Pd^{II}-Catalyzed Aza-Claisen Rearrangements
 (C) 7704–7707 [7848–7851]
 DOI: 10.1002/anie.200702086
 – Catalytic Asymmetric Formation of δ-Lactones by [4+2] Cycloaddition of Zwitterionic Dienolates Generated from α,β-Unsaturated Acid Chlorides
 (C) 5325–5328 [5419–5422]
 DOI: 10.1002/anie.200700859
 – Catalytic Enantio- and Diastereoselective Formation of β-Sultones: Ring-Strained Precursors for Enantioenriched β-Hydroxy-sulfonyl Derivatives
 (C) 2685–2689 [2739–2743]
 DOI: 10.1002/anie.200604796
 – Macrocyclic Ferrocenyl–Bisimidazole Palladacycle Dimers as Highly Active and Enantioselective Catalysts for the Aza-Claisen Rearrangement of Z-Configured N-para-Methoxyphenyl Trifluoroacetimidates
 (C) 1260–1264 [1282–1286]
 DOI: 10.1002/anie.200603568
 Petersen, M.
 – i-Motif Formation with Locked Nucleic Acid (LNA)
 (C) 9220–9222 [9380–9382]
 DOI: 10.1002/anie.200701667
 Petit, E. (C) 8409–8413 [8561–8565]
 Petignat, J. (C) 6297–6300 [6413–6416]
 Pettinari, C.
 – *Swiatoslaw Trofimenko*
 (O) 5652 [5750]
 DOI: 10.1002/anie.200702749
 Petz, W. Corrigendum: 5263
 Petz, W.
 – Reply to Réplique: A New Concept for Bonding in Carbodiphosphoranes?
 (L) 2986–2987 [3044–3045]
 DOI: 10.1002/anie.200700327
 Pezacki, J. P.
 – Inhibition of siRNA Binding to a p19 Viral Suppressor of RNA Silencing by Cysteine Alkylation
 (C) 2005–2009 [2051–2055]
 DOI: 10.1002/anie.200603284
 Pfaltz, A.
 – Iridium-Catalyzed Asymmetric Hydrogenation of Unfunctionalized Tetrasubstituted Olefins
 (C) 8274–8276 [8422–8424]
 DOI: 10.1002/anie.200702555
 – Palladium-Catalyzed Allylic Substitution: Reversible Formation of Allyl-Bridged Dinuclear Palladium(I) Complexes
 (C) 5892–5895 [5996–5999]
 DOI: 10.1002/anie.200701248
 Pfeiffer, C. (C) 7035–7038 [7165–7168]
 Pham, H. D. (C) 5219–5222 [5311–5314]
 Pham, T. (C) 4667–4670 [4751–4754]
 Phanon, D. (C) 8488–8491 [8640–8643]
 Phapale, V. B. (C) 8790–8795 [8946–8951]
 Philbert, M. A. (C) 2224–2227 [2274–2277]
 Phillips, E. M. (C) 3107–3110 [3167–3170]
 Phillips, R. S.
 – Xerogel-Encapsulated W110A Secondary Alcohol Dehydrogenase from *Thermoanaerobacter ethanolicus* Performs Asymmetric Reduction of Hydrophobic Ketones

- in Organic Solvents
(C) 3091–3094 [3151–3154]
DOI: 10.1002/anie.200604615
- Phillips, S. T. (C) 1318–1320 [1340–1342]
Phillips, T. (C) 3686–3688 [3760–3762]
Philouze, C. (C) 3080–3083 [3140–3143]
Piacenti, M. (C) 7655–7658 [7799–7802]
Piao, Y. (C) 7039–7043 [7169–7173]
Picaud, F. (C) 9287–9290 [9447–9450]
Piccirilli, J. A.
– The Mechanism of RNA Strand Scission: An Experimental Measure of the Brønsted Coefficient, β_{nuc}
(C) 3714–3717 [3788–3791]
DOI: 10.1002/anie.200605124
- Pickaert, G. (C) 1265–1269 [1287–1292]
Pickhardt, M. (C) 9215–9219 [9375–9379]
Pidko, E. A. (C) 7273–7276 [7411–7414]
Piel, J.
– Biosynthesis of the Antibiotic Bacillaene, the Product of a Giant Polyketide Synthase Complex of the *trans*-AT Family
(C) 8195–8197 [8343–8345]
DOI: 10.1002/anie.200703386
- Pierattelli, R. (C) 1079–1082 [1097–1100]
Pierce, G. A. (C) 2043–2046 [2089–2092]
Pierron, J. (C) 5510–5514 [5606–5610]
Piers, W. E.
– 10a-Aza-10b-borapyrenes: Heterocyclic Analogues of Pyrene with Internalized BN Moieties
(C) 4940–4943 [5028–5031]
DOI: 10.1002/anie.200700591
- Pigge, F. C.
– Morita–Baylis–Hillman Cyclizations of Arene–Ruthenium-Functionalized Acrylamides
(C) 2887–2890 [2945–2948]
DOI: 10.1002/anie.200605045
- Pihlaja, K. (C) 4148–4150 [4226–4228]
Pijper, D. (C) 3693–3696 [3767–3770]
Pilawa, B. (C) 3579–3583 [3650–3654]
Pilling, A. W. (C) 5428–5430 [5524–5526]
Pinakoulaki, E. (C) 2210–2214 [2260–2264]
Pinchuk, A. O. (C) 8363–8367 [8515–8519]
Pines, A. (C) 4064–4068 [4142–4146]
Pines, D. (C) 1458–1461 [1480–1483]
Pines, E.
– Base-Induced Solvent Switches in Acid–Base Reactions
(C) 1458–1461 [1480–1483]
DOI: 10.1002/anie.200603383
- Pingarron, J. M. (C) 1508–1511 [1530–1533]
Pintacuda, G. (C) 1079–1082 [1097–1100]
Pintauer, T. (C) 8160–8163 [8308–8311]
Pinto, A. (C) 3291–3295 [3355–3359]
Piro, N. A. (C) 973–976 [991–994], 3111–3114 [3171–3174]
Pisabarro, M. T. (C) 7766–7769 [7912–7916]
Pischel, U.
– Chemical Approaches to Molecular Logic Elements for Addition and Subtraction
(M) 4026–4040 [4100–4115]
DOI: 10.1002/anie.200603990
- Piskunov, A. V. (C) 4302–4305 [4380–4383]
Pisula, W. (C) 714–717 [728–731], 3033–3036 [3093–3096]
Piuze, F. (C) 2463–2466 [2515–2518]
Piwnica-Worms, D. (C) 5528–5531 [5624–5627]
Plant, A. (C) 8656–8658 [8810–8812]
Platte, D. (C) 7006–7009 [7136–7139]
Pletcher, D. (C) 3530–3532 [3600–3602]
Pluth, M. D. (C) 8587–8589 [8741–8743]
Poblet, J.-M. (C) 3095–3098 [3155–3158]
Pohl, A. H. (C) 7116–7118 [7246–7248]
Pohl, M.
– An *R*-Selective Hydroxynitrile Lyase from *Arabidopsis thaliana* with an α/β -Hydrolase Fold
(C) 8679–8681 [8833–8835]
DOI: 10.1002/anie.200701455
- Pohl, M.-M. (C) 8866–8868 [9022–9024]
Pohlki, F. (C) 9211–9214 [9371–9374]
Poisson, T. (C) 7090–7093 [7220–7223]
Pokhodnya, K. I. (C) 1521–1524 [1543–1546]
Polarz, S.
– Self-Assembly of Methylzinc–Polyethylene Glycol Amphiphiles and Their Application to Materials Synthesis
(C) 2426–2430 [2478–2482]
DOI: 10.1002/anie.200602262
- Poleschner, H. (C) 8277–8280 [8425–8428]
Poli, R.
– Formation and Structure of a Sterically Protected Molybdenum Hydride Complex with a 15-Electron Configuration: $[(1,2,4\text{-C}_5\text{H}_7\text{Bu}_3)\text{Mo}(\text{PMe}_3)_2\text{H}]^+$
(C) 429–432 [433–436]
DOI: 10.1002/anie.200603628
- Poliakoff, M. (C) 7860–7863 [8006–8009]
Pollard, M. M. (C) 1278–1280 [1300–1302]
Polonius, F.-A. (C) 5602–5604 [5698–5701]
Polyansky, D. (C) 4169–4172 [4247–4250]
Ponce Ortiz, R. (C) 9057–9061 [9215–9219]
Pond, S. J. K. (C) 2839–2843 [2897–2901]
Poon, V. (C) 2207–2209 [2257–2259]
Poorters, L. (C) 2663–2665 [2717–2719]
Pope, M. T.
– Metal-Oxide-Based Nucleation Process under Confined Conditions: Two Mixed-Valence V_6 -Type Aggregates Closing the W_{48} Wheel-Type Cluster Cavities
(C) 4477–4480 [4561–4564]
DOI: 10.1002/anie.200700441
- Popov, A. A. (C) 1256–1259 [1278–1281], 4111–4114 [4189–4192]
Popović, Z. (C) 6188–6191 [6301–6304], 8898–8902 [9056–9060]
Popovitz-Biro, R. (C) 623–627 [631–635]
Popp, B. V. (C) 601–604 [607–610]
Porcel, S. (C) 2672–2676 [2726–2730]
Porco Jr., J. A.
– Enantioselective Synthesis of the Complex Rocaglate (–)-Silvestrol
(C) 7831–7834 [7977–7980]
DOI: 10.1002/anie.200702707
- Nucleophilic Addition to *N*-Phosphinyl-imines by Rare-Earth-Metal Triflate/Tri-fluoroacetic Anhydride Activation
(C) 7470–7472 [7614–7616]
DOI: 10.1002/anie.200700694
- Porée, F.-H. (C) 1917–1921 [1949–1953], 9265–9270 [9425–9430]
Portwich, M. (C) 1654–1657 [1682–1686]
Pöttgen, R. (C) 4385–4387 [4463–4466]
Poturovic, S. (C) 4085–4088 [4163–4166]
Poulsen, N. (C) 1843–1846 [1875–1878]
Poupon, J.-C. (C) 5011–5014 [5099–5102]
Poupot, M. (C) 2523–2526 [2575–2578]
Poupot, R.
– Multiplication of Human Natural Killer Cells by Nanosized Phosphonate-Capped Dendrimers
(C) 2523–2526 [2575–2578]
DOI: 10.1002/anie.200604651
- Powell, D. R. (C) 7010–7014 [7140–7144]
Power, N. P. (C) 8601–8604 [8755–8758]
Prabhudas, B. (C) 9295–9297 [9455–9457]
Prakash, G. K. S.
– Stereoselective Monofluoromethylation of Primary and Secondary Alcohols by Using a Fluorocarbon Nucleophile in a Mitsunobu Reaction
(C) 4933–4936 [5021–5024]
DOI: 10.1002/anie.200700834
- Praly, J.-P. (C) 2398–2402 [2450–2454]
Prasad, E.
– Solvation-Controlled Luminescence of Sm^{II} Complexes
(C) 1145–1148 [1163–1166]
DOI: 10.1002/anie.200604100
- Prasad, T. K. (C) 2851–2854 [2909–2912]
Prathap, I. (C) 6297–6300 [6413–6416]
Prato, M.
– Fullerenes: Multitask Components in Molecular Machinery
(M) 8120–8126 [8266–8272]
DOI: 10.1002/anie.200702725
- Tuning Electron Transfer through Translational Motion in Molecular Shuttles
(C) 3521–3525 [3591–3595]
DOI: 10.1002/anie.200605039
- Pratt, L. R. (C) 2669–2671 [2723–2725]
Pratt, R. C. (C) 5198–5201 [5290–5293]
Praveen, V. K. (C) 6260–6265 [6376–6381]
Precht, M. H. G. (C) 2269–2272 [2319–2322]
Preetz, A. (C) 5971–5974 [6075–6078]
Prehm, M. (C) 7856–7859 [8002–8005], 7972–7975 [8118–8121]
Preiss, U. (C) 5310–5313 [5404–5407]
Prencipe, G. (C) 2493–2496 [2545–2548]
Presnitz, M. (C) 8295–8298 [8445–8449]
Pretsch, E.
– Modern Potentiometry
(M) 5660–5668 [5758–5767]
DOI: 10.1002/anie.200605068
- Prevot, M. (C) 5605–5608 [5702–5705]
Price, S. D. (C) 9316–9319 [9476–9479]
Prins, F. (C) 6081–6084 [6193–6196]
Prinz, H. (C) 7700–7703 [7844–7847]
Prior, Y. (C) 623–627 [631–635]
Probst, M. (C) 5238–5241 [5331–5334]
Proch, S. (C) 3135–3138 [3196–3199]
Procopiu, P. A. (C) 6339–6342 [6455–6458]
Prots, Yu. (C) 6725–6728 [6846–6850]
Puchta, R. (C) 265–268 [269–272]
Puddephatt, R. J.
– A Coordination Polymer of Gold(I) with Heterotactic Architecture and a Comparison of the Structures of Isotactic, Syndiotactic, and Heterotactic Isomers
(C) 4461–4463 [4545–4547]
DOI: 10.1002/anie.200701325
- Puente, Á. (C) 8431–8435 [8583–8587]
Puganova, E. A. (C) 7678–7680 [7822–7824]
Puigmartí-Luis, J. (C) 238–241 [242–245]
Punniyamurthy, T.
– Efficient CuO-Nanoparticle-Catalyzed C–S Cross-Coupling of Thiols with Iodobenzene
(C) 5583–5586 [5679–5682]
DOI: 10.1002/anie.200701282
- Puretzky, A. A. (C) 2650–2654 [2704–2708]
Pust, S. E. (R) 1584–1617 [1604–1640]
Putt, K. S. (C) 2066–2069 [2112–2115]
Pyykkö, P.
– Towards a 32-Electron Principle: Pu@Pb_{12} and Related Systems
(C) 1427–1430 [1449–1452]
DOI: 10.1002/anie.200604198

Q

- Qi, W. (C) 1300–1303 [1322–1325]
 Qi, X. (C) 3242–3244 [3306–3308]
 Qian, L. (C) 5111–5114 [5203–5206]
 Qin, C. (C) 5554–5558 Corrigendum: 7730
 [5650–5654 Corrigendum: 7874]
 Qin, H. (C) 409–413 [413–417]
 Qin, J. (C) 7417–7419 [7561–7563]
 Qin, Y.-c. (C) 7466–7469 [7610–7613]
 Qiu, H. (C) 5624–5627 [5722–5725], 7315–
 7318 [7456–7459]
 Qiu, S.-L.
 – Mesoporous Metal–Organic Framework
 with Rare etb Topology for Hydrogen
 Storage and Dye Assembly
 (C) 6638–6642 [6758–6762]
 DOI: 10.1002/anie.200700537
 Qiu, S.-L. (C) 738–741 [752–755]
 Qu, Z.-R. (C) 6852–6856 [6976–6980]
 Quayle, P.
 – A Remarkably Simple and Efficient Benz-
 annulation Reaction
 (C) 1869–1872 [1901–1904]
 DOI: 10.1002/anie.200603416
 Que Jr., L.
 – Structural “Snapshots” along Reaction
 Pathways of Non-Heme Iron Enzymes
 (H) 8553–8556 [8705–8708]
 DOI: 10.1002/anie.200703057
 Queen, W. L. (C) 5344–5347 [5440–5443]
 Quideau, S.
 – Total Synthesis of (+)-Aquatol by Bio-
 mimetic Phenol Dearomatization: Double
 Diastereofacial Differentiation in the
 Diels–Alder Dimerization of Orthoqui-
 nols with a C_2 -Symmetric Transition State
 (C) 1533–1535 [1555–1557]
 DOI: 10.1002/anie.200604610
 Quillian, B. (C) 1836–1838 [1868–1870]
 Quinn, J. R. (C) 8164–8167 [8312–8315]

R

- Raab, A. (C) 2594–2597 [2648–2651]
 Raabe, A. (C) 8883–8886 [9040–9043]
 Raabe, G. (C) 467–469 [471–473], 2314–
 2316 [2364–2367], 4790–4793 [4874–
 4877]
 Rabe, J. P. (C) 3033–3036 [3093–3096]
 Rabu, A. (C) 6453–6456 [6573–6576]
 Rackelmann, N. (C) 1485–1488 [1507–1510]
 Radacki, K. (C) 1630–1633 [1655–1658],
 3979–3982 [4054–4057], 5212–5214
 [5304–5306], 5215–5218 [5307–5310],
 7782–7784 [7929–7931], 7785–7787
 [7932–7934], 8071–8073 [8217–8219]
 Raddatz, M.-S. L. (C) 557–560 [563–566]
 Radha, A. (C) 4527–4529 [4611–4613]
 Radhakrishnan, N. (C) 7290–7292 [7428–
 7430]
 Radi, M. (C) 1810–1813 [1842–1845]
 Radosz, M. (C) 4999–5002 [5087–5090]
 Radowski, M. R. (C) 1265–1269 [1287–
 1292]
 Rahaman, R. (C) 5184–5186 [5276–5278]
 Rahman, G. M. A. (C) 3521–3525 [3591–
 3595]
 Rahman, S. M. A. (C) 4306–4309 [4384–
 4387]
 Rai, P. R. (C) 2207–2209 [2257–2259]
 Raimundo, J.-M. (H) 1010–1017 [1028–
 1035]
 Raithby, P. R.
 – $[Rh_7(P/Pr)_3H_{18}][BAR^F_4]_2$: A Molecular
 Rh(111) Surface Decorated with 18 Hydro-
 gen Atoms
 (C) 7844–7848 [7990–7994]
 DOI: 10.1002/anie.200703069
 Raja, R.
 – Bimetallic Ru–Sn Nanoparticle Catalysts
 for the Solvent-Free Selective Hydrogena-
 tion of 1,5,9-Cyclododecatriene to Cyclo-
 dodecene
 (C) 8182–8185 [8330–8333]
 DOI: 10.1002/anie.200702274
 Rajaraman, G. (C) 8067–8070 [8213–8216]
 Rajasekharan, M. V.
 – A Cubic 3d–4f Structure with Only Ferro-
 magnetic Gd–Mn Interactions
 (C) 2851–2854 [2909–2912]
 DOI: 10.1002/anie.200605062
 Rak, J. (C) 3479–3481 [3549–3551]
 Ralifo, P. (C) 9211–9214 [9371–9374]
 Ramasastry, S. S. V. (C) 5572–5575 [5668–
 5671]
 Ramdhanie, B. (C) 3718–3721 [3792–3795]
 Ramirez, A. (R) 3002–3017 [3060–3077]
 Ramlau, R. (C) 6725–6728 [6846–6850]
 Ramón, D. J.
 – Alcohols as Electrophiles in C–C Bond-
 Forming Reactions: The Hydrogen Auto-
 transfer Process
 (M) 2358–2364 [2410–2416]
 DOI: 10.1002/anie.200603794
 Ramseyer, C. (C) 9287–9290 [9447–9450]
 Ramstedt, M. (C) 6634–6637 [6754–6757]
 Ramström, O.
 – Dynamic Combinatorial Resolution:
 Direct Asymmetric Lipase-Mediated
 Screening of a Dynamic Nitroaldol Library
 (C) 948–950 [966–968]
 DOI: 10.1002/anie.200603740
 Ran, C. (C) 8998–9001 [9156–9159]
 Randall, C. L. (C) 4991–4994 [5079–5082]
 Rane, N. (C) 7273–7276 [7411–7414]
 Rang, A. (C) 363–368 [367–372]
 Ranganathan, K. (C) 7383–7387 [7527–
 7531]
 Ranjeva, R. (C) 4783–4785 [4867–4869]
 Rankin, M. A. (C) 4732–4735 [4816–4819]
 Rannard, S. P.
 – Direct Synthesis of Anisotropic Polymer
 Nanoparticles
 (C) 9243–9247 [9403–9407]
 DOI: 10.1002/anie.200703348
 Rao, J.
 – A Bioluminogenic Substrate for In Vivo
 Imaging of β -Lactamase Activity
 (C) 7031–7034 [7161–7164]
 DOI: 10.1002/anie.200701931
 – Quantum Dot/Bioluminescence Reso-
 nance Energy Transfer Based Highly Sen-
 sitive Detection of Proteases
 (C) 4346–4349 [4424–4427]
 DOI: 10.1002/anie.200700280
 Rao, Yu (C) 6148–6151 [6260–6263]
 Rao, Yuxiang (C) 2635–2638 [2689–2692]

- Rasched, G. (C) 4382–4384 [4460–4462]
 Rasika Dias, H. V.
 – A Classical Silver Carbonyl Complex
 $[MeB[3-(Mes)pz]_3Ag(CO)]$ and the
 Related Silver Ethylene Adduct
 $[MeB[3-(Mes)pz]_3Ag(C_2H_4)]$
 (C) 2188–2191 [2238–2241]
 DOI: 10.1002/anie.200604084
 – Arene-Sandwiched Silver(I) Pyrazolates
 (C) 2192–2194 [2242–2244]
 DOI: 10.1002/anie.200604585
 Ratcliffe, C. I. (C) 8220–8222 [8368–8370]
 Raubenheimer, H. G.
 – Structural Studies of Gold(I, II, and III)
 Compounds with Pentafluorophenyl and
 Tetrahydrothiophene Ligands
 (C) 2497–2500 [2549–2552]
 DOI: 10.1002/anie.200604592
 Rauchfuss, T. B.
 – Models for the Hydrogenases Put the
 Focus Where It Should Be—Hydrogen
 (H) 8942–8944 [9100–9102]
 DOI: 10.1002/anie.200703413
 – Unsaturated, Mixed-Valence Diiron
 Dithiolate Model for the H_{ox} State of the
 $[FeFe]$ Hydrogenase
 (C) 6152–6154 [6264–6266]
 DOI: 10.1002/anie.200702224
 Rauh, D.
 – Linking Chemistry and Biology for the
 Study of Protein Function
 (H) 826–829 [840–844]
 DOI: 10.1002/anie.200602979
 Raval, R.
 – Direct Visualization of Enantiospecific
 Substitution of Chiral Guest Molecules
 into Heterochiral Molecular Assemblies
 at Surfaces
 (C) 7613–7616 [7757–7760]
 DOI: 10.1002/anie.200701675
 Ravoo, B. J. (C) 2215–2219 [2265–2269]
 Rawal, V. H.
 – Total Synthesis of Pederin
 (C) 6502–6504 [6622–6624]
 DOI: 10.1002/anie.200701677
 Rawson, J. M.
 – Formation and Structure of the $[(1,2-
 C_6H_4P_2Sb)_2]^{4-}$ Ion: Implications for an
 Extended Family of Isoelectronic Main-
 Group Radicals
 (C) 7827–7830 [7973–7976]
 DOI: 10.1002/anie.200702603
 Ray, B. (C) 1304–1306 [1326–1328]
 Raymer, B. (C) 4693–4697 [4777–4781],
 4698–4703 [4782–4787]
 Raymond, K. N.
 – Catalytic Deprotection of Acetals in Basic
 Solution with a Self-Assembled Supramo-
 lecular “Nanozyme”
 (C) 8587–8589 [8741–8743]
 DOI: 10.1002/anie.200703371
 – Second-Order Jahn–Teller Effect in a
 Host–Guest Complex
 (C) 4976–4978 [5064–5066]
 DOI: 10.1002/anie.200701002
 Rayner, D. M. (C) 5317–5320 [5411–5414]
 Razavi, A. (C) 7240–7243 [7378–7381]
 Ready, J. M.
 – Copper-Promoted Cycloaddition of Diazo-
 carbonyl Compounds and Acetylides
 (C) 3242–3244 [3306–3308]
 DOI: 10.1002/anie.200700069
 Réau, R.
 – Coordination Polymers with π -Stacked
 Metalloparacyclophane Motifs: F-Shaped

- Mixed-Coordination Dinuclear Connectors
(C) 8242–8245 [8390–8393]
DOI: 10.1002/anie.200702756
- Rebek Jr., J.
– Assembly of Hybrid Synthetic Capsules
(C) 242–244 [246–248]
DOI: 10.1002/anie.200603421
- Longer Guests Drive the Reversible Assembly of Hyperextended Capsules
(C) 9283–9286 [9443–9446]
DOI: 10.1002/anie.200702245
- Rebizant, J. (C) 919–922 [937–940]
- Reboredo, S. (C) 5168–5170 [5260–5262]
- Recanatini, M. (C) 3689–3692 [3763–3766]
- Reches, M. (C) 2002–2004 [2048–2050]
- Reddy, J. P. (C) 915–918 [933–936]
- Reddy, K. R. (C) 2470–2477 [2522–2529], 2478–2484 [2530–2536]
- Reddy, P. Y. (C) 373–376 [377–380]
- Redlich, S. (C) 4574–4576 [4658–4660]
- Redshaw, C.
– Synthesis of Tetra-, Hexa-, and Octanuclear Organozinc Ring Systems
(C) 7453–7457 [7597–7601]
DOI: 10.1002/anie.200702562
- Reek, J. N. H.
– Templated Encapsulation of Pyridyl-Bian Palladium Complexes: Tunable Catalysts for CO/4-*tert*-Butylstyrene Copolymerization
(C) 8590–8592 [8744–8746]
DOI: 10.1002/anie.200703294
- Reese, M. (C) 1864–1868 [1896–1900]
- Reetz, M. T.
– A Light-Driven Stereoselective Biocatalytic Oxidation
(C) 2903–2906 [2961–2964]
DOI: 10.1002/anie.200605169
- Alternate-Site Enzyme Promiscuity
(C) 8597–8600 [8751–8754]
DOI: 10.1002/anie.200702751
- Mixtures of Chiral Phosphorous Acid Diesters and Achiral P Ligands in the Enantio- and Diastereoselective Hydrogenation of Ketimines
(C) 4523–4526 Corrigendum: 8107 [4607–4610 Corrigendum: 8253]
DOI: 10.1002/anie.200700533
- Refson, K. (C) 291–294 [295–298]
- Regenspurger, R. (C) 2426–2430 [2478–2482]
- Rehage, H. (C) 1265–1269 [1287–1292]
- Rehahn, M.
– Polyferrocenylsilane-Based Polymer Systems
(R) 5082–5104 [5174–5197]
DOI: 10.1002/anie.200604420
- Rehm, T. (C) 1693–1697 [1723–1727]
- Reichard, H. A. (C) 1440–1443 [1462–1465]
- Reiher, M.
– THF Solvates of Extremely Soluble Bis(2,4,6-trimethylphenyl)calcium and Tris(2,6-dimethoxyphenyl)dicalcium Iodide
(C) 1618–1623 [1642–1647]
DOI: 10.1002/anie.200604436
- Rein, C. (C) 8670–8673 [8824–8827]
- Reinhoudt, D. N. (C) 2215–2219 [2265–2269], (R) 2366–2393 [2418–2445], (C) 4104–4107 [4182–4185]
- Reiser, O.
– Enantioselective Synthesis of Argabin
(C) 6361–6363 [6478–6481]
DOI: 10.1002/anie.200701584
- The Constrained Amino Acid β -Acc Con-
fers Potency and Selectivity to Integrin
Ligands
(C) 3976–3978 [4050–4053]
DOI: 10.1002/anie.200605248
- Reisinger, A. (C) 8295–8298 [8445–8449]
- Reisinger, C. (C) 1624–1626 [1648–1651]
- Reißig, H.-U.
– Oxidative Cleavage of 3-Alkoxy-2,5-dihydrofurans and its Application to the De Novo Synthesis of Rare Monosaccharides as Exemplified by L-Cymarose
(C) 1634–1637 [1659–1662]
DOI: 10.1002/anie.200604078
- Reller, A. (C) 1164–1167 [1183–1186]
- Ren, L. (C) 8020–8023 [8166–8169]
- Renders, M. (C) 2501–2504 [2553–2556]
- Rendler, S. (M) 498–504 [504–510]
- Renner, S. (C) 5336–5339 [5432–5435]
- Rentschler, E. (C) 1164–1167 [1183–1186], 4662–4666 [4746–4750]
- Renz, F.
– Hard-X-ray-Induced Excited-Spin-State Trapping
(C) 5306–5309 [5400–5403]
DOI: 10.1002/anie.200604432
- Renz, M.
– A General Method for the Preparation of Ethers Using Water-Resistant Solid Lewis Acids
(C) 298–300 [302–304]
DOI: 10.1002/anie.200604018
- Resa, I. (C) 1296–1299 [1318–1321]
- Respaud, M. (C) 7079–7081 [7209–7211]
- Revés, M. (C) 5020–5023 [5108–5111]
- Reyes, E. (C) 9202–9205 [9362–9365]
- Reymond, S. (C) 6521–6524 [6641–6644]
- Reynolds, D. J. (C) 537–540 [543–546], 541–544 [547–550], 545–548 [551–554]
- Reynolds, J. R.
– Regiosymmetric Poly(dialkylphenylene-dioxythiophene)s: Electron-Rich, Stackable π -Conjugated Nanoribbons
(C) 714–717 [728–731]
DOI: 10.1002/anie.200602894
- Reynolds, T. E. (C) 7806–7809 [7952–7955]
- Ricard, L. (C) 5947–5950 [6051–6054]
- Richardson, R. D. (C) 6529–6532 [6649–6652]
- Richter, B. (C) 5515–5519 [5611–5615]
- Richter, I. (C) 8605–8608 [8759–8762]
- Ricketts, C. L. (C) 9316–9319 [9476–9479]
- Riddle, J. A. (C) 7019–7022 [7149–7152]
- Riedel, M. (C) 8220–8222 [8368–8370]
- Riedel, R.
– High-Pressure Synthesis of Crystalline Carbon Nitride Imide, $C_3N_2(NH)$
(C) 1476–1480 [1498–1502]
DOI: 10.1002/anie.200603851
- Riedel, R. (R) 3826–3848 [3900–3923]
- Riedel, S. (C) 7001–7005 [7131–7135], 8371–8375 [8523–8527]
- Riedle, E. (C) 6176–6179 [6288–6292]
- Riedrich, M. (C) 2701–2703 [2755–2758]
- Rieger, B.
– Novel Olefin Block Copolymers through Chain-Shuttling Polymerization
(H) 333–335 [337–339]
DOI: 10.1002/anie.200602889
- Rienstra, C. M.
– Solid-State Protein-Structure Determination with Proton-Detected Triple-Resonance 3D Magic-Angle-Spinning NMR Spectroscopy
(C) 8380–8383 [8532–8535]
DOI: 10.1002/anie.200702905
- Riera, A.
– N-Phosphino Sulfonamide Ligands: An Efficient Manner To Combine Sulfur Chirality and Phosphorus Coordination Behavior
(C) 5020–5023 [5108–5111]
DOI: 10.1002/anie.200701040
- Photochemical Rearrangements of Norbornadiene Pauson–Khand Cycloadducts
(C) 5943–5946 [6047–6050]
DOI: 10.1002/anie.200701658
- Rieter, W. J. (C) 3680–3682 [3754–3756]
- Rigo, P. (C) 7651–7654 [7795–7798]
- Rim, K. T. (C) 7891–7895 [8037–8041]
- Rinck, J. (C) 6549–6552 [6669–6672]
- Rios, R. (C) 778–781 [792–795], 4507–4510 [4591–4594]
- Ripmeester, J. A.
– Approaches to the Design of Better Low-Dosage Gas Hydrate Inhibitors
(C) 5402–5404 [5498–5500]
DOI: 10.1002/anie.200605027
- Single Crystals of Naturally Occurring Gas Hydrates: The Structures of Methane and Mixed Hydrocarbon Hydrates
(C) 8220–8222 [8368–8370]
DOI: 10.1002/anie.200701821
- Ripmeester, J. A. (C) 6102–6105 Corrigendum: 8933 [6214–6217 Corrigendum: 9091]
- Rispoli, G. (C) 2047–2050 [2093–2096]
- Risse, T. (C) 8703–8706 [8858–8861]
- Ritch, J. S. (H) 4610–4613 [4694–4697]
- Ritchie, C. (C) 7579–7582 [7723–7726]
- Ritschel, T. (C) 8266–8269 [8414–8417]
- Ritter, H.
– Cyclodextrin Complexes of Polymers Bearing Adamantyl Groups: Host–Guest Interactions and the Effect of Spacers on Water Solubility
(C) 2708–2711 [2764–2767]
DOI: 10.1002/anie.200603753
- Ritterskamp, P. (C) 7770–7774 [7917–7921]
- Rivas, J. (C) 7026–7030 [7156–7160], 8823–8827 [8979–8983]
- Rivillo, D. (C) 7247–7250 [7385–7388]
- Rizzacasa, M. A.
– Total Synthesis of (–)-Episilvestrol and (–)-Silvestrol
(C) 7835–7838 [7981–7984]
DOI: 10.1002/anie.200702700
- Rizzarelli, E.
– Ubiquitin Stability and the Lys63-Linked Polyubiquitination Site Are Compromised on Copper Binding
(C) 7993–7995 [8139–8141]
DOI: 10.1002/anie.200701987
- Roach, P. L.
– Thiamine Biosynthesis in *Escherichia coli*: Identification of the Intermediate and By-Product Derived from Tyrosine
(C) 9223–9226 [9383–9386]
DOI: 10.1002/anie.200702554
- Robb, M. A. (C) 530–536 [536–542]
- Robelek, R. (C) 605–608 [611–614]
- Roberts, S. (C) 4115–4119 [4193–4197]
- Roberts, S. L. (C) 5762–5764 [5864–5866]
- Roberts, S. M. (C) 4141–4144 [4219–4222]
- Robinson, C. V.
– Ion Mobility–Mass Spectrometry Reveals Long-Lived, Unfolded Intermediates in the Dissociation of Protein Complexes

- (C) 8001–8004 [8147–8150]
DOI: 10.1002/anie.200702161
- Robinson, G. H.
– A Trimetallic Fulvalene-Bridged Dizirconocene–Gallium Complex
(C) 1836–1838 [1868–1870]
DOI: 10.1002/anie.200603469
- Robinson, J. A.
– Design of β -Hairpin Peptidomimetics That Inhibit Binding of α -Helical HIV-1 Rev Protein to the Rev Response Element RNA
(C) 9101–9104 [9260–9264]
DOI: 10.1002/anie.200702801
- Synthetic Virus-Like Particles from Self-Assembling Coiled-Coil Lipopeptides and Their Use in Antigen Display to the Immune System
(C) 9015–9018 [9173–9176]
DOI: 10.1002/anie.200702805
- Robinson, J. E. (C) 7417–7419 [7561–7563]
- Robinson, L. A. (C) 915–918 [933–936]
- Robinson, P. M. (C) 8001–8004 [8147–8150]
- Robles, R. Corrigendum: 1941
- Robles-Machín, R. (C) 9261–9264 [9421–9424]
- Robson, R.
– An Extensive Class of Solids Full of Holes Large Enough To Enclose over 200 Molecules of H_2O
(C) 8640–8643 [8794–8797]
DOI: 10.1002/anie.200702656
- Roche, S. P. (C) 4715–4718 [4799–4802]
- Rodgers, E. (C) 2005–2009 [2051–2055]
- Rodrigues, A.-S. (C) 7240–7243 [7378–7381]
- Rodrigues, J. A. (C) 5389–5392 [5485–5488]
- Rodriguez, A. (C) 5741–5745 [5843–5847]
- Rodríguez, A. (C) 1296–1299 [1318–1321]
- Rodríguez, F. (C) 2607–2609 [2661–2663]
- Rodríguez, J. A.
– Water Gas Shift Reaction on Cu and Au Nanoparticles Supported on $CeO_2(111)$ and $ZnO(0001)$: Intrinsic Activity and Importance of Support Interactions
(C) 1329–1332 [1351–1354]
DOI: 10.1002/anie.200603931
- Rodríguez, J. M. (C) 8614–8617 [8768–8771]
- Rodríguez, M. C. (C) 1508–1511 [1530–1533]
- Rodríguez, M. J. (C) 8823–8827 [8979–8983]
- Rodríguez, N. (H) 7544–7546 [7688–7690]
- Rodríguez, R. (C) 5405–5407 [5501–5503]
- Rodríguez-Abreu, C. F. (C) 8823–8827 [8979–8983]
- Rodríguez-González, B. (C) 7026–7030 [7156–7160], 8983–8987 [9141–9145]
- Roefiaers, M. B. J. (C) 1706–1709 [1736–1739]
- Roelfes, G.
– DNA-Based Catalytic Enantioselective Michael Reactions in Water
(C) 9308–9311 [9468–9471]
DOI: 10.1002/anie.200703459
- Roesky, H. W.
– A Well-Defined Hydrocarbon-Soluble Calcium Monofluoride, $[CaF(thf)]_2$: The Application of Soluble Calcium Derivatives for Surface Coating
(C) 2512–2514 [2564–2566]
DOI: 10.1002/anie.200604447
- Roebner, F. (C) 9097–9100 [9256–9259]
- Rogers, R. L. (C) 9301–9304 [9461–9464]
- Rogez, G. (C) 6438–6441 [6558–6561]
- Röglin, L. (C) 2704–2707 [2759–2763], 5223–5225 [5315–5318]
- Rohbogner, C. J. (C) 7681–7684 [7825–7828]
- Rohmer, M.-M.
– Structural, Magnetic, and Theoretical Characterization of a Heterometallic Polypyridylamide Complex
(C) 3533–3536 [3603–3606]
DOI: 10.1002/anie.200604313
- Roisnel, T. (C) 5120–5124 [5212–5216], 7240–7243 [7378–7381]
- Roithová, J. (C) 9316–9319 [9476–9479]
- Rojahn, M. (C) 4388–4392 [4467–4471]
- Roland, M. (C) 7477–7480 [7621–7624]
- Rolland, O. (C) 2523–2526 [2575–2578]
- Rollet, S. (C) 966–968 [984–986]
- Römer, I. (C) 6192–6195 [6305–6308]
- Romero, J. A. C. (C) 4367–4369 [4445–4447]
- Romero, P. (C) 1873–1877 [1905–1909]
- Rominger, F. (C) 5598–5601 [5694–5697]
- Rommel, C. E. (C) 5332–5335 [5427–5431]
- Ronan, B. (C) 1881–1884 [1913–1916]
- Ronson, T. K. (C) 9086–9088 [9244–9246]
- Roodt, A.
– Borate Esters as Alternative Acid Promoters in the Palladium-Catalyzed Methoxycarbonylation of Ethylene
(C) 2273–2275 [2323–2325]
DOI: 10.1002/anie.200603751
- Roos, B. O.
– Reaching the Maximum Multiplicity of the Covalent Chemical Bond
(C) 1469–1472 [1491–1494]
DOI: 10.1002/anie.200603600
- Roques, N. (C) 2215–2219 [2265–2269]
- Ros, M. B. (C) 1873–1877 [1905–1909]
- Rosair, G. M. (C) 6706–6709 [6826–6829]
- Rosales, A. Corrigendum: 1941
- Rosche, B.
– Stereospecific Alkyne Reduction: Novel Activity of Old Yellow Enzymes
(C) 3316–3318 [3380–3382]
DOI: 10.1002/anie.200605179
- Roscioli, J. R. (C) 8691–8694 [8846–8849]
- Rosei, F.
– Metal Nanoparticles: From “Artificial Atoms” to “Artificial Molecules”
(H) 6006–6008 [6112–6114]
DOI: 10.1002/anie.200701554
- Rosenthal, U.
– Tandem Si–C and C–H Activation for Decamethylhafnocene and Bis(trimethylsilyl)acetylene
(C) 6907–6910 [7031–7035]
DOI: 10.1002/anie.200701565
- Rosseinsky, M. J.
– A Pure Bismuth A Site Polar Perovskite Synthesized at Ambient Pressure
(C) 8785–8789 [8941–8945]
DOI: 10.1002/anie.200703146
- Unit-Cell-Level Assembly of Metastable Transition-Metal Oxides by Pulsed-Laser Deposition
(C) 4539–4542 [4623–4626]
DOI: 10.1002/anie.200700119
- Rosseinsky, M. J. (C) 8574–8578 [8728–8732]
- Rosset, S. (C) 7462–7465 [7606–7609]
- Rossi, M. (M) 4434–4440 [4516–4522]
- Rost, A. M. J. (C) 7301–7303 [7440–7442]
- Rotaru, A. (C) 6180–6183 [6293–6296]
- Rouillard, J.-M. (C) 4667–4670 [4751–4754]
- Rousseau, B.
– Charles Mioskowski
(O) 6220 [6334]
DOI: 10.1002/anie.200703070
- Rout, L. (C) 5583–5586 [5679–5682]
- Rovira, C.
– Self-Assembled Monolayers of a Multifunctional Organic Radical
(C) 2215–2219 [2265–2269]
DOI: 10.1002/anie.200603599
- Rovira, C. (C) 238–241 [242–245]
- Rovis, T.
– A Concise Synthesis of Eupomatilones 4, 6, and 7 by Rhodium-Catalyzed Enantioselective Desymmetrization of Cyclic *meso* Anhydrides with Organozinc Reagents Generated In Situ
(C) 4514–4518 [4598–4602]
DOI: 10.1002/anie.200700816
- Alkene-Directed Regioselective Nickel-Catalyzed Cross-Coupling of Cyclic Anhydrides with Diorganozinc Reagents
(C) 9301–9304 [9461–9464]
DOI: 10.1002/anie.200703124
- Rowan, A. E.
– Positional Assembly of Enzymes in Polymersome Nanoreactors for Cascade Reactions
(C) 7378–7382 [7522–7526]
DOI: 10.1002/anie.200701125
- Rozenki, J. (C) 2501–2504 [2553–2556]
- Ruben, M. (C) 710–713 [724–727]
- Rubinstein, I. (C) 3710–3713 [3784–3787]
- Rübsamen-Waigmann, H. (C) 2039–2042 [2085–2088]
- Rudolf, P.
– Controlled Rotary Motion in a Monolayer of Molecular Motors
(C) 1278–1280 [1300–1302]
DOI: 10.1002/anie.200603618
- Rudolph, A. (C) 1485–1488 [1507–1510]
- Rueping, M.
– Chiral Brønsted Acids in the Catalytic Asymmetric Nazarov Cyclization—The First Enantioselective Organocatalytic Electrocyclic Reaction
(C) 2097–2100 [2143–2146]
DOI: 10.1002/anie.200604809
- Dual Catalysis: A Combined Enantioselective Brønsted Acid and Metal-Catalyzed Reaction—Metal Catalysis with Chiral Counterions
(C) 6903–6906 [7027–7030]
DOI: 10.1002/anie.200702439
- Organocatalytic Enantioselective Reduction of Pyridines
(C) 4562–4565 [4646–4649]
DOI: 10.1002/anie.200701158
- Rüffer, T. (C) 1168–1171 [1187–1190]
- Rufińska, A. (C) 3745–3749 [3819–3823]
- Rühl, S. (C) 6545–6548 [6665–6668]
- Ruiz Aranzaes, J. (C) 872–877 [890–895], 8644–8648 [8798–8802]
- Ruiz Encinar, J. (C) 569–571 [575–577]
- Ruiz-Hitzky, E.
– Functionalized Carbon–Silicates from Caramel–Sepiolite Nanocomposites
(C) 923–925 [941–943]
DOI: 10.1002/anie.200603802
- Ruiz-Pérez, L. (C) 6460–6463 [6580–6583]
- Runsink, J. (C) 467–469 [471–473]
- Ruotolo, B. T. (C) 8001–8004 [8147–8150]
- Russell, D. A.
– “Intelligent” Fingerprinting: Simultaneous Identification of Drug Metabolites and



- Individuals by Using Antibody-Functionalized Nanoparticles
(C) 4100–4103 [4178–4181]
DOI: 10.1002/anie.200700217
- Russo, L. (C) 4662–4666 [4746–4750]
- Rust, H.-P. (C) 8703–8706 [8858–8861]
- Ruthe, F. (C) 8682–8685 [8836–8839]
- Rutten, F. J. M. (C) 4163–4165 [4241–4243]
- Ryadnov, M. G.
- A Self-Assembling Peptide Polyanoreactor
(C) 969–972 [987–990]
DOI: 10.1002/anie.200604014
- Ryu, I.
- Ruthenium Hydride Catalyzed Regioselective Addition of Aldehydes to Enones To Give 1,3-Diketones
(C) 5559–5561 [5655–5657]
DOI: 10.1002/anie.200701005
- Saalfrank, P. (C) 1671–1674 [1701–1704]
- Saalfrank, R. W.
- Threading Cesium Ions: Metal, Host, and Ligand Control in Supramolecular Coordination Chemistry
(C) 265–268 [269–272]
DOI: 10.1002/anie.200603203
- Sabo-Etienne, S.
- Ruthenium Complexes Carrying Hydride, Dihydrogen, and Phosphine Ligands: Reversible Hydrogen Release
(C) 2613–2615 [2667–2669]
DOI: 10.1002/anie.200605038
 - The σ -CAM Mechanism: σ Complexes as the Basis of σ -Bond Metathesis at Late-Transition-Metal Centers
(R) 2578–2592 [2630–2645]
DOI: 10.1002/anie.200603224
- Sachdev, H. (C) 5115–5119 [5207–5211]
- Sadakane, M.
- Crystalline Mo_3VO_x Mixed-Metal-Oxide Catalyst with Trigonal Symmetry
(C) 1493–1496 [1515–1518]
DOI: 10.1002/anie.200603923
- Sadilek, M. (C) 4917–4921 [5005–5009]
- Sadowski, J. P. (C) 7956–7959 [8102–8105]
- Saffon, N. (C) 8583–8586 [8737–8740]
- Saffon-Merceron, N. (C) 9078–9080 [9236–9238]
- Sagan, S. M. (C) 2005–2009 [2051–2055]
- Sagdeev, R. Z. (C) 4064–4068 [4142–4146]
- Saha, S. (C) 4675–4679 [4759–4763]
- Sahoo, H. R. (C) 5704–5708 [5806–5810]
- Saito, A.
- Synthesis of 2,3-Disubstituted Indoles by a Rhodium-Catalyzed Aromatic Amino-Claisen Rearrangement of *N*-Propargyl Anilines
(C) 3931–3933 [4005–4007]
DOI: 10.1002/anie.200605162
- Saito, B. (C) 4729–4731 [4813–4815]
- Saito, M.
- Reduction of Phenyl Silyl Acetylenes with Lithium: Unexpected Formation of a Dilithium Dibenzopentalenide
(C) 1504–1507 [1526–1529]
DOI: 10.1002/anie.200604067
- Saito, S. (C) 5591–5593 [5687–5689]
- Saitoh, Y. (C) 8636–8639 [8790–8793]
- Sakakura, A. (C) 1423–1426 [1445–1448]
- Sakamoto, S. (C) 6476–6480 [6596–6600]
- Sakamuri, S. Corrigendum: 2347
- Sakane, H. (C) 8376–8379 [8528–8531]
- Sakata, M. (C) 7617–7620 [7761–7764]
- Saker, O. (C) 6343–6345 [6459–6461]
- Sakr, E. (C) 3505–3508 [3575–3578]
- Sakurai, S. (C) 8392–8395 [8544–8547]
- Sakurai, S.-i.
- Two-Dimensional Helix-Bundle Formation of a Dynamic Helical Poly(phenylacetylene) with Achiral Pendant Groups on Graphite
(C) 7605–7608 [7749–7752]
DOI: 10.1002/anie.200701546
- Salabas, E. L. (R) 1222–1244 [1242–1266]
- Salameh, A. (C) 3870–3873 [3944–3947]
- Salazar, O. (C) 4684–4688 [4768–4772]
- Salgueiriño-Maceira, V. (C) 7026–7030 [7156–7160]
- Salmeron, M.
- Manipulation and Patterning of the Surface Hydrogen Concentration on Pd(111) by Electric Fields
(C) 5757–5761 [5859–5863]
DOI: 10.1002/anie.200604498
- Salmon, L. (C) 8644–8648 [8798–8802]
- Salom-Roig, X. J. (C) 7086–7089 [7216–7219]
- Salter, M. M. (C) 955–957 [973–975]
- Samain, F. (C) 4464–4467 [4548–4551]
- Sambri, L. (C) 4504–4506 [4588–4590]
- Sammakia, T.
- The Total Synthesis of the Oxopolyene Macrolide RK-397
(C) 1066–1070 [1084–1088]
DOI: 10.1002/anie.200602601
- Samoc, M. (C) 731–733 [745–747]
- Samori, P.
- Molecular Self-Assembly across Multiple Length Scales
(H) 4428–4432 [4510–4514]
DOI: 10.1002/anie.200700416
 - Molecular Tectonics on Surfaces: Bottom-Up Fabrication of 1D Coordination Networks That Form 1D and 2D Arrays on Graphite
(C) 245–249 [249–253]
DOI: 10.1002/anie.200603558
- Sanccón, F.
- A Simple Approach for the Selective and Sensitive Colorimetric Detection of Anionic Surfactants in Water
(C) 1675–1678 [1705–1708]
DOI: 10.1002/anie.200603800
- Sánchez, F. (C) 1536–1538 [1558–1560], 7820–7822 [7966–7968]
- Sánchez, L. (C) 1847–1851 [1879–1883], 7874–7877 [8020–8023]
- Sanchez-Cano, C. (C) 4374–4378 [4452–4456]
- Sanchez-Gaytan, B. L. (C) 9235–9238 [9395–9398]
- Sánchez-Pedregal, V. M. (C) 1864–1868 [1896–1900]
- Sancho Oltra, N. (C) 7378–7382 [7522–7526]
- Sander, W.
- Trifluoro-1,3,5-tridehydrobenzene
(C) 4888–4893 [4974–4979]
DOI: 10.1002/anie.200700536
- Sanders, J. K. M.
- Filling Helical Nanotubes with C_{60}
(C) 2238–2240 [2288–2290]
DOI: 10.1002/anie.200604891
 - Hydrogen-Bonded Helical Organic Nanotubes
(C) 194–197 Corrigendum: 2138 [198–201 Corrigendum: 2185]
DOI: 10.1002/anie.200603348
- Sanders, J. K. M. (C) 5405–5407 [5501–5503], 5762–5764 [5864–5866], 8858–8861 [9014–9017]
- Sandhage, K. H.
- Thin, Conformal, and Continuous SnO_2 Coatings on Three-Dimensional Biosilica Templates through Hydroxy-Group Amplification and Layer-By-Layer Alkoxide Deposition
(C) 5724–5727 [5826–5829]
DOI: 10.1002/anie.200701297
- Sandí, G. (C) 6305–6308 [6421–6424]
- Sandmann, A. (C) 2712–2716 [2768–2772]
- Sandmann, R. (C) 7122–7124 [7252–7254]
- Sandoz, D. (C) 8380–8383 [8532–8535]
- Sanford, M. S.
- Construction of Tetrahydrofurans by Pd^{II} / Pd^{IV} -Catalyzed Aminooxygenation of Alkenes
(C) 5737–5740 [5839–5842]
DOI: 10.1002/anie.200701454
- Sani, M. (C) 3526–3529 [3596–3599]
- Sannohe, Y. (C) 7277–7280 [7415–7418]
- Santambrogio, G. (C) 3372–3375 [3437–3440], 8691–8694 [8846–8849]
- Santoro, F.
- Ab Initio Calculations of Absorption Spectra of Large Molecules in Solution: Coumarin C153
(C) 405–408 [409–412]
DOI: 10.1002/anie.200602907
- Santos, Elizabeth (C) 8262–8265 [8410–8413]
- Santos, Eva (C) 202–205 [206–209]
- Sañudo, E. C. (C) 5568–5571 [5664–5667]
- Sanz-Medel, A.
- Absolute and Accurate Quantification of Protein Phosphorylation by Using an Elemental Phosphorus Standard and Element Mass Spectrometry
(C) 569–571 [575–577]
DOI: 10.1002/anie.200602517
- Saraph, A. (C) 2207–2209 [2257–2259]
- Sarlah, D. (C) 4708–4711 [4792–4795]
- Sarr, M. (C) 6469–6472 [6589–6592]
- Sartini, S. (C) 3575–3578 [3645–3649]
- Sartorel, A.
- Asymmetric Tetraprotonation of γ - $[(\text{SiO}_4)\text{W}_{10}\text{O}_{32}]^{8-}$ Triggers a Catalytic Epoxidation Reaction: Perspectives in the Assignment of the Active Catalyst
(C) 3255–3258 [3319–3322]
DOI: 10.1002/anie.200605120
- Saruyama, M. (C) 1713–1715 [1743–1745]
- Sasaki, Makoto
- Studies toward the Total Synthesis of Gambieric Acids A and C: Convergent Assembly of the Nonacyclic Polyether Skeleton
(C) 2518–2522 [2570–2574]
DOI: 10.1002/anie.200604625
- Sasaki, Masako (C) 8010–8012 [8156–8158]
- Sasaki, Shigeki
- Specific Fluorescent Probe for 8-Oxoguanosine

- (C) 4500–4503 [4584–4587]
DOI: 10.1002/anie.200700671
- Sasaki, Shinya (C) 8392–8395 [8544–8547]
- Sassa, T. (C) 4983–4986 [5071–5074]
- Sato, F. (C) 3074–3079 [3134–3139]
- Sato, Kazushi (C) 2518–2522 [2570–2574]
- Sato, Kimitaka (C) 8392–8395 [8544–8547]
- Sato, Masahiro
- A Highly Selective, High-Speed, and Hydrolysis-Free O-Acylation in Subcritical Water in the Absence of a Catalyst (C) 6284–6288 [6400–6404]
DOI: 10.1002/anie.200700180
- Sato, Masahiro (C) 5129–5132 [5221–5224]
- Sato, Moriyuki Corrigendum: 5263
- Sato, O.
- Control of Magnetic Properties through External Stimuli (R) 2152–2187 Corrigendum: 5049 [2200–2236 Corrigendum: 5137]
DOI: 10.1002/anie.200602205
- Sato, S. (C) 1083–1085 [1101–1103], 5133–5136 [5225–5228]
- Satoh, N. (C) 5734–5736 [5836–5838]
- Saudan, C. M. (C) 7473–7476 [7617–7620]
- Saudan, L. A.
- Dihydrogen Reduction of Carboxylic Esters to Alcohols under the Catalysis of Homogeneous Ruthenium Complexes: High Efficiency and Unprecedented Chemoselectivity (C) 7473–7476 [7617–7620]
DOI: 10.1002/anie.200701015
- Sauer, J.
- Aluminum Siting in Silicon-Rich Zeolite Frameworks: A Combined High-Resolution ^{27}Al NMR Spectroscopy and Quantum Mechanics/Molecular Mechanics Study of ZSM-5 (C) 7286–7289 [7424–7427]
DOI: 10.1002/anie.200702628
- Sauer, J. (C) 3372–3375 [3437–3440]
- Sauer, S. (R) 4832–4887 [4916–4973]
- Sauers, R. R. (C) 7108–7111 [7238–7241]
- Saunders, G. C. (C) 1710–1712 [1740–1742]
- Sauter, K. B. M. (C) 3115–3117 [3175–3178]
- Sautet, P.
- CH_3ReO_3 on $\gamma\text{-Al}_2\text{O}_3$: Understanding Its Structure, Initiation, and Reactivity in Olefin Metathesis (C) 3870–3873 [3944–3947]
DOI: 10.1002/anie.200700211
- Sauvage, J.-P.
- A Liquid-Crystalline [2]Catenane and Its Copper(I) Complex (C) 4680–4683 [4764–4767]
DOI: 10.1002/anie.200700308
 - Fast Electrochemically Induced Translation of the Ring in a Copper-Complexed [2]Rotaxane: The Biisoquinoline Effect (C) 3537–3540 [3607–3610]
DOI: 10.1002/anie.200604815
- Savitski, M. M. (C) 1481–1484 [1503–1506]
- Sawada, T. (C) 723–726 [737–740]
- Sawada, Y. (C) 4559–4561 [4643–4645]
- Sawaguchi, T. (C) 1071–1074 [1089–1092]
- Sawamura, M.
- Monocoordinating, Compact Phosphane Immobilized on Silica Surface: Application to Rhodium-Catalyzed Hydrosilylation of Hindered Ketones (C) 5381–5383 [5477–5479]
DOI: 10.1002/anie.200700947
- Sawayama, A. M. (C) 8157–8159 [8305–8307]
- Sawicka, D. (C) 6894–6898 [7018–7022]
- Saxena, S.
- The Aggregated State of Amyloid- β Peptide In Vitro Depends on Cu^{2+} Ion Concentration (C) 3959–3961 Corrigendum: 5263 [4033–4035 Corrigendum: 5357]
DOI: 10.1002/anie.200700318
- Scalia, G. (R) 4832–4887 [4916–4973]
- Scammells, P. J. (C) 7835–7838 [7981–7984]
- Scarso, A.
- Gas Hosting in Enantiopure Self-Assembled Oximes (C) 4972–4975 [5060–5063]
DOI: 10.1002/anie.200701123
- Schaack, B. B. (C) 6674–6677 [6794–6797]
- Schade, B. (C) 4393–4396 [4472–4475]
- Schadt, H. S. (C) 8284–8286 [8433–8435]
- Schäfer, L. L.
- Chiral Neutral Zirconium Amidate Complexes for the Asymmetric Hydroamination of Alkenes (C) 354–358 [358–362]
DOI: 10.1002/anie.200603017
- Schäfer, L. V. (C) 530–536 [536–542], 2232–2237 [2282–2287]
- Schäfer, S. (C) 6184–6187 [6297–6300]
- Schäferling, M. (C) 2317–2319 [2368–2371]
- Schäffner, B. (C) 5971–5974 [6075–6078]
- Schall, A. (C) 6361–6363 [6478–6481]
- Schalley, C. A. (C) 363–368 [367–372]
- Schappacher, F. M. (C) 4385–4387 [4463–4466]
- Schatte, G. (C) 4732–4735 [4816–4819]
- Schatz, G. C. (C) 8363–8367 [8515–8519]
- Scheer, M.
- An Unusual Building Block for Supramolecular Aggregates: The Mixed Group 15/16 Element Ligand Complex $[(\text{Cp}^*\text{Mo})_2(\mu_3\text{-P}_3)(\mu_3\text{-PS})]$ (C) 5966–5970 [6070–6074]
DOI: 10.1002/anie.200701343
 - Ring Expansion of a Cp^* Moiety: Formation of a 1,2-Diphosphacyclooctatetraene Ligand (C) 3971–3975 [4045–4049]
DOI: 10.1002/anie.200605173
 - Unusual Coordination Behavior of P_n -Ligand Complexes with Ti^+ (C) 9323–9326 [9483–9487]
DOI: 10.1002/anie.200704015
- Scheibel, T.
- The Amphiphilic Properties of Spider Silks Are Important for Spinning (C) 3559–3562 [3629–3632]
DOI: 10.1002/anie.200604718
- Scheidt, K. A.
- A Highly Enantioselective Intramolecular Michael Reaction Catalyzed by N-Heterocyclic Carbenes (C) 3107–3110 [3167–3170]
DOI: 10.1002/anie.200605235
 - Catalytic Enantioselective α -Acylvinyl Anion Reactions of Silyloxyallenes (C) 7806–7809 [7952–7955]
DOI: 10.1002/anie.200702818
 - Pyrrolidinyl-Spirooxindole Natural Products as Inspirations for the Development of Potential Therapeutic Agents (M) 8748–8758 [8902–8912]
DOI: 10.1002/anie.200701342
- Scheier, P.
- Influence of Functional Groups on the Site-Selective Dissociation of Adenine upon Low-Energy Electron Attachment (C) 5238–5241 [5331–5334]
DOI: 10.1002/anie.200700032
- Scheier, P. (C) 8057–8059 [8203–8205]
- Scheike, J. A. (C) 7766–7769 [7912–7916]
- Schellwies, M. (C) 5598–5601 [5694–5697]
- Schemberg, J. (C) 2408–2413 Corrigendum: 2970 [2460–2465 Corrigendum: 3028]
- Schenk, A. (C) 7035–7038 [7165–7168]
- Schenk, C. (C) 5314–5316 [5408–5410]
- Schénning, A. P. H. J.
- Helicity Induction and Amplification in an Oligo(*p*-phenylenevinylene) Assembly through Hydrogen-Bonded Chiral Acids (C) 8206–8211 [8354–8359]
DOI: 10.1002/anie.200702730
 - Macroscopic Origin of Circular Dichroism Effects by Alignment of Self-Assembled Fibers in Solution (C) 8203–8205 [8351–8353]
DOI: 10.1002/anie.200703075
 - Self-Assembled Hybrid Oligo(*p*-phenylenevinylene)–Gold Nanoparticle Tapes (C) 1825–1828 [1857–1860]
DOI: 10.1002/anie.200604225
- Scherer, W.
- Homoleptic Silver(I) Acetylene Complexes (C) 8295–8298 [8445–8449]
DOI: 10.1002/anie.200702688
- Scherr, M. (C) 8686–8690 [8840–8845]
- Scheshkewitz, D.
- Stable Cyclic Silenes from Reaction of Disilenes with Carboxylic Acid Chlorides (C) 3349–3352 [3413–3416]
DOI: 10.1002/anie.200700067
 - Two Si–Si Double Bonds Connected by a Phenylene Bridge (C) 5783–5786 [5885–5888]
DOI: 10.1002/anie.200701744
- Scheshkewitz, D. (C) 5741–5745 [5843–5847]
- Scheuermann, J. (C) 4671–4674 [4755–4758]
- Scheurer, A.
- Threading Cesium Ions: Metal, Host, and Ligand Control in Supramolecular Coordination Chemistry (C) 265–268 [269–272]
DOI: 10.1002/anie.200603203
- Schiffer, M. (C) 3971–3975 [4045–4049]
- Schill, H. (C) 6545–6548 [6665–6668]
- Schiller, A. (C) 6457–6459 [6577–6579]
- Schiller, S. M. (C) 6849–6851 [6973–6975]
- Schilling, H. (C) 2931–2934 [2989–2992]
- Schillinger, R. (C) 8258–8261 [8406–8409]
- Schindler, S.
- Transformation of Nitrile to Cyanide and Aldehyde Using a Cobalt(II) Complex and Dioxigen (C) 7775–7777 [7922–7924]
DOI: 10.1002/anie.200701408
- Schlaad, H.
- Formation of Polyamide Nanofibers by Directional Crystallization in Aqueous Solution (C) 8622–8624 [8776–8778]
DOI: 10.1002/anie.200703486
- Schlag, E. W.
- Distal Charge Transport in Peptides (R) 3196–3210 [3258–3273]
DOI: 10.1002/anie.200601623
- Schlangen, M. (C) 1641–1644 [1667–1671], 5614–5617 [5711–5715]
- Schleyer, P. von R. (C) 1836–1838 [1868–1870]

- Schlickum, U. (C) 710–713 [724–727]
Schlögl, R. (C) 7319–7323 [7460–7464],
7324–7327 [7465–7468]
Schlücker, S.
– Direct and Label-Free Detection of Solid-Phase-Bound Compounds by Using Surface-Enhanced Raman Scattering Microspectroscopy
(C) 4786–4789 [4870–4873]
DOI: 10.1002/anie.200605190
Schlüter, A. D.
– Suzuki Polycondensation Put to Work: A Tough Poly(*meta*-phenylene) with a High Glass-Transition Temperature
(C) 4956–4959 [5044–5047]
DOI: 10.1002/anie.200700966
Schmickler, W.
– Electrocatalysis of Hydrogen Oxidation—Theoretical Foundations
(C) 8262–8265 [8410–8413]
DOI: 10.1002/anie.200702338
Schmid, A. (C) 2681–2684 [2735–2738]
Schmid, R.
– Molecular Dynamics Simulation of Benzene Diffusion in MOF-5: Importance of Lattice Dynamics
(C) 463–466 [467–470]
DOI: 10.1002/anie.200601746
Schmidbaur, H.
– Réplique: A New Concept for Bonding in Carbodiphosphoranes?
(L) 2984–2985 [3042–3043]
DOI: 10.1002/anie.200700139
Schmidhammer, U. (C) 6176–6179 [6288–6292]
Schmidt, F.
– Shiga Toxin-Mediated Retrograde Delivery of a Topoisomerase I Inhibitor Prodrug
(C) 6469–6472 [6589–6592]
DOI: 10.1002/anie.200701270
Schmidt, J. (C) 449–453 [453–457]
Schmidt, L. D.
– Millisecond Reforming of Solid Biomass for Sustainable Fuels
(C) 5864–5867 [5968–5971]
DOI: 10.1002/anie.200701238
Schmidt, M. A. (C) 3725–3728 [3799–3802]
Schmidt, T. L. (C) 4382–4384 [4460–4462]
Schmithals, G. (C) 7311–7314 [7452–7455]
Schmitt, M.
– Elucidation of Nonstatistical Dynamic Effects in the Cyclization of Enyne Allenes by Means of Kinetic Isotope Effects
(C) 6911–6914 [7036–7039]
DOI: 10.1002/anie.200700709
– Quadruple-Channel Sensing: A Molecular Sensor with a Single Type of Receptor Site for Selective and Quantitative Multi-Ion Analysis
(C) 893–896 [911–914]
DOI: 10.1002/anie.200603362
Schmitter, J.-M. (C) 4081–4084 [4159–4162]
Schmitz, M. (C) 5164–5167 [5256–5259]
Schmuck, C.
– Direct and Label-Free Detection of Solid-Phase-Bound Compounds by Using Surface-Enhanced Raman Scattering Microspectroscopy
(C) 4786–4789 [4870–4873]
DOI: 10.1002/anie.200605190
– Formation of Vesicular Structures through the Self-Assembly of a Flexible Bis-Zwitterion in Dimethyl Sulfoxide
(C) 1693–1697 [1723–1727]
DOI: 10.1002/anie.200603629
– Guest Encapsulation within Self-Assembled Molecular Containers
(H) 5830–5833 [5932–5935]
DOI: 10.1002/anie.200702125
Schmuker, M. (C) 5336–5339 [5432–5435]
Schmutz, M. (C) 2659–2662 [2713–2716]
Schneider, G.
– Searching for Drug Scaffolds with 3D Pharmacophores and Neural Network Ensembles
(C) 5336–5339 [5432–5435]
DOI: 10.1002/anie.200604125
Schneider, H.-J.
– Direct Translation of Chiral Recognition into Mechanical Motion
(C) 2694–2696 [2748–2750]
DOI: 10.1002/anie.200604664
Schneider, K. (C) 2408–2413 Corrigendum: 2970 [2460–2465 Corrigendum: 3028]
Schneider, U. (C) 5909–5912 [6013–6016]
Schnelle, W. (C) 6725–6728 [6846–6850]
Schnepf, A.
– [AuGe₁₈[Si(SiMe₃)₃]₆][−]: A Soluble Au–Ge Cluster on the Way to a Molecular Cable?
(C) 5314–5316 [5408–5410]
DOI: 10.1002/anie.200700530
Schnöckel, H.
– A Metalloid [Ga₂₃[N(SiMe₃)₂]₁₁] Cluster: The Jellium Model Put to Test
(C) 1658–1662 [1687–1691]
DOI: 10.1002/anie.200604311
– [Al(Al₃R₃)₂]: Prototype of a Metalloid Al Cluster or a Sandwich-Stabilized Al Atom?
(C) 3579–3583 [3650–3654]
DOI: 10.1002/anie.200604567
– From Icosahedral Boron Subhalides to Octahedral Metalloid Aluminum and Gallium Analogues: Quo vadis, Wade's Rules?
(C) 5795–5798 [5897–5900]
DOI: 10.1002/anie.200701020
– Ga₂₄Br₁₈Se₂: A Highly Symmetrical Metalloid Cluster and Its One-Dimensional Arrangement in the Crystalline State as a Model for the Photoconductivity of Solid GaSe
(C) 6549–6552 [6669–6672]
DOI: 10.1002/anie.200701986
Schoeller, W. W. (C) 6922–6925 [7047–7050], 7052–7055 [7182–7185]
Schoenebeck, F. (C) 5178–5183 [5270–5275]
Scholl, A. (C) 7477–7480 [7621–7624]
Schollmeyer, D. (C) 9339–9341 [9500–9502]
Schollmeyer, E. (C) 6499–6501 [6619–6621]
Scholz, F.
– Indirect Electrochemical Sensing of Radicals and Radical Scavengers in Biological Matrices
(C) 8079–8081 [8225–8227]
DOI: 10.1002/anie.200702690
Schönberg, H. (C) 3567–3570 [3637–3640]
Schönherr, H. (C) 8400–8404 [8552–8556]
Schönle, A. (C) 6266–6270 [6382–6386]
Schooss, D.
– Au₃₄[−]: A Chiral Gold Cluster?
(C) 2944–2948 [3002–3006]
DOI: 10.1002/anie.200604760
Schrader, W. (C) 2299–2302 [2349–2352], 6674–6677 [6794–6797]
Schramm, M. P. (C) 242–244 [246–248]
Schreck, M. (C) 5115–5119 [5207–5211]
Schreiber, S. L.
– Complex α -Pyrones Synthesized by a Gold-Catalyzed Coupling Reaction
(C) 8250–8253 [8398–8401]
DOI: 10.1002/anie.200703276
– Fluorous-Based Small-Molecule Microarrays for the Discovery of Histone Deacetylase Inhibitors
(C) 7960–7964 [8106–8110]
DOI: 10.1002/anie.200703198
Schreiner, P. R.
– Relative Energy Computations with Approximate Density Functional Theory—A Caveat!
(H) 4217–4219 [4295–4297]
DOI: 10.1002/anie.200700386
Schreibvogel, A. (R) 4832–4887 [4916–4973]
Schrems, M. G. (C) 8274–8276 [8422–8424]
Schrock, R. R. (C) 4534–4538 [4618–4622]
Schröder, D.
– Bond Formation with Maintenance of Twofold Charge: Generation of C₂O₃²⁺ in the Reaction of CO₂²⁺ with CO₂
(C) 9316–9319 [9476–9479]
DOI: 10.1002/anie.200704286
– Pronounced Ligand Effects and the Role of Formal Oxidation States in the Nickel-Mediated Thermal Activation of Methane
(C) 1641–1644 [1667–1671]
DOI: 10.1002/anie.200603266
Schröder, M.
– Controlled Assembly of Silver(I)-Pyridylfullerene Networks
(C) 8013–8016 [8159–8162]
DOI: 10.1002/anie.200700769
Schröder, M. (C) 584–586 [590–592]
Schroeder, F. C.
– Differential Analysis of 2D NMR Spectra: New Natural Products from a Pilot-Scale Fungal Extract Library
(C) 901–904 [919–922]
DOI: 10.1002/anie.200603821
Schroeder, H. (C) 4180–4183 [4258–4261], 7700–7703 [7844–7847]
Schubert, T. J. S. (C) 5384–5388 [5480–5484]
Schuberth, R. (C) 4173–4175 [4251–4253]
Schugar, H.
– Combating Alzheimer's Disease With Multifunctional Molecules Designed for Metal Passivation
(C) 1716–1718 [1746–1748]
DOI: 10.1002/anie.200603866
Schuhmann, W.
– Single-Cell Microelectrochemistry
(R) 8760–8777 [8914–8933]
DOI: 10.1002/anie.200604851
Schüler, D.
– Intracellular Magnetite Biomineralization in Bacteria Proceeds by a Distinct Pathway Involving Membrane-Bound Ferritin and an Iron(II) Species
(C) 8495–8499 [8647–8652]
DOI: 10.1002/anie.200700927
Schull, G. (C) 7404–7407 [7548–7551]
Schulte, A. (R) 8760–8777 [8914–8933]
Schultz, P. G.
– A Biosynthetic Route to Dehydroalanine-Containing Proteins
(C) 6849–6851 [6973–6975]
DOI: 10.1002/anie.200702305
– A Genetically Encoded Bidentate, Metal-Binding Amino Acid
(C) 9239–9242 [9399–9402]
DOI: 10.1002/anie.200703397
– Structural Basis for the Recognition of *para*-Benzoyl-L-phenylalanine by Evolved Aminoacyl-tRNA Synthetases

- (C) 6073–6075 [6185–6187]
DOI: 10.1002/anie.200701990
- Schultz, S. (C) 4543–4546 [4627–4630]
- Schulz, F. (C) 2903–2906 [2961–2964]
- Schulz, G. E. (C) 8605–8608 [8759–8762]
- Schulz, P. S.
– Effective Chirality Transfer in Ionic Liquids through Ion-Pairing Effects
(C) 1293–1295 [1315–1317]
DOI: 10.1002/anie.200604406
- Schulz, S.
– Biosynthesis of the Off-Flavor 2-Methylisoborneol by the Myxobacterium *Nanocystis exedens*
(C) 8287–8290 [8436–8439]
DOI: 10.1002/anie.200702496
- Schulz, S. R. (C) 3966–3970 [4040–4044]
- Schulze, B.
– Reply to “Recently Reported Crystalline Isothiazole Carbenes: Myth or Reality”
(L) 6926 [7051]
DOI: 10.1002/anie.200702746
- Synthesis of Stable Isothiazole Carbenes
(C) 3118–3121 [3179–3182]
DOI: 10.1002/anie.200604305
- Schulze, P. (C) 4913–4916 [5000–5003]
- Schulze Wischeler, J. (C) 7697–7699 [7841–7843]
- Schuresko, L. A. (C) 3547–3549 [3617–3619]
- Schürmann, M. (C) 1624–1626 [1648–1651]
- Schuster, B.
– Polymeric Nanoparticles as Imaging Probes for Protein Kinase Activity in Cells
(H) 8744–8746 [8898–8900]
DOI: 10.1002/anie.200702853
- Schuster, O. (C) 2497–2500 [2549–2552]
- Schüth, F.
– Dynamics of Silicate Species in Solution Studied by Mass Spectrometry with Isotopically Labeled Compounds
(C) 6674–6677 [6794–6797]
DOI: 10.1002/anie.200701927
- Magnetic Nanoparticles: Synthesis, Protection, Functionalization, and Application
(R) 1222–1244 [1242–1266]
DOI: 10.1002/anie.200602866
- Monitoring the Nucleation of Zeolites by Mass Spectrometry
(C) 2299–2302 [2349–2352]
DOI: 10.1002/anie.200604513
- Schwalbe, H.
– Structures of RNA Switches: Insight into Molecular Recognition and Tertiary Structure
(M) 1212–1219 [1232–1240]
DOI: 10.1002/anie.200604163
- Schwartzburd, L. (C) 1901–1904 [1933–1936]
- Schwarz, H.
– Pronounced Ligand Effects and the Role of Formal Oxidation States in the Nickel-Mediated Thermal Activation of Methane
(C) 1641–1644 [1667–1671]
DOI: 10.1002/anie.200603266
- Thermal Activation of Methane by Group 10 Metal Hydrides MH^+ : The Same and Not the Same
(C) 5614–5617 [5711–5715]
DOI: 10.1002/anie.200605145
- Schwarz, K. (C) 5115–5119 [5207–5211]
- Schwarze, T. (C) 1671–1674 [1701–1704]
- Schweizer, W. B. (C) 8266–8269 [8414–8417], 8270–8273 [8418–8421]
- Schwerdtfeger, P.
– Is Eka-Mercury (Element 112) a Group 12 Metal?
(C) 1663–1666 [1692–1695]
DOI: 10.1002/anie.200604262
- The Search for the Species with the Highest Coordination Number
(C) 2444–2447 [2496–2499]
DOI: 10.1002/anie.200604148
- Scintilla, S. (C) 7993–7995 [8139–8141], 9062–9064 [9220–9222]
- Scorrano, G. (C) 3255–3258 [3319–3322]
- Scott, B. L.
– Beryllium Displacement of H^+ from Strong Hydrogen Bonds
(C) 2669–2671 [2723–2725]
DOI: 10.1002/anie.200604623
- Scott, B. L. (C) 8995–8997 [9153–9155]
- Scott, J. S. (C) 591–597 [597–603]
- Scott, L. E. (C) 1716–1718 [1746–1748]
- Screen, J. (C) 3644–3648 [3718–3722]
- Scrimin, P.
– Substrate Modulation of the Activity of an Artificial Nanoesterase Made of Peptide-Functionalized Gold Nanoparticles
(C) 400–404 [404–408]
DOI: 10.1002/anie.200602581
- Searcey, M. (C) 3850–3854 [3924–3928]
- Sebastiani, D. (C) 5524–5527 [5620–5623]
- Sedelmeier, G.
– 1,3-Dipolar Cycloaddition: Click Chemistry for the Synthesis of 5-Substituted Tetrazoles from Organoaluminum Azides and Nitriles
(C) 8440–8444 [8592–8596]
DOI: 10.1002/anie.200701045
- Seeler, F. (C) 5212–5214 [5304–5306], 5215–5218 [5307–5310], 7785–7787 [7932–7934], 8071–8073 [8217–8219]
- Seeman, J. I.
– The Woodward–Doering/Rabe–Kindler Total Synthesis of Quinine: Setting the Record Straight
(R) 1378–1413 [1400–1435]
DOI: 10.1002/anie.200601551
- Segawa, Y. (C) 6710–6713 [6830–6833]
- Seidel, K. (C) 459–462 [463–466]
- Seidel, S. (C) 6717–6720 [6838–6841]
- Seidel, T. M. (C) 8484–8487 [8636–8639]
- Seiders II, J. R. (C) 8464–8467 [8616–8619]
- Seifert, A. (C) 628–632 [636–640]
- Seifert, G.
– Structure and Stability of Molybdenum Sulfide Fullerenes
(C) 623–627 [631–635]
DOI: 10.1002/anie.200602136
- Seifert, J. (C) 4173–4175 [4251–4253]
- Seiler, P. (C) 1260–1264 [1282–1286], 6357–6360 [6473–6477]
- Seino, H. (C) 5431–5434 [5527–5530]
- Seiple, I. B. (M) 6586–6594 [6706–6714]
- Seitsonen, A. P. (C) 8258–8261 [8406–8409]
- Seitz, O.
– DNA-Controlled Reversible Switching of Peptide Conformation and Bioactivity
(C) 2704–2707 [2759–2763]
DOI: 10.1002/anie.200603889
- Solid-Phase Synthesis of Peptide Thioesters with Self-Purification
(C) 4577–4580 [4661–4665]
DOI: 10.1002/anie.200700356
- Triplex Molecular Beacons as Modular Probes for DNA Detection
(C) 5223–5225 [5315–5318]
DOI: 10.1002/anie.200700289
- Seixas de Melo, J. S.
– The Triplet State of Indigo
(C) 2094–2096 [2140–2142]
DOI: 10.1002/anie.200604679
- Sekharan, S. (C) 269–271 [273–275]
- Seki, S. (C) 4306–4309 [4384–4387]
- Sekiguchi, A.
– Aromaticity of Group 14 Organometallics: Experimental Aspects
(R) 6596–6620 [6716–6740]
DOI: 10.1002/anie.200604869
- Conversion of a Disilene into a Silene: Silyl-Anion-Substituted Silene by a Sila-Peterson-Type Reaction from an sp^2 -Type Silyl Anion
(C) 3346–3348 [3410–3412]
DOI: 10.1002/anie.200605140
- Sekiguchi, A. (C) 3349–3352 [3413–3416]
- Sels, B. F. (C) 1706–1709 [1736–1739]
- Selvan, S. T. (C) 2448–2452 [2500–2504]
- Selvapalam, N. (C) 210–213 [214–217]
- Selvi, N. R. (C) 5962–5965 [6066–6069]
- Selzle, H. L. (R) 3196–3210 [3258–3273], (C) 7072–7074 [7202–7204]
- Semelsberger, T. A. (C) 8995–8997 [9153–9155]
- Sen, T. K. (C) 5583–5586 [5679–5682]
- Sendor, D. (C) 6372–6375 [6491–6494]
- Senker, J. (C) 6729–6731 [6851–6854]
- Seo, J.-w. (C) 8828–8831 [8984–8987]
- Seo, J. W. (C) 441–444 [445–448]
- Seo, M. S. (C) 377–380 [381–384], 2291–2294 [2341–2344]
- Seppelt, K.
– Formation of Mixed-Valent Aryltellurenyl Halides RX_2TeR
(C) 8277–8280 [8425–8428]
DOI: 10.1002/anie.200702341
- The Blue Xe_4^+ Cation: Experimental Detection and Theoretical Characterization
(C) 6717–6720 [6838–6841]
DOI: 10.1002/anie.200701688
- Seppelt, K. (C) 4111–4114 [4189–4192]
- Serizawa, T.
– Peptide Motifs That Recognize Differences in Polymer-Film Surfaces
(C) 723–726 [737–740]
DOI: 10.1002/anie.200603212
- Serna, P. (C) 7266–7269 [7404–7407]
- Serpa, C. (C) 2094–2096 [2140–2142]
- Serrano, J. L.
– Light-Driven Supramolecular Chirality in Propeller-Like Hydrogen-Bonded Complexes That Show Columnar Mesomorphism
(C) 1873–1877 [1905–1909]
DOI: 10.1002/anie.200603796
- Serrano, J. L. (C) 5175–5177 [5267–5269]
- Serrano, O. (C) 7270–7272 [7408–7410]
- Serre, C. (C) 3259–3263 [3323–3327]
- Servais, A. (C) 576–579 [582–585]
- Sessler, J. L.
– Supramolecular Liquid Crystals Based on Cyclo[8]pyrrole
(C) 1431–1435 [1453–1457]
DOI: 10.1002/anie.200603893
- Sessler, J. L. (C) 2508–2511 [2560–2563]
- Seufert, W. (C) 9298–9300 [9458–9460]
- Sevov, S. C.
– Addition of Alkenes to Deltahedral Zintl Clusters by Reaction with Alkynes: Synthesis and Structure of $[Fe-CH=CH-Ge-CH=CH-Fe]^2-$, an Organo-Zintl–Organometallic Anion

- (C) 6695–6698 [6815–6818]
DOI: 10.1002/anie.200701950
- Sewald, N.
– The Constrained Amino Acid β -Acc Confers Potency and Selectivity to Integrin Ligands
(C) 3976–3978 [4050–4053]
DOI: 10.1002/anie.200605248
- Seyfarth, L. (C) 6729–6731 [6851–6854]
Shaffer, J. A. (C) 1988–1991 [2034–2037]
Shah, R. K. (C) 8970–8974 [9128–9132]
Shaik, S.
– Which Oxidant Is Really Responsible for Sulfur Oxidation by Cytochrome P450?
(C) 8168–8170 [8316–8318]
DOI: 10.1002/anie.200702867
- Sham, Y. (C) 8819–8822 [8975–8978]
Shao, Q. Corrigendum: 5647
Shao, R. (C) 1473–1475 [1495–1497]
Sharma, K. K. (C) 2879–2882 [2937–2940]
Sharpless, K. B. (C) 1730–1733 [1760–1763]
Shaw, D. M. (C) 4708–4711 [4792–4795]
Shaw, J. T.
– Synthesis of Diverse Lactam Carboxamides Leading to the Discovery of a New Transcription-Factor Inhibitor
(C) 5352–5355 [5448–5451]
DOI: 10.1002/anie.200700762
- Shea, J. J. (C) 8380–8383 [8532–8535]
Shebanova, O. (C) 1476–1480 [1498–1502]
Sheberla, D. (C) 7408–7411 [7552–7555]
Shen, F. (C) 3660–3662 [3734–3736]
Shen, J. (C) 3245–3248 [3309–3312]
Shen, Liangjun (C) 5549–5553 [5645–5649]
Shen, Luhua (C) 8171–8173 [8319–8321]
Shen, W. (C) 6321–6324 [6437–6440]
Shen, X.-F. (C) 7659–7663 [7803–7807]
Shen, Xiaochen (C) 7104–7107 [7234–7237]
Shen, Xu (C) 9050–9053 [9208–9211]
Shen, Yan (R) 1584–1617 [1604–1640]
Shen, Youqing
– Targeted Charge-Reversal Nanoparticles for Nuclear Drug Delivery
(C) 4999–5002 [5087–5090]
DOI: 10.1002/anie.200605254
- Shepperson, I. R. (C) 7075–7078 [7205–7208]
Sherburn, M. S.
– Chiral Dendralenes for Rapid Access to Enantiomerically Pure Polycycles
(C) 937–940 [955–958]
DOI: 10.1002/anie.200603335
- Sherman, D. H.
– Enzymatic Release and Macrolactonization of Cryptophycins from a Safety-Catch Solid Support
(C) 9298–9300 [9458–9460]
DOI: 10.1002/anie.200703665
- Sherwood, G. (C) 2453–2457 [2505–2509]
Sheu, S.-Y. (R) 3196–3210 [3258–3273]
Shi, F. (C) 8866–8868 [9022–9024]
Shi, Lei (C) 5889–5891 Corrigendum: 9135 [5993–5995 Corrigendum: 9295]
Shi, Lihong (C) 421–424 [425–428]
Shi, M. (C) 6126–6131 [6238–6243]
Shi, Weiqing (C) 8400–8404 [8552–8556]
Shi, Wensheng (C) 1525–1528 [1547–1550]
Shi, Y. (C) 7976–7979 [8122–8125]
Shi, Z.
– Suzuki–Miyaura Coupling Reaction by Pd^{II}-Catalyzed Aromatic C–H Bond Activation Directed by an *N*-Alkyl Acetamino Group
(C) 5554–5558 Corrigendum: 7730 [5650–5654 Corrigendum: 7874]
DOI: 10.1002/anie.200700590
- Shian, S. (C) 5724–5727 [5826–5829]
Shibasaki, M.
– Bismuth-Catalyzed Direct Substitution of the Hydroxy Group in Alcohols with Sulfonamides, Carbamates, and Carboxamides
(C) 409–413 [413–417]
DOI: 10.1002/anie.200602909
- Shibata, N.
– Cinchona-Alkaloid-Catalyzed Enantioselective Direct Aldol-Type Reaction of Oxindoles with Ethyl Trifluoropyruvate
(C) 8666–8669 [8820–8823]
DOI: 10.1002/anie.200703317
- Shibata, N. (C) 7648–7650 [7792–7794]
Shimada, M. (C) 7101–7103 [7231–7233]
Shimawaki, K. (C) 3074–3079 [3134–3139]
Shimazaki, Y. (C) 8975–8978 [9133–9136]
Shimizu, A. (C) 3544–3546 [3614–3616]
Shimizu, G. K. H.
– A Tetrahedral Organophosphonate as a Linker for a Microporous Copper Framework
(C) 795–798 [809–812]
DOI: 10.1002/anie.200604034
- Shimizu, M.
– 1-Alkyl-2,3,5,6,7,8-hexasilabicyclo[2.2.2]octanes: Unconventional Class of Mesomorphic Columnar Compounds
(C) 3055–3058 [3115–3118]
DOI: 10.1002/anie.200604170
- Straightforward Synthesis of CF₃-Substituted Triarylethenes by Stereoselective Threefold Cross-Coupling Reactions
(C) 8659–8661 [8813–8815]
DOI: 10.1002/anie.200703759
- Shimizu, S.
– A “Teflon-Footed” Resorcinarene: A Hexameric Capsule in Fluorous Solvents and Fluorophobic Effects on Molecular Encapsulation
(C) 6442–6445 [6562–6565]
DOI: 10.1002/anie.200702344
- Shimon, L. J. W. (C) 8814–8818 [8970–8974]
Shin, D.-S. (C) 5408–5411 [5504–5507]
Shin, I.-J. (C) 2303–2305 [2353–2355]
Shin, S.-H. (C) 7412–7416 [7556–7560]
Shindo, Y. (C) 8238–8241 [8386–8389]
Shinkai, S. (C) 210–213 [214–217]
Shinohe, A. (C) 7617–7620 [7761–7764]
Shinokubo, H.
– Synthesis of Doubly β -to- β 1,3-Butadiyne-Bridged Diporphyrins: Enforced Planar Structures and Large Two-Photon Absorption Cross Sections
(C) 5125–5128 [5217–5220]
DOI: 10.1002/anie.200700550
- Shintani, R.
– A Cationic Rhodium–Chiral Diene Complex as a High-Performance Catalyst for the Intramolecular Asymmetric [4 + 2] Cycloaddition of Alkyne-1,3-Dienes
(C) 7277–7280 [7415–7418]
DOI: 10.1002/anie.200702586
- Palladium-Catalyzed Asymmetric [3 + 3] Cycloaddition of Trimethylenemethane Derivatives with Nitrones
(C) 5901–5903 [6005–6007]
DOI: 10.1002/anie.200701529
- Rhodium-Catalyzed Asymmetric Synthesis of 3,3-Disubstituted 1-Indanones
(C) 3735–3737 [3809–3811]
DOI: 10.1002/anie.200700226
- Shiro, M. (C) 8666–8669 [8820–8823]
Shiro, Y. (C) 3656–3659 [3730–3733]
Shoichet, M. S.
– Immuno-Polymeric Nanoparticles by Diels–Alder Chemistry
(C) 6126–6131 [6238–6243]
DOI: 10.1002/anie.200701032
- Shoji, O. (C) 3656–3659 [3730–3733]
Shokouhimehr, M. (C) 7039–7043 [7169–7173]
Shoolingin-Jordan, P.
– A. Ian Scott
(O) 6768 [6890]
DOI: 10.1002/anie.200703300
- Shore, S. G.
– Robert W. Parry
(O) 1764 [1794]
DOI: 10.1002/anie.200700221
- Shrestha, R. P. (C) 8995–8997 [9153–9155]
Shrestha, S. (C) 3855–3859 [3929–3933]
Shu, X.-Z. (C) 7068–7071 [7198–7201]
Shuford, K. L. (C) 3264–3268 [3328–3332]
Shukla, A. (C) 1265–1269 [1287–1292]
Shulman, A. (C) 718–722 [732–736]
Shum, K.-T. (C) 6464–6468 [6584–6588]
Shustova, N. B. (C) 4111–4114 [4189–4192]
Siaj, M. (C) 7891–7895 [8037–8041]
Sibi, M. P.
– Enantioselective Radical Reactions: Stereoselective Aldol Synthesis from Cyclic Ketones
(C) 9231–9234 [9391–9394]
DOI: 10.1002/anie.200702976
- Siczek, M. (C) 7432–7436 [7576–7580]
Sieg, S. (R) 6016–6067 [6122–6179]
Siega, K. (C) 7651–7654 [7795–7798]
Siegel, D. R. (C) 8840–8844 [8996–9000]
Siegel, J. S. (C) 8258–8261 [8406–8409]
Sierka, M.
– Unexpected Structures of Aluminum Oxide Clusters in the Gas Phase
(C) 3372–3375 [3437–3440]
DOI: 10.1002/anie.200604823
- Sierka, M. (C) 7286–7289 [7424–7427], 9323–9326 [9483–9487]
Sierra, M. (C) 1847–1851 [1879–1883]
Sierra, T.
– Light-Driven Supramolecular Chirality in Propeller-Like Hydrogen-Bonded Complexes That Show Columnar Mesomorphism
(C) 1873–1877 [1905–1909]
DOI: 10.1002/anie.200603796
- Sietsma, J. R. A. (C) 4547–4549 [4631–4633]
Siewert, J. (C) 7122–7124 [7252–7254]
Sigel, R. K. O.
– Intimate Relationships between Metal Ions and Nucleic Acids
(T) 654–656 [664–666]
DOI: 10.1002/anie.200605065
- Sigman, M. S.
– Systematically Probing the Effect of Catalyst Acidity in a Hydrogen-Bond-Catalyzed Enantioselective Reaction
(C) 4748–4750 [4832–4834]
DOI: 10.1002/anie.200700298
- Sigouin, O. (C) 4979–4982 [5067–5070]
Sigurdsson, S. T.
– A Nucleoside That Contains a Rigid Nitroxide Spin Label: A Fluorophore in Disguise
(C) 2655–2658 [2709–2712]
DOI: 10.1002/anie.200603993
- Sikder, D. (C) 2865–2868 [2923–2926]
Silla, E. (C) 286–290 [290–294]

- Silverman, S. K.
– Deoxyribozyme-Catalyzed Labeling of RNA (C) 3502–3504 [3572–3574]
DOI: 10.1002/anie.200700357
- Engineering a Selective Small-Molecule Substrate Binding Site into a Deoxyribozyme (C) 7420–7424 [7564–7568]
DOI: 10.1002/anie.200702217
- Simaan, S. (R) 7364–7376 [7508–7520]
- Simeone, F. C. (C) 8903–8906 [9061–9064]
- Simeonov, K. S. (C) 8419–8421 [8571–8573]
- Simionescu, R. (C) 4530–4533 [4614–4617]
- Simon, K. (C) 7044–7047 [7174–7177]
- Simon, U.
– Noble Gases Influence the Conductance of Cetineite-Type Nanoporous Semiconductors (C) 6372–6375 [6491–6494]
DOI: 10.1002/anie.200700314
- Simons, J. P.
– IR-Spectral Signatures of Aromatic–Sugar Complexes: Probing Carbohydrate–Protein Interactions (C) 3644–3648 [3718–3722]
DOI: 10.1002/anie.200605116
- Sinclair, D. C. (C) 8785–8789 [8941–8945]
- Singaram, B.
– A Fluorescent Sensor Array for Saccharides Based on Boronic Acid Appended Bipyridinium Salts (C) 6457–6459 [6577–6579]
DOI: 10.1002/anie.200701888
- Singh, S. (C) 5425–5427 [5521–5523]
- Singh, S. B.
– Isolation and Structure of Platencin: A FabH and FabF Dual Inhibitor with Potent Broad-Spectrum Antibiotic Activity (C) 4684–4688 [4768–4772]
DOI: 10.1002/anie.200701058
- Sinha, A. K.
– Mesoporous Manganese Oxide/Gold Nanoparticle Composites for Extensive Air Purification (C) 2891–2894 [2949–2952]
DOI: 10.1002/anie.200605048
- Sinicropi, A. (C) 414–420 [418–424]
- Sinkkonen, J.
– A Sesquienolignan with a Spirodienone Structure from *Pinus sylvestris* L. (C) 4148–4150 [4226–4228]
DOI: 10.1002/anie.200605115
- Sinner, E.-K.
– Incorporation of In Vitro Synthesized GPCR into a Tethered Artificial Lipid Membrane System (C) 605–608 [611–614]
DOI: 10.1002/anie.200602231
- Sinz, A.
– Isotope-Labeled Photoaffinity Reagents and Mass Spectrometry To Identify Protein–Ligand Interactions (H) 660–662 [670–673]
DOI: 10.1002/anie.200602549
- Sircoglou, M. (C) 8583–8586 [8737–8740]
- Sivaramakrishna, A. (C) 3541–3543 [3611–3613]
- Six, Y.
– Electrochemical Aerobic Oxidation of Aminocyclopropanes to Endoperoxides (C) 8046–8049 [8192–8195]
DOI: 10.1002/anie.200702903
- Sjöholm, R. (C) 4148–4150 [4226–4228]
- Skadtchenko, B. O. (C) 2635–2638 [2689–2692]
- Skanthakumar, S. (C) 8043–8045 [8189–8191]
- Skatova, A. A. (C) 4302–4305 [4380–4383]
- Sklenak, S.
– Aluminum Siting in Silicon-Rich Zeolite Frameworks: A Combined High-Resolution ^{27}Al NMR Spectroscopy and Quantum Mechanics/Molecular Mechanics Study of ZSM-5 (C) 7286–7289 [7424–7427]
DOI: 10.1002/anie.200702628
- Sklute, G. (C) 9291–9294 [9451–9454]
- Skouta, R. (C) 1117–1119 [1135–1137]
- Slanac, D. A. (C) 4991–4994 [5079–5082]
- Slattery, J. M.
– How to Predict the Physical Properties of Ionic Liquids: A Volume-Based Approach (C) 5384–5388 [5480–5484]
DOI: 10.1002/anie.200700941
- Slaughter, J. L. (C) 7075–7078 [7205–7208]
- Slawin, A. M. Z. (C) 5904–5908 [6008–6012], 7839–7843 [7985–7989], 7887–7890 [8033–8036]
- Sligar, S. G.
– Functional Assays of Membrane-Bound Proteins with SAMDI-TOF Mass Spectrometry (C) 8796–8798 [8952–8954]
DOI: 10.1002/anie.200702694
- Smanmoo, C. (C) 8226–8229 [8374–8377]
- Smart, B. E. (C) 2666–2668 [2720–2722]
- Smit, B. (C) 276–278 [280–282]
- Smith, A. W. (C) 7984–7987 [8130–8133]
- Smith, B. D.
– Squaraine Rotaxanes: Superior Substitutes for Cy-5 in Molecular Probes for Near-Infrared Fluorescence Cell Imaging (C) 5528–5531 [5624–5627]
DOI: 10.1002/anie.200701491
- Smith, C. A. (C) 5140–5143 [5232–5235]
- Smith, D. (C) 6529–6532 [6649–6652]
- Smith, D. K.
– Optically Triggered Release of DNA from Multivalent Dendrons by Degrading and Charge-Switching Multivalency (C) 7600–7604 [7744–7748]
DOI: 10.1002/anie.200701200
- Smith, M. E.
– A Solid-State ^{17}O NMR Study of Local Order and Crystallinity in Amine-Templated Mesoporous Nb Oxide (C) 2635–2638 [2689–2692]
DOI: 10.1002/anie.200604602
- Smith, P.
– Suzuki Polycondensation Put to Work: A Tough Poly(*meta*-phenylene) with a High Glass-Transition Temperature (C) 4956–4959 [5044–5047]
DOI: 10.1002/anie.200700966
- Smith, W. E. (C) 1829–1831 [1861–1863]
- Smolinski, M. (C) 8511–8514 [8664–8667]
- Smulders, M. M. J. (C) 8206–8211 [8354–8359]
- Snaith, H. J. (C) 373–376 [377–380]
- Snapper, M. L.
– Kinetic Resolution of 1,2-Diols through Highly Site- and Enantioselective Catalytic Silylation (C) 8471–8474 [8623–8626]
DOI: 10.1002/anie.200703650
- Snelders, D. J. M. (R) 8558–8573 [8710–8726]
- Snoeck, E. (C) 7079–7081 [7209–7211]
- Snoek, L. C.
– IR-Spectral Signatures of Aromatic–Sugar Complexes: Probing Carbohydrate–Protein Interactions (C) 3644–3648 [3718–3722]
DOI: 10.1002/anie.200605116
- Snurr, R. Q.
– Exceptional Negative Thermal Expansion in Isorecticular Metal–Organic Frameworks (C) 4496–4499 [4580–4583]
DOI: 10.1002/anie.200700218
- Snyder, M. A. (R) 7560–7573 [7704–7717]
- Snyder, S. A.
– Total Synthesis of Resveratrol-Based Natural Products: A Chemoselective Solution (C) 8186–8191 [8334–8339]
DOI: 10.1002/anie.200703333
- So, M.-k. (C) 7031–7034 [7161–7164]
- Sodeoka, M.
– Asymmetric Fluorination of α -Aryl Acetic Acid Derivatives with the Catalytic System NiCl_2 –Binap/ R_3SiOTf /2,6-Lutidine (C) 5435–5439 [5531–5535]
DOI: 10.1002/anie.200701071
- Soderholm, L.
– Structure of the Homoleptic Thorium(IV) Aqua Ion $[\text{Th}(\text{H}_2\text{O})_{10}]\text{Br}_4$ (C) 8043–8045 [8189–8191]
DOI: 10.1002/anie.200702872
- Soderquist, J. A.
– Asymmetric Synthesis of Isomerically Pure Allenyl Boranes from Alkynyl Boranes through a 1,2-Insertion–1,3-Borotropic Rearrangement (C) 397–399 [401–403]
DOI: 10.1002/anie.200603467
- Søgaard, E. G. (C) 1113–1116 [1131–1134]
- Sojikul, P. (C) 901–904 [919–922]
- Solà, J. (C) 5020–5023 [5108–5111]
- Solcà, N. (C) 6714–6716 [6834–6837]
- Solé, A. (C) 5943–5946 [6047–6050]
- Solé, D.
– Palladium-Catalyzed Intramolecular Nucleophilic Substitution at the Alkoxy-carbonyl Group (C) 7270–7272 [7408–7410]
DOI: 10.1002/anie.200702176
- Sommer, H. (C) 8254–8257 [8402–8405]
- Sommer, S. (C) 3556–3558 [3626–3628]
- Sommerdijk, N. A. J. M. (C) 1825–1828 [1857–1860]
- Son, S. U.
– Near-Monodisperse Tetrahedral Rhodium Nanoparticles on Charcoal: The Shape-Dependent Catalytic Hydrogenation of Arenes (C) 1152–1155 [1170–1173]
DOI: 10.1002/anie.200603961
- Song, D. (C) 2284–2287 [2334–2337]
- Song, Y.-F. (C) 3900–3904 [3974–3978]
- Song, Yanlin (C) 2515–2517 [2567–2569]
- Song, You
– Molecule-Based Ferroelectric Thin Films: Mononuclear Lanthanide Enantiomers Displaying Room-Temperature Ferroelectric and Dielectric Properties (C) 6820–6823 [6944–6947]
DOI: 10.1002/anie.200701802
- Song, Z. (C) 4069–4072 [4147–4150]
- Sonntag, L.-S. (C) 537–540 [543–546], 545–548 [551–554]
- Sordo, T. L. (C) 2607–2609 [2661–2663]
- Sørensen, M. D. (C) 2403–2407 [2455–2459]
- Sorensen, T. S. (C) 4940–4943 [5028–5031]

- Soto, J. (C) 1675–1678 [1705–1708]
Sotriffer, C. A. (C) 3575–3578 [3645–3649], 8511–8514 [8664–8667]
Soulantica, K.
– Hybrid Co–Au Nanorods: Controlling Au Nucleation and Location (C) 7079–7081 [7209–7211]
DOI: 10.1002/anie.200702017
Soulimane, T. (C) 2210–2214 [2260–2264]
Soulivong, D. (C) 2288–2290 [2338–2340]
Souteyrand, E. (C) 2398–2402 [2450–2454]
Spadari, S. (C) 1810–1813 [1842–1845]
Spain, J. (C) 1843–1846 [1875–1878]
Spange, S.
– Nanocomposites Prepared by Twin Polymerization of a Single-Source Monomer (C) 628–632 [636–640]
DOI: 10.1002/anie.200504327
Spaniol, T. P. (C) 4790–4793 [4874–4877], 8507–8510 [8660–8663]
Spannenberg, A. (C) 6907–6910 [7031–7035]
Sparrow, C. R. (C) 6305–6308 [6421–6424]
Spek, A. L. (C) 6081–6084 [6193–6196]
Spence, G. (C) 8220–8222 [8368–8370]
Spencer, J. B.
– Characterization of the Enzyme BtrD from *Bacillus circulans* and Revision of Its Functional Assignment in the Biosynthesis of Butirosin (C) 1462–1464 [1484–1486]
DOI: 10.1002/anie.200604194
Spengler, J. (C) 7766–7769 [7912–7916]
Spicer, M. D.
– Homoleptic Crown N-Heterocyclic Carbene Complexes (C) 6525–6528 [6645–6648]
DOI: 10.1002/anie.200702138
Spiekermann, A. (C) 1638–1640 [1663–1666], 5310–5313 [5404–5407]
Spiess, H. W.
– Paul C. Lauterbur (O) 4010 [4084]
DOI: 10.1002/anie.200701624
Spilling, C. D. (C) 591–597 [597–603]
Spillmann, H.
– A Supramolecular Multiposition Rotary Device (C) 4089–4092 [4167–4170]
DOI: 10.1002/anie.200700285
Spiteller, P.
– Chemical Defense of the Crust Fungus *Aleurodiscus amorpha* by a Tailor-Made Cyanogenic Cyanohydrin Ether (C) 8076–8078 [8222–8224]
DOI: 10.1002/anie.200702481
Sprinz, K. I. (C) 223–225 [227–229]
Sprutta, N. (C) 7869–7873 [8015–8019]
Sreekanth, A. (C) 3567–3570 [3637–3640]
Srivastava, R. (C) 8988–8991 [9146–9149]
Stack, T. D. P.
– Site Isolation and Epoxidation Reactivity of a Templated Ferrous Bis(phenanthroline) Site in Porous Silica (C) 945–947 [963–965]
DOI: 10.1002/anie.200603423
– The Geometric and Electronic Structure of a One-Electron-Oxidized Nickel(II) Bis(salicylidene)diamine Complex (C) 5198–5201 [5290–5293]
DOI: 10.1002/anie.200701194
Stadler, A.-M. (C) 6144–6147 [6256–6259]
Stadler, H. S.
– Synthesis of Diverse Lactam Carboxamides Leading to the Discovery of a New Transcription-Factor Inhibitor (C) 5352–5355 [5448–5451]
DOI: 10.1002/anie.200700762
Stadler, M. (C) 609–611 [615–617]
Staedel, C. (C) 4081–4084 [4159–4162]
Staemmler, V. (C) 5624–5627 [5722–5725]
Stafford, J. (C) 6167–6171 [6279–6283]
Stahl, S. (C) 4775–4779 [4859–4863]
Stahl, S. S.
– Catalytic Metathesis of Simple Secondary Amides (C) 761–763 [775–777]
DOI: 10.1002/anie.200603588
– Reaction of Molecular Oxygen with an NHC-Coordinated Pd⁰ Complex: Computational Insights and Experimental Implications (C) 601–604 [607–610]
DOI: 10.1002/anie.200603667
Stairs, J. R. (C) 2944–2948 [3002–3006]
Stamatatos, T. C. (C) 884–888 [902–906]
Stambuli, J. P. (C) 7674–7677 [7818–7821]
Stammiller, H.-G. (C) 8674–8678 [8828–8832]
Stanca-Kaposta, E. C. (C) 3644–3648 [3718–3722]
Stancanella, J. (C) 966–968 [984–986]
Stanetty, P. (H) 3612–3615 [3684–3688]
Stanger, A. (C) 8039–8042 [8185–8188]
Stark, W. J.
– Covalently Functionalized Cobalt Nanoparticles as a Platform for Magnetic Separations in Organic Synthesis (C) 4909–4912 [4996–4999]
DOI: 10.1002/anie.200700613
Stasch, A. (C) 2043–2046 [2089–2092], 8618–8621 [8772–8775]
Stavitski, E. (C) 3652–3655 [3726–3729], 7228–7231 [7366–7369]
Stazi, F. (C) 5011–5014 [5099–5102]
Steer, D. (C) 3275–3277 [3339–3341]
Steffen, A. (C) 8674–8678 [8828–8832]
Steffens, C. (C) 2708–2711 [2764–2767]
Steffensen, M. B. (C) 7412–7416 [7556–7560]
Steigerwald, M. L. (C) 7891–7895 [8037–8041]
Stein, A.
– Disassembly and Self-Reassembly in Periodic Nanostructures: A Face-Centered-to-Simple-Cubic Transformation (C) 6666–6669 [6786–6789]
DOI: 10.1002/anie.200701553
– Shaping Mesoporous Silica Nanoparticles by Disassembly of Hierarchically Porous Structures (C) 1885–1888 [1917–1920]
DOI: 10.1002/anie.200604147
Stein, D. (C) 3567–3570 [3637–3640], 7878–7881 [8024–8027]
Steinbeck, C. (C) 7035–7038 [7165–7168]
Steinhart, M.
– Formation of Titania/Silica Hybrid Nanowires Containing Linear Mesocage Arrays by Evaporation-Induced Block-Copolymer Self-Assembly and Atomic Layer Deposition (C) 6829–6832 [6953–6956]
DOI: 10.1002/anie.200700923
Steinke, N. (R) 4832–4887 [4916–4973]
Steinreiber, J. (C) 1624–1626 [1648–1651]
Stengl, B. (C) 8266–8269 [8414–8417]
Stenzel, M. H. (C) 3099–3103 [3159–3163]
Stepanenko, V. (C) 5541–5544 [5637–5640]
Stepanow, S. (C) 710–713 [724–727]
Stephan, D. W.
– Formation of C–C and C–N Bonds in Ni^{II} Ketimide Complexes via Transient Ni^{III} Aryl Imides (C) 1856–1859 [1888–1891]
DOI: 10.1002/anie.200604547
– Metal-Free Catalytic Hydrogenation (C) 8050–8053 Corrigendum: 9136 [8196–8199 Corrigendum: 9296]
DOI: 10.1002/anie.200702908
– Reactivity of “Frustrated Lewis Pairs”: Three-Component Reactions of Phosphines, a Borane, and Olefins (C) 4968–4971 [5056–5059]
DOI: 10.1002/anie.200701215
Stephens, F. H. (C) 746–749 [760–763]
Stephens, P. W.
– Cross-Linked Layered Structure of Magnetically Ordered [Fe(TCNE)₂]·zCH₂Cl₂ Determined by Rietveld Refinement of Synchrotron Powder Diffraction Data (C) 1521–1524 [1543–1546]
DOI: 10.1002/anie.200604164
Stępień, M. (C) 1431–1435 [1453–1457], 7869–7873 [8015–8019]
Sterianou, I. (C) 8785–8789 [8941–8945]
Sternativo, S. (C) 6882–6885 [7006–7009]
Sterrer, M.
– Palladium Monomers, Dimers, and Trimers on the MgO(001) Surface Viewed Individually (C) 8703–8706 [8858–8861]
DOI: 10.1002/anie.200702444
Steuber, H. (C) 3575–3578 [3645–3649], 8511–8514 [8664–8667]
Steudel, R.
– Dark-Red O₈ Molecules in Solid Oxygen: Rhomboid Clusters, Not S₈-Like Rings (H) 1768–1771 [1798–1801]
DOI: 10.1002/anie.200604410
Steven, A. (R) 5488–5508 [5584–5605]
Stevens, R. C. (C) 7023–7025 [7153–7155]
Steward, O. W. (C) 7098–7100 [7228–7230]
Stewart, T. (C) 4933–4936 [5021–5024]
Stick, R. V. (C) 4474–4476 [4558–4560]
Stigman, A. E.
– Unusual Nanoparticle Structures from the Silica Sol–Gel-Mediated Self-Assembly of a Prussian-Blue Analogue and the Formation of Templated Graphite Regions (C) 8653–8655 [8807–8809]
DOI: 10.1002/anie.200701344
Stiles, D. T. (C) 6123–6125 [6235–6237]
Stimson, C. C. (C) 8845–8849 [9001–9005]
Stivala, C. E. (C) 7466–7469 [7610–7613]
Stock, N.
– Implementation of a Temperature-Gradient Reactor System for High-Throughput Investigation of Phosphonate-Based Inorganic–Organic Hybrid Compounds (C) 6857–6860 [6981–6984]
DOI: 10.1002/anie.200701575
Stockdill, J. L. (C) 4077–4080 [4155–4158]
Stocks, P. A. (C) 6278–6283 [6394–6399]
Stoddart, J. F.
– A Liquid-Crystalline Bistable [2]Rotaxane (C) 4675–4679 [4759–4763]
DOI: 10.1002/anie.200700305
– A Molecular Solomon Link (C) 218–222 [222–226]
DOI: 10.1002/anie.200603521
Stodt, D. (C) 5624–5627 [5722–5725]
Stohlmeyer, M. M. (C) 8157–8159 [8305–8307]
Stöhr, M. (C) 4089–4092 [4167–4170]

- Stoltz, B. M.
– Synthesis of the Carbocyclic Core of Zoanthenol: Implementation of an Unusual Acid-Catalyzed Cyclization (C) 4077–4080 [4155–4158]
DOI: 10.1002/anie.200700430
- Stončič, S. (C) 3722–3724 [3796–3798]
- Storch de Gracia, I. (C) 4115–4119 [4193–4197]
- Stork, A. (C) 2931–2934 [2989–2992]
- Storr, T. (C) 1716–1718 [1746–1748], 5198–5201 [5290–5293]
- Stöber, A. (C) 1658–1662 [1687–1691]
- Stöber, R. (C) 6354–6356 [6470–6472]
- Stöwe, K. (R) 6016–6067 [6122–6179]
- Straatsma, T. P. (C) 2939–2943 [2997–3001]
- Stradiotto, M.
– A Formally Zwitterionic Ruthenium Catalyst Precursor for the Transfer Hydrogenation of Ketones that Does Not Feature an Ancillary Ligand N–H Functionality (C) 4732–4735 [4816–4819]
DOI: 10.1002/anie.200700345
- Stragies, R. (C) 3571–3574 [3641–3644]
- Straight, S. D. (C) 958–961 [976–979]
- Strasser, P.
– Efficient Oxygen Reduction Fuel Cell Electrocatalysis on Voltammetrically Dealloyed Pt–Cu–Co Nanoparticles (C) 8988–8991 [9146–9149]
DOI: 10.1002/anie.200703331
- Straub, B. F.
– Isolation of a Copper(I) Triazolidine: A “Click” Intermediate (C) 2101–2103 [2147–2149]
DOI: 10.1002/anie.200604444
- Strauss, H. M. (C) 1654–1657 [1682–1686]
- Strauss, S. H.
– Discovering and Verifying Elusive Fullerene Cage Isomers: Structures of $C_{27}P^{11}-(C_{74}D_{36})(CF_3)_{12}$ and $C_{27}P^{11}-(C_{78}D_{36})(CF_3)_{12}$ (C) 4111–4114 [4189–4192]
DOI: 10.1002/anie.200604968
- Streb, C. (C) 7579–7582 [7723–7726]
- Strehblow, H.-H. (C) 1164–1167 [1183–1186]
- Streubel, R.
– Dehydroiodination of Iodo- and Diiodomethane by a Transient Phosphinidene Complex (C) 2104–2107 [2150–2154]
DOI: 10.1002/anie.200602617
- Strong Evidence for a Transient Phosphinidenoid Complex (C) 9327–9330 [9488–9491]
DOI: 10.1002/anie.200701962
- Streuff, J. (C) 7125–7127 [7255–7258]
- Strijowski, U. (C) 3976–3978 [4050–4053]
- Strohmman, C.
– A Highly Enantiomerically Enriched Lithiosilane by Selective Cleavage of a Silicon–Phenyl Bond with Lithium (C) 4780–4782 [4864–4866]
DOI: 10.1002/anie.200604636
- From Monomeric $tBuLi$ (R,R)-TMCD to α -Lithiated (R,R)-TMCD (C) 8281–8283 [8429–8432]
DOI: 10.1002/anie.200702116
- From the Alkylaluminum Aggregate $[(nBuLi)_2 \cdot PMDTA]_2$ to Lithiated PMDTA (C) 4566–4569 [4650–4653]
DOI: 10.1002/anie.200605105
- Strotman, N. A. (C) 3556–3558 [3626–3628]
- Strunk, J. (C) 7315–7318 [7456–7459]
- Strunskus, T. (C) 3762–3764 [3837–3839], 9227–9230 [9387–9390]
- Strynadka, N. C. J.
– The Structural Basis of Glycosidase Inhibition by Five-Membered Iminocyclitols: The Clan A Glycoside Hydrolase Endoglycoceramidase as a Model System (C) 4474–4476 [4558–4560]
DOI: 10.1002/anie.200700268
- Stucky, G. D. Corrigendum: 653
- Studer, A.
– Divergent Reactions for Racemates: Catalytic, Enantioselective, and Regiodivergent Nitroso Diels–Alder Reactions (C) 6542–6544 [6662–6664]
DOI: 10.1002/anie.200701631
- Homolytic Substitution at Phosphorus for the Synthesis of Alkyl and Aryl Phosphanes (C) 6533–6536 [6653–6656]
DOI: 10.1002/anie.200701650
- Site-Selective Surface-Initiated Polymerization by Langmuir–Blodgett Lithography (C) 5231–5233 [5324–5326]
DOI: 10.1002/anie.200605020
- Stueckler, C. (C) 3934–3937 [4008–4011]
- Stupp, S. I.
– A Torsional Strain Mechanism To Tune Pitch in Supramolecular Helices (C) 5873–5876 [5977–5980]
DOI: 10.1002/anie.200701328
- Sturm, S. (C) 7301–7303 [7440–7442]
- Stürmer, R. (C) 3316–3318 [3380–3382]
- Stütz, A. E. (C) 4474–4476 [4558–4560]
- Stymiest, J. L. (C) 7491–7494 [7635–7638]
- Su, C. (C) 7891–7895 [8037–8041]
- Su, C.-Y.
– Bright Blue-Emitting Ce^{3+} Complexes with Encapsulating Polybenzimidazole Tripodal Ligands as Potential Electroluminescent Devices (C) 7399–7403 [7543–7547]
DOI: 10.1002/anie.200702401
- Su, D. S.
– Nanocarbon as Robust Catalyst: Mechanistic Insight into Carbon-Mediated Catalysis (C) 7319–7323 [7460–7464]
DOI: 10.1002/anie.200702466
- Natural Lavas as Catalysts for Efficient Production of Carbon Nanotubes and Nanofibers (C) 1823–1824 [1855–1856]
DOI: 10.1002/anie.200604207
- Su, F. (C) 8574–8578 [8728–8732]
- Su, H. (C) 3541–3543 [3611–3613]
- Su, W. (C) 1071–1074 [1089–1092]
- Su, Z. (C) 6163–6166 [6275–6278]
- Subra, G. (C) 5594–5597 [5690–5693]
- Subramaniam, P. (C) 2839–2843 [2897–2901]
- Suchomel, M. R. (C) 8785–8789 [8941–8945]
- Suchsland, J.-P. (C) 3530–3532 [3600–3602]
- Sud, D. (C) 8017–8019 [8163–8165]
- Suematsu, H. (C) 3889–3891 [3963–3965]
- Suez, I. (C) 7477–7480 [7621–7624]
- Sugihara, M. (C) 269–271 [273–275]
- Suh, J.
– Cleavage Agents for Soluble Oligomers of Amyloid β Peptides (C) 7064–7067 [7194–7197]
DOI: 10.1002/anie.200702399
- Suh, J. H. (C) 3471–3474 [3541–3544]
- Suh, J.-S. (C) 8836–8839 [8992–8995]
- Sukata, S.-i. (C) 2220–2223 [2270–2273]
- Sukhorukov, G. B. (C) 5605–5608 [5702–5705]
- Sulzer, P. (C) 5238–5241 [5331–5334]
- Sumper, M.
– A Code for Lysine Modifications of a Silica Biomineralizing Silaffin Protein (C) 8405–8408 [8557–8560]
DOI: 10.1002/anie.200702413
- Sun, D. (C) 2458–2462 [2510–2514]
- Sun, F.
– Photochemical Preparation of Two-Dimensional Gold Spherical Pore and Hollow Sphere Arrays on a Solution Surface (C) 773–777 [787–791]
DOI: 10.1002/anie.200603697
- Sun, Hang (C) 1300–1303 [1322–1325]
- Sun, Hongzhe
– Bismuth Complexes Inhibit the SARS Coronavirus (C) 6464–6468 [6584–6588]
DOI: 10.1002/anie.200701021
- Sun, Huailin
– Metal-Catalyzed Copolymerization of Imines and CO: A Non-Amino Acid Route to Polypeptides (C) 6068–6072 [6180–6184]
DOI: 10.1002/anie.200700646
- Slow Migration of a Phosphorus Ligand between Two Metal Centers (C) 7498–7500 [7642–7644]
DOI: 10.1002/anie.200702234
- Sun, J. (C) 4767–4770 [4851–4854]
- Sun, R. (C) 3896–3899 [3970–3973]
- Sun, Shaoguang (C) 1726–1729 [1756–1759]
- Sun, Shouheng
– A General Strategy for Synthesizing FePt Nanowires and Nanorods (C) 6333–6335 [6449–6451]
DOI: 10.1002/anie.200702001
- Controlled Synthesis and Chemical Conversions of FeO Nanoparticles (C) 6329–6332 [6445–6448]
DOI: 10.1002/anie.200701694
- Synthesis and Characterization of Monodisperse Hollow Fe_3O_4 Nanoparticles (C) 4155–4158 [4233–4236]
DOI: 10.1002/anie.200700677
- Sun, W.-C. (C) 8171–8173 [8319–8321]
- Sun, X.-L. (C) 3918–3921 [3992–3995], 5951–5954 [6055–6058]
- Sun, X. Y. (C) 6717–6720 [6838–6841]
- Sun, Xianfeng (C) 2623–2626 [2677–2680]
- Sun, Xiuli (C) 1089–1093 [1107–1111]
- Sun, Y.-P. (C) 5896–5900 [6000–6004]
- Sun, Yiru (C) 1109–1112 [1127–1130]
- Sun, Yu (C) 1270–1273 [1293–1296]
- Sung, H. H.-Y. (C) 9065–9068 [9223–9226]
- Sung, W. (C) 3471–3474 [3541–3544]
- Sunley, G. J. (C) 2288–2290 [2338–2340]
- Suo, Y. (C) 2862–2864 [2920–2922]
- Supuran, C. T. (C) 7697–7699 [7841–7843]
- Suresh, E. (C) 2070–2073 [2116–2119]
- Surin, A. K. (C) 1481–1484 [1503–1506]
- Surin, M. (C) 245–249 [249–253]
- Süssmuth, R. D.
– Action of atrop-Abyssomicin C as an Inhibitor of 4-Amino-4-deoxychorismate Synthase PabB (C) 8284–8286 [8433–8435]
DOI: 10.1002/anie.200701836

- Sutherland, J. D.
- Formation of Potentially Prebiotic Amphiphiles by Reaction of β -Hydroxy-*n*-alkylamines with Cyclotriphosphate (C) 4166–4168 [4244–4246]
DOI: 10.1002/anie.200700394
 - Looking Beyond the RNA Structural Neighborhood for Potentially Primordial Genetic Systems (H) 2354–2356 [2406–2408]
DOI: 10.1002/anie.200604374
 - Simultaneous Nucleotide Activation and Synthesis of Amino Acid Amides by a Potentially Prebiotic Multi-Component Reaction (C) 8063–8066 [8209–8212]
DOI: 10.1002/anie.200702870
- Suzaki, Y. (C) 4983–4986 [5071–5074]
Suzuki, A. (C) 9253–9256 [9413–9416]
Suzuki, Keisuke
- Isoxazole-Directed Pinacol Rearrangement: Stereocontrolled Approach to Angular Stereogenic Centers (C) 3252–3254 [3316–3318]
DOI: 10.1002/anie.200605138
- Suzuki, Kenichiro (C) 2891–2894 [2949–2952]
Suzuki, Koji
- Neurite Imaging of Living PC12 Cells with Scanning Electrochemical/Near-Field Optical/Atomic Force Microscopy (C) 8238–8241 [8386–8389]
DOI: 10.1002/anie.200702617
- Suzuki, Kosuke (C) 2819–2822 [2877–2880]
Suzuki, M. (C) 5171–5174 [5263–5266]
Suzuki, T. (C) 1909–1913 [1941–1945], 5435–5439 [5531–5535]
Suzuki, Yoshio (C) 4097–4099 [4175–4177]
Suzuki, Yosuke (C) 5532–5536 [5628–5632]
Svoboda, J. (C) 4574–4576 [4658–4660]
Swager, T. M.
- Poly(anthrylenebutadiynylene)s: Precursor-Based Synthesis and Band-Gap Tuning (C) 8480–8483 [8632–8635]
DOI: 10.1002/anie.200703409
- Swart, I. (C) 5317–5320 [5411–5414]
Swayze, E. E. Corrigendum: 2971
Sylvester, K. T. (C) 1698–1701 [1728–1731]
Szabó, K. J.
- Selective One-Pot Carbon–Carbon Bond Formation by Catalytic Boronation of Unactivated Cycloalkenes and Subsequent Coupling (C) 6891–6893 [7015–7017]
DOI: 10.1002/anie.200702499
- Szedlaczek, S. E. (C) 7700–7703 [7844–7847]
Szesni, N. (C) 7301–7303 [7440–7442]
Szilvay, G. R. (C) 6446–6449 [6566–6569]
Szterenberg, L. (C) 7869–7873 [8015–8019]
Szychowski, J. Corrigendum: 2971
- Skeletons
- (C) 7006–7009 [7136–7139]
DOI: 10.1002/anie.200700910
 - Prediction of Perception: Probing the hOR17-4 Olfactory Receptor Model with Silicon Analogues of Bourgeonal and Lilial (C) 3367–3371 [3431–3436]
DOI: 10.1002/anie.200605002
 - Unusual Silicon Coordination Polyhedra: Non-VSEPR Structures of Zwitterionic λ^5 -Si Silicon(IV) Complexes with an $\text{SiS}_2\text{N}_2\text{C}$ or $\text{SiS}_2\text{O}_2\text{C}$ Skeleton (C) 7001–7005 [7131–7135]
DOI: 10.1002/anie.200700785
- Tackett, M. N. (C) 591–597 [597–603]
Tada, M. (C) 4310–4315 [4388–4393], 7220–7223 [7358–7361], 9253–9256 [9413–9416]
Tadesse, H. (C) 4163–4165 [4241–4243]
Tadokoro, M.
- Mixed-Valence States Stabilized by Proton Transfer in a Hydrogen-Bonded Biimidazole Rhenium Dimer (C) 5938–5942 [6042–6046]
DOI: 10.1002/anie.200701277
- Tafipolsky, M. (C) 463–466 [467–470]
Tafoya, M. M. (C) 5877–5879 [5981–5983]
Taglieber, A. (C) 2903–2906 [2961–2964], 8597–8600 [8751–8754]
Tagore, D. M. (C) 223–225 [227–229], 7583–7586 [7727–7730]
Taguchi, M. (C) 2422–2425 [2474–2477]
Tahara, K. (C) 2831–2834 [2889–2892], 2844–2847 [2902–2905]
Tahara, T.
- $\chi^{(4)}$ Raman Spectroscopy for Buried Water Interfaces (C) 7609–7612 [7753–7756]
DOI: 10.1002/anie.200701609
- Taillefer, M.
- Efficient Iron/Copper Co-Catalyzed Arylation of Nitrogen Nucleophiles (C) 934–936 [952–954]
DOI: 10.1002/anie.200603173
- Tajima, Tomoyuki (C) 1504–1507 [1526–1529]
Tajima, Toshiki
- Anodic Fluorination Based on Cation Exchange between Alkali-Metal Fluorides and Solid-Supported Acids (C) 3550–3552 [3620–3622]
DOI: 10.1002/anie.200700037
- Takada, T. (C) 6681–6683 [6801–6803]
Takagi, D. (C) 5958–5961 [6062–6065]
Takahara, M. (C) 2891–2894 [2949–2952]
Takahashi, Hideaki (C) 3544–3546 [3614–3616]
Takahashi, Hitomi (C) 3238–3241 [3302–3305]
Takahashi, K. (C) 6703–6705 [6823–6825]
Takahashi, Masashi (C) 8583–8586 [8737–8740]
Takahashi, Masayuki (C) 3912–3914 [3986–3988]
Takahashi, T.
- Direct and Stereoselective Synthesis of β -Linked 2,6-Deoxyoligosaccharides (C) 2505–2507 [2557–2559]
DOI: 10.1002/anie.200604031
 - Solid-Phase Synthesis of Epigallocatechin Gallate Derivatives (C) 5934–5937 [6038–6041]
DOI: 10.1002/anie.200701276
- Takai, K.
- Indium-Catalyzed Retro-Claisen Condensation (C) 7793–7795 [7939–7941]
DOI: 10.1002/anie.200702798
 - Manganese-Catalyzed Insertion of Aldehydes into a C–H Bond (C) 6518–6520 [6638–6640]
DOI: 10.1002/anie.200702256
 - Rhenium- and Gold-Catalyzed Coupling of Aromatic Aldehydes with Trimethyl-(phenylethynyl)silane: Synthesis of Diethynylmethanes (C) 3296–3299 [3360–3363]
DOI: 10.1002/anie.200700183
- Takaishi, M. (C) 1132–1135 [1150–1153]
Takase, M. (C) 5524–5527 [5620–5623]
Takashima, Y. (C) 5144–5147 [5236–5239]
Takata, K. (C) 7793–7795 [7939–7941]
Takata, M. (C) 4987–4990 [5075–5078]
Takatsu, K. (C) 3735–3737 [3809–3811]
Takatsuka, K.
- Mechanisms of the Elementary Processes of Electron Wavepacket Dynamics Coupled with Proton Transfer and Hydrogen-Atom Migration in $\text{H}_2\text{O} + \text{H}_3\text{O}^+$ (C) 587–590 [593–596]
DOI: 10.1002/anie.200603553
- Takaya, H.
- Ultrasound-Induced Gelation of Organic Fluids with Metalated Peptides (C) 2855–2857 [2913–2915]
DOI: 10.1002/anie.200605067
- Takeda, S. (C) 5938–5942 [6042–6046]
Takeda, Y. (C) 8659–8661 [8813–8815]
Takeoka, Y.
- A Thermally Adjustable Multicolor Photochromic Hydrogel (C) 1688–1692 [1718–1722]
DOI: 10.1002/anie.200603554
- Takeuchi, D. (C) 6141–6143 [6253–6255]
Takeuchi, Takahiro (C) 6518–6520 [6638–6640]
Takeuchi, Toshihide (C) 5880–5884 [5984–5988]
Takeuchi, Y. (C) 758–760 [772–774]
Takikawa, H. (C) 3252–3254 [3316–3318]
Takimiya, K. (C) 9057–9061 [9215–9219]
Takimoto, A. (C) 8808–8813 [8964–8969]
Tamai, T. (C) 7101–7103 [7231–7233]
Tamaki, S. (C) 5938–5942 [6042–6046]
Tamao, K.
- *Makoto Kumada* (O) 7538–7539 [7682–7683]
DOI: 10.1002/anie.200704157
- Tamiya, M. (C) 9265–9270 [9425–9430]
Tamm, M.
- Efficient Room-Temperature Alkyne Metathesis with Well-Defined Imidazolin-2-iminato Tungsten Alkylidyne Complexes (C) 8890–8894 [9047–9051]
DOI: 10.1002/anie.200703184
- Tampé, R.
- Molecular Printboards as a General Platform for Protein Immobilization: A Supramolecular Solution to Nonspecific Adsorption (C) 4104–4107 [4182–4185]
DOI: 10.1002/anie.200605104
- Tamura, M. (C) 3874–3876 [3948–3950]
Tan, K. L. (C) 1315–1317 [1337–1339]
Tan, Z. (C) 7383–7387 [7527–7531]
Tanabe, T. (C) 9253–9256 [9413–9416]
Tanaka, E. (C) 7969–7971 [8115–8117]



- Tabbi, G. (C) 7993–7995 [8139–8141]
Tacke, R.
- Pentacoordination of Silicon by Five Different Ligand Atoms: Neutral Silicon(IV) Complexes with SiClSONC and SiISONC

- Tanaka, F.
– A Way to Highly Enantiomerically Enriched *aza*-Morita–Baylis–Hillman–Type Products (C) 1878–1880 [1910–1912]
DOI: 10.1002/anie.200603973
- Tanaka, F. (C) 5572–5575 [5668–5671]
- Tanaka, Hirohisa
– A Platinum-Free Zero-Carbon-Emission Easy Fuelling Direct Hydrazine Fuel Cell for Vehicles (C) 8024–8027 [8170–8173]
DOI: 10.1002/anie.200701334
- Tanaka, Hiroko (C) 8157–8159 [8305–8307]
- Tanaka, Hiroshi
– Direct and Stereoselective Synthesis of β -Linked 2,6-Deoxyoligosaccharides (C) 2505–2507 [2557–2559]
DOI: 10.1002/anie.200604031
- Tanaka, Hiroshi (C) 5934–5937 [6038–6041]
- Tanaka, Kazuhiro (C) 6662–6665 [6782–6785]
- Tanaka, Kazuyoshi
– Intramolecular Spin Transfer in a Spiro-Fused Bis(triarylamine) (C) 3300–3303 [3364–3367]
DOI: 10.1002/anie.200603360
- Tanaka, Ken
– Asymmetric Assembly of Aromatic Rings To Produce Tetra-*ortho*-Substituted Axially Chiral Biaryl Phosphorus Compounds (C) 3951–3954 [4025–4028]
DOI: 10.1002/anie.200700064
- Tanner, Koji
– Electrochemical and Photochemical Behavior of a Ruthenium(II) Complex Bearing Two Redox Sites as a Model for the NAD⁺/NADH Redox Couple (C) 7112–7115 [7242–7245]
DOI: 10.1002/anie.200701204
- Generation of a Ru^{II}–Semiquinone–Anilino-Radical Complex through the Deprotonation of a Ru^{III}–Semiquinone–Anilido Complex (C) 5728–5730 [5830–5832]
DOI: 10.1002/anie.200701600
- Photochemical and Radiolytic Production of an Organic Hydride Donor with a Ru^{II} Complex Containing an NAD⁺ Model Ligand (C) 4169–4172 [4247–4250]
DOI: 10.1002/anie.200700304
- Tanaka, Takeshi (C) 1132–1135 [1150–1153]
- Tanaka, Tetsuaki
– Heck-Type Cyclization of Oxime Ethers: Stereoselective Carbon–Carbon Bond Formation with Aryl Halides To Produce Heterocyclic Oximes (C) 6325–6328 [6441–6444]
DOI: 10.1002/anie.200701868
- Tanaka, Yoshie (C) 2435–2439 [2487–2491]
- Tanaka, Youhei (C) 1738–1740 [1768–1770]
- Tanase, S.
– Long-Range Magnetic Ordering in a Tb^{III}–Mo^V Cyanido-Bridged Quasi-One-Dimensional Complex (C) 6081–6084 [6193–6196]
DOI: 10.1002/anie.200701847
- Tang, J. (C) 3892–3895 [3966–3969]
- Tang, Peiqin (C) 3342–3345 [3406–3409]
- Tang, Pingping (C) 2527–2530 [2579–2582]
- Tang, W. (C) 7960–7964 [8106–8110]
- Tang, Yanli (C) 7882–7886 [8028–8032]
- Tang, Yong
– Highly Enantioselective and Diastereoselective Cycloaddition of Cyclopropanes with Nitrones and Its Application in the Kinetic Resolution of 2-Substituted Cyclopropane-1,1-dicarboxylates (C) 3918–3921 [3992–3995]
DOI: 10.1002/anie.200604645
- Phosphine-Catalyzed Intramolecular Formal [3+2] Cycloaddition for Highly Diastereoselective Synthesis of Bicyclo-[*n*.3.0] Compounds (C) 5951–5954 [6055–6058]
DOI: 10.1002/anie.200701460
- Tang, Yu (C) 4069–4072 [4147–4150]
- Tang, Yuchen (C) 5352–5355 [5448–5451]
- Tang, Yun
– Synthesis of Highly Functionalized Chiral Cyclopentanes by Catalytic Enantio- and Diastereoselective Double Michael Addition Reactions (C) 3732–3734 [3806–3808]
DOI: 10.1002/anie.200700485
- Tang, Z. (C) 7297–7300 [7436–7439]
- Tani, F.
– A Nanotube of Cyclic Porphyrin Dimers Connected by Nonclassical Hydrogen Bonds and Its Inclusion of C₆₀ in a Linear Arrangement (C) 8975–8978 [9133–9136]
DOI: 10.1002/anie.200704058
- Tanida, H. (C) 4310–4315 [4388–4393]
- Taniguchi, M. (C) 8024–8027 [8170–8173]
- Tannai, H. (C) 7112–7115 [7242–7245]
- Tanner, J. A. (C) 6464–6468 [6584–6588]
- Tao, Jing (C) 2650–2654 [2704–2708]
- Tao, Jun (R) 2152–2187 Corrigendum: 5049 [2200–2236 Corrigendum: 5137]
- Taoufik, M.
– Direct Transformation of Ethylene into Propylene Catalyzed by a Tungsten Hydride Supported on Alumina: Trifunctional Single-Site Catalysis (C) 7202–7205 [7340–7343]
DOI: 10.1002/anie.200701199
- Tapriyal, D. (C) 3284–3287 [3348–3351]
- Tarascon, J.-M.
– Mixed-Valence Li/Fe-Based Metal–Organic Frameworks with Both Reversible Redox and Sorption Properties (C) 3259–3263 [3323–3327]
DOI: 10.1002/anie.200605163
- Tardivel, B. (C) 2463–2466 [2515–2518]
- Tarling, C. A. (C) 4474–4476 [4558–4560]
- Tarrant, T. (C) 3680–3682 [3754–3756]
- Tarsa, P. B. (C) 1999–2001 [2045–2047]
- Tarselli, M. A. (C) 6670–6673 [6790–6793]
- Tatarek-Nossol, M. (C) 1246–1252 [1268–1274]
- Taton, T. A. (C) 8819–8822 [8975–8978]
- Tatsumi, T.
– Synthesis and Characterization of Chiral Periodic Mesoporous Organosilicas (C) 7796–7798 [7942–7944]
DOI: 10.1002/anie.200702666
- Tayama, E.
– Asymmetric Sommelet–Hauser Rearrangement of *N*-Benzylic Ammonium Salts (C) 8869–8871 [9025–9027]
DOI: 10.1002/anie.200703832
- Taylor, J. E. (C) 2266–2268 [2316–2318]
- Taylor, J. M. (C) 795–798 [809–812]
- Taylor, K. M. L. (C) 3680–3682 [3754–3756]
- Taylor, M. S. (C) 8480–8483 [8632–8635]
- Taylor, R. E.
– Electrophile-Induced Ether Transfer: Stereoselective Synthesis of 2,4,6-Trisubstituted Tetrahydropyrans (C) 6874–6877 [6998–7001]
DOI: 10.1002/anie.200702018
- Tejedor, R. M. (C) 1873–1877 [1905–1909]
- Telser, J. (C) 2039–2042 [2085–2088]
- Tenne, R. (C) 623–627 [631–635]
- Tepovich Jr., J. A. (C) 1145–1148 [1163–1166], 8160–8163 [8308–8311]
- Teranishi, T.
– Anisotropically Phase-Segregated Pd–Co–Pd Sulfide Nanoparticles Formed by Fusing Two Co–Pd Sulfide Nanoparticles (C) 1713–1715 [1743–1745]
DOI: 10.1002/anie.200603865
- Terao, J.
– Copper-Catalyzed Cross-Coupling Reaction of Grignard Reagents with Primary-Alkyl Halides: Remarkable Effect of 1-Phenylpropyne (C) 2086–2089 [2132–2135]
DOI: 10.1002/anie.200603451
- Terao, J. (C) 5929–5933 [6033–6037]
- Terfort, A.
– Kinetically Stable, Flat-Lying Thiolate Monolayers (C) 3762–3764 [3837–3839]
DOI: 10.1002/anie.200605125
- Terrazas, M. (C) 1810–1813 [1842–1845]
- Terreno, E. (C) 966–968 [984–986]
- Terry, T. J. (C) 945–947 [963–965]
- Texter, J.
– Solvent-Reversible Poration in Ionic Liquid Copolymers (C) 2440–2443 [2492–2495]
DOI: 10.1002/anie.200604127
- Thalladi, V. R.
– A Supramolecular Approach to Organic Alloys: Cocrystals and Three- and Four-Component Solid Solutions of 1,4-Diazabicyclo[2.2.2]octane and 4-X-Phenols (X = Cl, CH₃, Br) (C) 4132–4135 [4210–4213]
DOI: 10.1002/anie.200604830
- Selective Crystal Growth of the Anhydrous and Monohydrate Forms of Theophylline on Self-Assembled Monolayers (C) 1988–1991 [2034–2037]
DOI: 10.1002/anie.200604674
- Selective Growth of a Stable Drug Polymorph by Suppressing the Nucleation of Corresponding Metastable Polymorphs (C) 4333–4336 [4411–4414]
DOI: 10.1002/anie.200605257
- Thangadurai, V. (C) 7778–7781 [7925–7928]
- Theopold, K. H.
– A Tale of Two Isomers: A Stable Phenyl Hydride and a High-Spin (*S* = 3) Benzene Complex of Chromium (C) 6692–6694 [6812–6814]
DOI: 10.1002/anie.200701933
- Theyssen, N. (C) 2269–2272 [2319–2322]
- Thiel, V. (C) 8287–8290 [8436–8439]
- Thiel, W. (C) 3745–3749 [3819–3823], 6811–6815 [6935–6939]
- Thiel, W. R.
– Dibenzo[*c,g*]fluorene: The Combination of Cyclopentadiene and 1,1'-Binaphthyl in One Ligand (C) 1270–1273 [1293–1296]
DOI: 10.1002/anie.200604230

- Thiele, C. M.
– Magnetic Resonance at or below the Earth's Magnetic Field (H) 4820–4824 [4904–4909]
DOI: 10.1002/anie.200700730
- Thieuleux, C.
– Homologation of Propane Catalyzed by Oxide-Supported Zirconium Dihydride and Dialkyl Complexes (C) 2288–2290 [2338–2340]
DOI: 10.1002/anie.200604158
- Thivolle-Cazat, J. (C) 7202–7205 [7340–7343]
- Thoeni, S. (C) 2112–2114 [2160–2162]
- Thomas, A. (C) 2717–2720 [2773–2776], 3464–3467 [3534–3537], 9023–9026 [9181–9184]
- Thomas, E. L.
– A Route to Three-Dimensional Structures in a Microfluidic Device: Stop-Flow Interference Lithography (C) 9027–9031 [9185–9189]
DOI: 10.1002/anie.200703525
- Thomas, F. (C) 1716–1718 [1746–1748]
- Thomas, J. A.
– A Multifunctional Light Switch: DNA Binding and Cleavage Properties of a Heterobimetallic Ruthenium–Rhenium Dipyridophenazine Complex (C) 3686–3688 [3760–3762]
DOI: 10.1002/anie.200604837
- Thomas, J. M.
– Bimetallic Ru–Sn Nanoparticle Catalysts for the Solvent-Free Selective Hydrogenation of 1,5,9-Cyclododecatene to Cyclododecene (C) 8182–8185 [8330–8333]
DOI: 10.1002/anie.200702274
- Gold in a Metallic Divided State—From Faraday to Present-Day Nanoscience (E) 5480–5486 [5576–5582]
DOI: 10.1002/anie.200700428
- Systematic Enumeration of Microporous Solids: Towards Designer Catalysts (E) 7160–7163 [7294–7297]
DOI: 10.1002/anie.200700666
- Thomas, N. R.
– Homogeneous Biocatalysis in both Fluorous Biphasic and Supercritical Carbon Dioxide Systems (C) 7860–7863 [8006–8009]
DOI: 10.1002/anie.200701488
- Thomas, P. A. (C) 2635–2638 [2689–2692]
- Thomas, P. M. (C) 9089–9092 [9247–9250]
- Thomas, R. M. (C) 9015–9018 [9173–9176]
- Thompson, K. H. (C) 1716–1718 [1746–1748]
- Thompson, L. K.
– A Self-Assembled, Magnetically Coupled Square $\text{Cu}_4 \times [2 \times 2]$ Grid (C) 7440–7444 [7584–7588]
DOI: 10.1002/anie.200701840
- Thompson, M. E.
– Highly Efficient, Near-Infrared Electrophosphorescence from a Pt–Metalloporphyrin Complex (C) 1109–1112 [1127–1130]
DOI: 10.1002/anie.200604240
- Thompson, P. R. (C) 7621–7624 [7765–7768]
- Thomson, D. W. (C) 5178–5183 [5270–5275]
- Thomson, R. J.
– Enantioselective Total Synthesis of the Osteoclastogenesis Inhibitor (+)-Symbioimine (C) 3104–3106 [3164–3166]
DOI: 10.1002/anie.200605160
- Thong, N. H. (C) 6354–6356 [6470–6472]
- Thornton, G.
– Visualization of Complex-Anion Site Conversion on a Metal Oxide Surface (C) 549–552 [555–558]
DOI: 10.1002/anie.200602938
- Thorp, H. H. (R) 5284–5304 [5378–5399]
- Thouvenot, R. (C) 4477–4480 [4561–4564]
- Thuéry, P. (C) 2010–2012 [2056–2058]
- Thun, J. (C) 6729–6731 [6851–6854]
- Tian, F. (C) 1094–1096 [1112–1114]
- Tian, H.
– A Fluorophore Capable of Crossword Puzzles and Logic Memory (C) 5549–5553 [5645–5649]
DOI: 10.1002/anie.200700526
- Tian, L. (C) 3245–3248 [3309–3312]
- Tian, R. (C) 962–965 [980–983]
- Tian, X. (C) 4176–4179 [4254–4257]
- Tiecco, M. (C) 6882–6885 [7006–7009]
- Tiedemann, B. E. F. (C) 4976–4978 [5064–5066]
- Tiefenbacher, K. (C) 2690–2693 [2744–2747], 8074–8075 [8220–8221]
- Tillack, A. (C) 8291–8294 [8440–8444]
- Tilloy, S. (C) 3040–3042 [3100–3102]
- Tinnefeld, P.
– Making Ultrasensitive Weighing Biocompatible by Placing the Sample within a Resonant Cantilever (H) 7926–7929 [8072–8075]
DOI: 10.1002/anie.200702894
- Tirrell, D. A.
– High-Throughput Screening for Methionyl-tRNA Synthetases That Enable Residue-Specific Incorporation of Noncanonical Amino Acids into Recombinant Proteins in Bacterial Cells (C) 5340–5343 [5436–5439]
DOI: 10.1002/anie.200700779
- Tiseni, P. S. (C) 5325–5328 [5419–5422]
- Tishkov, A. A. (C) 3563–3566 [3633–3636]
- Tisné, C.
– NMR-Guided Fragment-Based Approach for the Design of tRNA^{Lys} Ligands (C) 4489–4491 [4573–4575]
DOI: 10.1002/anie.200605201
- Tobe, Y.
– Structural Transformation of a Two-Dimensional Molecular Network in Response to Selective Guest Inclusion (C) 2831–2834 [2889–2892]
DOI: 10.1002/anie.200604782
- Tobita, H.
– Synthesis and Structure of a Hydrido(hydrosilylene)ruthenium Complex and Its Reactions with Nitriles (C) 8192–8194 [8340–8342]
DOI: 10.1002/anie.200703154
- Toda, F. Corrigendum: 486
- Todea, A. M. (C) 4477–4480 [4561–4564], 6106–6110 [6218–6222]
- Todo, H. (C) 2086–2089 [2132–2135]
- Togni, A.
– Mild Electrophilic Trifluoromethylation of Carbon- and Sulfur-Centered Nucleophiles by a Hypervalent Iodine(III)–CF₃ Reagent (C) 754–757 [768–771]
DOI: 10.1002/anie.200603497
- Tohnai, N.
– Well-Designed Supramolecular Clusters Comprising Triphenylmethylamine and Various Sulfonic Acids (C) 2220–2223 [2270–2273]
DOI: 10.1002/anie.200603841
- Tokmakoff, A.
– Probing Local Structural Events in β -Hairpin Unfolding with Transient Nonlinear Infrared Spectroscopy (C) 7984–7987 [8130–8133]
DOI: 10.1002/anie.200701172
- Tokoro, H. (C) 3238–3241 [3302–3305]
- Tokue, T. (C) 2254–2256 [2304–2306]
- Tokura, Y. (C) 3497–3501 [3567–3571]
- Tomás, M. (C) 2610–2612 [2664–2666]
- Tomaszewski, J. (C) 8246–8249 [8394–8397]
- Tomba, G. (C) 4492–4495 [4576–4579]
- Tombe, T. (C) 6646–6649 [6766–6769]
- Tomeba, H. (C) 4764–4766 [4848–4850]
- Tomlinson, M. R. (C) 6460–6463 [6580–6583]
- Tomović, Ž. (C) 8203–8205 [8351–8353], 8206–8211 [8354–8359]
- Tong, M.-L. (C) 6076–6080 [6188–6192]
- Tong, Y.-X. (C) 7399–7403 [7543–7547]
- Tong, Z. (C) 7015–7018 [7145–7148]
- Toniolo, C. (C) 2047–2050 [2093–2096]
- Tonner, R. Corrigendum: 5263
- Tonner, R. (C) 2986–2987 [3044–3045], (C) 8695–8698 [8850–8853]
- Tontisirin, S. (C) 7304–7306 [7443–7446]
- Toraya, T. (C) 980–983 [998–1001]
- Torbeev, V. Yu. (C) 1667–1670 [1697–1700]
- Törnroos, K. W. (C) 3126–3130 [3187–3191], 6508–6513 [6628–6633]
- Torres, D. (C) 2055–2058 [2101–2104]
- Torres, M. R. (C) 1847–1851 [1879–1883]
- Torres, T.
– Molecular Cosensitization for Efficient Panchromatic Dye-Sensitized Solar Cells (C) 8358–8362 [8510–8514]
DOI: 10.1002/anie.200703106
- Tortoli, S. (C) 2082–2085 [2128–2131], 8979–8982 [9137–9140]
- Toru, T.
– Cinchona-Alkaloid-Catalyzed Enantioselective Direct Aldol-Type Reaction of Oxindoles with Ethyl Trifluoropyruvate (C) 8666–8669 [8820–8823]
DOI: 10.1002/anie.200703317
- Highly Enantioselective Reactions of α -Sulfonyl Carbanions of Trifluoromethyl Sulfones (C) 7648–7650 [7792–7794]
DOI: 10.1002/anie.200702185
- Toscano, M. D. (R) 3212–3236 [3274–3300], (C) 4468–4470 [4552–4554]
- Toscano, R. A. (C) 2895–2898 [2953–2956]
- Toshima, K.
– Target-Selective Degradation of Oligosaccharides by a Light-Activated Small-Molecule–Lectin Hybrid (C) 8396–8399 [8548–8551]
DOI: 10.1002/anie.200702127
- Tosoni, M. (R) 4832–4887 [4916–4973]
- Toste, F. D.
– Gold(I)-Catalyzed Synthesis of Functionalized Cyclopentadienes (C) 912–914 [930–932]
DOI: 10.1002/anie.200604006
- Total Synthesis of (+)-Fawcettimine (C) 7671–7673 [7815–7817]
DOI: 10.1002/anie.200702695
- Totzke, F. (C) 6899–6902 [7023–7026]
- Toumi, M. (C) 572–575 [578–581]
- Toupet, L. (C) 2663–2665 [2717–2719]
- Towrie, M. (C) 3686–3688 [3760–3762]

- Toyofuku, K. (C) 6476–6480 [6596–6600]
 Toyota, S. Corrigendum: 486
 Tozer, D. J.
 – An Electrostatic *Gauche* Effect in β -Fluoro- and β -Hydroxy-*N*-ethylpyridinium Cations (C) 5904–5908 [6008–6012]
 DOI: 10.1002/anie.200700714
 Traeger, F. (C) 5624–5627 [5722–5725]
 Trapp, N. (C) 8295–8298 [8445–8449]
 Trapp, O.
 – Boosting the Throughput of Separation Techniques by “Multiplexing” (C) 5609–5613 [5706–5710]
 DOI: 10.1002/anie.200605128
 – High-Throughput Screening of Catalysts by Combining Reaction and Analysis (C) 7307–7310 [7447–7451]
 DOI: 10.1002/anie.200701326
 Trauthwein, H. (C) 8492–8494 [8644–8646]
 Tremel, W.
 – Phase Selection of Calcium Carbonate through the Chirality of Adsorbed Amino Acids (C) 5618–5623 [5716–5721]
 DOI: 10.1002/anie.200700010
 Treutwein, J. (C) 8500–8502 [8653–8655]
 Trewin, A. (C) 8574–8578 [8728–8732]
 Tria, G. S. (C) 3942–3945 [4016–4019]
 Triller, A. (C) 3367–3371 [3431–3436]
 Trindade, A. F. (C) 5750–5753 [5852–5855]
 Troegel, D. (C) 7001–7005 [7131–7135]
 Tromp, M. (C) 5356–5358 [5452–5454]
 Trost, B. M.
 – An Alkyne Strategy for the Asymmetric Synthesis of Natural Products: Application to (+)-Spirolaxine Methyl Ether (C) 7664–7666 [7808–7810]
 DOI: 10.1002/anie.200702637
 – Dynamic Kinetic Asymmetric Allylic Amination and Acyl Migration of Vinyl Aziridines with Imido Carboxylates (C) 6123–6125 [6235–6237]
 DOI: 10.1002/anie.200700835
 – Rhodium-Catalyzed Cycloisomerization: Formation of Indoles, Benzofurans, and Enol Lactones (C) 2074–2077 [2120–2123]
 DOI: 10.1002/anie.200604183
 Trudeau, M. (C) 2635–2638 [2689–2692]
 Truman, A. W. (C) 1462–1464 [1484–1486]
 Trunschke, A.
 – Role of Lattice Strain and Defects in Copper Particles on the Activity of Cu/ZnO/Al₂O₃ Catalysts for Methanol Synthesis (C) 7324–7327 [7465–7468]
 DOI: 10.1002/anie.200702600
 Tsai, M.-H. (C) 2418–2421 [2470–2473]
 Tsang, S. C.
 – Chemically Immobilized Single-Stranded Oligonucleotides on Praseodymium Oxide Nanoparticles as an Unlabeled DNA Sensor Probe Using Impedance (C) 3855–3859 [3929–3933]
 DOI: 10.1002/anie.200604827
 Tsao, N. (C) 5417–5420 [5513–5516]
 Tsapatsis, M.
 – Hierarchical Nanomanufacturing: From Shaped Zeolite Nanoparticles to High-Performance Separation Membranes (R) 7560–7573 [7704–7717]
 DOI: 10.1002/anie.200604910
 Tschierske, C.
 – Complex Liquid-Crystalline Superstructure of a π -Conjugated Oligothiophene (C) 7856–7859 [8002–8005]
 DOI: 10.1002/anie.200701585
 – The Giant-Hexagon Cylinder Network—A Liquid-Crystalline Organization Formed by a T-Shaped Quaternary Amphiphile (C) 7972–7975 [8118–8121]
 DOI: 10.1002/anie.200703171
 Tse, J. S.
 – Structural and Electronic Properties of Pristine and Ba-Doped Clathrate-Like Carbon Fullerenes (C) 6275–6277 [6391–6393]
 DOI: 10.1002/anie.200701555
 Tse, M. K. (C) 7293–7296 [7431–7435], 8866–8868 [9022–9024]
 Tsogoeva, S. B.
 – Evidence of Asymmetric Autocatalysis in Organocatalytic Reactions (C) 393–396 [397–400]
 DOI: 10.1002/anie.200603517
 Tsou, L. K. (C) 7583–7586 [7727–7730]
 Tsuchiya, T. (C) 5562–5564 [5658–5660]
 Tsuda, A.
 – Chiroptical Sensing of Asymmetric Hydrocarbons Using a Homochiral Supramolecular Box from a Bismetallporphyrin Rotamer (C) 2031–2035 [2077–2081]
 DOI: 10.1002/anie.200604330
 – Spectroscopic Visualization of Vortex Flows Using Dye-Containing Nanofibers (C) 8198–8202 [8346–8350]
 DOI: 10.1002/anie.200703083
 Tsuda, A. (C) 6476–6480 [6596–6600]
 Tsuji, H. (C) 8060–8062 [8206–8208]
 Tsuji, T. (C) 7277–7280 [7415–7418]
 Tsujimoto, A. (C) 4500–4503 [4584–4587]
 Tsujita, H. (C) 5160–5163 [5252–5255], 5958–5961 [6062–6065]
 Tsukahara, T. (C) 1180–1183 [1199–1202]
 Tsukamoto, S.
 – Notoamides A–D: Prenylated Indole Alkaloids Isolated from a Marine-Derived Fungus, *Aspergillus* sp. (C) 2254–2256 [2304–2306]
 DOI: 10.1002/anie.200604381
 Tsukamoto, S. (C) 2257–2261 [2307–2311], 2262–2265 [2312–2315]
 Tsukano, C. (C) 8840–8844 [8996–9000]
 Tsukerblat, B. (C) 4477–4480 [4561–4564]
 Tsurumoto, J. (C) 6703–6705 [6823–6825]
 Tsutsui, H. (C) 4527–4529 [4611–4613]
 Tsutsui, S. Corrigendum: 5263
 Tu, B. (C) 1089–1093 [1107–1111], 7976–7979 [8122–8125]
 Tu, J. (C) 738–741 [752–755]
 Tu, T.
 – An Air-Stable Organometallic Low-Molecular-Mass Gelator: Synthesis, Aggregation, and Catalytic Application of a Palladium Pincer Complex (C) 6368–6371 [6486–6490]
 DOI: 10.1002/anie.200701486
 Tuchscherer, G. (C) 2681–2684 [2735–2738]
 Tulevski, G. S. (C) 3892–3895 [3966–3969]
 Tumanov, V. V. (C) 3563–3566 [3633–3636]
 Tumanskii, B.
 – Dual Character of Arduengo Carbene–Radical Adducts: Addition versus Coordination Product (C) 7408–7411 [7552–7555]
 DOI: 10.1002/anie.200702297
 Tumanskii, B. (C) 1156–1159 [1174–1177]
 Tuna, F. (C) 5568–5571 [5664–5667]
 Tung, C.-H.
 – Sensing Phosphatase Activity by Using Gold Nanoparticles (C) 707–709 [721–723]
 DOI: 10.1002/anie.200603735
 Tung, C.-h. (C) 2051–2054 [2097–2100]
 Tuñón, I.
 – Computer-Aided Rational Design of Catalytic Antibodies: The 1F7 Case (C) 286–290 [290–294]
 DOI: 10.1002/anie.200603293
 Turner, G. L. (C) 7996–8000 [8142–8146]
 Turrin, C.-O. (C) 2523–2526 [2575–2578]
 Tuttle, T.
 – The Generation of Aryl Anions by Double Electron Transfer to Aryl Iodides from a Neutral Ground-State Organic Super-Electron Donor (C) 5178–5183 [5270–5275]
 DOI: 10.1002/anie.200700554
 Tveen-Jensen, K. (C) 5137–5139 [5229–5231]
 Tykwinski, R. R.
 – Synthesis and Characterization of Expanded Radialenes, Bistradialenes, and Radiaannulenes (C) 9081–9085 [9239–9243]
 DOI: 10.1002/anie.200703978
 Tyryshkin, A. M. (C) 8028–8031 [8174–8177]
 Uchida, H. (C) 6646–6649 [6766–6769]
 Uchida, T. (C) 3889–3891 [3963–3965]
 Uchikawa, M. (C) 6271–6274 [6387–6390]
 Uchiyama, M.
 – Deprotonative Metalation Using Ate Compounds: Synergy, Synthesis, and Structure Building (R) 3802–3824 [3876–3899]
 DOI: 10.1002/anie.200604369
 – Origin of Chemoselectivity of TMP Zincate Bases and Differences between TMP Zincate and Alkyl Lithium Reagents: A DFT Study on Model Systems (C) 926–929 [944–947]
 DOI: 10.1002/anie.200602664
 Udachin, K. A. (C) 8220–8222 [8368–8370]
 Ueda, A. (C) 8238–8241 [8386–8389]
 Ueda, W.
 – Crystalline Mo₃VO_x Mixed-Metal-Oxide Catalyst with Trigonal Symmetry (C) 1493–1496 [1515–1518]
 DOI: 10.1002/anie.200603923
 Uekusa, H. Corrigendum: 486
 Uemura, D. (C) 5746–5749 [5848–5851]
 Uemura, K.
 – Two-Step Adsorption/Desorption on a Jungle-Gym-Type Porous Coordination Polymer (C) 6662–6665 [6782–6785]
 DOI: 10.1002/anie.200702390
 Uemura, Takashi (C) 4987–4990 [5075–5078]
 Uemura, Tomohito (C) 3509–3512 [3579–3582]



- Uetake, R. (C) 3047–3050 [3107–3110]
Ugaz, V. M.
– A Pocket-Sized Convective PCR Thermocycler
(C) 4316–4319 [4394–4397]
DOI: 10.1002/anie.200700306
- Uji-i, H. (C) 1706–1709 [1736–1739], (H) 8330–8332 [8480–8482]
Ujiie, S.
– 1-Alkyl-2,3,5,6,7,8-hexasilabicyclo[2.2.2]-octanes: Unconventional Class of Mesomorphic Columnar Compounds
(C) 3055–3058 [3115–3118]
DOI: 10.1002/anie.200604170
- Ullah, F. (C) 2697–2700 [2751–2754]
Ullmann, G. M. (C) 530–536 [536–542]
Ulrich, M. (C) 8699–8702 [8854–8857]
Umezawa, Y. (C) 7595–7599 [7739–7743]
Ungar, G.
– The Giant-Hexagon Cylinder Network—A Liquid-Crystalline Organization Formed by a T-Shaped Quaternary Amphiphile
(C) 7972–7975 [8118–8121]
DOI: 10.1002/anie.200703171
- Ungar, G. (C) 7856–7859 [8002–8005]
Uno, H. (C) 3672–3675 [3746–3749]
Unterreiner, A.-N. (C) 6549–6552 [6669–6672]
Unverzagt, C.
– Synthesis of Pentaantennary N-Glycans with Bisecting GlcNAc and Core Fucose
(C) 4173–4175 [4251–4253]
DOI: 10.1002/anie.200604788
- Uozumi, Y.
– A Nanoplatinum Catalyst for Aerobic Oxidation of Alcohols in Water
(C) 704–706 [718–720]
DOI: 10.1002/anie.200603900
- Ura, Y.
– Regio- and Stereoselective Synthesis of Enamides and Dienamides by Ruthenium-Catalyzed Co-Oligomerization of *N*-Vinylamides with Alkenes or Alkynes
(C) 5160–5163 [5252–5255]
DOI: 10.1002/anie.200701356
- Ura, Y. (C) 5958–5961 [6062–6065]
Urabe, M. (C) 3300–3303 [3364–3367]
Urban, A. (C) 7315–7318 [7456–7459]
Urban, D. (C) 8662–8665 [8816–8819]
Uriel, S. (C) 5175–5177 [5267–5269]
Urman, S. (C) 3976–3978 [4050–4053]
Uruga, T. (C) 4310–4315 [4388–4393]
Ushiyama, H. (C) 587–590 [593–596]
Usui, S. (C) 926–929 [944–947]
Utada, A. S. (C) 1819–1822 [1851–1854], 8970–8974 [9128–9132]
Utsumi, N. (C) 1878–1880 [1910–1912], 5572–5575 [5668–5671]
Uttinger, K. (C) 3979–3982 [4054–4057]
- van Aken, P. A. (C) 1476–1480 [1498–1502]
van Assema, F. (C) 1624–1626 [1648–1651]
Van der Auweraer, M. (C) 2831–2834 [2889–2892]
van der Donk, W. A.
– Reassignment of the Structure of the Antibiotic A53868 Reveals an Unusual Amino Dehydrophosphonic Acid
(C) 9089–9092 [9247–9250]
DOI: 10.1002/anie.200703810
- van der Haas, R. N. S. (C) 7485–7487 [7629–7631]
van der Lee, A. (C) 4268–4272 [4346–4350]
van der Veen, M. A. (C) 4293–4297 [4371–4375]
van Dillen, A. J. (C) 4547–4549 [4631–4633]
van Herikhuyzen, J. (C) 1825–1828 [1857–1860]
van Hest, J. C. M.
– Positional Assembly of Enzymes in Polymersome Nanoreactors for Cascade Reactions
(C) 7378–7382 [7522–7526]
DOI: 10.1002/anie.200701125
- Van Kirk, E. A. (C) 4999–5002 [5087–5090]
van Klink, G. P. M. (R) 8558–8573 [8710–8726]
van Koten, G.
– Organic Transformations on σ -Aryl Organometallic Complexes
(R) 8558–8573 [8710–8726]
DOI: 10.1002/anie.200604290
- van Leeuwen, P. W. N. M.
– Catalysis by Design: Wide-Bite-Angle Diphosphines by Assembly of Ditopic Ligands for Selective Rhodium-Catalyzed Hydroformylation
(C) 7247–7250 [7385–7388]
DOI: 10.1002/anie.200701255
- van Maarseveen, J. H. (C) 7485–7487 [7629–7631]
van Poll, M. L. (C) 6634–6637 [6754–6757]
van Santen, R. A.
– Mesoporous Organic–Inorganic Hybrid Materials Built Using Polyhedral Oligomeric Silsesquioxane Blocks
(C) 5003–5006 [5091–5094]
DOI: 10.1002/anie.200700640
- van Santen, R. A. (C) 7273–7276 [7411–7414]
van Slageren, J. (C) 4477–4480 [4561–4564], 6106–6110 [6218–6222]
Van Speybroeck, V. (C) 1311–1314 [1333–1336]
van Tendeloo, G. (C) 4539–4542 [4623–4626]
van Wüllen, C.
– The Blue Xe_4^+ Cation: Experimental Detection and Theoretical Characterization
(C) 6717–6720 [6838–6841]
DOI: 10.1002/anie.200701688
- van Wüllen, C. (C) 4159–4162 [4237–4240]
Vancso, G. J.
– Closed Mechanochemical Cycles of Individual Single-Chain Macromolecular Motors by AFM
(C) 8400–8404 [8552–8556]
DOI: 10.1002/anie.200702387
- Feeling the Force of Supramolecular Bonds in Polymers
(H) 3794–3796 [3868–3870]
DOI: 10.1002/anie.200604168
- Layer-by-Layer Constructed Macroporous Architectures
(C) 1702–1705 [1732–1735]
DOI: 10.1002/anie.200604143
- Vandeveld, F. (C) 9271–9274 [9431–9434]
Vankó, G.
– Hard-X-ray-Induced Excited-Spin-State Trapping
(C) 5306–5309 [5400–5403]
DOI: 10.1002/anie.200604432
- Varani, G.
– Design of β -Hairpin Peptidomimetics That Inhibit Binding of α -Helical HIV-1 Rev Protein to the Rev Response Element RNA
(C) 9101–9104 [9260–9264]
DOI: 10.1002/anie.200702801
- Vargas, A. (C) 3905–3908 [3979–3982]
Varghese, R. (C) 230–233 [234–237]
Varotsis, C.
– The Structure of the Hyponitrite Species in a Heme Fe–Cu Binuclear Center
(C) 2210–2214 [2260–2264]
DOI: 10.1002/anie.200602963
- Varshney, S. (C) 7988–7992 [8134–8138]
Vasella, A. (C) 4474–4476 [4558–4560]
Vasseur, J.-J. (C) 2398–2402 [2450–2454]
Vasudevan, S. G. (C) 3356–3358 [3420–3422]
Vaughn, A. E. (C) 6622–6625 [6742–6745]
Vaupel, E.
– Interconnections and Independence: Heinrich Wieland (1877–1957) and His Era
(E) 9154–9179 [9314–9338]
DOI: 10.1002/anie.200702255
- 1807: Observations Regarding Chemistry in the Anglo-Saxon World during the Napoleonic Period
(E) 24–51 [24–51]
DOI: 10.1002/anie.200602455
- Vavilala, S. (C) 6911–6914 [7036–7039]
Vayssettes, C. (C) 5421–5424 [5517–5520]
Vázquez, M. E. (C) 6886–6890 [7010–7014]
Vázquez, O. (C) 6886–6890 [7010–7014]
Veciana, J. (C) 2215–2219 [2265–2269]
Vedernikov, A. N.
– Oxidatively Induced Methyl Transfer from Boron to Platinum in Dimethyldi(2-pyridyl)boratoplatinum Complexes
(C) 6309–6312 [6425–6428]
DOI: 10.1002/anie.200701257
- Vedovato, N. (C) 2047–2050 [2093–2096]
Vegas, A. J. (C) 7960–7964 [8106–8110]
Vehlow, K. (C) 8082–8085 [8228–8231]
Veiga, M. (C) 3758–3761 [3832–3836]
Veiros, L. F. (C) 5750–5753 [5852–5855]
Veitch, G. E. (C) 7629–7632 [7773–7776], 7633–7635 [7777–7779]
Velilla, I. (C) 8054–8056 [8200–8202]
Velkova, A. (C) 1246–1252 [1268–1274]
Vemula, P. K. (C) 3269–3274 [3333–3338]
Vendier, L. (C) 2613–2615 [2667–2669]
Vendrell, O. (C) 6918–6921 [7043–7046]
Venkatachalam, S. (C) 8903–8906 [9061–9064]
Venkataramani, S. (C) 4888–4893 [4974–4979]
Venkataraman, S. (C) 2306–2309 [2356–2359]
Venna, K. B. (C) 4085–4088 [4163–4166]
Vera, F. (C) 1873–1877 [1905–1909]
Vera, S. (C) 8054–8056 [8200–8202], 8431–8435 [8583–8587]
Verboom, W.
– Supramolecular Chemistry in Water
(R) 2366–2393 [2418–2445]
DOI: 10.1002/anie.200602815



- Vaillard, S. E. (C) 6533–6536 [6653–6656]
Valdés, C. (C) 1529–1532 [1551–1554], 5587–5590 [5683–5686]
Vallet-Regí, M.
– Mesoporous Materials for Drug Delivery
(M) 7548–7558 [7692–7703]
DOI: 10.1002/anie.200604488

- Verdaguer, X.
– *N*-Phosphino Sulfinamide Ligands: An Efficient Manner To Combine Sulfur Chirality and Phosphorus Coordination Behavior (C) 5020–5023 [5108–5111]
DOI: 10.1002/anie.200701040
- Photochemical Rearrangements of Norbornadiene Pauson–Khand Cycloadducts (C) 5943–5946 [6047–6050]
DOI: 10.1002/anie.200701658
- Verevkin, S. (C) 5971–5974 [6075–6078]
- Verhelst, S. H. L. (C) 1284–1286 [1306–1308]
- Verma, S.
– Bioinspired Design of Nanocages by Self-Assembling Triskelion Peptide Elements (C) 2002–2004 [2048–2050]
DOI: 10.1002/anie.200604383
- Versluijs-Helder, M. (C) 4547–4549 [4631–4633]
- Vesely, J. (C) 778–781 [792–795], 4507–4510 [4591–4594]
- Vestweber, D. (C) 2108–2111 [2155–2159]
- Veszprémi, T. (C) 2697–2700 [2751–2754]
- Veyre, L. (C) 2288–2290 [2338–2340]
- Vicario, J. L.
– Organocatalytic Enantioselective [3 + 2] Cycloaddition of Azomethine Ylides and α,β -Unsaturated Aldehydes (C) 5168–5170 [5260–5262]
DOI: 10.1002/anie.200700988
- Vicente, F. (C) 4684–4688 [4768–4772]
- Vidal, S. (C) 2398–2402 [2450–2454]
- Vidal-Gancedo, J. (C) 238–241 [242–245], 2215–2219 [2265–2269]
- Vidal-Moya, J. A. (C) 3938–3941 [4012–4015]
- Vieille, C. (C) 3091–3094 [3151–3154]
- Vignesh, K. (C) 2646–2649 [2700–2703]
- Vijayakumar, C. (C) 6260–6265 [6376–6381]
- Vijayan, V. (C) 1176–1179 [1195–1198]
- Vijaykumar, C. (C) 373–376 [377–380]
- Vilä, N. (C) 1321–1325 [1343–1347]
- Vilar, R. (C) 2875–2878 [2933–2936]
- Vilarrasa, J.
– $\text{Cu}_2(\text{OTf})_2$ -Catalyzed and Microwave-Controlled Preparation of Tetrazoles from Nitriles and Organic Azides under Mild, Safe Conditions (C) 3926–3930 [4000–4004]
DOI: 10.1002/anie.200605095
- Vilarrasa, J. (C) 1810–1813 [1842–1845]
- Vincent, G. (C) 1517–1520 [1539–1542]
- Viñes, F. (C) 7094–7097 [7224–7227]
- Vinter, J. G. (C) 3706–3709 [3780–3783], 7823–7826 [7969–7972]
- Vintonyak, V. V. (C) 5209–5211 [5301–5303]
- Vinueza, N. R. (C) 9198–9201 [9358–9361]
- Virovets, A. V. (C) 9323–9326 [9483–9487]
- Viruela, P. M. (C) 1847–1851 [1879–1883], 9057–9061 [9215–9219]
- Viruela, R. (C) 1847–1851 [1879–1883]
- Visigalli, M. (C) 966–968 [984–986]
- Visser, T. (C) 1465–1468 [1487–1490]
- Vittal, J. J.
– Phase Transition Accompanied by Transformation of an Elusive Discrete Cyclic Water Heptamer to a Bicyclic (H_2O)₇ Cluster (C) 5925–5928 [6029–6032]
DOI: 10.1002/anie.200701779
- Voelker, M. (C) 5787–5790 [5889–5892]
- Vogel, H.
– Fluorescent Epibatidine Agonists for Neuronal and Muscle-Type Nicotinic Acetylcholine Receptors (C) 3505–3508 [3575–3578]
DOI: 10.1002/anie.200604807
- Vogelaar, B. M. (C) 5412–5416 [5508–5512]
- Vögtle, F.
– Spontaneous Knotting—From Oligoamide Threads to Trefoil Knots (C) 254–259 [258–263]
DOI: 10.1002/anie.200601938
- Voignier, J. (C) 4680–4683 [4764–4767]
- Voit, B.
– Molybdenum(III) Compounds as Catalysts for 2-Methylpropene Polymerization (C) 7290–7292 [7428–7430]
DOI: 10.1002/anie.200700748
- Volante, R. P. (C) 1839–1842 [1871–1874]
- Volkmer, R.
– A Network of Coiled-Coil Associations Derived from Synthetic GCN4 Leucine-Zipper Arrays (C) 1654–1657 [1682–1686]
DOI: 10.1002/anie.200603246
- Volkov, A. (C) 2935–2938 [2993–2996]
- Vollhardt, K. P. C.
– The Thermal Retro[2 + 2 + 2]cycloaddition of Cyclohexane Activated by Triscyclobutenannulation: Concerted All-Disrotatory versus Stepwise Conrotatory Pathways to Fused [12]Annulenes (C) 6894–6898 [7018–7022]
DOI: 10.1002/anie.200702474
- Volonteri, A. (C) 242–244 [246–248]
- Volpe, M. (C) 584–586 [590–592]
- von Berlepsch, H. (C) 1265–1269 [1287–1292]
- von der Kammer, B. (C) 6192–6195 [6305–6308]
- von Frantzius, G. (C) 2104–2107 [2150–2154], 9327–9330 [9488–9491]
- von Hähnisch, C.
– Stepwise Synthesis and Coordination Compound of an Inorganic Cryptand (C) 4775–4779 [4859–4863]
DOI: 10.1002/anie.200604673
- von Issendorff, B. (C) 2944–2948 [3002–3006]
- von Langermann, J. (C) 8679–8681 [8833–8835]
- von Nussbaum, F.
– Structure and Total Synthesis of Lysobactin (Katanosin B) (C) 2039–2042 [2085–2088]
DOI: 10.1002/anie.200604232
- von Zeischwitz, P.
– Rhodium-Catalyzed Enantioselective 1,2-Addition of Aluminum Organyl Compounds to Cyclic Enones (C) 7122–7124 [7252–7254]
DOI: 10.1002/anie.200701087
- Vongvilai, P. (C) 948–950 [966–968]
- Voronin, O. G. (C) 7244–7246 [7382–7384]
- Vos, M. R. J. (C) 1825–1828 [1857–1860]
- Vounatsos, F. (C) 537–540 [543–546], 545–548 [551–554]
- Vriezema, D. M. (C) 7378–7382 [7522–7526]
- Vuagnoux-d'Augustin, M. (C) 7462–7465 [7606–7609]
- Vuillemin, B. (C) 7240–7243 [7378–7381]
- Vyboishchikov, S. F.
– Persistent Silylium Ions Stabilized by Polyagostic Si–H $\cdots$ Si Interactions (C) 4530–4533 [4614–4617]
DOI: 10.1002/anie.200604258
- Wachter, J. (C) 5966–5970 [6070–6074]
- Wacker, R. (C) 7700–7703 [7844–7847]
- Wada, K. (C) 5160–5163 [5252–5255], 5958–5961 [6062–6065]
- Wada, Tatsuo (C) 4983–4986 [5071–5074]
- Wada, Tohru (C) 4169–4172 [4247–4250], 5728–5730 [5830–5832], 7112–7115 [7242–7245]
- Wadamoto, M. (C) 3107–3110 [3167–3170]
- Wadepohl, H. (C) 8426–8430 [8578–8582], 9110–9113 [9270–9273]
- Wadsworth, H. (C) 941–944 [959–962]
- Wagner, A.
– Charles Mioskowski (O) 6220 [6334]
DOI: 10.1002/anie.200703070
- Wagner, B. (C) 8266–8269 [8414–8417]
- Waje, M. (C) 4060–4063 [4138–4141]
- Wakahara, T. (C) 5562–5564 [5658–5660]
- Wakamiya, A. (C) 4273–4276 [4351–4354]
- Waki, M. (C) 3059–3061 [3119–3121]
- Walba, D. M.
– A General Method for Measurement of Enantiomeric Excess by Using Electro-optics in Ferroelectric Liquid Crystals (C) 1473–1475 [1495–1497]
DOI: 10.1002/anie.200603692
- Waldmann, H.
– A Microarray Strategy for Mapping the Substrate Specificity of Protein Tyrosine Phosphatase (C) 7700–7703 [7844–7847]
DOI: 10.1002/anie.200701601
- Rhodanine-Based Tau Aggregation Inhibitors in Cell Models of Tauopathy (C) 9215–9219 [9375–9379]
DOI: 10.1002/anie.200704051
- Waldmann, H. (H) 826–829 [840–844], (C) 4180–4183 [4258–4261]
- Walford, B. (C) 1168–1171 [1187–1190]
- Walker, G. M. (C) 4359–4363 [4437–4441]
- Walker, V. K. (C) 5402–5404 [5498–5500]
- Walkinshaw, M. D.
– Experimental Determination of van der Waals Energies in a Biological System (C) 6453–6456 [6573–6576]
DOI: 10.1002/anie.200702084
- Waloch, C. (C) 3037–3039 [3097–3099]
- Walter, A. (C) 4783–4785 [4867–4869]
- Walter, H.-M. (C) 7290–7292 [7428–7430]
- Walter, O. (C) 919–922 [937–940], 7775–7777 [7922–7924]
- Walton, K. S. (C) 4496–4499 [4580–4583]
- Wan, Q. (C) 7383–7387 [7527–7531], 9248–9252 [9408–9412]
- Wan, X. (C) 5554–5558 Corrigendum: 7730 [5650–5654 Corrigendum: 7874]
- Wan, Y. (Shanghai) (C) 1089–1093 [1107–1111], 7976–7979 [8122–8125]
- Wan, Y. (Wuhan) (C) 3490–3493 Corrigendum: 5647 [3560–3563 Corrigendum: 5744]



- Wandless, T. J.
– The Enantioselective Synthesis of Phomopsin B
(C) 8157–8159 [8305–8307]
DOI: 10.1002/anie.200702537
- Wang, B.-W. (C) 7388–7392 [7532–7536]
Wang, C.-J. (C) 2623–2626 [2677–2680]
Wang, C.-R. (C) 6316–6320 [6432–6436]
Wang, Chao (C) 6333–6335 [6449–6451]
Wang, Chunyu (C) 3245–3248 [3309–3312]
Wang, D.-Y. (C) 7810–7813 [7956–7959]
Wang, Di (C) 7319–7323 [7460–7464]
Wang, Dingsheng (C) 6650–6653 [6770–6773]
Wang, G.-X. (C) 750–753 [764–767]
Wang, Gaojun (C) 295–297 [299–301]
Wang, Guojie (C) 5724–5727 [5826–5829]
Wang, Hao (C) 5541–5544 [5637–5640]
Wang, Huadong (C) 4905–4908 [4992–4995]
Wang, Hui (C) 9040–9044 [9198–9202]
Wang, J. (Rahway, USA) (C) 4684–4688 [4768–4772]
Wang, J. (Sichuan University) (C) 8468–8470 [8620–8622]
Wang, Jian (C) 3732–3734 [3806–3808], 9050–9053 [9208–9211]
Wang, Jianbo
– Transition-Metal-Catalyzed Rearrangement of Allenyl Sulfides: A Route to Furan Derivatives
(C) 1905–1908 [1937–1940]
DOI: 10.1002/anie.200604299
Wang, Jiangyun (C) 6849–6851 [6973–6975]
Wang, Jing (C) 3479–3481 [3549–3551]
Wang, Joseph
– Adaptive Orientation of Multifunctional Nanowires for Magnetic Control of Bioelectrocatalytic Processes
(C) 1508–1511 [1530–1533]
DOI: 10.1002/anie.200604082
– Ultrasensitive Label-Free Aptamer-Based Electronic Detection
(C) 9054–9056 [9212–9214]
DOI: 10.1002/anie.200703242
Wang, K. (C) 2431–2434 [2483–2486], 6996–7000 [7126–7130]
Wang, L.-M. (C) 742–745 [756–759], 2915–2918 [2973–2976], 4550–4553 [4634–4637]
Wang, L.-S.
– CB₇: Experimental and Theoretical Evidence against Hypercoordinate Planar Carbon
(C) 4550–4553 [4634–4637]
DOI: 10.1002/anie.200700869
– δ Aromaticity in [Ta₃O₃][–]
(C) 4277–4280 [4355–4358]
DOI: 10.1002/anie.200700442
– Doping Golden Buckyballs: Cu@Au₁₆[–] and Cu@Au₁₇[–] Cluster Anions
(C) 2915–2918 [2973–2976]
DOI: 10.1002/anie.200700060
– Endohedral Stannaspherenes M@Sn₁₂[–]: A Rich Class of Stable Molecular Cage Clusters
(C) 742–745 [756–759]
DOI: 10.1002/anie.200603226
Wang, L.-X. (C) 1275–1277 [1297–1299], 7506–7508 [7650–7652]
Wang, Lei (C) 5344–5347 [5440–5443]
Wang, Ling (C) 7621–7624 [7765–7768]
Wang, Lixiang (C) 1149–1151 [1167–1169]
Wang, M.-S. (C) 3249–3251 [3313–3315], 3909–3911 [3983–3985]
Wang, Q.-G. (C) 5951–5954 [6055–6058]
Wang, Qigang (C) 4285–4289 [4363–4367]
Wang, Qiuchang (C) 7498–7500 [7642–7644]
Wang, Sheng
– A Large, Bowl-Shaped {Mo₅V₉} Polyoxometalate
(C) 3490–3493 Corrigendum: 5647 [3560–3563 Corrigendum: 5744]
DOI: 10.1002/anie.200700076
Wang, Shu
– Continuous Fluorometric Assays for Acetylcholinesterase Activity and Inhibition with Conjugated Polyelectrolytes
(C) 7882–7886 [8028–8032]
DOI: 10.1002/anie.200701724
Wang, Shuai (C) 7636–7639 [7780–7783]
Wang, Shutao (C) 3915–3917 [3989–3991]
Wang, T.-W. (C) 6820–6823 [6944–6947]
Wang, V. C.-C. (C) 1992–1994 [2038–2040]
Wang, W. (Albuquerque, USA)
– A Highly Selective Fluorescent Probe for Thiophenols
(C) 8445–8448 [8597–8600]
DOI: 10.1002/anie.200702271
– Organocatalytic Enantioselective Cascade Michael–Aldol Condensation Reactions: Efficient Assembly of Densely Functionalized Chiral Cyclopentenes
(C) 9050–9053 [9208–9211]
DOI: 10.1002/anie.200703163
– Synthesis of Highly Functionalized Chiral Cyclopentanes by Catalytic Enantio- and Diastereoselective Double Michael Addition Reactions
(C) 3732–3734 [3806–3808]
DOI: 10.1002/anie.200700485
Wang, W. (Hefei, China) (C) 5772–5774 [5874–5876]
Wang, Wenxing (C) 2515–2517 [2567–2569]
Wang, Wenzhong
– Template Synthesis of Multishelled Cu₂O Hollow Spheres with a Single-Crystalline Shell Wall
(C) 1489–1492 [1511–1514]
DOI: 10.1002/anie.200603895
Wang, X.-S. (C) 2458–2462 [2510–2514]
Wang, Xuefang (C) 8371–8375 [8523–8527]
Wang, Xuefeng (C) 2602–2606 [2656–2660]
Wang, Xun (C) 6650–6653 [6770–6773], 8174–8177 [8322–8325]
Wang, Y. (Beijing) (C) 5554–5558 Corrigendum: 7730 [5650–5654 Corrigendum: 7874]
Wang, Y.-M. (C) 5003–5006 [5091–5094]
Wang, Y. (Madrid) (C) 7874–7877 [8020–8023]
Wang, Yapei (C) 2823–2826 [2881–2884]
Wang, Yiliang (C) 3892–3895 [3966–3969]
Wang, Yonghui (C) 1333–1336 [1355–1358]
Wang, Yu (C) 8013–8016 [8159–8162]
Wang, Yue (C) 6638–6642 [6758–6762], 6820–6823 [6944–6947]
Wang, Yuemin
– CO₂ Activation by ZnO through the Formation of an Unusual Tridentate Surface Carbonate
(C) 5624–5627 [5722–5725]
DOI: 10.1002/anie.200700564
Wang, Yuemin (C) 7315–7318 [7456–7459]
Wang, Zhizhong (C) 1836–1838 [1868–1870]
Wang, Z.-M. (C) 7388–7392 [7532–7536]
Wang, Z.-X. (C) 6820–6823 [6944–6947]
Wang, Zhiqiang (C) 2823–2826 [2881–2884]
Wang, Zhiyong (C) 1885–1888 [1917–1920]
Wang, Zidong (C) 9006–9010 [9164–9168]
Wanner, M. J. (C) 7485–7487 [7629–7631]
Wannere, C. S. (C) 1836–1838 [1868–1870]
Ward, A. (C) 7023–7025 [7153–7155]
Ward, J. G. (C) 2245–2248 [2295–2298]
Ward, S. A. (C) 6278–6283 [6394–6399]
Ward, T. R.
– Hierarchical Self-Assembly of One-Dimensional Streptavidin Bundles as a Collagen Mimetic for the Biomineralization of Calcite
(C) 5510–5514 [5606–5610]
DOI: 10.1002/anie.200701080
Wariishi, H. (C) 2063–2065 [2109–2111]
Warkentin, E. (C) 2408–2413 Corrigendum: 2970 [2460–2465 Corrigendum: 3028]
Waroquier, M.
– Zeolite Shape-Selectivity in the *gem*-Methylation of Aromatic Hydrocarbons
(C) 1311–1314 [1333–1336]
DOI: 10.1002/anie.200604309
Warrass, R. (C) 9320–9322 [9480–9482]
Warren, J. E. (C) 7839–7843 [7985–7989], 7844–7848 [7990–7994]
Warren, R. A. J. (C) 4115–4119 [4193–4197]
Washio, I. (C) 4917–4921 [5005–5009]
Wasinger, E. C. (C) 5198–5201 [5290–5293]
Wasserfallen, D. (C) 1814–1818 [1846–1850]
Wasserscheid, P.
– Effective Chirality Transfer in Ionic Liquids through Ion-Pairing Effects
(C) 1293–1295 [1315–1317]
DOI: 10.1002/anie.200604406
– Highly Efficient and Selective C–H Activation in Gallium-Containing Molten-Salt Systems
(C) 7281–7285 [7419–7423]
DOI: 10.1002/anie.200702909
Watanabe, H.
– Synthetic Study Towards Azadirachtin: An Efficient and Stereoselective Construction of the AB Rings with Full Functionality
(C) 1512–1516 [1534–1538]
DOI: 10.1002/anie.200604097
Watanabe, H. (C) 591–597 [597–603]
Watanabe, K. (C) 1803–1806 [1835–1838]
Watanabe, Masahiro
– Enhanced Proton Conduction in Polymer Electrolyte Membranes with Acid-Functionalized Polysilsesquioxane
(C) 6646–6649 [6766–6769]
DOI: 10.1002/anie.200701100
Watanabe, Masayoshi
– A Thermally Adjustable Multicolor Photochromic Hydrogel
(C) 1688–1692 [1718–1722]
DOI: 10.1002/anie.200603554
Watanabe, N. (C) 1493–1496 [1515–1518]
Watanabe, S.
– Site-Specific Recognition of Nanophase-Separated Surfaces of Amphiphilic Block Copolymers by Hydrophilic and Hydrophobic Gold Nanoparticles
(C) 1120–1123 [1138–1141]
DOI: 10.1002/anie.200603516
Watanabe, Y.
– Hydrogen Peroxide Dependent Monooxygenations by Tricking the Substrate Recognition of Cytochrome P450_{BSP}
(C) 3656–3659 [3730–3733]
DOI: 10.1002/anie.200700068
Waters, T. (C) 7048–7051 [7178–7181]
Watkins, C. (C) 5880–5884 [5984–5988]
Watson, D. A. (C) 8460–8463 [8612–8615]
Watt, R. M. (C) 6464–6468 [6584–6588]
Wayland, B. B. (C) 9235–9238 [9395–9398]

- Waymouth, R. M.
- A Distinctive Organocatalytic Approach to Complex Macromolecular Architectures (C) 4719–4721 [4803–4805]
DOI: 10.1002/anie.200700522
 - Zwitterionic Polymerization of Lactide to Cyclic Poly(Lactide) by Using N-Heterocyclic Carbene Organocatalysts (C) 2627–2630 [2681–2684]
DOI: 10.1002/anie.200604740
- Wear, M. A. (C) 6453–6456 [6573–6576]
- Weatherspoon, M. R. (C) 5724–5727 [5826–5829]
- Webb, M. (C) 3686–3688 [3760–3762]
- Weber, H.-P. (C) 3367–3371 [3431–3436]
- Weber, L.
- Azide-Analogous Organophosphorus Chemistry: RNP₂ as a Ligand and P₂ Source (H) 830–832 [845–847]
DOI: 10.1002/anie.200604106
- Weber, S. K. (C) 7307–7310 [7447–7451]
- Weckhuysen, B. M.
- Dichloromethane as a Selective Modifying Agent To Create a Family of Highly Reactive Chromium Polymerization Sites (C) 1465–1468 [1487–1490]
DOI: 10.1002/anie.200602593
 - Intergrowth Structure of Zeolite Crystals as Determined by Optical and Fluorescence Microscopy of the Template-Removal Process (C) 7228–7231 [7366–7369]
DOI: 10.1002/anie.200702012
 - Nonuniform Catalytic Behavior of Zeolite Crystals as Revealed by In Situ Optical Microspectroscopy (C) 3652–3655 [3726–3729]
DOI: 10.1002/anie.200700246
 - Probing the Transport of Paramagnetic Complexes inside Catalyst Bodies in a Quantitative Manner by Magnetic Resonance Imaging (C) 7224–7227 [7362–7365]
DOI: 10.1002/anie.200701399
 - Real-Time Control of a Catalytic Solid in a Fixed-Bed Reactor Based on In Situ Spectroscopy (C) 5412–5416 [5508–5512]
DOI: 10.1002/anie.200700499
 - Tomographic Energy Dispersive Diffraction Imaging as a Tool To Profile in Three Dimensions the Distribution and Composition of Metal Oxide Species in Catalyst Bodies (C) 8832–8835 [8988–8991]
DOI: 10.1002/anie.200703673
- Weckhuysen, B. M. (C) 5317–5320 [5411–5414]
- Wege, C. (C) 3149–3151 [3210–3212]
- Wegener, J.
- The Chemical Composition of Animal Cells and Their Intracellular Compartments Reconstructed from 3D Mass Spectrometry (C) 5332–5335 [5427–5431]
DOI: 10.1002/anie.200604468
- Wegner, G. (C) 7693–7696 [7837–7840]
- Wehmeier, F. (C) 5321–5324 [5415–5418]
- Wei, H. (C) 2666–2668 [2720–2722]
- Wei, P. (C) 1836–1838 [1868–1870]
- Wei, S. (C) 393–396 [397–400]
- Wei, Y. (C) 4722–4725 Corrigendum: 6948 [4806–4809 Corrigendum: 7074]
- Weidenthaler, C. (C) 7770–7774 [7917–7921]
- Weigelt, S. (C) 9227–9230 [9387–9390]
- Weigend, F. (C) 4775–4779 [4859–4863]
- Weil, T.
- Searching for Drug Scaffolds with 3D Pharmacophores and Neural Network Ensembles (C) 5336–5339 [5432–5435]
DOI: 10.1002/anie.200604125
- Weimann, B. (C) 6674–6677 [6794–6797]
- Weiner, S. (C) 291–294 [295–298]
- Weingartner, H.
- Protein Denaturation by Ionic Liquids and the Hofmeister Series: A Case Study of Aqueous Solutions of Ribonuclease A (C) 8887–8889 [9044–9046]
DOI: 10.1002/anie.200702295
- Weis, P.
- Boron Cluster Cations: Transition from Planar to Cylindrical Structures (C) 8503–8506 [8656–8659]
DOI: 10.1002/anie.200701915
- Weisbarth, R. (C) 6368–6371 [6486–6490]
- Weiss, A. H. (C) 7664–7666 [7808–7810]
- Weiβ, T. (C) 7281–7285 [7419–7423]
- Weissbuch, I. (C) 3710–3713 [3784–3787]
- Weitz, D. A.
- Controllable Monodisperse Multiple Emulsions (C) 8970–8974 [9128–9132]
DOI: 10.1002/anie.200701358
 - Fabrication of Monodisperse Gel Shells and Functional Microgels in Microfluidic Devices (C) 1819–1822 [1851–1854]
DOI: 10.1002/anie.200604206
- Welch, A. J.
- The Mechanism of Reduction and Metalation of *para* Carboranes: The Missing 13-Vertex MC₂B₁₀ Isomer (C) 6706–6709 [6826–6829]
DOI: 10.1002/anie.200702058
- Welch, E. J. (C) 3494–3496 [3564–3566]
- Welch, G. C. (C) 4968–4971 [5056–5059], 8050–8053 Corrigendum: 9136 [8196–8199 Corrigendum: 9296]
- Weller, A. S.
- [Rh₇(P₂Pr₃)₆H₁₈][BARF₄]: A Molecular Rh(111) Surface Decorated with 18 Hydrogen Atoms (C) 7844–7848 [7990–7994]
DOI: 10.1002/anie.200703069
- Wells, A. (E) 3798–3800 [3872–3874]
- Wells, C. E. Corrigendum: 1004
- Welsch, S. (C) 9323–9326 [9483–9487]
- Welsh, E. J. (C) 5377–5380 [5473–5476]
- Welter, R. (C) 6438–6441 [6558–6561]
- Welzel, P.
- A Long Research Story Culminates in the First Total Synthesis of Moenomycin A (H) 4825–4829 [4910–4914]
DOI: 10.1002/anie.200700765
- Wen, T. B. (C) 9065–9068 [9223–9226]
- Wendlandt, J. E. (C) 601–604 [607–610]
- Wendorff, J. H.
- Electrospinning: A Fascinating Method for the Preparation of Ultrathin Fibers (R) 5670–5703 [5770–5805]
DOI: 10.1002/anie.200604646
- Wendt, B. (C) 467–469 [471–473]
- Wendt, N. (C) 8057–8059 [8203–8205]
- Weng, Linhong (C) 8020–8023 [8166–8169]
- Weng, Liwei (C) 8020–8023 [8166–8169]
- Weng, X. (C) 8020–8023 [8166–8169]
- Weng, Y.-H. (C) 226–229 [230–233]
- Weng, Z. (C) 7674–7677 [7818–7821]
- Wennemers, H.
- Mimicry of Polyketide Synthases—Enantioselective 1,4-Addition Reactions of Malonic Acid Half-Thioesters to Nitroolefins (C) 6841–6844 [6965–6968]
DOI: 10.1002/anie.200702187
- Wennerberg, J.
- α -Amino Acid Induced Rate Acceleration in Aqueous Biphasic Lewis Acid Catalyzed Michael Addition Reactions (C) 4543–4546 [4627–4630]
DOI: 10.1002/anie.200700560
- Wentworth Jr., P.
- O-Glycoside Orientation Is an Essential Aspect of Base J Recognition by the Kinetoplastid DNA-Binding Protein JBP1 (C) 2839–2843 [2897–2901]
DOI: 10.1002/anie.200604635
- Wenzl, S. (C) 8405–8408 [8557–8560]
- Wepner, W.
- Fast Lithium Ion Conduction in Garnet-Type Li₇La₃Zr₂O₁₂ (C) 7778–7781 [7925–7928]
DOI: 10.1002/anie.200701144
- Wernette, D. P. (C) 9006–9010 [9164–9168]
- Wernsdorfer, W. (C) 884–888 [902–906]
- Werth, C. (C) 7281–7285 [7419–7423]
- Wessjohann, L. A. Corrigendum: 2347
- Wessling, R. A. (C) 6457–6459 [6577–6579]
- Westerhausen, M.
- Aryl Calcium Compounds: Syntheses, Structures, Physical Properties, and Chemical Behavior (M) 1950–1956 [1994–2001]
DOI: 10.1002/anie.200604192
 - THF Solvates of Extremely Soluble Bis(2,4,6-trimethylphenyl)calcium and Tris(2,6-dimethoxyphenyl)dicalcium Iodide (C) 1618–1623 [1642–1647]
DOI: 10.1002/anie.200604436
- Westerlund, F. (C) 2203–2206 [2253–2256]
- Westhof, E. Corrigendum: 2971
- Wetz, F. (C) 7079–7081 [7209–7211]
- Wetzel, S. (C) 7700–7703 [7844–7847]
- Wexler, D. (C) 750–753 [764–767]
- Wheatley, A. E. H.
- Trapping of Oligomeric Cyclopentadienyl-lithium Cationic and Anionic Fragments by a V≡V-Bonded Ligand (C) 5425–5427 [5521–5523]
DOI: 10.1002/anie.200700925
- Wheatley, P. S. (C) 7839–7843 [7985–7989]
- Wheaton, C. A. (C) 4461–4463 [4545–4547]
- White, L. E. (C) 6159–6162 [6271–6274]
- Whited, M. T. (C) 5768–5771 [5870–5873]
- Whitener, G. D. (C) 6894–6898 [7018–7022]
- Whitesides, G. M.
- Electrostatic Self-Assembly of Polystyrene Microspheres by Using Chemically Directed Contact Electrification (C) 206–209 [210–213]
DOI: 10.1002/anie.200602914
 - Patterned Paper as a Platform for Inexpensive, Low-Volume, Portable Bioassays (C) 1318–1320 [1340–1342]
DOI: 10.1002/anie.200603817
- Whittall, J. (C) 4141–4144 [4219–4222]
- Whitbeck, J. T. (C) 9089–9092 [9247–9250]
- Whittell, G. R. (C) 5212–5214 [5304–5306]

- Whittlesey, M. K.
– Abnormally Bound N-Heterocyclic Carbene Complexes of Ruthenium: C–H Activation of Both C4 and C5 Positions in the Same Ligand (C) 6343–6345 [6459–6461]
DOI: 10.1002/anie.200701930
- Wibbeling, B. (C) 3131–3134 [3192–3195]
- Wich, P. (C) 4786–4789 [4870–4873]
- Wichterlová, B. (C) 7286–7289 [7424–7427]
- Widenhofer, R. A.
– Gold(I)-Catalyzed Intramolecular Enantioselective Hydroalkoxylation of Allenes (C) 283–285 [287–289]
DOI: 10.1002/anie.200603260
- Widmer, R. (C) 5115–5119 [5207–5211]
- Wieland, J. (C) 3037–3039 [3097–3099]
- Wienk, M. M. (C) 1679–1683 [1709–1713]
- Wietor, J.-L. (C) 2238–2240 [2288–2290]
- Wigglesworth, T. J. (C) 8017–8019 [8163–8165]
- Wiinamäki, K. (C) 4148–4150 [4226–4228]
- Wijsboom, Y. H. (C) 8814–8818 [8970–8974]
- Wilbrandt, P.-J. (C) 2512–2514 [2564–2566]
- Wilcox, C. S.
– A Minimal Protein Folding Model To Measure Hydrophobic and CH– π Effects on Interactions between Nonpolar Surfaces in Water (C) 6833–6836 [6957–6960]
DOI: 10.1002/anie.200700932
- Wild, M. K. (C) 2108–2111 [2155–2159]
- Wilde, M. (C) 363–368 [367–372]
- Wiley, B. J. (H) 7157–7159 [7291–7293]
- Wilhelmsson, L. M. (C) 2203–2206 [2253–2256]
- Willet, N. (C) 7988–7992 [8134–8138]
- Williams, B. A. R. (C) 3051–3054 [3111–3114]
- Williams, C. M. (C) 4514–4518 [4598–4602]
- Williams, D. R.
– Strategies for the Synthesis of Fusicocanes by Nazarov Reactions of Dolabelladienones: Total Synthesis of (+)-Fusicoauritone (C) 915–918 [933–936]
DOI: 10.1002/anie.200603853
- Williams, I. D. (C) 9065–9068 [9223–9226]
- Williams, L. J.
– Spirodiepoxides: Heterocycle Synthesis and Mechanistic Insight (C) 7108–7111 [7238–7241]
DOI: 10.1002/anie.200701401
- Williams, N. A. O. (C) 3043–3046 [3103–3106]
- Williams, R. M.
– A Concise, Biomimetic Total Synthesis of Stephacidin A and Notoamide B (C) 2262–2265 [2312–2315]
DOI: 10.1002/anie.200604378
- A Concise Total Synthesis of the Notoamides C and D (C) 2257–2261 [2307–2311]
DOI: 10.1002/anie.200604377
- Asymmetric Total Synthesis of (–)-Cristobrostatin 4 (Renieramycin H) (C) 1517–1520 [1539–1542]
DOI: 10.1002/anie.200604126
- Williams, R. M. (C) 2254–2256 [2304–2306]
- Willis, A. C. (C) 937–940 [955–958]
- Willis, M. C.
– Palladium-Catalyzed Coupling of Ammonia and Hydroxide with Aryl Halides: The Direct Synthesis of Primary Anilines and Phenols (H) 3402–3404 [3470–3472]
DOI: 10.1002/anie.200605071
- Willner, H.
– *closio*-[B₂₁H₁₈][–]: A Face-Fused Diicosahedral Borate Ion (C) 2927–2930 [2985–2988]
DOI: 10.1002/anie.200604077
- [Me₃Si][R-CB₁₁F₁₁][–]—Synthesis and Properties (C) 6346–6349 [6462–6465]
DOI: 10.1002/anie.200701136
- Side-On versus End-On Bonding of O₂ to the FSO₃ Radical: Matrix Isolation and Ab Initio Study of FSO₃ (C) 3754–3757 [3828–3831]
DOI: 10.1002/anie.200604346
- Willner, H. (R) 9180–9196 [9340–9357]
- Willner, I.
– Electronic Aptamer-Based Sensors (M) 6408–6418 [6528–6538]
DOI: 10.1002/anie.200604524
- Willcock, D. J. (C) 2043–2046 [2089–2092]
- Wilmer, D. (C) 3359–3362 [3423–3426]
- Wilson, C. (C) 437–440 [441–444], 584–586 [590–592], 8013–8016 [8159–8162]
- Wilson, C. J. (C) 3122–3125 [3183–3186]
- Wilson, K. (C) 8593–8596 [8747–8750]
- Wilson, R. E. (C) 8043–8045 [8189–8191]
- Wilson, S. R. (C) 6152–6154 [6264–6266]
- Wilson, W. W. (C) 3023–3027 [3083–3087]
- Wiltzsch, B. (C) 605–608 [611–614]
- Wind, S. J.
– Encoding Molecular-Wire Formation within Nanoscale Sockets (C) 3892–3895 [3966–3969]
DOI: 10.1002/anie.200604398
- Winkleman, A. (C) 206–209 [210–213]
- Winkler, M. (C) 4888–4893 [4974–4979]
- Winkler, R. (C) 8605–8608 [8759–8762]
- Winnik, M. A.
– Polymer-Based Elemental Tags for Sensitive Bioassays (C) 6111–6114 [6223–6226]
DOI: 10.1002/anie.200700796
- Winpenny, R. E. P.
– Synthesis of Molecular Vanadium(III) Phosphonates (C) 5568–5571 [5664–5667]
DOI: 10.1002/anie.200701115
- Winssinger, N.
– Modular Synthesis of Radicicol A and Related Resorcylic Acid Lactones, Potent Kinase Inhibitors (C) 6899–6902 [7023–7026]
DOI: 10.1002/anie.200702406
- Winters, M. (C) 2023–2027 [2069–2073]
- Wintjes, N. (C) 4089–4092 [4167–4170]
- Wipf, P. (C) 6450–6452 [6570–6572]
- Wirth, T.
– Tetrafluoro-IBA and-IBX: Hypervalent Iodine Reagents (C) 6529–6532 [6649–6652]
DOI: 10.1002/anie.200702313
- Wismach, C. (C) 8682–8685 [8836–8839]
- Wisner, J. A.
– Reversible Formation of a [2]Catenane through First- and Second-Sphere Coordination (C) 2835–2838 [2893–2896]
DOI: 10.1002/anie.200604724
- Witek, A. M. (C) 7056–7059 [7186–7189]
- Withers, S. G.
– The Structural Basis of Glycosidase Inhibition by Five-Membered Iminocyclitols: The Clan A Glycoside Hydrolase Endogly-
- coceramidase as a Model System (C) 4474–4476 [4558–4560]
DOI: 10.1002/anie.200700268
- Wittrock, S. (C) 5226–5230 [5319–5323]
- Wittstock, G.
– Scanning Electrochemical Microscopy for Direct Imaging of Reaction Rates (R) 1584–1617 [1604–1640]
DOI: 10.1002/anie.200602750
- Wöhnert, J.
– Structures of RNA Switches: Insight into Molecular Recognition and Tertiary Structure (M) 1212–1219 [1232–1240]
DOI: 10.1002/anie.200604163
- Woiwode, T. F. (C) 8157–8159 [8305–8307]
- Wolberg, M. (C) 1624–1626 [1648–1651]
- Wolf, J.
– Synthesis of Stable Isothiazole Carbenes (C) 3118–3121 [3179–3182]
DOI: 10.1002/anie.200604305
- Wolf, J. (L) 6926 [7051]
- Wolf, S. E. (C) 5618–5623 [5716–5721]
- Wolfbeis, O. S.
– Optical Sensing and Imaging of Trace Oxygen with Record Response (C) 2317–2319 [2368–2371]
DOI: 10.1002/anie.200603754
- The Click Reaction in the Luminescent Probing of Metal Ions, and Its Implications on Biolabeling Techniques (H) 2980–2982 [3038–3040]
DOI: 10.1002/anie.200604897
- Wolfe, J. P.
– Stereoselective Synthesis of Isoxazolidines through Pd-Catalyzed Carboetherification of *N*-Butenylhydroxylamines (C) 6492–6494 [6612–6614]
DOI: 10.1002/anie.200701386
- Wolff, H. (C) 2931–2934 [2989–2992]
- Wolff, S. (C) 6894–6898 [7018–7022]
- Wolffs, M. (C) 8203–8205 [8351–8353]
- Wölfle, M. (C) 6184–6187 [6297–6300]
- Wöll, C.
– CO₂ Activation by ZnO through the Formation of an Unusual Tridentate Surface Carbonate (C) 5624–5627 [5722–5725]
DOI: 10.1002/anie.200700564
- Kinetically Stable, Flat-Lying Thiolate Monolayers (C) 3762–3764 [3837–3839]
DOI: 10.1002/anie.200605125
- Tuning the Reactivity of Oxide Surfaces by Charge-Accepting Adsorbates (C) 7315–7318 [7456–7459]
DOI: 10.1002/anie.200702815
- Wöll, C. (C) 9227–9230 [9387–9390]
- Wollack, J. W. (C) 8819–8822 [8975–8978]
- Wolmershäuser, G. (C) 1270–1273 [1293–1296]
- Wolowska, J. (C) 4073–4076 [4151–4154]
- Won, B.-H. (C) 8230–8233 [8378–8381]
- Won, N. (C) 8230–8233 [8378–8381]
- Wong, C.-H.
– Second-Generation Sugar-Assisted Ligation: A Method for the Synthesis of Cysteine-Containing Glycopeptides (C) 5975–5979 [6079–6083]
DOI: 10.1002/anie.200700546
- Wong, K.-L. (C) 6464–6468 [6584–6588]
- Wong, K.-T. (C) 2418–2421 [2470–2473]
- Wong, M. W.
– Dark-Red O₈ Molecules in Solid Oxygen: Rhomboid Clusters, Not S₈-Like Rings

- (H) 1768–1771 [1798–1801]
DOI: 10.1002/anie.200604410
- Wong, U. (C) 4926–4929 [5014–5017]
- Wong, W.-Y. Corrigendum: 1558
- Wong, W.-Y.
- Triphenylamine-Dendronized Pure Red Iridium Phosphors with Superior OLED Efficiency/Color Purity Trade-Offs (C) 1149–1151 [1167–1169]
DOI: 10.1002/anie.200604094
- Woo, T. K. (C) 4979–4982 [5067–5070]
- Wood, C. D. (C) 8574–8578 [8728–8732]
- Wood, M. C. (C) 354–358 [358–362]
- Wood, P. T.
- Porous Cobalt(II)–Organic Frameworks with Corrugated Walls: Structurally Robust Gas-Sorption Materials (C) 272–275 [276–279]
DOI: 10.1002/anie.200601627
- Wortmann, A. (C) 580–583 [586–589], 7591–7594 [7735–7738]
- Wosnick, J. H. (C) 6126–6131 [6238–6243]
- Wöste, L. (C) 3372–3375 [3437–3440]
- Woycechowsky, K. J. (R) 3212–3236 [3274–3300]
- Woźniak, K. (C) 7206–7209 [7344–7347]
- Wragg, D. S. (C) 7839–7843 [7985–7989]
- Wright, A. T. (C) 8212–8215 [8360–8363]
- Wright, D. S.
- An Unexpected Pathway in the Cage Opening and Aggregation of P_4 (C) 3084–3086 [3144–3146]
DOI: 10.1002/anie.200604267
 - Formation and Structure of the $[(1,2-C_6H_4P_2Sb)_2]^{4-}$ Ion: Implications for an Extended Family of Isoelectronic Main-Group Radicals (C) 7827–7830 [7973–7976]
DOI: 10.1002/anie.200702603
 - Trapping of Oligomeric Cyclopentadienyl-lithium Cationic and Anionic Fragments by a $V\equiv V$ -Bonded Ligand (C) 5425–5427 [5521–5523]
DOI: 10.1002/anie.200700925
- Wright, S. H. (C) 2594–2597 [2648–2651]
- Wrodnigg, T. M. (C) 4474–4476 [4558–4560]
- Wu, C. (C) 5393–5396 [5489–5492]
- Wu, C.-C.
- Blue-Emitting Heteroleptic Iridium(III) Complexes Suitable for High-Efficiency Phosphorescent OLEDs (C) 2418–2421 [2470–2473]
DOI: 10.1002/anie.200604733
- Wu, C.-De (C) 1075–1078 [1093–1096]
- Wu, C.-W. (C) 5364–5368 [5460–5464]
- Wu, D. (C) 5417–5420 [5513–5516]
- Wu, H. (C) 295–297 [299–301]
- Wu, J. H.
- Iron–Gold Barcode Nanowires (C) 3663–3667 [3737–3741]
DOI: 10.1002/anie.200605136
- Wu, Jiang (C) 7814–7816 [7960–7962]
- Wu, Jishan (C) 3033–3036 [3093–3096]
- Wu, K.-H. (C) 5373–5376 [5469–5472]
- Wu, K.-J. (C) 3909–3911 [3983–3985]
- Wu, L.
- Onionlike Hybrid Assemblies Based on Surfactant-Encapsulated Polyoxometalates (C) 1300–1303 [1322–1325]
DOI: 10.1002/anie.200603934
- Wu, P. S. C. (C) 3356–3358 [3420–3422]
- Wu, R. (C) 3668–3671 [3742–3745]
- Wu, S.
- Photoreversible Fluorescence Modulation of a Rhodamine Dye by Supramolecular Complexation with Photosensitive Cyclodextrin (C) 7015–7018 [7145–7148]
DOI: 10.1002/anie.200701396
- Wu, S.-T. (C) 8475–8479 [8627–8631]
- Wu, T. (C) 7255–7258 [7393–7396]
- Wu, W. (Carnegie Mellon University) (C) 2453–2457 [2505–2509]
- Wu, W. (Xiamen University)
- Which Oxidant Is Really Responsible for Sulfur Oxidation by Cytochrome P450? (C) 8168–8170 [8316–8318]
DOI: 10.1002/anie.200702867
- Wu, Y.-R. (C) 8475–8479 [8627–8631]
- Wu, Y.-T. (C) 8258–8261 [8406–8409]
- Wu, Yaowen (C) 1798–1802 [1830–1834]
- Wu, Yong (C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137], 7667–7670 [7811–7814]
- Wu, Yuping
- An Aqueous Rechargeable Lithium Battery with Good Cycling Performance (C) 295–297 [299–301]
DOI: 10.1002/anie.200603699
- Wunderlich, S. H. (C) 7685–7688 [7829–7832]
- Wurstthorn, E. J. (C) 901–904 [919–922]
- Würtele, C. (C) 7775–7777 [7922–7924]
- Würthner, F.
- Supramolecular Construction of Fluorescent J-Aggregates Based on Hydrogen-Bonded Perylene Dyes (C) 5541–5544 [5637–5640]
DOI: 10.1002/anie.200701139
- Wüstkamp, M.-A. (C) 7770–7774 [7917–7921]
- Wylie, B. J. (C) 8380–8383 [8532–8535]
- Wyss, P. (C) 7473–7476 [7617–7620]
- Xia, J. (C) 1860–1863 [1892–1895]
- Xia, N. (C) 934–936 [952–954]
- Xia, X. (C) 7315–7318 [7456–7459]
- Xia, Y.
- A Water-Based Synthesis of Octahedral, Decahedral, and Icosahedral Pd Nanocrystals (C) 9279–9282 [9439–9442]
DOI: 10.1002/anie.200703755
 - Nanocrystals with Unconventional Shapes—A Class of Promising Catalysts (H) 7157–7159 [7291–7293]
DOI: 10.1002/anie.200702473
 - Synthesis of Palladium Icosahedra with Twinned Structure by Blocking Oxidative Etching with Citric Acid or Citrate Ions (C) 790–794 [804–808]
DOI: 10.1002/anie.200604032
 - Trimeric Clusters of Silver in Aqueous $AgNO_3$ Solutions and Their Role as Nuclei in Forming Triangular Nanoplates of Silver (C) 4917–4921 [5005–5009]
DOI: 10.1002/anie.200700942
- Xia, Z. (C) 4346–4349 [4424–4427]
- Xiang, Y. (C) 9054–9056 [9212–9214]
- Xiao, F. (C) 4346–4349 [4424–4427]
- Xiao, F.
- Single-Crystal Organic Nanowires of Copper–Tetracyanoquinodimethane: Synthesis, Patterning, Characterization, and Device Applications (C) 2650–2654 [2704–2708]
DOI: 10.1002/anie.200604397
- Xiao, S. (C) 7891–7895 [8037–8041]
- Xiao, W. (C) 1814–1818 [1846–1850]
- Xiao, Xiangshu (C) 2865–2868 [2923–2926]
- Xiao, Xudong (C) 4285–4289 [4363–4367]
- Xie, H. (C) 3732–3734 [3806–3808], 9050–9053 [9208–9211]
- Xie, J. (C) 9239–9242 [9399–9402]
- Xie, J.-H. (C) 1275–1277 [1297–1299], 7506–7508 [7650–7652]
- Xie, J.-W. (C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137]
- Xie, M. (C) 9054–9056 [9212–9214]
- Xie, S. (C) 7976–7979 [8122–8125], 8579–8582 [8733–8736]
- Xie, Y. (C) 7255–7258 [7393–7396]
- Xie, Z.
- Triphenylamine-Dendronized Pure Red Iridium Phosphors with Superior OLED Efficiency/Color Purity Trade-Offs (C) 1149–1151 [1167–1169]
DOI: 10.1002/anie.200604094
- Xie, Z.-Y. (C) 4481–4485 [4565–4569]
- Xin, Z.-q. (C) 7704–7707 [7848–7851]
- Xing, B.
- A Simple and Specific Assay for Real-Time Colorimetric Visualization of β -Lactamase Activity by Using Gold Nanoparticles (C) 8799–8803 [8955–8959]
DOI: 10.1002/anie.200702773
- Xiong, H. (C) 2470–2477 [2522–2529]
- Xiong, R.-G.
- Large Anisotropy and Effect of Deuteration on Permittivity in an Olefin Copper(I) Complex (C) 6852–6856 [6976–6980]
DOI: 10.1002/anie.200700629
- Xiong, T. (C) 1726–1729 [1756–1759]
- Xiong, Yujie (C) 790–794 [804–808], 4917–4921 [5005–5009], (H) 7157–7159 [7291–7293], (C) 9279–9282 [9439–9442]
- Xiong, Yun (C) 4511–4513 [4595–4597]
- Xu, B.
- A Supramolecular-Hydrogel-Encapsulated Hemin as an Artificial Enzyme to Mimic Peroxidase (C) 4285–4289 [4363–4367]
DOI: 10.1002/anie.200700404
 - Intracellular Hydrogelation of Small Molecules Inhibits Bacterial Growth (C) 8216–8219 [8364–8367]
DOI: 10.1002/anie.200701697
- Xu, Gang (C) 3249–3251 [3313–3315], 3909–3911 [3983–3985]
- Xu, Guobao
- Environmentally Friendly and Highly Sensitive Ruthenium(II) Tris(2,2'-bipyridyl) Electrochemiluminescent System Using 2-(Dibutylamino)ethanol as Co-Reactant (C) 421–424 [425–428]
DOI: 10.1002/anie.200603491
- Xu, H.-B. (C) 7388–7392 [7532–7536]
- Xu, Hai (C) 3245–3248 [3309–3312]
- Xu, Hao (C) 2224–2227 [2274–2277]
- Xu, Haoan (C) 1489–1492 [1511–1514]
- Xu, J. (C) 1860–1863 [1892–1895]
- Xu, K. (C) 3319–3322 [3383–3386]



- Xu, L. (C) 7976–7979 [8122–8125]
 Xu, M. (C) 1300–1303 [1322–1325]
 Xu, P. (C) 4999–5002 [5087–5090]
 Xu, R. (C) 537–540 [543–546]
 Xu, S. (C) 5746–5749 [5848–5851]
 Xu, X. (C) 3468–3470 [3538–3540]
 Xu, X.-F. (C) 7810–7813 [7956–7959]
 Xu, Yanli Corrigendum: 5647
 Xu, Yijin (C) 3896–3899 [3970–3973]
 Xu, Yujia
 – Fabrication of Au Nanowires of Uniform Length and Diameter Using a Monodisperse and Rigid Biomolecular Template: Collagen-like Triple Helix (C) 3319–3322 [3383–3386]
 DOI: 10.1002/anie.200605213
 Xu, Yun (C) 2515–2517 [2567–2569]
 Xu, Yunjie
 – Hydration of a Chiral Molecule: The Propylene Oxide... (Water)₂ Cluster in the Gas Phase (C) 6163–6166 [6275–6278]
 DOI: 10.1002/anie.200701966
 – Lock-and-Key Principle on a Microscopic Scale: The Case of the Propylene Oxide... Ethanol Complex (C) 2276–2279 [2326–2329]
 DOI: 10.1002/anie.200603809
 Xu, Z. P. (C) 3062–3065 [3122–3125]
 Xu, Zhaoqing (C) 2245–2248 [2295–2298]
 Xu, Zhichuan (C) 6329–6332 [6445–6448]
 Xu, Zhongli (C) 7035–7038 [7165–7168]
 Xue, Can (C) 2036–2038 [2082–2084], 8436–8439 [8588–8591]
 Xue, Chenming (C) 3896–3899 [3970–3973]
 Xue, L. (C) 561–564 [567–570]
 Xue, M. (C) 6638–6642 [6758–6762]
 Xue, W. (C) 6076–6080 [6188–6192]
- Yadav, J. S. (C) 6297–6300 [6413–6416]
 Yagai, S.
 – Gelation-Assisted Control over Excitonic Interaction in Merocyanine Supramolecular Assemblies (C) 8005–8009 [8151–8155]
 DOI: 10.1002/anie.200702263
 Yakovlev, I. (C) 8782–8784 [8938–8940]
 Yakutkin, V. (C) 7693–7696 [7837–7840]
 Yam, V. W.-W.
 – Redox Luminescence Switch Based on Energy Transfer in CePO₄:Tb³⁺ Nanowires (C) 3486–3489 [3556–3559]
 DOI: 10.1002/anie.200604973
 Yamada, K. (C) 8024–8027 [8170–8173]
 Yamada, R. (C) 7648–7650 [7792–7794]
 Yamada, S. (C) 3553–3555 [3623–3625]
 Yamada, Y. (C) 4123–4127 [4201–4205]
 Yamada, Y. M. A. (C) 704–706 [718–720]
 Yamagata, K.-i. (C) 8060–8062 [8206–8208]
 Yamagishi, U. (C) 2284–2287 [2334–2337]
 Yamagiwa, N. (C) 409–413 [413–417]
 Yamago, S.
 – Highly Controlled Living Radical Polymerization through Dual Activation of Organobismuthines (C) 1304–1306 [1326–1328]
 DOI: 10.1002/anie.200604473
- Yamaguchi, H. (C) 5144–5147 [5236–5239]
 Yamaguchi, I. Corrigendum: 5263
 Yamaguchi, Kazuya (C) 3922–3925 [3996–3999], 5202–5205 [5294–5297]
 Yamaguchi, Kentaro (C) 6476–6480 [6596–6600]
 Yamaguchi, Shigehiro
 – 3-Boryl-2,2'-bithiophene as a Versatile Core Skeleton for Full-Color Highly Emissive Organic Solids (C) 4273–4276 [4351–4354]
 DOI: 10.1002/anie.200604935
 Yamaguchi, Shoichi (C) 7609–7612 [7753–7756]
 Yamaguchi, Tatsuya (C) 8198–8202 [8346–8350]
 Yamaguchi, Tetsufumi (C) 4729–4731 [4813–4815]
 Yamaguchi, Y. (C) 1738–1740 [1768–1770]
 Yamamoto, T. (C) 9253–9256 [9413–9416]
 Yamamoto, Y.
 – An Efficient, Facile, and General Synthesis of 1*H*-Indazoles by 1,3-Dipolar Cycloaddition of Arynes with Diazomethane Derivatives (C) 3323–3325 [3387–3389]
 DOI: 10.1002/anie.200700101
 – Synthesis of 1,3,4-Trisubstituted Isoquinolines by Iodine-Mediated Electrophilic Cyclization of 2-Alkynyl Benzyl Azides (C) 4764–4766 [4848–4850]
 DOI: 10.1002/anie.200701392
 Yamamoto, Y. (C) 2284–2287 [2334–2337]
 Yamanaka, S. (C) 7625–7628 [7769–7772]
 Yamanaka, Y. (C) 7595–7599 [7739–7743]
 Yamasaki, M. (C) 7617–7620 [7761–7764]
 Yamasaki, Yuichi (C) 6085–6088 [6197–6200]
 Yamasaki, Yukari (C) 6662–6665 [6782–6785]
 Yamashita, F. (C) 5929–5933 [6033–6037]
 Yamashita, M.
 – Boryl Anion Attacks Transition-Metal Chlorides To Form Boryl Complexes: Syntheses, Spectroscopic, and Structural Studies on Group 11 Borylmatal Complexes (C) 6710–6713 [6830–6833]
 DOI: 10.1002/anie.200702369
 Yamashita, Y. (C) 955–957 [973–975]
 Yan, D.
 – Honeycomb-Patterned Photoluminescent Films Fabricated by Self-Assembly of Hyperbranched Polymers (C) 4128–4131 [4206–4209]
 DOI: 10.1002/anie.200604429
 Yan, F. (C) 2440–2443 [2492–2495]
 Yan, H.
 – Functional DNA Nanotube Arrays: Bottom-Up Meets Top-Down (C) 6089–6092 [6201–6204]
 DOI: 10.1002/anie.200701767
 – Self-Assembled Peptide Nanoarrays: An Approach to Studying Protein–Protein Interactions (C) 3051–3054 [3111–3114]
 DOI: 10.1002/anie.200603919
 Yan, L. (C) 4539–4542 [4623–4626]
 Yan, L.-M. (C) 1246–1252 [1268–1274]
 Yan, X. (C) 2431–2434 [2483–2486], 6996–7000 [7126–7130]
 Yan, X.-P.
 – Facile Shape-Controlled Synthesis of Well-Aligned Nanowire Architectures in Binary Aqueous Solution (C) 7659–7663 [7803–7807]
 DOI: 10.1002/anie.200702451
- Yan, Yun
 – Hierarchical Self-Assembly in Solutions Containing Metal Ions, Ligand, and Diblock Copolymer (C) 1807–1809 [1839–1841]
 DOI: 10.1002/anie.200604039
 Yan, Yushan
 – Supportless Pt and PtPd Nanotubes as Electrocatalysts for Oxygen-Reduction Reactions (C) 4060–4063 [4138–4141]
 DOI: 10.1002/anie.200700894
 Yáñez, M.
 – How Can a Carbon Atom Be Covalently Bound to Five Ligands? The Case of Si₂(CH₃)₇⁺ (C) 381–385 [385–389]
 DOI: 10.1002/anie.200601164
 Yang, B. (C) 3245–3248 [3309–3312]
 Yang, C.-H. (C) 2418–2421 [2470–2473]
 Yang, D.-Y. (R) 3196–3210 [3258–3273]
 Yang, G.-Y.
 – In₂Ge₂O₁₅(OH)₂(H₂dien): An Open-Framework Indate Germanate with One-Dimensional 12-Ring Channels (C) 2827–2830 [2885–2888]
 DOI: 10.1002/anie.200604921
 Yang, Hengquan (C) 6861–6865 [6985–6989]
 Yang, Hua (C) 6638–6642 [6758–6762]
 Yang, J. K. (C) 8230–8233 [8378–8381]
 Yang, J. W. (C) 609–611 [615–617]
 Yang, Jaemoon (C) 8836–8839 [8992–8995]
 Yang, Jianjun
 – Structural and Electronic Properties of Pristine and Ba-Doped Clathrate-Like Carbon Fullerenes (C) 6275–6277 [6391–6393]
 DOI: 10.1002/anie.200701555
 Yang, Jiong (C) 7817–7819 [7963–7965]
 Yang, L. (C) 295–297 [299–301]
 Yang, M. (C) 3885–3888 [3959–3962]
 Yang, N. (C) 6464–6468 [6584–6588]
 Yang, Peidong
 – One-Step Patterning of Aligned Nanowire Arrays by Programmed Dip Coating (C) 2414–2417 [2466–2469]
 DOI: 10.1002/anie.200604789
 Yang, Ping (C) 3579–3583 [3650–3654]
 Yang, Q.
 – Enhanced Cooperative Activation Effect in the Hydrolytic Kinetic Resolution of Epoxides on [Co(salen)] Catalysts Confined in Nanocages (C) 6861–6865 [6985–6989]
 DOI: 10.1002/anie.200701747
 – Mesoporous Organic–Inorganic Hybrid Materials Built Using Polyhedral Oligomeric Silsesquioxane Blocks (C) 5003–5006 [5091–5094]
 DOI: 10.1002/anie.200700640
 Yang, Q.-Z. (C) 8368–8370 [8520–8522]
 Yang, S.-Y. (C) 7667–7670 [7811–7814]
 Yang, Shangfeng
 – Violating the Isolated Pentagon Rule (IPR): The Endohedral Non-IPR C₇₀ Cage of Sc₃N@C₇₀ (C) 1256–1259 [1278–1281]
 DOI: 10.1002/anie.200603281
 Yang, Shuping (C) 7591–7594 [7735–7738]
 Yang, Sui (C) 8579–8582 [8733–8736]
 Yang, W. (C) 3490–3493 Corrigendum: 5647 [3560–3563 Corrigendum: 5744]



- Yang, Yang (C) 2515–2517 [2567–2569]
 Yang, Yi (C) 3976–3978 [4050–4053]
 Yang, Yonggang (C) 8691–8694 [8846–8849]
 Yang, Zhe (C) 6485–6487 [6605–6607]
 Yang, Zhimou (C) 4285–4289 [4363–4367], 8216–8219 [8364–8367]
 Yang, Zusing (C) 6824–6828 [6948–6952]
 Yao, B. (C) 1149–1151 [1167–1169]
 Yao, H. (C) 4346–4349 [4424–4427], 7031–7034 [7161–7164]
 Yao, M.-X. (C) 1832–1835 [1864–1867]
 Yao, S. (C) 4159–4162 [4237–4240], 4511–4513 [4595–4597]
 Yao, Y. (C) 6275–6277 [6391–6393]
 Yao, Yishan (C) 8242–8245 [8390–8393]
 Yap, G. P. A. (C) 6692–6694 [6812–6814]
 Yashima, E.
 – Enantioselective Synthesis of Complementary Double-Helical Molecules that Catalyze Asymmetric Reactions (C) 5885–5888 [5989–5992]
 DOI: 10.1002/anie.200701735
 – Multicomponent Cylindrical Assemblies Driven by Amidinium–Carboxylate Salt-Bridge Formation (C) 2435–2439 [2487–2491]
 DOI: 10.1002/anie.200603921
 – Supramolecular Helical Structure of the Stereocomplex Composed of Complementary Isotactic and Syndiotactic Poly(methyl methacrylate)s as Revealed by Atomic Force Microscopy (C) 5348–5351 [5444–5447]
 DOI: 10.1002/anie.200700455
 – Two-Dimensional Helix-Bundle Formation of a Dynamic Helical Poly(phenylacetylene) with Achiral Pendant Groups on Graphite (C) 7605–7608 [7749–7752]
 DOI: 10.1002/anie.200701546
 Yasuda, A. (C) 7693–7696 [7837–7840]
 Yasuda, T. (C) 4675–4679 [4759–4763], 4680–4683 [4764–4767]
 Yata, H. (C) 6481–6484 [6601–6604]
 Ye, H. (C) 4991–4994 [5079–5082]
 Ye, J.-D. (C) 3714–3717 [3788–3791]
 Ye, J.-W. (C) 6638–6642 [6758–6762]
 Ye, L.-W. (C) 5951–5954 [6055–6058]
 Ye, M. (C) 962–965 [980–983]
 Ye, Q. (C) 6852–6856 [6976–6980]
 Ye, T. (C) 6473–6475 [6593–6595]
 Ye, Z.-G.
 – Highly Birefringent Materials Designed Using Coordination Polymer Synthetic Methodology (C) 8804–8807 [8960–8963]
 DOI: 10.1002/anie.200702885
 Yee, J. G. K. (C) 4359–4363 [4437–4441]
 Yélamos, C. (C) 3095–3098 [3155–3158]
 Yeoh, C. T. (C) 9243–9247 [9403–9407]
 Yeung, C. M. Y. (C) 3855–3859 [3929–3933]
 Yeung, C. S. (C) 354–358 [358–362]
 Yeung, E. S.
 – Single-Molecule Reactions in Liposomes (C) 8032–8035 [8178–8181]
 DOI: 10.1002/anie.200702348
 Yigit, M. V. (C) 9006–9010 [9164–9168]
 Yin, X. (C) 4979–4982 [5067–5070]
 Yin, Y.
 – Highly Tunable Superparamagnetic Colloidal Photonic Crystals (C) 7428–7431 [7572–7575]
 DOI: 10.1002/anie.200701992
 – Superparamagnetic Magnetite Colloidal Nanocrystal Clusters (C) 4342–4345 [4420–4423]
 DOI: 10.1002/anie.200700197
 Yin, Y. (C) 790–794 [804–808]
 Ying, J. Y.
 – Synthesis of Silica-Coated Semiconductor and Magnetic Quantum Dots and Their Use in the Imaging of Live Cells (C) 2448–2452 [2500–2504]
 DOI: 10.1002/anie.200604245
 Yiotakis, A. (C) 3275–3277 [3339–3341]
 Yokoi, T. (C) 7796–7798 [7942–7944]
 Yokoshima, S. (C) 5734–5736 [5836–5838]
 Yokoyama, K.
 – A Protein-Responsive Chromophore Based on Squaraine and Its Application to Visual Protein Detection on a Gel for SDS-PAGE (C) 4097–4099 [4175–4177]
 DOI: 10.1002/anie.200700245
 Yoo, E. J. (C) 1730–1733 [1760–1763]
 Yoo, S. H. (C) 7064–7067 [7194–7197]
 Yoo, T. H. (C) 5340–5343 [5436–5439]
 Yoon, D.-W. (C) 2508–2511 [2560–2563]
 Yoon, H.-G. (C) 8836–8839 [8992–8995]
 Yoon, H. J. (C) 4960–4963 [5048–5051]
 Yoon, J. W. (C) 272–275 [276–279]
 Yoon, K. B.
 – Length-Dependent Band-Gap Shift of TiO_2 -Molecular Wires Embedded in Zeolite ETS-10 (C) 5868–5872 [5972–5976]
 DOI: 10.1002/anie.200701676
 – Manual Assembly of Microcrystal Monolayers on Substrates (C) 3087–3090 [3147–3150]
 DOI: 10.1002/anie.200604367
 Yoon, M. (C) 8455–8459 [8607–8611]
 Yoon, S. (C) 6658–6661 [6778–6781]
 Yoon, Z. S. (C) 5591–5593 [5687–5689]
 Yorimitsu, H.
 – Palladium-Catalyzed 2-Pyridylmethyl Transfer from 2-(2-Pyridyl)ethanol Derivatives to Organic Halides by Chelation-Assisted Cleavage of Unstrained $\text{C}_{\text{sp}^3}\text{--}\text{C}_{\text{sp}^3}$ Bonds (C) 2643–2645 [2697–2699]
 DOI: 10.1002/anie.200604472
 Yoshida, J. (C) 7220–7223 [7358–7361]
 Yoshida, K. (C) 8636–8639 [8790–8793]
 Yoshida, T. (C) 2254–2256 [2304–2306]
 Yoshikawa, H. (C) 5532–5536 [5628–5632]
 Yoshimoto, S.
 – Superstructure Formation and Rearrangement in the Adlayer of a Rare-Earth-Metal Triple-Decker Sandwich Complex at the Electrochemical Interface (C) 1071–1074 [1089–1092]
 DOI: 10.1002/anie.200603585
 Yoshio, M. (C) 3055–3058 [3115–3118]
 Yoshioka, M. (C) 1504–1507 [1526–1529]
 Yoshizawa, A. (C) 2505–2507 [2557–2559]
 Yoshizawa, K.
 – Does Cob(II)alamin Act as a Conductor in Coenzyme B_{12} Dependent Mutases? (C) 980–983 [998–1001]
 DOI: 10.1002/anie.200602977
 – Experimental and Theoretical Evidence for Nonheme Iron(III) Alkylperoxo Species as Sluggish Oxidants in Oxygenation Reactions (C) 2291–2294 [2341–2344]
 DOI: 10.1002/anie.200604219
 Yoshizawa, M. (C) 1803–1806 [1835–1838], 3874–3876 [3948–3950]
 You, X.-Z.
 – Molecule-Based Ferroelectric Thin Films: Mononuclear Lanthanide Enantiomers Displaying Room-Temperature Ferroelectric and Dielectric Properties (C) 6820–6823 [6944–6947]
 DOI: 10.1002/anie.200701802
 Youn, I. (C) 5779–5782 [5881–5884]
 Young, D. A. (C) 2273–2275 [2323–2325]
 Young, D. D. (C) 4290–4292 [4368–4370], 5187–5190 [5279–5282]
 Young, R. J. (C) 5904–5908 [6008–6012]
 Youngsaye, W. (C) 9211–9214 [9371–9374]
 Yousaf, M. N.
 – Rapid Patterning of Cells and Cell Cultures on Surfaces with Spatial and Temporal Control through Centrifugation (C) 7437–7439 [7581–7583]
 DOI: 10.1002/anie.200701841
 – Surface-Chemistry Control To Silence Gene Expression in *Drosophila* Schneider 2 Cells through RNA Interference (C) 3881–3884 [3955–3958]
 DOI: 10.1002/anie.200604079
 Yousufuddin, M. (C) 2869–2874 [2927–2932]
 Yoza, K. (C) 5562–5564 [5658–5660]
 Yu, A. (C) 3062–3065 [3122–3125]
 Yu, A. L. (C) 3865–3869 [3939–3943]
 Yu, B.
 – Total Synthesis of Candicanoside A, a Potent Antitumor Saponin with a Rearranged Steroid Side Chain (C) 2527–2530 [2579–2582]
 DOI: 10.1002/anie.200604761
 Yu, C.
 – Siliceous Nanopods from a Compromised Dual-Templating Approach (C) 8579–8582 [8733–8736]
 DOI: 10.1002/anie.200703628
 Yu, H. (C) 2249–2253 [2299–2303]
 Yu, J. (C) 2028–2030 [2074–2076]
 Yu, J. C.
 – Photochemical Preparation of Two-Dimensional Gold Spherical Pore and Hollow Sphere Arrays on a Solution Surface (C) 773–777 [787–791]
 DOI: 10.1002/anie.200603697
 Yu, J. H. (C) 8992–8994 [9150–9152]
 Yu, Lei (C) 6068–6072 [6180–6184]
 Yu, Lian (C) 1618–1623 [1642–1647]
 Yu, M. (C) 8579–8582 [8733–8736]
 Yu, P. (C) 2865–2868 [2923–2926]
 Yu, R.
 – Crystal Structures of and Displacive Transitions in OsN_2 , IrN_2 , RuN_2 , and RhN_2 (C) 1136–1140 [1154–1158]
 DOI: 10.1002/anie.200604151
 Yu, S.-B. (C) 7810–7813 [7956–7959]
 Yu, S. S.-F. (C) 1992–1994 [2038–2040]
 Yu, T. (C) 1089–1093 [1107–1111], 7976–7979 [8122–8125]
 Yu, W. W. Corrigendum: 2559
 Yu, Y. (R) 506–528 [512–535], (C) 881–883 [899–901]
 Yu, Z. (C) 7980–7983 [8126–8129]
 Yuan, B. (C) 1094–1096 [1112–1114]
 Yuan, De-Q.
 – Imidazolyl Cyclodextrins: Artificial Serine Proteases Enabling Regiospecific Reactions (C) 5024–5027 [5112–5115]
 DOI: 10.1002/anie.200701156

- Yuan, P. (C) 8579–8582 [8733–8736]
Yuan, Q. (C) 2598–2601 [2652–2655]
Yuasa, J. (C) 3553–3555 [3623–3625]
Yue, L. (C) 389–392 Corrigendum: 5049
[393–396 Corrigendum: 5137]
Yuge, T. (C) 2220–2223 [2270–2273]
Yum, J.-H. (C) 373–376 [377–380], 8358–
8362 [8510–8514]
Yurkovich, M. J. (C) 9198–9201 [9358–9361]
Yus, M.
– Alcohols as Electrophiles in C–C Bond-
Forming Reactions: The Hydrogen Auto-
transfer Process
(M) 2358–2364 [2410–2416]
DOI: 10.1002/anie.200603794
Yvon, K. (C) 5765–5767 [5867–5869]
- Zabel, M. (C) 5966–5970 [6070–6074],
9323–9326 [9483–9487]
Zaborenko, N. (C) 1734–1737 [1764–1767]
Zacharias, P. (C) 4388–4392 [4467–4471]
Zachary, M. (C) 3304–3307 [3368–3371]
Zahn, G. (C) 3571–3574 [3641–3644]
Zakarian, A.
– Acyclic Stereocontrol in the Ireland–
Claisen Rearrangement of α -Branched
Esters
(C) 7466–7469 [7610–7613]
DOI: 10.1002/anie.200702142
Zanasi, R.
– Designing Paramagnetic Circulenes
(C) 1889–1892 [1921–1924]
DOI: 10.1002/anie.200604261
Zanda, M.
– Total Synthesis of Tubulysins U and V
(C) 3526–3529 [3596–3599]
DOI: 10.1002/anie.200604557
Zanghellini, E. Corrigendum: 653
Zanirato, V.
– Quantum Chemical Modeling and Prepa-
ration of a Biomimetic Photochemical
Switch
(C) 414–420 [418–424]
DOI: 10.1002/anie.200602915
Zanoli, S. (C) 1810–1813 [1842–1845]
Zanoni, I. (C) 3308–3312 [3372–3376]
Zappa, F. (C) 5238–5241 [5331–5334],
8057–8059 [8203–8205]
Zavalij, P. Y. (C) 6309–6312 [6425–6428],
7425–7427 [7569–7571]
Zayats, M. (M) 6408–6418 [6528–6538]
Zayed, J. M. (C) 6529–6532 [6649–6652]
Zecchina, A. (C) 1465–1468 [1487–1490]
Zehl, G. (C) 7311–7314 [7452–7455]
Zehm, D. (C) 7689–7692 [7833–7836]
Zeikus, J. G. (C) 3091–3094 [3151–3154]
Zemp, I. (C) 8707–8710 [8862–8865]
Zeng, D. (C) 4751–4753 [4835–4837]
Zeng, F. (C) 7015–7018 [7145–7148]
Zeng, H. (C) 5402–5404 [5498–5500]
Zeng, M. (C) 389–392 Corrigendum: 5049
[393–396 Corrigendum: 5137]
Zeng, M.-H.
– A Single-Molecule-Magnetic, Cubane-
Based, Triangular Co_3 Supercluster
(C) 1832–1835 [1864–1867]
DOI: 10.1002/anie.200602922
Zeng, X. (C) 7856–7859 [8002–8005], 7972–
7975 [8118–8121]
Zeng, X.-C.
– Doping Golden Buckyballs: Cu@Au_{16}^- and
 Cu@Au_{17}^- Cluster Anions
(C) 2915–2918 [2973–2976]
DOI: 10.1002/anie.200700060
Zenobi, R.
– Neutral Desorption Sampling of Living
Objects for Rapid Analysis by Extractive
Electrospray Ionization Mass Spectrometry
(C) 7591–7594 [7735–7738]
DOI: 10.1002/anie.200702200
– Rapid In Vivo Fingerprinting of Nonvola-
tile Compounds in Breath by Extractive
Electrospray Ionization Quadrupole Time-
of-Flight Mass Spectrometry
(C) 580–583 [586–589]
DOI: 10.1002/anie.200602942
Zentgraf, M. (C) 3575–3578 [3645–3649]
Zerbetto, F.
– Synthetic Molecular Motors and Mechan-
ical Machines
(R) 72–191 [72–196]
DOI: 10.1002/anie.200504313
Zerr, A. (C) 1476–1480 [1498–1502]
Zewail, A. H.
– Controlled Nanoscale Mechanical Phen-
omena Discovered with Ultrafast Elec-
tron Microscopy
(C) 9206–9210 [9366–9370]
DOI: 10.1002/anie.200704147
Zhai, H.-J. (C) 2915–2918 [2973–2976],
4277–4280 [4355–4358]
Zhan, B.-Z. (C) 3697–3700 [3771–3774]
Zhan, Q. (C) 1136–1140 [1154–1158]
Zhan, Y. (C) 4999–5002 [5087–5090]
Zhang, A. (C) 7319–7323 [7460–7464]
Zhang, C.-M. (C) 5565–5567 [5661–5663]
Zhang, C.-y. (C) 3482–3485 [3552–3555]
Zhang, Chaowei (C) 4684–4688 [4768–4772]
Zhang, Chi (C) 8168–8170 [8316–8318]
Zhang, Chuhong (C) 2848–2850 [2906–
2908]
Zhang, Fan (C) 1089–1093 [1107–1111],
7976–7979 [8122–8125]
Zhang, Fangtong
– Crossed-Molecular-Beam Study on the
Formation of Phenylacetylene from
Phenyl Radicals and Acetylene
(C) 6866–6869 [6990–6993]
DOI: 10.1002/anie.200701890
Zhang, Fengli (C) 2639–2642 [2693–2696]
Zhang, Fuqiang (C) 1089–1093 [1107–
1111], 7976–7979 [8122–8125]
Zhang, Genqiang (C) 5772–5774 [5874–
5876]
Zhang, Guohua (C) 6111–6114 [6223–6226]
Zhang, Haile (C) 1878–1880 [1910–1912]
Zhang, Hang Corrigendum: 5647
Zhang, He (C) 962–965 [980–983]
Zhang, Hongjun (C) 4704–4707 [4788–4791]
Zhang, Houyu (C) 3245–3248 [3309–3312]
Zhang, Huan (C) 8226–8229 [8374–8377]
Zhang, Hui (C) 8475–8479 [8627–8631]
Zhang, J. (C) 3313–3315 [3377–3379]
Zhang, J. (Fritz-Haber-Institut, Berlin) (C)
7319–7323 [7460–7464]
Zhang, J.-J. (C) 4995–4998 [5083–5086]
Zhang, J. (Long Beach, USA) (C) 6115–
6118 [6227–6230], 8388–8391 [8540–
8543]
Zhang, J. (Nankai University) (C) 6068–
6072 [6180–6184]
Zhang, J.-P. (C) 889–892 [907–910], 7965–
7968 [8111–8114]
Zhang, J. (Tianjin University) Corrigendum:
5647
Zhang, J.-Y. (C) 7399–7403 [7543–7547]
Zhang, Laijun (C) 786–789 [800–803]
Zhang, Lei (C) 5003–5006 [5091–5094],
6861–6865 [6985–6989]
Zhang, Leyang (C) 7104–7107 [7234–7237]
Zhang, Li (C) 1798–1802 [1830–1834]
Zhang, Liming
– Gold-Catalyzed Intramolecular Redox
Reaction of Sulfinyl Alkynes: Efficient
Generation of α -Oxo Gold Carbenoids
and Application in Insertion into R–CO
Bonds
(C) 5156–5159 [5248–5251]
DOI: 10.1002/anie.200701449
Zhang, Lixian (C) 8168–8170 [8316–8318]
Zhang, Lixin (C) 1909–1913 [1941–1945]
Zhang, Qian
– Domino Ring-Opening/Recyclization
Reactions of Doubly Activated Cyclopro-
panes as a Strategy for the Synthesis of
Furoquinoline Derivatives
(C) 1726–1729 [1756–1759]
DOI: 10.1002/anie.200604276
Zhang, Qinghai
– Designing Facial Amphiphiles for the Sta-
bilization of Integral Membrane Proteins
(C) 7023–7025 [7153–7155]
DOI: 10.1002/anie.200701556
Zhang, Shengmao (C) 8866–8868 [9022–
9024]
Zhang, Shengmin (C) 3490–3493 Corrigen-
dum: 5647 [3560–3563 Corrigendum:
5744]
Zhang, T. (C) 700–703 [714–717]
Zhang, W. (C) 580–583 [586–589]
Zhang, W.-W. (C) 6271–6274 [6387–6390]
Zhang, W.-X. (C) 1832–1835 [1864–1867],
3456–3459 [3526–3529], 6076–6080
[6188–6192]
Zhang, X.-M.
– Dehydration-Induced Conversion from a
Single-Chain Magnet into a Metamagnet in
a Homometallic Nanoporous Metal–
Organic Framework
(C) 3456–3459 [3526–3529]
DOI: 10.1002/anie.200604284
Zhang, Xi
– Photocontrolled Reversible Supramolecu-
lar Assemblies of an Azobenzene-Contain-
ing Surfactant with α -Cyclodextrin
(C) 2823–2826 [2881–2884]
DOI: 10.1002/anie.200604982
Zhang, Xi (C) 8400–8404 [8552–8556]
Zhang, Xiaohong
– Single-Crystal Organic Microtubes with a
Rectangular Cross Section
(C) 1525–1528 [1547–1550]
DOI: 10.1002/anie.200604359
Zhang, Xiaotong (C) 9073–9077 [9231–
9235]
Zhang, Xieqiu (C) 4285–4289 [4363–4367]
Zhang, Xiu (C) 1905–1908 [1937–1940]
Zhang, Xiujian (C) 1525–1528 [1547–1550]
Zhang, Xumu
– Rh-Catalyzed Highly Enantioselective
Synthesis of 3-Arylbutanoic Acids
(C) 2623–2626 [2677–2680]
DOI: 10.1002/anie.200604810
Zhang, Y.-Z. (R) 2152–2187 Corrigendum:
5049 [2200–2236 Corrigendum: 5137]
Zhang, Yan (C) 4346–4349 [4424–4427]



- Zhang, Yixin (C) 4671–4674 [4755–4758]
 Zhang, Yu (C) 4767–4770 [4851–4854]
 Zhang, Z.-J. (C) 3249–3251 [3313–3315]
 Zhang, Zhaoda (C) 8171–8173 [8319–8321]
 Zhang, Zhaofu (C) 7255–7258 [7393–7396]
 Zhang, Zhensheng (C) 7498–7500 [7642–7644]
 Zhang, Zhibin (C) 283–285 [287–289]
 Zhang, Zhiguo (C) 1726–1729 [1756–1759]
 Zhao, C. (R) 1584–1617 [1604–1640]
 Zhao, C.-Y. (C) 7399–7403 [7543–7547]
 Zhao, D.
 – Formation of Mesoporous Carbon With a Face-Centered-Cubic $Fd\bar{3}m$ Structure and Bimodal Architectural Pores From the Reverse Amphiphilic Triblock Copolymer PPO-PEO-PPO (C) 1089–1093 [1107–1111]
 DOI: 10.1002/anie.200603665
 – Uniform Nanostructured Arrays of Sodium Rare-Earth Fluorides for Highly Efficient Multicolor Upconversion Luminescence (C) 7976–7979 [8122–8125]
 DOI: 10.1002/anie.200702519
 Zhao, G.-L. (C) 778–781 [792–795]
 Zhao, H. (C) 6852–6856 [6976–6980]
 Zhao, J. (C) 6068–6072 [6180–6184]
 Zhao, N. (C) 295–297 [299–301]
 Zhao, P. Corrigendum: 5647
 Zhao, Yibing
 – Hybrid Silica–Nanocrystal–Organic Dye Superstructures as Post-Encoding Fluorescent Probes (C) 5393–5396 [5489–5492]
 DOI: 10.1002/anie.200700847
 Zhao, Yu (C) 8471–8474 [8623–8626]
 Zheng, B.-J. (C) 6464–6468 [6584–6588]
 Zheng, J. (C) 5393–5396 [5489–5492]
 Zheng, L.-S. (C) 8475–8479 [8627–8631]
 Zheng, N. (C) 7509–7512 [7653–7656]
 Zheng, P. Corrigendum: 5647
 Zheng, S.-T. (C) 2827–2830 [2885–2888]
 Zheng, X.-L. (C) 7399–7403 [7543–7547]
 Zheng, Y.-Z. (C) 6076–6080 [6188–6192]
 Zheng, Zhiping
 – Chiral Symmetry Breaking by Chemically Manipulating Statistical Fluctuation in Crystallization (C) 8475–8479 [8627–8631]
 DOI: 10.1002/anie.200703443
 Zheng, Zhuo
 – Highly Enantioselective Synthesis of α -Hydroxy Phosphonic Acid Derivatives by Rh-Catalyzed Asymmetric Hydrogenation with Phosphine–Phosphoramidite Ligands (C) 7810–7813 [7956–7959]
 DOI: 10.1002/anie.200702924
 Zhi, L.
 – One-Dimensional Porous Carbon/Platinum Composites for Nanoscale Electrodes (C) 3464–3467 [3534–3537]
 DOI: 10.1002/anie.200700077
 – Self-Assembly of Positively Charged Discotic PAHs: From Nanofibers to Nanotubes (C) 5417–5420 [5513–5516]
 DOI: 10.1002/anie.200700515
 Zhi, L. (C) 3033–3036 [3093–3096]
 Zhong, J. (C) 5565–5567 [5661–5663]
 Zhong, L. (C) 6861–6865 [6985–6989]
 Zhou, Chao (C) 4379–4381 [4457–4459]
 Zhou, Chunhui (C) 9036–9039 [9194–9197]
 Zhou, D. H. (C) 8380–8383 [8532–8535]
 Zhou, F. (Cambridge, UK) (C) 6634–6637 [6754–6757]
 Zhou, F. (Minneapolis, USA) (C) 279–282 [283–286]
 Zhou, G. (C) 1149–1151 [1167–1169]
 Zhou, H.-C.
 – A Mesh-Adjustable Molecular Sieve for General Use in Gas Separation (C) 2458–2462 [2510–2514]
 DOI: 10.1002/anie.200604353
 Zhou, H.-J. (C) 4995–4998 [5083–5086]
 Zhou, Jian Corrigendum: 2971
 Zhou, Jian (C) 612–614 [618–620]
 Zhou, Janguang (C) 1129–1131 [1147–1149]
 Zhou, Jie (Nanjing, China) (C) 4767–4770 [4851–4854]
 Zhou, Jie (Singapore) (C) 8799–8803 [8955–8959]
 Zhou, Le (C) 2623–2626 [2677–2680]
 Zhou, Meng (C) 9198–9201 [9358–9361]
 Zhou, Mingfei
 – Remarkable Dinitrogen Activation and Cleavage by the Gd Dimer: From Dinitrogen Complexes to Ring and Cage Nitrides (C) 2911–2914 [2969–2972]
 DOI: 10.1002/anie.200605218
 Zhou, Q.-L.
 – Chiral Brønsted Acid Catalyzed Enantioselective Friedel–Crafts Reaction of Indoles and α -Aryl Enamides: Construction of Quaternary Carbon Atoms (C) 5565–5567 [5661–5663]
 DOI: 10.1002/anie.200701067
 – Dynamic Kinetic Resolution Allows a Highly Enantioselective Synthesis of *cis*- α -Aminocycloalkanols by Ruthenium-Catalyzed Asymmetric Hydrogenation (C) 7506–7508 [7650–7652]
 DOI: 10.1002/anie.200702491
 – Highly Enantioselective Hydrosilylation/Cyclization of 1,6-Enynes Catalyzed by Rhodium(I) Complexes of Spiro Diphosphines (C) 1275–1277 [1297–1299]
 DOI: 10.1002/anie.200603533
 Zhou, S.-z. (C) 5178–5183 [5270–5275], 6525–6528 [6645–6648]
 Zhou, W.-W. (C) 3909–3911 [3983–3985]
 Zhou, X.-T. Corrigendum: 1004
 Zhou, Xiang
 – Synthesis and Biological Studies of Inducible DNA Cross-Linking Agents (C) 8020–8023 [8166–8169]
 DOI: 10.1002/anie.200700844
 Zhou, Xufeng (C) 8579–8582 [8733–8736]
 Zhu, D. (C) 7882–7886 [8028–8032]
 Zhu, G.-S.
 – Mesoporous Metal–Organic Framework with Rare etb Topology for Hydrogen Storage and Dye Assembly (C) 6638–6642 [6758–6762]
 DOI: 10.1002/anie.200700537
 Zhu, J. S. (C) 6820–6823 [6944–6947]
 Zhu, Jieping
 – IBX-Mediated Oxidative Ugi-Type Multicomponent Reactions: Application to the N and C1 Functionalization of Tetrahydroisoquinoline (C) 5775–5778 [5877–5880]
 DOI: 10.1002/anie.200701603
 – Modulating the Reactivity of α -Isocyanoacetates: Multicomponent Synthesis of 5-Methoxyoxazoles and Europyrrrolones (C) 2485–2488 [2537–2540]
 DOI: 10.1002/anie.200605005
 – Palladium-Catalyzed Three-Component Synthesis of 3-(Diarylmethylene)oxindoles through a Domino Sonagashira/Carbopalladation/C–H Activation/C–C Bond-Forming Sequence (C) 3291–3295 [3355–3359]
 DOI: 10.1002/anie.200605192
 – The Enantioselective Morita–Baylis–Hillman Reaction and Its Aza Counterpart (M) 4614–4628 [4698–4712]
 DOI: 10.1002/anie.200604366
 – Total Synthesis of the Marine Natural Product (–)-Cribrostatin 4 (Renieramyacin H) (C) 3962–3965 [4036–4039]
 DOI: 10.1002/anie.200700539
 Zhu, Jin (C) 389–392 Corrigendum: 5049 [393–396 Corrigendum: 5137]
 Zhu, Jun (C) 9065–9068 [9223–9226]
 Zhu, S. (C) 8020–8023 [8166–8169]
 Zhu, S.-F. (C) 5565–5567 [5661–5663]
 Zhu, W.
 – A Fluorophore Capable of Crossword Puzzles and Logic Memory (C) 5549–5553 [5645–5649]
 DOI: 10.1002/anie.200700526
 Zhu, Y. (C) 2241–2244 [2291–2294]
 Zhuang, H. (C) 3490–3493 Corrigendum: 5647 [3560–3563 Corrigendum: 5744]
 Zhuang, L.
 – First-Principles Considerations in the Design of Pd-Alloy Catalysts for Oxygen Reduction (C) 2862–2864 [2920–2922]
 DOI: 10.1002/anie.200604332
 Zhuang, Z. (C) 8174–8177 [8322–8325]
 Ziegelmann-Fjeld, K. I. (C) 3091–3094 [3151–3154]
 Ziemer, B. (C) 5329–5331 [5423–5426], 6354–6356 [6470–6472]
 Ziessel, R.
 – Formation of Gels and Liquid Crystals Induced by Pt...Pt and π – π^* Interactions in Luminescent σ -Alkynyl Platinum(II) Terpyridine Complexes (C) 2659–2662 [2713–2716]
 DOI: 10.1002/anie.200604012
 Zimmerman, S. C.
 – Cross-Linked Glycerol Dendrimers and Hyperbranched Polymers as Ionophoric, Organic Nanoparticles Soluble in Water and Organic Solvents (C) 8164–8167 [8312–8315]
 DOI: 10.1002/anie.200702580
 Zimmermann, J.
 – The Renaissance of H/D Exchange (R) 7744–7765 [7890–7911]
 DOI: 10.1002/anie.200700039
 Zimmermann, M. (C) 3126–3130 [3187–3191]
 Zink, D. L. (C) 4684–4688 [4768–4772]
 Zintl, M. (H) 333–335 [337–339]
 Zinzalla, G. (C) 2493–2496 [2545–2548]
 Zirrgiebel, U. (C) 6899–6902 [7023–7026]
 Zlatogorsky, S. (C) 6706–6709 [6826–6829]
 Zocher, G. (C) 8605–8608 [8759–8762]
 Zografos, A. L. (C) 8186–8191 [8334–8339]
 Zoppellaro, G. (C) 710–713 [724–727]
 Zorin, N. A. (C) 7244–7246 [7382–7384]
 Zou, B. (C) 2598–2601 [2652–2655]
 Zou, C. (C) 4337–4341 [4415–4419]

- Zou, H.
– Selective Extraction of Peptides from Human Plasma by Highly Ordered Mesoporous Silica Particles for Peptidome Analysis
(C) 962–965 [980–983]
DOI: 10.1002/anie.200603917
- Zou, J. (C) 8579–8582 [8733–8736]
- Zu, L. (C) 3732–3734 [3806–3808], 9050–9053 [9208–9211]
- Zubarev, D. Yu. (C) 4277–4280 [4355–4358]
- Zubarev, E. R.
– Rings of Nanorods
(C) 2195–2198 [2245–2248]
DOI: 10.1002/anie.200604889
- Zubarev, R. A.
– Backbone Carbonyl Group Basicities Are Related to Gas-Phase Fragmentation of Peptides and Protein Folding
(C) 1481–1484 [1503–1506]
DOI: 10.1002/anie.200603881
- Zuber, G. (C) 6450–6452 [6570–6572]
- Zumbusch, A. (C) 3750–3753 [3824–3827]
- Zuo, J.-L. (C) 6820–6823 [6944–6947]
- Zuruzi, A. S.
– Metal Oxide “Nanosponges” as Chemical Sensors: Highly Sensitive Detection of Hydrogen with Nanosponge Titania
(C) 4298–4301 [4376–4379]
DOI: 10.1002/anie.200700006
- Zweckstetter, M.
– Fast High-Resolution Protein Structure Determination by Using Unassigned NMR Data
(C) 1176–1179 [1195–1198]
DOI: 10.1002/anie.200603213
- Zyryanov, G. V. (C) 7849–7852 [7995–7998]
-

Reviews and Minireviews

The name of the correspondence author is in boldface and it is accompanied by the title of the publication and all coauthors.

- Frampton, M. J.* and **Anderson, H. L.**, Insulated Molecular Wires 1028
- Arcos, D.*, see *Vallet-Regí, M.* 7548
- Ashcroft, N. W.*, see *Hoffmann, R.* 3620
- Atzrodt, J.*, see *Derdau, V.* 7744
- Bakker, E.*, see *Pretsch, E.* 5660
- Balas, F.*, see *Vallet-Regí, M.* 7548
- Baldacchini, T.*, see *Fourkas, J. T.* 6238
- Balke, B.*, see *Felser, C.* 668
- Köck, M.*, *Grube, A.*, *Seiple, I. B.*, and **Baran, P. S.**, The Pursuit of Palau'amine 6586
- Baro, A.*, see *Giesselmann, F.* 4832
- Bellas, V.*, see *Rehahn, M.* 5082
- Bernhardt, E.*, see *Finze, M.* 9180
- Buck, J.*, see *Wöhnert, J.* 1212
- Burchardt, M.*, see *Wittstock, G.* 1584
- Clever, G. H.*, *Kaul, C.*, and **Carell, T.**, DNA–Metal Base Pairs 6226
- Castelletto, V.*, see *Hamley, I. W.* 4442
- Chase, P. A.*, see *van Koten, G.* 8558
- Chheda, J. N.*, see *Dumesic, J. A.* 7164
- Chianese, A. R.**, *Lee, S. J.*, and *Gagné, M. R.*, Electrophilic Activation of Alkenes by Platinum(II): So Much More Than a Slow Version of Palladium(II) 4042
- Ciriminna, R.*, see *Pagliaro, M.* 4434
- Clavier, H.*, see *Grela, K.* 6786
- Clever, G. H.*, see *Carell, T.* 6226
- Collum, D. B.**, *McNeil, A. J.*, and *Ramirez, A.*, Lithium Diisopropylamide: Solution Kinetics and Implications for Organic Synthesis 3002
- Huber, G. W.* and **Corma, A.**, Synergies between Bio- and Oil Refineries for the Production of Fuels from Biomass 7184
- Fürstner, A.* and **Davies, P. W.**, Catalytic Carbophilic Activation: Catalysis by Platinum and Gold π Acids 3410
- Della Pina, C.*, see *Pagliaro, M.* 4434
- Atzrodt, J.*, **Derdau, V.**, *Fey, T.*, and *Zimmermann, J.*, The Renaissance of H/D Exchange 7744
- Desiraju, G. R.**, Crystal Engineering: A Holistic View 8342
- Hirsch, A. K. H.*, *Fischer, F. R.*, and **Diederich, F.**, Phosphate Recognition in Structural Biology 338
- Marion, N.*, **Díez-González, S.**, and *Nolan, S. P.*, N-Heterocyclic Carbenes as Organocatalysts 2988
- Fischlechner, M.* and **Donath, E.**, Viruses as Building Blocks for Materials and Devices 3184
- Doucet, H.*, see *Hierso, J.-C.* 834
- Chheda, J. N.*, *Huber, G. W.*, and **Dumesic, J. A.**, Liquid-Phase Catalytic Processing of Biomass-Derived Oxygenated Hydrocarbons to Fuels and Chemicals 7164
- Enders, D.**, *Grondal, C.*, and *Hüttel, M. R. M.*, Asymmetric Organocatalytic Domino Reactions 1570
- Farrer, R. A.*, see *Fourkas, J. T.* 6238
- Fecher, G. H.*, see *Felser, C.* 668
- Felser, C.**, *Fecher, G. H.*, and *Balke, B.*, Spintronics: A Challenge for Materials Science and Solid-State Chemistry 668
- Feng, J.*, see *Hoffmann, R.* 3620
- Fey, T.*, see *Derdau, V.* 7744
- Finze, M.**, *Bernhardt, E.*, and *Willner, H.*, Tri-fluoromethylboranes and -Borates: New Synthetic Strategies and Applications 9180
- Fire, A. Z.**, Gene Silencing by Double-Stranded RNA (Nobel Lecture) 6966
- Fischer, F. R.*, see *Diederich, F.* 338
- Fischer, R.*, see *Westerhausen, M.* 1950
- Fischlechner, M.*, see *Donath, E.* 3184
- LaFratta, C. N.*, **Fourkas, J. T.**, *Baldacchini, T.*, and *Farrer, R. A.*, Multiphoton Fabrication 6238
- Frampton, M. J.*, see *Anderson, H. L.* 1028
- Fredrickson, D. C.*, see *Lee, Stephen* 1958
- Fürstner, A.*, see *Davies, P. W.* 3410
- Fürtig, B.*, see *Wöhnert, J.* 1212
- Gagliardo, M.*, see *van Koten, G.* 8558
- Gagné, M. R.*, see *Chianese, A. R.* 4042
- Galliford, C. V.*, see *Scheidt, K. A.* 8748
- Gärtner, M.*, see *Westerhausen, M.* 1950
- Laschat, S.*, *Baro, A.*, *Steinke, N.*, **Giesselmann, F.**, *Hägele, C.*, *Scalia, G.*, *Judele, R.*, *Kapatsina, E.*, *Sauer, S.*, *Schreibvogel, A.*, and *Tosoni, M.*, Discotic Liquid Crystals: From Tailor-Made Synthesis to Plastic Electronics 4832
- Greiner, A.*, see *Wendorff, J. H.* 5670
- Clavier, H.*, **Grela, K.**, *Kirschning, A.*, *Mauduit, M.*, and *Nolan, S. P.*, Sustainable Concepts in Olefin Metathesis 6786
- Grochala, W.*, see *Hoffmann, R.* 3620
- Grondal, C.*, see *Enders, D.* 1570
- Grube, A.*, see *Baran, P. S.* 6586
- Guillena, G.*, see *Ramón, D. J.* 2358
- Mateo-Alonso, A.*, **Guldi, D. M.**, *Paolucci, F.*, and *Prato, M.*, Fullerenes: Multitask Components in Molecular Machinery 8120
- Gurlo, A.** and *Riedel, R.*, In Situ and Operando Spectroscopy for Assessing Mechanisms of Gas Sensing 3826
- Hägele, C.*, see *Giesselmann, F.* 4832
- Hamley, I. W.**, Peptide Fibrillization 8128
- Hamley, I. W.** and *Castelletto, V.*, Biological Soft Materials 4442
- Herbert, D. E.*, see *Manners, I.* 5060
- Herrmann, A.**, Controlled Release of Volatiles under Mild Reaction Conditions: From Nature to Everyday Products 5836
- Doucet, H.* and **Hierso, J.-C.**, Palladium-Based Catalytic Systems for the Synthesis of Conjugated Enynes by Sonogashira Reactions and Related Alkynylation 834

<i>Toscano, M. D., Woycechowsky, K. J., and Hilvert, D.,</i> Minimalist Active-Site Redesign: Teaching Old En- zymes New Tricks	3212
<i>Hirsch, A. K. H., see Diederich, F.</i>	338
<i>Hoffmann, R., see Lee, Stephen</i>	1958
<i>Grochala, W., Hoffmann, R., Feng, J., and Ashcroft,</i> N. W., The Chemical Imagination at Work in Very Tight Places	3620
<i>Housseman, C., see Zhu, Jieping</i>	4614
<i>Huber, G. W., see Corma, A.</i>	7184
<i>Huber, G. W., see Dumesic, J. A.</i>	7164
<i>Hughes, R. A., see Moody, C. J.</i>	7930
<i>Hüttel, M. R. M., see Enders, D.</i>	1570
<i>Huynh, M. H. V., see Meyer, T. J.</i>	5284
<i>Park, Jongnam, Joo, J., Kwon, S. G., Jang, Y., and</i> Hyeon, T. , Synthesis of Monodisperse Spherical Nanocrystals	4630
Ikeda, Tomiki , Mamiya, J.-i., and Yu, Y., Photo- mechanics of Liquid-Crystalline Elastomers and Other Polymers	506
<i>Jang, Y., see Hyeon, T.</i>	4630
<i>Joo, J., see Hyeon, T.</i>	4630
Joyce, G. F. , Forty Years of In Vitro Evolution	6420
<i>Judele, R., see Giesselmann, F.</i>	4832
<i>Kaim, W., see Lahiri, G. K.</i>	1778
<i>Kanichev, E. A. B., see Organ, M. G.</i>	2768
<i>Kapatsina, E., see Giesselmann, F.</i>	4832
<i>Kaul, C., see Carell, T.</i>	6226
<i>Kay, E. R., see Leigh, D. A.</i>	72
<i>König, H. M. and Kilbinger, A. F. M.</i> , Learning from Nature: β -Sheet-Mimicking Copolymers Get Orga- nized	8334
<i>Kimura, H., see Pagliaro, M.</i>	4434
<i>Kirschning, A., see Grela, K.</i>	6786
<i>Klein Gebbink, R. J. M., see van Koten, G.</i>	8558
<i>Köck, M., see Baran, P. S.</i>	6586
<i>Kondo, Y., see Mongin, F.</i>	3802
<i>König, H. M., see Kilbinger, A. F. M.</i>	8334
Kornberg, R. , The Molecular Basis of Eukaryotic Transcription (Nobel Lecture)	6956
<i>Kwon, S. G., see Hyeon, T.</i>	4630
<i>LaFratta, C. N., see Fourkas, J. T.</i>	6238
<i>Kaim, W. and Lahiri, G. K.</i> , Unconventional Mixed- Valent Complexes of Ruthenium and Osmium	1778
<i>Langer, J., see Westerhausen, M.</i>	1950
<i>Laschat, S., see Giesselmann, F.</i>	4832
<i>Lee, S. J., see Chianese, A. R.</i>	4042
<i>Fredrickson, D. C., Lee, Stephen, and Hoffmann, R.</i> , Interpenetrating Polar and Nonpolar Sublattices in Intermetallics: The NaCd ₂ Structure	1958
<i>Lee, V. Ya., see Sekiguchi, A.</i>	6596
<i>Kay, E. R., Leigh, D. A., and Zerbetto, F.</i> , Synthetic Molecular Motors and Mechanical Machines	72
<i>Lin, S. H., see Schlag, E. W.</i>	3196
<i>Lu, A.-H., see Schüth, F.</i>	1222
Lutz, J.-F. , 1,3-Dipolar Cycloadditions of Azides and Alkynes: A Universal Ligation Tool in Polymer and Materials Science	1018
<i>McNeil, A. J., see Collum, D. B.</i>	3002
Maier, W. F. , Stöwe, K., and Sieg, S., Combinatorial and High-Throughput Materials Science	6016
<i>Mamiya, J.-i., see Ikeda, Tomiki</i>	506
<i>Herbert, D. E., Mayer, U. F. J., and Manners, I.</i> , Strained Metallocenophanes and Related Organo- metallic Rings Containing π -Hydrocarbon Ligands and Transition-Metal Centers	5060
Marek, I. , Simaan, S., and Masarwa, A., Enan- tiomerically Enriched Cyclopropene Derivatives: Versatile Building Blocks in Asymmetric Synthesis	7364
<i>Marion, N., see Díez-González, S.</i>	2988
<i>Ooi, T. and Maruoka, K.</i> , Recent Advances in Asym- metric Phase-Transfer Catalysis	4222
<i>Masarwa, A., see Marek, I.</i>	7364
<i>Masson, G., see Zhu, Jieping</i>	4614
<i>Mateo-Alonso, A., see Guldi, D. M.</i>	8120
<i>Mauduit, M., see Grela, K.</i>	6786
<i>Mayer, U. F. J., see Manners, I.</i>	5060
<i>Palmans, A. R. A. and Meijer, E. W.</i> , Amplification of Chirality in Dynamic Supramolecular Aggregates	8948
Mello, C. C. , Return to the RNAi World: Rethinking Gene Expression and Evolution (Nobel Lecture) ..	6985
Meyer, T. J. , Huynh, M. H. V., and Thorp, H. H., The Possible Role of Proton-Coupled Electron Transfer (PCET) in Water Oxidation by Photosystem II	5284
<i>Mulvey, R. E., Mongin, F., Uchiyama, M., and Kondo,</i> Y., Deprotonative Metalation Using Ate Com- pounds: Synergy, Synthesis, and Structure Building	3802
<i>Hughes, R. A. and Moody, C. J.</i> , From Amino Acids to Heteroaromatics—Thiopeptide Antibiotics, Nature's Heterocyclic Peptides	7930
<i>Mulvey, R. E., see Mongin, F.</i>	3802
<i>Noeske, J., see Wöhnert, J.</i>	1212
<i>Nolan, S. P., see Díez-González, S.</i>	2988
<i>Nolan, S. P., see Grela, K.</i>	6786
<i>O'Brien, C. J., see Organ, M. G.</i>	2768
<i>Rendler, S. and Oestreich, M.</i> , Polishing a Diamond in the Rough: "Cu-H" Catalysis with Silanes	498
<i>Ooi, T., see Maruoka, K.</i>	4222
<i>Kanichev, E. A. B., O'Brien, C. J., and Organ, M. G.</i> , Palladium Complexes of N-Heterocyclic Carbenes as Catalysts for Cross-Coupling Reactions—A Syn- thetic Chemist's Perspective	2768
<i>Oshovsky, G. V., see Verboom, W.</i>	2366
<i>Steven, A. and Overman, L. E.</i> , Total Synthesis of Complex Cyclotryptamine Alkaloids: Stereo- controlled Construction of Quaternary Carbon Stereocenters	5488
Pagliaro, M. , Ciriminna, R., Kimura, H., Rossi, M., and Della Pina, C., From Glycerol to Value-Added Pro- ducts	4434
<i>Palmans, A. R. A., see Meijer, E. W.</i>	8948
<i>Paolucci, F., see Guldi, D. M.</i>	8120
<i>Park, Jongnam, see Hyeon, T.</i>	4630
<i>Perutz, R. N., see Sabo-Etienne, S.</i>	2578
Pischel, U. , Chemical Approaches to Molecular Logic Elements for Addition and Subtraction	4026

<i>Prato, M.</i> , see <i>Guldi, D. M.</i>	8120	<i>Steinke, N.</i> , see <i>Giesselmann, F.</i>	4832
<i>Bakker, E.</i> and <i>Pretsch, E.</i> , Modern Potentiometry ..	5660	<i>Steven, A.</i> , see <i>Overman, L. E.</i>	5488
<i>Pust, S. E.</i> , see <i>Wittstock, G.</i>	1584	<i>Stöwe, K.</i> , see <i>Maier, W. F.</i>	6016
<i>Ramirez, A.</i> , see <i>Collum, D. B.</i>	3002	<i>Tao, Jun</i> , see <i>Sato, O.</i>	2152
<i>Guillena, G.</i> , Ramón, D. J. , and <i>Yus, M.</i> , Alcohols as Electrophiles in C–C Bond-Forming Reactions: The Hydrogen Autotransfer Process	2358	<i>Thorp, H. H.</i> , see <i>Meyer, T. J.</i>	5284
<i>Bellas, V.</i> and Rehahn, M. , Polyferrocenylsilane-Based Polymer Systems	5082	<i>Toscano, M. D.</i> , see <i>Hilvert, D.</i>	3212
<i>Reinhoudt, D. N.</i> , see <i>Verboom, W.</i>	2366	<i>Tosoni, M.</i> , see <i>Giesselmann, F.</i>	4832
<i>Rendler, S.</i> , see <i>Oestreich, M.</i>	498	<i>Snyder, M. A.</i> and Tsapatsis, M. , Hierarchical Nano- manufacturing: From Shaped Zeolite Nanoparticles to High-Performance Separation Membranes	7560
<i>Riedel, R.</i> , see <i>Gurlo, A.</i>	3826	<i>Uchiyama, M.</i> , see <i>Mongin, F.</i>	3802
<i>Rossi, M.</i> , see <i>Pagliaro, M.</i>	4434	Vallet-Regí, M. , <i>Balas, F.</i> , and <i>Arcos, D.</i> , Mesoporous Materials for Drug Delivery	7548
<i>Perutz, R. N.</i> and Sabo-Etienne, S. , The σ -CAM Me- chanism: σ Complexes as the Basis of σ -Bond Me- tathesis at Late-Transition-Metal Centers	2578	<i>van Klink, G. P. M.</i> , see <i>van Koten, G.</i>	8558
<i>Salabas, E. L.</i> , see <i>Schüth, F.</i>	1222	<i>Gagliardo, M.</i> , <i>Snelders, D. J. M.</i> , <i>Chase, P. A.</i> , <i>Klein Gebbinck, R. J. M.</i> , <i>van Klink, G. P. M.</i> , and van Ko- ten, G. , Organic Transformations on σ -Aryl Orga- nometallic Complexes	8558
Sato, O. , <i>Tao, Jun</i> , and <i>Zhang, Y.-Z.</i> , Control of Mag- netic Properties through External Stimuli	2152	<i>Oshovsky, G. V.</i> , <i>Reinhoudt, D. N.</i> , and Verboom, W. , Supramolecular Chemistry in Water	2366
<i>Sauer, S.</i> , see <i>Giesselmann, F.</i>	4832	<i>Greiner, A.</i> and Wendorff, J. H. , Electrospinning: A Fascinating Method for the Preparation of Ultrathin Fibers	5670
<i>Scalia, G.</i> , see <i>Giesselmann, F.</i>	4832	Westerhausen, M. , <i>Gärtner, M.</i> , <i>Fischer, R.</i> , and <i>Langer, J.</i> , Aryl Calcium Compounds: Syntheses, Structures, Physical Properties, and Chemical Behavior	1950
<i>Galliford, C. V.</i> and Scheidt, K. A. , Pyrrolidinyl-Spiro- oxindole Natural Products as Inspirations for the Development of Potential Therapeutic Agents	8748	<i>Willner, H.</i> , see <i>Finze, M.</i>	9180
Schlag, E. W. , <i>Sheu, S.-Y.</i> , <i>Yang, D.-Y.</i> , <i>Selzle, H. L.</i> , and <i>Lin, S. H.</i> , Distal Charge Transport in Peptides <i>Schreibvogel, A.</i> , see <i>Giesselmann, F.</i>	3196	Willner, I. and <i>Zayats, M.</i> , Electronic Aptamer-Based Sensors	6408
<i>Schulte, A.</i> and Schuhmann, W. , Single-Cell Micro- electrochemistry	8760	Wittstock, G. , <i>Burchardt, M.</i> , <i>Pust, S. E.</i> , <i>Shen, Yan</i> , and <i>Zhao, C.</i> , Scanning Electrochemical Microscopy for Direct Imaging of Reaction Rates	1584
<i>Schulte, A.</i> , see <i>Schuhmann, W.</i>	8760	<i>Schwalbe, H.</i> , <i>Buck, J.</i> , <i>Fürtig, B.</i> , <i>Noeske, J.</i> , and Wöhnert, J. , Structures of RNA Switches: Insight into Molecular Recognition and Tertiary Structure	1212
<i>Lu, A.-H.</i> , <i>Salabas, E. L.</i> , and Schüth, F. , Magnetic Nanoparticles: Synthesis, Protection, Functionaliza- tion, and Application	1222	<i>Woycechowsky, K. J.</i> , see <i>Hilvert, D.</i>	3212
<i>Schwalbe, H.</i> , see <i>Wöhnert, J.</i>	1212	<i>Yang, D.-Y.</i> , see <i>Schlag, E. W.</i>	3196
Seeman, J. I. , The Woodward–Doering/Rabe–Kind- ler Total Synthesis of Quinine: Setting the Record Straight	1378	<i>Yu, Y.</i> , see <i>Ikeda, Tomiki</i>	506
<i>Seiple, I. B.</i> , see <i>Baran, P. S.</i>	6586	<i>Yus, M.</i> , see <i>Ramón, D. J.</i>	2358
<i>Lee, V. Ya.</i> and Sekiguchi, A. , Aromaticity of Group 14 Organometallics: Experimental Aspects	6596	<i>Zayats, M.</i> , see <i>Willner, I.</i>	6408
<i>Selzle, H. L.</i> , see <i>Schlag, E. W.</i>	3196	<i>Zerbetto, F.</i> , see <i>Leigh, D. A.</i>	72
<i>Shen, Yan</i> , see <i>Wittstock, G.</i>	1584	<i>Zhang, Y.-Z.</i> , see <i>Sato, O.</i>	2152
<i>Sheu, S.-Y.</i> , see <i>Schlag, E. W.</i>	3196	<i>Zhao, C.</i> , see <i>Wittstock, G.</i>	1584
<i>Sieg, S.</i> , see <i>Maier, W. F.</i>	6016	<i>Masson, G.</i> , <i>Housseman, C.</i> , and Zhu, Jieping , The Enantioselective Morita–Baylis–Hillman Reaction and Its Aza Counterpart	4614
<i>Simaan, S.</i> , see <i>Marek, I.</i>	7364	<i>Zimmermann, J.</i> , see <i>Derdau, V.</i>	7744
<i>Snelders, D. J. M.</i> , see <i>van Koten, G.</i>	8558		
<i>Snyder, M. A.</i> , see <i>Tsapatsis, M.</i>	7560		

Essays

<i>Armaroli, N.</i> , see <i>Balzani, V.</i>	52	meration of Microporous Solids: Towards Designer Catalysts	7160
<i>Armstrong, A.</i> , see <i>Blackmond, D. G.</i>	3798	<i>Krätz, O.</i> , see <i>Vaupel, E.</i>	24
<i>Armaroli, N.</i> and <i>Balzani, V.</i> , The Future of Energy Supply: Challenges and Opportunities	52	<i>Nicolaou, K. C.</i> and <i>Frederick, M. O.</i> , On the Structure of Maitotoxin	5278
<i>Blackmond, D. G.</i> , <i>Armstrong, A.</i> , <i>Coombe, V.</i> , and <i>Wells, A.</i> , Water in Organocatalytic Processes: Debunking the Myths	3798	<i>Keim, W.</i> and <i>Offermanns, H.</i> , Friedrich Asinger (1907–1999): A Mediator between Basic and Applied Research	6010
<i>Cintas, P.</i> , Tracing the Origins and Evolution of Chirality and Handedness in Chemical Language	4016	<i>Thomas, J. M.</i> , see <i>Klinowski, J.</i>	7160
<i>Coombe, V.</i> , see <i>Blackmond, D. G.</i>	3798	<i>Edwards, P. P.</i> and <i>Thomas, J. M.</i> , Gold in a Metallic Divided State—From Faraday to Present-Day Nanoscience	5480
<i>Edwards, P. P.</i> , see <i>Thomas, J. M.</i>	5480	<i>Krätz, O.</i> and <i>Vaupel, E.</i> , 1807: Observations Regarding Chemistry in the Anglo-Saxon World during the Napoleonic Period	24
<i>Frederick, M. O.</i> , see <i>Nicolaou, K. C.</i>	5278	<i>Vaupel, E.</i> , Interconnections and Independence: Heinrich Wieland (1877–1957) and His Era	9154
<i>Gordin, M. D.</i> , D.I. Mendeleev: Reflecting on His Death in 1907	2758	<i>Wells, A.</i> , see <i>Blackmond, D. G.</i>	3798
<i>Jaenicke, L.</i> , Centenary of the Award of a Nobel Prize to Eduard Buchner, the Father of Biochemistry in a Test Tube and Thus of Experimental Molecular Bioscience	6776		
<i>Keim, W.</i> , see <i>Offermanns, H.</i>	6010		
<i>Thomas, J. M.</i> and <i>Klinowski, J.</i> , Systematic Enu-			

Highlights

Angelici, R. J. , Cyaphide ($C\equiv P^-$): The Phosphorus Analogue of Cyanide ($C\equiv N^-$)	330
Audrain, H. , Positron Emission Tomography (PET) and Microfluidic Devices: A Breakthrough on the Microscale?	1772
Baudoin, O. , New Approaches for Decarboxylative Biaryl Coupling	1373
Bertelsen, S. , see Jørgensen, K. A.	7356
Bode, H. B. , see Müller, R.	2147
Bonazzi, S. , see Gademann, K.	5656
Braunschweig, H. , Lithiumboryl—A Synthone for a Nucleophilic Boryl Anion	1946
Bröring, M. , Supramolecular Bioinorganic Chemistry: Model Complexes of Cytochrome <i>c</i> Oxidase Meet Functional Surfaces	6222
Bullock, R. M. , An Iron Catalyst for Ketone Hydrogenations under Mild Conditions	7360
Butenschön, H. , A New Oxocarbon $C_{12}O_6$ via Highly Strained Benzyne Intermediates	4012
Campagne, J.-M. , Total Syntheses of Lysobactin (Katanosin B)	8548
Carpentier, J.-F. , When Single-Site Polymerization Catalysis Meets Chirality: Optical Activity of Stereoregular Polyolefins	6404
Chabre, Y. M. , see Gingras, M.	1010
Lee, Jun-Seok and Chang, Y.-T. , Understanding the Activity of Small Molecules in the Genomics Context	3616
Ritch, J. S. and Chivers, T. , Silicon Analogues of Crown Ethers and Cryptands: A New Chapter in Host–Guest Chemistry?	4610
Cravotto, G. and Cintas, P. , Forcing and Controlling Chemical Reactions with Ultrasound	5476
Cozzi, P. G. , Reformatsky Reactions Meet Catalysis and Stereoselectivity	2568
Cravotto, G. , see Cintas, P.	5476
Credi, A. , Molecules That Make Decisions	5472
Dedecker, P. , see Hofkens, J.	8330
Emerson, J. P. , see Que Jr., L.	8553
Farquhar, E. R. , see Que Jr., L.	8553
Fässler, T. F. , Germanium($cF136$): A New Crystalline Modification of Germanium with the Porous Clathrate-II Structure	2572
Flors, C. , see Hofkens, J.	8330
Ohki, Y. and Fryzuk, M. D. , Dinitrogen Activation by Group 4 Metal Complexes	3180
Gademann, K. and Bonazzi, S. , Total Synthesis of Complex Cyanobacterial Alkaloids without Using Protecting Groups	5656
Garcia-Garibay, M. A. , Molecular Crystals on the Move: From Single-Crystal-to-Single-Crystal Photochemical Reactions to Molecular Machinery	8945
Gingras, M. , Raimundo, J.-M. , and Chabre, Y. M. , Cleavable Dendrimers	1010
Goossen, L. J. and Rodríguez, N. , Heterodimerization of Olefins: A Highly Promising Strategy for the Selective Synthesis of Functionalized Alkenes	7544
Hartig, J. S. , Teaching Bacteria New Tricks—With RNA Switches	7741
Ishida, T. and Haruta, M. , Gold Catalysts: Towards Sustainable Chemistry	7154
Dedecker, P. , Flors, C. , Hotta, J.-i. , Uji-i, H. , and Hofkens, J. , 3D Nanoscopy: Bringing Biological Nanostructures into Sharp Focus	8330
Horino, Y. , Rhenium-Catalyzed C–H and C–C Bond Activation	2144
Hotta, J.-i. , see Hofkens, J.	8330
Huck, W. T. S. , Self-Assembly Meets Nanofabrication: Recent Developments in Microcontact Printing and Dip-Pen Nanolithography	2754
Ishida, T. , see Haruta, M.	7154
Bertelsen, S. , Nielsen, M. , and Jørgensen, K. A. , Radicals in Asymmetric Organocatalysis	7356
Kamm, B. , Production of Platform Chemicals and Synthesis Gas from Biomass	5056
Kellogg, R. M. , The Crystallization Behavior of Proline and Its Role in Asymmetric Organocatalysis ..	494
Kolter, T. , The Fatty Acid Factory of Yeasts	6772
Korth, H.-G. , Carbon Radicals of Low Reactivity against Oxygen: Radically Different Antioxidants ..	5274
Ludwig, R. and Kragl, U. , Do We Understand the Volatility of Ionic Liquids?	6582
Kunz, D. , Synthetic Routes to N-Heterocyclic Carbene Complexes: Pyridine–Carbene Tautomerizations ..	3405
Lee, Jun-Seok , see Chang, Y.-T.	3616
Ludwig, R. , see Kragl, U.	6582
Luy, B. , Approaching the Megadalton: NMR Spectroscopy of Protein Complexes	4214
Manners, I. , Block Copolymers with Functional Inorganic Blocks: Living Addition Polymerization of Inorganic Monomers	1565
Marder, T. B. , Will We Soon Be Fueling our Automobiles with Ammonia–Borane?	8116
Marion, N. , see Nolan, S. P.	2750
Marschner, C. , Hafnium: Stepping into the Limelight! ..	6770
Mattay, J. , Photochemistry of Arenes—Reloaded ...	663
Mealli, C. , see Rauchfuss, T. B.	8942
Mihovilovic, M. D. and Stanetty, P. , Metal-Assisted Multicomponent Reactions Involving Carbon Monoxide—Towards Heterocycle Synthesis	3612
Moody, C. J. , Enantioselective Insertion of Metal Carbenes into N–H Bonds: A Potentially Versatile Route to Chiral Amine Derivatives	9148
Morishima, Y. , Thermally Responsive Polymer Vesicles	1370
Bode, H. B. and Müller, R. , Reversible Sugar Transfer by Glycosyltransferases as a Tool for Natural Product (Bio)synthesis	2147

Neugebauer, J. , Induced Chirality in Achiral Media—How Theory Unravels Mysterious Solvent Effects	7738	teractions	660
Nielsen, M. , see Jørgensen, K. A.	7356	Stanetty, P. , see Mihovilovic, M. D.	3612
Noels, A. F. , Carbene Chemistry: Stereoregular Polymers from Diazo Compounds	1208	Steudel, R. , see Wong, M. W.	1768
Marion, N. and Nolan, S. P. , Propargylic Esters in Gold Catalysis: Access to Diversity	2750	Sutherland, J. D. , Looking Beyond the RNA Structural Neighborhood for Potentially Primordial Genetic Systems	2354
Ohki, Y. , see Fryzuk, M. D.	3180	Thiele, C. M. , Magnetic Resonance at or below the Earth's Magnetic Field	4820
Palermo, V. , see Samorì, P.	4428	Tinnefeld, P. , Making Ultrasensitive Weighing Biocompatible by Placing the Sample within a Resonant Cantilever	7926
Perepichka, D. F. , see Rosei, F.	6006	Uji-i, H. , see Hofkens, J.	8330
Emerson, J. P. , Farquhar, E. R. , and Que Jr., L. , Structural "Snapshots" along Reaction Pathways of Non-Heme Iron Enzymes	8553	Vancso, G. J. , Feeling the Force of Supramolecular Bonds in Polymers	3794
Raimundo, J.-M. , see Gingras, M.	1010	Waldmann, H. , see Rauh, D.	826
Mealli, C. and Rauchfuss, T. B. , Models for the Hydrogenases Put the Focus Where It Should Be—Hydrogen	8942	Weber, L. , Azide-Analogous Organophosphorus Chemistry: RNP ₂ as a Ligand and P ₂ Source	830
Rauh, D. and Waldmann, H. , Linking Chemistry and Biology for the Study of Protein Function	826	Welzel, P. , A Long Research Story Culminates in the First Total Synthesis of Moenomycin A	4825
Zintl, M. and Rieger, B. , Novel Olefin Block Copolymers through Chain-Shuttling Polymerization	333	Wiley, B. J. , see Xia, Y.	7157
Ritch, J. S. , see Chivers, T.	4610	Willis, M. C. , Palladium-Catalyzed Coupling of Ammonia and Hydroxide with Aryl Halides: The Direct Synthesis of Primary Anilines and Phenols	3402
Rodríguez, N. , see Goößen, L. J.	7544	Wolfbeis, O. S. , The Click Reaction in the Luminescent Probing of Metal Ions, and Its Implications on Biolabeling Techniques	2980
Perepichka, D. F. and Rosei, F. , Metal Nanoparticles: From "Artificial Atoms" to "Artificial Molecules"	6006	Steudel, R. and Wong, M. W. , Dark-Red O ₈ Molecules in Solid Oxygen: Rhomboid Clusters, Not S ₈ -Like Rings	1768
Palermo, V. and Samorì, P. , Molecular Self-Assembly across Multiple Length Scales	4428	Xiong, Yujie, Wiley, B. J. , and Xia, Y. , Nanocrystals with Unconventional Shapes—A Class of Promising Catalysts	7157
Schmuck, C. , Guest Encapsulation within Self-Assembled Molecular Containers	5830	Xiong, Yujie , see Xia, Y.	7157
Schreiner, P. R. , Relative Energy Computations with Approximate Density Functional Theory—A Caveat!	4217	Zintl, M. , see Rieger, B.	333
Schuster, B. , Polymeric Nanoparticles as Imaging Probes for Protein Kinase Activity in Cells	8744		
Sinz, A. , Isotope-Labeled Photoaffinity Reagents and Mass Spectrometry To Identify Protein–Ligand In-			

Book Reviews

For book reviews authors/editors, book titles, and reviewers are given.

Biography

- | | | | |
|-------------------------|---|----------------------------------|------|
| Engel, G., Herrling, P. | Grenzgänge – Albert Hofmann zum 100. Geburtstag | Kauffman, G. B.,
Craig, G. W. | 1007 |
|-------------------------|---|----------------------------------|------|

Encyclopedia/Handbook/Reference Book

- | | | | |
|---------------|----------------------|--------------|------|
| Klussmann, S. | The Aptamer Handbook | Armitage, B. | 1205 |
|---------------|----------------------|--------------|------|

Monograph/Research Report in Analytical Chemistry

- | | | | |
|---------------|---|--------------|------|
| Wenzel, T. J. | Discrimination of Chiral Compounds Using NMR Spectroscopy | Duddeck, H. | 6401 |
| Samori, P. | Scanning Probe Microscopies Beyond Imaging | Ernst, K.-H. | 5469 |

Monograph/Research Report in Biochemistry/Bioorganic Chemistry

- | | | | |
|--|--|---------------------------------|------|
| Sessler, J. L., Gale, P. A., Cho, W.-S. | Anion Receptor Chemistry | Reinaud, O. | 5272 |
| Patel, R. N. | Biocatalysis in the Pharmaceutical and Biotechnological Industries | Bommarius, A. S. | 6953 |
| Schreiber, S. L., Kapoor, T., Wess, G. | Chemical Biology | Mootz, H. D. | 7152 |
| Reymond, J.-L. | Enzyme Assays | Flitsch, S. | 4426 |
| Yarema, K. J. | Handbook of Carbohydrate Engineering | Nieto, P. M. | 1206 |
| Kaiser, R. | Meaningful Scents around the World | Sell, C. | 1765 |
| Golbeck, J. H. | Photosystem I | Müh, F., Kern, J.,
Zouni, A. | 5653 |
| Crozier, A., Clifford, M. N., Ashihara, H. | Plant Secondary Metabolites | Steglich, W. | 8113 |
| Tramontano, A. | Protein Structure Prediction | Wenzel, W. | 4213 |
| Waring, M. | Sequence-specific DNA Binding Agents | Frank-Kamenetskii, M. | 2566 |

Monograph/Research Report in Bioinorganic Chemistry

- | | | | |
|---|--------------------------------|--------------|------|
| Bertini, I., Gray, H. B., Stiefel, E. I.,
Valentine, J. S. | Biological Inorganic Chemistry | Stillman, M. | 8741 |
|---|--------------------------------|--------------|------|

Monograph/Research Report in Inorganic Chemistry

- | | | | |
|---|--|-----------------|------|
| Chivers, T. | A Guide to Chalcogen–Nitrogen Chemistry | Schulz, A. | 1766 |
| Tiekink, E. R. T., Vittal, J. | Frontiers in Crystal Engineering | Krautscheid, H. | 2351 |
| Gatteschi, D., Sessoli, R., Villain, J. | Molecular Nanomagnets | Wernsdorfer, W. | 1563 |
| Cotton, F. A., Murillo, C. A.,
Walton, R. A. | Multiple Bonds between Metal Atoms | Kauffman, G. B. | 2565 |
| Shtukenberg, A., Punin, Yu., Kahr, B. | Optically Anomalous Crystals | Cintas, P. | 6005 |
| Morss, L. R., Edelstein, N. M., Fuger, J. | The Chemistry of the Actinide and Transactinide Elements | Kauffman, G. B. | 1562 |

Monograph/Research Report in Materials Science

- | | | | |
|--|---|------------------------------|------|
| Lazzari, M., Liu, G., Lecommandoux, S. | Block Copolymers in Nanoscience | Thelakkat, M. | 4426 |
| O'Connell, M. J. | Carbon Nanotubes | Campidelli, S.,
Prato, M. | 3401 |
| Abd-el-Aziz, A. S., Manners, I. | Frontiers in Transition Metal Containing Polymers | Jäkle, F. | 6579 |
| Ghosh, S. K. | Functional Coatings by Polymer Microencapsulation | Routh, A. F. | 3177 |
| Gogotsi, Y. | Nanomaterials Handbook | Mews, A. | 2143 |
| Wehrspohn, R. B. | Ordered Porous Nanostructures and Applications | Sailor, M. J. | 657 |
| Klauk, H. | Organic Electronics | Facchetti, A. | 1367 |
| Freund, M. S., Deore, B. | Self-Doped Conducting Polymers | Heinze, J. | 7922 |

Monograph/Research Report in Medicinal Chemistry

- | | | | |
|--------------------------------|--|----------------|------|
| Bartlett, P. A., Entzeroth, M. | Exploiting Chemical Diversity for Drug Discovery | Link, A. | 22 |
| Gielen, M., Tiekink, E. R. T. | Metallotherapeutic Drugs and Metal-Based Diagnostic Agents | Zaleski, J. M. | 3177 |

Monograph/Research Report in Organic Chemistry

- | | | | |
|--|---|--------------|------|
| Enders, D., Jaeger, K.-E. | Asymmetric Synthesis with Chemical and Biological Methods | Mahrwald, R. | 6221 |
| James, T. D., Phillips, M. D., Shinkai, S. | Boronic Acids in Saccharide Recognition | Davis, A. P. | 5654 |

Haley, M., Tykwinski, R. R. Dodziuk, H.	Carbon-Rich Compounds Cyclodextrins and Their Complexes	Hopf, H. Djedaini-Pilard, F., Bonnet, V.	491 2352
Tietze, L. F., Brasche, G., Gericke, K. M. Silva, E., Edwards, A. M. Schubert, U. S., Hofmeier, H., Newkome, G. R.	Domino Reactions in Organic Synthesis Flavins—Photochemistry and Photobiology Modern Terpyridine Chemistry	Müller, T. J. J. Braslavsky, S. Constable, E. C.	2977 6401 2748
Mikami, K., Lautens, M. Nolan, S. P. Wagnière, G. H. Lindström, U. M. Cataldo, F. Platz, M. S., Moss, R. A., Jones, M. Hiersemann, M., Hubbemeyer, U. Maskill, H.	New Frontiers in Asymmetric Catalysis N-Heterocyclic Carbenes in Synthesis On Chirality and the Universal Asymmetry Organic Reactions in Water Polyynes Reviews of Reactive Intermediate Chemistry The Claisen Rearrangement The Investigation of Organic Reactions and their Mechanisms	Zhu, Jieping Zeitler, K. Cintas, P. Oehme, G. Tykwinski, R. Bucher, G. Jüres, S. Mayr, H.	8938 2142 9143 8327 4011 8327 7353 5053

Monograph/Research Report in Physical/Theoretical Chemistry

Binks, B. P., Horozov, T. S. Schmidt, W. F., Illenberger, E. Savéant, J.-M.	Colloidal Particles at Liquid Interfaces Electronic Excitations in Liquefied Rare Gases Elements of Molecular and Biomolecular Electrochemistry	Hellweg, T. Scheier, P. Compton, R.	7541 1944 1367
Gregory, J.	Particles in Water	Hofmann, T., von der Kammer, F.	3611
Beck, T. L., Paulaitis, M. E., Pratt, L. R.	The Potential Distribution Theorem and Models of Molecular Solutions	Ludwig, R.	5470
Matta, C. F., Boyd, R. J.	The Quantum Theory of Atoms in Molecules	Spackman, M. A.	6766

Monograph/Research Report in the History of Science

Newman, W. R. Greenberg, A. Klein, U., Lefèvre, W. Reinhardt, C. Petersen, C., Mead, C.	Atoms and Alchemy From Alchemy to Chemistry in Picture and Story Materials in Eighteenth-Century Science Shifting and Rearranging The Pauling Catalogue	Kahr, B. Hopf, H. Kahr, B. Berson, J. A. Kauffman, G. B.	4608 5054 8544 4818 8112
---	---	--	--------------------------------------

Monograph/Research Report on Catalysis

Bond, G. C., Louis, C., Thompson, D. T. Potyrailo, R. A., Maier, W. F.	Catalysis by Gold Combinatorial and High-Throughput Discovery and Optimization of Catalysts and Materials	Corma, A. Trapp, O.	7734 1943
Frey, P. A., Hegeman, A. D. Sheldon, R. A., Arends, I., Hanefeld, U. Vannice, M. A. Chiusoli, G. P., Maitlis, P. M. van Santen, R. A., Neurock, M. Richards, R.	Enzymatic Reaction Mechanisms Green Chemistry and Catalysis Kinetics of Catalytic Reactions Metal-Catalysis in Industrial Organic Processes Molecular Heterogeneous Catalysis Surface and Nanomolecular Catalysis	Kirby, A. J. Cornils, B. Smirniotis, P. G. Gooßen, L. J. Crawford, P. C., Hu, P. Weckhuysen, B. M.	7922 5827 1007 3791 325 492

Text Book

Barrett, J. Graziani, M., Fornasiero, P. Luisi, P. L. Rodricks, J. V.	Inorganic Chemistry in Aqueous Solution Renewable Resources and Renewable Energy The Emergence of Life Calculated Risks	Cannon, R. Pagliaro, M. Thiemann, W. Greim, H.	658 9143 823 7540
--	--	---	----------------------------

Correspondences

Christl, M.	1,7-Diaza[12]annulene Derivatives? 100-Year-Old Pyridinium Salts!	9152
Schmidbaur, H.	Réplique: A New Concept for Bonding in Carbodiphosphoranes?	2984
Wolf, J., Böhlmann, W., Findeisen, M., Gelbrich, T., Hofmann, H.-J., Schulze, B.	Reply to “Recently Reported Crystalline Isothiazole Carbenes: Myth or Reality”	6926
Frenking, G., Neumüller, B., Petz, W., Tonner, R., Öxler, F.	Reply to Réplique: A New Concept for Bonding in Carbodiphosphoranes?	2986

Obituaries

Shoolingin-Jordan, P.	<i>A. Ian Scott</i>	6768
Heeger, A. J.	<i>Alan G. MacDiarmid</i>	2140
Wagner, A., Rousseau, B., Gouverneur, V.	<i>Charles Mioskowski</i>	6220
Herrmann, W. A.	<i>Ernst Otto Fischer</i>	6578
Fackler Jr., J. P.	<i>Frank Albert Cotton</i>	3790
Corey, E. J.	<i>Frank H. Westheimer</i>	3610
Gray, H., Magyar, J. S.	<i>Fred Basolo</i>	2746
Tamao, K.	<i>Makoto Kumada</i>	7538
Nöth, H., Paetzold, P.	<i>Nils Wiberg</i>	5052
Spiess, H. W.	<i>Paul C. Lauterbur</i>	4010
Guyon, E.	<i>Pierre-Gilles de Gennes</i>	6004
Shore, S. G.	<i>Robert W. Parry</i>	1764
Pettinari, C.	<i>Swiatoslaw Trofimenko</i>	5652
Murakami, M.	<i>Yoshihiko Ito</i>	3176
