

A Journal of the Gesellschaft Deutscher Chemiker

Angewandte Chemie

International Edition

GDCh

2008–47
www.angewandte.org



 WILEY-VCH

INDEX

Publication Dates and Pagination 2008

Issue	Pagination	Print Publication*	Issue	Pagination	Print Publication*
1	1 – 218	December 17	27	4939 – 5094	June 23
2	219 – 418	December 28	28	5095 – 5260	June 27
3	419 – 612	January 4	29	5261 – 5474	July 7
4	613 – 802	January 11	30	5475 – 5674	July 14
5	803 – 986	January 18	31	5675 – 5860	July 21
6	987 – 1152	January 25	32	5861 – 6088	July 28
7	1153 – 1340	February 1	33	6089 – 6300	August 4
8	1341 – 1524	February 8	34	6301 – 6494	August 11
9	1525 – 1788	February 15	35	6495 – 6726	August 18
10	1789 – 1966	February 22	36	6727 – 6924	August 25
11	1967 – 2152	February 28	37	6925 – 7140	September 1
12	2153 – 2318	March 7	38	7141 – 7368	September 8
13	2319 – 2514	March 14	39	7369 – 7564	September 15
14	2515 – 2708	March 25	40	7565 – 7772	September 22
15	2709 – 2892	March 28	41	7773 – 7966	September 29
16	2893 – 3054	April 7	42	7967 – 8132	October 6
17	3055 – 3288	April 14	43	8133 – 8320	October 13
18	3289 – 3468	April 21	44	8321 – 8534	October 20
19	3469 – 3650	April 28	45	8535 – 8750	October 27
20	3651 – 3840	May 5	46	8751 – 8968	November 3
21	3841 – 4028	May 13	47	8969 – 9160	November 10
22	4029 – 4238	May 19	48	9161 – 9356	November 17
23	4239 – 4448	May 26	49	9357 – 9574	November 24
24	4449 – 4608	June 2	50	9575 – 9782	December 1
25	4609 – 4760	June 9	51	9783 – 9998	December 8
26	4761 – 4938	June 16	52	9999 – 10304	December 15

* All articles were previously available online.

Author Index

The entry for correspondence authors includes the complete information regarding the article. For the coauthors, the type of article and the page numbers are listed. The page numbers in square brackets refer to the German edition [*Angew. Chem.* **2008**, 120] of *Angewandte Chemie*.

(C) = Communication (E) = Essay (H) = Highlight (L) = Correspondence (M) = Minireview (O) = Obituary
(R) = Review Article (T) = Meeting Review



Abbott, N. L.

- Nanofibers and Lyotropic Liquid Crystals from a Class of Self-Assembling β -Peptides (C) 1241–1244 [1261–1264]
DOI: 10.1002/anie.200704372

Aboud, K. A. (C) 6694–6698 Corrigendum: 9590 [6796–6800 Corrigendum: 9732]

Abdel-Rahman, A. A.-H. Corrigendum: 5277

Abe, T. (C) 7087–7090 [7195–7198], 9772–9774 [9918–9920]

Abel, M. (C) 6994–6998 [7102–7106]

Abell, C. (C) 2042–2045 [2072–2075]

Abelló, S. (C) 7913–7917 [8031–8035]

Abild-Pedersen, F. (C) 4683–4686 [4761–4764], 9299–9302 [9439–9442]

Abramovitch, A. (C) 6865–6868 [6971–6974]

Abu Bakar, F. B. (C) 7438–7441 [7548–7551]

Abu-Omar, M. M.

- Bioinspired Dismutation of Chlorite to Dioxide and Chloride Catalyzed by a Water-Soluble Iron Porphyrin (C) 7697–7700 [7811–7814]
DOI: 10.1002/anie.200801521

Acharya, G. (C) 1051–1053 [1067–1069]

Acharya, S. (C) 7254–7257 [7364–7367]

Achilefu, S.

- Near-Infrared Dichromic Fluorescent Carbocyanine Molecules (C) 3584–3587 [3640–3643]
DOI: 10.1002/anie.200800475

Ackermann, D. (C) 967–970 [981–984], 971–973 [985–987]

Adachi, A. (C) 1429–1431 [1451–1453]

Adak, A. K. (C) 8627–8630 [8755–8758]

Adamczyk, K. (C) 9044–9048 [9184–9188]

Adams, C. J. (C) 3826–3829 [3886–3889], 4354–4357 [4426–4429]

Adams, H. (C) 1693–1697 [1717–1721]

Adams, M. M. (C) 6395–6398 [6495–6498]

Adams, R. D.

- Hydrogen Activation by Unsaturated Mixed-Metal Cluster Complexes: New Directions (M) 252–257 [258–263]
DOI: 10.1002/anie.200702407

Aelvoet, K. (C) 768–770 [780–782]

Affronte, M. (C) 9695–9699 [9841–9845]

Afonin, S. (C) 5765–5767 [5849–5851]

Aggarwal, V. K.

- An Annulation Reaction for the Synthesis of Morpholines, Thiomorpholines, and Piperazines from β -Heteroatom Amino

Compounds and Vinyl Sulfonium Salts

(C) 3784–3786 [3844–3846]

DOI: 10.1002/anie.200800373

Ahijado, M. (C) 2954–2958 [2996–3000]

Ahijado Salomon, M. (C) 8867–8871 [8999–9003]

Ahmad, M. (C) 7626–7630 [7738–7742]

Ahmad, O. K. (C) 8909–8912 [9041–9044]

Ahmed, A. (C) 4573–4576 [4649–4652]

Ahn, C.-H.

- A Near-Infrared-Fluorescence-Quenched Gold-Nanoparticle Imaging Probe for In Vivo Drug Screening and Protease Activity Determination (C) 2804–2807 [2846–2849]
DOI: 10.1002/anie.200705240

Ahn, J.-H. (R) 5524–5542 [5606–5624]

Ahrenstorf, K. (C) 8946–8949 [9078–9082]

Aida, T.

- Conductive One-Handed Nanocoils by Coassembly of Hexabenzocoronenes: Control of Morphology and Helical Chirality (C) 1672–1675 [1696–1699]
DOI: 10.1002/anie.200704747
- “Conformational” Solvatochromism: Spatial Discrimination of Nonpolar Solvents by Using a Supramolecular Box of a π -Conjugated Zinc Bisporphyrin Rotamer (C) 5153–5156 [5231–5234]
DOI: 10.1002/anie.200801332

- Directed 1D Assembly of a Ring-Shaped Inorganic Rigid-Rod Molecule: An Inorganic/Organic Polypseudorotaxane (C) 2070–2073 [2100–2103]
DOI: 10.1002/anie.200705308

Aili, D. (C) 5554–5556 [5636–5638]

Aimi, J. (C) 5153–5156 [5231–5234]

Aitken, D. J.

- Total Synthesis of Cyclotheonamide C using a Tandem Backbone-Extension–Coupling Methodology (C) 6840–6842 [6946–6948]
DOI: 10.1002/anie.200802005

Ajami, D. (C) 6059–6061 [6148–6150]

Ajayaghosh, A.

- A Near-Infrared Squaraine Dye as a Latent Ratiometric Fluorophore for the Detection of Amino Thiol Content in Blood Plasma (C) 7883–7887 [8001–8005]
DOI: 10.1002/anie.200803194

- Bioinspired Superhydrophobic Coatings of Carbon Nanotubes and Linear π Systems Based on the “Bottom-up” Self-Assembly Approach (C) 5750–5754 [5834–5838]
DOI: 10.1002/anie.200802097

- Carbon Nanotube Triggered Self-Assembly of Oligo(*p*-phenylene vinylene)s to Stable Hybrid π -Gels (C) 5746–5749 [5830–5833]
DOI: 10.1002/anie.200801000

(C) 5746–5749 [5830–5833]

DOI: 10.1002/anie.200801000

- Toroidal Nanoobjects from Rosette Assemblies of Melamine-Linked Oligo(*p*-phenyleneethynylene)s and Cyanurates (C) 4691–4694 [4769–4772]
DOI: 10.1002/anie.200800417

Akai, S.

- Synthesis of Biaryl Compounds through Three-Component Assembly: Ambidentate Effect of the *tert*-Butyldimethylsilyl Group for Regioselective Diels–Alder and Hiyama Coupling Reactions (C) 7673–7676 [7787–7790]
DOI: 10.1002/anie.200803011

Akar, A.

- Poly(methyl methacrylate)s with Pendant Calixpyrroles and Crown Ethers: Polymeric Extractants for Potassium Halides (C) 9648–9652 [9794–9798]
DOI: 10.1002/anie.200803970

Akasaka, T.

- Bis-Carbene Adducts of Non-IPR La_2C_{72} : Localization of High Reactivity around Fused Pentagons and Electrochemical Properties (C) 8642–8645 [8770–8773]
DOI: 10.1002/anie.200803529
- [2 + 1] Cycloaddition of Nitrene onto C_{60} Revisited: Interconversion between an Aziridinofullerene and an Azafulleroid (C) 1298–1300 [1318–1320]
DOI: 10.1002/anie.200704410

- Observation of ^{13}C NMR Chemical Shifts of Metal Carbides Encapsulated in Fullerenes: $\text{Sc}_2\text{C}_2\text{@C}_{82}$, $\text{Sc}_2\text{C}_2\text{@C}_{84}$, and $\text{Sc}_3\text{C}_2\text{@C}_{80}$ (C) 7905–7908 [8023–8026]
DOI: 10.1002/anie.200802584

Akatsuka, T. (C) 1689–1692 [1713–1716]

Akatsuka, Y. (C) 9252–9255 [9392–9395]

Akita, T. (C) 9265–9268 [9405–9408]

Akiyama, R. (C) 5627–5630 [5709–5712]

Akiyama, T.

- Chiral Phosphoric Acid Catalyzed Enantioselective Friedel–Crafts Alkylation of Indoles with Nitroalkenes: Cooperative Effect of 3 Å Molecular Sieves (C) 4016–4018 [4080–4082]
DOI: 10.1002/anie.200800770

Aksenov, N. V. (C) 3262–3266 [3306–3310]

Al-Baldawi, D. (C) 5816–5819 [5900–5903]

Al-Zoubi, R. M. (C) 2876–2879 [2918–2921]

Alam, M. A. (C) 2070–2073 [2100–2103]

Alauzun, J. (C) 8654–8656 [8782–8784]

Alavi, A. (C) 2422–2426 [2456–2460]

Alayon, E. M. C. (C) 9260–9264 [9400–9404]

Albahily, K. (C) 5816–5819 [5900–5903]

Albers, A. (C) 9537–9541 [9680–9684]

Albert, B.

- The η^6, η^1 -Coordination of Beryllium Atoms in the Graphite Analogue BeB_2C_2

- (C) 2301–2303 [2333–2336]
DOI: 10.1002/anie.200705023
- Albini, A. (H) 10022–10025 [10172–10175]
- Albinsson, B. (C) 4993–4996 [5071–5074]
- Albrecht-Schmitt, T. E.
– Capitalizing on Differing Coordination Environments and Redox Potentials to Prepare an Ordered Heterobimetallic U^{VI}/Np^{IV} Diphosphonate (C) 6252–6254 [6348–6350]
DOI: 10.1002/anie.200801981
- Albu, S. P. (C) 1916–1919 [1942–1945]
- Alcaide, B.
– Organocatalytic Reactions with Acetaldehyde (H) 4632–4634 [4710–4712]
DOI: 10.1002/anie.200801231
- Alcarazo, M. (C) 3210–3214 [3254–3258], 8302–8306 [8426–8430]
- Aldridge, S.
– Exploitation of a Very Strongly σ -Donating Sn^{II} Ligand: Synthesis of a Homoleptic, Octahedral Ni^{IV} Complex (H) 2348–2350 [2382–2384]
DOI: 10.1002/anie.200705764
- Alekseev, E. V. (C) 549–551 [559–561]
- Alemán, J. (C) 121–125 [127–131], 6836–6839 [6942–6945], 7941–7944 [8059–8062]
- Alemdaroglu, F. E. (C) 974–976 [988–991]
- Alex, K. (C) 2304–2307 [2337–2340]
- Alexakis, A.
– Copper-Catalyzed Asymmetric Conjugate Addition of Aryl Aluminum Reagents to Trisubstituted Enones: Construction of Aryl-Substituted Quaternary Centers (C) 8211–8214 Corrigendum: 9176 [8334–8337 Corrigendum: 9315]
DOI: 10.1002/anie.200803436
- Regiodivergent 1,4 versus 1,6 Asymmetric Copper-Catalyzed Conjugate Addition (C) 9122–9124 [9262–9264]
DOI: 10.1002/anie.200803735
- Alexander, C.
– Self-Immulative Polymers (H) 7804–7806 [7921–7924]
DOI: 10.1002/anie.200802474
- Sweet Talking Double Hydrophilic Block Copolymer Vesicles (C) 4847–4850 [4925–4928]
DOI: 10.1002/anie.200801098
- Alexandrov, K.
– Development of Selective RabGGTase Inhibitors and Crystal Structure of a RabGGTase–Inhibitor Complex (C) 3747–3750 [3807–3810]
DOI: 10.1002/anie.200705795
- Ali, M. M. (M) 6330–6337 [6428–6436]
- Alibrandi, G.
– Cryptand 111: A Chemical Device for Variable-pH Kinetic Experiments (C) 3026–3028 [3068–3070]
DOI: 10.1002/anie.200800180
- Alker, A. (C) 4512–4515 [4588–4591]
- Allard, S. (R) 4070–4098 [4138–4167]
- Allemand, J.-F. (C) 3744–3746 [3804–3806]
- Allen, M. D. (C) 500–502 [510–512]
- Allouche, L. (C) 2235–2239 [2267–2271]
- Almendros, P.
– Organocatalytic Reactions with Acetaldehyde (H) 4632–4634 [4710–4712]
DOI: 10.1002/anie.200801231
- Almond, P. M. (C) 298–302 [304–308]
- Aloni, S. (C) 5806–5811 [5890–5895]
- Alonso, D. A. (C) 4588–4591 [4664–4667]
- Alonso, J. L.
– Rotational Probes of Six Conformers of Neutral Cysteine (C) 6216–6220 [6312–6316]
DOI: 10.1002/anie.200801337
- Alonso, J. M. (C) 3192–3195 [3236–3239]
- Alt, H. G.
– Catalytic Dehydrogenation of Isopentane with Iridium Catalysts (C) 2619–2621 [2659–2661]
DOI: 10.1002/anie.200704856
- Altmann, K.-H.
– Total Synthesis of the Marine Diterpenoid Blumliolide C (C) 10081–10085 [10235–10239]
DOI: 10.1002/anie.200804004
- Altmannshofer, S. (L) 7798–7801 [7914–7917]
- Álvarez, E. (C) 4380–4383 [4452–4455]
- Álvarez-Dorta, D. (C) 8917–8919 [9049–9051]
- Amabilino, D. B.
– Shaping Supramolecular Nanofibers with Nanoparticles Forming Complementary Hydrogen Bonds (C) 1861–1865 [1887–1891]
DOI: 10.1002/anie.200704864
- Amajjahe, S. (C) 3435–3437 [3484–3486]
- Amano, S. (C) 8241–8245 [8365–8369]
- Amantonico, A. (C) 5382–5385 [5462–5465]
- Amara, P. Corrigendum: 628
- Amat, M.
– A Biomimetic Enantioselective Approach to the Decahydroquinoline Class of Dendrobatid Alkaloids (C) 3348–3351 [3396–3399]
DOI: 10.1002/anie.200705888
- Amatore, C.
– Electrochemically Driven Release of Picomole Amounts of Calcium Ions with Temporal and Spatial Resolution (C) 5211–5214 [5289–5292]
DOI: 10.1002/anie.200705274
- Amatore, M. (C) 2089–2092 [2119–2122]
- Amelia, M. (C) 6240–6243 [6336–6339]
- Ametamey, S. M.
– Silicon-Based Building Blocks for One-Step ¹⁸F-Radiolabeling of Peptides for PET Imaging (C) 4922–4925 [5000–5003]
DOI: 10.1002/anie.200705854
- Amin, S. B. (R) 2006–2025 [2034–2054]
- Amorós, P. (C) 4211–4216 [4279–4284]
- Amouri, H.
– Supramolecular Assemblies Based on Organometallic Quinonoid Linkers: A New Class of Coordination Networks (M) 1372–1380 [1392–1400]
DOI: 10.1002/anie.200701980
- Amsharov, K. Yu. (C) 6283–6285 Corrigendum: 9590 [6379–6381 Corrigendum: 9732]
- An, M. J. (C) 2231–2234 [2263–2266], 5167–5170 [5245–5248]
- An, S. E. (C) 2263–2266 [2295–2298]
- An, X.-L. (C) 2489–2492 [2523–2526]
- Ananchenko, G. S.
– A Channel-Free Soft-Walled Capsular Calixarene Solid for Gas Adsorption (C) 5616–5618 [5698–5700]
DOI: 10.1002/anie.200800071
- Ananda, K. (C) 6430–6432 [6530–6532]
- Ananias, D. (C) 1080–1083 [1096–1099]
- Andersen, C. S. (C) 5569–5572 [5651–5654]
- Andersen, J. N. (C) 2131–2134 [2161–2164]
- Anderson, E. A. (C) 3016–3020 [3058–3062], 3021–3025 [3063–3067]
- Anderson, H. L.
– Enhanced π Conjugation around a Porphyrin[6] Nanoring (C) 4993–4996 [5071–5074]
DOI: 10.1002/anie.200801188
- Porphyrin Dimer Carbocations with Strong Near Infrared Absorption and Third-Order Optical Nonlinearity (C) 7095–7098 [7203–7206]
DOI: 10.1002/anie.200802687
- Anderson, J. C. (C) 722–725 [734–737]
- Anderson, K. B.
– Chemical Signatures of Fossilized Resins and Recent Plant Exudates (M) 9608–9616 [9750–9760]
DOI: 10.1002/anie.200705973
- Anderson, K. M. (C) 1058–1062 [1074–1078]
- Anderson, M. W.
– Fundamental Crystal Growth Mechanism in Zeolite L Revealed by Atomic Force Microscopy (C) 5327–5330 [5407–5410]
DOI: 10.1002/anie.200800977
- Anderson, M. W. (C) 8525–8528 [8653–8656]
- Anderson, O. P. (C) 6204–6207 [6300–6303]
- Anderson, T. M. (C) 4844–4846 [4922–4924], (L) 9380–9382 [9520–9522]
- Andersson, O. (C) 3034–3036 [3076–3078]
- André, G. (C) 5740–5745 [5824–5829]
- Andreetto, E. (C) 7114–7118 [7222–7227]
- Andrei, H.-S. (C) 395–397 [401–403]
- Andreichenko, E. V. (C) 1662–1667 [1686–1691]
- Andrews, L.
– Simple N≡UF₃ and P≡UF₃ Molecules with Triple Bonds to Uranium (C) 5366–5370 [5446–5450]
DOI: 10.1002/anie.200801120
- Andrews, W. J. (C) 5426–5429 [5506–5509]
- Andrioletti, B. (C) 1123–1126 [1139–1142]
- Angelici, G. (C) 8075–8078 [8195–8198]
- Angelos, S. (C) 2222–2226 [2254–2258]
- Anson, C. E. (C) 1326–1331 [1346–1351], 8201–8206 [8323–8328], 8292–8296 [8416–8420]
- Anstrom, D. M. (C) 4753–4755 [4831–4833]
- Anthon, C. (C) 2681–2684 [2721–2724]
- Anthony, J. E.
– The Larger Acenes: Versatile Organic Semiconductors (R) 452–483 [460–492]
DOI: 10.1002/anie.200604045
- Anthony-Cahill, S. J. (C) 3385–3387 [3433–3435]
- Antoku, Y. (C) 2813–2816 [2855–2858]
- Antonchick, A. P. (C) 5836–5838 [5920–5922], 10090–10093 [10244–10247]
- Antonelli, D.
– Sulfated Mesoporous Tantalum Oxides in the Shape Selective Synthesis of Linear Alkyl Benzene (C) 4896–4899 [4974–4977]
DOI: 10.1002/anie.200800721
- Antonietti, M. (C) 1645–1649 [1669–1673], 3450–3453 [3499–3502]
- Antonucci, D. (C) 507–510 [517–520]
- Anwander, R.
– A Rare-Earth Metal Variant of the Tebbe Reagent

- (C) 9560–9564 [9702–9706]
DOI: 10.1002/anie.200803856
- Cationic Rare-Earth-Metal Half-Sandwich Complexes for the Living *trans*-1,4-Isoprene Polymerization (C) 775–778 [787–790]
DOI: 10.1002/anie.200703514
 - Anxolabéhère-Mallart, E.
 - Cobalt Clathrochelate Complexes as Hydrogen-Producing Catalysts (C) 9948–9950 [10096–10098]
DOI: 10.1002/anie.200803643
 - Anzenbacher Jr., P. (C) 1123–1126 [1139–1142]
 - Aoki, H. (C) 6077–6079 [6166–6168]
 - Aoki, M. (C) 2792–2795 [2834–2837]
 - Aouadi, K. (C) 4432–4435 [4504–4507]
 - Aouba, S. (C) 1255–1259 [1275–1279]
 - Apeloig, Y.
 - The Synthesis and Isolation of a Metal-Substituted Bis-silene (C) 4343–4345 [4415–4417]
DOI: 10.1002/anie.200800973
 - Apperley, D. C. (C) 8674–8677 [8802–8805]
 - Appukkuttan, P. (C) 6802–6806 [6907–6911]
 - Arai, K. (C) 6643–6646 [6745–6748]
 - Arai, M. (C) 6885–6887 [6991–6993]
 - Arai, N. (C) 1770–1773 [1794–1797], 7457–7460 [7567–7570]
 - Arai, T.
 - Tandem Catalytic Asymmetric Friedel–Crafts/Henry Reaction: Control of Three Contiguous Acyclic Stereocenters (C) 4989–4992 [5067–5070]
DOI: 10.1002/anie.200801373
 - Arakawa, Y. (C) 8232–8235 Corrigendum: 8983 [8356–8359 Corrigendum: 9119]
 - Araki, H. (C) 9450–9453 [9592–9595]
 - Araki, K.
 - Highly Stable Giant Supramolecular Vesicles Composed of 2D Hydrogen-Bonded Sheet Structures of Guanosine Derivatives (C) 1038–1041 [1054–1057]
DOI: 10.1002/anie.200704535
 - Switching of Polymorph-Dependent ESIPT Luminescence of an Imidazo-[1,2-*a*]pyridine Derivative (C) 9522–9524 [9664–9666]
DOI: 10.1002/anie.200803975
 - Arango, D. C. (C) 2631–2634 [2671–2674]
 - Aratake, S. (C) 2082–2084 [2112–2114]
 - Aratani, N. (C) 681–684 [693–696], 6004–6007 [6093–6096]
 - Arayama, K. (C) 6860–6864 [6966–6970]
 - Archetti, G. (C) 4529–4532 [4605–4608]
 - Arduengo III, A. J. (C) 6418–6421 [6518–6521]
 - Arends, I. W. C. E. (C) 9542–9546 [9685–9689]
 - Arfaoui, I. (C) 8412–8415 [8540–8543]
 - Ariga, K.
 - A Layered Mesoporous Carbon Sensor Based on Nanopore-Filling Cooperative Adsorption in the Liquid Phase (C) 7254–7257 [7364–7367]
DOI: 10.1002/anie.200802820
 - Arita, Sachiko (C) 2447–2449 [2481–2483]
 - Arita, Shusuke (C) 7938–7940 [8056–8058]
 - Armstrong, G. D. (C) 672–676 [684–688]
 - Arnbjerg, J. (C) 6025–6027 [6114–6116]
 - Arndt, H.-D.
 - Synthesis of Marine Alkaloids from the Oroidin Family (H) 4785–4788 [4864–4867]
DOI: 10.1002/anie.200801793
 - Total Synthesis of Chondramide C and Its Binding Mode to F-Actin (C) 6473–6477 [6573–6577]
DOI: 10.1002/anie.200801010
 - Arndt, M.
 - Matter-Wave Metrology as a Complementary Tool for Mass Spectrometry (C) 6195–6198 [6290–6293]
DOI: 10.1002/anie.200801942
 - Arndt, S. (C) 3747–3750 [3807–3810]
 - Arndtsen, B. A.
 - Palladium Catalyzed Synthesis of Münchnones from α -Amidoethers: A Mild Route to Pyrroles (C) 5430–5433 [5510–5513]
DOI: 10.1002/anie.200801385
 - Arnold, J. (C) 6456–6460 [6556–6560]
 - Arnold, K. (C) 2673–2676 [2713–2716]
 - Arnold, P. L.
 - C_3 -Symmetric Lanthanide Tris(alkoxide) Complexes Formed by Preferential Complexation and Their Stereoselective Polymerization of *rac*-Lactide (C) 6033–6036 [6122–6125]
DOI: 10.1002/anie.200801279
 - Arora, P. S.
 - Inhibition of HIV-1 Fusion by Hydrogen-Bond-Surrogate-Based α Helices (C) 1879–1882 [1905–1908]
DOI: 10.1002/anie.200704227
 - Arseniyadis, S. (C) 10137–10140 [10291–10294]
 - Artero, V.
 - Cobaloxime-Based Photocatalytic Devices for Hydrogen Production (C) 564–567 [574–577]
DOI: 10.1002/anie.200702953
 - Arzumanov, S. S. (C) 4559–4562 [4635–4638]
 - Asano, Y. (C) 5456–5460 [5536–5540]
 - Asay, M. (C) 7530–7533 [7640–7643]
 - Ashenurst, J. A. (C) 1485–1487 [1507–1509], 8885–8888 [9017–9020]
 - Ashkenasy, G.
 - The Road to Non-Enzymatic Molecular Networks (M) 6128–6136 [6221–6230]
DOI: 10.1002/anie.200702552
 - Askin, D. (C) 4134–4136 [4202–4204]
 - Assenmacher, W. (C) 7127–7131 [7236–7240]
 - Athans, A. J. (C) 4173–4176 [4241–4244]
 - Atienzar, P. (C) 1080–1083 [1096–1099]
 - Attfield, M. P.
 - Crystal Growth of the Nanoporous Metal–Organic Framework HKUST-1 Revealed by In Situ Atomic Force Microscopy (C) 8525–8528 [8653–8656]
DOI: 10.1002/anie.200803460
 - Attias, A.-J.
 - Periodic Positioning of Multilayered [2.2]Paracyclophane-Based Nanopillars (C) 8412–8415 [8540–8543]
DOI: 10.1002/anie.200801335
 - Atwood, J. L. (C) 6362–6366 [6462–6466]
 - Au-Yeung, T. T.-L. (C) 1280–1283 [1300–1303]
 - Aubé, J.
 - Highly Stereoselective Ring Expansion Reactions Mediated by Attractive Cation– π Interactions (C) 6233–6235 [6329–6331]
DOI: 10.1002/anie.200801591
 - Aubert, V. (C) 577–580 [587–590]
 - Auchterlonie, G. J. (C) 6670–6673 [6772–6775]
 - Aue, D. H.
 - Synthesis of Activated Alkenylboronates from Acetylenic Esters by CuH-Catalyzed 1,2-Addition/Transmetalation (C) 10183–10186 [10337–10340]
DOI: 10.1002/anie.200804912
 - Augusti, R. (C) 3422–3425 [3470–3473]
 - Augustine, S. (C) 9904–9907 [10052–10055]
 - Aujard, I. (C) 3744–3746 [3804–3806]
 - Aukauloo, A.
 - Cobalt Clathrochelate Complexes as Hydrogen-Producing Catalysts (C) 9948–9950 [10096–10098]
DOI: 10.1002/anie.200803643
 - Aurich, A. (C) 1958–1960 [1984–1986]
 - Austin, R. N.
 - Cage Escape Competes with Geminate Recombination during Alkane Hydroxylation by the Diiron Oxygenase AlkB (C) 5232–5234 [5310–5312]
DOI: 10.1002/anie.200801184
 - Autrey, T.
 - In Situ Multinuclear NMR Spectroscopic Studies of the Thermal Decomposition of Ammonia Borane in Solution (C) 7493–7496 [7603–7606]
DOI: 10.1002/anie.200802100
 - Avenier, F. (C) 715–717 [727–729]
 - Aversa, R. J. (R) 7182–7225 [7292–7335]
 - Aviram, M.
 - Amphiphilic/Bipolar Metalloporphyrins That Catalyze the Decomposition of Reactive Oxygen and Nitrogen Species, Rescue Lipoproteins from Oxidative Damage, and Attenuate Atherosclerosis in Mice (C) 7896–7900 [8014–8018]
DOI: 10.1002/anie.200801149
 - Awaga, K. (C) 9480–9483 [9622–9625]
 - Axet, M. R. (C) 2074–2078 [2104–2108]
 - Aydogan, A. (C) 9648–9652 [9794–9798]
 - Ayres, L. (C) 2431–2434 [2465–2468]
 - Aznar, F. (C) 6594–6597 [6696–6699]
 - Azuma, K. (C) 7457–7460 [7567–7570]
 - Azuma, M. (C) 7032–7035 [7140–7143]



- Baas, B.-J. (C) 2275–2278 [2307–2310]
- Baba, A.
- Germanium(II)-Mediated Reductive Mannich-Type Reaction of α -Bromoketones to *N*-Alkylimines (C) 6620–6623 [6722–6725]
DOI: 10.1002/anie.200800194
 - Babai, A. (C) 7631–7634 [7743–7746]
 - Babu, S. S. (C) 5746–5749 [5830–5833]
 - Baca, A. J. (R) 5524–5542 [5606–5624]
 - Baccile, N. (C) 8433–8437 [8561–8565]
 - Baceiredo, A.
 - Synthesis and Ligand Properties of a Stable Five-Membered-Ring Vinylidenephosphorane (C) 7530–7533 [7640–7643]
DOI: 10.1002/anie.200802741
 - Baceiredo, A. (C) 5390–5393 [5470–5473]

- Bach, T.
- A Polymer-Bound Chiral Template for Enantioselective Photochemical Reactions (C) 7957–7959 [8075–8077]
DOI: 10.1002/anie.200802479
 - Bi(OTf)₃-Catalyzed Diastereoselective S_N1-Type Reactions of Chiral Propargylic Acetates (C) 10106–10109 [10260–10263]
DOI: 10.1002/anie.200804025
 - Concise Stereoselective Synthesis of (–)-Podophyllotoxin by an Intermolecular Iron(III)-Catalyzed Friedel–Crafts Alkylation (C) 7557–7559 [7668–7670]
DOI: 10.1002/anie.200802611
 - Enantioselective Total Synthesis of the *Melodinus* Alkaloid (+)-Meloscine (C) 5082–5084 [5160–5162]
DOI: 10.1002/anie.200800693
 - Total Synthesis of the Tetracyclic Sesquiterpene (±)-Punctaporonin C (C) 6189–6191 [6284–6286]
DOI: 10.1002/anie.200801534
- Bachmann, J.
- A Practical, Self-Catalytic, Atomic Layer Deposition of Silicon Dioxide (C) 6177–6179 [6272–6274]
DOI: 10.1002/anie.200800245
- Bäckvall, J.-E.
- Catalytic Oxidation of Organic Substrates by Molecular Oxygen and Hydrogen Peroxide by Multistep Electron Transfer—A Biomimetic Approach (R) 3506–3523 [3558–3576]
DOI: 10.1002/anie.200700604
- Badet, B. (C) 4370–4372 [4442–4444]
- Badie, Y. M. (C) 9961–9964 [10109–10112]
- Bae, H. J. (C) 2263–2266 [2295–2298]
- Bae, Y. H.
- A Virus-Mimetic Nanogel Vehicle (C) 2418–2421 [2452–2455]
DOI: 10.1002/anie.200704121
- Baek, K. (C) 5755–5757 [5839–5841]
- Baerlocher, C. (C) 4401–4405 [4473–4477]
- Baffert, C. (C) 564–567 [574–577], 2052–2054 [2082–2084]
- Bagryanskaya, E.
- Light-Induced Excited Spin State Trapping in an Exchange-Coupled Nitroxide-Copper(II)-Nitroxide Cluster (C) 6897–6899 [7003–7005]
DOI: 10.1002/anie.200801400
- Bahshi, L. (C) 1676–1679 [1700–1703]
- Bähtz, C. (C) 2301–2303 [2333–2336]
- Bai, F. (C) 1054–1057 [1070–1073]
- Bai, J. (C) 2439–2442 [2473–2476]
- Bai, M. (C) 3584–3587 [3640–3643]
- Bai, Y.-L. (C) 5344–5347 [5424–5427]
- Baik, C. (C) 327–330 [333–336]
- Baik, M.-H.
- Mechanistic Insight into the Diastereoselective Rhodium-Catalyzed Pauson–Khand Reaction: Role of Coordination Number in Stereocontrol (C) 342–345 [348–351]
DOI: 10.1002/anie.200702822
- Baik, M.-H. (C) 10144–10146 [10298–10300]
- Baiker, A. (C) 9256–9259 [9396–9399]
- Bailey, A. J. (C) 8634–8637 [8762–8765]
- Bailo, E. (C) 1658–1661 [1682–1685]
- Baily, S. A. (C) 5768–5771 [5852–5855]
- Baisch, U. (C) 6069–6072 [6158–6161]
- Baitinger, M. (C) 6790–6793 [6895–6898]
- Baker, R. T.
- Soluble Boron–Nitrogen High Polymers from Metal-Complex-Catalyzed Amine Borane Dehydrogenation (H) 9600–9602 [9742–9744]
DOI: 10.1002/anie.200803089
- Baker, R. T. (C) 7493–7496 [7603–7606]
- Baker, T. M. (C) 5631–5633 [5713–5715]
- Balaram, P.
- Hybrid α Polypeptides: Structural Characterization of a C₁₂/C₁₀ Helix with Alternating Hydrogen-Bond Polarity (C) 6430–6432 [6530–6532]
DOI: 10.1002/anie.200801665
- Balasubramanian, S.
- Exploring the Differential Recognition of DNA G-Quadruplex Targets by Small Molecules Using Dynamic Combinatorial Chemistry (C) 2677–2680 [2717–2720]
DOI: 10.1002/anie.200705589
- Bald, I.
- Probing Biomolecules by Laser-Induced Acoustic Desorption: Electrons at Near Zero Electron Volts Trigger Sugar–Phosphate Cleavage (C) 8518–8520 [8646–8648]
DOI: 10.1002/anie.200803382
- Bald, I. (C) 9509–9512 [9651–9654]
- Baldrige, K. K.
- Synthesis of 2,6-Diarylphenyldimethylsilyl Cations: Polar- π Distribution of Cation Character (C) 1719–1722 [1743–1746]
DOI: 10.1002/anie.200705291
- Baldrige, K. K. (C) 5034–5037 [5112–5115]
- Baldwin, A. J. (C) 3385–3387 [3433–3435]
- Balijs, A. M. (C) 8072–8074 [8192–8194]
- Balke, B. (C) 7635–7638 [7747–7750]
- Ballav, N. (C) 1421–1424 [1443–1446], 6786–6789 [6891–6894], 7238–7241 [7348–7351]
- Ballester, P.
- Quantitative Evaluation of Anion– π Interactions in Solution (C) 4114–4118 [4182–4186]
DOI: 10.1002/anie.200800636
- Ballesteros, A. (C) 6225–6228 [6321–6324]
- Ballico, M. (C) 4362–4365 [4434–4437]
- Ballmann, J. (C) 9537–9541 [9680–9684]
- Balogh, E. (C) 4844–4846 [4922–4924]
- Baltes, C. (C) 3196–3201 [3240–3245]
- Baltzer, L. (C) 5554–5556 [5636–5638]
- Balzani, V. (C) 5422–5425 [5502–5505]
- Balzarini, J. (C) 8719–8722 [8847–8850]
- Ban, L. (C) 3396–3399 [3444–3447]
- Bandini, M.
- Enantioselective Phase-Transfer-Catalyzed Intramolecular Aza-Michael Reaction: Effective Route to Pyrazino-Indole Compounds (C) 3238–3241 [3282–3285]
DOI: 10.1002/anie.200705685
- Bandmann, H. (C) 6290–6295 [6386–6391]
- Bando, Y. (C) 86–89 [92–95]
- Banerji, N. (C) 3727–3729 [3787–3789], 9044–9048 [9184–9188]
- Bang-Andersen, B. (C) 888–890 [902–904], 1726–1728 [1750–1752]
- Bannenberg, T. (C) 7428–7432 [7538–7542]
- Banner, L. T. (C) 7036–7039 [7144–7147]
- Bánsági Jr., T. (C) 9900–9903 [10048–10051]
- Banse, F.
- Proton- and Reductant-Assisted Dioxxygen Activation by a Nonheme Iron(II) Complex to Form an Oxoiron(IV) Intermediate (C) 7064–7067 [7172–7175]
DOI: 10.1002/anie.200801832
- Bao, C. (C) 1715–1718 [1739–1742], 4153–4156 [4221–4224]
- Bao, Jianli (C) 4521–4524 [4597–4600], 9711–9716 [9857–9862]
- Bao, Jun (C) 353–356 [359–362]
- Bao, M.
- Carbocycle Synthesis through Facile and Efficient Palladium-Catalyzed Allylative De-aromatization of Naphthalene and Phenanthrene Allyl Chlorides (C) 4366–4369 [4438–4441]
DOI: 10.1002/anie.200800529
- Bar, A. K. (C) 8455–8459 [8583–8587]
- Bar-Nahum, I. (C) 533–536 [543–546]
- Baran, P. S.
- A Concise Approach to Vinigrol (C) 3054–3056 [3097–3099]
DOI: 10.1002/anie.200800167
 - On the Origin of the Haouamine Alkaloids (C) 205–208 [211–215]
DOI: 10.1002/anie.200704576
 - Synthesis of 1,9-Dideoxy-pre-axinellamine (C) 3578–3580 [3634–3636]
DOI: 10.1002/anie.200705913
 - Total Synthesis of (±)-Axinellamines A and B (C) 3581–3583 [3637–3639]
DOI: 10.1002/anie.200801138
- Barats, D. (C) 9908–9912 [10056–10060]
- Baratta, W.
- Osmium(II) CNN Pincer Complexes as Efficient Catalysts for Both Asymmetric Transfer and H₂ Hydrogenation of Ketones (C) 4362–4365 [4434–4437]
DOI: 10.1002/anie.200800339
- Barbaro, P. (C) 3766–3768 [3826–3828], 4425–4427 [4497–4499]
- Barbarow, J. E. (C) 8100–8103 [8220–8223]
- Barbas III, C. F.
- Organocatalysis Lost: Modern Chemistry, Ancient Chemistry, and an Unseen Biosynthetic Apparatus (E) 42–47 [44–50]
DOI: 10.1002/anie.200702210
 - Towards Organocatalytic Polyketide Syntheses with Diverse Electrophile Scope: Trifluoroethyl Thioesters as Nucleophiles in Organocatalytic Michael Reactions and Beyond (C) 4588–4591 [4664–4667]
DOI: 10.1002/anie.200801088
- Barends, T. R. M. (C) 10076–10080 [10230–10234]
- Baret, J.-C.
- Droplet-Based Microreactors for the Synthesis of Magnetic Iron Oxide Nanoparticles (C) 6817–6820 [6923–6926]
DOI: 10.1002/anie.200801360
- Barety, S. (C) 181–184 [187–190]
- Barker, P. D. (C) 3385–3387 [3433–3435]
- Barluenga, J.
- [1,5]-Hydride Transfer/Cyclizations on Alkynyl Fischer Carbene Complexes: Synthesis of 1,2-Dihydroquinoliny Carbene Complexes and Cascade Reactions (C) 6594–6597 [6696–6699]
DOI: 10.1002/anie.200802268

- Metal Carbene Dimerization: Versatile Approach to Polyalkynylethenes (C) 6225–6228 [6321–6324]
DOI: 10.1002/anie.200801584
- Synthesis of Spiroquinolines through a One-Pot Multicatalytic and Multicomponent Cascade Reaction (C) 7044–7047 [7152–7155]
DOI: 10.1002/anie.200802582
- Barluenga, S. (C) 4432–4435 [4504–4507]
- Barnard, P. J. (C) 8416–8419 [8544–8547]
- Barnes, J. (C) 3279–3282 [3324–3328]
- Baroncini, M. (C) 6240–6243 [6336–6339]
- Barrell, M. J. (C) 8036–8039 [8156–8159]
- Barrett, C. J. (C) 4986–4988 [5064–5066]
- Barron, L. D.
- Solution Structures of β Peptides from Raman Optical Activity (C) 6392–6394 [6422–6494]
DOI: 10.1002/anie.200801111
- Bartels, L.
- A Surface Coordination Network Based on Substrate-Derived Metal Adatoms with Local Charge Excess (C) 8442–8445 [8570–8573]
DOI: 10.1002/anie.200802543
- Bartoli, G. (R) 6138–6171 [6232–6265], (C) 8700–8702 [8828–8830], 8703–8706 [8831–8834], 8707–8710 [8835–8838]
- Barton, J. K.
- Ping-Pong Electron Transfer through DNA (C) 9067–9070 [9207–9210]
DOI: 10.1002/anie.200803556
- Bartoschek, S. (C) 7736–7740 [7850–7854]
- Bartsch, S. (C) 1508–1511 [1531–1534]
- Baruah, H. (C) 7018–7021 [7126–7129]
- Barwell, N. P. (C) 2693–2696 [2733–2736]
- Bashir, A. (C) 5250–5252 [5328–5331]
- Baskar, B. (C) 2263–2266 [2295–2298]
- Basset, J.-M. (C) 2117–2120 [2147–2150], 8654–8656 [8782–8784]
- Basuli, F. (C) 8502–8505 [8630–8633]
- Batchelar, E. T. (C) 9322–9325 [9462–9465]
- Bates, M. A. (C) 9063–9066 [9203–9206]
- Batey, R. A.
- Enamide Synthesis by Copper-Catalyzed Cross-Coupling of Amides and Potassium Alkenyltrifluoroborate Salts (C) 2109–2112 [2139–2142]
DOI: 10.1002/anie.200704711
- Bats, J. W. (C) 7539–7542 [7649–7653]
- Batsanov, A. S. (C) 768–770 [780–782], 8674–8677 [8802–8805]
- Battershill, C. N. (C) 8090–8092 [8210–8212]
- Bau, R. (C) 5075–5078 [5153–5156]
- Baudouin, A. (C) 2117–2120 [2147–2150]
- Baudrin, E. (C) 6441–6444 [6541–6544]
- Bauer, E. (C) 5768–5771 [5852–5855]
- Bauer, J. C. (C) 6221–6224 [6317–6320]
- Bauer, R. E. (C) 8292–8296 [8416–8420]
- Bauer, Walter (C) 8941–8945 [9073–9077]
- Bauer, Wolfgang (C) 10098–10101 [10252–10255]
- Baum, D. A. (C) 1753–1757 [1777–1781]
- Baumann, K. (C) 3445–3449 [3494–3498]
- Baumann, W. (C) 9530–9532 [9672–9675]
- Baumeister, U. (C) 6080–6083 [6169–6172], 6892–6896 [6998–7002], 9063–9066 [9203–9206]
- Bäumer, M.
- Colloidally Prepared Nanoparticles for the Synthesis of Structurally Well-Defined and Highly Active Heterogeneous Catalysts (C) 8946–8949 [9078–9082]
DOI: 10.1002/anie.200802188
- Baumgarten, M. (C) 8292–8296 [8416–8420]
- Baumgartner, A. (C) 1640–1644 [1664–1668]
- Baumstark, D. (C) 2612–2614 [2652–2654]
- Bawohl, M. (C) 5654–5657 [5736–5739]
- Bayly, S. R. (C) 8416–8419 [8544–8547]
- Bazan, G. C.
- A New Design Strategy for Organic Optoelectronic Materials by Lateral Boryl Substitution (H) 834–838 [846–850]
DOI: 10.1002/anie.200703722
- Bazdi, B. (C) 7515–7519 [7625–7629]
- Beauchemin, A. M.
- Intermolecular Cope-Type Hydroamination of Alkenes and Alkynes (C) 1410–1413 [1432–1435]
DOI: 10.1002/anie.200703495
- Bechtel, H. A. (C) 2969–2972 [3011–3014]
- Beck, E. M. (C) 3004–3007 [3046–3049]
- Beck, I. E. (C) 1492–1495 [1514–1517]
- Beck, S. C. (C) 3196–3201 [3240–3245]
- Becker, C. F. W.
- Semisynthesis of a Glycosylphosphatidylinositol-Anchored Prion Protein (C) 8215–8219 [8338–8343]
DOI: 10.1002/anie.200802161
- Becker, J. (C) 1654–1657 [1678–1681]
- Becker, S. (C) 3548–3551 [3604–3607], 5085–5088 [5163–5166]
- Beckers, H. (C) 10114–10118 [10268–10272]
- Beckmann, J.
- Well-Defined Stibonic and Tellurinic Acids (C) 9982–9984 [10130–10133]
DOI: 10.1002/anie.200803997
- Beebe, K. (C) 4432–4435 [4504–4507]
- Beeby, A. (C) 9500–9503 [9642–9645]
- Bégin-Colin, S. (C) 6817–6820 [6923–6926]
- Begley, T. P.
- Trapping of a Chromophoric Intermediate in the Pdx1-Catalyzed Biosynthesis of Pyridoxal 5'-Phosphate (C) 2102–2105 [2132–2135]
DOI: 10.1002/anie.200704390
- Behenna, D. C. (R) 2365–2386 [2400–2421]
- Beil, A. (C) 1332–1334 [1352–1355]
- Beil, W. (C) 3258–3261 [3302–3305]
- Bein, T.
- Directing the Structure of Metal–Organic Frameworks by Oriented Surface Growth on an Organic Monolayer (C) 5777–5779 [5861–5863]
DOI: 10.1002/anie.200704034
- Belardi, J. K. (C) 4005–4008 [4069–4072]
- Bell, K. J. (C) 1745–1748 [1769–1772]
- Bell, R. G. (C) 8487–8491 [8615–8619]
- Bell, S. E. J.
- Sheets of Large Superhydrophobic Metal Particles Self Assembled on Water by the Cheerios Effect (C) 5043–5045 [5121–5123]
DOI: 10.1002/anie.200705833
- Bell III, C. B. (C) 9071–9074 [9211–9214]
- Bellemin-Laponnaz, S.
- Self-Assembly of a Cyclic Zn_4O_4 Tetramer by Aerobic Oxidation of a Bisoxazoline: A Molecular “Nest” for Nucleophilic OH^- (C) 4546–4550 [4622–4626]
DOI: 10.1002/anie.200800870
- Beller, M.
- Controlled Generation of Hydrogen from Formic Acid Amine Adducts at Room Temperature and Application in H_2/O_2 Fuel Cells (C) 3962–3965 [4026–4029]
DOI: 10.1002/anie.200705972
- Iron-Catalyzed Enantioselective Hydro-silylation of Ketones (C) 2497–2501 [2531–2535]
DOI: 10.1002/anie.200705624
- Palladium Catalysts for the Formylation of Vinyl Triflates To Form α,β -Unsaturated Aldehydes (C) 4887–4891 [4965–4969]
DOI: 10.1002/anie.200800994
- Sustainable Metal Catalysis with Iron: From Rust to a Rising Star? (H) 3317–3321 [3363–3367]
DOI: 10.1002/anie.200800012
- Zinc-Promoted Hydrohydrazination of Terminal Alkynes: An Efficient Domino Synthesis of Indoles (C) 2304–2307 [2337–2340]
DOI: 10.1002/anie.200703823
- Beloeil, J.-C. (C) 4370–4372 [4442–4444]
- Belozero, A. V. (C) 3262–3266 [3306–3310]
- Ben-Asuly, A. (C) 6422–6425 [6522–6525]
- Bénard, M. (C) 5597–5599 [5679–5681]
- Benbrahim, C. (C) 3744–3746 [3804–3806]
- Bencivenni, G. (C) 8703–8706 [8831–8834]
- Bender, A. (C) 2808–2812 [2850–2854]
- Bendikov, M. (C) 4343–4345 [4415–4417]
- Bendix, J.
- Superhyperfine Interaction in $[MnF_6]^{3-}$ (C) 148–150 [154–156]
DOI: 10.1002/anie.200703771
- Bénéchie, M. (C) 5418–5421 [5498–5501]
- Benedetti, M. (C) 507–510 [517–520]
- Benet-Buchholz, J. (C) 4114–4118 [4182–4186]
- Benetollo, F. (C) 5331–5334 [5411–5414]
- Benítez, D. (C) 7470–7474 [7580–7584]
- Benito-Garagorri, D. (C) 9142–9145 [9282–9285]
- Benjauthrit, K. (C) 6456–6460 [6556–6560]
- Bennati, M.
- Structure of the Tyrosyl Biradical in Mouse R2 Ribonucleotide Reductase from High-Field PELDOR (C) 1224–1227 [1244–1247]
DOI: 10.1002/anie.200703753
- Bensimon, D. (C) 3744–3746 [3804–3806]
- Benter, T. (C) 9989–9992 [10138–10142]
- Bera, T. K. (C) 7828–7832 [7946–7950]
- Beranek, R. (C) 1320–1322 [1340–1342]
- Berberich, M. (C) 6616–6619 [6718–6721]
- Bercaw, J. E.
- C–H Bond Activation by $[(Diimine)Pd(\mu-OH)_2]^{2+}$ Dimers: Mechanism-Guided Catalytic Improvement (C) 9941–9943 [10089–10091]
DOI: 10.1002/anie.200804455
- Berezin, M. Y. (C) 3584–3587 [3640–3643]
- Bergander, K. (C) 1654–1657 [1678–1681]
- Bergenti, I. (C) 8596–8600 [8724–8728]
- Berger, R. (C) 974–976 [988–991]
- Berger, T. (C) 1496–1499 [1518–1522]
- Berghold, J. (C) 3057–3061 [3100–3104]
- Bergia, A. (C) 2431–2434 [2465–2468]
- Bergman, R. G.
- Catalysis of 6π Electrocyclizations (C) 8100–8103 [8220–8223]
DOI: 10.1002/anie.200803336
- Synthesis, Structural Characterization, and Quantitative Basicity Studies of Lithium Zirconimide Complexes (C) 6073–6076 [6162–6165]
DOI: 10.1002/anie.200801463

- Berkefeld, A. (H) 2538–2542 [2572–2576]
 Berkessel, A.
 – Asymmetric Epoxidation of Olefins with Hydrogen Peroxide—Catalysis by an Aspartate-Containing Tripeptide (H) 3677–3679 [3735–3737]
 DOI: 10.1002/anie.200705326
- Berlin, J. M. (C) 7048–7050 [7156–7158]
 Berná, A. (C) 4874–4877 [4952–4955]
 Berná, J. (C) 4392–4396 [4464–4468]
 Bernardes, G. J. L. (C) 2244–2247 [2276–2279]
 Bernardi, J. (C) 1496–1499 [1518–1522]
 Bernardi, L.
 – Organocatalytic Asymmetric Diels–Alder Reactions of 3-Vinylindoles (C) 9236–9239 [9376–9379]
 DOI: 10.1002/anie.200804275
- Bernasconi, M. (C) 4512–4515 [4588–4591]
 Bernhart, V. (C) 3458–3460 [3508–3510]
 Bernier, M. (C) 4370–4372 [4442–4444]
 Berry, J. F.
 – Delocalized Metal–Metal and Metal–Ligand Multiple Bonding in a Linear Ru–Ru≡N Unit: Elongation of a Traditionally Short Ru≡N Bond (C) 10102–10105 [10256–10259]
 DOI: 10.1002/anie.200804397
- Berry, M. (C) 2283–2286 [2315–2318]
 Berryman, O. B. (C) 117–120 [123–126]
 Bertelsen, S. (C) 121–125 [127–131]
 Berthet, J.-C.
 – Polyimido Uranium(IV) Clusters: Imido-metalates with an $M_2(\mu_3-N)_6(\mu_2-N)_6$ Core Analogous to the Anderson-Type Polyoxometalate Motif (C) 5586–5589 [5668–5671]
 DOI: 10.1002/anie.200801420
- Bertini, I.
 – Water-Based Ligand Screening for Paramagnetic Metalloproteins (C) 4533–4537 [4609–4613]
 DOI: 10.1002/anie.200800327
- Bertoni, C. (R) 6538–6549 [6638–6650]
 Bertozzi, C. (C) 5842–5845 [5926–5929]
 Bertozzi, C. R.
 – A FRET-Based Fluorogenic Phosphine for Live-Cell Imaging with the Staudinger Ligation (C) 2394–2397 [2428–2431]
 DOI: 10.1002/anie.200704847
- Biocompatible Carbon Nanotubes Generated by Functionalization with Glycodendrimers (C) 5022–5025 [5100–5103]
 DOI: 10.1002/anie.200705363
- Bertozzi, C. R. (C) 8473–8477 [8601–8605]
 Bertrand, E. (C) 5232–5234 [5310–5312]
 Bertrand, G.
 – Homogeneous Catalytic Hydroamination of Alkynes and Allenes with Ammonia (C) 5224–5228 [5302–5306]
 DOI: 10.1002/anie.200801136
- Palladium–Oxygen and Palladium–Arene Interactions in Complexes Derived from Biaryl Aminocarbenes: Comparison with Biaryl Phosphanes (C) 2271–2274 [2303–2306]
 DOI: 10.1002/anie.200704927
- Synthesis and Ligand Properties of a Stable Five-Membered-Ring Vinylidenephosphorane (C) 7530–7533 [7640–7643]
 DOI: 10.1002/anie.200802741
- Synthesis and Ligand Properties of Stable Five-Membered-Ring Allenes Containing Only Second-Row Elements (C) 5411–5414 [5491–5494]
 DOI: 10.1002/anie.200801176
- Synthesis of an Extremely Bent Acyclic Allene (A “Carbodicarbene”): A Strong Donor Ligand (C) 3206–3209 [3250–3253]
 DOI: 10.1002/anie.200705620
- The Existence of Two Short-Bond Isomers for Bicyclo[1.1.0]butane Derivatives Based on Boron and Phosphorus (C) 155–159 [161–165]
 DOI: 10.1002/anie.200704008
- Bertrand, P. (C) 2052–2054 [2082–2084]
 Bertz, M.
 – Navigating the Folding Energy Landscape of Green Fluorescent Protein (C) 8192–8195 [8314–8317]
 DOI: 10.1002/anie.200802987
- Besenbacher, F.
 – Specificity of Watson–Crick Base Pairing on a Solid Surface Studied at the Atomic Scale (C) 9673–9676 [9819–9822]
 DOI: 10.1002/anie.200803333
- Besenbacher, F. (C) 4406–4410 [4478–4482], 9108–9111 [9248–9251]
 Besseling, N. A. M. (C) 4192–4195 [4260–4263]
 Bethge, L. (C) 9555–9559 [9697–9701]
 Bettinger, H. F.
 – Metal-Free Conversion of Methane and Cycloalkanes to Amines and Amides by Employing a Borylnitrene (C) 4744–4747 [4822–4825]
 DOI: 10.1002/anie.200705936
- Betts, H. M. (C) 8416–8419 [8544–8547]
 Beuerle, F. (C) 3991–3994 [4055–4058]
 Beutner, G. L. (R) 1560–1638 [1584–1663]
 Beving, D. E. (C) 525–528 [535–538]
 Beyeh, K. (C) 8297–8301 [8421–8425]
 Beyer, M. (C) 7132–7135 [7241–7244]
 Beyer, M. K. (C) 1946–1950 [1972–1976]
 Beyermann, M.
 – Synthesis of Protein Mimics with Non-linear Backbone Topology by a Combined Recombinant, Enzymatic, and Chemical Synthesis Strategy (C) 3642–3645 [3698–3701]
 DOI: 10.1002/anie.200705718
- Bharatam, P. V.
 – A Study of BF_3 -Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions (C) 4703–4706 [4781–4784]
 DOI: 10.1002/anie.200705967
- Bhatia, S. N. (C) 7284–7288 [7394–7398]
 Bhattacharjee, A. (C) 6433–6437 [6533–6537]
 Bhole, G. (C) 4918–4921 [4996–4999]
 Bhunia, A. K. (C) 7511–7514 [7621–7624]
 Bhunia, S. (C) 5063–5066 [5141–5144]
 Bhuvanesh, N. (C) 9492–9495 [9634–9637]
 Bi, X. (C) 9565–9568 [9707–9710]
 Biagini, S. C. G.
 – Cryo Electron Tomography Reveals Confined Complex Morphologies of Tripeptide-Containing Amphiphilic Double-Comb Diblock Copolymers (C) 8859–8862 [8991–8994]
 DOI: 10.1002/anie.200802834
- Bickelhaupt, F. M.
 – Attractive and Convincing (L) 7172 [7284]
 DOI: 10.1002/anie.200802330
- Biechy, A. (C) 1436–1438 [1458–1460]
 Bielawski, C. W.
 – Diaminocarbene[3]ferrocenophanes and Their Transition-Metal Complexes (C) 2267–2270 [2299–2302]
 DOI: 10.1002/anie.200704978
- Poly(methyl methacrylate)s with Pendant Calixpyrroles and Crown Ethers: Polymeric Extractants for Potassium Halides (C) 9648–9652 [9794–9798]
 DOI: 10.1002/anie.200803970
- Bienert, M. (C) 3642–3645 [3698–3701]
 Bigall, N. C. (C) 7876–7879 [7994–7997]
 Biglino, D. (C) 1224–1227 [1244–1247]
 Bilke, J. L. (H) 2734–2736 [2774–2776]
 Bill, E. (C) 1228–1231 [1248–1251], 2973–2977 [3015–3019], 6384–6387 [6484–6487], 7110–7113 [7218–7221], 9537–9541 [9680–9684]
 Billingsley, K. L. (C) 4695–4698 [4773–4776]
 Binder, W. H.
 – Polymer-Induced Transient Pores in Lipid Membranes (H) 3092–3095 [3136–3139]
 DOI: 10.1002/anie.200800269
- Bircher, R. (C) 2828–2831 [2870–2873]
 Birk, T. (C) 148–150 [154–156]
 Biron, E. (C) 2595–2599 [2633–2637]
 Biros, S. M. (C) 6062–6064 [6151–6153]
 Bischoff, F. R.
 – Combinatorial Synthesis of Peptide Arrays with a Laser Printer (C) 7132–7135 [7241–7244]
 DOI: 10.1002/anie.200801616
- Bisello, A. (C) 5331–5334 [5411–5414]
 Bishop, L. M. (C) 8100–8103 [8220–8223]
 Bismarck, A.
 – High Internal Phase Emulsions Stabilized Solely by Functionalized Silica Particles (C) 8277–8279 [8401–8403]
 DOI: 10.1002/anie.200802244
- Bisschops, T. (C) 5661–5665 [5744–5748]
 Bistri, O. (C) 586–588 [596–598]
 Bitter, J. H. (C) 5002–5004 [5080–5082]
 Björefors, F.
 – Formation of Molecular Gradients on Bipolar Electrodes (C) 3034–3036 [3076–3078]
 DOI: 10.1002/anie.200705824
- Blackburn, N. J. (C) 9084–9087 [9224–9227]
 Blacquiere, J. M. (C) 303–306 [309–312]
 Blair, V. L. (C) 6208–6211 [6304–6307]
 Blake, A. J. (C) 1745–1748 [1769–1772], 6033–6036 [6122–6125]
 Blakey, S.
 – Enantioselective C–H Amination Using Cationic Ruthenium(II)–pybox Catalysts (C) 6825–6828 [6931–6934]
 DOI: 10.1002/anie.200801445
- Blanc, B. (C) 8433–8437 [8561–8565]
 Blanchot, M. (C) 8492–8495 [8620–8623]
 Blanco, S. (C) 6216–6220 [6312–6316]
 Blanco-Canosa, J. B. (C) 6851–6855 [6957–6961]
 Blankenfeldt, W. (C) 3747–3750 [3807–3810]
 Blatch, A. J. (C) 768–770 [780–782]
 Blaudeck, R. P. (C) 6033–6036 [6122–6125]
 Blay, G. (C) 5593–5596 [5675–5678]

- Blechert, S.
– Alternating Copolymerizations Using a Grubbs-Type Initiator with an Unsymmetrical, Chiral N-Heterocyclic Carbene Ligand (C) 2615–2618 [2655–2658]
DOI: 10.1002/anie.200704822
- Bléger, D. (C) 8412–8415 [8540–8543]
- Bleuizen, A.
– Controlled Synthesis of Photomagnetic Nanoparticles of a Prussian Blue Analogue in a Silica Xerogel (C) 7750–7752 [7864–7866]
DOI: 10.1002/anie.200802273
- Bligaard, T. (C) 4683–4686 [4761–4764], 4835–4839 [4913–4917], 9299–9302 [9439–9442]
- Blixt, O. (C) 5022–5025 [5100–5103]
- Bloch Jr., C. (C) 7853–7856 [7971–7974]
- Block, I. (C) 7132–7135 [7241–7244]
- Blöcker, H. (C) 4595–4599 [4671–4676]
- Blom, D. A. (C) 2788–2791 [2830–2833]
- Bluhm, H. (C) 8893–8896 [9025–9028]
- Blüm, M.-C. (C) 1076–1079 [1092–1095]
- Bo, Z.
– Hierarchical Supramolecular Self-Assembly of Nanotubes and Layered Sheets (C) 6015–6018 [6104–6107]
DOI: 10.1002/anie.200801404
- Bobbio, C. (C) 7927–7930 [8045–8048]
- Bock, M. (C) 2308–2311 [2341–2344], 9134–9137 [9274–9277]
- Böcking, T. (C) 2697–2699 [2737–2739]
- Böckmann, A.
– 3D Protein Structures by Solid-State NMR Spectroscopy: Ready for High Resolution (H) 6110–6113 [6200–6204]
DOI: 10.1002/anie.200801352
- Polarization Transfer over the Water–Protein Interface in Solids (C) 5851–5854 [5935–5938]
DOI: 10.1002/anie.200801110
- Bockstaller, M. R.
– Imidazolium-Based Ionic Liquids as Efficient Shape-Regulating Solvents for the Synthesis of Gold Nanorods (C) 7639–7643 [7751–7755]
DOI: 10.1002/anie.200802185
- Boddien, A. (C) 3962–3965 [4026–4029]
- Bode, H. B.
– Bacterial Biosynthesis of a Multipotent Stilbene (C) 1942–1945 [1968–1971]
DOI: 10.1002/anie.200705148
- Bodnarchuk, M. I. (C) 3029–3033 [3071–3075]
- Boersma, M. D. (C) 2853–2856 [2895–2898]
- Boese, R. (C) 10114–10118 [10268–10272]
- Boesecke, P. (C) 9063–9066 [9203–9206]
- Boffa, V. (C) 5407–5410 [5487–5490]
- Bogdanski, A. (C) 913–916 [927–930]
- Böhme, B. (C) 6790–6793 [6895–6898]
- Böhmer, I. K. (C) 2619–2621 [2659–2661]
- Bois-Choussy, M. (C) 4167–4172 [4235–4240]
- Boissel, J.-P. (C) 4748–4752 [4826–4830]
- Boisson, C. (C) 9311–9313 [9451–9453]
- Boisson, F. (C) 9311–9313 [9451–9453]
- Bojase, G. (C) 910–912 [924–926]
- Boldog, I. (C) 6433–6437 [6533–6537]
- Boldt, G. E. (C) 3919–3922 [3983–3986]
- Bolinger, P.-Y. (C) 5544–5549 [5626–5631]
- Bollermann, T. (C) 9150–9154 [9290–9295]
- Bolm, C.
– Highly Enantioselective Synthesis of Optically Active Ketones by Iridium-Catalyzed Asymmetric Hydrogenation (C) 8920–8923 [9052–9055]
DOI: 10.1002/anie.200803709
- Iron-Catalyzed C–O Cross-Couplings of Phenols with Aryl Iodides (C) 586–588 [596–598]
DOI: 10.1002/anie.200704018
- Iron-Catalyzed S-Arylation of Thiols with Aryl Iodides (C) 2880–2883 [2922–2925]
DOI: 10.1002/anie.200705668
- Iron-Catalyzed Sonogashira Reactions (C) 4862–4865 [4940–4943]
DOI: 10.1002/anie.200801539
- Bolshan, Yu. (C) 2109–2112 [2139–2142]
- Boltalina, O. V.
– C_1 -(C_{84} - $C_{2}(11))$ (CF_3)₁₂: Trifluoromethylation Yields Structural Proof of a Minor C_{84} Cage and Reveals a Principle of Higher Fullerene Reactivity (C) 6204–6207 [6300–6303]
DOI: 10.1002/anie.200801777
- Bolte, M. (C) 593–596 [603–606], 1512–1514 [1535–1537]
- Bolze, F.
– Molecular Engineering of Photoremovable Protecting Groups for Two-Photon Uncaging (C) 9525–9529 [9667–9671]
DOI: 10.1002/anie.200803964
- Bolze, P. (C) 121–125 [127–131]
- Bomans, P. H. H. (C) 8859–8862 [8991–8994]
- Bombis, C. (C) 4406–4410 [4478–4482]
- Bomparola, R. (C) 5812–5815 [5896–5899]
- Bon, R. S. (C) 3747–3750 [3807–3810]
- Bonazzi, S. (C) 7123–7126 [7232–7235]
- Bonchior, M.
– Chiral Strandberg-Type Molybdates [(RPO)₃Mo₅O₁₅]²⁻ as Molecular Gelators: Self-Assembled Fibrillar Nanostructures with Enhanced Optical Activity (C) 7275–7279 [7385–7389]
DOI: 10.1002/anie.200801629
- Bond, A. M. (C) 4384–4387 [4456–4459]
- Bonesi, S. M.
– Biaryl Formation Involving Carbon-Based Leaving Groups: Why Not? (H) 10022–10025 [10172–10175]
DOI: 10.1002/anie.200803777
- Bongers, N. (H) 2178–2181 [2208–2211]
- Bonifazi, D.
– Trimodular Engineering of Linear Supramolecular Miniatures on Ag(111) Surfaces Controlled by Complementary Triple Hydrogen Bonds (C) 7726–7730 [7840–7844]
DOI: 10.1002/anie.200802325
- Bonilla, A. (C) 7913–7917 [8031–8035]
- Bonneau, C. (C) 7868–7871 [7986–7989]
- Bonnesen, P. V. (C) 1866–1870 [1892–1896]
- Bonnet, E. (C) 6888–6891 [6994–6997]
- Bonnette, F. (C) 5390–5393 [5470–5473]
- Bontemps, S. (C) 1481–1484 [1503–1506]
- Booker, C. (C) 7731–7735 [7845–7849]
- Booker-Milburn, K. I.
– Product Selection through Photon Flux: Laser-Specific Lactone Synthesis (C) 2283–2286 [2315–2318]
DOI: 10.1002/anie.200704816
- Boons, G.-J.
– Visualizing Metabolically Labeled Glycoconjugates of Living Cells by Copper-Free and Fast Huisgen Cycloadditions (C) 2253–2255 [2285–2287]
DOI: 10.1002/anie.200705456
- Bootz, F. (C) 3196–3201 [3240–3245]
- Borchert, H. (C) 8946–8949 [9078–9082]
- Bordiga, S. (C) 9269–9273 [9409–9413]
- Bordusa, F.
– D-Amino Acid Specific Proteases and Native All-L-Proteins: A Convenient Combination for Semisynthesis (C) 5456–5460 [5536–5540]
DOI: 10.1002/anie.200800340
- Borgia, A. (C) 6900–6903 [7006–7009]
- Born, B. (C) 6486–6489 [6586–6589]
- Bornemann, H. (C) 4744–4747 [4822–4825]
- Börner, H. G. (C) 5666–5668 [5749–5752]
- Bornmann, L.
– The Effectiveness of the Peer Review Process: Inter-Referee Agreement and Predictive Validity of Manuscript Refereeing at *Angewandte Chemie* (E) 7173–7178 [7285–7290]
DOI: 10.1002/anie.200800513
- Bornscheuer, U. T.
– Complete Inversion of Enantioselectivity towards Acetylated Tertiary Alcohols by a Double Mutant of a *Bacillus Subtilis* Esterase (C) 1508–1511 [1531–1534]
DOI: 10.1002/anie.200704606
- Börsch, M. (C) 974–976 [988–991]
- Borsodi, J. (C) 9274–9278 [9414–9418]
- Bosch, J.
– A Biomimetic Enantioselective Approach to the Decahydroquinoline Class of Dendrobatiad Alkaloids (C) 3348–3351 [3396–3399]
DOI: 10.1002/anie.200705888
- Boshra, R. (C) 1134–1137 [1150–1153]
- Bošković, Ž. V. (C) 10183–10186 [10337–10340]
- Botar, B.
– An All-Inorganic, Stable, and Highly Active Tetraruthenium Homogeneous Catalyst for Water Oxidation (C) 3896–3899 [3960–3963]
DOI: 10.1002/anie.200705652
- Bothe, E. (C) 6384–6387 [6484–6487], 9537–9541 [9680–9684]
- Botoshansky, M. (C) 4343–4345 [4415–4417], 4555–4558 [4631–4634]
- Bottari, G. (C) 2026–2031 [2056–2061]
- Böttcher, T. (C) 4600–4603 [4677–4680]
- Botting, C. H. (C) 5357–5361 [5437–5441], 7853–7856 [7971–7974]
- Boudebous, H. (C) 3461–3463 [3511–3514]
- Boudet, N. (C) 6825–6828 [6931–6934]
- Bouhadir, G. (C) 1481–1484 [1503–1506]
- Boulard, Y. (C) 735–737 [747–749]
- Boulon, M.-E. (C) 8687–8691 [8815–8819]
- Bour, C. (C) 7892–7895 [8010–8013]
- Bourg, J.-B. (C) 155–159 [161–165]
- Bourgoigne, C. (C) 490–495 [500–505], 9525–9529 [9667–9671]
- Bourissou, D.
– Metallaboranes Derived from a Triphosphanyl–Borane: Intrinsic C_3 Symmetry Supported by a Z-Type Ligand (C) 1481–1484 [1503–1506]
DOI: 10.1002/anie.200705024
- Palladium–Oxygen and Palladium–Arene Interactions in Complexes Derived

- from Biaryl Aminocarbenes: Comparison with Biaryl Phosphanes
(C) 2271–2274 [2303–2306]
DOI: 10.1002/anie.200704927
- Bourlès, E. (C) 6888–6891 [6994–6997]
- Bourrelly, S. (C) 6611–6615 [6713–6717]
- Bousseksou, A.
– Towards the Ultimate Size Limit of the Memory Effect in Spin-Crossover Solids
(C) 8236–8240 [8360–8364]
DOI: 10.1002/anie.200802906
- Bowden, N. B.
– Cascade Reactions Using LiAlH_4 and Grignard Reagents in the Presence of Water
(C) 935–939 [949–953]
DOI: 10.1002/anie.200703002
- Bowen, S. (C) 5235–5237 [5313–5315]
- Bower, J. F. (C) 5220–5223 [5298–5301]
- Boyerskikh, V. (C) 5374–5377 [5454–5457]
- Boyd, T. (C) 6881–6884 [6987–6990]
- Boyer, A. (R) 9402–9429 [9542–9570]
- Boyle, P. D. (C) 726–730 [738–742]
- Boyron, O. (C) 9311–9313 [9451–9453]
- Bozhikov, G. A. (C) 3262–3266 [3306–3310]
- Bozhilov, K. N. (C) 5186–5189 [5264–5267]
- Bozonnet, M. (E) 3322–3328 [3368–3374]
- Brachmann, A. O. (C) 1942–1945 [1968–1971]
- Braeckmans, K. (C) 3372–3375 [3420–3423]
- Brammer, L.
– Ligand Substitution within Nonporous Crystals of a Coordination Polymer: Elimination from and Insertion into Ag–O Bonds by Alcohol Molecules in a Solid–Vapor Reaction
(C) 1693–1697 [1717–1721]
DOI: 10.1002/anie.200703194
- Branda, N. R.
– Modulating the Lewis Acidity of Boron Using a Photoswitch
(C) 5034–5037 [5112–5115]
DOI: 10.1002/anie.200800869
- Regulation of Human Carbonic Anhydrase I (hCAI) Activity by Using a Photochromic Inhibitor
(C) 7644–7647 [7756–7759]
DOI: 10.1002/anie.200802242
- Brandhorst, K. (C) 788–792 [800–804]
- Brandt, B. (C) 9289–9293 [9430–9434]
- Brasche, G. (C) 1932–1934 [1958–1960]
- Bräse, S.
– Fluorinating Cleavage of Solid Phase Linkers for Combinatorial Synthesis
(C) 8120–8122 [8240–8242]
DOI: 10.1002/anie.200802126
- Highlights in Steroid Chemistry: Total Synthesis versus Semisynthesis
(H) 9389–9391 [9529–9531]
DOI: 10.1002/anie.200803720
- Brasile, G. (C) 1287–1290 [1307–1310]
- Bratlie, K. M. (C) 8893–8896 [9025–9028]
- Bratton, D. (C) 2042–2045 [2072–2075]
- Braun, T.
– Rhodium Derivatives of Peroxoboronic Acids and Peroxoboric Acid: Formation of Metallatrioxaborolanes from an η^2 -Peroxo Complex
(C) 2954–2958 [2996–3000]
DOI: 10.1002/anie.200705715
- Stepwise Oxygenation of Pinacolborane by a Rhodiumperoxo Complex: Detection of an Intermediate Metal Borate and Perborate
(C) 8867–8871 [8999–9003]
DOI: 10.1002/anie.200803768
- Braunschweig, A. B. (C) 126–130 [132–136]
- Braunschweig, H.
– A Linear, Anionic Dimetalloborylene Complex
(C) 5650–5653 [5732–5735]
DOI: 10.1002/anie.200801848
- B^+ in the Coordination Sphere of Two Transition Metals
(C) 4931–4933 [5009–5011]
DOI: 10.1002/anie.200800533
- Borylene Transfer under Thermal Conditions for the Synthesis of Rhodium and Iridium Borylene Complexes
(C) 5981–5983 [6070–6072]
DOI: 10.1002/anie.200801756
- Intramolecular Activation of a Disila[2]-molybdenocenophanedihydride: Synthesis and Structure of a [1],[1]Metalloareno-phane
(C) 9979–9981 [10127–10129]
DOI: 10.1002/anie.200803223
- Reactivity of a Terminal Chromium Borylene Complex towards Olefins: Insertion of a Borylene into a C–H Bond
(C) 5978–5980 [6067–6069]
DOI: 10.1002/anie.200801579
- Structural Evidence for Antiaromaticity in Free Boroles
(C) 1951–1954 [1977–1980]
DOI: 10.1002/anie.200704771
- Synthesis of a Paramagnetic Polymer by Ring-Opening Polymerization of a Strained [1]Vanadoareno-phane
(C) 3826–3829 [3886–3889]
DOI: 10.1002/anie.200800081
- Braunschweig, H. (C) 4321–4325 [4393–4397]
- Braunstein, P.
– Diphosphinite Ag^{I} and Pd^{II} Dinuclear Complexes as Adaptable Anion Receptors: An Unprecedented Bridging Mode for the PF_6^- Ion
(C) 6856–6859 [6962–6965]
DOI: 10.1002/anie.200801850
- Bravo-Zhivotovskii, D.
– The Synthesis and Isolation of a Metal-Substituted Bis-silene
(C) 4343–4345 [4415–4417]
DOI: 10.1002/anie.200800973
- Bray, T. H. (C) 6252–6254 [6348–6350]
- Brázdilová, P. (C) 2059–2062 [2089–2092]
- Brazel, C. C. (C) 5246–5249 [5324–5327]
- Brechin, E. K.
– $[\text{Mn}_6]$ under Pressure: A Combined Crystallographic and Magnetic Study
(C) 2828–2831 [2870–2873]
DOI: 10.1002/anie.200705819
- Brechin, E. K. (C) 5609–5612 [5691–5694]
- Brecht, V. (C) 7659–7663 [7772–7776]
- Breder, A. (C) 8514–8517 [8642–8645]
- Breen, J. M. (C) 6904–6908 [7010–7014]
- Breinbauer, R. (C) 4421–4424 [4493–4496]
- Breit, B.
– A Supramolecular Catalyst for Regioselective Hydroformylation of Unsaturated Carboxylic Acids
(C) 311–315 [317–321]
DOI: 10.1002/anie.200703192
- A Supramolecular Catalyst for the Decarboxylative Hydroformylation of α,β -Unsaturated Carboxylic Acids
(C) 3946–3949 [4010–4013]
DOI: 10.1002/anie.200800956
- Branched-Regioselective Hydroformylation with Catalytic Amounts of a Reversibly Bound Directing Group
(C) 7346–7349 [7456–7459]
DOI: 10.1002/anie.200802296
- Zinc-Catalyzed Enantiospecific sp^3 – sp^3 Cross-Coupling of α -Hydroxy Ester Triflates with Grignard Reagents
(C) 5451–5455 [5531–5535]
DOI: 10.1002/anie.200800733
- Breitenlechner, S. (C) 7957–7959 [8075–8077]
- Breitling, F.
– Combinatorial Synthesis of Peptide Arrays with a Laser Printer
(C) 7132–7135 [7241–7244]
DOI: 10.1002/anie.200801616
- Bremer, M. A. (C) 1237–1240 [1257–1260]
- Brennan, J. G.
– Intense Near-IR Emission from Nanoscale Lanthanoid Fluoride Clusters
(C) 6049–6051 [6138–6140]
DOI: 10.1002/anie.200801530
- Brent, R. (C) 5327–5330 [5407–5410]
- Bressy, C. (C) 10137–10140 [10291–10294]
- Breu, J.
– A Route to Microporous Materials through Oxidative Pillaring of Micas
(C) 1640–1644 [1664–1668]
DOI: 10.1002/anie.200704790
- Brichacek, M. (C) 9450–9453 [9592–9595]
- Brickmann, J. (C) 4982–4985 [5060–5063]
- Brillas, E. (M) 1998–2005 [2024–2032]
- Brimblecombe, R. (C) 7335–7338 [7445–7448]
- Briquel, R. (C) 9311–9313 [9451–9453]
- Britton, J. D. (C) 8692–8695 [8820–8823]
- Brizard, A. (C) 2063–2066 [2093–2096]
- Brockmann, K. J. (C) 9989–9992 [10138–10142]
- Brodovitch, J.-C. (C) 9772–9774 [9918–9920]
- Broekmann, P. (C) 967–970 [981–984]
- Brook, M. A.
– Rolling Circle Amplification: Applications in Nanotechnology and Biodetection with Functional Nucleic Acids
(M) 6330–6337 [6428–6436]
DOI: 10.1002/anie.200705982
- Brooker, S.
– Mixed Spin-State [HS-LS] Pairs in a Dinuclear Spin-Transition Complex: Confirmation by Variable-Temperature ^{57}Fe Mössbauer Spectroscopy
(C) 2997–2999 [3039–3041]
DOI: 10.1002/anie.200705778
- Brookhart, M.
– Structural and Spectroscopic Characterization of an Unprecedented Cationic Transition-Metal η^1 -Silane Complex
(C) 4141–4143 [4209–4211]
DOI: 10.1002/anie.200705359
- Bröring, M.
– Norcorrole: Observation of the Smallest Porphyrin Variant with a N_4 Core
(C) 5658–5660 [5740–5743]
DOI: 10.1002/anie.200801196
- Brown, D. F. J. (C) 2808–2812 [2850–2854]
- Brown, J. M.
– Catalytic Amide-Mediated Methyl Transfer from Silanes to Alkenes in Fujiwara–Moritani Oxidative Coupling
(C) 4228–4230 [4296–4298]
DOI: 10.1002/anie.200800815
- Brown, M. K. (C) 7358–7362 [7468–7472]

- Brozik, S. M.
– Electrically Addressable Cell Immobilization Using Phenylboronic Acid Diazonium Salts (C) 2631–2634 [2671–2674]
DOI: 10.1002/anie.200704597
- Bruce, D. W.
– Phosphorescent, Terdentate, Liquid-Crystalline Complexes of Platinum(II): Stimulus-Dependent Emission (C) 6286–6289 [6382–6385]
DOI: 10.1002/anie.200802101
- Bruce, P. G.
– α -MnO₂ Nanowires: A Catalyst for the O₂ Electrode in Rechargeable Lithium Batteries (C) 4521–4524 [4597–4600]
DOI: 10.1002/anie.200705648
– Nanomaterials for Rechargeable Lithium Batteries (R) 2930–2946 [2972–2989]
DOI: 10.1002/anie.200702505
– Synthesis of Ordered Mesoporous Li–Mn–O Spinel as a Positive Electrode for Rechargeable Lithium Batteries (C) 9711–9716 [9857–9862]
DOI: 10.1002/anie.200803431
- Brückner, R.
– Total Synthesis of Naturally Configured Pyrroloxanthin, a Carotenoid Butenolide from Plankton (C) 7664–7668 [7777–7782]
DOI: 10.1002/anie.200801638
- Brueggen, J. (C) 2595–2599 [2633–2637]
- Brunelli, M. (C) 1693–1697 [1717–1721]
- Brunet, V. A. (H) 1179–1182 [1198–1201]
- Bruntner, C. (C) 3258–3261 [3302–3305]
- Brust, M. (C) 1861–1865 [1887–1891]
- Brustad, E. (C) 8220–8223 [8344–8347]
- Brutschy, B.
– Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Condensed Phase and in Supersonic Jets (C) 6037–6040 [6126–6129]
DOI: 10.1002/anie.200801350
- Bryant, C. (C) 2808–2812 [2850–2854]
- Bryant, D. E. (C) 7918–7920 [8036–8038]
- Bryce, D. L.
– Application of Ultrahigh-Field ⁵⁹Co Solid-State NMR Spectroscopy in the Investigation of the 1,2-Polybutadiene Catalyst [Co(C₈H₁₃)(C₄H₆)] (C) 3454–3457 [3503–3507]
DOI: 10.1002/anie.200705204
- Brynda, M. (C) 9115–9117 [9255–9257]
- Bu, W. (C) 902–905 [916–919]
- Bu, X.
– Multiple Functions of Ionic Liquids in the Synthesis of Three-Dimensional Low-Connectivity Homochiral and Achiral Frameworks (C) 5434–5437 [5514–5517]
DOI: 10.1002/anie.200801838
- Bu, X. (C) 113–116 [119–122]
- Bubnov, V. P. (C) 6204–6207 [6300–6303]
- Buccella, D. (C) 2982–2985 [3024–3027]
- Buch, F. (C) 9434–9438 [9576–9580]
- Bucher, G.
– Hydroxycarbene: Watching a Molecular Mole at Work (H) 6957–6958 [7064–7065]
DOI: 10.1002/anie.200803195
- Buchgraber, P. (C) 8450–8454 [8578–8582]
- Buchini, S. (C) 2700–2703 [2740–2743]
- Buchmeiser, M. R.
– Alternating Copolymerizations Using a Grubbs-Type Initiator with an Unsymmetrical, Chiral N-Heterocyclic Carbene Ligand (C) 2615–2618 [2655–2658]
DOI: 10.1002/anie.200704822
– Cationic Ru^{II} Complexes with N-Heterocyclic Carbene Ligands for UV-Induced Ring-Opening Metathesis Polymerization (C) 3267–3270 [3311–3314]
DOI: 10.1002/anie.200705220
– Monolithic Polymers for Cell Cultivation, Differentiation, and Tissue Engineering (C) 9138–9141 [9278–9281]
DOI: 10.1002/anie.200801872
- Buchwald, S. L.
– A General and Efficient Method for the Suzuki–Miyaura Coupling of 2-Pyridyl Nucleophiles (C) 4695–4698 [4773–4776]
DOI: 10.1002/anie.200801465
– Asymmetric Palladium-Catalyzed Intramolecular α -Arylation of Aldehydes (C) 8108–8111 [8228–8231]
DOI: 10.1002/anie.200803809
– Biaryl Phosphate Ligands in Palladium-Catalyzed Amination (R) 6338–6361 [6438–6461]
DOI: 10.1002/anie.200800497
– C–H Functionalization/C–N Bond Formation: Copper-Catalyzed Synthesis of Benzimidazoles from Amidines (C) 1932–1934 [1958–1960]
DOI: 10.1002/anie.200705420
– Palladium-Catalyzed γ -Arylation of β,γ -Unsaturated Ketones: Application to a One-Pot Synthesis of Tricyclic Indolines (C) 177–180 [183–186]
DOI: 10.1002/anie.200704529
- Buckel, W.
– The Complete Stereochemistry of the Enzymatic Dehydration of 4-Hydroxybutyryl Coenzyme A to Crotonyl Coenzyme A (C) 3254–3257 [3298–3301]
DOI: 10.1002/anie.200705473
- Buckl, A. (C) 4512–4515 [4588–4591]
- Buder, J. (C) 8280–8284 [8404–8408]
- Budynina, E. M. (C) 1107–1110 [1123–1126]
- Buffet, J.-C. (C) 6033–6036 [6122–6125]
- Bugaut, A. (C) 2677–2680 [2717–2720]
- Buhro, W. E.
– The Use of Single-Source Precursors for the Solution–Liquid–Solid Growth of Metal Sulfide Semiconductor Nanowires (C) 3215–3218 [3259–3262]
DOI: 10.1002/anie.200705142
- Bui, J. M. (C) 7267–7269 [7377–7379]
- Bukhtiyarov, V. I. (C) 1492–1495 [1514–1517]
- Bukowski, M. R. (C) 1896–1899 [1922–1925]
- Bulic, B. (C) 4679–4682 [4757–4760]
- Buller, F. (C) 3196–3201 [3240–3245]
- Bultman, M. S. (C) 6821–6824 [6927–6930]
- Buma, W. J.
– Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Condensed Phase and in Supersonic Jets (C) 6037–6040 [6126–6129]
DOI: 10.1002/anie.200801350
– Shaping of a Conformationally Flexible Molecular Structure for Spectroscopy (C) 3174–3179 [3218–3223]
DOI: 10.1002/anie.200705627
- Bundle, D. R.
– An Entropically Efficient Supramolecular Inhibition Strategy for Shiga Toxins (C) 672–676 [684–688]
DOI: 10.1002/anie.200704064
- Buntin, K. (C) 2308–2311 [2341–2344], 4595–4599 [4671–4676]
- Buntkowsky, G. (C) 2074–2078 [2104–2108]
- Bunz, U. H. F.
– Rapid and Efficient Identification of Bacteria Using Gold-Nanoparticle–Poly(*para*-phenyleneethynylene) Constructs (C) 2590–2594 [2628–2632]
DOI: 10.1002/anie.200703369
- Burchell, T. J. (C) 5816–5819 [5900–5903], 8848–8851 [8980–8983], 9717–9721 [9863–9867]
- Burda, E. (C) 9551–9554 [9693–9696]
- Bureekaew, S. (C) 3403–3406 [3451–3454]
- Burgard, M. D. (C) 1693–1697 [1717–1721]
- Burghard, M.
– A Freight Train of Nanotubes for Cargo Transport on the Nanoscale (H) 8565–8566 [8694–8695]
DOI: 10.1002/anie.200803021
- Burghart, J. (C) 7664–7668 [7777–7782]
- Burkholder, E. (C) 5609–5612 [5691–5694]
- Burlat, B. (C) 2052–2054 [2082–2084]
- Burns, N. Z. (C) 205–208 [211–215]
- Burns, P. C.
– Metal–Oxygen Isopolyhedra Assembled into Fullerene Topologies (C) 2824–2827 [2866–2869]
DOI: 10.1002/anie.200705563
– The Structure of the Plutonium Oxide Nanocluster [Pu₃₈O₅₆Cl₅₄(H₂O)₈]^{14–} (C) 298–302 [304–308]
DOI: 10.1002/anie.200704420
- Burrell, A. K. (C) 5768–5771 [5852–5855], 7332–7334 [7442–7444]
- Burrows, A. D.
– Post-Synthetic Modification of Tagged Metal–Organic Frameworks (C) 8482–8486 [8610–8614]
DOI: 10.1002/anie.200802908
- Bury, W. (C) 573–576 [583–586]
- Burzler, M. (C) 4321–4325 [4393–4397], 5650–5653 [5732–5735]
- Busalmen, J. P.
– C-Type Cytochromes Wire Electricity-Producing Bacteria to Electrodes (C) 4874–4877 [4952–4955]
DOI: 10.1002/anie.200801310
- Buschiazio, A. (C) 2700–2703 [2740–2743]
- Bush, K. J. (C) 9104–9107 [9244–9247]
- Bushey, M. L. (C) 8220–8223 [8344–8347]
- Busker, M. (C) 10094–10097 [10248–10251]
- Busse, C. (C) 4406–4410 [4478–4482]
- Bussi, G. (C) 3536–3539 [3592–3595]
- Butcher, D. R. (C) 8893–8896 [9025–9028]
- Butenschön, H.
– Oxazaborolidines as Catalysts for Enantioselective Cycloadditions: Now [2 + 2]! (H) 3492–3495 [3544–3547]
DOI: 10.1002/anie.200800574
– Seven-Membered Rings by Cyclization at Transition Metals: [4 + 3], [3 + 2 + 2], [5 + 2] (H) 5287–5290 [5367–5370]
DOI: 10.1002/anie.200801738
- Buth, G. (C) 5079–5081 [5157–5159]
- Butovskii, M. V. (C) 6469–6472 [6569–6572]
- Butt, H.-J. (C) 4707–4710 [4785–4788]



- Butti, P. (C) 4878–4881 [4956–4959]
 Büttner, T. (C) 3245–3249 [3289–3293]
 Buttrey, D. J.
 – Direct Imaging of the MoVTNbO M1 Phase Using An Aberration-Corrected High-Resolution Scanning Transmission Electron Microscope (C) 2788–2791 [2830–2833]
 DOI: 10.1002/anie.200705700
 Buzdygon, R. S. (C) 5232–5234 [5310–5312]
 Byrne, C. M. (C) 3979–3983 [4043–4047]
 Byrne, P. (C) 1058–1062 [1074–1078], 5761–5764 [5845–5848]
 Cabedo, N. (C) 5060–5062 [5138–5140]
 Cabeza, J. A.
 – From an *N*-Methyl *N*-Heterocyclic Carbene to Carbyne and Carbide Ligands via Multiple C–H and C–N Bond Activations (C) 1920–1922 [1946–1948]
 DOI: 10.1002/anie.200705154
 Cabrera, S. (C) 121–125 [127–131]
 Cadalbert, R. (C) 5842–5845 [5926–5929]
 Cadamuro, S. A. (C) 2143–2146 [2174–2177]
 Cademartiri, L. (C) 3814–3817 [3874–3877]
 Cadenbach, T. (C) 3438–3441 [3487–3490], 9146–9149 [9286–9289], 9150–9154 [9290–9295]
 Cador, O. (C) 8687–8691 [8815–8819]
 Cadot, E. (C) 1465–1468 [1487–1490]
 Caemmerer, S. B. (C) 3787–3790 [3847–3850]
 Cahová, H. (C) 2059–2062 [2089–2092]
 Cai, K.
 – Cell-Specific Gene Transfection from a Gene-Functionalized Poly(D,L-lactic acid) Substrate Fabricated by the Layer-by-Layer Assembly Technique (C) 7479–7481 [7589–7591]
 DOI: 10.1002/anie.200800412
 Cai, R. (C) 525–528 [535–538]
 Cai, S. (C) 5573–5576 [5655–5658]
 Cai, Yan (C) 932–934 [946–948]
 Cai, Ye (C) 7921–7923 [8039–8041]
 Cai, Z.-p. (C) 746–749 [758–761]
 Caillat, T. (C) 8618–8622 [8746–8750]
 Coleman, C. (C) 1417–1420 [1439–1442]
 Calle, C. (C) 2600–2603 [2638–2642]
 Calmettes, B.
 – Bicomponent Supramolecular Packing in Flexible Phthalocyanine Networks (C) 6994–6998 [7102–7106]
 DOI: 10.1002/anie.200802628
 Calvo, F. (C) 8207–8210 [8329–8333]
 Camaioni, D. M. (C) 7493–7496 [7603–7606]
 Camargo, P. H. C. (C) 9653–9656 [9799–9802]
 Camerel, F. (C) 8876–8880 [9008–9012]
 Cameron, N. R.
 – Organogelation of Sheet–Helix Diblock Copolypeptides (C) 5160–5162 [5238–5240]
 DOI: 10.1002/anie.200801056
 Cammarata, M. (C) 1047–1050 [1063–1066]
 Campaña, A. G. (C) 7515–7519 [7625–7629]
 Campana, C. F. (C) 556–559 [566–569]
 Campbell, A. N. (C) 6011–6014 [6100–6103]
 Campbell, N. L. Corrigendum: 1167
 Campo, J. (C) 1857–1860 [1883–1886]
 Candelaesi, M. (C) 8033–8035 [8153–8155]
 Candini, A. (C) 9695–9699 [9841–9845]
 Cangussu, D. (C) 4211–4216 [4279–4284]
 Cano, J. (C) 4211–4216 [4279–4284]
 Cantrill, S. J. (C) 7470–7474 [7580–7584]
 Cao, G.
 – Aggregation of ZnO Nanocrystallites for High Conversion Efficiency in Dye-Sensitized Solar Cells (C) 2402–2406 [2436–2440]
 DOI: 10.1002/anie.200704919
 Cao, R. (L) 9380–9382 [9520–9522]
 Cao, Y.
 – Ga–Al Mixed-Oxide-Supported Gold Nanoparticles with Enhanced Activity for Aerobic Alcohol Oxidation (C) 334–337 [340–343]
 DOI: 10.1002/anie.200704370
 Cao, Y. C.
 – Controlling Colloidal Superparticle Growth Through Solvophobic Interactions (C) 2208–2212 [2240–2244]
 DOI: 10.1002/anie.200705049
 – Synthesis of Metal–Selenide Nanocrystals Using Selenium Dioxide as the Selenium Precursor (C) 8638–8641 [8766–8769]
 DOI: 10.1002/anie.200804266
 – Water-Soluble Nanocrystals Through Dual-Interaction Ligands (C) 3730–3734 [3790–3794]
 DOI: 10.1002/anie.200800434
 Caporali, M. (C) 3766–3768 [3826–3828]
 Captain, B. (M) 252–257 [258–263], (C) 9708–9710 [9854–9856]
 Caravan, P.
 – Monovalent and Bivalent Fibrin-specific MRI Contrast Agents for Detection of Thrombus (C) 4918–4921 [4996–4999]
 DOI: 10.1002/anie.200800563
 Cárdenas, D. J. (C) 7892–7895 [8010–8013]
 Cardona, C. M. (C) 4173–4176 [4241–4244]
 Cardona, L. (C) 5593–5596 [5675–5678]
 Cardoso-Gil, R. (C) 8280–8284 [8404–8408]
 Carell, T.
 – Click–Click–Click: Single to Triple Modification of DNA (C) 3442–3444 [3491–3493]
 DOI: 10.1002/anie.200705664
 – Crystal Structure and Mechanism of a DNA (6-4) Photolyase (C) 10076–10080 [10230–10234]
 DOI: 10.1002/anie.200804268
 – Postsynthetic DNA Modification through the Copper-Catalyzed Azide–Alkyne Cycloaddition Reaction (M) 8350–8358 [8478–8487]
 DOI: 10.1002/anie.200802077
 – Selective Detection of 5-Methylcytosine Sites in DNA (C) 181–184 [187–190]
 DOI: 10.1002/anie.200702159
 – Synthesis of DNA Dumbbell Based Inhibitors for the Human DNA Methyltransferase Dnmt1 (C) 1515–1518 [1538–1541]
 DOI: 10.1002/anie.200702055
 Carlomagno, T.
 – Crystallography-Independent Determination of Ligand Binding Modes (C) 7736–7740 [7850–7854]
 DOI: 10.1002/anie.200801792
 – Simultaneous Determination of the Conformation and Relative Configuration of Archazolid A by Using Nuclear Overhauser Effects, *J* Couplings, and Residual Dipolar Couplings (C) 3722–3726 [3782–3786]
 DOI: 10.1002/anie.200800225
 Carlone, A. (R) 6138–6171 [6232–6265], (C) 8700–8702 [8828–8830]
 Carlos, L. D. (C) 1080–1083 [1096–1099]
 Carmona, E.
 – Direct Bonds Between Metal Atoms: Zn, Cd, and Hg Compounds with Metal–Metal Bonds (M) 6526–6536 [6626–6637]
 DOI: 10.1002/anie.200704568
 – Monodentate, *N*-Heterocyclic Carbene-Type Coordination of 2,2'-Bipyridine and 1,10-Phenanthroline to Iridium (C) 4380–4383 [4452–4455]
 DOI: 10.1002/anie.200800705
 Carnes, M. (C) 2982–2985 [3024–3027]
 Caro, J. (C) 9341–9344 [9481–9484]
 Carp, R. (C) 8442–8445 [8570–8573]
 Carpenter, J. (C) 3568–3572 [3624–3628]
 Carpenter, R. D. (C) 6407–6410 [6507–6510]
 Carraro, M.
 – Chiral Strandberg-Type Molybdates [(RPO₃)₂Mo₅O₁₅]²⁻ as Molecular Gelators: Self-Assembled Fibrillar Nanostructures with Enhanced Optical Activity (C) 7275–7279 [7385–7389]
 DOI: 10.1002/anie.200801629
 Carreira, E. M.
 – Catalytic Hydrochlorination of Unactivated Olefins with *para*-Toluenesulfonyl Chloride (C) 5758–5760 [5842–5844]
 DOI: 10.1002/anie.200801760
 – Chiral Olefins as Steering Ligands in Asymmetric Catalysis (R) 4482–4502 [4558–4579]
 DOI: 10.1002/anie.200703612
 – Enantioselective Synthesis of the Carbocyclic D-Ring Subunit of Massadine (C) 8514–8517 [8642–8645]
 DOI: 10.1002/anie.200803284
 – Enantioselective Synthesis of the Core of Banyaside, Suomilide, and Spumigin HKVV (C) 8852–8855 [8984–8987]
 DOI: 10.1002/anie.200803655
 – Spirocyclic Oxetanes: Synthesis and Properties (C) 4512–4515 [4588–4591]
 DOI: 10.1002/anie.200800450
 – Synthesis and Biological Studies of 35-Deoxy Amphotericin B Methyl Ester (C) 4339–4342 [4411–4414]
 DOI: 10.1002/anie.200800590
 – Synthesis of 35-Deoxy Amphotericin B Methyl Ester: A Strategy for Molecular Editing (C) 4335–4338 [4407–4410]
 DOI: 10.1002/anie.200800589
 Carrella, L. M. (C) 6208–6211 [6304–6307]
 Carril, M. (C) 2880–2883 [2922–2925], 4862–4865 [4940–4943]
 Carrillo-Cabrera, W. (C) 8280–8284 [8404–8408]
 Carroll, S. S. (C) 9104–9107 [9244–9247]
 Carter, E. (C) 1414–1416 [1436–1438]

- Carter, L. G. (C) 7853–7856 [7971–7974]
Carter III, R. O. (C) 882–887 [896–901]
Casado, J.
– Raman Detection of “Ambiguous” Conjugated Biradicals: Rapid Thermal Singlet-to-Triplet Intersystem Crossing in an Extended Viologen
(C) 1443–1446 [1465–1468]
DOI: 10.1002/anie.200704398
- Casey, W. H.
– Distinctly Different Reactivities of Two Similar Polyoxoniobates with Hydrogen Peroxide
(C) 8251–8254 [8375–8378]
DOI: 10.1002/anie.200803688
- Reaction Dynamics of the Decaniobate Ion $[H_2Nb_{10}O_{28}]^{6-}$ in Water
(C) 4844–4846 [4922–4924]
DOI: 10.1002/anie.200801125
- The $[Ti_{12}Nb_6O_{44}]^{10-}$ Ion—A New Type of Polyoxometalate Structure
(C) 5634–5636 [5716–5718]
DOI: 10.1002/anie.200801883
- Cassaignon, S.
– A Core–Corona Hierarchical Manganese Oxide and its Formation by an Aqueous Soft Chemistry Mechanism
(C) 6441–6444 [6541–6544]
DOI: 10.1002/anie.200800331
- Cassol, C. C. (C) 151–154 [157–160]
Castedo, L. (C) 951–954 [965–968]
Castelli, R. (C) 8215–8219 [8338–8343]
Castet, F. Corrigendum: 628
Catalán, S. (C) 7941–7944 [8059–8062]
Catellani, M. (C) 3223–3226 [3267–3270]
Caton-Williams, J. (C) 1723–1725 [1747–1749]
Caulton, K. G.
– $[Ni(N(SiMe_2CH_2PrBu_3)_3)]^+$: Direct Observation of Transannular Si–C(sp³) Bond Coordination
(C) 9112–9114 [9252–9254]
DOI: 10.1002/anie.200802654
- Cavalli, A.
– Identification of Aggregation-Prone Elements by Using Interaction-Energy Matrices
(C) 7267–7269 [7377–7379]
DOI: 10.1002/anie.200802345
- Cavallini, M.
– Micro- and Nanopatterning of Spin-Transition Compounds into Logical Structures
(C) 8596–8600 [8724–8728]
DOI: 10.1002/anie.200802085
- Cavallo, L.
– Golden Carousel in Catalysis: The Cationic Gold/Propargylic Ester Cycle
(C) 718–721 [730–733]
DOI: 10.1002/anie.200703769
- Cebulla, M. P. J. (C) 3626–3630 [3682–3686]
Ceccon, A.
– Synthesis of the Prototypical Cyclic Metallocene Triad: Mixed-Valence Properties of $[(FeCp)_3(trindenyl)]$ Isomers
(C) 5331–5334 [5411–5414]
DOI: 10.1002/anie.200801124
- Çelebi-Ölçüm, N. (M) 7592–7601 [7704–7713]
Cereghetti, D. M. (C) 4335–4338 [4407–4410]
Ceretti, M. (C) 5740–5745 [5824–5829]
Cernak, T. A. (C) 8885–8888 [9017–9020]
Ceroni, P.
– Self-Assembly of a Light-Harvesting Antenna Formed by a Dendrimer, a Ru^{II} Complex, and a Nd^{III} Ion
(C) 5422–5425 [5502–5505]
DOI: 10.1002/anie.200801334
- Ceylan, S. (C) 8950–8953 [9083–9086]
Cha, E.-J. (C) 2804–2807 [2846–2849]
Chai, G. (C) 6045–6048 [6134–6137]
Chakrabarti, M. (C) 1896–1899 [1922–1925]
Chakrabarti, S. (C) 5446–5450 [5526–5530]
Chakrabarty, R. (C) 8455–8459 [8583–8587]
Chalker, J. M. (C) 2244–2247 [2276–2279]
Champouret, Y. (C) 6069–6072 [6158–6161]
Chan, A. S. C.
– Hydrogenation of Quinolines Using a Recyclable Phosphine-Free Chiral Cationic Ruthenium Catalyst: Enhancement of Catalyst Stability and Selectivity in an Ionic Liquid
(C) 8464–8467 [8592–8595]
DOI: 10.1002/anie.200802237
- Palladium–(*S*,*R*)-FerroNPS-Catalyzed Asymmetric Allylic Etherification: Electronic Effect of Nonconjugated Substituents on Benzylic Alcohols on Enantioselectivity
(C) 1280–1283 [1300–1303]
DOI: 10.1002/anie.200703955
- Chan, E. W. L. (C) 6267–6271 [6363–6367]
Chan, F.-Y. (C) 3735–3739 [3795–3799]
Chan, H.-S. (C) 9447–9449 [9589–9591]
Chan, M.-C. (C) 6912–6916 [7018–7022]
Chan, P. W. H.
– Highly Efficient Ruthenium(II) Porphyrin Catalyzed Amidation of Aldehydes
(C) 1138–1140 [1154–1156]
DOI: 10.1002/anie.200704695
- Chan, S. L.-F. (C) 9747–9751 [9893–9897]
Chan, V. S. (C) 3755–3758 [3815–3818]
Chan, W. C. W.
– Facile and Rapid One-Step Mass Preparation of Quantum-Dot Barcodes
(C) 5577–5581 [5659–5663]
DOI: 10.1002/anie.200800409
- Chanana, M. (C) 320–323 [326–329]
Chandrasekar, R. (C) 8596–8600 [8724–8728], 8835–8838 [8967–8970]
Chang, C.-F. (C) 4542–4545 [4618–4621]
Chang, C.-H. (C) 4542–4545 [4618–4621]
Chang, C.-L. (C) 1051–1053 [1067–1069]
Chang, J.-S.
– Amine Grafting on Coordinatively Unsaturated Metal Centers of MOFs: Consequences for Catalysis and Metal Encapsulation
(C) 4144–4148 [4212–4216]
DOI: 10.1002/anie.200705998
- Chang, J. W. W. (C) 1138–1140 [1154–1156]
Chang, L. (C) 7079–7081 [7187–7189]
Chang, M.-H. (C) 4993–4996 [5071–5074]
Chang, S.
– Room Temperature Copper-Catalyzed 2-Functionalization of Pyrrole Rings by a Three-Component Coupling Reaction
(C) 2836–2839 [2878–2881]
DOI: 10.1002/anie.200705940
- Chang, Y. (C) 6259–6262 [6355–6358]
Chang, Y.-T. (C) 9891–9894 [10039–10042]
Chao, J. (C) 3976–3978 [4040–4042]
Chapman, K. W. (C) 8929–8932 [9061–9064]
Chardon-Noblat, S. (C) 715–717 [727–729]
Charette, A. B.
– *trans*-Directing Ability of Amide Groups in Cyclopropanation: Application to the Asymmetric Cyclopropanation of Alkenes with Diazo Reagents Bearing Two Carboxy Groups
(C) 10155–10158 [10309–10312]
DOI: 10.1002/anie.200804586
- Charra, F.
– Periodic Positioning of Multilayered [2.2]Paracyclophane-Based Nanopillars
(C) 8412–8415 [8540–8543]
DOI: 10.1002/anie.200801335
- Charrier, N. (C) 9443–9446 [9585–9588]
Chartres, J. (C) 1745–1748 [1769–1772]
Chase, P. A. (C) 7433–7437 [7543–7547]
Chassaing, S. (C) 3552–3555 [3608–3611]
Chatani, N.
– Nickel-Catalyzed Cross-Coupling of Aryl Methyl Ethers with Aryl Boronic Esters
(C) 4866–4869 [4944–4947]
DOI: 10.1002/anie.200801447
- Chatterjee, J. (C) 2595–2599 [2633–2637]
Chatterjee, S. (C) 6430–6432 [6530–6532]
Chaudhary, A. (C) 7332–7334 [7442–7444]
Chaudret, B.
– Reactions of Olefins with Ruthenium Hydride Nanoparticles: NMR Characterization, Hydride Titration, and Room-Temperature C–C Bond Activation
(C) 2074–2078 [2104–2108]
DOI: 10.1002/anie.200704763
- Chauvin, T. (C) 4370–4372 [4442–4444]
Chavez, D. E.
– Synthesis of an Energetic Nitrate Ester
(C) 8307–8309 [8431–8433]
DOI: 10.1002/anie.200803648
- Chavez, L. (C) 4316–4320 [4388–4392]
Che, C.-M.
– A Highly Efficient and Selective Au^I-Catalyzed Tandem Synthesis of Diversely Substituted Pyrrolo[1,2-*a*]quinolines in Aqueous Media
(C) 3805–3810 [3865–3870]
DOI: 10.1002/anie.200800160
- A Submicrometer Wire-to-Wheel Metamorphism of Hybrid Tridentate Cyclometalated Platinum(II) Complexes
(C) 4568–4572 [4644–4648]
DOI: 10.1002/anie.200704450
- Highly Selective Metal Catalysts for Intermolecular Carbenoid Insertion into Primary C–H Bonds and Enantioselective C–C Bond Formation
(C) 9747–9751 [9893–9897]
DOI: 10.1002/anie.200803157
- Ruthenium Porphyrin-Catalyzed Aerobic Oxidation of Terminal Aryl Alkenes to Aldehydes by a Tandem Epoxidation–Isomerization Pathway
(C) 6638–6642 [6740–6744]
DOI: 10.1002/anie.200801500
- Semiconducting and Electroluminescent Nanowires Self-Assembled from Organoplatinum(II) Complexes
(C) 9895–9899 [10043–10047]
DOI: 10.1002/anie.200802981
- Cheah, K.-W. (C) 9685–9690 [9831–9836]
Cheetham, A. K.
– Comparison of Chiral and Racemic Forms of Zinc Cyclohexane *trans*-1,2-Dicarboxylate Frameworks: A Structural, Computational, and Calorimetric Study
(C) 8634–8637 [8762–8765]
DOI: 10.1002/anie.200802564
- Cheglakov, Z. (C) 126–130 [132–136]
Chelucci, G. (C) 4362–4365 [4434–4437]
Chen, A. (C) 4729–4732 [4807–4810]
Chen, C.-C. (C) 4542–4545 [4618–4621]

- Chen, C.-y.
– Expanding the [1,2]-Aryl Migration to the Synthesis of Substituted Indoles (C) 4231–4233 [4299–4301]
DOI: 10.1002/anie.200705804
- Chen, C.-Y. (C) 7342–7345 [7452–7455]
- Chen, Chao (C) 932–934 [946–948]
- Chen, Chih-Hsin (C) 581–585 [591–595]
- Chen, Chong (C) 6414–6417 [6514–6517]
- Chen, Chun-Hsing (C) 1481–1484 [1503–1506]
- Chen, Chuncheng (C) 9730–9733 [9876–9879]
- Chen, D. Y.-K.
– A Chiral Pool Based Synthesis of Platensimycin (C) 944–946 [958–960]
DOI: 10.1002/anie.200705080
- An Expedient Strategy for the Synthesis of Tryptamines and Other Heterocycles (C) 4217–4220 [4285–4288]
DOI: 10.1002/anie.200800404
- Total Synthesis of (+)-Cortistatin A (C) 7310–7313 [7420–7423]
DOI: 10.1002/anie.200803550
- Chen, Daoyong
– Nanoscale Tubular and Sheetlike Superstructures from Hierarchical Self-Assembly of Polymeric Janus Particles (C) 10171–10174 [10325–10328]
DOI: 10.1002/anie.200803315
- Chen, Dianjun (C) 7339–7341 [7449–7451]
- Chen, F. Y. (C) 7350–7353 [7460–7463]
- Chen, G. (C) 7009–7012 [7117–7120]
- Chen, Hao (C) 3422–3425 [3470–3473]
- Chen, Hongyun (C) 2466–2469 [2500–2503]
- Chen, Hua
– Heterogeneous Enantioselective Hydrogenation of Aromatic Ketones Catalyzed by Cinchona- and Phosphine-Modified Iridium Catalysts (C) 9240–9244 [9380–9384]
DOI: 10.1002/anie.200801809
- Chen, Hua (C) 10179–10182 [10333–10336]
- Chen, Huanjun (C) 9685–9690 [9831–9836]
- Chen, J. G.
– Direct Catalytic Conversion of Cellulose into Ethylene Glycol Using Nickel-Promoted Tungsten Carbide Catalysts (C) 8510–8513 [8638–8641]
DOI: 10.1002/anie.200803233
- Chen, J.-G. (C) 7342–7345 [7452–7455]
- Chen, J.-R. (C) 2489–2492 [2523–2526]
- Chen, J. S. (C) 185–189 [191–195]
- Chen, J.-Y.
– Ordered Gold Nanostructure Assemblies Formed By Droplet Evaporation (C) 9685–9690 [9831–9836]
DOI: 10.1002/anie.200803642
- Chen, Jian (C) 6638–6642 [6740–6744]
- Chen, Jin (C) 8521–8524 [8649–8652]
- Chen, L.-Y. (C) 581–585 [591–595]
- Chen, M.-L. (C) 8627–8630 [8755–8758]
- Chen, Mao (C) 2279–2282 [2311–2314]
- Chen, Mingli (C) 7909–7912 [8027–8030]
- Chen, N.-C. (C) 7475–7478 [7585–7588]
- Chen, O. (C) 8638–8641 [8766–8769]
- Chen, P.
– Mechanical-Force-Induced Nucleation and Growth of Peptide Nanofibers at Liquid/Solid Interfaces (C) 4397–4400 [4469–4472]
DOI: 10.1002/anie.200705404
- Chen, P.-C. (C) 9469–9471 [9611–9613]
- Chen, S.-P. (C) 9100–9103 [9240–9243]
- Chen, S.-Y. (C) 8897–8900 [9029–9032]
- Chen, Senlin (C) 9049–9052 [9189–9192]
- Chen, Shengfu (C) 8831–8834 [8963–8966]
- Chen, Shumei (C) 5434–5437 [5514–5517]
- Chen, W.
– Microbial Synthesis of CdS Nanocrystals in Genetically Engineered *E. coli* (C) 5186–5189 [5264–5267]
DOI: 10.1002/anie.200705806
- Chen, W.-X. (C) 2398–2401 [2432–2435]
- Chen, Xi
– Reversible Optical Sensor Strip for Oxygen (C) 7450–7453 [7560–7563]
DOI: 10.1002/anie.200801733
- Chen, Xi (C) 5353–5356 [5433–5436]
- Chen, Xian (C) 8638–8641 [8766–8769]
- Chen, Xing (C) 5022–5025 [5100–5103]
- Chen, Y.-C.
– Organocatalytic Asymmetric Inverse-Electron-Demand Aza-Diels–Alder Reaction of *N*-Sulfonyl-1-aza-1,3-butadienes and Aldehydes (C) 9971–9974 [10119–10122]
DOI: 10.1002/anie.200804183
- Chen, Y.-H. (C) 7648–7651 [7760–7763]
- Chen, Y.-W. (C) 10133–10136 [10287–10290]
- Chen, Y.-X. (C) 9330–9333 [9470–9473]
- Chen, Yaofeng
– An ansa-Heteroborabenzene Divalent Lanthanide Amide through C–H Bond Cleavage (C) 9944–9947 [10092–10095]
DOI: 10.1002/anie.200803581
- Chen, Yong (C) 7293–7296 [7403–7406]
- Chen, Yulan (C) 6015–6018 [6104–6107]
- Chen, Z. (C) 525–528 [535–538]
- Cheng, C.-H.
– Regioselective Synthesis of γ -Amino Esters, Nitriles, Sulfones, and Pyrrolidones by Nickel-Catalyzed Reductive Coupling of Aldimines and Activated Alkenes (C) 4892–4895 [4970–4973]
DOI: 10.1002/anie.200800825
- Synthesis of Fluorenones from Aromatic Aldoxime Ethers and Aryl Halides by Palladium-Catalyzed Dual C–H Activation and Heck Cyclization (C) 9462–9465 [9604–9607]
DOI: 10.1002/anie.200804153
- Cheng, E. C.-C. (C) 4551–4554 [4627–4630]
- Cheng, G. (C) 8831–8834 [8963–8966]
- Cheng, H.-M.
– 3D Aperiodic Hierarchical Porous Graphitic Carbon Material for High-Rate Electrochemical Capacitive Energy Storage (C) 373–376 [379–382]
DOI: 10.1002/anie.200702721
- Synergistic Effects of B/N Doping on the Visible-Light Photocatalytic Activity of Mesoporous TiO₂ (C) 4516–4520 Corrigendum: 5277 [4592–4596 Corrigendum: 5357]
DOI: 10.1002/anie.200705633
- Cheng, I. (C) 331–333 [337–339]
- Cheng, Jianhua (C) 4910–4913 [4988–4991]
- Cheng, Jianjun
– Paclitaxel-Initiated, Controlled Polymerization of Lactide for the Formulation of Polymeric Nanoparticulate Delivery Vehicles (C) 4830–4834 [4908–4912]
DOI: 10.1002/anie.200800491
- Cheng, Jin (C) 6414–6417 [6514–6517]
- Cheng, K.-W. (C) 4436–4439 [4508–4511]
- Cheng, L. (C) 10171–10174 [10325–10328]
- Cheng, T.-H. (C) 9891–9894 [10039–10042]
- Cheng, Xin (C) 4581–4583 [4657–4659]
- Cheng, Xu (C) 5079–5081 [5157–5159]
- Cheng, Y.-M. (C) 4542–4545 [4618–4621]
- Cheng, Yajun (C) 8400–8403 [8528–8531]
- Cheng, Yang (C) 8380–8385 [8508–8513]
- Cheon, G. J. (C) 6259–6262 [6355–6358]
- Cheon, J.
– A Hybrid Nanoparticle Probe for Dual-Modality Positron Emission Tomography and Magnetic Resonance Imaging (C) 6259–6262 [6355–6358]
DOI: 10.1002/anie.200801369
- Chemical Design of Nanoparticle Probes for High-Performance Magnetic Resonance Imaging (R) 5122–5135 [5200–5213]
DOI: 10.1002/anie.200701674
- Cheon, Y. E. (C) 7741–7745 [7855–7859]
- Cheong, J. Y. (C) 2263–2266 [2295–2298]
- Cheong, P. H.-Y. (C) 3939–3941 [4003–4005]
- Chepigin, V. I. (C) 3262–3266 [3306–3310]
- Chern, C.-S. (C) 1875–1878 [1901–1904]
- Chernavskii, P. A. (C) 5052–5055 [5130–5133]
- Cherny, I. (M) 4062–4069 [4128–4136]
- Chernyshov, D. (C) 529–532 [539–542]
- Cheshnovsky, O.
– Critical Size for Intracuster Proton Transfer from Water to an Anion (C) 6272–6274 [6368–6370]
DOI: 10.1002/anie.200800542
- Chhabra, R. (C) 5157–5159 [5235–5237]
- Chi, Y.
– Highly Efficient Blue-Emitting Iridium(III) Carbene Complexes and Phosphorescent OLEDs (C) 4542–4545 [4618–4621]
DOI: 10.1002/anie.200800748
- Chiba, K. (C) 6620–6623 [6722–6725]
- Chibotaru, L. F.
– The Origin of Nonmagnetic Kramers Doublets in the Ground State of Dysprosium Triangles: Evidence for a Toroidal Magnetic Moment (C) 4126–4129 [4194–4197]
DOI: 10.1002/anie.200800283
- Chiechi, R. C. (C) 142–144 [148–150]
- Chihara, T. (C) 5198–5202 [5276–5280]
- Chin, J.
– A Highly Reactive and Enantioselective Bifunctional Organocatalyst for the Methanolytic Desymmetrization of Cyclic Anhydrides: Prevention of Catalyst Aggregation (C) 7872–7875 [7990–7993]
DOI: 10.1002/anie.200801636
- Highly Stereospecific Generation of Helical Chirality by Imprinting with Amino Acids: A Universal Sensor for Amino Acid Enantiopurity (C) 8657–8660 [8785–8788]
DOI: 10.1002/anie.200803116
- Stereospecific Diazo-Cope Rearrangement Driven by Steric Strain (C) 8678–8681 [8806–8809]
DOI: 10.1002/anie.200801974
- Chin, Y. E. (C) 173–176 [179–182]
- Ching, R. T. Y. (C) 7853–7856 [7971–7974]
- Chinigo, G. M. (C) 8514–8517 [8642–8645]
- Chisholm, M. H. (C) 410–413 [416–420]

- Chittimalla, S. K. (C) 5641–5645 [5723–5727]
- Chiu, H.-C.
- Polymer Vesicles Containing Small Vesicles within Interior Aqueous Compartments and pH-Responsive Transmembrane Channels (C) 1875–1878 [1901–1904]
DOI: 10.1002/anie.200704078
- Chiu, M. (C) 6073–6076 [6162–6165]
- Chiu, S.-H.
- Efficient Solvent-Free Syntheses of [2]- and [4]Rotaxanes (C) 4436–4439 [4508–4511]
DOI: 10.1002/anie.200800530
 - Solvent-Free Synthesis of the Smallest Rotaxane Prepared to Date (C) 7475–7478 [7585–7588]
DOI: 10.1002/anie.200803056
- Chiu, Y.-C. (C) 4542–4545 [4618–4621]
- Chmielewski, J.
- Investigation of pH-Dependent Collagen Triple-Helix Formation (C) 8429–8432 [8557–8560]
DOI: 10.1002/anie.200802224
- Chmiola, J. (C) 3392–3395 [3440–3443]
- Cho, B. R.
- Two-Photon Fluorescent Probes for Acidic Vesicles in Live Cells and Tissue (C) 2231–2234 [2263–2266]
DOI: 10.1002/anie.200704586
 - Two-Photon Fluorescent Probes for Intracellular Free Zinc Ions in Living Tissue (C) 5167–5170 [5245–5248]
DOI: 10.1002/anie.200800929
- Cho, J.
- Three-Dimensional Porous Silicon Particles for Use in High-Performance Lithium Secondary Batteries (C) 10151–10154 [10305–10308]
DOI: 10.1002/anie.200804355
- Cho, M.-K. (C) 5046–5048 [5124–5126]
- Cho, S. (C) 9661–9665 [9807–9811]
- Cho, S. H. (C) 2836–2839 [2878–2881]
- Cho, S. J. (C) 3352–3355 [3400–3403]
- Cho, Y.-H. (C) 9307–9310 [9447–9450]
- Choi, C. H. (C) 8390–8393 [8518–8521]
- Choi, H. (C) 327–330 [333–336], 8259–8263 [8383–8387]
- Choi, H. C.
- Highly Selective Synthesis of C₆₀ Disks on Graphite Substrate by a Vapor–Solid Process (C) 693–696 [705–708]
DOI: 10.1002/anie.200704182
- Choi, J. (C) 1047–1050 [1063–1066]
- Choi, J.-S. (C) 6259–6262 [6355–6358]
- Choi, Joon Ho (C) 5167–5170 [5245–5248]
- Choi, Jung Hoon (C) 9904–9907 [10052–10055]
- Choi, K. (C) 2804–2807 [2846–2849]
- Choi, K. M. (C) 9904–9907 [10052–10055]
- Choi, K.-S.
- Elucidation of an Overpotential-Limited Branching Phenomenon Observed During the Electrocrystallization of Cuprous Oxide (C) 368–372 [374–378]
DOI: 10.1002/anie.200702432
- Choi, S.-I. (C) 9504–9508 [9646–9650]
- Choi, S. Y. (C) 4009–4011 [4073–4075], 4914–4917 [4992–4995]
- Choi, Soowhan (C) 3435–3437 [3484–3486]
- Choi, Sunho (C) 552–555 [562–565]
- Choi, W. M. (R) 5524–5542 [5606–5624]
- Choi, Y.-A. (C) 7018–7021 [7126–7129]
- Chon, B. (C) 693–696 [705–708]
- Chong, Y. T. (C) 6177–6179 [6272–6274]
- Choo, J. (C) 10151–10154 [10305–10308]
- Chou, P.-T.
- Highly Efficient Blue-Emitting Iridium(III) Carbene Complexes and Phosphorescent OLEDs (C) 4542–4545 [4618–4621]
DOI: 10.1002/anie.200800748
- Chou, T. P. (C) 2402–2406 [2436–2440]
- Choudhary, T. V. (R) 1828–1847 [1852–1872]
- Choudhary, V. R.
- Energy-Efficient Syngas Production through Catalytic Oxy-Methane Reforming Reactions (R) 1828–1847 [1852–1872]
DOI: 10.1002/anie.200701237
- Choungnet, A. (C) 5827–5829 [5911–5913]
- Chow, H.-F.
- Dendronized Polymer Organogels from Click Chemistry: A Remarkable Gelation Property Owing to Synergistic Functional-Group Binding and Dendritic Size Effects (C) 6912–6916 [7018–7022]
DOI: 10.1002/anie.200801870
- Chowdhury, G. (C) 381–384 [387–390]
- Chowdhury, S. (C) 7056–7059 [7164–7167]
- Christensen, C. H. (C) 4835–4839 [4913–4917], 9299–9302 [9439–9442]
- Christensen, K. E. (C) 7868–7871 [7986–7989]
- Christiansen, P. C. M. (C) 4421–4424 [4493–4496]
- Christinat, N. (C) 1848–1852 [1874–1878]
- Christmann, M.
- Amine-Catalyzed Cyclizations of Tethered α,β -Unsaturated Carbonyl Compounds (C) 1450–1453 [1472–1475]
DOI: 10.1002/anie.200704688
 - Selective Oxidation of Aliphatic C–H Bonds in the Synthesis of Complex Molecules (H) 2740–2742 [2780–2783]
DOI: 10.1002/anie.200705766
- Christodoulou, J. (C) 3385–3387 [3433–3435]
- Christou, G.
- Covalently Linked Dimers of Clusters: Loop- and Dumbbell-Shaped Mn₂₄ and Mn₂₆ Single-Molecule Magnets (C) 6694–6698 Corrigendum: 9590 [6796–6800 Corrigendum: 9732]
DOI: 10.1002/anie.200801393
- Chu, C.-S. (C) 8082–8085 [8202–8205]
- Chu, W.
- Glow-Discharge Plasma-Assisted Design of Cobalt Catalysts for Fischer–Tropsch Synthesis (C) 5052–5055 [5130–5133]
DOI: 10.1002/anie.200800657
- Chu, Y. (C) 202–204 [208–210]
- Chuang, C.-K. (C) 1875–1878 [1901–1904]
- Chuang, G. J. (C) 7325–7327 [7435–7437]
- Chuang, Y.-J. (C) 8627–8630 [8755–8758]
- Chubarova, E. V. (C) 9542–9546 [9685–9689]
- Chui, S. S.-Y. (C) 4568–4572 [4644–4648], 9895–9899 [10043–10047]
- Chun, D. (C) 8380–8385 [8508–8513]
- Chun, Y. (C) 3418–3421 [3466–3469]
- Chung, d. (C) 3568–3572 [3624–3628]
- Chung, W.-H. (C) 3735–3739 [3795–3799]
- Chung, W.-j. (C) 1890–1892 [1916–1918]
- Chung, Y. K.
- Rhodium-Catalyzed Carbonylative [3 + 3] Cycloaddition of Biscyclopropanes with a Vinyl Substituent To Form Seven-Membered Rings (C) 4914–4917 [4992–4995]
DOI: 10.1002/anie.200800432
- Chung, Y. K. (C) 4009–4011 [4073–4075]
- Church, T. L. (C) 3979–3983 [4043–4047]
- Churchill, G. H. (C) 2869–2871 [2911–2913]
- Chuzel, O. (C) 7669–7672 [7783–7786]
- Ciccarella, G. (C) 507–510 [517–520]
- Ciccarese, A. (C) 507–510 [517–520]
- Cifuentes, M. P. Corrigendum: 629
- Cindrić, M.
- Anion-Directed Self-Assembly of Flexible Ligands into Anion-Specific and Highly Symmetrical Organic Solids (C) 7022–7025 [7130–7133]
DOI: 10.1002/anie.200802193
- Cintas, P.
- Sublime Arguments: Rethinking the Generation of Homochirality under Prebiotic Conditions (H) 2918–2920 [2960–2962]
DOI: 10.1002/anie.200705192
- Ciolino, A. (C) 5390–5393 [5470–5473]
- Ciriano, M. A. (C) 2093–2096 [2123–2126], 2502–2505 [2536–2539]
- Cirriez, V. (C) 8211–8214 Corrigendum: 9176 [8334–8337 Corrigendum: 9315]
- Císařová, I. (C) 3188–3191 [3232–3235]
- Civale, L. (C) 5768–5771 [5852–5855]
- Claborn, K. (M) 5706–5717 [5790–5801]
- Claridge, T. D. W. (C) 2244–2247 [2276–2279], 9322–9325 [9462–9465]
- Clark, T. (C) 6624–6628 [6726–6730]
- Clark Jr., C. G. (C) 1662–1667 [1686–1691]
- Clarke, D. J.
- Bacterial Biosynthesis of a Multipotent Stilbene (C) 1942–1945 [1968–1971]
DOI: 10.1002/anie.200705148
- Clarke, J.
- An Effective Strategy for the Design of Proteins with Enhanced Mechanical Stability (C) 6900–6903 [7006–7009]
DOI: 10.1002/anie.200801761
- Clarke, N. (C) 1058–1062 [1074–1078], 5761–5764 [5845–5848]
- Clausen, T. (C) 1332–1334 [1352–1355]
- Clavé, G. (C) 4224–4227 [4292–4295]
- Clavel, G. (C) 3592–3595 [3648–3651]
- Claverie, C. K. (C) 7892–7895 [8010–8013]
- Clay, D. (C) 9337–9340 [9477–9480]
- Clayden, J.
- Enantioselective Synthesis of an Atropisomeric Diaryl Ether (C) 3234–3237 [3278–3281]
DOI: 10.1002/anie.200705660
 - Stereoselective Dearomatizing Addition of Nucleophiles to Uncomplexed Benzene Rings: A Route to Carbocyclic Sugar Analogues (C) 5060–5062 [5138–5140]
DOI: 10.1002/anie.200801078
- Clays, K.
- Molecular Symmetry and Solution-Phase Structure Interrogated by Hyper-Rayleigh Depolarization Measurements: Elaborating Highly Hyperpolarizable D₂-Symmetric Chromophores (C) 2978–2981 [3020–3023]
DOI: 10.1002/anie.200703187

- Clegg, W. (C) 731–734 [743–746], 6208–6211 [6304–6307]
 Clemente, F. R. (C) 7746–7749 [7860–7863]
 Clérac, R.
 – Dinuclear Dysprosium(III) Single-Molecule Magnets with a Large Anisotropic Barrier
 (C) 8848–8851 [8980–8983]
 DOI: 10.1002/anie.200802966
 Clifford, J. N. (C) 8259–8263 [8383–8387]
 Climent, E. (C) 5593–5596 [5675–5678]
 Clososki, G. C. (C) 1503–1507 [1526–1530]
 Clyburne, J. A. C. (C) 9772–9774 [9918–9920]
 Coady, D. J. (C) 9648–9652 [9794–9798]
 Coates, G. W.
 – Catalytic Synthesis of β^3 -Amino Acid Derivatives from α -Amino Acids
 (C) 3979–3983 [4043–4047]
 DOI: 10.1002/anie.200705310
 – Pre-Rate-Determining Selectivity in the Terpolymerization of Epoxides, Cyclic Anhydrides, and CO₂: A One-Step Route to Diblock Copolymers
 (C) 6041–6044 [6130–6133]
 DOI: 10.1002/anie.200801415
 Cockfield, J. (C) 2808–2812 [2850–2854]
 Cohen, B. (C) 3798–3800 [3858–3860]
 Cohen, R. (C) 3603–3606 [3659–3662]
 Cohen, S. M.
 – Tandem Modification of Metal–Organic Frameworks by a Postsynthetic Approach
 (C) 4699–4702 [4777–4780]
 DOI: 10.1002/anie.200800686
 Cohen Stuart, M. A.
 – Nanoribbons Self-Assembled from Triblock Peptide Polymers and Coordination Polymers
 (C) 4192–4195 [4260–4263]
 DOI: 10.1002/anie.200705242
 Coleman, A. W. (C) 5616–5618 [5698–5700]
 Coleman, R. (C) 7896–7900 [8014–8018]
 Coles, M. P.
 – An Organozinc Hydride Cluster: An Encapsulated Tetrahydrozincate?
 (C) 10147–10150 [10301–10304]
 DOI: 10.1002/anie.200804224
 Coles, S. J. (C) 2820–2823 [2862–2865]
 Colet, G. (C) 1098–1101 [1114–1117]
 Cölfen, H.
 – Single Crystals with Complex Form via Amorphous Precursors
 (H) 2351–2353 [2385–2387]
 DOI: 10.1002/anie.200800418
 Collet, B. Y. M. (C) 1707–1710 [1731–1734]
 Collis, G. E. (C) 7332–7334 [7442–7444]
 Collmann, A. (C) 9734–9738 [9880–9884]
 Coltart, D. M.
 – Simple and Efficient Asymmetric α -Alkylation and α,α -Bisalkylation of Acyclic Ketones by Using Chiral N-Amino Cyclic Carbamate Hydrazones
 (C) 5207–5210 [5285–5288]
 DOI: 10.1002/anie.200800848
 Comba, P.
 – Stable Five- and Six-Coordinate Cobalt(III) Complexes with a Pentadentate Bispidine Ligand
 (C) 4740–4743 [4818–4821]
 DOI: 10.1002/anie.200800515
 Concepcion, J. J. (C) 503–506 [513–516]
 Cone, R. (C) 9726–9729 [9872–9875]
 Conejero, S. (C) 4380–4383 [4452–4455]
 Conley, B. L. (C) 7849–7852 [7967–7970]
 Connon, S. J.
 – The Catalytic Asymmetric Strecker Reaction: Ketimines Continue to Join the Fold
 (H) 1176–1178 [1194–1197]
 DOI: 10.1002/anie.200703879
 Contag, C. H. (C) 7880–7882 [7998–8000]
 Conway, B. (C) 6208–6211 [6304–6307]
 Conway, J. L. (C) 6069–6072 [6158–6161]
 Cook, J. L. (C) 6275–6277 [6371–6373]
 Cooks, R. G.
 – Organic Reactions of Ionic Intermediates Promoted by Atmospheric-Pressure Thermal Activation
 (C) 3422–3425 [3470–3473]
 DOI: 10.1002/anie.200800072
 – Peptide Fragmentation Assisted by Surfaces Treated with a Low-Temperature Plasma in NanoESI
 (C) 8646–8649 [8774–8777]
 DOI: 10.1002/anie.200803477
 Coombs, N. (C) 511–514 [521–524], 1255–1259 [1275–1279]
 Cooney, J. (R) 8582–8594 [8710–8723]
 Cooper, A.
 – Unusual Chromophore and Cross-Links in Ranasmurfur: A Blue Protein from the Foam Nests of a Tropical Frog
 (C) 7853–7856 [7971–7974]
 DOI: 10.1002/anie.200802901
 Cooper, A. I. Corrigendum: 1167
 Cooper, A. I. (C) 4573–4576 [4649–4652]
 Copéret, C.
 – Tuning the Selectivity of Alumina-Supported (CH₃)ReO₃ by Modifying the Surface Properties of the Support
 (C) 2117–2120 [2147–2150]
 DOI: 10.1002/anie.200704876
 Copéret, C. (C) 8654–8656 [8782–8784]
 Coq, B. (C) 8433–8437 [8561–8565]
 Coratger, R. (C) 6994–6998 [7102–7106]
 Corbeil, C. R. (C) 2635–2638 [2675–2678]
 Cordella, F. (C) 3029–3033 [3071–3075]
 Cordes, M. (C) 3461–3463 [3511–3514]
 Córdova, A.
 – Organocatalytic Enantioselective Amino-sulfonylation of α,β -Unsaturated Aldehydes
 (C) 8468–8472 [8596–8600]
 DOI: 10.1002/anie.200802335
 Corey, E. J.
 – *Jeremy R. Knowles*
 (O) 8772–8773 [8900–8901]
 DOI: 10.1002/anie.200804809
 Coridan, R. (C) 2986–2989 [3028–3031]
 Corilo, Yu. E. (C) 151–154 [157–160]
 Corma, A.
 – Metal–Organic Nanoporous Structures with Anisotropic Photoluminescence and Magnetic Properties and Their Use as Sensors
 (C) 1080–1083 [1096–1099]
 DOI: 10.1002/anie.200704702
 – Supported Gold(III) Catalysts for Highly Efficient Three-Component Coupling Reactions
 (C) 4358–4361 [4430–4433]
 DOI: 10.1002/anie.200800098
 Corminboeuf, C. (C) 4675–4678 [4753–4756]
 Corn, R. M.
 – Multiplexed Detection Methods for Profiling MicroRNA Expression in Biological Samples
 (M) 644–652 [654–663]
 DOI: 10.1002/anie.200702450
 Coronas, J. (C) 552–555 [562–565]
 Correa, Andrea (C) 718–721 [730–733]
 Correa, Arkaitz (C) 586–588 [596–598], 2880–2883 [2922–2925], 4862–4865 [4940–4943]
 Corriu, R. J. P.
 – A Tailored Organometallic–Inorganic Hybrid Mesosstructured Material: A Route to a Well-Defined, Active, and Reusable Heterogeneous Iridium-NHC Catalyst for H/D Exchange
 (C) 8654–8656 [8782–8784]
 DOI: 10.1002/anie.200802956
 Cosquer, G. (R) 2754–2787 [2794–2828]
 Cossairt, B. M. (C) 169–172 [175–178], 8863–8866 [8995–8998]
 Cossio, F. P. (C) 7530–7533 [7640–7643]
 Cossy, J.
 – Asymmetric Total Synthesis of the Immunosuppressant (–)-Pironetin
 (C) 10137–10140 [10291–10294]
 DOI: 10.1002/anie.200802423
 Coudeville, N. (C) 3548–3551 [3604–3607]
 Coulomb, J. (C) 9913–9915 [10061–10063]
 Cournac, L. (C) 2052–2054 [2082–2084]
 Covell, D. J. (C) 6448–6451 [6548–6551]
 Cowling, S. J. (R) 2754–2787 [2794–2828]
 Cozzi, P. G.
 – A Rational Approach towards the Nucleophilic Substitutions of Alcohols “on Water”
 (C) 4162–4166 [4230–4234]
 DOI: 10.1002/anie.200800622
 Craig, S. L.
 – Cool as a Cucumber
 (H) 8776–8777 [8904–8906]
 DOI: 10.1002/anie.200802334
 – 1,2,3-Triazole CH $\cdots$ Cl $\cdots$ Contacts Guide Anion Binding and Concomitant Folding in 1,4-Diaryl Triazole Oligomers
 (C) 3740–3743 [3800–3803]
 DOI: 10.1002/anie.200800548
 Cramer, N.
 – Enantioselective C–C Bond Activation of Allenyl Cyclobutanes: Access to Cyclohexenones with Quaternary Stereogenic Centers
 (C) 9294–9297 [9435–9438]
 DOI: 10.1002/anie.200804281
 – Synthesis and Biological Activity of Largazole and Derivatives
 (C) 6483–6485 [6583–6585]
 DOI: 10.1002/anie.200802043
 Cramer, S. P. (C) 9071–9074 [9211–9214]
 Credi, A.
 – A Simple Unimolecular Multiplexer/Demultiplexer
 (C) 6240–6243 [6336–6339]
 DOI: 10.1002/anie.200802018
 – Unravelling the Shuttling Mechanism in a Photoswitchable Multicomponent Bistable Rotaxane
 (C) 3536–3539 [3592–3595]
 DOI: 10.1002/anie.200705207
 Crespy, D.
 – 100 Years of Bakelite, the Material of a 1000 Uses
 (E) 3322–3328 [3368–3374]
 DOI: 10.1002/anie.200704281
 Creus, M. (C) 701–705 [713–717], 1400–1404 [1422–1426]
 Crewdson, P. (C) 3454–3457 [3503–3507]
 Crews, B. O. (C) 3174–3179 [3218–3223]
 Crihan, D. (C) 2131–2134 [2161–2164]

- Crimmins, M. T.
– Ernest Ludwig Eliel
(O) 9803 [9949]
DOI: 10.1002/anie.200805316
- Crne, M. (C) 7921–7923 [8039–8041]
- Cronin, L.
– Capture of Periodate in a $\{W_{18}O_{54}\}$ Cluster Cage Yielding a Catalytically Active Polyoxometalate $[H_3W_{18}O_{56}(IO_6)]^{6-}$ Embedded with High-Valent Iodine
(C) 4384–4387 [4456–4459]
DOI: 10.1002/anie.200800041
- Polyoxometalate-Mediated Self-Assembly of Single-Molecule Magnets: $\{[XW_9O_{34}]^{2-} [Mn^{III}_4Mn^{II}_2O_4(H_2O)_4]^{12-}\}$
(C) 5609–5612 [5691–5694]
DOI: 10.1002/anie.200801281
- Postsynthetic Covalent Modification of Metal–Organic Framework (MOF) Materials
(H) 4635–4637 [4713–4715]
DOI: 10.1002/anie.200801631
- Reversible Redox Reactions in an Extended Polyoxometalate Framework Solid
(C) 6881–6884 [6987–6990]
DOI: 10.1002/anie.200802594
- Structural Evolution of “S”-Shaped $[H_4W_{22}O_{74}]^{12-}$ and “§”-Shaped $[H_{10}W_{34}O_{116}]^{18-}$ Isopolyoxotungstate Clusters
(C) 8420–8423 [8548–8551]
DOI: 10.1002/anie.200802109
- Supramolecular Metal Oxides: Programmed Hierarchical Assembly of a Protein-Sized 21 kDa $[(C_{16}H_{36}N)_{19} \{H_2NC(CH_2O)_3P_2V_3W_{15}O_{59}\}_4]^{5-}$ Polyoxometalate Assembly
(C) 4388–4391 [4460–4463]
DOI: 10.1002/anie.200800431
- Crow, A. K. (C) 8473–8477 [8601–8605]
- Cruden, C. M.
– Visual Observation of Redistribution and Dissolution of Palladium during the Suzuki–Miyaura Reaction
(C) 3279–3282 [3324–3328]
DOI: 10.1002/anie.200800153
- Cruz-Silva, E. (C) 2948–2953 [2990–2995]
- Cryle, M. J. (C) 10076–10080 [10230–10234]
- Cucinotta, C. S. (C) 3536–3539 [3592–3595]
- Cuerva, J. M.
– Divergent Titanium-Mediated Allylations with Modulation by Nickel or Palladium
(C) 7515–7519 [7625–7629]
DOI: 10.1002/anie.200802520
- Cui, H. (C) 3376–3380 [3424–3428]
- Cui, P. (C) 9944–9947 [10092–10095]
- Cui, Y.
– Chiral Octupolar Metal–Organoboron NLO Frameworks with (14,3) Topology
(C) 4538–4541 [4614–4617]
DOI: 10.1002/anie.200800586
- Self-Assembly of a Homochiral Nanoscale Metallacycle from a Metallosalen Complex for Enantioselective Separation
(C) 1245–1249 [1265–1269]
DOI: 10.1002/anie.200704347
- Cullen, D. A. (C) 2948–2953 [2990–2995]
- Cummins, C. C.
– A Niobium-Mediated Cycle Producing Phosphorus-Rich Organic Molecules from White Phosphorus (P_4) through Activation, Functionalization, and Transfer Reactions
(C) 8863–8866 [8995–8998]
DOI: 10.1002/anie.200803971
- A Reactive Niobium Phosphinidene P_8 Cluster Obtained by Reductive Coupling of White Phosphorus
(C) 169–172 [175–178]
DOI: 10.1002/anie.200704354
- Cundari, T. R.
– Activation of sp^3 Carbon–Hydrogen Bonds by a Ruthenium(II) Complex and Subsequent Metal-Mediated C–C and C–N Bond Formation
(C) 726–730 [738–742]
DOI: 10.1002/anie.200704614
- Copper–Nitrene Complexes in Catalytic C–H Amination
(C) 9961–9964 [10109–10112]
DOI: 10.1002/anie.200804304
- Cundari, T. R. (C) 556–559 [566–569]
- Curran, D. P.
– Confirmation of the Stereostructure of (+)-Cytostatin by Fluorous Mixture Synthesis of Four Candidate Stereoisomers
(C) 1130–1133 [1146–1149]
DOI: 10.1002/anie.200704893
- Custelcean, R.
– Sulfate Recognition by Persistent Crystalline Capsules with Rigidified Hydrogen-Bonding Cavities
(C) 1866–1870 [1892–1896]
DOI: 10.1002/anie.200704937
- Cyr, J. E. (C) 4922–4925 [5000–5003]
- Daasbjerg, K. (C) 6025–6027 [6114–6116]
- Dąbkowska, I. (C) 8518–8520 [8646–8648]
- Dadon, Z. (M) 6128–6136 [6221–6230]
- Dagneau, P. (C) 8605–8610 [8733–8738]
- D’Agosto, F.
– Polyethylene Building Blocks by Catalyzed Chain Growth and Efficient End Functionalization Strategies, Including Click Chemistry
(C) 9311–9313 [9451–9453]
DOI: 10.1002/anie.200804445
- Dahl, T. (C) 1726–1728 [1750–1752]
- Dahse, H.-M. (C) 3995–3998 [4059–4062]
- Dai, L.
– Electrochemistry at Carbon Nanotube Electrodes: Is the Nanotube Tip More Active Than the Sidewall?
(C) 5446–5450 [5526–5530]
DOI: 10.1002/anie.200801744
- Dai, S.
– Mesoporous Carbon Materials: Synthesis and Modification
(R) 3696–3717 [3754–3776]
DOI: 10.1002/anie.200702046
- Dai, X. (C) 9961–9964 [10109–10112]
- Dai, Y. (C) 7931–7933 [8049–8051]
- Daidone, I. (C) 9059–9062 [9199–9202]
- Daimon, H. (C) 3588–3591 [3644–3647]
- Dake, G. R.
– Chiral Ligand Design: A Bidentate Ligand Incorporating an Acyclic Phosphaalkene
(C) 8064–8067 [8184–8187]
DOI: 10.1002/anie.200802949
- Total Synthesis of (+)-Fawcettidine
(C) 4221–4223 [4289–4291]
DOI: 10.1002/anie.200800522
- Dalby, S. M. (C) 3016–3020 [3058–3062], 3021–3025 [3063–3067]
- Dalcanale, E.
– Host–Guest Driven Self-Assembly of Linear and Star Supramolecular Polymers
(C) 4504–4508 [4580–4584]
DOI: 10.1002/anie.200801002
- Dalcanale, E. (C) 788–792 [800–804]
- Dale, S. H. (C) 731–734 [743–746]
- D’Aléo, A. (C) 3388–3391 [3436–3439]
- Dalgarno, S. J. (C) 6362–6366 [6462–6466]
- Dalisay, D. S. (C) 8086–8089 [8206–8209]
- Damani, P. (C) 6395–6398 [6495–6498]
- D’Angelo, J. J. (C) 8618–8622 [8746–8750]
- Daniel, H.-D.
– The Effectiveness of the Peer Review Process: Inter-Referee Agreement and Predictive Validity of Manuscript Refereeing at *Angewandte Chemie*
(E) 7173–7178 [7285–7290]
DOI: 10.1002/anie.200800513
- Danielson, M. E. (C) 9743–9746 [9889–9892]
- Danila, D. C. (C) 7036–7039 [7144–7147]
- Danishesky, S. J.
– Native Chemical Ligation at Valine: A Contribution to Peptide and Glycopeptide Synthesis
(C) 8521–8524 [8649–8652]
DOI: 10.1002/anie.200803523
- Danopoulos, A. A.
– “Pincer” Pyridine–Dicarbene–Iridium Complexes: Facile C–H Activation and Unexpected η^2 -Imidazol-2-ylidene Coordination
(C) 9765–9767 [9911–9913]
DOI: 10.1002/anie.200804573
- Daran, J.-C. (C) 6843–6846 [6949–6952]
- Darensbourg, M. Y.
– Synthetic Support of De Novo Design: Sterically Bulky $[FeFe]$ -Hydrogenase Models
(C) 9492–9495 [9634–9637]
DOI: 10.1002/anie.200803939
- Darley, D. J. (C) 3254–3257 [3298–3301]
- Darses, S.
– C_1 -Symmetric Monosubstituted Chiral Diene Ligands in Asymmetric Rhodium-Catalyzed 1,4-Addition Reactions
(C) 7669–7672 [7783–7786]
DOI: 10.1002/anie.200803230
- Datta, A. (M) 8568–8580 [8696–8709]
- Daturi, M. (C) 4144–4148 [4212–4216]
- Daublain, P. (C) 3798–3800 [3858–3860]
- Daunert, S.
– A Bioluminescent Molecular Switch For Glucose
(C) 3718–3721 [3778–3781]
DOI: 10.1002/anie.200704440
- David, W. I. F.
– Tuning the Decomposition Temperature in Complex Hydrides: Synthesis of a Mixed Alkali Metal Borohydride
(C) 2817–2819 [2859–2861]
DOI: 10.1002/anie.200704949
- Davies, B. (C) 2673–2676 [2713–2716]
- Davies, C. L. (C) 8856–8858 [8988–8990]
- Davies, D. M. E. (C) 2283–2286 [2315–2318]
- Davies, I. W. (C) 4231–4233 [4299–4301], 4711–4714 [4789–4792]
- Davies, R. P.
– Structural Characterization of Magnesium Organocuprates Derived from Grignard Reagents: Cu^I -Based Inverse Crown Ethers



- (C) 5812–5815 [5896–5899]
DOI: 10.1002/anie.200800684
- d'Avignon, A. (C) 3584–3587 [3640–3643]
- Davis, A. P.
– Solvent Effects in Carbohydrate Binding by Synthetic Receptors: Implications for the Role of Water in Natural Carbohydrate Recognition
(C) 2693–2696 [2733–2736]
DOI: 10.1002/anie.200704733
- Davis, B. G.
– From Disulfide- to Thioether-Linked Glycoproteins
(C) 2244–2247 [2276–2279]
DOI: 10.1002/anie.200704381
- Davis, R. E. (C) 78–81 [84–87]
- Davis, R. L. (C) 6379–6383 [6479–6483]
- Dawson, P. E.
– An Efficient Fmoc-SPPS Approach for the Generation of Thioester Peptide Precursors for Use in Native Chemical Ligation
(C) 6851–6855 [6957–6961]
DOI: 10.1002/anie.200705471
- Day, G. M. (C) 1058–1062 [1074–1078]
- Day, V. W. (C) 6233–6235 [6329–6331]
- De Cremer, G. (C) 2813–2816 [2855–2858]
- De Feyter, S.
– Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface
(C) 4997–5001 [5075–5079]
DOI: 10.1002/anie.200800255
- One Building Block, Two Different Supramolecular Surface-Confined Patterns: Concentration in Control at the Solid–Liquid Interface
(C) 2964–2968 [3006–3010]
DOI: 10.1002/anie.200705322
- de Figueiredo, R. M. (C) 1450–1453 [1472–1475]
- De Gioia, L.
– [FeFe]-Hydrogenase Models and Hydrogen: Oxidative Addition of Dihydrogen and Silanes
(C) 9756–9759 [9902–9905]
DOI: 10.1002/anie.200804400
- de Groot, F. M. F. (C) 3543–3547 [3599–3603]
- de Jong, M. (C) 2063–2066 [2093–2096]
- de Keizer, A. (C) 4192–4195 [4260–4263]
- de la Rica, R.
– Label-Free Pathogen Detection with Sensor Chips Assembled from Peptide Nanotubes
(C) 9752–9755 [9898–9901]
DOI: 10.1002/anie.200804299
- de la Rica, R. (C) 5415–5417 [5495–5497]
- de la Torre, A. (C) 97–101 [103–107]
- De Libero, G. (C) 9734–9738 [9880–9884]
- de Prado, A. (C) 6225–6228 [6321–6324]
- de Sáa, D. (C) 6225–6228 [6321–6324]
- De Sarkar, S. (C) 8727–8730 [8855–8858]
- De Schryver, F. C. (C) 783–787 [795–799], 2964–2968 [3006–3010]
- de Silva, A. P.
– Multiplexing Sensory Molecules Map Protons Near Micellar Membranes
(C) 4667–4669 [4745–4747]
DOI: 10.1002/anie.200801516
- De Vincentiis, F. (C) 8703–8706 [8831–8834]
- De Vos, D. E.
– A Micellar Iodide-Catalyzed Synthesis of Unprotected Aziridines from Styrenes and Ammonia
(C) 1477–1480 [1499–1502]
DOI: 10.1002/anie.200704772
- De Vos, D. E. (C) 2813–2816 [2855–2858]
- de Vries, J. G.
– Two-Phase (Bio)Catalytic Reactions in a Table-Top Centrifugal Contact Separator
(C) 3905–3908 [3969–3972]
DOI: 10.1002/anie.200705426
- de Vries, J. G. (C) 6602–6605 [6704–6707]
- de Vries, M. S.
– Shaping of a Conformationally Flexible Molecular Structure for Spectroscopy
(C) 3174–3179 [3218–3223]
DOI: 10.1002/anie.200705627
- de Winter, D. A. M. (C) 5637–5640 [5719–5722]
- de Wolf, F. A. (C) 4192–4195 [4260–4263]
- Débart, A. (C) 4521–4524 [4597–4600]
- DeBeer George, S. (C) 6384–6387 [6484–6487], 10102–10105 [10256–10259]
- Decatur, J. (C) 2982–2985 [3024–3027]
- Dechert, S. (C) 9537–9541 [9680–9684]
- Decker, U. (C) 3267–3270 [3311–3314]
- Deckert, V.
– Tip-Enhanced Raman Spectroscopy of Single RNA Strands: Towards a Novel Direct-Sequencing Method
(C) 1658–1661 [1682–1685]
DOI: 10.1002/anie.200704054
- Dedecker, P. (C) 783–787 [795–799]
- Defieber, C. (R) 4482–4502 [4558–4579]
- Degen, C. L. (C) 8961–8963 [9096–9098]
- Deguchi, T. 9180–9185 [9320–9325]
- Dehn, R. (C) 9134–9137 [9274–9277]
- Deiseroth, H.-J.
– Li₆PS₅X: A Class of Crystalline Li-Rich Solids With an Unusually High Li⁺ Mobility
(C) 755–758 [767–770]
DOI: 10.1002/anie.200703900
- Deiters, A.
– Small-Molecule Inhibitors of MicroRNA miR-21 Function
(C) 7482–7484 [7592–7594]
DOI: 10.1002/anie.200801555
- Dejugnac, D. (C) 3552–3555 [3608–3611]
- Dékány, I. (C) 8268–8271 [8392–8395]
- del Campo, A.
– Phototriggering of Cell Adhesion by Caged Cyclic RGD Peptides
(C) 3192–3195 [3236–3239]
DOI: 10.1002/anie.200704857
- del Pozo, C. (C) 7941–7944 [8059–8062]
- del Río, I. (C) 1920–1922 [1946–1948]
- del Río, M. P. (C) 2502–2505 [2536–2539]
- Del Valle, J. R. (R) 1202–1223 [1220–1242]
- Delalande, O. (C) 735–737 [747–749]
- Della Védova, C. O.
– Selenoacetic Acid, CH₃C(O)SeH: Preparation, Characterization, and Conformational Properties
(C) 10114–10118 [10268–10272]
DOI: 10.1002/anie.200803513
- Delolme, F. (C) 9311–9313 [9451–9453]
- Delon, C. (C) 3747–3750 [3807–3810]
- Delville, M. M. E. (C) 3777–3780 [3837–3840]
- Demeshko, S. (C) 9537–9541 [9680–9684]
- Demir-Cakan, R. (C) 1645–1649 [1669–1673]
- Demirok, U. K. (C) 9349–9351 [9489–9491]
- Demitri, N. (C) 4504–4508 [4580–4584]
- Demizu, Y. (C) 9458–9461 [9600–9603]
- Demuez, M. (C) 2052–2054 [2082–2084]
- den Hartog, T. (C) 398–401 [404–407]
- den Heeten, R. (C) 6602–6605 [6704–6707]
- Deng, D. (C) 5232–5234 [5310–5312]
- Deng, G. (C) 6278–6282 [6374–6378]
- Deng, H. (C) 5357–5361 [5437–5441]
- Deng, Kai (C) 6395–6398 [6495–6498]
- Deng, Ke (C) 6717–6721 [6819–6823]
- Deng, Li
– Asymmetric Aza-Michael Reactions of α,β -Unsaturated Ketones with Bifunctional Organic Catalysts
(C) 7710–7713 [7824–7827]
DOI: 10.1002/anie.200802785
- Deng, Linhong (C) 7479–7481 [7589–7591]
- Deng, Q.-H. (C) 9747–9751 [9893–9897]
- Deng, S.
– Calcium d States: Chemical Bonding of CaC₆
(C) 6703–6706 [6805–6808]
DOI: 10.1002/anie.200801985
- Deng, Z. (C) 9509–9512 [9651–9654]
- Denmark, S. E.
– Lewis Base Activation of Lewis Acids: Catalytic Enantioselective Glycolate Aldol Reactions
(C) 1890–1892 [1916–1918]
DOI: 10.1002/anie.200705499
- Lewis Base Catalysis in Organic Synthesis (R) 1560–1638 [1584–1663]
DOI: 10.1002/anie.200604943
- Denysenkov, V. P. (C) 1224–1227 [1244–1247]
- Depmeier, W. (C) 549–551 [559–561]
- Dergunov, S. A. (C) 8264–8267 [8388–8391]
- Deronzier, A. (C) 715–717 [727–729]
- Descalzo, A. B. (C) 193–197 [199–203]
- Deshmukh, R. R. (C) 8615–8617 [8743–8745]
- Deslongchamps, P.
– Total Synthesis of Ouabagenin and Ouabain
(C) 1272–1275 [1292–1295]
DOI: 10.1002/anie.200704959
- Destarac, M. (C) 5390–5393 [5470–5473]
- Detz, R. J. (C) 3777–3780 [3837–3840]
- Devic, T. (C) 6611–6615 [6713–6717]
- Dewhurst, R. D. (C) 5650–5653 [5732–5735], 5978–5980 [6067–6069]
- Dhuri, S. N. (C) 3356–3359 [3404–3407]
- Di Vaira, M. (C) 4425–4427 [4497–4499]
- Dias, H. V. R.
– Synthesis and Characterization of the Gold(I) Tris(ethylene) Complex [Au(C₂H₄)₃][SbF₆]
(C) 556–559 [566–569]
DOI: 10.1002/anie.200703515
- Dichtel, W. R. (C) 9927–9932 [10075–10080]
- Dickerson, T. J.
– The Strange Case of the Botulinum Neurotoxin: Using Chemistry and Biology to Modulate the Most Deadly Poison (R) 8360–8379 [8488–8507]
DOI: 10.1002/anie.200705531
- Dickey, M. D. (C) 142–144 [148–150], 3407–3409 [3455–3457]
- Dickie, D. A. (C) 9955–9957 [10103–10105]
- Dickinson, C. Corrigendum: 1167
- Dickman, M. H. (C) 7275–7279 [7385–7389], (L) 9383–9384 [9523–9524], (C) 9542–9546 [9685–9689]
- Dickmeiss, G. (C) 4687–4690 [4765–4768]
- Diederich, F.
– Direct Evidence for a Hydrogen Bond to Bound Dioxygen in a Myoglobin/Hemoglobin Model System and in Cobalt Myoglobin by Pulse-EPR Spectroscopy

- (C) 2600–2603 [2638–2642]
DOI: 10.1002/anie.200705180
- Diéguez-Vázquez, A. (C) 209–212 [216–219]
- Dierker, G. (C) 2622–2625 [2662–2665]
- Diesendruck, C. E. (C) 6422–6425 [6522–6525]
- Dieskau, A. (C) 198–201 [204–207]
- Diestel, R. (C) 6478–6482 [6578–6582]
- Dietrich, D. (C) 4346–4350 [4418–4422]
- Diéz-González, S.
- [(NHC)₂Cu]X Complexes as Efficient Catalysts for Azide–Alkyne Click Chemistry at Low Catalyst Loadings (C) 8881–8884 [9013–9016]
DOI: 10.1002/anie.200803289
- Dilworth, J. R.
- Controlled Axial Coordination: Solid-Phase Synthesis and Purification of Metallo-Radiopharmaceuticals (C) 8416–8419 [8544–8547]
DOI: 10.1002/anie.200801936
- Dimitrijevic, E. (C) 1410–1413 [1432–1435]
- Dimitrov, A. (C) 190–192 [196–198]
- DiMuzio, J. (C) 9104–9107 [9244–9247]
- Dincă, M. (R) 6766–6779 [6870–6884]
- Dinescu, A. (C) 9961–9964 [10109–10112]
- Ding, D. (C) 2844–2848 [2886–2890]
- Ding, K.
- Chiral Brønsted Acid Catalyzed Asymmetric Baeyer–Villiger Reaction of 3-Substituted Cyclobutanones by Using Aqueous H₂O₂ (C) 2840–2843 [2882–2885]
DOI: 10.1002/anie.200705932
- Ding, Y. (C) 5009–5012 [5087–5090]
- Ding, Z.
- Tuning of Electrogenated Silole Chemiluminescence (C) 7731–7735 [7845–7849]
DOI: 10.1002/anie.200802034
- Dinkelborg, L. (C) 4922–4925 [5000–5003]
- DiPasquale, A. G. (C) 5075–5078 [5153–5156]
- Dismukes, G. C.
- Sustained Water Oxidation Photocatalysis by a Bioinspired Manganese Cluster (C) 7335–7338 [7445–7448]
DOI: 10.1002/anie.200801132
- Dittmann, E.
- Ribosomal Synthesis of Tricyclic Depsipeptides in Bloom-Forming Cyanobacteria (C) 7756–7759 [7870–7873]
DOI: 10.1002/anie.200802730
- Divya, K. P. (C) 7883–7887 [8001–8005]
- Diwald, O.
- Charge Separation in Layered Titanate Nanostructures: Effect of Ion Exchange Induced Morphology Transformation (C) 1496–1499 [1518–1522]
DOI: 10.1002/anie.200703817
- Diyabalanage, H. V. K. (C) 7332–7334 [7442–7444]
- Dmitriev, A. (C) 6025–6027 [6114–6116]
- Dmitriev, S. N. (C) 3262–3266 [3306–3310]
- Dmitriev, V. (C) 529–532 [539–542], 8268–8271 [8392–8395]
- Do, Q.-Q. (C) 1719–1722 [1743–1746]
- Doan, B.-T. (C) 4370–4372 [4442–4444]
- Döbler, J. (C) 1946–1950 [1972–1976]
- Dobrovetsky, R. (C) 4343–4345 [4415–4417]
- Dobson, C. M.
- Measurement of Amyloid Fibril Length Distributions by Inclusion of Rotational Motion in Solution NMR Diffusion Measurements (C) 3385–3387 [3433–3435]
DOI: 10.1002/anie.200703915
- Dohi, T. (C) 1301–1304 [1321–1324], 3787–3790 [3847–3850]
- Dohmae, K. (C) 9303–9306 [9443–9446]
- Dolf, A. (C) 5190–5193 [5268–5271]
- Domarkas, J. (C) 10141–10143 [10295–10297]
- Domínguez de María, P.
- “Nonsolvent” Applications of Ionic Liquids in Biotransformations and Organocatalysis (M) 6960–6968 [7066–7075]
DOI: 10.1002/anie.200703305
- Domratcheva, T. (C) 10076–10080 [10230–10234]
- Dondoni, A.
- Asymmetric Organocatalysis: From Infancy to Adolescence (R) 4638–4660 [4716–4739]
DOI: 10.1002/anie.200704684
 - The Emergence of Thiol–Ene Coupling as a Click Process for Materials and Bioorganic Chemistry (H) 8995–8997 [9133–9135]
DOI: 10.1002/anie.200802516
- Dong, C. (C) 9533–9536 [9676–9679]
- Dong, Haiqing (C) 5573–5576 [5655–5658]
- Dong, Hao (C) 5823–5826 [5907–5910]
- Dong, Q. (C) 3976–3978 [4040–4042]
- Dong, Z. (C) 1308–1311 [1328–1331], 8670–8673 [8798–8801]
- Donnadieu, B. (C) 2271–2274 [2303–2306], 3206–3209 [3250–3253], 5224–5228 [5302–5306], 5411–5414 [5491–5494]
- Donnio, B.
- Single-Molecule Magnets with Mesomorphic Lamellar Ordering (C) 490–495 [500–505]
DOI: 10.1002/anie.200704460
- Donnio, B. (C) 6286–6289 [6382–6385]
- Donohoe, T. J.
- Hydride Shift Generated Oxonium Ions: Evidence for Mechanism and Intramolecular Trapping Experiments to Form *trans* THF Derivatives (C) 2869–2871 [2911–2913]
DOI: 10.1002/anie.200705340
 - Pyridine-*N*-Oxide as a Mild Reoxidant Which Transforms Osmium-Catalyzed Oxidative Cyclization (C) 2872–2875 [2914–2917]
DOI: 10.1002/anie.200705425
 - Synthesis of (–)-(Z)-Deoxyypukalide (C) 7314–7316 [7424–7426]
DOI: 10.1002/anie.200802703
- Donoli, A. (C) 5331–5334 [5411–5414]
- Dopfer, O.
- IR Spectrum of the Ethyl Cation: Evidence for the Nonclassical Structure (C) 395–397 [401–403]
DOI: 10.1002/anie.200704163
- Dormer, P. G. (C) 4231–4233 [4299–4301]
- Doshi, A. (C) 1134–1137 [1150–1153]
- Dötz, K. H.
- Pyridine-Bridged Benzimidazolium Salts: Synthesis, Aggregation, and Application as Phase-Transfer Catalysts (C) 7127–7131 [7236–7240]
DOI: 10.1002/anie.200801628
- Douglas, A. F. (C) 2290–2293 [2322–2325]
- Douglas, T.
- Monitoring Biomimetic Platinum Nanocluster Formation Using Mass Spectrometry and Cluster-Dependent H₂ Production (C) 7845–7848 [7963–7966]
DOI: 10.1002/anie.200802481
- Douillard, L. (C) 8412–8415 [8540–8543]
- Doyle, A. M.
- Indirect Observation of Structured Incipient Zeolite Nanoparticles in Clear Precursor Solutions (C) 8650–8653 [8778–8781]
DOI: 10.1002/anie.200802941
- Doyle, M. P.
- Cationic Chiral Dirhodium Carboxamides Are Activated for Lewis Acid Catalysis (C) 1439–1442 [1461–1464]
DOI: 10.1002/anie.200704618
- Draper, M. (R) 2754–2787 [2794–2828]
- Drechsler, M. (C) 4192–4195 [4260–4263]
- Drennan, J. (C) 6670–6673 [6772–6775]
- Dressler, R. (C) 3262–3266 [3306–3310]
- Drews, A. (C) 882–887 [896–901]
- Dreyer, J. (C) 9044–9048 [9184–9188]
- Driess, M.
- A “Side-on” Superoxonickel Complex [LNi(O₂)] with a Square-Planar Tetracoordinate Nickel(II) Center and Its Conversion into [LNi(μ-OH)₂NiL] (C) 7110–7113 [7218–7221]
DOI: 10.1002/anie.200802234
 - Dichotomic Reactivity of a Stable Silylene toward Terminal Alkynes: Facile C–H Bond Insertion versus Autocatalytic Formation of Silacyclopent-3-ene (C) 3250–3253 [3294–3297]
DOI: 10.1002/anie.200704939
- Driver, T. G.
- Dirhodium(II)-Catalyzed Intramolecular C–H Amination of Aryl Azides (C) 5056–5059 [5134–5137]
DOI: 10.1002/anie.200800689
- Dro, C. (C) 4546–4550 [4622–4626]
- Dröge, T. (C) 7230–7233 [7340–7343]
- Dronov, R. (C) 3000–3003 [3042–3045]
- Drumea-Mirancea, M. (C) 3196–3201 [3240–3245]
- Drury, M. R.
- Intergrowth Structure of Zeolite Crystals and Pore Orientation of Individual Subunits Revealed by Electron Backscatter Diffraction/Focused Ion Beam Experiments (C) 5637–5640 [5719–5722]
DOI: 10.1002/anie.200801433
- Druzhinin, S. I. (C) 10175–10178 [10329–10332]
- Du, Da-M.
- The Development of Double Axially Chiral Phosphoric Acids and Their Catalytic Transfer Hydrogenation of Quinolines (C) 759–762 Corrigendum: 1541 [771–774 Corrigendum: 1564]
DOI: 10.1002/anie.200703925
- Du, H. (C) 8224–8227 [8348–8351]
- Du, Z. (C) 7909–7912 [8027–8030]
- Duan, C.
- Metal-Tunable Nanocages as Artificial Chemosensors (C) 877–881 [891–895]
DOI: 10.1002/anie.200704206
 - Gold Nanoparticles Coated with a Thermosensitive Hyperbranched Polyelectrolyte: Towards Smart Temperature and pH Nanosensors

- (C) 2227–2230 [2259–2262]
DOI: 10.1002/anie.200704572
Duan, H.-F. (C) 4351–4353 [4423–4425]
Duan, X.
– Corrosion Resistance of Superhydrophobic Layered Double Hydroxide Films on Aluminum
(C) 2466–2469 [2500–2503]
DOI: 10.1002/anie.200704694
Dube, H. (C) 2600–2603 [2638–2642]
Dube, P. (C) 1255–1259 [1275–1279]
Dubourdeaux, P. (C) 715–717 [727–729]
Ducani, C. (C) 507–510 [517–520]
Duchateau, R.
– Chromium Catalysts Supported by a Non-spectator NPN Ligand: Isolation of Single-Component Chromium Polymerization Catalysts
(C) 5816–5819 [5900–5903]
DOI: 10.1002/anie.200800845
– Isolation of Single-Component Trimerization and Polymerization Chromium Catalysts: The Role of the Metal Oxidation State
(C) 9717–9721 [9863–9867]
DOI: 10.1002/anie.200803434
Ducho, C. (C) 9322–9325 [9462–9465]
Dückert, H. (C) 6869–6872 [6975–6978]
Duda, A.
– Effect of the Configuration of the Active Center on Comonomer Reactivities: The Case of ϵ -Caprolactone/L,L-Lactide Copolymerization
(C) 9088–9091 [9228–9231]
DOI: 10.1002/anie.200803540
Duerr, K. (C) 8735–8739 [8863–8867]
Dugal-Tessier, J. (C) 8064–8067 [8184–8187]
Duhme-Klair, A.-K.
– Intermolecular Sensitization of a Terbium-Containing Amphiphile by an Integral Membrane Protein
(C) 8856–8858 [8988–8990]
DOI: 10.1002/anie.200803828
Dul, M.-C. (C) 4211–4216 [4279–4284]
Dumas, P. (C) 4110–4113 [4178–4181]
Dumelin, C. E. (C) 3196–3201 [3240–3245]
Dumy, P. (C) 6888–6891 [6994–6997]
Dunbar, K. R. (C) 7760–7763 [7874–7877]
Dunbar, R. C. (C) 9666–9668 [9812–9814]
Duncan, T. V. (C) 2978–2981 [3020–3023]
Dunitz, J. D.
– Is Deuterium Always Smaller than Protium?
(C) 4208–4210 [4276–4278]
DOI: 10.1002/anie.200800063
Dunlap, W. C. (C) 8090–8092 [8210–8212]
Dunn, S. (R) 6538–6549 [6638–6650]
Dunsch, L.
– Carbon Pyramidalization in Fullerene Cages Induced by the Endohedral Cluster: Non-Scandium Mixed Metal Nitride Clusterfullerenes
(C) 8196–8200 [8318–8322]
DOI: 10.1002/anie.200802009
Duodu, P. (C) 3192–3195 [3236–3239]
Dupont, J.
– Cobalt Nanocubes in Ionic Liquids: Synthesis and Properties
(C) 9075–9078 [9215–9218]
DOI: 10.1002/anie.200804200
– Multiply Charged (Di-)Radicals
(C) 151–154 [157–160]
DOI: 10.1002/anie.200703858
Durand, P.
– Detection of Enzymatic Activity by PARACEST MRI: A General Approach to Target a Large Variety of Enzymes
(C) 4370–4372 [4442–4444]
DOI: 10.1002/anie.200800809
Durand, T.
– Beyond Prostaglandins—Chemistry and Biology of Cyclic Oxygenated Metabolites Formed by Free-Radical Pathways from Polyunsaturated Fatty Acids
(R) 5894–5955 [5978–6041]
DOI: 10.1002/anie.200705122
Durandetti, M. (C) 891–893 [905–907]
Dürr, U. H. N. (C) 7864–7867 [7982–7985]
D'Urso, A. (C) 9879–9882 [10027–10030]
Duschek, A. (H) 5703–5705 [5787–5789]
Duschl, C.
– Controlled Cell Adhesion on PEG-Based Switchable Surfaces
(C) 5666–5668 [5749–5752]
DOI: 10.1002/anie.200801202
Dutkiewicz, M. (C) 573–576 [583–586]
Duttwyler, S. (C) 1719–1722 [1743–1746]
Dyer, P. W.
– A Truly Multifunctional Heterocycle: Iminophosphorane, N,P Chelate, and Dihydropyridine
(C) 8674–8677 [8802–8805]
DOI: 10.1002/anie.200803373
Dyke, A. M. (C) 5067–5070 [5145–5148]
Dyker, C. A.
– Synthesis and Ligand Properties of Stable Five-Membered-Ring Allenes Containing Only Second-Row Elements
(C) 5411–5414 [5491–5494]
DOI: 10.1002/anie.200801176
Dyker, C. A. (C) 3206–3209 [3250–3253]
Dyson, P. J. (C) 3773–3776 [3833–3836], 3966–3968 [4030–4032]
E
Easwaramoorthi, S. (C) 4840–4843 [4918–4921], 6004–6007 [6093–6096]
Ebeling, G. (C) 151–154 [157–160], 9075–9078 [9215–9218]
Eberhardt, K. W. (C) 8961–8963 [9096–9098]
Eberlin, L. S. (C) 3422–3425 [3470–3473]
Eberlin, M. N.
– Multiply Charged (Di-)Radicals
(C) 151–154 [157–160]
DOI: 10.1002/anie.200703858
Ebert, M.-O. (C) 8954–8957 [9087–9091]
Ebner, D. C. (C) 6367–6370 [6467–6470]
Echavarren, A. M.
– *cis*-Selective Single-Cleavage Skeletal Rearrangement of 1,6-Enynes Reveals the Multifaceted Character of the Intermediates in Metal-Catalyzed Cycloisomerizations
(C) 7892–7895 [8010–8013]
DOI: 10.1002/anie.200803269
– Divergent Titanium-Mediated Allylations with Modulation by Nickel or Palladium
(C) 7515–7519 [7625–7629]
DOI: 10.1002/anie.200802520
– Gold-Catalyzed Allyl–Allyl Coupling
(C) 1883–1886 [1909–1912]
DOI: 10.1002/anie.200704500
Echegoyen, L.
– $\text{Sc}_3\text{N@C}_{80}$ -Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications
(C) 4173–4176 [4241–4244]
DOI: 10.1002/anie.200800473
Eckert, H. (C) 755–758 [767–770]
Eckert, J. (C) 7263–7266 [7373–7376]
Eddaoudi, M.
– Template-Directed Assembly of Zeolite-like Metal–Organic Frameworks (ZMOFs): A *vsf*-ZMOF with an Unprecedented Zeolite Topology
(C) 8446–8449 [8574–8577]
DOI: 10.1002/anie.200802680
Edefuhr, M. (C) 1907–1909 [1933–1935]
Edelmann, M. J. (C) 9322–9325 [9462–9465]
Edmonds, D. J. (C) 1780–1783 [1804–1807], 5631–5633 [5713–5715]
Edmonds, J. S. (C) 2665–2667 [2705–2707]
Edwards, E. W. (C) 320–323 [326–329]
Edwards, J. K. (M) 9192–9198 [9332–9338]
Edwards, M. G. (C) 1935–1937 [1961–1963]
Edwards, P. P.
– Electron Transfer and Electronic Conduction through an Intervening Medium
(E) 6758–6765 [6860–6868]
DOI: 10.1002/anie.200703177
– Tuning the Decomposition Temperature in Complex Hydrides: Synthesis of a Mixed Alkali Metal Borohydride
(C) 2817–2819 [2859–2861]
DOI: 10.1002/anie.200704949
Eelman, M. D. (C) 303–306 [309–312]
Egami, H. (C) 5171–5174 [5249–5252]
Eggert, U. (C) 6478–6482 [6578–6582]
Egi, M. (C) 7673–7676 [7787–7790]
Eguchi, K.
– Effect of Thermal Treatment on Activity and Durability of $\text{CuFe}_2\text{O}_4\text{--Al}_2\text{O}_3$ Composite Catalysts for Steam Reforming of Dimethyl Ether
(C) 9314–9317 [9454–9457]
DOI: 10.1002/anie.200802809
Ehler, D. S. (C) 7332–7334 [7442–7444]
Ehlers, A. W. (C) 4584–4587 [4660–4663]
Ehrhardt, V. (C) 9130–9133 [9270–9273]
Ehrmann, M.
– Allosteric Activation of HtrA Protease DegP by Stress Signals during Bacterial Protein Quality Control
(C) 1332–1334 [1352–1355]
DOI: 10.1002/anie.200703273
Eichele, K. (C) 963–966 [977–980]
Eichhöfer, A. (C) 1326–1331 [1346–1351]
Eichholzer, A. (C) 3238–3241 [3282–3285]
Eichler, R.
– Thermochemical and Physical Properties of Element 112
(C) 3262–3266 [3306–3310]
DOI: 10.1002/anie.200705019
Eickerling, G. (L) 7798–7801 [7914–7917]
Eijsberg, H. (C) 7669–7672 [7783–7786]
Einaga, Y.
– Reversible Phototuning of Ferromagnetism at Au–S Interfaces at Room Temperature
(C) 160–163 [166–169]
DOI: 10.1002/anie.200704027
Eisler, D. J. (C) 1111–1114 [1127–1130]
El Ashry, El S. H. Corrigendum: 5277
El-Dahshan, A. (C) 3275–3278 [3319–3323]

- El-Hamruni, S. M. (C) 10147–10150 [10301–10304]
- El Harrak, A. (C) 6817–6820 [6923–6926]
- El Oualid, F. (C) 2244–2247 [2276–2279]
- Elbing, M. (H) 834–838 [846–850], (C) 3407–3409 [3455–3457]
- Elias, B. (C) 9067–9070 [9207–9210]
- Ellis, B. D. (C) 9115–9117 [9255–9257]
- Ellis, J. E.
- From Storable Sources of Atomic Nb⁺ and Ta⁺ Ions to Isolable Anionic Tris(1,3-butadiene)metal Complexes: [M(η⁴-C₄H₆)₃][−], M = Nb, Ta (C) 484–489 [494–499]
DOI: 10.1002/anie.200703887
 - Structurally Distinct Homoleptic Anthracene Complexes, [M(C₁₄H₁₀)₃][−], M = Titanium, Zirconium, Hafnium: Tris(arene) Complexes for a Triad of Transition Metals (C) 8692–8695 [8820–8823]
DOI: 10.1002/anie.200802780
- Ellis, R. (C) 1745–1748 [1769–1772]
- Ellman, J. A.
- Enantioselective Synthesis of α-Aryl Alkylamines by Rh-Catalyzed Addition Reactions of Arylboronic Acids to Aliphatic Imines (C) 5623–5626 [5705–5708]
DOI: 10.1002/anie.200801137
- Elsevier, C. J.
- Transfer Semihydrogenation of Alkynes Catalyzed by a Zero-Valent Palladium N-Heterocyclic Carbene Complex (C) 3223–3226 [3267–3270]
DOI: 10.1002/anie.200705638
- Emge, T. J. (C) 6049–6051 [6138–6140]
- Emmerling, F. (C) 193–197 [199–203]
- Emsley, L. (C) 5851–5854 [5935–5938]
- Enander, K. (C) 5554–5556 [5636–5638]
- Enders, D.
- Asymmetric Brønsted Acid Catalyzed Isoindoline Synthesis: Enhancement of Enantiomeric Ratio by Stereobalancing Kinetic Resolution (C) 5661–5665 [5744–5748]
DOI: 10.1002/anie.200801354
 - Organocatalytic Asymmetric Domino Reactions: A Cascade Consisting of a Michael Addition and an Aldehyde α-Alkylation (C) 7539–7542 [7649–7653]
DOI: 10.1002/anie.200802532
- Endl, E. (C) 5190–5193 [5268–5271]
- Endo, K. (C) 3607–3609 [3663–3665]
- Engelhardt, J. (C) 2685–2688 [2725–2728]
- Engelhardt, L. P. (C) 924–927 [938–941]
- Engelkamp, H. (C) 4421–4424 [4493–4496]
- England, J. (C) 7064–7067 [7172–7175], 8068–8071 [8188–8191]
- English, D. G. (C) 6233–6235 [6329–6331]
- Ennifar, E.
- Binding of Aminoglycoside Antibiotics to the Duplex Form of the HIV-1 Genomic RNA Dimerization Initiation Site (C) 4110–4113 [4178–4181]
DOI: 10.1002/anie.200800726
- Enright, G. D. (C) 9704–9707 [9850–9853]
- Ensor, C. M. (C) 3718–3721 [3778–3781]
- Enthaler, S. (C) 2497–2501 [2531–2535], (H) 3317–3321 [3363–3367]
- Ephritikhine, M.
- Polyimido Uranium(IV) Clusters: Imido-metalates with an M₂(μ₃-N)₆(μ₂-N)₆ Core Analogous to the Anderson-Type Polyoxometalate Motif (C) 5586–5589 [5668–5671]
DOI: 10.1002/anie.200801420
 - The First *cis*-Dioxido Uranyl Compound under Scrutiny (L) 5892–5893 [5976–5977]
DOI: 10.1002/anie.200705350
- Eppe, M.
- From Metal Complexes to Nanominerals: The Formation of Inorganic Nanoparticles on Fibrils of Transferrin (H) 4960–4961 [5038–5039]
DOI: 10.1002/anie.200800930
 - Inorganic Nanoparticles as Carriers of Nucleic Acids into Cells (R) 1382–1395 [1402–1416]
DOI: 10.1002/anie.200703039
- Epstein, I. R.
- Diffusively Coupled Chemical Oscillators in a Microfluidic Assembly (C) 7753–7755 [7867–7869]
DOI: 10.1002/anie.200802339
- Ercolani, G.
- Unraveling the Mechanism of the Soai Asymmetric Autocatalytic Reaction by First-Principles Calculations: Induction and Amplification of Chirality by Self-Assembly of Hexamolecular Complexes (C) 6832–6835 [6938–6941]
DOI: 10.1002/anie.200802450
- Ergang, N. S. (C) 9096–9099 [9236–9239]
- Erickson, K. (C) 5232–5234 [5310–5312]
- Eriksson, L. (C) 8468–8472 [8596–8600]
- Erker, G.
- Five-Membered Metallacyclic Allenoids: Synthesis and Structure of Remarkably Stable Strongly Distorted Cyclic Allene Derivatives (C) 2622–2625 [2662–2665]
DOI: 10.1002/anie.200705615
 - Metal-Free Catalytic Hydrogenation of Enamines, Imines, and Conjugated Phosphinoalkenylboranes (C) 7543–7546 [7654–7657]
DOI: 10.1002/anie.200801432
- Ernst, M. (C) 1477–1480 [1499–1502]
- Ernyei, A. J. (C) 9533–9536 [9676–9679]
- Errey, J. C. (C) 2244–2247 [2276–2279]
- Ersmark, K. (R) 1202–1223 [1220–1242]
- Ertl, G.
- Reactions at Surfaces: From Atoms to Complexity (Nobel Lecture) (R) 3524–3535 [3578–3590]
DOI: 10.1002/anie.200800480
- Esaki, H. (C) 5394–5397 [5474–5477]
- Escalettes, F. (C) 2639–2641 [2679–2681]
- Escuder, B. (R) 8002–8018 [8122–8139]
- Escudero-Adán, E. C. (C) 4114–4118 [4182–4186]
- Esquena, J. (C) 1861–1865 [1887–1891]
- Ess, D. H. (M) 7592–7601 [7704–7713], (C) 7849–7852 [7967–7970]
- Esser-Kahn, A. P. Corrigendum: 7788
- Esser-Kahn, A. P. (C) 3751–3754 [3811–3814]
- Esteve-Núñez, A.
- C-Type Cytochromes Wire Electricity-Producing Bacteria to Electrodes (C) 4874–4877 [4952–4955]
DOI: 10.1002/anie.200801310
- Eswaramoorthy, M.
- Hollow Spheres to Nanocups: Tuning the Morphology and Magnetic Properties of Single-Crystalline α-Fe₂O₃ Nanostructures (C) 7685–7688 [7799–7802]
DOI: 10.1002/anie.200802626
- Eubanks, L. M. (R) 8360–8379 [8488–8507]
- Eustáquio, A. S. (C) 3936–3938 [4000–4002]
- Evans, D. G. (C) 2466–2469 [2500–2503]
- Evans, G. (C) 2820–2823 [2862–2865]
- Evans, P. A.
- A Sequential Two-Component Etherification/Oxa-Conjugate Addition Reaction: Asymmetric Synthesis of (+)-Leucascandrolide A Macrolactone (C) 5426–5429 [5506–5509]
DOI: 10.1002/anie.200801357
 - Mechanistic Insight into the Diastereoselective Rhodium-Catalyzed Pauson–Khand Reaction: Role of Coordination Number in Stereocontrol (C) 342–345 [348–351]
DOI: 10.1002/anie.200702822
- Evans, W. J.
- A Crystallizable f-Element Tuck-In Complex: The Tuck-in Tuck-over Uranium Metallocene [(C₅Me₅)U{μ-η³:η¹:η¹-C₅Me₃(CH₂)₂}(μ-H)₂U(C₅Me₅)₂] (C) 5075–5078 [5153–5156]
DOI: 10.1002/anie.200801062
 - Reductive Coupling of Acetonitrile by Uranium and Thorium Hydride Complexes To Give Cyanopentadienyl Dianion (C₆N₃H₇)^{2−} (C) 589–592 [599–602]
DOI: 10.1002/anie.200703969
- Eychmüller, A.
- Fungal Templates for Noble-Metal Nanoparticles and Their Application in Catalysis (C) 7876–7879 [7994–7997]
DOI: 10.1002/anie.200801802
 - Light-Emitting Diodes with Semiconductor Nanocrystals (R) 6538–6549 [6638–6650]
DOI: 10.1002/anie.200705109



Faber, K.

- Enantiocomplementary Enzymes: Classification, Molecular Basis for Their Enantio-preference, and Prospects for Mirror-Image Biotransformations (M) 8782–8793 [8912–8923]
DOI: 10.1002/anie.200705159
- Fabregat, R. (C) 3348–3351 [3396–3399]
- Fadel, L. (C) 8687–8691 [8815–8819]
- Fagnoni, M. (H) 10022–10025 [10172–10175]
- Faheem, S. A. (C) 882–887 [896–901]
- Falck, J. R.
- Efficient Iridium-Catalyzed C–H Functionalization/Silylation of Heteroarenes (C) 7508–7510 [7618–7620]
DOI: 10.1002/anie.200802456
 - Synthesis of Enantioenriched α-(Hydroxyalkyl)-tri-*n*-butylstannanes (C) 6586–6589 [6688–6691]
DOI: 10.1002/anie.200802313
- Falini, G. (C) 8075–8078 [8195–8198]
- Fallis, A. G.
- Asymmetric Allenophanes: Synthesis of a Tris-*meta*-allenophane and Tetrakis-*meta*-allenophane by Sequential Cross-Coupling

- (C) 568–572 [578–582]
DOI: 10.1002/anie.200703003
- Fallis, I. A.
– Discrimination of Geometrical Epoxide Isomers by ENDOR Spectroscopy and DFT Calculations: The Role of Hydrogen Bonds
(C) 1414–1416 [1436–1438]
DOI: 10.1002/anie.200703537
- Falsig, H. (C) 4835–4839 [4913–4917]
Famulok, M.
– Affinity-Based Labeling of Cytohesins with a Bifunctional SecinH3 Photoaffinity Probe
(C) 9565–9568 [9707–9710]
DOI: 10.1002/anie.200803962
- Construction of DNA Architectures with RNA Hairpins
(C) 971–973 [985–987]
DOI: 10.1002/anie.200704709
- DNA Minicircles with Gaps for Versatile Functionalization
(C) 967–970 [981–984]
DOI: 10.1002/anie.200704004
- Enrichment of Cell-Targeting and Population-Specific Aptamers by Fluorescence-Activated Cell Sorting
(C) 5190–5193 [5268–5271]
DOI: 10.1002/anie.200800216
- Fan, H. (C) 9112–9114 [9252–9254]
Fan, J. (C) 8682–8686 [8810–8814]
Fan, K.-N. (C) 334–337 [340–343]
Fan, Q.-H.
– Hydrogenation of Quinolines Using a Recyclable Phosphine-Free Chiral Cationic Ruthenium Catalyst: Enhancement of Catalyst Stability and Selectivity in an Ionic Liquid
(C) 8464–8467 [8592–8595]
DOI: 10.1002/anie.200802237
- Fan, W. (C) 9096–9099 [9236–9239]
Fan, Z. (C) 4440–4442 [4512–4514]
Fañanás, F. J. (C) 7044–7047 [7152–7155]
Fañanás-Mastral, M. (C) 6594–6597 [6696–6699]
- Fang, J.
– Coreduction Colloidal Synthesis of III–V Nanocrystals: The Case of InP
(C) 3540–3542 [3596–3598]
DOI: 10.1002/anie.200800281
- p-Type Field-Effect Transistors of Single-Crystal Zinc Telluride Nanobelts
(C) 9469–9471 [9611–9613]
DOI: 10.1002/anie.200804073
- Fang, J.-M.
– A Concise and Flexible Synthesis of the Potent Anti-Influenza Agents Tamiflu and Tamiphosphor
(C) 5788–5791 [5872–5875]
DOI: 10.1002/anie.200801959
- Fang, L. (C) 7470–7474 [7580–7584]
Fang, Xiaohong
– A Hydrodynamically Focused Stream as a Dynamic Template for Site-Specific Electrochemical Micropatterning of Conducting Polymers
(C) 1072–1075 [1088–1091]
DOI: 10.1002/anie.200704264
- Fang, Xikui (C) 8123–8126 [8243–8246]
Fang, Z. (C) 1115–1118 [1131–1134], 1473–1476 [1495–1498]
Fanghänel, T. (C) 5846–5850 [5930–5934]
Fanizzi, F. P.
– Experimental Evidence That a DNA Polymerase Can Incorporate N7-Platinated Guanines To Give Platinated DNA
(C) 507–510 [517–520]
DOI: 10.1002/anie.200703160
- Fanti, M. (C) 3174–3179 [3218–3223]
Farès, C. (C) 3722–3726 [3782–3786]
Färm, E. (C) 7442–7445 [7552–7555]
Fässler, T. F.
– Structural Complexity in Intermetallic Alloys: Long-Periodic Order beyond 10 nm in the System BaSn₃/BaBi₃
(C) 3999–4004 [4063–4068]
DOI: 10.1002/anie.200800378
- Faungnawakij, K. (C) 9314–9317 [9454–9457]
Faure, S. (C) 6840–6842 [6946–6948]
Fdez. Galván, I. Corrigendum: 628
Fechner, K. (C) 3642–3645 [3698–3701]
Fedin, M.
– Light-Induced Excited Spin State Trapping in an Exchange-Coupled Nitroxide-Copper(II)-Nitroxide Cluster
(C) 6897–6899 [7003–7005]
DOI: 10.1002/anie.200801400
- Fedin, V. P.
– Incorporation of Molybdenum Sulfide Cluster Units into a Dawson-Like Polyoxometalate Structure To Give Hybrid Polythioxometalates
(C) 1465–1468 [1487–1490]
DOI: 10.1002/anie.200704344
- Feenstra, J. S. (C) 9496–9499 [9638–9641]
Feldkamp, U.
– Rational Engineering of Dynamic DNA Systems
(H) 3871–3873 [3933–3935]
DOI: 10.1002/anie.200800675
- Feldkamp, U. (C) 2135–2137 [2165–2168]
Feldmann, J.
– Marine Metabolites and Metal Ion Chelation: Intact Recovery and Identification of an Iron(II) Complex in the Extract of the Ascidian *Eudistoma gilboviride*
(C) 8090–8092 [8210–8212]
DOI: 10.1002/anie.200802060
- Felgenhauer, T. (C) 7132–7135 [7241–7244]
Feliu, J. M. (C) 4874–4877 [4952–4955]
Fellay, C. (C) 3966–3968 [4030–4032]
Feller, R. K. (C) 8634–8637 [8762–8765]
Felner, I. (C) 4416–4420 [4488–4492]
Felser, C. (C) 7635–7638 [7747–7750]
Femoni, C.
– An Organometallic Approach to Gold Nanoparticles: Synthesis and X-Ray Structure of CO-Protected Au₂₁Fe₁₀, Au₂₂Fe₁₂, Au₂₈Fe₁₄, and Au₃₄Fe₁₄ Clusters
(C) 6666–6669 [6768–6771]
DOI: 10.1002/anie.200802267
- Feng, J. (C) 1054–1057 [1070–1073]
Feng, M.-L. (C) 8623–8626 [8751–8754]
Feng, P.
– A Rare (3,4)-Connected Chalcogenide Superlattice and Its Photoelectric Effect
(C) 113–116 [119–122]
DOI: 10.1002/anie.200703442
- Feng, Xiaoming
– An *N,N'*-Dioxide/In(OTf)₃ Catalyst for the Asymmetric Hetero-Diels–Alder Reaction Between Danishefsky's Dienes and Aldehydes: Application in the Total Synthesis of Triketide
(C) 1308–1311 [1328–1331]
DOI: 10.1002/anie.200704759
- Asymmetric Intramolecular Oxa-Michael Addition of Activated α,β -Unsaturated Ketones Catalyzed by a Chiral *N,N'*-Dioxide Nickel(II) Complex: Highly Enantioselective Synthesis of Flavanones
(C) 8670–8673 [8798–8801]
DOI: 10.1002/anie.200803326
- Highly Enantioselective Direct Michael Addition of Nitroalkanes to Nitroolefins Catalyzed by La(OTf)₃/*N,N'*-Dioxide Complexes
(C) 7079–7081 [7187–7189]
DOI: 10.1002/anie.200802285
- Highly Enantioselective Hydrophosphonylation of Aldehydes Catalyzed by Tridentate Schiff Base Aluminum(III) Complexes
(C) 392–394 [398–400]
DOI: 10.1002/anie.200704116
- Feng, Xiaoying (C) 3012–3015 [3054–3057]
Feng, Xinliang (C) 1703–1706 [1727–1730]
Feng, Y.-Q. (C) 5340–5343 [5420–5423]
Feng, Z. (C) 1766–1769 [1790–1793]
Fenske, D.
– Synthesis and Crystal Structures of the Ligand-Stabilized Silver Chalcogenide Clusters [Ag₁₅₄Se₇₇(dppxy)₁₈], [Ag₃₂₀(S₂But)₆₀S₁₃₀(dppp)₁₂], [Ag₃₅₂S₁₂₈(S₂C₅H₁₁)₉₆], and [Ag₄₉₀S₁₈₈(S₂C₅H₁₁)₁₁₄]
(C) 1326–1331 [1346–1351]
DOI: 10.1002/anie.200704249
- Fensterbank, L.
– The Role of Bent Acyclic Allene Gold Complexes in Axis-to-Center Chirality Transfers
(C) 7534–7538 [7644–7648]
DOI: 10.1002/anie.200802332
- Fensterbank, L. (C) 718–721 [730–733], 6865–6868 [6971–6974]
Férey, G.
– Amine Grafting on Coordinatively Unsaturated Metal Centers of MOFs: Consequences for Catalysis and Metal Encapsulation
(C) 4144–4148 [4212–4216]
DOI: 10.1002/anie.200705998
- Férey, G. (C) 4100–4105 [4168–4173], 6611–6615 [6713–6717], 8487–8491 [8615–8619]
Ferguson, A. (C) 5609–5612 [5691–5694]
Ferguson, M. J. (C) 4910–4913 [4988–4991]
Feringa, B. L.
– Catalytic Enantioselective 1,6-Conjugate Addition of Grignard Reagents to Linear Dienoates
(C) 398–401 [404–407]
DOI: 10.1002/anie.200703702
- Catalytic Enantioselective Reformatsky Reaction with Aldehydes
(C) 1317–1319 [1337–1339]
DOI: 10.1002/anie.200704841
- Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface
(C) 4997–5001 [5075–5079]
DOI: 10.1002/anie.200800255
- Fernandez, C. O. (C) 5046–5048 [5124–5126]
Fernández, E.
– Gold(0) Nanoparticles for Selective Catalytic Diboration
(C) 5194–5197 [5272–5275]
DOI: 10.1002/anie.200800541
- Fernández, E. M. (C) 4683–4686 [4761–4764]
Fernández, G. (C) 1094–1097 [1110–1113]
Fernandez, I. (C) 9150–9154 [9290–9295]
Fernández, I. (C) 1951–1954 [1977–1980]

- Fernandez, S. (C) 7132–7135 [7241–7244]
Fernandez-Barbero, A. (C) 8665–8669 [8793–8797]
Fernández-Ibáñez, M. Á. (C) 1317–1319 [1337–1339]
Ferrand, Y. (C) 2693–2696 [2733–2736]
Ferri, V. (C) 3407–3409 [3455–3457]
Fert, A.
– Origin, Development, and Future of Spintronics (Nobel Lecture) (R) 5956–5967 [6042–6054]
DOI: 10.1002/anie.200801093
Fertinger, C. (C) 5238–5242 [5316–5320]
Fettinger, J. C. (C) 5634–5636 [5716–5718], 6407–6410 [6507–6510], 8251–8254 [8375–8378], 9115–9117 [9255–9257]
Feyel, S. (C) 1946–1950 [1972–1976]
Fianchini, M. (C) 556–559 [566–569]
Ficht, S. (C) 4411–4415 [4483–4487]
Fidalgo, L. M. (C) 2042–2045 [2072–2075]
Fiedler, A. T. (C) 8068–8071 [8188–8191]
Fiedler, H.-P.
– Proximicins A, B, and C—Antitumor Furan Analogues of Netropsin from the Marine Actinomycete *Verrucosipora* Induce Upregulation of p53 and the Cyclin Kinase Inhibitor p21 (C) 3258–3261 [3302–3305]
DOI: 10.1002/anie.200705295
Fiedler, H.-P. (C) 3995–3998 [4059–4062]
Fiedler, J. (C) 6192–6194 [6287–6289]
Field, M. J. Corrigendum: 628
Field, R. W.
– Evolution of Chemical Bonding during HCN&rlarr2;HNC Isomerization as Revealed through Nuclear Quadrupole Hyperfine Structure (C) 2969–2972 [3011–3014]
DOI: 10.1002/anie.200705399
Figueira-Duarte, T. M. (C) 10175–10178 [10329–10332]
Fihri, A. (C) 564–567 [574–577]
Filinchuk, Y.
– High-Pressure Polymorphism as a Step towards Destabilization of LiBH₄ (C) 529–532 [539–542]
DOI: 10.1002/anie.200704777
Filipović, M. (C) 3991–3994 [4055–4058]
Filipović, M. R. (C) 8735–8739 [8863–8867]
Filippou, A. C.
– Tungsten-Mediated Activation of a Pb^{II}–N bond: A New Route to Tungsten–Lead Triple Bonds (C) 5799–5802 [5883–5886]
DOI: 10.1002/anie.200801331
Filthaus, M. (C) 4744–4747 [4822–4825]
Fini, F. (C) 9236–9239 [9376–9379]
Finka, A. (C) 7857–7860 [7975–7978]
Finke, P. (C) 9982–9984 [10130–10133]
Fiorini-Debuisschert, C. (C) 8412–8415 [8540–8543]
Fioroni, M. (C) 7029–7031 [7137–7139]
Fischbach, M. A.
– Inhibitors of Sterol Biosynthesis as *Staphylococcus aureus* Antibiotics (H) 5700–5702 [5784–5786]
DOI: 10.1002/anie.200801801
Fischer, D. (C) 4428–4431 [4500–4503]
Fischer, H. (C) 4512–4515 [4588–4591]
Fischer, J.-H. (C) 9289–9293 [9430–9434]
Fischer, R. A.
– Functionalized Coordination Space in Metal–Organic Frameworks (H) 8164–8168 [8285–8289]
DOI: 10.1002/anie.200801612
– Methylgallium as a Terminal Ligand in [(Cp*Ga)₂Rh(GaCH₃)]⁺ (C) 3438–3441 [3487–3490]
DOI: 10.1002/anie.200705031
– Molecular Cut-Outs of Mo/Zn Hume–Rothery Phases: Synthesis and Structure of [(Mo(CO)₄)]₄(Zn)₆(μ-ZnCp*)₄ (C) 9146–9149 [9286–9289]
DOI: 10.1002/anie.200803449
– [Sn₁₇{GaCl(ddd)}₄]: A High-Nuclearity Metalloid Tin Cluster Trapped by Electrophilic Gallium Ligands (C) 7234–7237 [7344–7347]
DOI: 10.1002/anie.200802470
– Twelve One-Electron Ligands Coordinating One Metal Center: Structure and Bonding of [Mo(ZnCH₃)₆(ZnCp*)₃] (C) 9150–9154 [9290–9295]
DOI: 10.1002/anie.200802811
Fjermestad, T. (C) 1098–1101 [1114–1117]
Flagler, M. J. (C) 1265–1268 [1285–1288]
Fleck, M. (C) 6189–6191 [6284–6286]
Flecks, S. (C) 9533–9536 [9676–9679]
Fletcher, D. A. (C) 8473–8477 [8601–8605]
Flierler, U. (C) 4321–4325 [4393–4397]
Flood, A. H.
– Pure C–H Hydrogen Bonding to Chloride Ions: A Preorganized and Rigid Macrocyclic Receptor (C) 2649–2652 [2689–2692]
DOI: 10.1002/anie.200704717
Florczak, M. (C) 9088–9091 [9228–9231]
Florescig, P. E.
– Diastereoselective Tetrahydropyran Synthesis through Transition-Metal-Free Oxidative Carbon–Hydrogen Bond Activation (C) 4184–4187 [4252–4255]
DOI: 10.1002/anie.200706002
– Total Synthesis of Theopederin D (C) 7317–7320 [7427–7430]
DOI: 10.1002/anie.200802548
Flörke, U. (C) 1512–1514 [1535–1537]
Flytzani-Stephanopoulos, M.
– Shape and Crystal-Plane Effects of Nanoscale Ceria on the Activity of Au–CeO₂ Catalysts for the Water–Gas Shift Reaction (C) 2884–2887 [2926–2929]
DOI: 10.1002/anie.200705828
Föcker, K. (C) 402–405 [408–411]
Fogg, D. E.
– Shining New Light on an Old Problem: Retooling MALDI Mass Spectrometry for Organotransition-Metal Catalysis (C) 303–306 [309–312]
DOI: 10.1002/anie.200704489
Fojta, M.
– Aminophenyl- and Nitrophenyl-Labeled Nucleoside Triphosphates: Synthesis, Enzymatic Incorporation, and Electrochemical Detection (C) 2059–2062 [2089–2092]
DOI: 10.1002/anie.200705088
Fokin, A. A.
– Diamonds are a Chemist's Best Friend: Diamondoid Chemistry Beyond Adamantane (R) 1022–1036 [1038–1053]
DOI: 10.1002/anie.200701684
Fokin, V. V.
– Ruthenium-Catalyzed Cycloaddition of Nitrile Oxides and Alkynes: Practical Synthesis of Isoxazoles (C) 8285–8287 [8409–8411]
DOI: 10.1002/anie.200801920
Foley, N. A. (C) 726–730 [738–742]
Font, D. (C) 398–401 [404–407]
Fontaine, J.-G. (C) 4432–4435 [4504–4507]
Fontecave, M. (C) 564–567 [574–577]
Fontecilla-Camps, J. C. Corrigendum: 628
Forbes, T. Z. (C) 2824–2827 [2866–2869]
Fordyce, E. A. F. (C) 7350–7353 [7460–7463]
Forest, K. T. (C) 4753–4755 [4831–4833]
Forman, A. J. (C) 8682–8686 [8810–8814]
Fornasieri, G. (C) 7750–7752 [7864–7866]
Forneli, A. (C) 8259–8263 [8383–8387]
Forster, Melanie (C) 5981–5983 [6070–6072]
Forster, Michael (R) 4070–4098 [4138–4167]
Forster, P. M. (C) 7263–7266 [7373–7376]
Fournier-Bidoz, S. (C) 5577–5581 [5659–5663]
Fout, A. R. (C) 3769–3772 [3829–3832], 8502–8505 [8630–8633]
Fowler, J. S. (C) 5989–5992 [6078–6081]
Foxman, B. M. (C) 1481–1484 [1503–1506]
Fraaije, M. W.
– Self-Sufficient Baeyer–Villiger Monooxygenases: Effective Coenzyme Regeneration for Biooxygenation by Fusion Engineering (C) 2275–2278 [2307–2310]
DOI: 10.1002/anie.200704630
Fragai, M. (C) 4533–4537 [4609–4613]
Frahm, R. (C) 9260–9264 [9400–9404]
Francesconi, K. A.
– Arsenic-Containing Long-Chain Fatty Acids in Cod-Liver Oil: A Result of Biosynthetic Infidelity? (C) 2665–2667 [2705–2707]
DOI: 10.1002/anie.200705405
Franciò, G. (C) 7339–7341 [7449–7451]
Francis, M. B. Corrigendum: 7788
Francis, M. B.
– DNA-Coated AFM Cantilevers for the Investigation of Cell Adhesion and the Patterning of Live Cells (C) 8473–8477 [8601–8605]
DOI: 10.1002/anie.200802525
– Protein-Cross-Linked Polymeric Materials through Site-Selective Bioconjugation (C) 3751–3754 [3811–3814]
DOI: 10.1002/anie.200705564
Franck, G. (C) 7652–7655 [7764–7767]
Franck, X.
– Straightforward Access to Protected *syn* α-Amino-β-hydroxy Acid Derivatives (C) 4224–4227 [4292–4295]
DOI: 10.1002/anie.200800860
Frank, A. O. (C) 2608–2611 [2647–2651]
Franke, A. (C) 5238–5242 [5316–5320]
Franssila, S. (C) 7442–7445 [7552–7555]
Fréchet, J. M. J.
– Polymer–Fullerene Composite Solar Cells (R) 58–77 [62–82]
DOI: 10.1002/anie.200702506
Frederick, M. O. (R) 7182–7225 [7292–7335]
Freeman, A. J. (C) 7828–7832 [7946–7950]
Freeman, B. D.
– Highly Chlorine-Tolerant Polymers for Desalination (C) 6019–6024 [6108–6113]
DOI: 10.1002/anie.200800454
Freeman, R. (C) 1676–1679 [1700–1703]
Freisz, S. (C) 4110–4113 [4178–4181]
Freitag, B. (C) 5005–5008 [5083–5086]

- Frenking, G.
– Comments on “Homoleptical Silver(I) Acetylene Complexes”
(L) 7796–7797 [7912–7913]
DOI: 10.1002/anie.200705423
- No Important Suggestions
(L) 7168–7169 [7280–7281]
DOI: 10.1002/anie.200802500
- Structural Evidence for Antiaromaticity in Free Boroles
(C) 1951–1954 [1977–1980]
DOI: 10.1002/anie.200704771
- Twelve One-Electron Ligands Coordinating One Metal Center: Structure and Bonding of $[\text{Mo}(\text{ZnCH}_3)_6(\text{ZnCp}^*)_3]$
(C) 9150–9154 [9290–9295]
DOI: 10.1002/anie.200802811
- Frenz, L. (C) 6817–6820 [6923–6926]
- Frerich, B.
– Monolithic Polymers for Cell Cultivation, Differentiation, and Tissue Engineering
(C) 9138–9141 [9278–9281]
DOI: 10.1002/anie.200801872
- Fressigné, C.
– Intramolecular Carbolithiation of Alkynes: *anti* Selectivity
(C) 891–893 [905–907]
DOI: 10.1002/anie.200704139
- Freund, H.-J. (C) 9289–9293 [9430–9434]
- Freutel, F. (C) 940–943 [954–957]
- Frey, G. D. (C) 5224–5228 [5302–5306]
- Frey, H.
– Gold Nanoparticles Coated with a Thermosensitive Hyperbranched Polyelectrolyte: Towards Smart Temperature and pH Nanosensors
(C) 2227–2230 [2259–2262]
DOI: 10.1002/anie.200704572
- Fridman, A. (C) 8020–8024 [8140–8144]
- Fried, T. (C) 4855–4857 [4933–4935]
- Friedman, G.
– Nanoscale Corona Discharge in Liquids, Enabling Nanosecond Optical Emission Spectroscopy
(C) 8020–8024 [8140–8144]
DOI: 10.1002/anie.200802891
- Friedrich, P. (C) 3254–3257 [3298–3301]
- Friedrich, T. (C) 7029–7031 [7137–7139]
- Friese, C. (C) 8950–8953 [9083–9086]
- Friggeri, A. (C) 2063–2066 [2093–2096]
- Frisch, J. R. (C) 7064–7067 [7172–7175]
- Frizler, M. (C) 4331–4334 [4403–4406]
- Fröhlich, R. (C) 779–782 [791–794], 1450–1453 [1472–1475], 1654–1657 [1678–1681], 2622–2625 [2662–2665], 6794–6797 [6899–6902], 7543–7546 [7654–7657], 9985–9988 [10134–10137]
- Frost, C. G. (C) 8482–8486 [8610–8614]
- Fu, G. C.
– Enantioselective Nucleophilic Catalysis: The Synthesis of Aza- β -Lactams through [2 + 2] Cycloadditions of Ketenes with Azo Compounds
(C) 7048–7050 [7156–7158]
DOI: 10.1002/anie.200802439
- Nickel-Catalyzed Negishi Cross-Couplings of Secondary Nucleophiles with Secondary Propargylic Electrophiles at Room Temperature
(C) 9334–9336 [9474–9476]
DOI: 10.1002/anie.200802784
- Fu, H. (C) 7301–7305 [7411–7415], 8905–8908 [9037–9040]
- Fu, H.-y. (C) 9240–9244 [9380–9384]
- Fu, Xiao (C) 5641–5645 [5723–5727]
- Fu, Xuan (C) 8670–8673 [8798–8801]
- Fuchibe, K. (C) 4016–4018 [4080–4082]
- Fuentes, N. (C) 7515–7519 [7625–7629]
- Fuhr, O. (C) 1326–1331 [1346–1351]
- Fuhrman, B. (C) 7896–7900 [8014–8018]
- Fujie, S. (C) 2506–2508 [2540–2542]
- Fujihara, H.
– Asymmetric Suzuki–Miyaura Coupling Reactions Catalyzed by Chiral Palladium Nanoparticles at Room Temperature
(C) 6917–6919 [7023–7025]
DOI: 10.1002/anie.200802174
- Fujihara, H. (C) 1298–1300 [1318–1320]
- Fujihara, T. (C) 8310–8314 [8434–8438]
- Fujii, A.
– Observation of an Isolated Intermediate of the Nucleophilic Aromatic Substitution Reaction by Infrared Spectroscopy
(C) 6008–6010 [6097–6099]
DOI: 10.1002/anie.200801751
- Fujioka, H. (C) 3787–3790 [3847–3850]
- Fujita, M.
– A Selective Instant Synthesis of a Coordination Network and Its Ab Initio Powder Structure Determination
(C) 1269–1271 [1289–1291]
DOI: 10.1002/anie.200704809
- A Self-Assembled Spin Cage
(C) 2046–2048 [2076–2078]
DOI: 10.1002/anie.200704924
- Discrete and Well-Defined Hydrophobic Phases Confined in Self-Assembled Spherical Complexes
(C) 5780–5782 [5864–5866]
DOI: 10.1002/anie.200801700
- Highly Selective Photomediated 1,4-Radical Addition to *o*-Quinones Controlled by a Self-Assembled Cage
(C) 2067–2069 [2097–2099]
DOI: 10.1002/anie.200705139
- Single-Crystalline Molecular Flasks: Chemical Transformation with Bulky Reagents in the Pores of Porous Coordination Networks
(C) 8030–8032 [8150–8152]
DOI: 10.1002/anie.200802545
- Fujita, N. (C) 4577–4580 [4653–4656]
- Fujita, W.
– Structural Study of a Dimerization Process in an Organic Radical Magnet, BBDTA·InBr₄
(C) 9480–9483 [9622–9625]
DOI: 10.1002/anie.200803249
- Fujitsuka, M. (C) 5348–5352 [5428–5432]
- Fujiwara, Y. (C) 5394–5397 [5474–5477]
- Fukase, K.
– A Submicrogram-Scale Protocol for Biomolecule-Based PET Imaging by Rapid 6 π -Azoelectrocyclization: Visualization of Sialic Acid Dependent Circulatory Residence of Glycoproteins
(C) 102–105 [108–111]
DOI: 10.1002/anie.200702989
- Fukatsu, S. (C) 5438–5441 [5518–5521]
- Fukazawa, A. (C) 5582–5585 [5664–5667]
- Fukuda, K. (C) 86–89 [92–95]
- Fukuda, M. (C) 706–710 [718–722]
- Fukuda, T. (C) 6712–6716 [6814–6818]
- Fukui, K. (C) 2035–2038 [2065–2068]
- Fukunaga, T. (C) 9314–9317 [9454–9457]
- Fukushima, S. (C) 5163–5166 [5241–5244]
- Fukushima, T.
– Conductive One-Handed Nanocoils by Coassembly of Hexabenzocoronenes: Control of Morphology and Helical Chirality
(C) 1672–1675 [1696–1699]
DOI: 10.1002/anie.200704747
- Fukutani, K. (C) 9289–9293 [9430–9434]
- Fukuzumi, S.
– A Discrete Supramolecular Conglomerate Composed of Two Saddle-Distorted Zinc(II)-Phthalocyanine Complexes and a Doubly Protonated Porphyrin with Saddle Distortion Undergoing Efficient Photoinduced Electron Transfer
(C) 6712–6716 [6814–6818]
DOI: 10.1002/anie.200802601
- Detection of a Radical Cation of an NADH Analogue in Two-Electron Reduction of a Protonated *p*-Quinone Derivative by an NADH Analogue
(C) 1068–1071 [1084–1087]
DOI: 10.1002/anie.200704136
- Hydrogen Atom Abstraction and Hydride Transfer Reactions by Iron(IV)–Oxo Porphyrins
(C) 7321–7324 [7431–7434]
DOI: 10.1002/anie.200802346
- Proton Shift upon One-Electron Reduction in Ruthenium(II)-Coordinated Pterins
(C) 9669–9672 [9815–9818]
DOI: 10.1002/anie.200802835
- Ruthenium-Catalyzed Selective and Efficient Oxygenation of Hydrocarbons with Water as an Oxygen Source
(C) 5772–5776 [5856–5860]
DOI: 10.1002/anie.200801170
- Fuller-Schaefer, C. (C) 1265–1268 [1285–1288]
- Fullmer, B. C. (C) 9112–9114 [9252–9254]
- Fumino, K. (C) 3830–3834 [3890–3894], 8731–8734 [8859–8862]
- Funai, H. (C) 138–141 [144–147]
- Funami, H. (C) 4903–4905 [4981–4983]
- Fung, S.-Y. (C) 4397–4400 [4469–4472]
- Fung, W. (C) 5577–5581 [5659–5663]
- Fürstenberg, A. (C) 3727–3729 [3787–3789]
- Fürstner, A.
– A Synthesis-Driven Structure Revision of Berkelic Acid Methyl Ester
(C) 8450–8454 [8578–8582]
DOI: 10.1002/anie.200803339
- Carbenes Stabilized by Ylides: Pushing the Limits
(C) 8302–8306 [8426–8430]
DOI: 10.1002/anie.200803200
- Coordination Chemistry of Ene-1,1-diamines and a Prototype “Carbodicarbene”
(C) 3210–3214 [3254–3258]
DOI: 10.1002/anie.200705798
- On the Nature of the Reactive Intermediates in Gold-Catalyzed Cycloisomerization Reactions
(C) 5030–5033 [5108–5111]
DOI: 10.1002/anie.200800934
- Furukawa, K. (C) 9661–9665 [9807–9811]
- Furukawa, T. (C) 8051–8054 [8171–8174]
- Furuta, H.
– Doubly N-Fused Porphyrin
(C) 8913–8916 [9045–9048]
DOI: 10.1002/anie.200803670
- N-Confused and N-Fused *meso*-Aryl Sapphyrins
(C) 4563–4567 [4639–4643]
DOI: 10.1002/anie.200705984
- Near-Infrared Emission from Bis-Pt^{II} Complexes of Doubly N-Confused Calix[6]phyrins(1.1.1.1.1.1)

(C) 5438–5441 [5518–5521]
DOI: 10.1002/anie.200801713
Furutani, Y. (C) 3923–3926 [3987–3990]
Furuya, T. (C) 5993–5996 [6082–6085]
Fustero, S.
– Anionic–Anionic Asymmetric Tandem Reactions: One-Pot Synthesis of Optically Pure Fluorinated Indolines from 2-*p*-Tolylsulfenyl Alkylbenzenes
(C) 7941–7944 [8059–8062]
DOI: 10.1002/anie.200802885
Futamura, Y. (C) 1091–1093 Corrigendum: 1982 [1107–1109 Corrigendum: 2008]
Fuwa, H.
– Total Synthesis of (+)-Neopeltolide
(C) 4737–4739 [4815–4817]
DOI: 10.1002/anie.200801399



Gäb, S. (C) 9989–9992 [10138–10142]
Gadde, S. (C) 2657–2660 [2697–2700]
Gade, L. H.
– Chiral Bis(pyridylimino)isoindoles: A Highly Modular Class of Pincer Ligands for Enantioselective Catalysis
(C) 4670–4674 [4748–4752]
DOI: 10.1002/anie.200801150
– Self-Assembly of a Cyclic Zn₄O₄ Tetramer by Aerobic Oxidation of a Bisoxazoline: A Molecular “Nest” for Nucleophilic OH[–]
(C) 4546–4550 [4622–4626]
DOI: 10.1002/anie.200800870
– Transforming Surface Coordination Polymers into Covalent Surface Polymers: Linked Polycondensed Aromatics through Oligomerization of N-Heterocyclic Carbene Intermediates
(C) 2414–2417 [2448–2451]
DOI: 10.1002/anie.200704072
Gademann, K.
– Antimicrobial Surfaces through Natural Product Hybrids
(C) 7123–7126 [7232–7235]
DOI: 10.1002/anie.200801570
Gäggeler, H. W. (C) 3262–3266 [3306–3310]
Gagné, M. R.
– Asymmetric Oxidative Cation/Olefin Cyclization of Polyenes: Evidence for Reversible Cascade Cyclization
(C) 6011–6014 [6100–6103]
DOI: 10.1002/anie.200801423
Gagnepain, J. Corrigendum: 628
Gahlmann, A. (C) 9496–9499 [9638–9641]
Gaich, T.
– It All Began with an Error: The Nomofungin/Communesin Story
(M) 8170–8176 [8290–8296]
DOI: 10.1002/anie.200801735
Gaidzik, N. (C) 7551–7556 [7662–7667]
Gaikwad, A. V. (C) 5407–5410 [5487–5490]
Gaillard, S. (C) 2454–2457 [2488–2491]
Galano, J.-M.
– Beyond Prostaglandins—Chemistry and Biology of Cyclic Oxygenated Metabolites Formed by Free-Radical Pathways from Polyunsaturated Fatty Acids
(R) 5894–5955 [5978–6041]
DOI: 10.1002/anie.200705122

Galindo, A. (M) 6526–6536 [6626–6637]
Gallani, J.-L. (C) 490–495 [500–505]
Gallardo, D. E. (R) 6538–6549 [6638–6650]
Galli, C.
– Hydrogen Abstraction and Electron Transfer with Aminoxyl Radicals: Synthetic and Mechanistic Issues
(M) 4790–4796 [4868–4874]
DOI: 10.1002/anie.200704292
Gallucci, J. (C) 410–413 [416–420]
Galzerano, P. (C) 8703–8706 [8831–8834]
Gamage, S. D. (C) 1265–1268 [1285–1288]
Gambarelli, S.
– Double Electron–Electron Resonance (DEER): A Convenient Method To Probe DNA Conformational Changes
(C) 735–737 [747–749]
DOI: 10.1002/anie.200704133
Gambarotta, S.
– Breaking the 1.80 Å Barrier of the Cr–Cr Multiple Bond Between Cr^{II} Atoms
(C) 9937–9940 [10085–10088]
DOI: 10.1002/anie.200804048
– Chromium Catalysts Supported by a Non-spectator NPN Ligand: Isolation of Single-Component Chromium Polymerization Catalysts
(C) 5816–5819 [5900–5903]
DOI: 10.1002/anie.200800845
– Isolation of Single-Component Trimerization and Polymerization Chromium Catalysts: The Role of the Metal Oxidation State
(C) 9717–9721 [9863–9867]
DOI: 10.1002/anie.200803434
Gan, H. (C) 7705–7709 [7819–7823]
Gan, Q. (C) 1715–1718 [1739–1742], 4153–4156 [4221–4224]
Gan, Z. (C) 7864–7867 [7982–7985]
Gandelman, M.
– Pincer Click Ligands
(C) 4555–4558 [4631–4634]
DOI: 10.1002/anie.200800123
Gandon, V.
– The Role of Bent Acyclic Allene Gold Complexes in Axis-to-Center Chirality Transfers
(C) 7534–7538 [7644–7648]
DOI: 10.1002/anie.200802332
Gandon, V. (C) 155–159 [161–165]
Ganesh, S. K. (C) 7849–7852 [7967–7970]
Ganguly, K. (C) 7332–7334 [7442–7444]
Ganin, A. Y. Corrigendum: 1167
Ganis, P. (C) 5331–5334 [5411–5414]
Gantt, R. W. (C) 8889–8892 [9021–9024]
Gao, F. (C) 5340–5343 [5420–5423]
Gao, X. (C) 1298–1300 [1318–1320]
Gao, X.-P.
– Visible-Light-Driven Oxidation of Organic Contaminants in Air with Gold Nanoparticle Catalysts on Oxide Supports
(C) 5353–5356 [5433–5436]
DOI: 10.1002/anie.200800602
Gaoutchenova, K. (C) 82–85 [88–91]
Gaponik, N. (R) 6538–6549 [6638–6650]
Garayalde, D. (C) 10110–10113 [10264–10267]
Garbev, K. (C) 8650–8653 [8778–8781]
García, H. (C) 1080–1083 [1096–1099]
García, J.-M. (C) 1910–1912 [1936–1938]
García-Álvarez, P. (C) 8079–8081 [8199–8201]
García-Antón, J. (C) 2074–2078 [2104–2108]

García-Fortanet, J. (C) 8108–8111 [8228–8231]
García-García, P. (C) 4719–4721 [4797–4799]
García Ruano, J. L.
– Anionic–Anionic Asymmetric Tandem Reactions: One-Pot Synthesis of Optically Pure Fluorinated Indolines from 2-*p*-Tolylsulfenyl Alkylbenzenes
(C) 7941–7944 [8059–8062]
DOI: 10.1002/anie.200802885
– Configurational Control of Benzyl Carbocation–Copper Complexes by Sulfinyl Groups: Synthesis of Optically Pure Allenes with Central and Axial Chirality
(C) 6836–6839 [6942–6945]
DOI: 10.1002/anie.200802158
García-Yebra, C. (C) 1883–1886 [1909–1912]
Gardiennet, C. (C) 5851–5854 [5935–5938]
Gardiner, J. (C) 6392–6394 [6492–6494]
Garg, S. (C) 6236–6239 [6332–6335]
Gasharova, B. (C) 8650–8653 [8778–8781]
Gaspar, A. B.
– Spin-Crossover Nanocrystals with Magnetic, Optical, and Structural Bistability Near Room Temperature
(C) 6433–6437 [6533–6537]
DOI: 10.1002/anie.200801673
Gaspar, B. (C) 5758–5760 [5842–5844]
Gasparini, G. (C) 2475–2479 [2509–2513]
Gasparutto, D. (C) 735–737 [747–749]
Gates, B. C.
– Real-Time Characterization of Formation and Breakup of Iridium Clusters in Highly Dealuminated Zeolite Y
(C) 9245–9248 [9385–9388]
DOI: 10.1002/anie.200802140
Gates, D. P.
– Chiral Ligand Design: A Bidentate Ligand Incorporating an Acyclic Phosphaalkene
(C) 8064–8067 [8184–8187]
DOI: 10.1002/anie.200802949
Gatlin, J. T. (C) 9484–9486 [9626–9628]
Gaunt, M. J.
– Synthesis of Rhazinicine by a Metal-Catalyzed C–H Bond Functionalization Strategy
(C) 3004–3007 [3046–3049]
DOI: 10.1002/anie.200705005
Gaus, K. (C) 2697–2699 [2737–2739]
Gauthier, N. Corrigendum: 629
Gautier, A. (C) 7297–7300 [7407–7410]
Gavryushin, A. (C) 6802–6806 [6907–6911]
Gayathri, S. S. (C) 4173–4176 [4241–4244]
Gazit, E.
– Amyloids: Not Only Pathological Agents but Also Ordered Nanomaterials
(M) 4062–4069 [4128–4136]
DOI: 10.1002/anie.200703133
Ge, H. M. (C) 5823–5826 [5907–5910]
Ge, J. (C) 5806–5811 [5890–5895], 8924–8928 [9056–9060]
Gee, A. D. (C) 8416–8419 [8544–8547], (R) 8998–9033 [9136–9172]
Geister, S. (C) 6184–6188 [6279–6283]
Gelens, E. (C) 1287–1290 [1307–1310]
Geletii, Yu. V. (C) 3896–3899 [3960–3963]
Gellman, S. H.
– Nanofibers and Lyotropic Liquid Crystals from a Class of Self-Assembling β -Peptides
(C) 1241–1244 [1261–1264]
DOI: 10.1002/anie.200704372
– Sequence-Based Design of α/β -Peptide Foldamers That Mimic BH3 Domains

- (C) 2853–2856 [2895–2898]
DOI: 10.1002/anie.200705315
- Gemel, C. (C) 3438–3441 [3487–3490], 7234–7237 [7344–7347], 9146–9149 [9286–9289], 9150–9154 [9290–9295]
- Gendrineau, T. (C) 7669–7672 [7783–7786]
- Geneux, J. C. (C) 9067–9070 [9207–9210]
- Genet, C. (C) 6367–6370 [6467–6470]
- Genêt, J.-P. (R) 4268–4315 [4338–4386]
- Genet, J.-P. (C) 7669–7672 [7783–7786]
- Geng, J. (C) 4180–4183 [4248–4251]
- Genovese, D. (C) 5211–5214 [5289–5292]
- Genovino, J. (C) 3016–3020 [3058–3062], 3021–3025 [3063–3067]
- Gentili, P. (M) 4790–4796 [4868–4874]
- George, S. (C) 4997–5001 [5075–5079]
- Georgiou, G.
- An Engineered Protease that Cleaves Specifically after Sulfated Tyrosine (C) 7861–7863 [7979–7981]
DOI: 10.1002/anie.200800736
- Gérardin, C.
- Ecodesign of Ordered Mesoporous Materials Obtained with Switchable Micellar Assemblies (C) 8433–8437 [8561–8565]
DOI: 10.1002/anie.200802431
- Gerber, R. B. (C) 6272–6274 [6368–6370]
- Geremia, S. (C) 4504–4508 [4580–4584]
- Gerlich, S. (C) 6195–6198 [6290–6293]
- Gerth, K. (C) 600–602 [610–613]
- Gertsch, J. (C) 10081–10085 [10235–10239]
- Ghadiri, M. R.
- Biomimetic Catalysis of Diketopiperazine and Dipeptide Syntheses (C) 1758–1761 [1782–1785]
DOI: 10.1002/anie.200704266
- Ghicov, A. (C) 7934–7937 [8052–8055]
- Ghobrial, M. (C) 2275–2278 [2307–2310]
- Ghosh, S. (C) 2217–2221 [2249–2253]
- Ghosh, S. K. (C) 3403–3406 [3451–3454], 8843–8847 [8975–8979]
- Ghoufi, A. (C) 6611–6615 [6713–6717], 8487–8491 [8615–8619]
- Gianelli, C. (C) 8700–8702 [8828–8830]
- Giannis, A.
- Syntheses with a Chiral Building Block from the Citric Acid Cycle: (2*R*,3*S*)-Isocitric Acid by Fermentation of Sunflower Oil (C) 1958–1960 [1984–1986]
DOI: 10.1002/anie.200705000
- Giansante, C. (C) 5422–5425 [5502–5505]
- Gibbs, T. J. K. (C) 2820–2823 [2862–2865]
- Gibe, R. (C) 944–946 [958–960]
- Gibson, M. I. (C) 5160–5162 [5238–5240]
- Gierlich, J. (C) 3442–3444 [3491–3493]
- Giese, B.
- Influence of Amino Acid Side Chains on Long-Distance Electron Transfer in Peptides: Electron Hopping via “Stepping Stones” (C) 3461–3463 [3511–3514]
DOI: 10.1002/anie.200705588
- Gil-Ramírez, G. (C) 4114–4118 [4182–4186]
- Gill, D. M. (C) 5067–5070 [5145–5148]
- Gill, R. (C) 1676–1679 [1700–1703], (R) 7602–7625 [7714–7736]
- Gilleron, M. (C) 9734–9738 [9880–9884]
- Gillies, R. J. (C) 1685–1688 [1709–1712]
- Gilmore, J. M. Corrigendum: 7788
- Gilon, C. (C) 2595–2599 [2633–2637]
- Gin, D. Y.
- Synthesis of QS-21-Xylose: Establishment of the Immunopotentiating Activity of Synthetic QS-21 Adjuvant with a Melanoma Vaccine (C) 6395–6398 [6495–6498]
DOI: 10.1002/anie.200801885
 - Synthetic Access to the Chlorocyclopentane Cores of the Proposed Original and Revised Structures of Palau’amine (C) 6821–6824 [6927–6930]
DOI: 10.1002/anie.200801969
- Giniger, R. (C) 6272–6274 [6368–6370]
- Gioia, C. (C) 9236–9239 [9376–9379]
- Giorgio, T. D. (C) 7857–7860 [7975–7978]
- Girard, A.-L. (C) 891–893 [905–907]
- Giraud, N.
- Protein Crystallography through Supramolecular Interactions between a Lanthanide Complex and Arginine (C) 3388–3391 [3436–3439]
DOI: 10.1002/anie.200704683
- Girault, H. H.
- H₂O₂ Generation by Decamethylferrocene at a Liquid/Liquid Interface (C) 4675–4678 [4753–4756]
DOI: 10.1002/anie.200801004
- Girault, H. H. (C) 2646–2648 [2686–2688]
- Girbal, L. (C) 2052–2054 [2082–2084]
- Girerd, J.-J. (C) 7064–7067 [7172–7175]
- Giri, R. (C) 5215–5219 [5293–5297]
- Giuseppone, N. (C) 2235–2239 [2267–2271]
- Glandsorp, F. G. (C) 2808–2812 [2850–2854]
- Glas, A. F. (C) 10076–10080 [10230–10234]
- Glaser, J. (C) 7547–7550 [7658–7661]
- Glatzel, P. (C) 9260–9264 [9400–9404]
- Glaubit, C.
- The Structure of the Neuropeptide Bradykinin Bound to the Human G-Protein Coupled Receptor Bradykinin B2 as Determined by Solid-State NMR Spectroscopy (C) 1668–1671 [1692–1695]
DOI: 10.1002/anie.200704282
- Glazer, E. C. (C) 898–901 [912–915]
- Glazer, J. (C) 1942–1945 [1968–1971]
- Gleason, J. L.
- Stable 5-Substituted Cyclopentadienes for the Diels–Alder Cycloaddition and their Application to the Synthesis of Palau’amine (C) 8885–8888 [9017–9020]
DOI: 10.1002/anie.200803344
- Glettner, B. (C) 6080–6083 [6169–6172], 9063–9066 [9203–9206]
- Gligorich, K. M. (C) 3219–3222 [3263–3266]
- Gloer, J. B. (C) 3573–3577 [3629–3633]
- Glorius, F.
- Asymmetric Cross-Coupling of Non-Activated Secondary Alkyl Halides (H) 8347–8349 [8474–8476]
DOI: 10.1002/anie.200803509
 - Palladium-Catalyzed Oxidative Cyclization of *N*-Aryl Enamines: From Anilines to Indoles (C) 7230–7233 [7340–7343]
DOI: 10.1002/anie.200802482
 - Proline-Catalyzed Highly Enantioselective and *anti*-Selective Mannich Reaction of Unactivated Ketones: Synthesis of Chiral α -Amino Acids (C) 9985–9988 [10134–10137]
DOI: 10.1002/anie.200803515
- Glossop, P. A. (C) 2872–2875 [2914–2917]
- Glube, N. (C) 4748–4752 [4826–4830]
- Gnanou, Y.
- Harnessing the Potential of *N*-Heterocyclic Carbenes for the Rejuvenation of Group-Transfer Polymerization of (Meth)Acrylics (C) 5390–5393 [5470–5473]
DOI: 10.1002/anie.200800490
- Goddard, R. (C) 3210–3214 [3254–3258], 5079–5081 [5157–5159], 8450–8454 [8578–8582]
- Goddard III, W. A.
- Facile Oxy-Functionalization of a Nucleophilic Metal Alkyl with a *cis*-Dioxo Metal Species via a (2 + 3) Transition State (C) 7849–7852 [7967–7970]
DOI: 10.1002/anie.200802575
- Godel, T. (C) 4512–4515 [4588–4591]
- Goedl, C. (C) 10086–10089 [10240–10243]
- Goeke, A.
- Gold-Catalyzed Cycloisomerization of Cyclopropyl Alkynyl Acetates: A Versatile Approach to 5-, 6-, and 7-Membered Carbocycles (C) 10110–10113 [10264–10267]
DOI: 10.1002/anie.200804202
- Goeldner, M. (C) 3192–3195 [3236–3239], 9525–9529 [9667–9671]
- Goessler, W. (C) 2665–2667 [2705–2707]
- Goff, R. D. (C) 8889–8892 [9021–9024]
- Gogotsi, Y.
- Desolvation of Ions in Subnanometer Pores and Its Effect on Capacitance and Double-Layer Theory (C) 3392–3395 [3440–3443]
DOI: 10.1002/anie.200704894
 - Nanoscale Corona Discharge in Liquids, Enabling Nanosecond Optical Emission Spectroscopy (C) 8020–8024 [8140–8144]
DOI: 10.1002/anie.200802891
- Goldberg, I. (C) 6422–6425 [6522–6525]
- Goldberg, K. I.
- Intermolecular Hydroarylation of Unactivated Olefins Catalyzed by Homogeneous Platinum Complexes (C) 7694–7696 [7808–7810]
DOI: 10.1002/anie.200800524
- Golding, B. T. (C) 3254–3257 [3298–3301]
- Goldup, S. M. (C) 3381–3384 [3429–3432], 4392–4396 [4464–4468], 6999–7003 [7107–7111]
- Golhen, S. (C) 8687–8691 [8815–8819]
- Göltz, P.
- Editorial: Appeals 7144–7145 [7254–7256]
DOI: 10.1002/anie.200803308
 - Editorial: 2007/5000/500/10/2008/120/75/48 → 52/CEJ/CAJ/CMC/CSC—Without Words? 5–9 [5–9]
DOI: 10.1002/anie.200705239
- Gómez, A. (C) 6225–6228 [6321–6324]
- Gómez Castaño, J. A. (C) 10114–10118 [10268–10272]
- Gómez-Herrero, J.
- Highly Conductive Supramolecular Nanostructures of a Covalently Linked Phthalocyanine–C₆₀ Fullerene Conjugate (C) 2026–2031 [2056–2061]
DOI: 10.1002/anie.200705260
- Gómez-Navarro, C. (C) 2026–2031 [2056–2061]
- Gong, K. (C) 5446–5450 [5526–5530]
- Gong, L.-Z.
- Organocatalytic Asymmetric Formal [3 + 2] Cycloaddition Reaction of Isocyanates to Nitroolefins Leading to Highly Optically Active Dihydropyrroles

- (C) 3414–3417 [3462–3465]
DOI: 10.1002/anie.200800003
- Organocatalytic Asymmetric Three-Component Cyclization of Cinnamaldehydes and Primary Amines with 1,3-Dicarbonyl Compounds: Straightforward Access to Enantiomerically Enriched Dihydropyridines (C) 2458–2462 [2492–2496]
DOI: 10.1002/anie.200705300
 - Gonsalvi, L. (C) 3766–3768 [3826–3828]
 - Gonzales, J. M. (C) 7849–7852 [7967–7970]
 - González-Calera, S. (C) 1111–1114 [1127–1130]
 - Goodby, J. W.
 - Transmission and Amplification of Information and Properties in Nanostructured Liquid Crystals (R) 2754–2787 [2794–2828]
DOI: 10.1002/anie.200701111
 - Goodin, D. B.
 - Probing Inducible Nitric Oxide Synthase with a Pterin–Ruthenium(II) Sensitizer Wire (C) 898–901 [912–915]
DOI: 10.1002/anie.200703743
 - Gooding, J. J.
 - Introducing Distinctly Different Chemical Functionalities onto the Internal and External Surfaces of Mesoporous Materials (C) 2697–2699 [2737–2739]
DOI: 10.1002/anie.200704784
 - Goodwin, A. L. (C) 1396–1399 [1418–1421]
 - Goody, R. S. (C) 3747–3750 [3807–3810]
 - Gooßen, K. (R) 3100–3120 [3144–3164]
 - Gooßen, L. J.
 - Carboxylic Acids as Substrates in Homogeneous Catalysis (R) 3100–3120 [3144–3164]
DOI: 10.1002/anie.200704782
 - Palladium/Copper-Catalyzed Decarboxylative Cross-Coupling of Aryl Chlorides with Potassium Carboxylates (C) 7103–7106 [7211–7214]
DOI: 10.1002/anie.200800728
 - Synthesis of Ketones from α -Oxocarboxylates and Aryl Bromides by Cu/Pd-Catalyzed Decarboxylative Cross-Coupling (C) 3043–3045 [3085–3088]
DOI: 10.1002/anie.200705127
 - Synthesis of Secondary Enamides by Ruthenium-Catalyzed Selective Addition of Amides to Terminal Alkynes (C) 8492–8495 [8620–8623]
DOI: 10.1002/anie.200803068
- Gorb, S. (C) 4592–4594 [4668–4670]
- Gordon, V. D. (C) 2986–2989 [3028–3031]
- Gorelsky, S. I. (C) 1410–1413 [1432–1435], 9937–9940 [10085–10088]
- Gornitzka, H. (C) 2271–2274 [2303–2306]
- Gorshkov, A. V. (C) 3262–3266 [3306–3310]
- Gortau, V. (C) 921–923 [935–937]
- Görtz, V. (R) 2754–2787 [2794–2828]
- Gösele, U. (C) 6177–6179 [6272–6274], 7004–7008 [7112–7116]
- Gosmini, C.
 - Efficient Cobalt-Catalyzed Formation of Unsymmetrical Biaryl Compounds and Its Application in the Synthesis of a Sartan Intermediate (C) 2089–2092 [2119–2122]
DOI: 10.1002/anie.200704402
- Gothelf, K. V.
 - Bridging One Helical Turn in Double-Stranded DNA by Templated Dimerization of Molecular Rods (C) 5569–5572 [5651–5654]
DOI: 10.1002/anie.200800819
- Surface Synthesis of 2D Branched Polymer Nanostructures (C) 4406–4410 [4478–4482]
DOI: 10.1002/anie.200705079
- Goto, A. (C) 3607–3609 [3663–3665]
- Goto, T. (C) 4737–4739 [4815–4817]
- Gotoh, H. (C) 4012–4015 [4076–4079], 6634–6637 [6736–6739]
- Gourdon, A.
 - On-Surface Covalent Coupling in Ultra-high Vacuum (H) 6950–6953 [7056–7059]
DOI: 10.1002/anie.200802229
- Gourdon, A. (C) 6994–6998 [7102–7106]
- Gouré, E. (C) 715–717 [727–729]
- Gouverneur, V.
 - Fluorine-Directed Diastereoselective Iodocyclizations (C) 357–360 [363–366]
DOI: 10.1002/anie.200703465
- Gold(I)-Catalyzed Alkoxyhalogenation of β -Hydroxy- α,α -Difluoroketones (C) 7927–7930 [8045–8048]
DOI: 10.1002/anie.200802162
- Govindaswamy, P. (C) 3773–3776 [3833–3836]
- Govorov, A. O. (C) 5335–5339 [5415–5419]
- Grabley, S. (C) 3995–3998 [4059–4062]
- Grabow, L. C. (H) 7390–7392 [7500–7502]
- Grachan, M. L. (C) 1469–1472 [1491–1494]
- Gradinaru, J. (C) 701–705 [713–717]
- Graff, R. (C) 6856–6859 [6962–6965]
- Graham, D. V. (C) 8079–8081 [8199–8201]
- Graham, K. (C) 4922–4925 [5000–5003]
- Gramlich, P. M. E. (C) 3442–3444 [3491–3493], (M) 8350–8358 [8478–8487]
- Grampp, G.
 - Fully Reversible Interconversion between Locally Excited Fluorophore, Exciplex, and Radical Ion Pair Demonstrated by a New Magnetic Field Effect (C) 960–962 [974–976]
DOI: 10.1002/anie.200703488
- Grandin, M. (C) 6184–6188 [6279–6283]
- Grant, G. A. (C) 672–676 [684–688]
- Grass, M. E. (C) 8893–8896 [9025–9028]
- Grassot, J.-M. (C) 947–950 [961–964]
- Grätzel, M.
 - Organic Dye-Sensitized Ionic Liquid Based Solar Cells: Remarkable Enhancement in Performance through Molecular Design of Indoline Sensitizers (C) 1923–1927 [1949–1953]
DOI: 10.1002/anie.200705225
- Grätzel, M. (C) 327–330 [333–336], 8259–8263 [8383–8387]
- Grau, S. (C) 1332–1334 [1352–1355]
- Gray, H. B. (C) 898–901 [912–915], (E) 6758–6765 [6860–6868]
- Gray, S. K. (C) 5013–5017 [5091–5095]
- Grayson, E. J. (C) 2244–2247 [2276–2279]
- Grecian, S. (C) 8285–8287 [8409–8411]
- Greco, N. J. (C) 6661–6665 [6763–6767]
- Green, J. C. (C) 3801–3804 [3861–3864]
- Green, M. E. (C) 7317–7320 [7427–7430]
- Green, M. J. (C) 560–563 [570–573]
- Green, S. P. (C) 9079–9083 [9219–9223]
- Greenberg, W. A. (C) 4411–4415 [4483–4487]
- Greenfield, M. T. (C) 4918–4921 [4996–4999]
- Gregoliński, J. Corrigendum: 10014
- Grela, K.
 - The Joy and Challenge of Small Rings Metathesis (H) 5504–5507 [5586–5589]
DOI: 10.1002/anie.200801575
- Grélaud, A. (C) 1715–1718 [1739–1742]
- Greshock, T. J. (C) 3573–3577 [3629–3633]
- Greulich, K.-O.
 - The Wave Property of Heavy Molecules—Its Use in Mass Spectrometry (H) 7990–7991 [8110–8111]
DOI: 10.1002/anie.200803290
- Griera, R. (C) 3348–3351 [3396–3399]
- Gries, K. (C) 8946–8949 [9078–9082]
- Griesinger, C.
 - Crystallography-Independent Determination of Ligand Binding Modes (C) 7736–7740 [7850–7854]
DOI: 10.1002/anie.200801792
- Dynamics in the p38 α MAP Kinase–SB203580 Complex Observed by Liquid-State NMR Spectroscopy (C) 3548–3551 [3604–3607]
DOI: 10.1002/anie.200705614
- RDC-Enhanced NMR Spectroscopy in Structure Elucidation of Sucro-Neolambertellin (C) 2032–2034 [2062–2064]
DOI: 10.1002/anie.200705037
- Griffiths, A. D.
 - Droplet-Based Microreactors for the Synthesis of Magnetic Iron Oxide Nanoparticles (C) 6817–6820 [6923–6926]
DOI: 10.1002/anie.200801360
- Grimm, S. K. (C) 7736–7740 [7850–7854]
- Grimme, S.
 - Do Special Noncovalent π – π Stacking Interactions Really Exist? (C) 3430–3434 [3478–3483]
DOI: 10.1002/anie.200705157
- Grimme, S. (C) 2622–2625 [2662–2665], 8727–8730 [8855–8858]
- Grin, Yu. (C) 6790–6793 [6895–6898]
- Gring, M. (C) 6195–6198 [6290–6293]
- Grishin, Yu. K. (C) 1107–1110 [1123–1126]
- Groff, D. (C) 8220–8223 [8344–8347]
- Gröger, H.
 - Modular Chemoenzymatic One-Pot Syntheses in Aqueous Media: Combination of a Palladium-Catalyzed Cross-Coupling with an Asymmetric Biotransformation (C) 9551–9554 [9693–9696]
DOI: 10.1002/anie.200801341
- Gröning, M. (C) 7132–7135 [7241–7244]
- Gropp, E.
 - Structure and Redox Activity of Copper Sites Isolated in a Nanoporous P4VP Polymeric Matrix (C) 9269–9273 [9409–9413]
DOI: 10.1002/anie.200802815
- Grosjean, C. (C) 768–770 [780–782]
- Groß, A. (C) 3821–3825 [3881–3885]
- Gross, D. E. (C) 5038–5042 [5116–5120]
- Gross, M. (C) 9979–9981 [10127–10129]
- Gross, Z.
 - Amphiphilic/Bipolar Metalloporphyrins That Catalyze the Decomposition of Reactive Oxygen and Nitrogen Species, Rescue Lipoproteins from Oxidative Damage, and Attenuate Atherosclerosis in Mice

- (C) 7896–7900 [8014–8018]
DOI: 10.1002/anie.200801149
- The Groves–Spiro Dioxomanganese(V) Story
(H) 2737–2739 [2777–2779]
DOI: 10.1002/anie.200705750
- Grossel, M. C. (C) 8634–8637 [8762–8765]
- Grossheimann, G. Corrigendum: 3666
- Grossmann, T. N. (C) 7119–7122 [7228–7231]
- Grove, R. C. (C) 78–81 [84–87]
- Groves, J. T.
- Cage Escape Competes with Geminate Recombination during Alkane Hydroxylation by the Diiron Oxygenase AlkB
(C) 5232–5234 [5310–5312]
DOI: 10.1002/anie.200801184
- Grubbs, A. W. (C) 3573–3577 [3629–3633]
- Gruber, C. C. (C) 741–745 [753–757]
- Gruebele, M.
- Real-Time Detection of Protein–Water Dynamics upon Protein Folding by Terahertz Absorption Spectroscopy
(C) 6486–6489 [6586–6589]
DOI: 10.1002/anie.200802281
- Grünanger, C. U. (C) 7346–7349 [7456–7459]
- Grundmann, M. (C) 6177–6179 [6272–6274]
- Grunenberg, J. (C) 788–792 [800–804]
- Grunert, C. M. (C) 2997–2999 [3039–3041]
- Gruppi, F. (C) 788–792 [800–804]
- Grützmacher, H.
- Cooperating Ligands in Catalysis
(H) 1814–1818 [1838–1842]
DOI: 10.1002/anie.200704654
- Ethanol as Hydrogen Donor: Highly Efficient Transfer Hydrogenations with Rhodium(I) Amides
(C) 3245–3249 [3289–3293]
DOI: 10.1002/anie.200704685
- Grützmacher, H. (R) 4482–4502 [4558–4579]
- Grzelakowski, M. (C) 7029–7031 [7137–7139]
- Grzesiek, S.
- Structure and Dynamics of ^{13}C , ^{15}N -Labeled Lipopolysaccharides in a Membrane Mimetic
(C) 9870–9874 [10018–10022]
DOI: 10.1002/anie.200803474
- Gsponer, J.
- Identification of Aggregation-Prone Elements by Using Interaction-Energy Matrices
(C) 7267–7269 [7377–7379]
DOI: 10.1002/anie.200802345
- Gu, F. N. (C) 3418–3421 [3466–3469]
- Gu, L. (C) 8464–8467 [8592–8595]
- Gu, Wei (C) 7626–7630 [7738–7742]
- Gu, Weixing (C) 1481–1484 [1503–1506]
- Gu, X.-B. (C) 9034–9038 [9174–9178]
- Guan, B.-T. (C) 10124–10127 [10278–10281]
- Guan, J. (C) 6052–6054 [6141–6143]
- Guan, X. (C) 6647–6649 [6749–6751]
- Guan, X.-Y. (C) 4204–4207 [4272–4275]
- Guari, Y. (C) 8236–8240 [8360–8364]
- Gudat, D. (C) 1512–1514 [1535–1537], 4584–4587 [4660–4663]
- Guebitz, G. M. (C) 9337–9340 [9477–9480]
- Guengerich, F. P.
- Direct Detection and Mapping of Sites of Base Modification in DNA Fragments by Tandem Mass Spectrometry
(C) 381–384 [387–390]
DOI: 10.1002/anie.200703942
- Guenther, D. R. (C) 5179–5182 [5257–5260]
- Guerchais, V. (C) 577–580 [587–590]
- Gug, S. (C) 9525–9529 [9667–9671]
- Guiard, J. (C) 9734–9738 [9880–9884]
- Guieu, S. (C) 7060–7063 [7168–7171]
- Guigliarelli, B. (C) 2052–2054 [2082–2084]
- Guilera, G. (C) 9303–9306 [9443–9446]
- Guillon, D. (C) 490–495 [500–505]
- Guillot, R. (C) 7064–7067 [7172–7175], 9948–9950 [10096–10098]
- Guillou, N. (C) 4100–4105 [4168–4173]
- Guin, J. (C) 779–782 [791–794], 8727–8730 [8855–8858]
- Guiu-Rozas, E. (C) 3747–3750 [3807–3810]
- Guldi, D. M.
- $\text{Sc}_3\text{N@C}_{80}$ -Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications
(C) 4173–4176 [4241–4244]
DOI: 10.1002/anie.200800473
- Gulías, M. (C) 951–954 [965–968]
- Gumireddy, K. (C) 7482–7484 [7592–7594]
- Gunanathan, C. (C) 8661–8664 [8789–8792]
- Gunnlaugsdottir, H. (C) 2665–2667 [2705–2707]
- Gunnoe, T. B.
- Activation of sp^3 Carbon–Hydrogen Bonds by a Ruthenium(II) Complex and Subsequent Metal-Mediated C–C and C–N Bond Formation
(C) 726–730 [738–742]
DOI: 10.1002/anie.200704614
- Günther, M. (C) 4753–4755 [4831–4833]
- Guo, C. (C) 3414–3417 [3462–3465]
- Guo, G.-C.
- Photochromism of a 3D Cd^{II} Complex with Two Captured Ligand Isomers Generated In Situ from the Same Precursor
(C) 3565–3567 [3621–3623]
DOI: 10.1002/anie.200705545
- Wavelength-Dependent Photochromic Inorganic–Organic Hybrid Based on a 3D Iodoplate Open-Framework Material
(C) 4149–4152 [4217–4220]
DOI: 10.1002/anie.200800603
- Guo, Hongchen (C) 6052–6054 [6141–6143]
- Guo, Hongyou (C) 2626–2630 [2666–2670]
- Guo, Jia (C) 8826–8830 [8958–8962]
- Guo, Jiantao (C) 722–725 [734–737], 6399–6401 [6499–6501]
- Guo, Jun (C) 2253–2255 [2285–2287]
- Guo, M. (C) 2279–2282 [2311–2314]
- Guo, Q.-S. (C) 759–762 Corrigendum: 1541 [771–774 Corrigendum: 1564]
- Guo, S.-P. (C) 4149–4152 [4217–4220]
- Guo, S.-X. (C) 4384–4387 [4456–4459]
- Guo, Xin (C) 6647–6649 [6749–6751]
- Guo, Xuelei (C) 6650–6653 [6752–6755]
- Guo, Z. (C) 3747–3750 [3807–3810]
- Gupta, I. (C) 4563–4567 [4639–4643]
- Gupta, T. (C) 2260–2262 [2292–2294], 5322–5326 [5402–5406]
- Gust, R. (C) 955–959 [969–973]
- Gutkin, V. (C) 4416–4420 [4488–4492]
- Gütlich, P.
- Mixed Spin-State [HS–LS] Pairs in a Dinuclear Spin-Transition Complex: Confirmation by Variable-Temperature ^{57}Fe Mössbauer Spectroscopy
(C) 2997–2999 [3039–3041]
DOI: 10.1002/anie.200705778
- Gütlich, P. (C) 6433–6437 [6533–6537]
- Gutmann, J. S. (C) 8400–8403 [8528–8531]
- Gütschow, M.
- Azadipeptide Nitriles: Highly Potent and Proteolytically Stable Inhibitors of Papain-Like Cysteine Proteases
(C) 4331–4334 [4403–4406]
DOI: 10.1002/anie.200705858
- Gutsol, A. (C) 8020–8024 [8140–8144]
- Güttler, S. (C) 7132–7135 [7241–7244]
- Güven, A. (C) 7029–7031 [7137–7139]
- Guyenne, S. (C) 1130–1133 [1146–1149]



- Haak, R. M. (C) 4997–5001 [5075–5079]
- Haapala, M. (C) 7442–7445 [7552–7555]
- Haase, C. (H) 1553–1556 [1575–1579], (C) 6807–6810 [6912–6915]
- Habas, S. E. (C) 5605–5608 [5687–5690]
- Haber, A. (C) 7896–7900 [8014–8018]
- Häber, T. (C) 10094–10097 [10248–10251]
- Haberecht, M. C. (C) 1662–1667 [1686–1691]
- Haberhauer, G.
- Control of Planar Chirality: The Construction of a Copper-Ion-Controlled Chiral Molecular Hinge
(C) 3635–3638 [3691–3694]
DOI: 10.1002/anie.200800062
- Hachisu, S. (C) 1436–1438 [1458–1460]
- Hachiya, M. (C) 6008–6010 [6097–6099]
- Hackenberger, C. P. R.
- Chemoselective Ligation and Modification Strategies for Peptides and Proteins
(R) 10030–10074 [10182–10228]
DOI: 10.1002/anie.200801313
- Chemoselective Peptide Cyclization by Traceless Staudinger Ligation
(C) 5984–5988 [6073–6077]
DOI: 10.1002/anie.200801514
- Stereochemistry at Bürgenstock: Chemical Biology and Organic Synthesis in Focus
(T) 5496–5499 [5578–5581]
DOI: 10.1002/anie.200802643
- Haddleton, D. M.
- Simultaneous Copper(I)-Catalyzed Azide–Alkyne Cycloaddition (CuAAC) and Living Radical Polymerization
(C) 4180–4183 [4248–4251]
DOI: 10.1002/anie.200800179
- Haenssler, F. (C) 3262–3266 [3306–3310]
- Hafner, I. (C) 701–705 [713–717]
- Hahn, B. T. (C) 9985–9988 [10134–10137]
- Hahn, F. E.
- Carbodicarbenes: Divalent Carbon(0) Compounds
(H) 4057–4061 [4122–4126]
DOI: 10.1002/anie.200800846
- Heterobimetallic Triple-Stranded Helicates with Directional Benzene-*o*-dithiol/Catechol Ligands
(C) 6794–6797 [6899–6902]
DOI: 10.1002/anie.200801172
- Heterocyclic Carbenes: Synthesis and Coordination Chemistry
(R) 3122–3172 [3166–3216]
DOI: 10.1002/anie.200703883
- Håkansson, S. (C) 8506–8509 [8634–8637]
- Hakoda, Y. (C) 496–499 [506–509]

- Halder, G. J. (C) 1396–1399 [1418–1421], 8929–8932 [9061–9064]
- Halder, R. (C) 4719–4721 [4797–4799]
- Hales, J. M. (C) 7095–7098 [7203–7206]
- Halet, J.-F. (C) 2301–2303 [2333–2336]
- Haley, M. M.
 - Water and Hydrogen Halides Serve the Same Structural Role in a Series of 2 + 2 Hydrogen-Bonded Dimers Based on 2,6-Bis(2-anilinoethynyl)pyridine Sulfonamide Receptors (C) 117–120 [123–126]
DOI: 10.1002/anie.200703971
- Halfen, J. A. (C) 1896–1899 [1922–1925]
- Hall, A. W. (R) 2754–2787 [2794–2828]
- Hall, D. G.
 - Direct and Waste-Free Amidations and Cycloadditions by Organocatalytic Activation of Carboxylic Acids at Room Temperature (C) 2876–2879 [2918–2921]
DOI: 10.1002/anie.200705468
- Halliday, D. (C) 882–887 [896–901]
- Hamashima, Y. (C) 4196–4199 [4264–4267]
- Hamed, R. B. (C) 9322–9325 [9462–9465]
- Hamel, C. (C) 10081–10085 [10235–10239]
- Hamilton, A. D.
 - Controlling Curvature in a Family of Oligoamide α -Helix Mimetics (C) 9691–9694 [9837–9840]
DOI: 10.1002/anie.200803778
- Hamilton, D. (C) 5631–5633 [5713–5715]
- Hamilton, J. T. G. (C) 5357–5361 [5437–5441]
- Hammond, G. B.
 - Thermodynamically Favored Aldol Reaction of Propargyl or Allenyl Esters: Regioselective Synthesis of Carbinol Allenates (C) 689–692 [701–704]
DOI: 10.1002/anie.200704221
- Hamon, J.-R.
 - Dramatic Remote Substituent Effects on the Electronic Spin State of Bis(scorpionate) Iron(II) Complexes (C) 8687–8691 [8815–8819]
DOI: 10.1002/anie.200802567
- Hamon, P. (C) 8687–8691 [8815–8819]
- Hamura, T. (C) 2248–2252 [2280–2284]
- Hamza, A. (C) 2435–2438 [2469–2472]
- Han, A.-R. (C) 7321–7324 [7431–7434]
- Han, Bing
 - Efficient Aerobic Oxidative Synthesis of 2-Substituted Benzoxazoles, Benzothiazoles, and Benzimidazoles Catalyzed by 4-Methoxy-TEMPO (C) 9330–9333 [9470–9473]
DOI: 10.1002/anie.200803381
- Han, Bo (C) 9971–9974 [10119–10122]
- Han, Buxing
 - Hydrogenation of Carbon Dioxide is Promoted by a Task-Specific Ionic Liquid (C) 1127–1129 [1143–1145]
DOI: 10.1002/anie.200704487
 - Nanoemulsions Induced by Compressed Gases (C) 3012–3015 [3054–3057]
DOI: 10.1002/anie.200705362
 - Reversible Switching of Lamellar Liquid Crystals into Micellar Solutions using CO₂ (C) 10119–10123 [10273–10277]
DOI: 10.1002/anie.200803753
- Han, Byunghye (C) 10151–10154 [10305–10308]
- Han, J. (C) 1063–1067 [1079–1083]
- Han, J.-Y. (C) 7470–7474 [7580–7584]
- Han, M. (C) 5163–5166 [5241–5244]
- Han, O. H.
 - Methanol Behavior in Direct Methanol Fuel Cells (C) 94–96 [100–102]
DOI: 10.1002/anie.200703190
- Han, S. (C) 2287–2289 [2319–2321]
- Han, S.-S. (C) 2470–2474 [2504–2508]
- Han, W.-Q.
 - Synthesis of Ultrathin Palladium and Platinum Nanowires and a Study of Their Magnetic Properties (C) 2055–2058 [2085–2088]
DOI: 10.1002/anie.200704707
- Han, X. (C) 5340–5343 [5420–5423]
- Han, Y. (C) 6015–6018 [6104–6107]
- Handa, S. (C) 3230–3233 [3274–3277]
- Handl, H. L. (C) 1685–1688 [1709–1712]
- Haneda, T. (C) 1269–1271 [1289–1291]
- Hanes, J.
 - Addressing the PEG Mucoadhesivity Paradox to Engineer Nanoparticles that “Slip” through the Human Mucus Barrier (C) 9726–9729 [9872–9875]
DOI: 10.1002/anie.200803526
- Hanes, J. W. (C) 2102–2105 [2132–2135]
- Hanessian, S.
 - Chemistry and Biology of the Aeruginosin Family of Serine Protease Inhibitors (R) 1202–1223 [1220–1242]
DOI: 10.1002/anie.200605219
- Hanfland, M. (C) 6790–6793 [6895–6898]
- Hangauer, M. J. (C) 2394–2397 [2428–2431]
- Hannam, J. S. (C) 3174–3179 [3218–3223]
- Hänni, D. (C) 6184–6188 [6279–6283]
- Hansen, H. A. (C) 4683–4686 [4761–4764]
- Hansen, T. W. (C) 5005–5008 [5083–5086]
- Hao, J. (C) 2626–2630 [2666–2670]
- Hapka, D. (C) 10179–10182 [10333–10336]
- Hara, Keiichi (C) 6860–6864 [6966–6970]
- Hara, Kenji
 - Self-Assembled Monolayers of Compact Phosphanes with Alkanethiolate Pendant Groups: Remarkable Reusability and Substrate Selectivity in Rh Catalysis (C) 5627–5630 [5709–5712]
DOI: 10.1002/anie.200800884
- Hara, N. (C) 9303–9306 [9443–9446]
- Hara, Y. (C) 6690–6693 [6792–6795]
- Harada, A.
 - Single-Molecule Imaging of Rotaxanes Immobilized on Glass Substrates: Observation of Rotary Movement (C) 6077–6079 [6166–6168]
DOI: 10.1002/anie.200801431
- Harada, T.
 - Catalytic Asymmetric Alkylation of Aldehydes with Grignard Reagents (C) 1088–1090 [1104–1106]
DOI: 10.1002/anie.200704963
- Haraguchi, N. (C) 8232–8235 Corrigendum: 8983 [8356–8359 Corrigendum: 9119]
- Harbuzaru, B. V. (C) 1080–1083 [1096–1099]
- Hardcastle, K. I. (L) 9380–9382 [9520–9522]
- Harder, S.
 - Calcium Amidoborane Hydrogen Storage Materials: Crystal Structures of Decomposition Products (C) 6290–6295 [6386–6391]
DOI: 10.1002/anie.200802037
 - Early Main-Group Metal Catalysts for the Hydrogenation of Alkenes with H₂ (C) 9434–9438 [9576–9580]
DOI: 10.1002/anie.200804657
- Remarkable Stability of Metallocenes with Superbulky Ligands: Spontaneous Reduction of Sm^{III} to Sm^{II} (C) 2121–2126 [2151–2156]
DOI: 10.1002/anie.200705001

Hardin, A. R. (C) 6650–6653 [6752–6755]

Hargreaves, J. S. J. (C) 4384–4387 [4456–4459]

Harmata, M.

 - An Interrupted [4 + 3] Cycloaddition Reaction: A Hydride Shift (Ene Reaction) Intervenes (C) 8696–8699 [8824–8827]
DOI: 10.1002/anie.200803487

Harms, K. (C) 9985–9988 [10134–10137]

Haroun, S. (C) 7731–7735 [7845–7849]

Harper, J. C. (C) 2631–2634 [2671–2674]

Harriman, A. (M) 1184–1201 [1202–1219]

Harrington, R. W. (C) 6208–6211 [6304–6307]

Harrison, D. J.

 - Microfluidic Self-Patterning of Large-Scale Crystalline Nanoarrays for High-Throughput Continuous DNA Fractionation (C) 6388–6391 [6488–6491]
DOI: 10.1002/anie.200800816

Harrison, W. T. A. (C) 8634–8637 [8762–8765]

Harrowfield, J. (C) 2484–2488 [2518–2522]

Hartgerink, J. D.

 - Nanofibers and Lyotropic Liquid Crystals from a Class of Self-Assembling β -Peptides (C) 1241–1244 [1261–1264]
DOI: 10.1002/anie.200704372

Hartig, J. S.

 - Improved Aptazyme Design and In Vivo Screening Enable Riboswitching in Bacteria (C) 2604–2607 [2643–2646]
DOI: 10.1002/anie.200703700

Hartschuh, A.

 - Tip-Enhanced Near-Field Optical Microscopy (R) 8178–8191 [8298–8312]
DOI: 10.1002/anie.200801605

Hartwig, J. F.

 - Direct, Iridium-Catalyzed Enantioselective and Regioselective Allylic Etherification with Aliphatic Alcohols (C) 1928–1931 [1954–1957]
DOI: 10.1002/anie.200705267
 - Iridium-Catalyzed H/D Exchange at Vinyl Groups without Olefin Isomerization (C) 5783–5787 [5867–5871]
DOI: 10.1002/anie.200801992
 - Palladium-Catalyzed α -Arylation of Aldehydes with Bromo- and Chloroarenes Catalyzed by [[Pd(allyl)Cl]₂] and dppf or Q-phos (C) 2127–2130 [2157–2160]
DOI: 10.1002/anie.200705357

Haruta, M.

 - Influence of the Support and the Size of Gold Clusters on Catalytic Activity for Glucose Oxidation (C) 9265–9268 [9405–9408]
DOI: 10.1002/anie.200802845

Harutyunyan, S. R. (C) 398–401 [404–407]

Harvey, J. N. (C) 5067–5070 [5145–5148]

Hasegawa, Hayato (C) 6008–6010 [6097–6099]

Hasegawa, Hirokazu (C) 9883–9886 [10031–10034]

Hasegawa, K. (C) 102–105 [108–111]

- Haselhorst, T. (C) 1910–1912 [1936–1938]
 Hasenbein, S. (C) 1332–1334 [1352–1355]
 Hashimoto, M.
 – RDC-Enhanced NMR Spectroscopy in Structure Elucidation of Sucro-Neolambertellin (C) 2032–2034 [2062–2064]
 DOI: 10.1002/anie.200705037
 Hashimoto, Shuji (C) 6690–6693 [6792–6795]
 Hashimoto, Shunichi
 – Total Synthesis of Pinnatotoxin A (C) 7091–7094 [7199–7202]
 DOI: 10.1002/anie.200802729
 Hashimoto, T. (C) 9466–9468 [9608–9610]
 Hashizume, D. (C) 1269–1271 [1289–1291], 4196–4199 [4264–4267], 5198–5202 [5276–5280]
 Hashmi, A. S. K.
 – “High Noon” in Gold Catalysis: Carbene versus Carbocation Intermediates (H) 6754–6756 [6856–6858]
 DOI: 10.1002/anie.200802517
 Hassan, A. Q. (C) 7280–7283 [7390–7393]
 Hassfeld, J. (C) 3722–3726 [3782–3786]
 Hata, T. (C) 6860–6864 [6966–6970]
 Hatakeyama, S.
 – Entry to Heterocycles Based on Indium-Catalyzed Conia-Ene Reactions: Asymmetric Synthesis of (–)-Salinosporamide A (C) 6244–6246 [6340–6342]
 DOI: 10.1002/anie.200801967
 Hatch, D. M. (C) 1265–1268 [1285–1288]
 Hatley, R. (C) 3004–3007 [3046–3049]
 Hattori, G. (C) 3781–3783 [3841–3843]
 Hauer, B. (C) 7029–7031 [7137–7139]
 Hauert, R. (C) 6177–6179 [6272–6274]
 Haukka, M. (C) 3942–3945 [4006–4009]
 Hausch, F.
 – Betablockers at Work: The Crystal Structure of the β_2 -Adrenergic Receptor (H) 3314–3316 [3360–3362]
 DOI: 10.1002/anie.200705971
 Hauske, P. (C) 1332–1334 [1352–1355]
 Hausmann, M. (C) 7132–7135 [7241–7244]
 Hauville, A. (C) 9236–9239 [9376–9379]
 Hauwert, P. (C) 3223–3226 [3267–3270]
 Hävecker, M. (C) 9274–9278 [9414–9418]
 Havenith, M. (C) 6486–6489 [6586–6589]
 Havran, L. (C) 2059–2062 [2089–2092]
 Haw, J. F.
 – A Complete Catalytic Cycle for Supramolecular Methanol-to-Olefins Conversion by Linking Theory with Experiment (C) 5179–5182 [5257–5260]
 DOI: 10.1002/anie.200705453
 Hawley, M. E. (C) 5768–5771 [5852–5855]
 Hawner, C. (C) 8211–8214 Corrigendum: 9176 [8334–8337 Corrigendum: 9315]
 Hay, B. P.
 – Benzene-, Pyrrole-, and Furan-Containing Diametrically Strapped Calix[4]pyrroles—An Experimental and Theoretical Study of Hydrogen-Bonding Effects in Chloride Anion Recognition (C) 5038–5042 [5116–5120]
 DOI: 10.1002/anie.200801426
 Hay, S.
 – Are Environmentally Coupled Enzymatic Hydrogen Tunneling Reactions Influenced by Changes in Solution Viscosity? (C) 537–540 [547–550]
 DOI: 10.1002/anie.200704484
 Hayakawa, N. (C) 3426–3429 [3474–3477]
 Hayallah, A. M. (C) 9565–9568 [9707–9710]
 Hayashi, N. (C) 5740–5745 [5824–5829], 7032–7035 [7140–7143]
 Hayashi, T.
 – Rhodium-Catalyzed Rearrangement of Aryl Bis(alkynyl) Carbinols to 3-Alkynyl-1-indanones (C) 1447–1449 [1469–1471]
 DOI: 10.1002/anie.200704818
 Hayashi, Y.
 – A Diarylprolinol in an Asymmetric, Catalytic, and Direct Crossed-Aldol Reaction of Acetaldehyde (C) 2082–2084 [2112–2114]
 DOI: 10.1002/anie.200704870
 – Asymmetric Diels–Alder Reactions of α,β -Unsaturated Aldehydes Catalyzed by a Diarylprolinol Silyl Ether Salt in the Presence of Water (C) 6634–6637 [6736–6739]
 DOI: 10.1002/anie.200801408
 – Asymmetric Michael Reaction of Acetaldehyde Catalyzed by Diphenylprolinol Silyl Ether (C) 4722–4724 [4800–4802]
 DOI: 10.1002/anie.200801130
 – Diphenylprolinol Silyl Ether as a Catalyst in an Enantioselective, Catalytic, Formal Aza [3 + 3] Cycloaddition Reaction for the Formation of Enantioenriched Piperidines (C) 4012–4015 [4076–4079]
 DOI: 10.1002/anie.200800662
 – Direct Organocatalytic Mannich Reaction of Acetaldehyde: An Improved Catalyst and Mechanistic Insight from a Computational Study (C) 9053–9058 [9193–9198]
 DOI: 10.1002/anie.200802073
 – The Asymmetric Total Synthesis of (+)-Cytotrienin A, an Ansamycin-Type Anticancer Drug (C) 6657–6660 [6759–6762]
 DOI: 10.1002/anie.200802079
 Hayashida, J. (C) 4373–4376 [4445–4448]
 Hayden, E. J. (C) 8424–8428 [8552–8556]
 Hayek, T. (C) 7896–7900 [8014–8018]
 Hayman, M. J. (C) 5179–5182 [5257–5260]
 Hayward, R. C.
 – Hierarchically Structured Microparticles Formed by Interfacial Instabilities of Emulsion Droplets Containing Amphiphilic Block Copolymers (C) 2113–2116 [2143–2146]
 DOI: 10.1002/anie.200704863
 Hazari, N. (C) 9941–9943 [10089–10091]
 Hazarika, P. (C) 10167–10170 [10321–10324]
 He, A. (C) 6586–6589 [6688–6691]
 He, Cheng (C) 877–881 [891–895]
 He, Chuan
 – Diazirine-Based DNA Photo-Cross-Linking Probes for the Study of Protein–DNA Interactions (C) 90–93 [96–99]
 DOI: 10.1002/anie.200703625
 He, Chuan (C) 6414–6417 [6514–6517]
 He, F. (C) 7258–7262 [7368–7372]
 He, H.-Y. (C) 334–337 [340–343]
 He, Jian (C) 3995–3998 [4059–4062]
 He, Jibao (C) 9469–9471 [9611–9613]
 He, Jingjiang (C) 353–356 [359–362]
 He, M. (C) 6388–6391 [6488–6491]
 He, R. (C) 9466–9468 [9608–9610]
 He, Yanmei (C) 8464–8467 [8592–8595]
 He, Yi (C) 2463–2465 [2497–2499]
 He, Yonggang (C) 9496–9499 [9638–9641]
 He, Z. (C) 877–881 [891–895]
 Heath, J. R.
 – Heterogeneous Catalysis through Microcontact Printing (C) 9927–9932 [10075–10080]
 DOI: 10.1002/anie.200803480
 Hecht, L. (C) 6392–6394 [6492–6494]
 Hecht, S.
 – Helicity Inversion in Responsive Foldamers Induced by Achiral Halide Ion Guests (C) 4926–4930 [5004–5008]
 DOI: 10.1002/anie.200800796
 – Photoswitching of Basicity (C) 5968–5972 [6056–6060]
 DOI: 10.1002/anie.200802050
 Heck, A. J. R.
 – Stability and Shape of Hepatitis B Virus Capsids In Vacuo (C) 6247–6251 [6343–6347]
 DOI: 10.1002/anie.200802410
 Heckel, A. (C) 967–970 [981–984]
 Hedenström, M. (C) 2796–2799 [2838–2841]
 Heeres, H. J.
 – Two-Phase (Bio)Catalytic Reactions in a Table-Top Centrifugal Contact Separator (C) 3905–3908 [3969–3972]
 DOI: 10.1002/anie.200705426
 Heiden, Z. M. (C) 9756–9759 [9902–9905]
 Heilemann, M.
 – Subdiffraction-Resolution Fluorescence Imaging with Conventional Fluorescent Probes (C) 6172–6176 [6266–6271]
 DOI: 10.1002/anie.200802376
 Heilemann, M. (C) 5465–5469 [5545–5550]
 Heinemann, F. W. (C) 2681–2684 [2721–2724], 8941–8945 [9073–9077], 9961–9964 [10109–10112]
 Heinemann, M. (C) 5382–5385 [5462–5465]
 Heinke, L. (C) 3954–3957 [4018–4021]
 Heinrich, M. R.
 – Synthesis of Amino- and Hydroxybiphenyls by Radical Chain Reaction of Arenediazonium Salts (C) 9130–9133 [9270–9273]
 DOI: 10.1002/anie.200803785
 Heisenberg, C.-P. (C) 9775–9777 [9921–9923]
 Heiss, W. (C) 3029–3033 [3071–3075]
 Heldebrandt, D. J. (C) 7493–7496 [7603–7606]
 Helenius, J. (C) 9775–9777 [9921–9923]
 Hell, S. W.
 – Direct Light-Driven Modulation of Luminescence from Mn-Doped ZnSe Quantum Dots (C) 2685–2688 [2725–2728]
 DOI: 10.1002/anie.200705111
 Helliwell, M. (C) 3234–3237 [3278–3281]
 Helm, Mark (C) 4326–4330 [4398–4402]
 Helm, Matthew (C) 6802–6806 [6907–6911]
 Helmchen, G.
 – Iridium-Catalyzed Asymmetric Allylic Substitutions—Very High Regioselectivity and Air Stability with a Catalyst Derived from Dibenzo[a,e]cyclooctatetraene and a Phosphoramidite (C) 7652–7655 [7764–7767]
 DOI: 10.1002/anie.200802480
 Helms, V.
 – Mechanism of Fast Peptide Recognition by SH3 Domains (C) 7626–7630 [7738–7742]
 DOI: 10.1002/anie.200801856

- Henderson, J. A. (C) 8499–8501 [8627–8629]
- Hengesbach, M. (C) 4326–4330 [4398–4402]
- Henke, P. (C) 8740–8744 [8868–8872]
- Henn, J. (C) 4321–4325 [4393–4397]
- Hénon, H. (C) 9122–9124 [9262–9264]
- Heo, P. (C) 7841–7844 [7959–7962]
- Hérault, D. (C) 2673–2676 [2713–2716]
- Herbst, T. (C) 5978–5980 [6067–6069]
- Herdtschek, E. (C) 10106–10109 [10260–10263]
- Heretsch, P. (C) 1958–1960 [1984–1986]
- Hermosilla, L. (C) 1443–1446 [1465–1468]
- Herranz, M. Á. (C) 4173–4176 [4241–4244]
- Herrmann, A.
- Enzymatic Control of the Size of DNA Block Copolymer Nanoparticles (C) 974–976 [988–991]
DOI: 10.1002/anie.200703466
- Herrmann, A. (C) 783–787 [795–799], 3372–3375 [3420–3423], 9555–9559 [9697–9701]
- Herson, P. (C) 4211–4216 [4279–4284], 6843–6846 [6949–6952]
- Hertweck, C.
- Benzopyrenomycin, a Cytotoxic Bacterial Polyketide Metabolite with a Benzo[*a*]pyrene-Type Carbocyclic Ring System (C) 3995–3998 [4059–4062]
DOI: 10.1002/anie.200800083
 - Ribosomal Synthesis of Tricyclic Depsipeptides in Bloom-Forming Cyanobacteria (C) 7756–7759 [7870–7873]
DOI: 10.1002/anie.200802730
 - Sequential Asymmetric Polyketide Heterocyclization Catalyzed by a Single Cytochrome P450 Monooxygenase (AurH) (C) 8872–8875 [9004–9007]
DOI: 10.1002/anie.200803714
- Herz, L. M. (C) 4993–4996 [5071–5074]
- Herz, V. (L) 7798–7801 [7914–7917]
- Hesse, M. (C) 9982–9984 [10130–10133]
- Hesser, G. (C) 3029–3033 [3071–3075]
- Hester, A. J. (C) 5067–5070 [5145–5148]
- Hett, R. (C) 1729–1732 [1753–1756]
- Hevia, E. (C) 731–734 [743–746], 8079–8081 [8199–8201]
- Heyduk, A. F.
- Four-Electron Oxidative Formation of Aryl Diazenes Using a Tantalum Redox-Active Ligand Complex (C) 4715–4718 [4793–4796]
DOI: 10.1002/anie.200800812
- Hibino, T.
- A Proton-Conducting Fuel Cell Operating with Hydrocarbon Fuels (C) 7841–7844 [7959–7962]
DOI: 10.1002/anie.200801667
 - Direct Oxidation of Methane to Methanol at Low Temperature and Pressure in an Electrochemical Fuel Cell (C) 1462–1464 [1484–1486]
DOI: 10.1002/anie.200703928
- Hicks, R. G.
- Metal Complexes of Aminyl Radicals (H) 7393–7395 [7503–7505]
DOI: 10.1002/anie.200802713
- Hiemstra, H. (C) 3777–3780 [3837–3840]
- Hierlemann, A.
- Opposite Signs of Capacitive Microsensor Signals upon Exposure to the Enantiomers of Methyl Propionate Compounds (C) 913–916 [927–930]
DOI: 10.1002/anie.200704346
- Higuchi, M. (C) 3914–3918 [3978–3982]
- Higuchi, Takeshi
- Frustrated Phases of Block Copolymers in Nanoparticles (C) 8044–8046 [8164–8166]
DOI: 10.1002/anie.200803003
- Higuchi, Tsunehiko
- Extreme Rate Acceleration by Axial Thiolate Coordination on the Isomerization of Endoperoxide Catalyzed by Iron Porphyrin (C) 6438–6440 [6538–6540]
DOI: 10.1002/anie.200800137
- Higuchi, Y. (C) 681–684 [693–696]
- Hikita, K. (C) 7446–7449 [7556–7559], 9887–9890 [10035–10038]
- Hildebrandt, P.
- Chromophore Heterogeneity and Photoconversion in Phytochrome Crystals and Solution Studied by Resonance Raman Spectroscopy (C) 4753–4755 [4831–4833]
DOI: 10.1002/anie.200705716
- Hilgenfeld, R. (C) 3275–3278 [3319–3323]
- Hili, R. (C) 4188–4191 [4256–4259]
- Hill, A. H. (C) 9711–9716 [9857–9862]
- Hill, C. L.
- An All-Inorganic, Stable, and Highly Active Tetra Ruthenium Homogeneous Catalyst for Water Oxidation (C) 3896–3899 [3960–3963]
DOI: 10.1002/anie.200705652
 - Platinum-Containing Polyoxometalates (L) 9380–9382 [9520–9522]
DOI: 10.1002/anie.200800919
- Hill, J. P. (C) 7254–7257 [7364–7367]
- Hillebrand, S. (C) 10137–10140 [10291–10294]
- Hiller, S. (C) 977–981 [992–996]
- Hillesheim, D. A. (C) 3896–3899 [3960–3963], (L) 9380–9382 [9520–9522]
- Hillger, F. (C) 6184–6188 [6279–6283]
- Hilt, G.
- Cobalt-Catalyzed [4 + 2 + 2] Cycloaddition for the Synthesis of 1,3,6-Cyclooctatrienes (C) 5243–5245 [5321–5323]
DOI: 10.1002/anie.200800127
 - Cobalt-Catalyzed [2 + 2] Cycloaddition (C) 6811–6813 [6916–6919]
DOI: 10.1002/anie.200801778
- Hilty, C.
- Time-Resolved Dynamic Nuclear Polarization Enhanced NMR Spectroscopy (C) 5235–5237 [5313–5315]
DOI: 10.1002/anie.200801492
- Himes, R. A. (C) 9084–9087 [9224–9227]
- Himmel, D. (C) 7659–7663 [7772–7776], (L) 7798–7801 [7914–7917]
- Himmel, H.-J.
- GaI as Ligand in Transition-Metal Complexes—An Alternative to CO or N₂? (H) 6326–6328 [6425–6427]
DOI: 10.1002/anie.200802490
- Hinnemann, B. (C) 4683–4686 [4761–4764]
- Hintermann, L.
- A General and Selective Copper-Catalyzed Cross-Coupling of Tertiary Grignard Reagents with Azacyclic Electrophiles (C) 8246–8250 [8370–8374]
DOI: 10.1002/anie.200803312
- Hipolito, C. (C) 4346–4350 [4418–4422]
- Hirai, A. (C) 750–754 [762–766]
- Hirai, Y. (C) 5772–5776 [5856–5860]
- Hirama, M.
- Critical Importance of the Nine-Membered F Ring of Ciguatoxin for Potent Bioactivity: Total Synthesis and Biological Evaluation of F-Ring-Modified Analogues (C) 8611–8614 [8739–8742]
DOI: 10.1002/anie.200803921
 - Total Synthesis of the C-1027 Chromophore Core: Extremely Facile Ene Diyne Formation through SmI₂-Mediated 1,2-Elimination (C) 1777–1779 [1801–1803]
DOI: 10.1002/anie.200704842
- Hirano, Ken (C) 3610–3613 [3666–3669]
- Hirano, Koji (C) 5833–5835 [5917–5919]
- Hirano, M. (C) 1312–1316 [1332–1336], 3410–3413 [3458–3461], 5820–5822 [5904–5906]
- Hirao, H. Corrigendum: 8148
- Hirao, H. (C) 3356–3359 [3404–3407]
- Hirata, Y. (C) 385–387 [391–393]
- Hirner, S. (C) 1907–1909 [1933–1935]
- Hirone, N. (C) 6860–6864 [6966–6970]
- Hirono, S. (C) 6681–6684 [6783–6786]
- Hiroto, S. (C) 6004–6007 [6093–6096]
- Hirotsu, T. (C) 3610–3613 [3666–3669]
- Hirsch, A.
- High Catalytic Activity of Dendritic C₆₀ Monoadducts in Metal-Free Superoxide Dismutation (C) 3991–3994 [4055–4058]
DOI: 10.1002/anie.200800008
- Hirscher, M. (C) 2138–2142 [2169–2173]
- Hirst, A. R.
- High-Tech Applications of Self-Assembling Supramolecular Nanostructured Gel-Phase Materials: From Regenerative Medicine to Electronic Devices (R) 8002–8018 [8122–8139]
DOI: 10.1002/anie.200800022
- Hiskey, M. A. (C) 8307–8309 [8431–8433]
- Hitchcock, P. B. (C) 1488–1491 [1510–1513], 10147–10150 [10301–10304]
- Hiyama, T.
- Nickel/BPh₃-Catalyzed Alkynylcyanation of Alkynes and 1,2-Dienes: An Efficient Route to Highly Functionalized Conjugated Enynes (C) 385–387 [391–393]
DOI: 10.1002/anie.200704095
- Hiyama, T. (C) 8096–8099 [8216–8219], 9760–9764 [9906–9910]
- Ho, C.-L. (C) 1255–1259 [1275–1279]
- Ho, C.-Y. (C) 1893–1895 [1919–1921]
- Ho, D. (C) 173–176 [179–182]
- Ho, J. C. (C) 4440–4442 [4512–4514]
- Ho, K.-C.
- Multifunctionalized Ruthenium-Based Supersensitizers for Highly Efficient Dye-Sensitized Solar Cells (C) 7342–7345 [7452–7455]
DOI: 10.1002/anie.200802120
- Hoang-Thi, K. (C) 577–580 [587–590]
- Höbartner, C. (C) 1753–1757 [1777–1781]
- Hobel, A. (C) 7551–7556 [7662–7667]
- Höbenreich, H. (C) 5085–5088 [5163–5166]
- Höcek, M.
- Aminophenyl- and Nitrophenyl-Labeled Nucleoside Triphosphates: Synthesis, Enzymatic Incorporation, and Electrochemical Detection (C) 2059–2062 [2089–2092]
DOI: 10.1002/anie.200705088
- Hochgesand, A. (C) 6065–6068 [6154–6157]
- Hochrein, O. (C) 4982–4985 [5060–5063]
- Höckendorf, R. (C) 1946–1950 [1972–1976]

- Hodgson, D. M.
– Asymmetric Synthesis of α -Alkylated Aldehydes using Terminal Epoxide-Derived Chiral Enamines (C) 9958–9960 [10106–10108]
DOI: 10.1002/anie.200804369
- Höfer, S. (C) 9138–9141 [9278–9281]
- Hoffart, D. J. (C) 97–101 [103–107]
- Hoffman, A. (C) 2595–2599 [2633–2637]
- Hoffmann, Markus (C) 4993–4996 [5071–5074]
- Hoffmann, Martin (C) 711–714 [723–726]
- Hoffmann, R.
– Learning from Molecules in Distress (E) 4474–4481 [4548–4556]
DOI: 10.1002/anie.200705775
- Predicting Molecules—More Realism, Please! (E) 7164–7167 [7276–7279]
DOI: 10.1002/anie.200801206
- S_2^{2-} Rings, Disulfides, and Sulfides in Transition-Metal Complexes: The Subtle Interplay of Oxidation and Structure (C) 2864–2868 [2906–2910]
DOI: 10.1002/anie.200705296
- Hoffmann, T. (L) 3683–3686 [3741–3744]
- Hofkens, J.
– Radical Polymerization Tracked by Single Molecule Spectroscopy (C) 783–787 [795–799]
DOI: 10.1002/anie.200704196
- Hofkens, J. (C) 2813–2816 [2855–2858], 3372–3375 [3420–3423]
- Höfle, G. (C) 600–602 [610–613]
- Hofmann, H. (C) 7857–7860 [7975–7978]
- Hofmann, H.-J. (C) 8075–8078 [8195–8198]
- Hofmann, K. (C) 2301–2303 [2333–2336]
- Hofmann, P.
– Application of Ultrahigh-Field ^{59}Co Solid-State NMR Spectroscopy in the Investigation of the 1,2-Polybutadiene Catalyst $[\text{Co}(\text{C}_8\text{H}_{13})(\text{C}_4\text{H}_6)]$ (C) 3454–3457 [3503–3507]
DOI: 10.1002/anie.200705204
- Hogan, T. P. (C) 8618–8622 [8746–8750]
- Hoge, B.
– Tetrakis[2,4-bis(trifluoromethyl)phenyl]diphosphoxane: An Anhydride of a Phosphinous Acid (C) 6814–6816 [6920–6922]
DOI: 10.1002/anie.200801025
- The Influence of Electron-Withdrawing Groups on the Chemistry of Phosphorus: Tautomerization of Bis(s-triazinyl)phosphanes (C) 8116–8119 [8236–8239]
DOI: 10.1002/anie.200802943
- Hogenesch, J. B. (C) 7482–7484 [7592–7594]
- Hogg, L. M. (C) 731–734 [743–746], 6208–6211 [6304–6307]
- Högner, C. (C) 7644–7647 [7756–7759]
- Höhne, A. (C) 4922–4925 [5000–5003]
- Hojeij, M. (C) 4675–4678 [4753–4756]
- Hojo, D. (C) 5820–5822 [5904–5906]
- Holder, S. J.
– Cryo Electron Tomography Reveals Confined Complex Morphologies of Tripeptide-Containing Amphiphilic Double-Comb Diblock Copolymers (C) 8859–8862 [8991–8994]
DOI: 10.1002/anie.200802834
- Holland, D. P. (C) 1051–1053 [1067–1069]
- Holland, J. P. (C) 8416–8419 [8544–8547]
- Hollenstein, M. (C) 4346–4350 [4418–4422]
- Holschumacher, D. (C) 7428–7432 [7538–7542]
- Hölsken, S. (C) 5246–5249 [5324–5327]
- Holthausen, M. C. (C) 82–85 [88–91]
- Holzapfel, C. W. (C) 560–563 [570–573]
- Honda, Tatsuhiro (C) 6712–6716 [6814–6818]
- Honda, Toshio
– Highly Efficient Stereocontrolled Total Synthesis of (+)-Upial (C) 131–133 [137–139]
DOI: 10.1002/anie.200704423
- Hönes, K. (C) 2138–2142 [2169–2173]
- Honeyman, G. W. (C) 731–734 [743–746]
- Hong, C. S. (C) 7505–7507 [7615–7617]
- Hong, D.-Y. (C) 4144–4148 [4212–4216]
- Hong, H.
– Incorporation of Fluoroacetate into an Aromatic Polyketide and Its Influence on the Mode of Cyclization (C) 6028–6032 [6117–6121]
DOI: 10.1002/anie.200801100
- Hong, J. (C) 4200–4203 [4268–4271]
- Hong, J. H. (C) 2231–2234 [2263–2266], 5167–5170 [5245–5248]
- Hong, J.-I.
– Highly Stereospecific Generation of Helical Chirality by Imprinting with Amino Acids: A Universal Sensor for Amino Acid Enantiopurity (C) 8657–8660 [8785–8788]
DOI: 10.1002/anie.200803116
- Hong, J.-K. (C) 2804–2807 [2846–2849]
- Hong, M.
– Effects of Guanidinium–Phosphate Hydrogen Bonding on the Membrane-Bound Structure and Activity of an Arginine-Rich Membrane Peptide from Solid-State NMR Spectroscopy (C) 3202–3205 [3246–3249]
DOI: 10.1002/anie.200705993
- Hong, R. (C) 4119–4121 [4187–4189]
- Hong, S. (C) 8442–8445 [8570–8573]
- Hong, S.-C. (C) 2231–2234 [2263–2266]
- Honndorf, V. S. (C) 3548–3551 [3604–3607]
- Hooker, J. M.
– A Simple, Rapid Method for the Preparation of ^{13}C Formaldehyde (C) 5989–5992 [6078–6081]
DOI: 10.1002/anie.200800991
- Hopf, H.
– Learning from Molecules in Distress (E) 4474–4481 [4548–4556]
DOI: 10.1002/anie.200705775
- [2,2]Paracyclophanes in Polymer Chemistry and Materials Science (M) 9808–9812 [9954–9958]
DOI: 10.1002/anie.200800969
- Hopkinson, A. C.
– Dipositively Charged Protonated a_3 and a_2 Ions: Generation by Fragmentation of $[\text{La}(\text{GGG})(\text{CH}_3\text{CN})_2]^{3+}$ (C) 8288–8291 [8412–8415]
DOI: 10.1002/anie.200802272
- Hopkinson, A. C. (C) 9666–9668 [9812–9814]
- Hoppe, D.
– Asymmetric Total Synthesis and X-Ray Crystal Structure of the Cytotoxic Marine Diterpene (+)-Vigulariol (C) 1654–1657 [1678–1681]
DOI: 10.1002/anie.200704678
- Hori, Y. (C) 7764–7767 [7878–7881]
- Horikawa, T. (C) 4157–4161 [4225–4229]
- Horike, S. (C) 3914–3918 [3978–3982]
- Horisaki, K. (C) 1091–1093 Corrigendum: 1982 [1107–1109 Corrigendum: 2008]
- Hornauer, S. (C) 5812–5815 [5896–5899]
- Hornberger, K.
– Matter-Wave Metrology as a Complementary Tool for Mass Spectrometry (C) 6195–6198 [6290–6293]
DOI: 10.1002/anie.200801942
- Horne, W. S. (C) 2853–2856 [2895–2898]
- Horton, J. H. (C) 3279–3282 [3324–3328]
- Horvath, S. (C) 9937–9940 [10085–10088]
- Hosono, E. (C) 7461–7465 [7571–7575]
- Hotta, J.-i. (C) 783–787 [795–799], 3372–3375 [3420–3423]
- Hou, J.-Z. (C) 1711–1714 [1735–1738], 6371–6374 [6471–6474]
- Hou, M. (C) 10119–10123 [10273–10277]
- Hou, S. (C) 1072–1075 [1088–1091]
- Hou, X.-L.
– Highly Enantioselective Palladium-Catalyzed Alkylation of Acyclic Amides (C) 1741–1744 [1765–1768]
DOI: 10.1002/anie.200704629
- Iridium-Catalyzed Highly Enantioselective Hydrogenation of the C=C Bond of α , β -Unsaturated Ketones (C) 10133–10136 [10287–10290]
DOI: 10.1002/anie.200803872
- Hou, Y. (C) 10187–10191 Corrigendum: 10014 [10341–10345]
- Hou, Z.
– Carboxylation of Organoboronic Esters Catalyzed by N-Heterocyclic Carbene Copper(I) Complexes (C) 5792–5795 [5876–5879]
DOI: 10.1002/anie.200801857
- Isoprene Polymerization with Yttrium Amidinate Catalysts: Switching the Regio- and Stereoselectivity by Addition of AlMe_3 (C) 2642–2645 [2682–2685]
DOI: 10.1002/anie.200705120
- Synthesis of (Z)-1-Aza-1,3-enynes by the Cross-Coupling of Terminal Alkynes with Isocyanides Catalyzed by Rare-Earth Metal Complexes (C) 9700–9703 [9846–9849]
DOI: 10.1002/anie.200804306
- Houk, K. N.
– A Polar Radical Pair Pathway To Assemble the Pyrimidinone Core of the HIV Integrase Inhibitor Raltegravir Potassium (C) 4134–4136 [4202–4204]
DOI: 10.1002/anie.200703681
- Bifurcations on Potential Energy Surfaces of Organic Reactions (M) 7592–7601 [7704–7713]
DOI: 10.1002/anie.200800918
- Sources of Error in DFT Computations of C–C Bond Formation Thermochemistries: $\pi \rightarrow \sigma$ Transformations and Error Cancellation by DFT Methods (C) 7746–7749 [7860–7863]
DOI: 10.1002/anie.200801843
- Substituent Effects, Reactant Preorganization, and Ligand Exchange Control the Reactivity in Rh^I -Catalyzed (5+2) Cycloadditions between Vinylcyclopropanes and Alkynes (C) 3939–3941 [4003–4005]
DOI: 10.1002/anie.200800420
- Houk, K. N. (C) 357–360 [363–366]
- Hours, A. (C) 7534–7538 [7644–7648]
- Housden, N. G. (C) 8856–8858 [8988–8990]

- Hoveyda, A. H.
- Enantioselective Synthesis of All-Carbon Quaternary Stereogenic Centers by Catalytic Asymmetric Conjugate Additions of Alkyl and Aryl Aluminum Reagents to Five-, Six-, and Seven-Membered-Ring β -Substituted Cyclic Enones (C) 7358–7362 [7468–7472] DOI: 10.1002/anie.200802910
- Howard, J. A. K. (C) 7701–7704 [7815–7818], 8674–8677 [8802–8805]
- Howorka, S.
- Chemical Tags Facilitate the Sensing of Individual DNA Strands with Nanopores (C) 5565–5568 [5647–5650] DOI: 10.1002/anie.200800183
- Hoye, T. R.
- Dual Macrolactonization/Pyran–Hemiketal Formation via Acylketenes: Applications to the Synthesis of (–)-Callipeltoside A and a Lyngbyaloside B Model System (C) 9743–9746 [9889–9892] DOI: 10.1002/anie.200804049
- Hoyer, D. (C) 2595–2599 [2633–2637]
- Hoyt, H. M. (C) 6073–6076 [6162–6165]
- Hrib, C. G. (C) 7428–7432 [7538–7542]
- Hrobárik, P.
- Is Allred's [Hg(cyclam)]³⁺ a True Mercury(III) Complex? (C) 8631–8633 [8759–8761] DOI: 10.1002/anie.200802233
- Hruby, V. J.
- Heterobivalent Ligands Crosslink Multiple Cell-Surface Receptors: The Human Melanocortin-4 and δ -Opioid Receptors (C) 1685–1688 [1709–1712] DOI: 10.1002/anie.200702770
- Hsiao, S. C. (C) 8473–8477 [8601–8605]
- Hsieh, S.-L. (C) 8627–8630 [8755–8758]
- Hsieh, T.-M. (C) 3900–3904 [3964–3968]
- Hsu, C.-C. (C) 7475–7478 [7585–7588]
- Hsu, C.-W. (C) 7250–7253 [7360–7363], 9933–9936 [10081–10084]
- Hsu, S.-T. D. (C) 7099–7102 [7207–7210]
- Hsueh, S.-Y. (C) 4436–4439 [4508–4511]
- Hu, N. (C) 5022–5025 [5100–5103]
- Hu, S. (C) 1127–1129 [1143–1145]
- Hu, T.-S. (C) 6473–6477 [6573–6577]
- Hu, W.
- Catalytic Enantioselective Trapping of an Alcoholic Oxonium Ylide with Aldehydes: Rh^{II}/Zr^{IV}-Co-Catalyzed Three-Component Reactions of Aryl Diazoacetates, Benzyl Alcohol, and Aldehydes (C) 6647–6649 [6749–6751] DOI: 10.1002/anie.200801510
- Hu, X. (C) 4200–4203 [4268–4271]
- Hu, Y.-S.
- Superior Storage Performance of a Si@SiO₂/C Nanocomposite as Anode Material for Lithium-Ion Batteries (C) 1645–1649 [1669–1673] DOI: 10.1002/anie.200704287
- Hu, Yan (C) 7479–7481 [7589–7591]
- Hu, Yongkang (C) 6052–6054 [6141–6143]
- Hu, Yongxing (C) 5806–5811 [5890–5895]
- Hua, G. (C) 2857–2859 [2899–2901]
- Hua, Q.-x. (C) 1102–1106 [1118–1122]
- Huang, B.
- Ag@AgCl: A Highly Efficient and Stable Photocatalyst Active under Visible Light (C) 7931–7933 [8049–8051] DOI: 10.1002/anie.200802483
- Huang, Chaofeng (C) 8696–8699 [8824–8827]
- Huang, Chunhui
- Ultrasound Switch and Thermal Self-Repair of Morphology and Surface Wettability in a Cholesterol-Based Self-Assembly System (C) 1063–1067 [1079–1083] DOI: 10.1002/anie.200703946
- Huang, F. (C) 5619–5622 [5701–5704]
- Huang, H. (C) 6647–6649 [6749–6751]
- Huang, J.
- Theoretical Model for Nanoporous Carbon Supercapacitors (C) 520–524 [530–534] DOI: 10.1002/anie.200703864
- Huang, Jie-Sheng (C) 6638–6642 [6740–6744], 9747–9751 [9893–9897]
- Huang, Jin-Shun (C) 3565–3567 [3621–3623], 4149–4152 [4217–4220]
- Huang, L. L. (C) 5009–5012 [5087–5090]
- Huang, Q.
- Small-Molecule Inhibitors of MicroRNA miR-21 Function (C) 7482–7484 [7592–7594] DOI: 10.1002/anie.200801555
- Huang, R. (C) 8901–8904 [9033–9036]
- Huang, R.-B. (C) 2398–2401 [2432–2435], 5340–5343 [5420–5423], 5344–5347 [5424–5427]
- Huang, W.-S. (C) 581–585 [591–595]
- Huang, X.-C. (C) 1711–1714 [1735–1738], 6371–6374 [6471–6474]
- Huang, X.-Y.
- Three-Dimensional Chiral Microporous Germanium Antimony Sulfide with Ion-Exchange Properties (C) 8623–8626 [8751–8754] DOI: 10.1002/anie.200803406
- Huang, Xiaogen (C) 346–349 [352–355]
- Huang, Xueshi (C) 3995–3998 [4059–4062]
- Huang, Y.-F. (C) 1875–1878 [1901–1904]
- Huang, Y.-X. (C) 8280–8284 [8404–8408]
- Huang, Yangen (C) 7087–7090 [7195–7198]
- Huang, Yiwei (C) 7242–7245 [7352–7355]
- Huang, Young (R) 5524–5542 [5606–5624]
- Huang, Yu
- Multifunctional Nanoparticles Displaying Magnetization and Near-IR Absorption (C) 2439–2442 [2473–2476] DOI: 10.1002/anie.200800014
- Huang, Z.
- Synthesis and DNA-Polymerase Incorporation of Colored 4-Selenothymidine Triphosphate for Polymerase Recognition and DNA Visualization (C) 1723–1725 [1747–1749] DOI: 10.1002/anie.200705213
- Huang, Z.-Z. (C) 1758–1761 [1782–1785]
- Hubbell, J. A. (C) 7857–7860 [7975–7978]
- Huber, J. D. (C) 3037–3039 [3079–3081]
- Huber, M. (C) 8201–8206 [8323–8328]
- Hübscher, U.
- Arthur Kornberg (O) 1172 [1188] DOI: 10.1002/anie.200705248
- Huc, I.
- Converting Sequences of Aromatic Amino Acid Monomers into Functional Three-Dimensional Structures: Second-Generation Helical Capsules (C) 4153–4156 [4221–4224] DOI: 10.1002/anie.200800625
 - Quadruple and Double Helices of 8-Fluoroquinoline Oligoamides (C) 1715–1718 [1739–1742] DOI: 10.1002/anie.200704938
- Hucho, F.
- Karl Lohmann and the Discovery of ATP (E) 1824–1827 [1848–1851] DOI: 10.1002/anie.200702929
- Huck, W. T. S.
- From Microdroplets to Microfluidics: Selective Emulsion Separation in Microfluidic Devices (C) 2042–2045 [2072–2075] DOI: 10.1002/anie.200704903
- Hücker, M. (C) 2055–2058 [2085–2088]
- Hudon, J. (C) 8885–8888 [9017–9020]
- Hudson, S.
- Proteins in Mesoporous Silicates (R) 8582–8594 [8710–8723] DOI: 10.1002/anie.200705238
- Huels, M. A.
- Bond- and Energy-Selective Carbon Abstraction from D-Ribose by Hyperthermal Nitrogen Ions (C) 9509–9512 [9651–9654] DOI: 10.1002/anie.200803235
- Huffman, J. C. (C) 8502–8505 [8630–8633]
- Huffman, M. A. (C) 4711–4714 [4789–4792]
- Hummel, W. (C) 9551–9554 [9693–9696]
- Humphrey, M. G. Corrigendum: 629
- Humphry-Baker, R. (C) 1923–1927 [1949–1953]
- Hung, S.-C.
- Carbohydrate-Templated Asymmetric Diels–Alder Reactions of Masked *ortho*-Benzoquinones for the Synthesis of Chiral Bicyclo[2.2.2]oct-5-en-2-ones (C) 8082–8085 [8202–8205] DOI: 10.1002/anie.200802693
- Hung, S.-T. (C) 2978–2981 [3020–3023]
- Hunger, M. (C) 4584–4587 [4660–4663]
- Hunkeler, A. (C) 8961–8963 [9096–9098]
- Hunter, C. A.
- Preferential Solvation and Hydrogen Bonding in Mixed Solvents (C) 6275–6277 [6371–6373] DOI: 10.1002/anie.200801349
- Hursthouse, M. B. (C) 2820–2823 [2862–2865]
- Hüsing, N.
- Cluster-Based Holey Semiconductors (H) 1992–1994 [2018–2020] DOI: 10.1002/anie.200705289
- Hussain, I. (C) 4573–4576 [4649–4652]
- Huster, D. (C) 8075–8078 [8195–8198]
- Hutchings, G. J.
- Palladium and Gold–Palladium Catalysts for the Direct Synthesis of Hydrogen Peroxide (M) 9192–9198 [9332–9338] DOI: 10.1002/anie.200802818
- Hvolbæk, B. (C) 4835–4839 [4913–4917]
- Hwang, I.-C. (C) 2263–2266 [2295–2298]
- Hwang, K.-C. (C) 8627–8630 [8755–8758]
- Hwang, Y. K. (C) 4144–4148 [4212–4216]
- Hwu, J.-R. R. (C) 8627–8630 [8755–8758]
- Hwu, S.-J.
- The Versatile Chemistry and Noncentrosymmetric Crystal Structures of Salt-Inclusion Vanadate Hybrids (C) 3791–3794 [3851–3854] DOI: 10.1002/anie.200705113
- Hyakutake, T. (C) 2792–2795 [2834–2837]
- Hyde, A. M. (C) 177–180 [183–186]
- Hyde, S. T.
- A Short History of an Elusive Yet Ubiquitous Structure in Chemistry, Materials, and Mathematics



- (E) 7996–8000 [8116–8121]
DOI: 10.1002/anie.200801519
- Hyeon, T.
– Multifunctional Uniform Nanoparticles Composed of a Magnetite Nanocrystal Core and a Mesoporous Silica Shell for Magnetic Resonance and Fluorescence Imaging and for Drug Delivery (C) 8438–8441 [8566–8569]
DOI: 10.1002/anie.200802469
- Hyon, J.-Y. (C) 2231–2234 [2263–2266]
- Hyun, S. (C) 134–137 [140–143]
- Iacono, S. T. (C) 4137–4140 [4205–4208]
- Iafe, R. G. (M) 7592–7601 [7704–7713]
- Iapalucci, M. C. (C) 6666–6669 [6768–6771]
- Ibberson, R. M.
– Is Deuterium Always Smaller than Protium? (C) 4208–4210 [4276–4278]
DOI: 10.1002/anie.200800063
- Ichikawa, J.
– Efficient Helicene Synthesis: Friedel–Crafts-type Cyclization of 1,1-Difluoro-1-alkenes (C) 4870–4873 [4948–4951]
DOI: 10.1002/anie.200801396
- Ichinose, I.
– Foam Films Obtained with Ionic Liquid (C) 902–905 [916–919]
DOI: 10.1002/anie.200704235
- Ida, S.
– Dynamic Control of Photoluminescence for Self-assembled Nanosheet Films Inter-calated with Lanthanide Ions by Using a Photoelectrochemical Reaction (C) 2480–2483 [2514–2517]
DOI: 10.1002/anie.200704608
- Ienco, A. (C) 2864–2868 [2906–2910], 3766–3768 [3826–3828]
- Iglesia, E.
– Rate and Selectivity Enhancements Mediated by OH Radicals in the Oxidative Coupling of Methane Catalyzed by Mn/N₂WO₄/SiO₂ (C) 7689–7693 [7803–7807]
DOI: 10.1002/anie.200802608
- Ihee, H.
– Transient X-ray Diffraction Reveals Global and Major Reaction Pathways for the Photolysis of Iodoform in Solution (C) 1047–1050 [1063–1066]
DOI: 10.1002/anie.200704150
- Ultrafast X-Ray Solution Scattering Reveals an Unknown Reaction Intermediate in the Photolysis of [Ru₃(CO)₁₂] (C) 5550–5553 [5632–5635]
DOI: 10.1002/anie.200801153
- Ihee, H. (C) 8826–8830 [8958–8962]
- Iida, J. (C) 5780–5782 [5864–5866]
- Ikariya, T.
– Aerobic Oxidative Kinetic Resolution of Racemic Secondary Alcohols with Chiral Bifunctional Amido Complexes (C) 2447–2449 [2481–2483]
DOI: 10.1002/anie.200705875
- Ikawa, T. (C) 7673–7676 [7787–7790]
- Ikeda, A.
– Reversible Solubilization and Precipitation of Carbon Nanotubes through Oxidation–Reduction Reactions of a Solubilizing Agent (C) 4577–4580 [4653–4656]
DOI: 10.1002/anie.200800095
- Ikeda, D. (C) 3923–3926 [3987–3990]
- Ikeda, Takuji (C) 1042–1046 [1058–1062]
- Ikeda, Tomiki
– Photomobile Polymer Materials: Towards Light-Driven Plastic Motors (C) 4986–4988 [5064–5066]
DOI: 10.1002/anie.200800760
- Ikeda, Y. (C) 9303–9306 [9443–9446]
- Ikem, V. O. (C) 8277–8279 [8401–8403]
- Ikemoto, K.
– DNA Introduction into Living Cells by Water Droplet Impact with an Electro-spray Process (C) 1429–1431 [1451–1453]
DOI: 10.1002/anie.200704429
- Ikeue, K. (C) 2480–2483 [2514–2517]
- Illas, F. (C) 6685–6689 [6787–6791]
- Illenberger, E. (C) 8518–8520 [8646–8648], 9509–9512 [9651–9654]
- ilović, I. (C) 7022–7025 [7130–7133]
- Im, M. S. (C) 9922–9926 [10070–10074]
- Im, S.-C. (C) 7864–7867 [7982–7985]
- Imai, H. (C) 6657–6660 [6759–6762]
- Imaz, I. (C) 1857–1860 [1883–1886]
- Imbach, L. L. (C) 977–981 [992–996]
- In, M. (C) 8433–8437 [8561–8565]
- Inagaki, Y. (C) 5394–5397 [5474–5477]
- Incarvito, C. D. (C) 9691–9694 [9837–9840]
- Inderwildi, O. R.
– Mechanistic Studies of Hydrocarbon Combustion and Synthesis on Noble Metals (C) 5253–5255 [5332–5334]
DOI: 10.1002/anie.200800685
- Inokuma, Y. (C) 4840–4843 [4918–4921]
- Inoue, M.
– Critical Importance of the Nine-Membered F Ring of Ciguatoxin for Potent Bioactivity: Total Synthesis and Biological Evaluation of F-Ring-Modified Analogues (C) 8611–8614 [8739–8742]
DOI: 10.1002/anie.200803921
- Total Synthesis of the C-1027 Chromophore Core: Extremely Facile Eneidyne Formation through SmI₂-Mediated 1,2-Elimination (C) 1777–1779 [1801–1803]
DOI: 10.1002/anie.200704842
- Inukai, J. (C) 2792–2795 [2834–2837]
- Ireland, T. Corrigendum: 3666
- Ironmonger, A. (C) 7314–7316 [7424–7426]
- Irvine, S. E. (C) 2685–2688 [2725–2728]
- Isaacs, L.
– Ternary Complexes Comprising Cucurbit-[10]uril, Porphyrins, and Guests (C) 2657–2660 [2697–2700]
DOI: 10.1002/anie.200705346
- Isborn, C. (M) 5706–5717 [5790–5801]
- Ise, T. (C) 2035–2038 [2065–2068], 3988–3990 [4052–4054]
- Ishida, Keishi (C) 7756–7759 [7870–7873]
- Ishida, Kento (C) 4903–4905 [4981–4983]
- Ishida, T. (C) 9265–9268 [9405–9408]
- Ishida, Y.
– Two-Component Liquid Crystals as Chiral Reaction Media: Highly Enantioselective Photodimerization of an Anthracene Derivative Driven by the Ordered Micro-environment (C) 8241–8245 [8365–8369]
DOI: 10.1002/anie.200803242
- Ishigaki, T. (C) 5348–5352 [5428–5432]
- Ishihara, J. (C) 6244–6246 [6340–6342]
- Ishii, A.
– Reactions of a Ditriptycyl-Substituted Selenoseleninate and Related Compounds with a Platinum(0) Complex: Formation of Selenaplatinacycle and Hydrido Selenolato Platinum(II) Complexes (C) 2661–2664 [2701–2704]
DOI: 10.1002/anie.200705336
- Ishii, N. (C) 1672–1675 [1696–1699], 2070–2073 [2100–2103]
- Ishii, T. (C) 5163–5166 [5241–5244]
- Ishikawa, H. (C) 2082–2084 [2112–2114], 4012–4015 [4076–4079], 4722–4724 [4800–4802], 6634–6637 [6736–6739], 6657–6660 [6759–6762], 9053–9058 [9193–9198]
- Ishikawa, T. (C) 1323–1325 [1343–1345]
- Ishikita, H. (C) 697–700 [709–712]
- Ishimaru, T. (C) 4157–4161 [4225–4229]
- Ishitsuka, M. O. (C) 1298–1300 [1318–1320], 7905–7908 [8023–8026], 8642–8645 [8770–8773]
- Ishizuka, H. (C) 5557–5560 [5639–5642]
- Ishizuka, T. (C) 6860–6864 [6966–6970]
- Ishow, E. (C) 577–580 [587–590]
- Isidro-Llobet, A. (C) 3275–3278 [3319–3323]
- Islam, T. (C) 1910–1912 [1936–1938]
- Issac, I. (C) 1326–1331 [1346–1351]
- Itkis, M. G. (C) 3262–3266 [3306–3310]
- Ito, F. (C) 750–754 [762–766]
- Ito, H.
– Synthesis of Optically Active Boron–Silicon Bifunctional Cyclopropane Derivatives through Enantioselective Copper(I)-Catalyzed Reaction of Allylic Carbonates with a Diboron Derivative (C) 7424–7427 [7534–7537]
DOI: 10.1002/anie.200802342
- Ito, K. (C) 7841–7844 [7959–7962]
- Ito, M. (C) 1301–1304 [1321–1324]
- Ito, Shigekazu
– Poly(Biradicals): Oligomers of 1,3-Diphosphacyclobutane-2,4-diyl Units (C) 6418–6421 [6518–6521]
DOI: 10.1002/anie.200801461
- Ito, Shinzaburo (C) 6077–6079 [6166–6168]
- Ito, T. (C) 2800–2803 [2842–2845]
- Itoh, J. (C) 4016–4018 [4080–4082]
- Itoh, T. (C) 2082–2084 [2112–2114], 4722–4724 [4800–4802], 9053–9058 [9193–9198]
- Itoh, Y. (C) 9430–9433 [9572–9575]
- Itsuno, S.
– An Immobilization Method of Chiral Quaternary Ammonium Salts onto Polymer Supports (C) 8232–8235 Corrigendum: 8983 [8356–8359 Corrigendum: 9119]
DOI: 10.1002/anie.200802800
- Ivanova, A. (C) 701–705 [713–717], 1400–1404 [1422–1426]
- Ivanova, O. A.
– Donor–Acceptor Cyclopropanes as Three-Carbon Components in a [4 + 3] Cycloaddition Reaction with 1,3-Diphenylisobenzofuran (C) 1107–1110 [1123–1126]
DOI: 10.1002/anie.200704438



- Ivanović-Burmazović, I.
- High Catalytic Activity of Dendritic C₆₀ Monoadducts in Metal-Free Superoxide Dismutation (C) 3991–3994 [4055–4058] DOI: 10.1002/anie.200800008
 - NO Dismutase Activity of Seven-Coordinate Manganese(II) Pentaazamacrocyclic Complexes (C) 8735–8739 [8863–8867] DOI: 10.1002/anie.200801325
- Iverson, B. L.
- An Engineered Protease that Cleaves Specifically after Sulfated Tyrosine (C) 7861–7863 [7979–7981] DOI: 10.1002/anie.200800736
- Iwai, K. (C) 4667–4669 [4745–4747]
- Iwai, Y. (C) 3219–3222 [3263–3266]
- Iwamoto, M. 9180–9185 [9320–9325]
- Iwamoto, T.
- Fourteen-Electron Bis(dialkylsilylene)palladium and Twelve-Electron Bis(dialkylsilyl)palladium Complexes (C) 5386–5389 [5466–5469] DOI: 10.1002/anie.200705954
- Iwamoto, T. (C) 9772–9774 [9918–9920]
- Iwasawa, N.
- Platinum(II)-Catalyzed Reaction of γ,δ -Ynones with Alkenes for the Construction of 8-Oxabicyclo[3.2.1]octane Skeletons: Generation of Platinum-Containing Carbonyl Ylides from Acyclic Precursors (C) 4903–4905 [4981–4983] DOI: 10.1002/anie.200705129
 - Synthesis of N-Fused Tricyclic Indoles by a Tandem [1,2] Stevens-Type Rearrangement/1,2-Alkyl Migration of Metal-Containing Ammonium Ylides (C) 4906–4909 [4984–4987] DOI: 10.1002/anie.200705517
- Iwasawa, Y.
- Cooperative Catalysis of Primary and Tertiary Amines Immobilized on Oxide Surfaces for One-Pot C–C Bond Forming Reactions (C) 9230–9235 [9370–9375] DOI: 10.1002/anie.200802515
 - Editorial: The Catalysis Society of Japan (CATSJ): History and Activities 9180–9185 [9320–9325] DOI: 10.1002/anie.200804549
 - Photoinduced Reversible Structural Transformation and Selective Oxidation Catalysis of Unsaturated Ruthenium Complexes Supported on SiO₂ (C) 9252–9255 [9392–9395] DOI: 10.1002/anie.200803122
- Iwata, M. (C) 1301–1304 [1321–1324]
- Iyer, S. S.
- Differentiation between Structurally Homologous Shiga 1 and Shiga 2 Toxins by Using Synthetic Glycoconjugates (C) 1265–1268 [1285–1288] DOI: 10.1002/anie.200703680
- Iyi, N. (C) 86–89 [92–95]
- Izawa, K. (C) 2480–2483 [2514–2517]
- Izumi, F. (C) 1269–1271 [1289–1291]
- Jabri, A. (C) 9717–9721 [9863–9867]
- Jackson, S. D. (C) 9274–9278 [9414–9418]
- Jacob, T. (C) 5005–5008 [5083–5086]
- Jacobsen, E. N.
- Dinuclear {(salen)Al} Complexes Display Expanded Scope in the Conjugate Cyano-lation of α,β -Unsaturated Imides (C) 1762–1765 [1786–1789] DOI: 10.1002/anie.200704461
 - Enantioselective Catalytic Carbonyl–Ene Cyclization Reactions (C) 1469–1472 [1491–1494] DOI: 10.1002/anie.200704439
- Jacobson, G. B. (C) 7880–7882 [7998–8000]
- Jacques, B. (C) 4546–4550 [4622–4626]
- Jacques, O. (C) 3461–3463 [3511–3514]
- Jaeger, K.-E. (C) 5085–5088 [5163–5166]
- Jagadeesan, D. (C) 7685–7688 [7799–7802]
- Jahn, U.
- Beyond Prostaglandins—Chemistry and Biology of Cyclic Oxygenated Metabolites Formed by Free-Radical Pathways from Polyunsaturated Fatty Acids (R) 5894–5955 [5978–6041] DOI: 10.1002/anie.200705122
- Jahnke, M. C. (R) 3122–3172 [3166–3216]
- Jaipuri, F. A. (C) 1707–1710 [1731–1734]
- Jäkle, F.
- Allylation of Ketones with a Ferrocene-Based Planar Chiral Lewis Acid (C) 1134–1137 [1150–1153] DOI: 10.1002/anie.200704687
- Jakobsche, C. E. (C) 6707–6711 [6809–6813]
- Jambor, R.
- [[2,6-(Me₂NCH₂)₂C₆H₃]Sn]₂: An Intramolecularly Coordinated Diorganodistannyne (C) 1650–1653 [1674–1677] DOI: 10.1002/anie.200704635
- Jameson, G. B. (L) 9383–9384 [9523–9524]
- Jamison, T. F.
- α -Olefins as Alkenylmetal Equivalents in Catalytic Conjugate Addition Reactions (C) 1893–1895 [1919–1921] DOI: 10.1002/anie.200705163
- Janda, K. D.
- The Strange Case of the Botulinum Neurotoxin: Using Chemistry and Biology to Modulate the Most Deadly Poison (R) 8360–8379 [8488–8507] DOI: 10.1002/anie.200705531
- Jang, J. I. (C) 7828–7832 [7946–7950]
- Jang, J. K. (C) 9504–9508 [9646–9650]
- Jang, J.-W. (C) 9951–9954 [10099–10102]
- Jang, K. P. (C) 4009–4011 [4073–4075]
- Jang, M. (C) 8692–8695 [8820–8823]
- Jang, S. Y. (C) 4840–4843 [4918–4921], 6004–6007 [6093–6096]
- Jang, Y.-J. (C) 8082–8085 [8202–8205]
- Janikowski, J. (C) 5243–5245 [5321–5323]
- Jankiewicz, B. J. (C) 9860–9865 [10008–10013]
- Jansat, S. (C) 2074–2078 [2104–2108]
- Jansen, G. (C) 6290–6295 [6386–6391]
- Jansen, M.
- A Piece of the Picture—Misunderstanding of Chemical Concepts (E) 10026–10029 [10176–10180] DOI: 10.1002/anie.200803605
 - An Epilogue on the C₇₈-Fullerene Family: The Discovery and Characterization of an Elusive Isomer (C) 6283–6285 Corrigendum: 9590 [6379–6381] Corrigendum: 9732] DOI: 10.1002/anie.200801922
 - Experimental Substantiation of the “Energy Landscape Concept” for Solids: Synthesis of a New Modification of LiBr (C) 4428–4431 [4500–4503] DOI: 10.1002/anie.200800333
 - Intercluster Compounds Consisting of Gold Clusters and Fullerides: [Au₇(PPh₃)₇]₂C₆₀·THF and [Au₈(PPh₃)₈](C₆₀)₂ (C) 2256–2259 [2288–2291] DOI: 10.1002/anie.200705373
 - Observation of Direct Bonds between Carbon and Nitrogen in Si-B-N-C Ceramic after Pyrolysis at 1400 °C (C) 3600–3602 [3656–3658] DOI: 10.1002/anie.200705786
- Jansen, R.
- Chlorotoniol A, a Macrolide with a Unique gem-Dichloro-1,3-dione Functionality from *Sorangium cellulosum*, So ce1525 (C) 600–602 [610–613] DOI: 10.1002/anie.200703993
- Jansen, R. (C) 6478–6482 [6578–6582]
- Jantos, K. (C) 2677–2680 [2717–2720]
- Järvenpää, M.-L. (C) 3811–3813 [3871–3873]
- Jaspars, M.
- Marine Metabolites and Metal Ion Chelation: Intact Recovery and Identification of an Iron(II) Complex in the Extract of the Ascidian *Eudistoma gilboviride* (C) 8090–8092 [8210–8212] DOI: 10.1002/anie.200802060
- Jasper, C. (C) 3461–3463 [3511–3514]
- Jatsch, A. (C) 198–201 [204–207]
- Jauch, J.
- Total Synthesis of Azadirachtin—Finally Completed After 22 Years (H) 34–37 [34–37] DOI: 10.1002/anie.200703814
- Jautze, S. (C) 9284–9288 [9424–9429]
- Javey, A.
- Phosphine Oxide Monolayers on SiO₂ Surfaces (C) 4440–4442 [4512–4514] DOI: 10.1002/anie.200800737
- Jaya Prakash, M. (C) 3969–3972 [4033–4036]
- Jeanneau, E. (C) 8654–8656 [8782–8784]
- Jelinek, R. (C) 2595–2599 [2633–2637]
- Jemmis, E. D.
- Orbital Compatibility in the Condensation of Polyhedral Boranes (C) 5561–5564 [5643–5646] DOI: 10.1002/anie.200801295
- Jen-Jacobson, L.
- Electron Spin Resonance Shows Common Structural Features for Different Classes of EcoRI–DNA Complexes (C) 10192–10194 [10346–10348] DOI: 10.1002/anie.200803588
- Jenekhe, S. A. (C) 2402–2406 [2436–2440]
- Jenkins, R. L. (C) 2820–2823 [2862–2865]
- Jenkins, S. J. (C) 5253–5255 [5332–5334]
- Jennings, M. (C) 7731–7735 [7845–7849]
- Jennings, T. L. (C) 5577–5581 [5659–5663]
- Jensen, K. B. (C) 2665–2667 [2705–2707]

- Jensen, T. (C) 888–890 [902–904]
 Jeon, J.-H. (C) 2470–2474 [2504–2508]
 Jeon, T.-Y. (C) 9307–9310 [9447–9450]
 Jeong, B. H. (C) 2231–2234 [2263–2266]
 Jeong, H.-J. (C) 8404–8406 [8532–8534]
 Jeong, N. C. (C) 10128–10132 [10282–10286]
 Jeong, Y. J. (C) 7321–7324 [7431–7434]
 Jeong, Y. Y. (C) 5362–5365 [5442–5445]
 Jeschke, G. (C) 2600–2603 [2638–2642],
 6782–6785 [6886–6890]
 Jeske, R. C. (C) 6041–6044 [6130–6133]
 Jeske, V. (C) 406–409 [412–415]
 Jessen, H. J. (C) 8719–8722 [8847–8850]
 Jewell, K. (C) 6180–6183 [6275–6278]
 Jha, S. (C) 4679–4682 [4757–4760]
 Jhung, S. H. (C) 4144–4148 [4212–4216]
 Ji, N. (C) 8510–8513 [8638–8641]
 Ji, Q. (C) 7254–7257 [7364–7367]
 Jia, Q. X.
 – Amorphous Silica Nanoparticles Embedded in Epitaxial SrTiO₃ and CoFe₂O₄ Matrices
 (C) 5768–5771 [5852–5855]
 DOI: 10.1002/anie.200801064
 Jia, W. (C) 4729–4732 [4807–4810]
 Jia, Y. (C) 4167–4172 [4235–4240]
 Jiang, Dawei (C) 5009–5012 [5087–5090]
 Jiang, De-e. (C) 1866–1870 [1892–1896]
 Jiang, Donglin
 – A Belt-Shaped, Blue Luminescent, and Semiconducting Covalent Organic Framework
 (C) 8826–8830 [8958–8962]
 DOI: 10.1002/anie.200803826
 Jiang, G. (C) 6638–6642 [6740–6744]
 Jiang, H.-y. (C) 9240–9244 [9380–9384]
 Jiang, Heqing (C) 9341–9344 [9481–9484]
 Jiang, Hongying (C) 9303–9306 [9443–9446]
 Jiang, Hua
 – Quadruple and Double Helices of 8-Fluoroquinoline Oligoamides
 (C) 1715–1718 [1739–1742]
 DOI: 10.1002/anie.200704938
 Jiang, Hua (C) 4153–4156 [4221–4224]
 Jiang, J. (C) 2458–2462 [2492–2496]
 Jiang, J.-X. Corrigendum: 1167
 Jiang, L. (C) 7258–7262 [7368–7372], 7301–7305 [7411–7415]
 Jiang, M. (C) 10171–10174 [10325–10328]
 Jiang, S.
 – A Switchable Biocompatible Polymer Surface with Self-Sterilizing and Nonfouling Capabilities
 (C) 8831–8834 [8963–8966]
 DOI: 10.1002/anie.200803570
 Jiang, T. (C) 1127–1129 [1143–1145], 4835–4839 [4913–4917]
 Jiang, W. (C) 3560–3564 [3616–3620]
 Jiang, Xia (C) 9487–9491 [9629–9633]
 Jiang, Xingyu
 – Visual Detection of Copper(II) by Azide- and Alkyne-Functionalized Gold Nanoparticles Using Click Chemistry
 (C) 7454–7456 [7564–7566]
 DOI: 10.1002/anie.200802317
 Jiang, Y.-X.
 – Shape-Controlled Synthesis of Gold Nanoparticles in Deep Eutectic Solvents for Studies of Structure–Functionality Relationships in Electrocatalysis
 (C) 9100–9103 [9240–9243]
 DOI: 10.1002/anie.200803202
 Jiang, Ying (C) 8601–8604 [8729–8732]
 Jiang, Yun (M) 8782–8793 [8912–8923]
 Jiang, Z. (C) 8901–8904 [9033–9036]
 Jiao, F. (C) 9711–9716 [9857–9862]
 Jiao, N.
 – Ligand-Free Pd-Catalyzed Highly Selective Arylation of Allylic Esters with Retention of the Traditional Leaving Group
 (C) 4729–4732 [4807–4810]
 DOI: 10.1002/anie.200800966
 Jiao, Peng (C) 2411–2413 [2445–2447]
 Jiao, Ping (C) 3573–3577 [3629–3633]
 Jickells, S. M. (C) 10167–10170 [10321–10324]
 Jilek, R. E. (C) 8692–8695 [8820–8823]
 Jiménez, S. (C) 2093–2096 [2123–2126]
 Jiménez-Núñez, E. (C) 7892–7895 [8010–8013]
 Jimeno, C. (C) 1098–1101 [1114–1117]
 Jin, A. (C) 7722–7725 [7836–7839]
 Jin, J. (C) 902–905 [916–919]
 Jin, L.-H. (C) 4204–4207 [4272–4275]
 Jin, R.
 – Super Robust Nanoparticles for Biology and Biomedicine
 (H) 6750–6753 [6852–6855]
 DOI: 10.1002/anie.200801301
 Jin, W. (C) 1672–1675 [1696–1699]
 Jitsukawa, K. (C) 138–141 [144–147], 7938–7940 [8056–8058]
 Jo, Y. (C) 9504–9508 [9646–9650]
 Jobic, H.
 – Quasi-Elastic Neutron Scattering and Molecular Dynamics Study of Methane Diffusion in Metal Organic Frameworks MIL-47(V) and MIL-53(Cr)
 (C) 6611–6615 [6713–6717]
 DOI: 10.1002/anie.200801748
 Jocher, C. J. (M) 8568–8580 [8696–8709]
 Jockusch, S. (C) 8954–8957 [9087–9091]
 Johnels, D.
 – Synthesis and Structural Characterization of C₇₀H₃₈
 (C) 2796–2799 [2838–2841]
 DOI: 10.1002/anie.200705450
 Johnson, D. W.
 – Synthesis of Heterometallic Group 13 Nanoclusters and Inks for Oxide Thin-Film Transistors
 (C) 9484–9486 [9626–9628]
 DOI: 10.1002/anie.200803514
 – Water and Hydrogen Halides Serve the Same Structural Role in a Series of 2 + 2 Hydrogen-Bonded Dimers Based on 2,6-Bis(2-anilinoethynyl)pyridine Sulfonamide Receptors
 (C) 117–120 [123–126]
 DOI: 10.1002/anie.200703971
 Johnson, J. B. (R) 840–871 [852–884]
 Johnson, K. A. (C) 7853–7856 [7971–7974]
 Johnson, S. R. (C) 2817–2819 [2859–2861]
 Johnson II, C. A. (C) 117–120 [123–126]
 Johrendt, D.
 – Pnictide Oxides: A New Class of High-*T_c* Superconductors
 (H) 4782–4784 [4860–4863]
 DOI: 10.1002/anie.200801818
 – Superconductivity and Crystal Structures of (Ba_{1-x}K_x)Fe₂As₂ (*x* = 0–1)
 (C) 7949–7952 [8067–8070]
 DOI: 10.1002/anie.200803641
 Jolivet, J.-P. (C) 6441–6444 [6541–6544]
 Jon, S.
 – Drug-Loaded Superparamagnetic Iron Oxide Nanoparticles for Combined Cancer Imaging and Therapy In Vivo
 (C) 5362–5365 [5442–5445]
 DOI: 10.1002/anie.200800857
 Jones, C.
 – Stable Adducts of a Dimeric Magnesium(I) Compound
 (C) 9079–9083 [9219–9223]
 DOI: 10.1002/anie.200803960
 Jones, C. R. (C) 7099–7102 [7207–7210]
 Jones, D. (C) 1332–1334 [1352–1355]
 Jones, G. O. (C) 4134–4136 [4202–4204]
 Jones, M. E. (C) 5002–5004 [5080–5082]
 Jones, M. O. (C) 2817–2819 [2859–2861]
 Jones, P. G. (C) 7428–7432 [7538–7542]
 Jonke, S. Corrigendum: 5277
 Jonkhøj, P. (C) 4421–4424 [4493–4496],
 (R) 9618–9647 [9762–9792]
 Joo, H.-C. (C) 793–796 [805–808], (L) 9383–9384 [9523–9524]
 Joo, T. (C) 693–696 [705–708]
 Joo, Y.-H. (C) 6236–6239 [6332–6335],
 7087–7090 [7195–7198]
 Jordá, J. L. (C) 1080–1083 [1096–1099]
 Jordan, E. (C) 552–555 [562–565]
 Jørgensen, K. A.
 – An Unexpected Organocatalytic Asymmetric Tandem Michael/Morita–Baylis–Hillman Reaction
 (C) 121–125 [127–131]
 DOI: 10.1002/anie.200704076
 – Organocatalytic Asymmetric Synthesis of Versatile γ -Lactams
 (C) 4687–4690 [4765–4768]
 DOI: 10.1002/anie.200800329
 Jørgensen, M.
 – Palladium-Catalyzed Aryl Amination–Heck Cyclization Cascade: A One-Flask Approach to 3-Substituted Indoles
 (C) 888–890 [902–904]
 DOI: 10.1002/anie.200703763
 – Palladium-Catalyzed Three-Component Approach to Promazine with Formation of One Carbon–Sulfur and Two Carbon–Nitrogen Bonds
 (C) 1726–1728 [1750–1752]
 DOI: 10.1002/anie.200705209
 Josan, J. S. (C) 1685–1688 [1709–1712]
 Josephson, L.
 – Sensitive NMR Sensors Detect Antibodies to Influenza
 (C) 4119–4121 [4187–4189]
 DOI: 10.1002/anie.200800069
 Joshi, K. B. (C) 2860–2863 [2902–2905]
 Joshi, N. S. Corrigendum: 7788
 Journaux, Y.
 – A Metallocryptand-Based Manganese(II)–Cobalt(II) Ferrimagnet with a Three-Dimensional Honeycomb Open-Framework Architecture
 (C) 4211–4216 [4279–4284]
 DOI: 10.1002/anie.200800208
 Joyce, S. A. (C) 1942–1945 [1968–1971]
 Jude, H. (C) 503–506 [513–516]
 Jullien, L.
 – A Caged Retinoic Acid for One- and Two-Photon Excitation in Zebrafish Embryos
 (C) 3744–3746 [3804–3806]
 DOI: 10.1002/anie.200800037
 Julve, M. (C) 4211–4216 [4279–4284]
 Jun, C.-H.
 – Sc(OTf)₃-Mediated Silylation of Hydroxy Functional Groups on a Solid Surface: A Catalytic Grafting Method Operating at Room Temperature
 (C) 109–112 [115–118]
 DOI: 10.1002/anie.200703112
 Jun, Y.-w. (R) 5122–5135 [5200–5213]
 Jung, J. H. (C) 685–688 [697–700]

- Jung, K. W.
- Chiral Palladium(II) Complexes Possessing a Tridentate N-Heterocyclic Carbene Amidate Alkoxide Ligand: Access to Oxygen-Bridging Dimer Structures (C) 9326–9329 [9466–9469]
DOI: 10.1002/anie.200803793
 - Jung, M. (C) 5755–5757 [5839–5841]
 - Jung, M.-H. (C) 9504–9508 [9646–9650]
 - Jung, S. (C) 2049–2051 [2079–2081]
 - Jung, T. (C) 7726–7730 [7840–7844]
 - Jung, T. A.
 - Transforming Surface Coordination Polymers into Covalent Surface Polymers: Linked Polycondensed Aromatics through Oligomerization of N-Heterocyclic Carbene Intermediates (C) 2414–2417 [2448–2451]
DOI: 10.1002/anie.200704072
 - Jung, W.-H. (C) 1130–1133 [1146–1149]
 - Junge, H. (C) 3962–3965 [4026–4029]
 - Junge, K. (C) 2497–2501 [2531–2535], (H) 3317–3321 [3363–3367]
 - Jungnick, N. (C) 9555–9559 [9697–9701]
 - Junker, J. (C) 2032–2034 [2062–2064]
 - Jürgens, B. (C) 8946–8949 [9078–9082]
 - Jurkschat, K.
 - [[2,6-(Me₂NCH₂)₂C₆H₃]Sn]₂: An Intramolecularly Coordinated Diorganodistannylene (C) 1650–1653 [1674–1677]
DOI: 10.1002/anie.200704635
 - Justyniak, I. (C) 573–576 [583–586], 7888–7891 [8006–8009]
 - Juwarker, H. (C) 3740–3743 [3800–3803]
 - Jux, N.
 - The Porphyrin Twist: Hückel and Möbius Aromaticity (H) 2543–2546 [2577–2581]
DOI: 10.1002/anie.200705568
 - Kabuto, C. (C) 5386–5389 [5466–5469]
 - Kadowaki, Y. (C) 9883–9886 [10031–10034]
 - Käfer, D. (C) 5250–5252 [5328–5331]
 - Kageyama, H.
 - Spin-Ladder Iron Oxide: Sr₂Fe₂O₅ (C) 5740–5745 [5824–5829]
DOI: 10.1002/anie.200801146
 - Kagi, H. (C) 5627–5630 [5709–5712]
 - Kahn, R.
 - Protein Crystallography through Supramolecular Interactions between a Lanthanide Complex and Arginine (C) 3388–3391 [3436–3439]
DOI: 10.1002/anie.200704683
 - Kahr, B.
 - Optical Rotation of Achiral Compounds (M) 5706–5717 [5790–5801]
DOI: 10.1002/anie.200704559
 - Kai, Y. (C) 8241–8245 [8365–8369]
 - Kaifer, A. E. (C) 2657–2660 [2697–2700]
 - Kaim, W.
 - Establishing the Chelating α -Azocarbonyl Function in π -Acceptor Ligands (C) 6192–6194 [6287–6289]
DOI: 10.1002/anie.200801328
 - Hans Bock (O) 2912 [2954]
DOI: 10.1002/anie.200800607
 - Kaiser, H. M. (C) 5993–5996 [6082–6085]
 - Kaiser, M.
 - Allosteric Activation of HtrA Protease DegP by Stress Signals during Bacterial Protein Quality Control (C) 1332–1334 [1352–1355]
DOI: 10.1002/anie.200703273
 - Discovery of a New Class of Inhibitors of *Mycobacterium tuberculosis* Protein Tyrosine Phosphatase B by Biology-Oriented Synthesis (C) 5973–5977 [6061–6066]
DOI: 10.1002/anie.200801566
 - Kajihara, Y.
 - Uncovering a Latent Ligation Site for Glycopeptide Synthesis (C) 5402–5406 [5482–5486]
DOI: 10.1002/anie.200801097
 - Kajiwara, T. (C) 6606–6610 [6708–6712]
 - Kaka, N. S. (C) 9958–9960 [10106–10108]
 - Kakade, B. A. (C) 2653–2656 [2693–2696]
 - Kakeya, H. (C) 6657–6660 [6759–6762]
 - Kale, R. R. (C) 1265–1268 [1285–1288]
 - Kalesse, M.
 - Chondramide C: Synthesis, Configurational Assignment, and Structure–Activity Relationship Studies (C) 6478–6482 [6578–6582]
DOI: 10.1002/anie.200801156
 - The Total Synthesis of Chlorotoniol A (C) 597–599 [607–609]
DOI: 10.1002/anie.200703930
 - Kalia, J. (C) 7523–7526 [7633–7636]
 - Kalinina, I. V. (C) 1465–1468 [1487–1490]
 - Kamata, K. (C) 2407–2410 [2441–2444]
 - Kamena, F. (C) 6483–6485 [6583–6585]
 - Kamenev, K. (C) 2828–2831 [2870–2873]
 - Kameo, H. (C) 10159–10162 [10313–10316]
 - Kamer, P. C. J.
 - Parallel Synthesis and Screening of Polymer-Supported Phosphorus-Stereogenic Aminophosphane–Phosphite and –Phosphinite Ligands (C) 6602–6605 [6704–6707]
DOI: 10.1002/anie.200801689
 - Kameyama, N. (C) 160–163 [166–169]
 - Kaminski, C. F. (C) 2042–2045 [2072–2075]
 - Kaminsky, W.
 - Optical Rotation of Achiral Compounds (M) 5706–5717 [5790–5801]
DOI: 10.1002/anie.200704559
 - Kammerer, R. A. (C) 5842–5845 [5926–5929]
 - Kanamori, K. (C) 5740–5745 [5824–5829]
 - Kanaras, A. G. (C) 1861–1865 [1887–1891]
 - Kanatidis, M. G.
 - Large Enhancements in the Thermoelectric Power Factor of Bulk PbTe at High Temperature by Synergistic Nanostructuring (C) 8618–8622 [8746–8750]
DOI: 10.1002/anie.200803934
 - Soluble Direct-Band-Gap Semiconductors LiAsS₂ and NaAsS₂: Large Electronic Structure Effects from Weak As···S Interactions and Strong Nonlinear Optical Response (C) 7828–7832 [7946–7950]
DOI: 10.1002/anie.200801392
 - Kandori, H.
 - Color Change of Proteorhodopsin by a Single Amino Acid Replacement at a Distant Cytoplasmic Loop (C) 3923–3926 [3987–3990]
DOI: 10.1002/anie.200705989
 - Kandur, W. V. (C) 4711–4714 [4789–4792]
 - Kane, R. S.
 - Fabricating Complex Polymeric Micro- and Nanostructures: Lithography in Microfluidic Devices (H) 1368–1370 [1388–1391]
DOI: 10.1002/anie.200704426
 - Kaneda, K.
 - Oxidant-Free Alcohol Dehydrogenation Using a Reusable Hydrotalcite-Supported Silver Nanoparticle Catalyst (C) 138–141 [144–147]
DOI: 10.1002/anie.200703161
 - Supported Silver-Nanoparticle-Catalyzed Highly Efficient Aqueous Oxidation of Phenylsilanes to Silanols (C) 7938–7940 [8056–8058]
DOI: 10.1002/anie.200802761
 - Kanehara, M. (C) 307–310 [313–316]
 - Kaneko, W. (C) 8843–8847 [8975–8979]
 - Kanemasa, S. (C) 164–168 [170–174]
 - Kang, J. (C) 4896–4899 [4974–4977]
 - Kang, J. K.
 - A Facile Way to Control the Number of Walls in Carbon Nanotubes Through the Synthesis of Exposed-Core/Shell Catalyst Nanoparticles (C) 9904–9907 [10052–10055]
DOI: 10.1002/anie.200803311
 - Kang, L. (C) 8905–8908 [9037–9040]
 - Kang, M.-S. (C) 327–330 [333–336], 8259–8263 [8383–8387]
 - Kang, S. (C) 7845–7848 [7963–7966]
 - Kang, S.-G. (C) 109–112 [115–118]
 - Kang, S. H. (C) 5186–5189 [5264–5267]
 - Kang, S. O. (C) 327–330 [333–336], 8259–8263 [8383–8387]
 - Kang, T. M. (C) 2470–2474 [2504–2508]
 - Kang, Y. (C) 7321–7324 [7431–7434]
 - Kannan, R. (C) 2653–2656 [2693–2696]
 - Kano, N.
 - Structure and Properties of a Sulfur(IV)–Sulfur(II)-Bond Compound: Reversible Conversion of a Sulfur-Substituted Organosulfurane into a Thiol (C) 9430–9433 [9572–9575]
DOI: 10.1002/anie.200803945
 - Kantorovich, L. N. (C) 9673–9676 [9819–9822]
 - Kao, J. L. F. (C) 3584–3587 [3640–3643]
 - Kao, T.-C. (C) 7325–7327 [7435–7437]
 - Kapitan, J. (C) 6392–6394 [6492–6494]
 - Kappe, C. O.
 - Copper-Catalyzed C–C Coupling of Thiol Esters and Boronic Acids under Aerobic Conditions (H) 3674–3676 [3732–3734]
DOI: 10.1002/anie.200800449
 - Kaptein, B.
 - Attrition-Enhanced Deracemization of an Amino Acid Derivative That Forms an Epitaxial Racemic Conglomerate (C) 7226–7229 [7336–7339]
DOI: 10.1002/anie.200802468
 - Complete Deracemization by Attrition-Enhanced Ostwald Ripening Elucidated (C) 6445–6447 [6545–6547]
DOI: 10.1002/anie.200801846
 - Kaptein, B. (C) 1287–1290 [1307–1310]
 - Kapurniotu, A.
 - Exploiting Cross-Amyloid Interactions To Inhibit Protein Aggregation but not Func-



- tion: Nanomolar Affinity Inhibition of Insulin Aggregation by an IAPP Mimic (C) 7114–7118 [7222–7227]
DOI: 10.1002/anie.200801499
- Karanikolos, G. N. (C) 9096–9099 [9236–9239]
- Karatsu, T. (C) 3367–3371 [3415–3419], 4691–4694 [4769–4772]
- Kareev, I. E.
- $C_{1-}(C_{84}-C_2(11))(CF_3)_{12}$: Trifluoromethylation Yields Structural Proof of a Minor C_{84} Cage and Reveals a Principle of Higher Fullerene Reactivity (C) 6204–6207 [6300–6303]
DOI: 10.1002/anie.200801777
- Kärger, J.
- Exploring Crystal Morphology of Nanoporous Hosts from Time-Dependent Guest Profiles (C) 3954–3957 [4018–4021]
DOI: 10.1002/anie.200705597
- Karimova, E. J. (C) 7036–7039 [7144–7147]
- Karlin, K. D.
- Reactions of a Copper(II) Superoxo Complex Lead to C–H and O–H Substrate Oxygenation: Modeling Copper-Monooxygenase C–H Hydroxylation (C) 82–85 [88–91]
DOI: 10.1002/anie.200704389
 - Structural Studies of Copper(I) Complexes of Amyloid- β Peptide Fragments: Formation of Two-Coordinate Bis(histidine) Complexes (C) 9084–9087 [9224–9227]
DOI: 10.1002/anie.200803908
- Kärnbratt, J. (C) 4993–4996 [5071–5074]
- Karousis, N. (C) 5148–5152 [5226–5230]
- Kashiwazaki, G. (C) 9661–9665 [9807–9811]
- Kašná, B. (C) 1650–1653 [1674–1677]
- Kasper, R. (C) 5465–5469 [5545–5550], 6172–6176 [6266–6271]
- Kasry, A. (C) 4707–4710 [4785–4788]
- Kassel, W. S. (C) 78–81 [84–87]
- Kasumaj, B. (C) 2600–2603 [2638–2642]
- Kataoka, K.
- Charge-Conversion Ternary Polyplex with Endosome Disruption Moiety: A Technique for Efficient and Safe Gene Delivery (C) 5163–5166 [5241–5244]
DOI: 10.1002/anie.200800963
- Kato, D. (C) 6681–6684 [6783–6786]
- Kato, N. (C) 6438–6440 [6538–6540]
- Kato, S.-y. (C) 8241–8245 [8365–8369]
- Kato, Takashi
- Macroscopically Ordered Polymer/ $CaCO_3$ Hybrids Prepared by Using a Liquid-Crystalline Template (C) 2800–2803 [2842–2845]
DOI: 10.1002/anie.200705062
 - Stimuli-Responsive Luminescent Liquid Crystals: Change of Photoluminescent Colors Triggered by a Shear-Induced Phase Transition (C) 5175–5178 [5253–5256]
DOI: 10.1002/anie.200800164
- Kato, Tsuyoshi (C) 5390–5393 [5470–5473], 7530–7533 [7640–7643]
- Katoh, T. (C) 1447–1449 [1469–1471]
- Katsonis, N.
- Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface (C) 4997–5001 [5075–5079]
DOI: 10.1002/anie.200800255
- Katsu, M. (C) 2665–2667 [2705–2707]
- Katsuki, T.
- A μ -Oxo- μ - η^2 - η^2 -Peroxo Titanium Complex as a Reservoir of Active Species in Asymmetric Epoxidation Using Hydrogen Peroxide (C) 10195–10198 [10349–10352]
DOI: 10.1002/anie.200804685
 - Asymmetric Simmons–Smith Reaction of Allylic Alcohols with Al Lewis Acid/N Lewis Base Bifunctional Al(Salalen) Catalyst (C) 2450–2453 [2484–2487]
DOI: 10.1002/anie.200705641
 - Nb(salen)-Catalyzed Asymmetric Epoxidation of Allylic Alcohols with Hydrogen Peroxide (C) 5171–5174 [5249–5252]
DOI: 10.1002/anie.200800797
- Katnig, D. R. (C) 960–962 [974–976]
- Katz, C. E. (C) 6233–6235 [6329–6331]
- Kauffman, D. R. (R) 6550–6570 [6652–6673]
- Kaufmann, B. (C) 1715–1718 [1739–1742], 4153–4156 [4221–4224]
- Kaufhold, O. (H) 4057–4061 [4122–4126]
- Kaufman, G. K. (C) 6654–6656 [6756–6758]
- Kaupp, M.
- Is Allred's $[Hg(cyclam)]^{3+}$ a True Mercury(III) Complex? (C) 8631–8633 [8759–8761]
DOI: 10.1002/anie.200802233
- Kaur, A. (C) 4703–4706 [4781–4784]
- Kawaguchi, T. (C) 1777–1779 [1801–1803]
- Kawamichi, T. (C) 8030–8032 [8150–8152]
- Kawamura, N. (C) 160–163 [166–169]
- Kawano, K. (C) 6244–6246 [6340–6342]
- Kawano, M.
- A Selective Instant Synthesis of a Coordination Network and Its Ab Initio Powder Structure Determination (C) 1269–1271 [1289–1291]
DOI: 10.1002/anie.200704809
 - Single-Crystalline Molecular Flasks: Chemical Transformation with Bulky Reagents in the Pores of Porous Coordination Networks (C) 8030–8032 [8150–8152]
DOI: 10.1002/anie.200802545
- Kawano, M. (C) 2046–2048 [2076–2078], 5780–5782 [5864–5866]
- Kawano, S.-i. (C) 4577–4580 [4653–4656]
- Kawasaki, M. (C) 3795–3797 [3855–3857]
- Kawasaki, S. (C) 3426–3429 [3474–3477]
- Kawasaki, T. (C) 496–499 [506–509]
- Kawashima, T.
- Generation and Coordinating Properties of a Carbene Bearing a Phosphorus Ylide: An Intensely Electron-Donating Ligand (C) 1141–1144 [1157–1160]
DOI: 10.1002/anie.200704746
 - Structure and Properties of a Sulfur(IV)–Sulfur(II)-Bond Compound: Reversible Conversion of a Sulfur-Substituted Organosulfurane into a Thiol (C) 9430–9433 [9572–9575]
DOI: 10.1002/anie.200803945
- Kawauchi, T.
- Encapsulation of Fullerenes in a Helical PMMA Cavity Leading to a Robust Processable Complex with a Macromolecular Helicity Memory (C) 515–519 [525–529]
DOI: 10.1002/anie.200703655
- Kawska, A. (C) 4982–4985 [5060–5063]
- Kayaki, Y. (C) 2447–2449 [2481–2483]
- Kazlauskas, R. J.
- Enantiocomplementary Enzymes: Classification, Molecular Basis for Their Enantio-preference, and Prospects for Mirror-Image Biotransformations (M) 8782–8793 [8912–8923]
DOI: 10.1002/anie.200705159
- Kazmaier, U.
- Distannylation and Silastannylation of In Situ Generated Allenes (C) 3050–3053 [3093–3096]
DOI: 10.1002/anie.200705976
- Ke, C.-F. (C) 7293–7296 [7403–7406]
- Ke, T.-H. (C) 581–585 [591–595]
- Ke, Yonggang (C) 316–319 [322–325], 5157–5159 [5235–5237]
- Ke, Yuyong (C) 9666–9668 [9812–9814]
- Kee, T. P. (C) 7918–7920 [8036–8038]
- Keerl, M. (C) 338–341 [344–347]
- Kehr, G. (C) 2622–2625 [2662–2665], 7543–7546 [7654–7657]
- Keita, B. (C) 793–796 [805–808], 9542–9546 [9685–9689]
- Keller, S. (C) 3258–3261 [3302–3305]
- Kellogg, R.
- Structural Aspects of Nucleation Inhibitors for Diastereomeric Resolutions and the Relationship to Dutch Resolution (C) 1287–1290 [1307–1310]
DOI: 10.1002/anie.200704021
- Kellogg, R. M.
- Attrition-Enhanced Deracemization of an Amino Acid Derivative That Forms an Epitaxial Racemic Conglomerate (C) 7226–7229 [7336–7339]
DOI: 10.1002/anie.200802468
 - Complete Deracemization by Attrition-Enhanced Ostwald Ripening Elucidated (C) 6445–6447 [6545–6547]
DOI: 10.1002/anie.200801846
- Kelly, R. E. A. (C) 9673–9676 [9819–9822]
- Kemnitz, E.
- $Mg_2F_2(OMe)_{10}(MeOH)_{14}$ —An Alkoxide Fluoride of an Alkaline Earth Metal (C) 190–192 [196–198]
DOI: 10.1002/anie.200703516
- Kemp, R. A.
- Insertion of Carbon Dioxide into Main-Group Complexes: Formation of the $[N(CO_2)_3]^{3-}$ Ligand (C) 9955–9957 [10103–10105]
DOI: 10.1002/anie.200804218
- Kempe, R.
- Bismetallocenes: Lanthanoid–Transition-Metal Bonds through Alkane Elimination (C) 6469–6472 [6569–6572]
DOI: 10.1002/anie.200800407
 - Metal–Metal Distances at the Limit: A Coordination Compound with an Ultra-short Chromium–Chromium Bond (C) 7246–7249 [7356–7359]
DOI: 10.1002/anie.200801160
- Kempton, A. (C) 7234–7237 [7344–7347]
- Kendrick, J. (C) 2427–2430 [2461–2464]
- Kennedy, A. R. (C) 8079–8081 [8199–8201], 8917–8919 [9049–9051]
- Kennedy, M. W. (C) 7853–7856 [7971–7974]
- Kent, S. B. H.
- Comparative Properties of Insulin-like Growth Factor 1 (IGF-1) and [Gly7D-Ala]IGF-1 Prepared by Total Chemical Synthesis (C) 1102–1106 [1118–1122]
DOI: 10.1002/anie.200703521

- Kenttämä, H. I.
- Reactivity of the 3,4,5-Tridehydropyridinium Cation—An Aromatic α,α,α -Triradical (C) 9860–9865 [10008–10013]
DOI: 10.1002/anie.200802714
- Kenward, A. L. (H) 38–41 [38–42]
- Kenworthy, M. N. (C) 1935–1937 [1961–1963]
- Keper, C. J.
- Nanoporosity and Exceptional Negative Thermal Expansion in Single-Network Cadmium Cyanide (C) 1396–1399 [1418–1421]
DOI: 10.1002/anie.200704421
 - Negative Thermal Expansion in the Metal–Organic Framework Material $\text{Cu}_3(1,3,5\text{-benzenetricarboxylate})_2$ (C) 8929–8932 [9061–9064]
DOI: 10.1002/anie.200803925
- Keresztes, I. (C) 2102–2105 [2132–2135]
- Kerman, K. (H) 6522–6524 [6622–6624]
- Kern, K. (C) 8835–8838 [8967–8970]
- Kerr, M. A.
- Total Synthesis of (–)-Allosecurinine (C) 7945–7948 [8063–8066]
DOI: 10.1002/anie.200803257
- Kersch, M. (C) 4740–4743 [4818–4821]
- Kershaw, N. M. (C) 7314–7316 [7424–7426]
- Kervio, E. (C) 6065–6068 [6154–6157]
- Kessar, S. V.
- A Study of BF_3 -Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions (C) 4703–4706 [4781–4784]
DOI: 10.1002/anie.200705967
- Kessler, B. (C) 9322–9325 [9462–9465]
- Kessler, H.
- Improving Oral Bioavailability of Peptides by Multiple N-Methylation: Somatostatin Analogues (C) 2595–2599 [2633–2637]
DOI: 10.1002/anie.200705797
 - Phosphorus NMR Spectroscopy as a Versatile Tool for Compound Library Screening (C) 2608–2611 [2647–2651]
DOI: 10.1002/anie.200705256
- Kessler, V. G.
- Chemically Triggered Biodelivery Using Metal–Organic Sol–Gel Synthesis (C) 8506–8509 [8634–8637]
DOI: 10.1002/anie.200803307
- Keszler, D. A.
- Synthesis of Heterometallic Group 13 Nanoclusters and Inks for Oxide Thin-Film Transistors (C) 9484–9486 [9626–9628]
DOI: 10.1002/anie.200803514
- Ketterson, J. B. (C) 7828–7832 [7946–7950]
- Keul, H. A. (C) 7639–7643 [7751–7755]
- Khairallah, G. N. (C) 9118–9121 [9258–9261]
- Khalimon, A. Y. (C) 7701–7704 [7815–7818]
- Khan, T. A. (H) 1819–1823 [1843–1847]
- Khedkar, V. (C) 6869–6872 [6975–6978]
- Kherani, N. P. (C) 3814–3817 [3874–3877]
- Khimyak, Y. Z. Corrigendum: 1167
- Khodakov, A. Y.
- Glow-Discharge Plasma-Assisted Design of Cobalt Catalysts for Fischer–Tropsch Synthesis (C) 5052–5055 [5130–5133]
DOI: 10.1002/anie.200800657
- Khranov, D. M. (C) 2267–2270 [2299–2302]
- Khusniyarov, M. M.
- Reversible Electron Transfer Coupled to Spin Crossover in an Iron Coordination Salt in the Solid State (C) 1228–1231 [1248–1251]
DOI: 10.1002/anie.200704951
- Ki, H. (C) 9504–9508 [9646–9650]
- Kiel, G. Y. (C) 4910–4913 [4988–4991]
- Kienle, L. (C) 3999–4004 [4063–4068]
- Kiessling, L. L.
- Isotope-Coded Affinity Tags with Tunable Reactivities for Protein Footprinting (C) 9677–9680 [9823–9826]
DOI: 10.1002/anie.200803378
- Kikkawa, Y. (C) 4691–4694 [4769–4772]
- Kikuchi, F. (C) 7091–7094 [7199–7202]
- Kikuchi, J.-i. (C) 4577–4580 [4653–4656]
- Kikuchi, K. (C) 9480–9483 [9622–9625]
- Kikuchi, R. (C) 9314–9317 [9454–9457]
- Kilgore, U. J. (C) 3769–3772 [3829–3832]
- Kilian, K. A. (C) 2697–2699 [2737–2739]
- Kim, C.
- Photoinduced Release of Guest Molecules by Supramolecular Transformation of Self-Assembled Aggregates Derived from Dendrons (C) 2959–2963 [3001–3005]
DOI: 10.1002/anie.200705271
 - Tunable Fluorescent Dendron-Cyclodextrin Nanotubes for Hybridization with Metal Nanoparticles and Their Biosensory Function (C) 9922–9926 [10070–10074]
DOI: 10.1002/anie.200804087
- Kim, C. H. (C) 4009–4011 [4073–4075]
- Kim, D.-H. (R) 5524–5542 [5606–5624]
- Kim, D. K. (C) 1749–1752 [1773–1776]
- Kim, D. W.
- Tetrabutylammonium Tetra(*tert*-Butyl Alcohol)-Coordinated Fluoride as a Facile Fluoride Source (C) 8404–8406 [8532–8534]
DOI: 10.1002/anie.200803150
- Kim, Daeho (C) 8442–8445 [8570–8573]
- Kim, Deukjoon
- A General Strategy for Construction of Both 2,6-*cis*- and 2,6-*trans*-Disubstituted Tetrahydropyrans: Substrate-Controlled Asymmetric Total Synthesis of (+)-Scanlonenone (C) 4200–4203 [4268–4271]
DOI: 10.1002/anie.200705663
- Kim, Dongho
- A Stable Radical Species from Facile Oxygenation of meso-Free 5,10,20,25-Tetrakis-(pentafluorophenyl)-Substituted [26]Hexaphyrin(1.1.1.1.1.1) (C) 9661–9665 [9807–9811]
DOI: 10.1002/anie.200804570
 - Effective Expansion of the Subporphyrin Chromophore Through Conjugation with meso-Oligo(1,4-phenyleneethynylene) Substituents: Octupolar Effect on Two-Photon Absorption (C) 4840–4843 [4918–4921]
DOI: 10.1002/anie.200801192
 - Metalation of Expanded Porphyrins: A Chemical Trigger Used To Produce Molecular Twisting and Möbius Aromaticity (C) 681–684 [693–696]
DOI: 10.1002/anie.200704407
 - Protonation-Triggered Conformational Changes to Möbius Aromatic [32]Heptaphyrins(1.1.1.1.1.1.1) (C) 9657–9660 [9803–9806]
DOI: 10.1002/anie.200804457
- Kim, Dongin (C) 2418–2421 [2452–2455]
- Kim, Doohun (C) 1916–1919 [1942–1945]
- Kim, H.-J.
- Highly Stereospecific Generation of Helical Chirality by Imprinting with Amino Acids: A Universal Sensor for Amino Acid Enantiopurity (C) 8657–8660 [8785–8788]
DOI: 10.1002/anie.200803116
- Kim, H. J. (C) 134–137 [140–143]
- Kim, H. M. (C) 2231–2234 [2263–2266], 5167–5170 [5245–5248]
- Kim, H.-S. (R) 5524–5542 [5606–5624]
- Kim, H. S. (C) 8438–8441 [8566–8569]
- Kim, H.-Y. (C) 5046–5048 [5124–5126]
- Kim, Heejin (C) 7833–7836 [7951–7954]
- Kim, Hyungsu (C) 4200–4203 [4268–4271], 8438–8441 [8566–8569]
- Kim, Hyunjung (C) 10151–10154 [10305–10308]
- Kim, Hyunuk (C) 3352–3355 [3400–3403], 4106–4109 [4174–4177], 5755–5757 [5839–5841]
- Kim, Hyunwoo (C) 8657–8660 [8785–8788], 8678–8681 [8806–8809]
- Kim, J. I. (C) 7505–7507 [7615–7617]
- Kim, J.-K. (C) 4662–4666 [4740–4744], 6375–6378 [6475–6478]
- Kim, J. K. (C) 1749–1752 [1773–1776]
- Kim, J. S. (C) 685–688 [697–700]
- Kim, Jaeyun (C) 8438–8441 [8566–8569]
- Kim, Jangbae (C) 8826–8830 [8958–8962]
- Kim, Jin Woong (C) 5362–5365 [5442–5445]
- Kim, Jineun
- Crystal-to-Crystal Transformation between Three Cu^{I} Coordination Polymers and Structural Evidence for Luminescence Thermochromism (C) 685–688 [697–700]
DOI: 10.1002/anie.200704349
- Kim, Jinheung (C) 4144–4148 [4212–4216]
- Kim, Joonghan (C) 1047–1050 [1063–1066]
- Kim, Jung Won (C) 9249–9251 [9389–9391]
- Kim, K. H. (C) 1047–1050 [1063–1066]
- Kim, K.-J. (C) 3352–3355 [3400–3403]
- Kim, K. M. (C) 6259–6262 [6355–6358]
- Kim, K. P. (C) 9518–9521 [9660–9663]
- Kim, K. S. (C) 681–684 [693–696], 4840–4843 [4918–4921], 6004–6007 [6093–6096], 9657–9660 [9803–9806]
- Kim, K. W. (C) 4200–4203 [4268–4271]
- Kim, Kimoon
- Cucurbit[6]uril: Organic Molecular Porous Material with Permanent Porosity, Exceptional Stability, and Acetylene Sorption Properties (C) 3352–3355 [3400–3403]
DOI: 10.1002/anie.200800772
 - Synthetic Ion Channel Based on Metal–Organic Polyhedra (C) 5755–5757 [5839–5841]
DOI: 10.1002/anie.200802240
 - U-Shaped Conformation of Alkyl Chains Bound to a Synthetic Host (C) 4106–4109 [4174–4177]
DOI: 10.1002/anie.200800581
- Kim, Kwangmeyung
- A Near-Infrared-Fluorescence-Quenched Gold-Nanoparticle Imaging Probe for

- In Vivo Drug Screening and Protease Activity Determination
(C) 2804–2807 [2846–2849]
DOI: 10.1002/anie.200705240
- Kim, Kyuwon (C) 5362–5365 [5442–5445]
- Kim, M. M. (C) 4711–4714 [4789–4792]
- Kim, S.-G. (C) 3568–3572 [3624–3628]
- Kim, S. H. (C) 872–876 [886–890]
- Kim, S. I. (C) 2470–2474 [2504–2508]
- Kim, S.-S. (C) 94–96 [100–102]
- Kim, Sang Kyu
- Control of Intramolecular Orbital Alignment in the Photodissociation of Thiophenol: Conformational Manipulation by Chemical Substitution
(C) 1853–1856 [1879–1882]
DOI: 10.1002/anie.200705358
- Kim, Sang Kyung (C) 9518–9521 [9660–9663]
- Kim, Sang Yoon (C) 2804–2807 [2846–2849]
- Kim, Sanghee (C) 4200–4203 [4268–4271]
- Kim, Sanghoon (C) 8259–8263 [8383–8387]
- Kim, Seon Jeong
- DNA Hydrogel Fiber with Self-Entanglement Prepared by Using an Ionic Liquid
(C) 2470–2474 [2504–2508]
DOI: 10.1002/anie.200704600
- Kim, Seung Joong (C) 6486–6489 [6586–6589]
- Kim, Sun Young (C) 4914–4917 [4992–4995]
- Kim, Sung Kuk (C) 9648–9652 [9794–9798]
- Kim, T. (C) 8438–8441 [8566–8569]
- Kim, T. H. (C) 685–688 [697–700]
- Kim, T. K. (C) 1047–1050 [1063–1066]
- Kim, W.-S. (C) 7082–7086 [7190–7194]
- Kim, Y. (C) 4106–4109 [4174–4177]
- Kim, Y.-S. (C) 2070–2073 [2100–2103]
- Kimizuka, N.
- Amplification of Molecular Information through Self-Assembly: Nanofibers Formed from Amino Acids and Cyanine Dyes by Extended Molecular Pairing
(C) 106–108 [112–114]
DOI: 10.1002/anie.200702793
- Kimura, Masahiro (C) 9768–9771 [9914–9917]
- Kimura, Masanari
- Convenient Synthesis of Pyrrolidines by Amphiphilic Alkylation of Imines with 2-Methylenepropane-1,3-diols
(C) 5803–5805 [5887–5889]
DOI: 10.1002/anie.200801252
- Kimura, T. (C) 8913–8916 [9045–9048]
- Kindermann, M. (C) 406–409 [412–415]
- King, D. A. (C) 5253–5255 [5332–5334]
- Kingshott, P. (C) 9108–9111 [9248–9251]
- Kinoshita, Motoi (C) 4986–4988 [5064–5066]
- Kinoshita, Mutsuo (C) 9252–9255 [9392–9395]
- Kinoshita, N. (C) 9265–9268 [9405–9408]
- Kiplinger, J. L.
- Mixed Valency in a Uranium Multimetallic Complex
(C) 2993–2996 [3035–3038]
DOI: 10.1002/anie.200705781
- Kira, M.
- Fourteen-Electron Bis(dialkylsilylene)palladium and Twelve-Electron Bis(dialkylsilyl)palladium Complexes
(C) 5386–5389 [5466–5469]
DOI: 10.1002/anie.200705954
- Kira, M. (C) 9772–9774 [9918–9920]
- Kirchmann, M. (C) 963–966 [977–980]
- Kirchner, B.
- Intermolecular Forces in an Ionic Liquid ([Mmim][Cl]) versus Those in a Typical Salt (NaCl)
(C) 3639–3641 [3695–3697]
DOI: 10.1002/anie.200705526
- Kirchner, K.
- Stereospecific and Reversible CO Binding at Iron Pincer Complexes
(C) 9142–9145 [9282–9285]
DOI: 10.1002/anie.200803665
- Kirin, S. I. (C) 955–959 [969–973]
- Kiriya, D. (C) 8843–8847 [8975–8979]
- Kirkpatrick, J. P. (C) 7297–7300 [7407–7410]
- Kirsch, S. F.
- Combining the Concepts: Dual Catalysis with Carbophilic Lewis Acids
(H) 5703–5705 [5787–5789]
DOI: 10.1002/anie.200801903
- Kirschner, K. N.
- [[2,6-(Me₂NCH₂)₂C₆H₃]Sn]₂: An Intramolecularly Coordinated Diorganodistannylene
(C) 1650–1653 [1674–1677]
DOI: 10.1002/anie.200704635
- Kirschning, A.
- Inductive Heating for Organic Synthesis by Using Functionalized Magnetic Nanoparticles Inside Microreactors
(C) 8950–8953 [9083–9086]
DOI: 10.1002/anie.200801474
 - Stereochemical Determination of Thuggacins A–C, Highly Active Antibiotics from the Myxobacterium *Sorangium cellulosum*
(C) 2308–2311 [2341–2344]
DOI: 10.1002/anie.200704897
 - Total Synthesis of Thuggacin B
(C) 9134–9137 [9274–9277]
DOI: 10.1002/anie.200803271
- Kisch, H.
- A Hybrid Semiconductor Electrode for Wavelength-Controlled Switching of the Photocurrent Direction
(C) 1320–1322 [1340–1342]
DOI: 10.1002/anie.200701103
 - Semiconductor-Photocatalyzed Sulfoxidation of Alkanes
(C) 7107–7109 [7215–7217]
DOI: 10.1002/anie.200800326
 - The Nature of Nitrogen-Modified Titanium Dioxide Photocatalysts Active in Visible Light
(C) 9975–9978 [10123–10126]
DOI: 10.1002/anie.200800304
- Kita, Y.
- A Chiral Hypervalent Iodine(III) Reagent for Enantioselective Dearomatization of Phenols
(C) 3787–3790 [3847–3850]
DOI: 10.1002/anie.200800464
 - Oxidative Cross-Coupling of Arenes Induced by Single-Electron Transfer Leading to Biaryls by Use of Organoiodine(III) Oxidants
(C) 1301–1304 [1321–1324]
DOI: 10.1002/anie.200704495
- Kita, Y. (C) 7673–7676 [7787–7790]
- Kitada, A. (C) 5740–5745 [5824–5829]
- Kitagaki, S. (C) 4588–4591 [4664–4667]
- Kitagawa, S.
- A Bistable Porous Coordination Polymer with a Bond-Switching Mechanism Showing Reversible Structural and Functional Transformations
(C) 8843–8847 [8975–8979]
DOI: 10.1002/anie.200802803
 - A Dynamic, Isocyanurate-Functionalized Porous Coordination Polymer
(C) 3403–3406 [3451–3454]
DOI: 10.1002/anie.200705986
 - Fabrication of Two-Dimensional Polymer Arrays: Template Synthesis of Polypyrrole between Redox-Active Coordination Nanoslits
(C) 9883–9886 [10031–10034]
DOI: 10.1002/anie.200803846
 - Kinetic Gate-Opening Process in a Flexible Porous Coordination Polymer
(C) 3914–3918 [3978–3982]
DOI: 10.1002/anie.200705822
- Kitamura, A. (C) 3367–3371 [3415–3419], 4691–4694 [4769–4772]
- Kitaoka, T.
- Synthesis of Gold Nanoparticles for In Situ Conjugation with Structural Carbohydrates
(C) 9866–9869 [10014–10017]
DOI: 10.1002/anie.200803922
- Kitaura, A. (C) 515–519 [525–529]
- Kitchen, J. A. (C) 2997–2999 [3039–3041]
- Kitov, P. I. (C) 672–676 [684–688]
- Kitova, E. N. (C) 672–676 [684–688]
- Kitson, R. R. A. (C) 1935–1937 [1961–1963]
- Kjems, J. (C) 9673–9676 [9819–9822]
- Klankermayer, J.
- Enantioselective Hydrogenation with Racemic and Enantiopure Binap in the Presence of a Chiral Ionic Liquid
(C) 7339–7341 [7449–7451]
DOI: 10.1002/anie.200801995
- Klapötke, T. M.
- “Green” Pyrotechnics: A Chemists’ Challenge
(R) 3330–3347 [3376–3394]
DOI: 10.1002/anie.200704510
- Klar, U.
- Silicon-Based Building Blocks for One-Step ¹⁸F-Radiolabeling of Peptides for PET Imaging
(C) 4922–4925 [5000–5003]
DOI: 10.1002/anie.200705854
- Klassen, J. S. (C) 672–676 [684–688]
- Kleeberg, C. (C) 5658–5660 [5740–5743]
- Kleij, A. W.
- Material Applications for Salen Frameworks
(M) 2354–2364 [2388–2399]
DOI: 10.1002/anie.200702468
- Klein, E. (C) 2693–2696 [2733–2736]
- Klein Gebbink, R. J. M.
- Merging Porphyrins with Organometallics: Synthesis and Applications
(R) 7396–7421 [7506–7532]
DOI: 10.1002/anie.200703362
- Kleinermanns, K.
- Isomer-Selective Vibrational Spectroscopy of Benzene–Acetylene Aggregates: Comparison with the Structure of the Benzene–Acetylene Cocrystal
(C) 10094–10097 [10248–10251]
DOI: 10.1002/anie.200802118
- Kleineweischede, R. (C) 5984–5988 [6073–6077]
- Kleis, J. (C) 4683–4686 [4761–4764]
- Kletnieks, P. W. (C) 5179–5182 [5257–5260]
- Klett, J. (C) 6208–6211 [6304–6307], 8079–8081 [8199–8201]
- Klinker, E. J. (C) 9071–9074 [9211–9214]
- Kloo, L. (C) 3932–3935 [3996–3999]
- Klose, A. (C) 3642–3645 [3698–3701]
- Klose, J. (C) 3642–3645 [3698–3701]

- Klostranec, J. M. (C) 5577–5581 [5659–5663]
- Knapp, M. (C) 2131–2134 [2161–2164]
- Knauber, T. (C) 7103–7106 [7211–7214]
- Kniep, R.
- “Hidden” Hierarchy of Microfibrils within 3D-Periodic Fluorapatite–Gelatin Nanocomposites: Development of Complexity and Form in a Biomimetic System (C) 1405–1409 [1427–1431]
DOI: 10.1002/anie.200702532
 - Shape Development and Structure of a Complex (Otoconia-Like?) Calcite–Gelatin Composite (C) 8280–8284 [8404–8408]
DOI: 10.1002/anie.200800968
 - The Nucleation Mechanism of Fluorapatite–Collagen Composites: Ion Association and Motif Control by Collagen Proteins (C) 4982–4985 [5060–5063]
DOI: 10.1002/anie.200800908
- Knight, L. K. (C) 97–101 [103–107]
- Knochel, P. Corrigendum: 3666
- Knochel, P.
- A General Method for *meta* and *para* Functionalization of Arenes Using $\text{TMP}_2\text{Mg} \cdot 2\text{LiCl}$ (C) 1503–1507 [1526–1530]
DOI: 10.1002/anie.200703382
 - Convenient Preparation of Polyfunctional Aryl Magnesium Reagents by a Direct Magnesium Insertion in the Presence of LiCl (C) 6802–6806 [6907–6911]
DOI: 10.1002/anie.200801968
 - Preparation of Aryl and Heteroaryl Indium(III) Reagents by the Direct Insertion of Indium in the Presence of LiCl (C) 7648–7651 [7760–7763]
DOI: 10.1002/anie.200802292
- Knochel, P. (C) 202–204 [208–210]
- Knoll, A. (C) 9555–9559 [9697–9701]
- Knolle, P. (C) 5190–5193 [5268–5271]
- Knolle, W. (C) 3267–3270 [3311–3314]
- Knop-Gericke, A. (C) 9274–9278 [9414–9418]
- Knorr, J. (C) 5085–5088 [5163–5166]
- Knowles, T. P. J. (C) 3385–3387 [3433–3435]
- Knözinger, E. (C) 1496–1499 [1518–1522]
- Knudsen, M. M. (C) 4406–4410 [4478–4482]
- Knüpfer, U. (C) 8872–8875 [9004–9007]
- Ko, J.
- Highly Efficient and Thermally Stable Organic Sensitizers for Solvent-Free Dye-Sensitized Solar Cells (C) 327–330 [333–336]
DOI: 10.1002/anie.200703852
 - Stepwise Cosensitization of Nanocrystalline TiO_2 Films Utilizing Al_2O_3 Layers in Dye-Sensitized Solar Cells (C) 8259–8263 [8383–8387]
DOI: 10.1002/anie.200802852
- Ko, S.-K. (C) 7466–7469 [7576–7579]
- Ko, Y. H. (C) 4106–4109 [4174–4177]
- Kobayashi, Akiko (C) 3376–3380 [3424–3428]
DOI: 10.1002/anie.200705846
- Kobayashi, J. (C) 1141–1144 [1157–1160]
- Kobayashi, Keita (C) 515–519 [525–529]
- Kobayashi, Kenji
- Self-Assembly of a Cavitand-Based Capsule by Dynamic Boronic Ester Formation (C) 6255–6258 [6351–6354]
DOI: 10.1002/anie.200802293
- Kobayashi, N.
- A Discrete Supramolecular Conglomerate Composed of Two Saddle-Distorted Zinc(II)-Phthalocyanine Complexes and a Doubly Protonated Porphyrin with Saddle Distortion Undergoing Efficient Photoinduced Electron Transfer (C) 6712–6716 [6814–6818]
DOI: 10.1002/anie.200802601
- Kobayashi, S.
- Aerobic Oxidation of Hydroquinone Derivatives Catalyzed by Polymer-Incarcerated Platinum Catalyst (C) 8093–8095 [8213–8215]
DOI: 10.1002/anie.200802192
 - Lewis Acid Catalysis in Water with a Hydrophilic Substrate: Scandium-Catalyzed Hydroxymethylation with Aqueous Formaldehyde in Water (C) 6909–6911 [7015–7017]
DOI: 10.1002/anie.200801849
 - The Fluorenone Imines of Glycine Esters and Their Phosphonic Acid Analogues (C) 5613–5615 [5695–5697]
DOI: 10.1002/anie.200801322
- Kobayashi, T. C. (C) 3914–3918 [3978–3982]
- Kobitski, A. Yu. (C) 4326–4330 [4398–4402]
- Koç, E. (C) 5816–5819 [5900–5903]
- Koch, M. (C) 7242–7245 [7352–7355]
- Koch, M. H. J. (C) 5550–5553 [5632–5635]
- Koch, W.
- Excellent, Valuable, and Entertaining (L) 7170 [7282]
DOI: 10.1002/anie.200802996
- Koçi, L. (C) 8207–8210 [8329–8333]
- Koda, T. (C) 3588–3591 [3644–3647]
- Kodama, T. (C) 8030–8032 [8150–8152]
- Kodato, K. (C) 2493–2496 [2527–2530]
- Koenigs, R. M. (C) 6798–6801 [6903–6906]
- Kögerler, P.
- PO_4^{3-} -Mediated Polyoxometalate Supercage Assembly (C) 8123–8126 [8243–8246]
DOI: 10.1002/anie.200802491
 - Selective Chemical Rescue of a Thyroid-Hormone-Receptor Mutant, $\text{TR}\beta(\text{H435Y})$, Identified in Pituitary Carcinoma and Resistance to Thyroid Hormone (C) 7280–7283 [7390–7393]
DOI: 10.1002/anie.200801742
- Koh, I. (C) 4119–4121 [4187–4189]
- Koh, J. T.
- Selective Chemical Rescue of a Thyroid-Hormone-Receptor Mutant, $\text{TR}\beta(\text{H435Y})$, Identified in Pituitary Carcinoma and Resistance to Thyroid Hormone (C) 7280–7283 [7390–7393]
DOI: 10.1002/anie.200801742
- Koh, K. (C) 677–680 [689–692]
- Köhler, J.
- Square-Planar Coordinated Iron in the Layered Oxoferrate(II) SrFeO_2 (H) 4470–4472 [4544–4546]
DOI: 10.1002/anie.200800855
- Köhler, J. (C) 6703–6706 [6805–6808]
- Köhler, N. (C) 173–176 [179–182]
- Köhler, S. (C) 5658–5660 [5740–5743]
- Kohman, R. E. (C) 8072–8074 [8192–8194]
- Köhn, M. (C) 4421–4424 [4493–4496]
- Köhn, R. D.
- Reactivity of Chromium Complexes under Spin Control (H) 245–247 [251–253]
DOI: 10.1002/anie.200703827
- Koide, T. (C) 9661–9665 [9807–9811]
- Koike, J. (C) 7254–7257 [7364–7367]
- Koike, K. (C) 1429–1431 [1451–1453]
- Koike, T. (C) 2447–2449 [2481–2483]
- Kojima, T.
- A Discrete Supramolecular Conglomerate Composed of Two Saddle-Distorted Zinc(II)-Phthalocyanine Complexes and a Doubly Protonated Porphyrin with Saddle Distortion Undergoing Efficient Photoinduced Electron Transfer (C) 6712–6716 [6814–6818]
DOI: 10.1002/anie.200802601
 - Proton Shift upon One-Electron Reduction in Ruthenium(II)-Coordinated Pterins (C) 9669–9672 [9815–9818]
DOI: 10.1002/anie.200802835
 - Ruthenium-Catalyzed Selective and Efficient Oxygenation of Hydrocarbons with Water as an Oxygen Source (C) 5772–5776 [5856–5860]
DOI: 10.1002/anie.200801170
- Kokubo, M. (C) 6909–6911 [7015–7017]
- Kolmar, H.
- Single-Cell High-Throughput Screening To Identify Enantioselective Hydrolytic Enzymes (C) 5085–5088 [5163–5166]
DOI: 10.1002/anie.200705236
- Kolodziej, A. F. (C) 4918–4921 [4996–4999]
- Komarov, I. V.
- Synthesis of Trifluoromethyl-Substituted Proline Analogues as ^{19}F NMR Labels for Peptides in the Polyproline II Conformation (C) 5765–5767 [5849–5851]
DOI: 10.1002/anie.200801022
- Komatsu, K.
- Internal Magnetic Fields of Dianions of Fullerene C_{60} and Its Cage-Opened Derivatives Studied with Encapsulated H_2 as an NMR Probe (C) 2039–2041 [2069–2071]
DOI: 10.1002/anie.200705285
- Komeda, H. (C) 5456–5460 [5536–5540]
- Komiyama, M.
- Accommodation of a Single Protein Guest in Nanometer-Scale Wells Embedded in a “DNA Nanotape” (C) 3400–3402 [3448–3450]
DOI: 10.1002/anie.200800028
- Kondo, M. (C) 4986–4988 [5064–5066]
- Kondo, S. (C) 10195–10198 [10349–10352]
- Kondo, Y. (C) 4851–4854 [4929–4932]
- Kondratenko, E. V.
- Catalytic Abatement of Nitrous Oxide Coupled with Selective Production of Hydrogen and Ethylene (C) 3227–3229 [3271–3273]
DOI: 10.1002/anie.200705324
- Koner, A. L. (C) 5398–5401 [5478–5481]
- Kong, C.-H. (C) 8397–8399 [8525–8527]
- Kong, De-N. (C) 8623–8626 [8751–8754]
- Kong, H. (C) 8618–8622 [8746–8750]
- Kong, J. (C) 2646–2648 [2686–2688]
- Kong, Q. (C) 1047–1050 [1063–1066], 5550–5553 [5632–5635]
- Kong, S.-T. (C) 755–758 [767–770]
- Kong, T. (C) 7479–7481 [7589–7591]

- Kong, X.-J. (C) 2398–2401 [2432–2435]
 König, B.
 – Regulation of Human Carbonic Anhydrase I (hCAI) Activity by Using a Photochromic Inhibitor
 (C) 7644–7647 [7756–7759]
 DOI: 10.1002/anie.200802242
 König, K. (C) 7132–7135 [7241–7244]
 Konstantinovski, L. (C) 3603–3606 [3659–3662]
 Köppe, R.
 – MgCl and Mg₂Cl₂: From Theoretical and Thermodynamic Considerations to Spectroscopy and Chemistry of Species with Mg–Mg Bonds
 (C) 8740–8744 [8868–8872]
 DOI: 10.1002/anie.200802960
 Koptyug, I. V.
 – Observation of Parahydrogen-Induced Polarization in Heterogeneous Hydrogenation on Supported Metal Catalysts
 (C) 1492–1495 [1514–1517]
 DOI: 10.1002/anie.200704881
 Korobkov, I. (C) 9937–9940 [10085–10088]
 Kortz, U.
 – Chiral Strandberg-Type Molybdates [(RPO₃)₂Mo₅O₁₅]²⁻ as Molecular Gelators: Self-Assembled Fibrillar Nanostructures with Enhanced Optical Activity
 (C) 7275–7279 [7385–7389]
 DOI: 10.1002/anie.200801629
 – Facile Incorporation of Platinum(IV) into Polyoxometalate Frameworks: Preparation of [H₂Pt^{IV}V₉O₂₈]⁵⁻ and Characterization by ¹⁹⁵Pt NMR Spectroscopy
 (C) 793–796 [805–808]
 DOI: 10.1002/anie.200703082
 – Platinum-Containing Polyoxometalates (L) 9383–9384 [9523–9524]
 DOI: 10.1002/anie.200804795
 – Self-Assembly of a Heteropolyoxopalladate Nanocube: [Pd^{II}₁₃As^V₈O₃₄(OH)₆]⁸⁻
 (C) 9542–9546 [9685–9689]
 DOI: 10.1002/anie.200803527
 Kosaka, A. (C) 1672–1675 [1696–1699]
 Kosaka, W. (C) 6885–6887 [6991–6993]
 Kosaka, Y. (C) 7424–7427 [7534–7537]
 Kosec, G. (C) 406–409 [412–415]
 Koshevoy, I. O.
 – Self-Assembly of Supramolecular Luminescent Au^I–Cu^I Complexes: “Wrapping” an Au₆Cu₆ Cluster in a [Au₃(diphosphine)₃]³⁺ “Belt”
 (C) 3942–3945 [4006–4009]
 DOI: 10.1002/anie.200800452
 Koshino, H. (C) 5198–5202 [5276–5280]
 Koskinen, L. (C) 3942–3945 [4006–4009]
 Kosower, E. M. (C) 4855–4857 [4933–4935]
 Kostiainen, R.
 – Selective Surface Patterning with an Electric Discharge in the Fabrication of Microfluidic Structures
 (C) 7442–7445 [7552–7555]
 DOI: 10.1002/anie.200801569
 Koszelewski, D. (C) 9337–9340 [9477–9480]
 Kotani, H. (C) 7321–7324 [7431–7434]
 Kotani, M. (C) 2407–2410 [2441–2444]
 Köttgen, A. (C) 3461–3463 [3511–3514]
 Kou, J. H. (C) 3418–3421 [3466–3469]
 Kou, S. (C) 872–876 [886–890]
 Kou, X. (C) 9685–9690 [9831–9836]
 Kou, Y.
 – Aqueous-Phase Fischer–Tropsch Synthesis with a Ruthenium Nanocluster Catalyst
 (C) 746–749 [758–761]
 DOI: 10.1002/anie.200703481
 Kourist, R. (C) 1508–1511 [1531–1534]
 Kovalenko, M. V.
 – Quasi-Seeded Growth of Ligand-Tailored PbSe Nanocrystals through Cation-Exchange-Mediated Nucleation
 (C) 3029–3033 [3071–3075]
 DOI: 10.1002/anie.200705604
 Kovtunov, K. V. (C) 1492–1495 [1514–1517]
 Kowalczyk, D. (C) 3445–3449 [3494–3498]
 Kownacki, I. (C) 541–544 [551–554]
 Kox, M. H. F. (C) 3543–3547 [3599–3603], 5637–5640 [5719–5722]
 Koyama, H. (C) 5163–5166 [5241–5244]
 Koyama, Yasuhito (C) 1084–1087 [1100–1103]
 Koyama, Yoshihito (C) 1042–1046 [1058–1062]
 Kozak, J. A. (C) 4221–4223 [4289–4291]
 Kozhevnikov, V. N.
 – Phosphorescent, Terdentate, Liquid-Crystalline Complexes of Platinum(II): Stimulus-Dependent Emission
 (C) 6286–6289 [6382–6385]
 DOI: 10.1002/anie.200802101
 Kozłowski, M. C.
 – Dynamic Stereochemistry Transfer in a Transannular Aldol Reaction: Total Synthesis of Hypocrellin A
 (C) 6877–6880 [6983–6986]
 DOI: 10.1002/anie.200800734
 Kraai, G. N. (C) 3905–3908 [3969–3972]
 Kraatz, H.-B.
 – How Useful Is Ferrocene as a Scaffold for the Design of β -Sheet Foldamers?
 (C) 7056–7059 [7164–7167]
 DOI: 10.1002/anie.200801460
 – Metals Coordinate Protein–Protein Interactions
 (H) 6522–6524 [6622–6624]
 DOI: 10.1002/anie.200801169
 Kraetke, O. (C) 3642–3645 [3698–3701]
 Kraft, K. (C) 4931–4933 [5009–5011]
 Kraft, P. (C) 7656–7658 [7768–7771]
 Kramer, J. W. (C) 3979–3983 [4043–4047]
 Kranz, F. (C) 3196–3201 [3240–3245]
 Krapp, A. (L) 7796–7797 [7912–7913]
 Krasovskiy, A. (C) 4217–4220 [4285–4288]
 Krause, A.-M. (C) 6616–6619 [6718–6721]
 Krause, N.
 – Golden Opportunities in Stereoselective Catalysis
 (H) 2178–2181 [2208–2211]
 DOI: 10.1002/anie.200704729
 Krauß, N. (C) 4753–4755 [4831–4833]
 Kräutler, B.
 – Blue Luminescence of Ripening Bananas
 (C) 8954–8957 [9087–9091]
 DOI: 10.1002/anie.200803189
 – Chlorophyll Breakdown by a Biomimetic Route
 (C) 3057–3061 [3100–3104]
 DOI: 10.1002/anie.200705330
 Krautscheid, H. (C) 1958–1960 [1984–1986]
 Kravtsov, V. C. (C) 8446–8449 [8574–8577]
 Kreher, D. (C) 8412–8415 [8540–8543]
 Krempner, C.
 – The Multidentate Ligand (MeOMe₂Si)₃Si⁻: Unusual Coordination Modes in Alkali Metal Silanides
 (C) 410–413 [416–420]
 DOI: 10.1002/anie.200703575
 Krieg, M. (C) 9775–9777 [9921–9923]
 Krische, M. J.
 – Carbonyl Propargylation from the Alcohol or Aldehyde Oxidation Level Employing 1,3-Enynes as Surrogates to Preformed Allenylmetal Reagents: A Ruthenium-Catalyzed C–C Bond-Forming Transfer Hydrogenation
 (C) 5220–5223 [5298–5301]
 DOI: 10.1002/anie.200801359
 Krishna, T. S. R. (C) 1237–1240 [1257–1260]
 Krishna, Y. S. R. (C) 3969–3972 [4033–4036]
 Kristensen, I. S. (C) 4835–4839 [4913–4917]
 Kritikos, M. (C) 8228–8231 [8352–8355]
 Krivovichev, S. V.
 – A Crown Ether as Template for Microporous and Nanostructured Uranium Compounds
 (C) 549–551 [559–561]
 DOI: 10.1002/anie.200703295
 Krojer, T. (C) 1332–1334 [1352–1355]
 Krokos, E. (C) 6283–6285 Corrigendum: 9590 [6379–6381 Corrigendum: 9732]
 Kroneck, P. M. H.
 – Helmut Beinert
 (O) 2172 [2202]
 DOI: 10.1002/anie.200800392
 Crossing, I.
 – Reply
 (L) 7798–7801 [7914–7917]
 DOI: 10.1002/anie.200802616
 – Simple Access to the Non-Oxidizing Lewis Superacid PhF₃ → Al(OR^F)₃ (R^F = C(CF₃)₃)
 (C) 7659–7663 [7772–7776]
 DOI: 10.1002/anie.200800783
 Kroutil, W.
 – Deracemization of Secondary Alcohols through a Concurrent Tandem Biocatalytic Oxidation and Reduction
 (C) 741–745 [753–757]
 DOI: 10.1002/anie.200703296
 – Formal Asymmetric Biocatalytic Reductive Amination
 (C) 9337–9340 [9477–9480]
 DOI: 10.1002/anie.200803763
 Krumova, M. (C) 4509–4511 [4585–4587]
 Krygowski, E. S. (C) 1680–1684 [1704–1708]
 Ksenofontov, V. (C) 4748–4752 [4826–4830], 6433–6437 [6533–6537]
 Ku, W. (C) 2055–2058 [2085–2088]
 Kuang, D. (C) 1923–1927 [1949–1953]
 Kuang, M. (C) 2227–2230 [2259–2262]
 Kuang, Q.
 – Synthesis of Trisubstituted Gold Nanocrystals with Exposed High-Index Facets by a Facile Chemical Method
 (C) 8901–8904 [9033–9036]
 DOI: 10.1002/anie.200802750
 Kuball, H.-G.
 – Solvent Effect on Color, Band Shape, and Charge-Density Distribution for Merocyanine Dyes Close to the Cyanine Limit
 (C) 4529–4532 [4605–4608]
 DOI: 10.1002/anie.200800279
 Kubisiak, M. (C) 7888–7891 [8006–8009]
 Kubo, T. (C) 10195–10198 [10349–10352]
 Kubota, Yoshihiro
 – A Multi-Dimensional Microporous Silicate That Is Isomorphous to Zeolite MCM-68
 (C) 1042–1046 [1058–1062]
 DOI: 10.1002/anie.200704222
 Kubota, Yoshihiro 9180–9185 [9320–9325]
 Kubota, Yoshiki (C) 3914–3918 [3978–3982]
 Kuch, D. (C) 1515–1518 [1538–1541]
 Kucz, N. (C) 1332–1334 [1352–1355]
 Kudernac, T. (C) 4997–5001 [5075–5079]

- Kudo, T. (C) 4870–4873 [4948–4951]
Kuenkel, A. (C) 6798–6801 [6903–6906]
Kuhlmann, J. (C) 4421–4424 [4493–4496]
Kühn, A. (C) 5968–5972 [6056–6060]
Kuhn, N. (C) 971–973 [985–987]
Kuhn, P.
– Porous, Covalent Triazine-Based Frameworks Prepared by Ionothermal Synthesis (C) 3450–3453 [3499–3502]
DOI: 10.1002/anie.200705710
Kui, S. C. F. (C) 9895–9899 [10043–10047]
Kuul, M. (C) 3180–3183 [3224–3227]
Kujawa, S. (C) 5005–5008 [5083–5086]
Kull, T. (C) 5461–5464 [5541–5544]
Kumaki, J.
– Encapsulation of Fullerenes in a Helical PMMA Cavity Leading to a Robust Processable Complex with a Macromolecular Helicity Memory (C) 515–519 [525–529]
DOI: 10.1002/anie.200703655
Kumar, G. A. (C) 6049–6051 [6138–6140]
Kumar, K.
– Asymmetric Synthesis of Natural Product Inspired Tricyclic Benzopyrones by an Organocatalyzed Annulation Reaction (C) 6869–6872 [6975–6978]
DOI: 10.1002/anie.200802413
Kumar, S. (C) 9096–9099 [9236–9239]
Kumbhar, A. (C) 3540–3542 [3596–3598], 9469–9471 [9611–9613]
Kunfermann, A. (C) 8192–8195 [8314–8317]
Kuningas, K. (C) 3811–3813 [3871–3873]
Kuninobu, Y.
– Rhenium-Catalyzed Synthesis of Stereo-defined Cyclopentenones from β -Ketoesters and Aliphatic Allenes (C) 9318–9321 [9458–9461]
DOI: 10.1002/anie.200803350
Kunitski, M. (C) 6037–6040 [6126–6129]
Kuno, O. (C) 9303–9306 [9443–9446]
Kunz, H.
– Synthetic Vaccines Consisting of Tumor-Associated MUC1 Glycopeptide Antigens and a T-Cell Epitope for the Induction of a Highly Specific Humoral Immune Response (C) 7551–7556 [7662–7667]
DOI: 10.1002/anie.200802102
– Total Synthesis of the Glycopeptide Recognition Domain of the P-Selectin Glycoprotein Ligand 1 (C) 3445–3449 [3494–3498]
DOI: 10.1002/anie.200705762
Kunze, B. (C) 6478–6482 [6578–6582]
Künzel, D. (C) 3821–3825 [3881–3885]
Kuo, M.-Y. (C) 9891–9894 [10039–10042]
Kuo, T.-S. (C) 7250–7253 [7360–7363]
Kupfer, T. (C) 1951–1954 [1977–1980], 3826–3829 [3886–3889], 4931–4933 [5009–5011], 5981–5983 [6070–6072]
Kurakevych, O. O. (C) 8268–8271 [8392–8395]
Kuranishi, T. (C) 2493–2496 [2527–2530]
Kurita, R. (C) 6681–6684 [6783–6786]
Kurnosov, A. (C) 8268–8271 [8392–8395]
Kuroda, K.
– Mesoporous Platinum with Giant Mesocages Templated from Lyotropic Liquid Crystals Consisting of Diblock Copolymers (C) 5371–5373 [5451–5453]
DOI: 10.1002/anie.200801381
Kuroda, R.
– A Quadruply Stranded Metallohelicate and Its Spontaneous Dimerization into an Interlocked Metallohelicate (C) 706–710 [718–722]
DOI: 10.1002/anie.200703162
Kurono, N. (C) 6643–6646 [6745–6748]
Kurscheid, B. (C) 6814–6816 [6920–6922]
Kurth, D. G. (C) 3000–3003 [3042–3045]
Kurth, M. J.
– Asymmetric Catalysis: Resin-Bound Hydroxypropylthreonine Derivatives in Enamine-Mediated Reactions (C) 6407–6410 [6507–6510]
DOI: 10.1002/anie.200801811
Kurzawski, P. (C) 913–916 [927–930]
Kusaka, S. (C) 9430–9433 [9572–9575]
Kusama, H. (C) 4903–4905 [4981–4983], 4906–4909 [4984–4987]
Kusanagi, H. (C) 515–519 [525–529]
Kuschel, A. (C) 9513–9517 [9655–9659]
Kusebauch, U. (C) 2143–2146 [2174–2177]
Kusukawa, T. (C) 6712–6716 [6814–6818]
Kuvychko, I. V. (C) 6204–6207 [6300–6303]
Kuzmina, L. G. (C) 7701–7704 [7815–7818]
Kuzuya, A. (C) 3400–3402 [3448–3450]
Kwan, L. C. H. (C) 7013–7017 [7121–7125]
Kwon, I. C. (C) 2804–2807 [2846–2849]
Kwon, M. S. (C) 1733–1735 [1757–1759], 3242–3244 [3286–3288]
Kwon, O. (C) 2231–2234 [2263–2266], 5167–5170 [5245–5248]
Kwon, Y. (C) 10163–10166 [10317–10320]
Kwong, F. Y.
– A General Palladium-Catalyzed Suzuki–Miyaura Coupling of Aryl Mesylates (C) 8059–8063 [8179–8183]
DOI: 10.1002/anie.200803193
– Palladium-Catalyzed Amination of Aryl Mesylates (C) 6402–6406 [6502–6506]
DOI: 10.1002/anie.200802157
Kwong, F. Y. (C) 1280–1283 [1300–1303]
- Lai, C.-C. (C) 4436–4439 [4508–4511], 7475–7478 [7585–7588]
Lai, J. C. C. (C) 1910–1912 [1936–1938]
Lai, M. (C) 7479–7481 [7589–7591]
Lai, M.-Y. (C) 581–585 [591–595]
Lai, S. K. (C) 9726–9729 [9872–9875]
Lai, T.-S. (C) 3735–3739 [3795–3799]
Lakhdar, S. (C) 8723–8726 [8851–8854]
Lalloz-Vogel, M.-N. (C) 2484–2488 [2518–2522]
Lam, C. (C) 4346–4350 [4418–4422]
Lam, F. L. (C) 1280–1283 [1300–1303]
Lam, H. W.
– Stereoselective Synthesis of Tri- and Tetra-substituted Alkenes by Iron-Catalyzed Carbometalation Ring-Opening Reactions of Cyclopropenes (C) 7350–7353 [7460–7463]
DOI: 10.1002/anie.200802391
Lam, K. S. (C) 6407–6410 [6507–6510]
Lam, W. A. (C) 8473–8477 [8601–8605]
Lam, W. Y. (C) 209–212 [216–219]
Lambert, J. B.
– Chemical Signatures of Fossilized Resins and Recent Plant Exudates (M) 9608–9616 [9750–9760]
DOI: 10.1002/anie.200705973
Lambert, R. M.
– Dipole Amplification: A Principle for the Self-Assembly of Asymmetric Monomers on Metal Surfaces (C) 2422–2426 [2456–2460]
DOI: 10.1002/anie.200704172
Lamberti, C.
– Structure and Redox Activity of Copper Sites Isolated in a Nanoporous P4VP Polymeric Matrix (C) 9269–9273 [9409–9413]
DOI: 10.1002/anie.200802815
Lamdey, A.-M. (C) 3552–3555 [3608–3611]
Lammel, C. (C) 8950–8953 [9083–9086]
Lammertsma, K.
– The Homoleptic Sandwich Anion $[\text{Co}(\text{P}_2\text{C}_2\text{tBu}_2)_2]^-$: A Versatile Building Block for Phosphoorganometallic Chemistry (C) 4584–4587 [4660–4663]
DOI: 10.1002/anie.200800813
Lamparter, T. (C) 4753–4755 [4831–4833]
Lan, J. (C) 5646–5649 [5728–5731]
Landfester, K. (C) 3821–3825 [3881–3885]
Landon, J. (C) 1414–1416 [1436–1438]
Lang, A. S. (C) 7901–7904 [8019–8022]
Lang, B. (C) 9044–9048 [9184–9188]
Lang, K. (C) 4110–4113 [4178–4181]
Lange, A. (C) 5839–5841 [5923–5925]
Lange, Stefan (C) 5654–5657 [5736–5739]
Lange, Stefanie (C) 7543–7546 [7654–7657]
Langen, P. (E) 1824–1827 [1848–1851]
Langenegger, D. (C) 2595–2599 [2633–2637]
Langguth, P. (C) 4748–4752 [4826–4830]
Langlotz, B. K. (C) 4670–4674 [4748–4752]
Langner, A. (C) 8835–8838 [8967–8970]
Lango, L. (C) 1942–1945 [1968–1971]
Lankenau, A. (C) 5666–5668 [5749–5752]
Lanza, T. (C) 9439–9442 [9581–9584]
Lanzalunga, O. (M) 4790–4796 [4868–4874]
Laocharoensuk, R. (C) 9349–9351 [9489–9491]
Laohasurayotin, S. (C) 1237–1240 [1257–1260]
Lapinte, C. Corrigendum: 629
Lappert, M. F.
– Heterotrimetallic Salts: Synthesis, Structures, and Superbase Reactivity of Crystal-



Labinger, J. A.

- C–H Bond Activation by $[(\text{Diimine})\text{Pd}(\mu\text{-OH})_2]^{2+}$ Dimers: Mechanism-Guided Catalytic Improvement (C) 9941–9943 [10089–10091]
DOI: 10.1002/anie.200804455
Labonne, A. (C) 8246–8250 [8370–8374]
Lacroix, L. (C) 4858–4861 [4936–4939]
Lacroix-Desmazes, P.
– Use of Sodium Iodide as the Precursor to the Control Agent in Ab Initio Emulsion Polymerization (C) 1294–1297 [1314–1317]
DOI: 10.1002/anie.200704146
Lacroix-Desmazes, P. (C) 8433–8437 [8561–8565]
Ladépêche, A. (C) 4719–4721 [4797–4799]
Ladlow, M. (C) 2808–2812 [2850–2854]
Lægsgaard, E. (C) 4406–4410 [4478–4482], 9673–9676 [9819–9822]
Lahav, M.
– Comments on “Mirror Symmetry Breaking” of the Centrosymmetric CaCO_3 Crystals with Amino Acids (L) 3680–3682 [3738–3740]
DOI: 10.1002/anie.200703491

- line *tert*-Butoxides [Li₄Na₂K₂(*OrBu*)₈-(μ-L)]_n (C) 3976–3978 [4040–4042]
DOI: 10.1002/anie.200705268
- Lanthanum Does Form Stable Molecular Compounds in the +2 Oxidation State (C) 1488–1491 [1510–1513]
DOI: 10.1002/anie.200704887
- Lara, P. (C) 4380–4383 [4452–4455]
- Largeot, C. (C) 3392–3395 [3440–3443]
- Larionova, J.
– Towards the Ultimate Size Limit of the Memory Effect in Spin-Crossover Solids (C) 8236–8240 [8360–8364]
DOI: 10.1002/anie.200802906
- Larmour, I. A. (C) 5043–5045 [5121–5123]
- Laschewsky, A.
– Controlled Cell Adhesion on PEG-Based Switchable Surfaces (C) 5666–5668 [5749–5752]
DOI: 10.1002/anie.200801202
- Lasia, A. (C) 3596–3599 [3652–3655]
- Laskin, J.
– Helical Peptide Arrays on Self-Assembled Monolayer Surfaces through Soft and Reactive Landing of Mass-Selected Ions (C) 6678–6680 [6780–6782]
DOI: 10.1002/anie.200801366
- Lata, S. (C) 4703–4706 [4781–4784]
- Latiff, A. A. (C) 7853–7856 [7971–7974]
- Latour, J.-M.
– Cyclic Peptides Bearing a Side-Chain Tail: A Tool to Model the Structure and Reactivity of Protein Zinc Sites (C) 6888–6891 [6994–6997]
DOI: 10.1002/anie.200800677
- Multiple Aromatic Amination Mediated by a Diiron Complex (C) 715–717 [727–729]
DOI: 10.1002/anie.200703580
- Lau, C. P. (C) 6402–6406 [6502–6506], 8059–8063 [8179–8183]
- Lau, K.-N. (C) 6912–6916 [7018–7022]
- Laube, A. (C) 3262–3266 [3306–3310]
- Lauceri, R. (C) 9879–9882 [10027–10030]
- Laufer, S. (C) 3548–3551 [3604–3607]
- Laukhin, V. (C) 1861–1865 [1887–1891]
- Laukhina, E. (C) 1861–1865 [1887–1891]
- Laurenczy, G.
– A Viable Hydrogen-Storage System Based On Selective Formic Acid Decomposition with a Ruthenium Catalyst (C) 3966–3968 [4030–4032]
DOI: 10.1002/anie.200800320
- Lautens, M.
– Chemodivergence in Enantioselective Desymmetrization of Diazabicycles: Ring-Opening versus Reductive Arylation (C) 2085–2088 [2115–2118]
DOI: 10.1002/anie.200704708
- Lavallo, V. (C) 3206–3209 [3250–3253], 5224–5228 [5302–5306], 5411–5414 [5491–5494]
- Lavandera, I. (C) 9337–9340 [9477–9480]
- Lawrance, G. A. (C) 4740–4743 [4818–4821]
- Le Bozec, H.
– Efficient Photoswitching of the Nonlinear Optical Properties of Dipolar Photochromic Zinc(II) Complexes (C) 577–580 [587–590]
DOI: 10.1002/anie.200704138
- Le Bris, T. (C) 9311–9313 [9451–9453]
- Le Caër, S. (C) 8033–8035 [8153–8155]
- Le Droumaguet, B. (C) 6263–6266 [6359–6362]
- Le Floch, M. (C) 8687–8691 [8815–8819]
- Le Marquand, P. (H) 2926–2928 [2968–2970]
- Le Saux, T. (C) 3744–3746 [3804–3806]
- Leardini, R. (C) 9439–9442 [9581–9584]
- Lebedev, V. Ya. (C) 3262–3266 [3306–3310]
- Lebedkin, S. F. (C) 6204–6207 [6300–6303]
- Lebel, H.
– One-Pot Multicomponent Synthesis of Indoles from 2-Iodobenzoic Acid (C) 350–352 Corrigendum: 2907 [356–358 Corrigendum: 2949]
DOI: 10.1002/anie.200703671
- Lebrun, M.-E. (C) 1410–1413 [1432–1435]
- Lebrun, V. (C) 6888–6891 [6994–6997]
- Lechuga, L. M. (C) 9752–9755 [9898–9901]
- Leclère, M. (C) 568–572 [578–582]
- Ledoux, I. (C) 577–580 [587–590]
- Leduc, A. B. (C) 7945–7948 [8063–8066]
- Lee, A.-L. (C) 4392–4396 [4464–4468]
- Lee, A. Q. (C) 7697–7700 [7811–7814]
- Lee, A. S. (C) 6379–6383 [6479–6483]
- Lee, B. Y.
– A Highly Active and Recyclable Catalytic System for CO₂/Propylene Oxide Copolymerization (C) 7306–7309 [7416–7419]
DOI: 10.1002/anie.200801852
- Lee, C. (C) 8634–8637 [8762–8765]
- Lee, C. A. (C) 9450–9453 [9592–9595]
- Lee, C.-H.
– Benzene-, Pyrrole-, and Furan-Containing Diametrically Strapped Calix[4]pyrroles—An Experimental and Theoretical Study of Hydrogen-Bonding Effects in Chloride Anion Recognition (C) 5038–5042 [5116–5120]
DOI: 10.1002/anie.200801426
- Lee, C. K. (C) 2470–2474 [2504–2508]
- Lee, C. Y. (C) 5018–5021 [5096–5099]
- Lee, D.
– Concise Synthesis of the Tricyclic Core of Platencin (C) 6201–6203 [6297–6299]
DOI: 10.1002/anie.200801587
- Lee, D.-H. (C) 82–85 [88–91]
- Lee, E. S. (C) 2418–2421 [2452–2455]
- Lee, Eun
– A Carbonyl Ylide Cycloaddition Approach to Platensimycin (C) 4009–4011 [4073–4075]
DOI: 10.1002/anie.200800568
- Total Synthesis of (+)-Exiguolide (C) 1733–1735 [1757–1759]
DOI: 10.1002/anie.200705018
- Total Synthesis of (+)-Neopeltolide by a Prins Macrocyclization (C) 3242–3244 [3286–3288]
DOI: 10.1002/anie.200800386
- Lee, Eunji (C) 4525–4528 [4601–4604], 4662–4666 [4740–4744], 6375–6378 [6475–6478]
- Lee, G. (C) 9504–9508 [9646–9650]
- Lee, G.-H. (C) 4542–4545 [4618–4621], 7250–7253 [7360–7363], 9933–9936 [10081–10084]
- Lee, H. J. (M) 644–652 [654–663], (C) 10163–10166 [10317–10320]
- Lee, H. N. (C) 872–876 [886–890]
- Lee, Hyuk (C) 1749–1752 [1773–1776]
- Lee, Hyunjoon (C) 4200–4203 [4268–4271]
- Lee, J. E. (C) 7872–7875 [7990–7993]
- Lee, J.-H. (R) 5122–5135 [5200–5213]
- Lee, J. R. (C) 9518–9521 [9660–9663]
- Lee, J.-S. (C) 109–112 [115–118]
- Lee, J. S. (C) 6399–6401 [6499–6501], 10128–10132 [10282–10286]
- Lee, J.-Y. (C) 4573–4576 [4649–4652]
- Lee, Jae Hyuk (C) 1047–1050 [1063–1066], 5550–5553 [5632–5635]
- Lee, Jae Wook (C) 8220–8223 [8344–8347]
- Lee, Jaeyoung
– A Stable and Cost-Effective Anode Catalyst Structure for Formic Acid Fuel Cells (C) 10163–10166 [10317–10320]
DOI: 10.1002/anie.200803466
- Lee, Jee Yeon (C) 8429–8432 [8557–8560]
- Lee, Jeong Yong (C) 9904–9907 [10052–10055]
- Lee, Ji-Eon (C) 145–147 [151–153]
- Lee, Ji-Eun (C) 7040–7043 [7148–7151]
- Lee, Ji Ho (C) 7505–7507 [7615–7617]
- Lee, Ji Woong (C) 7872–7875 [7990–7993], 8615–8617 [8743–8745]
- Lee, Jin Yong (C) 8615–8617 [8743–8745]
- Lee, Joo Ho (C) 9326–9329 [9466–9469]
- Lee, Joon Hwan (C) 5768–5771 [5852–5855]
- Lee, Ju Ho (C) 9904–9907 [10052–10055]
- Lee, Juhee (C) 9518–9521 [9660–9663]
- Lee, K. J. (C) 2231–2234 [2263–2266], 5167–5170 [5245–5248]
- Lee, K.-M. (C) 872–876 [886–890]
- Lee, M.
– Filamentous Artificial Virus from a Self-Assembled Discrete Nanoribbon (C) 4525–4528 [4601–4604]
DOI: 10.1002/anie.200800266
- Lateral Association of Cylindrical Nanofibers into Flat Ribbons Triggered by “Molecular Glue” (C) 6375–6378 [6475–6478]
DOI: 10.1002/anie.200801496
- Supramolecular Capsules with Gated Pores from an Amphiphilic Rod Assembly (C) 4662–4666 [4740–4744]
DOI: 10.1002/anie.200705863
- Lee, M.-R. (C) 7466–7469 [7576–7579]
- Lee, M. S. (C) 4525–4528 [4601–4604]
- Lee, Nayoung (C) 8611–8614 [8739–8742]
- Lee, Nohyun (C) 8438–8441 [8566–8569]
- Lee, S.-E. (R) 2754–2787 [2794–2828]
- Lee, S.-G. (C) 8429–8432 [8557–8560]
- Lee, S. I. (C) 4914–4917 [4992–4995]
- Lee, S. J. (C) 7505–7507 [7615–7617]
- Lee, S.-Y. (C) 2804–2807 [2846–2849]
- Lee, Sahng Ha (C) 1749–1752 [1773–1776]
- Lee, Sanghwa (C) 9922–9926 [10070–10074]
- Lee, Seulki (C) 2804–2807 [2846–2849]
- Lee, Sun Hee (C) 2470–2474 [2504–2508]
- Lee, T. K.-M. (C) 4551–4554 [4627–4630]
- Lee, T.-W. (C) 5013–5017 [5091–5095]
- Lee, U.
– Facile Incorporation of Platinum(IV) into Polyoxometalate Frameworks: Preparation of [H₂Pt^{IV}V₉O₂₈]⁵⁻ and Characterization by ¹⁹⁵Pt NMR Spectroscopy (C) 793–796 [805–808]
DOI: 10.1002/anie.200703082
- Platinum-Containing Polyoxometalates (L) 9383–9384 [9523–9524]
DOI: 10.1002/anie.200804795
- Lee, W.
– Tailor-Made Inorganic Nanopeapods: Structural Design of Linear Noble Metal Nanoparticle Chains (C) 7004–7008 [7112–7116]
DOI: 10.1002/anie.200801931
- Lee, Y.-G. (C) 7741–7745 [7855–7859]
- Lee, Y. J. (C) 10128–10132 [10282–10286]

- Lee, Y.-M. (C) 3356–3359 [3404–3407], 7321–7324 [7431–7434]
 Lee, Y. S. (C) 1853–1856 [1879–1882]
 Lee, Yan (C) 5163–5166 [5241–5244]
 Lee, Yeongran (C) 134–137 [140–143]
 Leeman, M. (C) 1287–1290 [1307–1310], 6445–6447 [6545–6547]
 Léger, C.
 – Hydrogen-Activating Enzymes: Activity Does Not Correlate with Oxygen Sensitivity (C) 2052–2054 [2082–2084]
 DOI: 10.1002/anie.200704313
 Lehman, N.
 – Systems Chemistry on Ribozyme Self-Construction: Evidence for Anabolic Autocatalysis in a Recombination Network (C) 8424–8428 [8552–8556]
 DOI: 10.1002/anie.200802177
 Lehmann, C. W. (C) 3210–3214 [3254–3258], 8302–8306 [8426–8430]
 Lehn, J.-M.
 – DOSY NMR Experiments as a Tool for the Analysis of Constitutional and Motional Dynamic Processes: Implementation for the Driven Evolution of Dynamic Combinatorial Libraries of Helical Strands (C) 2235–2239 [2267–2271]
 DOI: 10.1002/anie.200703168
 – Glycodynamers: Fluorescent Dynamic Analogues of Polysaccharides (C) 3556–3559 [3612–3615]
 DOI: 10.1002/anie.200703490
 – Reversible Switching between Macrocyclic and Polymeric States by Morphological Control in a Constitutional Dynamic System (C) 2240–2243 Corrigendum: 4462 [2272–2275 Corrigendum: 4534]
 DOI: 10.1002/anie.200704946
 – Subnanometer-Resolved Patterning of Bicomponent Self-Assembled Monolayers on Au(111) (C) 2484–2488 [2518–2522]
 DOI: 10.1002/anie.200704731
 Lehrer, R. I. (C) 3202–3205 [3246–3249]
 Lei, A.
 – Aryl Halide Tolerated Electrophilic Amination of Arylboronic Acids with *N*-Chloroamides Catalyzed by CuCl at Room Temperature (C) 6414–6417 [6514–6517]
 DOI: 10.1002/anie.200801427
 – Nickel-Catalyzed Reductive Cyclization of Unactivated 1,6-Enynes in the Presence of Organozinc Reagents (C) 2279–2282 [2311–2314]
 DOI: 10.1002/anie.200704452
 Lei, H. (C) 9115–9117 [9255–9257]
 Lei, S. (C) 2964–2968 [3006–3010]
 Lei, S.-B. (C) 6717–6721 [6819–6823]
 Leibe, K. (C) 7132–7135 [7241–7244]
 Leibl, W. (C) 564–567 [574–577]
 Leigh, D. A.
 – Active Template Synthesis of Rotaxanes and Molecular Shuttles with Switchable Dynamics by Four-Component Pd^{II}-Promoted Michael Additions (C) 3381–3384 [3429–3432]
 DOI: 10.1002/anie.200705859
 – An Ion-Pair Template for Rotaxane Formation and its Exploitation in an Orthogonal Interaction Anion-Switchable Molecular Shuttle (C) 8036–8039 [8156–8159]
 DOI: 10.1002/anie.200802745
 – Cadiot–Chodkiewicz Active Template Synthesis of Rotaxanes and Switchable Molecular Shuttles with Weak Intercomponent Interactions (C) 4392–4396 [4464–4468]
 DOI: 10.1002/anie.200800891
 – Gold(I)-Template Catenane and Rotaxane Synthesis (C) 6999–7003 [7107–7111]
 DOI: 10.1002/anie.200801904
 – Shaping of a Conformationally Flexible Molecular Structure for Spectroscopy (C) 3174–3179 [3218–3223]
 DOI: 10.1002/anie.200705627
 Leighton, J. L.
 – Allylsilane–Vinylarene Cross-Metathesis Enables a Powerful Approach to Enantioselective Imine Allylation (C) 3037–3039 [3079–3081]
 DOI: 10.1002/anie.200705621
 Leiserowitz, L.
 – Comments on “Mirror Symmetry Breaking” of the Centrosymmetric CaCO₃ Crystals with Amino Acids (L) 3680–3682 [3738–3740]
 DOI: 10.1002/anie.200703491
 Leitner, W.
 – Enantioselective Hydrogenation with Racemic and Enantiopure Binap in the Presence of a Chiral Ionic Liquid (C) 7339–7341 [7449–7451]
 DOI: 10.1002/anie.200801995
 – Solid-Phase Organic Synthesis in the Presence of Compressed Carbon Dioxide (C) 6674–6677 [6776–6779]
 DOI: 10.1002/anie.200801653
 Leitus, G. (C) 9908–9912 [10056–10060]
 Lelieveld, J.
 – A Reverse Ozone Hole on Mars (H) 9804–9807 [9950–9953]
 DOI: 10.1002/anie.200804551
 Leman, L. J. (C) 1758–1761 [1782–1785]
 Lemcoff, N. G.
 – Homodinuclear Ruthenium Catalysts for Dimer Ring-Closing Metathesis (C) 6422–6425 [6522–6525]
 DOI: 10.1002/anie.200801626
 Lemière, G. (C) 7534–7538 [7644–7648]
 Lemieux, V. (C) 5034–5037 [5112–5115]
 Lena, S. (C) 3184–3187 [3228–3231]
 Lenhardt, J. M. (C) 3740–3743 [3800–3803]
 Lennie, A. R. (C) 2828–2831 [2870–2873]
 Leogane, O. (C) 350–352 Corrigendum: 2907 [356–358 Corrigendum: 2949]
 León, E. I.
 – Sequential Norrish Type II Photoelimination and Intramolecular Aldol Cyclization of 1,2-Diketones in Carbohydrate Systems: Stereoselective Synthesis of Cyclopentitols (C) 8917–8919 [9049–9051]
 DOI: 10.1002/anie.200803696
 Leonhardt, H. (C) 1515–1518 [1538–1541]
 Leow, D. (C) 5641–5645 [5723–5727]
 Lepore, S. D.
 – Stereoretentive Halogenations and Azidations with Titanium(IV) Enabled by Chelating Leaving Groups (C) 7511–7514 [7621–7624]
 DOI: 10.1002/anie.200802472
 Lesage, A.
 – Polarization Transfer over the Water–Protein Interface in Solids (C) 5851–5854 [5935–5938]
 DOI: 10.1002/anie.200801110
 Lesch, D. A. (C) 882–887 [896–901]
 Lescouëzec, R. (C) 4211–4216 [4279–4284]
 Leskelä, M. (C) 6001–6003 [6090–6092]
 Leslie, B. E. (C) 5056–5059 [5134–5137]
 Lesthaeghe, D. (C) 5179–5182 [5257–5260]
 Łęszczak, K. (C) 541–544 [551–554]
 Letondor, C. (C) 1400–1404 [1422–1426]
 LeTrong, I. (C) 1400–1404 [1422–1426]
 Lettan II, R. B. (C) 2294–2297 [2326–2329]
 Leung, K. C.-F. (C) 7470–7474 [7580–7584]
 Leung, S.-K. (C) 2213–2216 [2245–2248]
 Leung, Y.-C. (C) 3735–3739 [3795–3799]
 Leusen, F. J. J.
 – A Major Advance in Crystal Structure Prediction (C) 2427–2430 [2461–2464]
 DOI: 10.1002/anie.200704247
 Leusser, D. (C) 4321–4325 [4393–4397]
 Lewiński, J.
 – Alkylzinc Carboxylates as Efficient Precursors for Zinc Oxocarboxylates and Sulfidocarboxylates (C) 573–576 [583–586]
 DOI: 10.1002/anie.200703125
 – Oxygenation of a Me₂Zn/ α -Diimine System: A Unique Zinc Methylperoxide Cluster and Evidence for Its Sequential Decomposition Pathways (C) 7888–7891 [8006–8009]
 DOI: 10.1002/anie.200803254
 Lewis, F. D.
 – The Influence of Guanine on DNA Hole Transport Efficiency (C) 3798–3800 [3858–3860]
 DOI: 10.1002/anie.200705903
 Lewis, G. J. (C) 882–887 [896–901]
 Ley, S. V.
 – PtCl₄-Catalyzed Domino Synthesis of Fused Bicyclic Acetals (C) 209–212 [216–219]
 DOI: 10.1002/anie.200704595
 – The Azadirachtin Story (R) 9402–9429 [9542–9570]
 DOI: 10.1002/anie.200802675
 Li, A. (C) 6579–6582 [6681–6684]
 Li, A. D. Q.
 – Tunable Molecular Assembly Codes Direct Reaction Pathways (C) 7705–7709 [7819–7823]
 DOI: 10.1002/anie.200802606
 Li, B.-J. (C) 1115–1118 [1131–1134], 1473–1476 [1495–1498], 10124–10127 [10278–10281]
 Li, C.-F. (C) 2489–2492 [2523–2526]
 Li, C.-J.
 – Functionalizing Glycine Derivatives by Direct C–C Bond Formation (C) 7075–7078 [7183–7186]
 DOI: 10.1002/anie.200801367
 – Ruthenium-Catalyzed Oxidative Cross-Coupling of Chelating Arenes and Cycloalkanes (C) 6278–6282 [6374–6378]
 DOI: 10.1002/anie.200801544
 Li, Can
 – Importance of the Relationship between Surface Phases and Photocatalytic Activity of TiO₂ (C) 1766–1769 [1790–1793]
 DOI: 10.1002/anie.200704788
 Li, Changxiu (C) 6856–6859 [6962–6965]
 Li, Cheng (C) 2388–2393 [2422–2427]
 Li, Chun (C) 9240–9244 [9380–9384]

- Li, Chunsen Corrigendum: 8148
- Li, Dan
- Concomitant and Controllable Chiral/Racemic Polymorphs: From Achirality to Isotactic, Syndiotactic, and Heterotactic Chirality (C) 6371–6374 [6471–6474]
DOI: 10.1002/anie.200801481
 - Supramolecular Helix-to-Helix Induction: A 3D Anionic Framework Containing Double-Helical Strands Templated by Cationic Triple-Stranded Cluster Helicates (C) 1711–1714 [1735–1738]
DOI: 10.1002/anie.200704874
- Li, Dan (C) 8397–8399 [8525–8527]
- Li, David (C) 5577–5581 [5659–5663]
- Li, Di (C) 3927–3931 [3991–3995]
- Li, Fei (C) 4675–4678 [4753–4756]
- Li, Feng (C) 373–376 [379–382], 4516–4520
Corrigendum: 5277 [4592–4596 Corrigendum: 5357]
- Li, Fuyou (C) 1063–1067 [1079–1083]
- Li, Gang (C) 4725–4728 [4803–4806]
- Li, Gao (C) 1245–1249 [1265–1269]
- Li, Guanghua (C) 7868–7871 [7986–7989]
- Li, Guangyu (C) 2844–2848 [2886–2890], 9944–9947 [10092–10095]
- Li, Guotao (C) 346–349 [352–355]
- Li, Haijun (C) 7497–7500 [7607–7610]
- Li, Hao (C) 4177–4179 [4245–4247]
- Li, J.-G. (C) 5348–5352 [5428–5432]
- Li, J.-J. (C) 6452–6455 [6552–6555]
- Li, J.-L. (C) 9971–9974 [10119–10122]
- Li, J.-Y. (C) 7342–7345 [7452–7455]
- Li, Jianfeng (C) 10144–10146 [10298–10300]
- Li, Jiaoli (C) 2990–2992 [3032–3034]
- Li, Jing (C) 5823–5826 [5907–5910], 8897–8900 [9029–9032]
- Li, Jiyang (C) 7868–7871 [7986–7989]
- Li, Jun (C) 8040–8043 [8160–8163]
- Li, K. (C) 8211–8214 Corrigendum: 9176 [8334–8337 Corrigendum: 9315]
- Li, L. (C) 5590–5592 [5672–5674]
- Li, Mei (C) 9476–9479 [9618–9621]
- Li, Meijun (C) 1766–1769 [1790–1793]
- Li, Mian (C) 1711–1714 [1735–1738], 6371–6374 [6471–6474]
- Li, Min (C) 6717–6721 [6819–6823]
- Li, Mingzhu (C) 7258–7262 [7368–7372]
- Li, Peng (C) 1054–1057 [1070–1073]
- Li, Pingfan (C) 3795–3797 [3855–3857]
- Li, Qian (C) 5590–5592 [5672–5674]
- Li, Qiang (C) 2626–2630 [2666–2670], 6414–6417 [6514–6517]
- Li, Qing (C) 10179–10182 [10333–10336]
- Li, Qun (C) 1260–1264 [1280–1284]
- Li, R.-x. (C) 9240–9244 [9380–9384]
- Li, S. H. (C) 5823–5826 [5907–5910]
- Li, S.-Y. (C) 1260–1264 [1280–1284]
- Li, S. Y. (C) 7511–7514 [7621–7624]
- Li, Shuhua
- Energetics and Mechanism of Dinitrogen Cleavage at a Mononuclear Surface Tantalum Center: A New Way of Dinitrogen Reduction (C) 8040–8043 [8160–8163]
DOI: 10.1002/anie.200801668
- Li, Si (C) 4729–4732 [4807–4810]
- Li, Wei (C) 3012–3015 [3054–3057], 10119–10123 [10273–10277]
- Li, Weiyang (C) 9653–9656 [9799–9802]
- Li, Wenjing (C) 1127–1129 [1143–1145]
- Li, X. (C) 6052–6054 [6141–6143]
- Li, X.-j. (C) 9240–9244 [9380–9384]
- Li, X.-Z. (C) 6371–6374 [6471–6474]
- Li, Yadong
- Carboxylic Acid Enriched Nanospheres of Semiconductor Nanorods for Cell Imaging (C) 1054–1057 [1070–1073]
DOI: 10.1002/anie.200703720
- Li, Yang (C) 2857–2859 [2899–2901]
- Li, Yi (C) 4401–4405 [4473–4477]
- Li, Yi-Zhi
- Au₃₆ Crown: A Macrocyclization Directed by Metal–Metal Bonding Interactions (C) 4551–4554 [4627–4630]
DOI: 10.1002/anie.200801001
- Li, Yi-Zhou (C) 1473–1476 [1495–1498], 10124–10127 [10278–10281]
- Li, Yimin (C) 8893–8896 [9025–9028]
- Li, Yingfu
- Rolling Circle Amplification: Applications in Nanotechnology and Biodetection with Functional Nucleic Acids (M) 6330–6337 [6428–6436]
DOI: 10.1002/anie.200705982
- Li, Yongjun (C) 2649–2652 [2689–2692]
- Li, Yongyang (C) 5573–5576 [5655–5658]
- Li, Yujing (C) 2439–2442 [2473–2476]
- Li, Z.-Q. (C) 9487–9491 [9629–9633]
- Li, Zhen (C) 1711–1714 [1735–1738], 6371–6374 [6471–6474]
- Li, Zhengquan (C) 9653–9656 [9799–9802]
- Li, Zhi (C) 7520–7522 [7630–7632]
- Li, Zhichun Corrigendum: 8983
- Li, Zhiping
- Iron-Catalyzed C–C Bond Formation by Direct Functionalization of C–H Bonds Adjacent to Heteroatoms (C) 7497–7500 [7607–7610]
DOI: 10.1002/anie.200802215
- Li, Zhiwei (C) 8464–8467 [8592–8595]
- Li, Zuojing (R) 3696–3717 [3754–3776]
- Li, Pira, N. (R) 6538–6549 [6638–6650]
- Liaimer, A. (C) 7756–7759 [7870–7873]
- Lian, X. (C) 8255–8258 [8379–8382]
- Liang, C. (R) 3696–3717 [3754–3776]
- Liao, C.-C.
- Carbohydrate-Templated Asymmetric Diels–Alder Reactions of Masked *ortho*-Benzoquinones for the Synthesis of Chiral Bicyclo[2.2.2]oct-5-en-2-ones (C) 8082–8085 [8202–8205]
DOI: 10.1002/anie.200802693
 - Photooxygenation of Masked *o*-Benzoquinones: An Efficient Entry into Highly Functionalized Cyclopentenones from 2-Methoxyphenols (C) 7325–7327 [7435–7437]
DOI: 10.1002/anie.200802130
- Liao, H.-G. (C) 9100–9103 [9240–9243]
- Liao, Q. (C) 7258–7262 [7368–7372]
- Liao, Y. (C) 5619–5622 [5701–5704]
- Liao, Z.-J. (C) 5340–5343 [5420–5423]
- Libri, S. (C) 1693–1697 [1717–1721]
- Lieberman, I. (C) 4855–4857 [4933–4935]
- Liebold-Ribeiro, Y. (C) 4428–4431 [4500–4503]
- Liebscher, S. (C) 5456–5460 [5536–5540]
- Liedberg, B.
- Self-Assembly of Fibers and Nanorings from Disulfide-Linked Helix–Loop–Helix Polypeptides (C) 5554–5556 [5636–5638]
DOI: 10.1002/anie.200801155
- Liebold, L. (C) 7845–7848 [7963–7966]
- Liew, R. Corrigendum: 3081
- Lii, K.-H.
- A₃(U₂O₇)(Ge₂O₇) (A = Rb, Cs): Mixed-Valence Uranium(V,VI) Germanates (C) 8711–8713 [8839–8841]
DOI: 10.1002/anie.200803658
- Lim, D. (C) 5207–5210 [5285–5288]
- Lim, J. (C) 2959–2963 [3001–3005], 9922–9926 [10070–10074]
- Lim, J. H. (C) 3016–3020 [3058–3062], 3021–3025 [3063–3067]
- Lim, J. M. (C) 9657–9660 [9803–9806]
- Lim, J. S. (C) 1853–1856 [1879–1882]
- Lim, S. (C) 3352–3355 [3400–3403]
- Lim, S. T. (C) 8404–8406 [8532–8534]
- Lim, Y.-b. (C) 4525–4528 [4601–4604], 4662–4666 [4740–4744]
- Limbach, H.-H.
- The Largest ¹⁵N–¹⁵N Coupling Constant Across an NHN Hydrogen Bond (C) 1123–1126 [1139–1142]
DOI: 10.1002/anie.200704411
- Limbach, H.-H. (C) 2074–2078 [2104–2108]
- Limberg, C.
- A Trispyrazolylborate Iron Malonate Complex as a Functional Model for the Acetylacetone Dioxigenase (C) 7953–7956 [8071–8074]
DOI: 10.1002/anie.200802955
- Lin, C. (C) 5157–5159 [5235–5237]
- Lin, C.-H. (C) 8711–8713 [8839–8841]
- Lin, Chao-Chen (C) 4542–4545 [4618–4621]
- Lin, Chun-Cheng
- Fabrication of an Oriented Fc-Fused Lectin Microarray through Boronate Formation (C) 8627–8630 [8755–8758]
DOI: 10.1002/anie.200803377
- Lin, J. (C) 7026–7028 [7134–7136]
- Lin, J. T.
- Benzimidazole/Amine-Based Compounds Capable of Ambipolar Transport for Application in Single-Layer Blue-Emitting OLEDs and as Hosts for Phosphorescent Emitters (C) 581–585 [591–595]
DOI: 10.1002/anie.200704113
- Lin, L. (C) 7079–7081 [7187–7189]
- Lin, N. (C) 8835–8838 [8967–8970]
- Lin, P.-H. (C) 8848–8851 [8980–8983]
- Lin, Q.
- A Photoinducible 1,3-Dipolar Cycloaddition Reaction for Rapid, Selective Modification of Tetrazole-Containing Proteins (C) 2832–2835 [2874–2877]
DOI: 10.1002/anie.200705805
- Lin, S. (C) 5641–5645 [5723–5727]
- Lin, W.
- Mesoporous Silica Nanosphere Supported Ruthenium Catalysts for Asymmetric Hydrogenation (C) 6229–6232 [6325–6328]
DOI: 10.1002/anie.200705656
 - Surfactant-Assisted Synthesis of Nanoscale Gadolinium Metal–Organic Frameworks for Potential Multimodal Imaging (C) 7722–7725 [7836–7839]
DOI: 10.1002/anie.200802911
- Lin, W.-Y. (C) 1072–1075 [1088–1091]
- Lin, Y.-W. (C) 1875–1878 [1901–1904]
- Lin, Yongjing (C) 7681–7684 [7795–7798]
- Lin, Yuan (C) 5768–5771 [5852–5855]
- Lin, Yuqing (C) 8601–8604 [8729–8732]
- Lin, Zhang
- Treatment of Cr^{VI}-Containing Mg(OH)₂ Nanowaste (C) 5619–5622 [5701–5704]
DOI: 10.1002/anie.200800172
- Lin, Zhihua (C) 877–881 [891–895]

- Lindahl, P. A.
– Implications of a Carboxylate-Bound C-Cluster Structure of Carbon Monoxide Dehydrogenase (H) 4054–4056 [4118–4121]
DOI: 10.1002/anie.200800223
- Lindell, S. D. (C) 8120–8122 [8240–8242]
- Linden, A. (C) 1719–1722 [1743–1746]
- Lindenstruth, V. (C) 7132–7135 [7241–7244]
- Linderoth, T. R.
– Surface Synthesis of 2D Branched Polymer Nanostructures (C) 4406–4410 [4478–4482]
DOI: 10.1002/anie.200705079
- Lindh, R. (C) 5366–5370 [5446–5450]
- Lindhardt, A. T. (née Hansen) (C) 2668–2672 [2708–2712]
- Lindqvist, J. (C) 4180–4183 [4248–4251]
- Lindsay, J. A. (C) 2808–2812 [2850–2854]
- Lindsay-Scott, P. J. (C) 2872–2875 [2914–2917]
- Linehan, J. C. (C) 7493–7496 [7603–7606]
- Linh, N. T. B. (C) 6426–6429 [6526–6529]
- Linnolahti, M.
– Formation of Nanotubular Methylaluminoxanes and the Nature of the Active Species in Single-Site α -Olefin Polymerization Catalysis (C) 9279–9283 [9419–9423]
DOI: 10.1002/anie.200802558
- Linti, G.
– GaI as Ligand in Transition-Metal Complexes—An Alternative to CO or N₂? (H) 6326–6328 [6425–6427]
DOI: 10.1002/anie.200802490
- Liou, Y.-C. (C) 1698–1702 [1722–1726], 7438–7441 [7548–7551]
- Lipinski, T. (C) 672–676 [684–688]
- Lipkowski, J. (C) 573–576 [583–586], 7888–7891 [8006–8009]
- Lippens, G. (C) 3385–3387 [3433–3435]
- Lipshutz, B. H.
– Synthesis of Activated Alkenylboronates from Acetylenic Esters by CuH-Catalyzed 1,2-Addition/Transmetalation (C) 10183–10186 [10337–10340]
DOI: 10.1002/anie.200804912
- Lisdat, F.
– Communication in a Protein Stack: Electron Transfer between Cytochrome *c* and Bilirubin Oxidase within a Polyelectrolyte Multilayer (C) 3000–3003 [3042–3045]
DOI: 10.1002/anie.200704049
- Lisnard, L. (C) 9695–9699 [9841–9845]
- Lisowski, J. Corrigendum: 10014
- Lissner, F. (C) 6192–6194 [6287–6289]
- List, B. Corrigendum: 5490
- List, B.
– Asymmetric Counteranion-Directed Catalysis for the Epoxidation of Enals (C) 1119–1122 [1135–1138]
DOI: 10.1002/anie.200704185
– Catalytic Asymmetric Hydroperoxidation of α,β -Unsaturated Ketones: An Approach to Enantiopure Peroxyhemiketals, Epoxides, and Aldols (C) 8112–8115 [8232–8235]
DOI: 10.1002/anie.200803238
– Catalytic Asymmetric Michael Reactions of Acetaldehyde (C) 4719–4721 [4797–4799]
DOI: 10.1002/anie.200800847
– Catalytic Three-Component Ugi Reaction (C) 3622–3625 Corrigendum: 5490 [3678–3681 Corrigendum: 5572]
DOI: 10.1002/anie.200800494
- Direct Catalytic Asymmetric Three-Component Kabachnik–Fields Reaction (C) 5079–5081 [5157–5159]
DOI: 10.1002/anie.200801173
- Primary-Amine-Catalyzed Enantioselective Intramolecular Aldolizations (C) 7656–7658 [7768–7771]
DOI: 10.1002/anie.200802497
- List, E. J. W. (C) 8292–8296 [8416–8420]
- Lisurek, M. (C) 3275–3278 [3319–3323]
- Litlabø, R. (C) 9560–9564 [9702–9706]
- Liu, Baohong
– MALDI In-Source Photooxidation Reactions for Online Peptide Tagging (C) 2646–2648 [2686–2688]
DOI: 10.1002/anie.200703876
- Liu, Bing (C) 3973–3975 [4037–4039]
- Liu, Chao (C) 6414–6417 [6514–6517]
- Liu, Chen (C) 3730–3734 [3790–3794]
- Liu, D.
– Heterotrimetallic Salts: Synthesis, Structures, and Superbase Reactivity of Crystalline *tert*-Butoxides [Li₄Na₂K₂(O*t*Bu)₈(μ -L)]_n (C) 3976–3978 [4040–4042]
DOI: 10.1002/anie.200705268
- Liu, F. (C) 6080–6083 [6169–6172], 9063–9066 [9203–9206]
- Liu, G.-F. (C) 3991–3994 [4055–4058]
- Liu, Gang (C) 4516–4520 Corrigendum: 5277 [4592–4596 Corrigendum: 5357]
- Liu, Guosheng
– Palladium-Catalyzed Intermolecular Aerobic Oxidative Amination of Terminal Alkenes: Efficient Synthesis of Linear Allylamine Derivatives (C) 4733–4736 [4811–4814]
DOI: 10.1002/anie.200801009
- Palladium-Catalyzed Oxidative Cyclization of Enynes with Hydrogen Peroxide as the Oxidant (C) 5442–5445 [5522–5525]
DOI: 10.1002/anie.200801438
- Liu, H. (C) 7853–7856 [7971–7974]
- Liu, H.-w.
– Natural-Product Sugar Biosynthesis and Enzymatic Glycodiversification (R) 9814–9859 [9960–10007]
DOI: 10.1002/anie.200801204
- Liu, J.-Y. (C) 8082–8085 [8202–8205]
- Liu, Jia (C) 10124–10127 [10278–10281]
- Liu, Jian (C) 7258–7262 [7368–7372]
- Liu, Kan (C) 1072–1075 [1088–1091]
- Liu, Kegang (C) 5827–5829 [5911–5913]
- Liu, Kun (C) 1255–1259 [1275–1279]
- Liu, Lei (C) 4184–4187 [4252–4255]
- Liu, Lifeng
– Tailor-Made Inorganic Nanopeapods: Structural Design of Linear Noble Metal Nanoparticle Chains (C) 7004–7008 [7112–7116]
DOI: 10.1002/anie.200801931
- Liu, Lijian
– A Facile One-Pot Construction of Supramolecular Polymer Micelles from α -Cyclodextrin and Poly(ϵ -caprolactone) (C) 5573–5576 [5655–5658]
DOI: 10.1002/anie.200800952
- Liu, Miaoyin (C) 8400–8403 [8528–8531]
- Liu, Min (C) 373–376 [379–382]
- Liu, N. (C) 6670–6673 [6772–6775]
- Liu, Peng (C) 3560–3564 [3616–3620], 3939–3941 [4003–4005]
- Liu, Ping (C) 6685–6689 [6787–6791]
- Liu, Pinghua
– IspH Protein of the Deoxyxylulose Phosphate Pathway: Mechanistic Studies with C₁-Deuterium-Labeled Substrate and Fluorinated Analogue (C) 9722–9725 [9868–9871]
DOI: 10.1002/anie.200803452
- Liu, Qingjian (C) 4729–4732 [4807–4810]
- Liu, Qingsheng (C) 6221–6224 [6317–6320]
- Liu, R. Corrigendum: 3081
- Liu, R.-S.
– Pt^{II}-Catalyzed Synthesis of 9-Oxabicyclo[3.3.1]nona-2,6-dienes from 2-Alkynyl-1-carbonylbenzenes and Allylsilanes by an Allylation/Annulation Cascade (C) 5063–5066 [5141–5144]
DOI: 10.1002/anie.200800826
- Liu, Shenghua (C) 1715–1718 [1739–1742]
- Liu, Simin (C) 2657–2660 [2697–2700]
- Liu, T. (C) 1245–1249 [1265–1269]
- Liu, W.-S. (C) 9891–9894 [10039–10042]
- Liu, Wei (C) 6414–6417 [6514–6517]
- Liu, Weizhen (C) 5619–5622 [5701–5704]
- Liu, Wenshe (C) 8220–8223 [8344–8347]
- Liu, X.-Y. (C) 3805–3810 [3865–3870]
- Liu, Xianyun (C) 365–367 [371–373]
- Liu, Xiaogang
– Multicolor Tuning of (Ln, P)-Doped YVO₄ Nanoparticles by Single-Wavelength Excitation (C) 906–909 [920–923]
DOI: 10.1002/anie.200704520
- Liu, Xiaohua (C) 392–394 [398–400], 1308–1311 [1328–1331], 7079–7081 [7187–7189], 7681–7684 [7795–7798], 8670–8673 [8798–8801]
- Liu, Xinyu (C) 8215–8219 [8338–8343]
- Liu, Y.-H. (C) 7475–7478 [7585–7588]
- Liu, Y.-M. (C) 334–337 [340–343]
- Liu, Yan
– DNA-Tile-Directed Self-Assembly of Quantum Dots into Two-Dimensional Nanopatterns (C) 5157–5159 [5235–5237]
DOI: 10.1002/anie.200801485
- Liu, Yan (C) 316–319 [322–325], 1245–1249 [1265–1269], 4538–4541 [4614–4617]
- Liu, Yang (C) 113–116 [119–122]
- Liu, Yu
– A Polymeric Pseudorotaxane Constructed from Cucurbituril and Aniline, and Stabilization of Its Radical Cation (C) 7293–7296 [7403–7406]
DOI: 10.1002/anie.200802805
- Liu, Yuanyuan (C) 8905–8908 [9037–9040]
- Liu, Yunling (C) 8446–8449 [8574–8577]
- Liu, Zhaoping (C) 3540–3542 [3596–3598]
- Liu, Zhiqiang (H) 242–244 [248–250]
- Liverton, N. J. (C) 9104–9107 [9244–9247]
- Livingston, P. O. (C) 6395–6398 [6495–6498]
- Llanes-Pallas, A. (C) 7726–7730 [7840–7844]
- Llewellyn, P. L. (C) 6611–6615 [6713–6717]
- Llobet, A.
– Ru-Hbpy-Based Water-Oxidation Catalysts Anchored on Conducting Solid Supports (C) 5830–5832 [5914–5916]
DOI: 10.1002/anie.200704912
- Lloret, F.
– A Metallacryptand-Based Manganese(II)–Cobalt(II) Ferrimagnet with a Three-Dimensional Honeycomb Open-Frame-work Architecture

- (C) 4211–4216 [4279–4284]
DOI: 10.1002/anie.200800208
- Lloyd, G. O. (C) 5761–5764 [5845–5848]
- Lloyd-Jones, G. C.
– Decoupling Deprotonation from Metalation: Thia-Fries Rearrangement (C) 5067–5070 [5145–5148]
DOI: 10.1002/anie.200800750
- Lo, K. K.-W.
– Exploitation of the Dual-emissive Properties of Cyclometalated Iridium(III)–Polypyridine Complexes in the Development of Luminescent Biological Probes (C) 2213–2216 [2245–2248]
DOI: 10.1002/anie.200705155
- Löber, A. (C) 9138–9141 [9278–9281]
- Lock, N. (C) 8929–8932 [9061–9064]
- Lodge, M. T. J. (E) 6758–6765 [6860–6868]
- Loeb, S. J.
– Cooperative Ion–Ion Interactions in the Formation of Interpenetrated Molecules (C) 97–101 [103–107]
DOI: 10.1002/anie.200703019
- Loges, B. (C) 3962–3965 [4026–4029]
- Loges, N. (L) 3683–3686 [3741–3744]
- Lohr, A. (C) 1232–1236 [1252–1256]
- Loi, M. A. (C) 3029–3033 [3071–3075]
- Loiseleur, O. (C) 2808–2812 [2850–2854]
- Lommel, T. (C) 6065–6068 [6154–6157]
- Long, De-L.
– Capture of Periodate in a {W₁₈O₅₄} Cluster Cage Yielding a Catalytically Active Polyoxyometalate [H₃W₁₈O₅₆(IO₆)₆]⁶⁻ Embedded with High-Valent Iodine (C) 4384–4387 [4456–4459]
DOI: 10.1002/anie.200800041
- Structural Evolution of “S”-Shaped [H₄W₂₂O₇₄]¹²⁻ and “§”-Shaped [H₁₀W₃₄O₁₁₆]¹⁸⁻ Isopolyoxotungstate Clusters (C) 8420–8423 [8548–8551]
DOI: 10.1002/anie.200802109
- Long, De-L. (C) 4388–4391 [4460–4463], 5609–5612 [5691–5694], 6881–6884 [6987–6990]
- Long, G. J. (C) 9115–9117 [9255–9257]
- Long, J. R.
– Hydrogen Storage in Microporous Metal–Organic Frameworks with Exposed Metal Sites (R) 6766–6779 [6870–6884]
DOI: 10.1002/anie.200801163
- Long, La-S.
– A Four-Shell, Nesting Doll-like 3d–4f Cluster Containing 108 Metal Ions (C) 2398–2401 [2432–2435]
DOI: 10.1002/anie.200705731
- Long, La-S. (C) 3376–3380 [3424–3428]
- Long, N. J. (R) 8998–9033 [9136–9172]
- Long, P. F. (C) 8090–8092 [8210–8212]
- Longoni, G. (C) 6666–6669 [6768–6771]
- Loo, B. H. (C) 8905–8908 [9037–9040]
- Loock, H.-P. (C) 3279–3282 [3324–3328]
- López, F.
– Platinum-Catalyzed Intramolecular [4C + 3C] Cycloaddition between Dienes and Allenes (C) 951–954 [965–968]
DOI: 10.1002/anie.200704566
- López, J. A. (C) 2093–2096 [2123–2126]
- López, J. C. (C) 6216–6220 [6312–6316]
- Lopez, J. J. (C) 1668–1671 [1692–1695]
- López, J. J. (C) 7263–7266 [7373–7376]
- López, X. (C) 5597–5599 [5679–5681]
- López-Carrillo, V. (C) 1883–1886 [1909–1912]
- López Navarrete, J. T.
– Raman Detection of “Ambiguous” Conjugated Biradicals: Rapid Thermal Singlet-to-Triplet Intersystem Crossing in an Extended Viologen (C) 1443–1446 [1465–1468]
DOI: 10.1002/anie.200704398
- Loquet, A. (C) 5851–5854 [5935–5938]
- Lord, R. L. (C) 10144–10146 [10298–10300]
- Löser, R. (C) 4331–4334 [4403–4406]
- Lough, A. (C) 7009–7012 [7117–7120]
- Lough, A. J. (C) 940–943 [954–957], 8657–8660 [8785–8788], 8678–8681 [8806–8809]
- Low, C. M. R. (C) 6275–6277 [6371–6373]
- Low, J. J. (C) 882–887 [896–901]
- Lowery, T. J. (C) 4316–4320 [4388–4392]
- Lowton, R. L. (C) 2817–2819 [2859–2861]
- Lu, B. (C) 7508–7510 [7618–7620]
- Lu, C. C.
– An Electron-Transfer Series of High-Valent Chromium Complexes with Redox Non-Innocent, Non-Heme Ligands (C) 6384–6387 [6484–6487]
DOI: 10.1002/anie.200800669
- Lu, C.-D. (C) 6829–6831 [6935–6937]
- Lu, C. H. S. (C) 1698–1702 [1722–1726], 7438–7441 [7548–7551]
- Lu, G. (C) 6847–6850 [6953–6956], 9125–9129 [9265–9269]
- Lu, G. Q. (Max)
– Synergistic Effects of B/N Doping on the Visible-Light Photocatalytic Activity of Mesoporous TiO₂ (C) 4516–4520 Corrigendum: 5277 [4592–4596 Corrigendum: 5357]
DOI: 10.1002/anie.200705633
- Lu, G. Q. (Max) (C) 373–376 [379–382], 6670–6673 [6772–6775]
- Lu, H.-J.
– Surfactant-Free Synthesis of SnO₂@PMMA and TiO₂@PMMA Core–Shell Nanobeads Designed for Peptide/Protein Enrichment and MALDI-TOF MS Analysis (C) 4204–4207 [4272–4275]
DOI: 10.1002/anie.200705942
- Lu, M. (C) 1879–1882 [1905–1908], 10187–10191 Corrigendum: 10014 [10341–10345]
- Lu, S. (C) 4366–4369 [4438–4441]
- Lu, S.-M. (C) 8920–8923 [9052–9055]
- Lu, W. (C) 4568–4572 [4644–4648], 9895–9899 [10043–10047]
- Lu, W.-J. (C) 10133–10136 [10287–10290]
- Lu, X.-Y. (C) 10124–10127 [10278–10281]
- Lu, Xiaojie (C) 7710–7713 [7824–7827]
- Lu, Xin (C) 5340–5343 [5420–5423]
- Lu, Xing (C) 8642–8645 [8770–8773]
- Lu, Yingdong (C) 5430–5433 [5510–5513]
- Lu, Yunpeng (C) 10187–10191 Corrigendum: 10014 [10341–10345]
- Lu, Z. (R) 258–297 [264–303], (C) 6045–6048 [6134–6137]
- Lu, Z.-H. (C) 1255–1259 [1275–1279]
- Lubitz, W. (C) 1224–1227 [1244–1247], 6897–6899 [7003–7005]
- Lubrich, D.
– A Contractile DNA Machine (C) 7026–7028 [7134–7136]
DOI: 10.1002/anie.200800476
- Luchinat, C. (C) 4533–4537 [4609–4613]
- Lucon, J. (C) 7845–7848 [7963–7966]
- Luddy, K. (C) 5232–5234 [5310–5312]
- Ludwig, R.
– Strong, Localized, and Directional Hydrogen Bonds Fluidize Ionic Liquids (C) 8731–8734 [8859–8862]
DOI: 10.1002/anie.200803446
- The Cation–Anion Interaction in Ionic Liquids Probed by Far-Infrared Spectroscopy (C) 3830–3834 [3890–3894]
DOI: 10.1002/anie.200705736
- Ludwig, W. (C) 9289–9293 [9430–9434]
- Luedtke, A. T. (C) 7694–7696 [7808–7810]
- Lueken, H.
– A Magnetoelectric Effect in YMnO₃ and HoMnO₃ (H) 8562–8564 [8690–8693]
DOI: 10.1002/anie.200803024
- Luft, J. A. R. (C) 357–360 [363–366]
- Lukas, M. (C) 9673–9676 [9819–9822]
- Lundgren, E. (C) 2131–2134 [2161–2164]
- Lunine, J. I. (C) 7918–7920 [8036–8038]
- Lunsford, J. H.
– Supported Palladium Nanoparticles: An Efficient Catalyst for the Direct Formation of H₂O₂ from H₂ and O₂ (C) 6221–6224 [6317–6320]
DOI: 10.1002/anie.200801517
- Luo, H.
– Amorphous Silica Nanoparticles Embedded in Epitaxial SrTiO₃ and CoFe₂O₄ Matrices (C) 5768–5771 [5852–5855]
DOI: 10.1002/anie.200801064
- Luo, K. Q. (C) 331–333 [337–339]
- Luo, S.-Y. (C) 8082–8085 [8202–8205]
- Luo, Y. (C) 2642–2645 [2682–2685]
- Luo, Zhixun (C) 8905–8908 [9037–9040]
- Luo, Zhong (C) 7479–7481 [7589–7591]
- Lupton, J. M. (R) 6538–6549 [6638–6650]
- Lusby, P. J.
– Active Template Synthesis of Rotaxanes and Molecular Shuttles with Switchable Dynamics by Four-Component Pd^{II}-Promoted Michael Additions (C) 3381–3384 [3429–3432]
DOI: 10.1002/anie.200705859
- An Ion-Pair Template for Rotaxane Formation and its Exploitation in an Orthogonal Interaction Anion-Switchable Molecular Shuttle (C) 8036–8039 [8156–8159]
DOI: 10.1002/anie.200802745
- Lusby, P. J. (C) 6999–7003 [7107–7111]
- Lutz, J.-F.
– Controlled Cell Adhesion on PEG-Based Switchable Surfaces (C) 5666–5668 [5749–5752]
DOI: 10.1002/anie.200801202
- Copper-Free Azide–Alkyne Cycloadditions: New Insights and Perspectives (H) 2182–2184 [2212–2214]
DOI: 10.1002/anie.200705365
- Lutz, M. (C) 4584–4587 [4660–4663]
- Lützen, A. (C) 788–792 [800–804]
- Luzgin, M. V. (C) 4559–4562 [4635–4638]
- Ly, H. V. (C) 361–364 [367–370]
- Lyle, T. A. (C) 9104–9107 [9244–9247]
- Lynam, J. M.
– New Routes for the Functionalization of P₄ (H) 831–833 [843–845]
DOI: 10.1002/anie.200704305
- Lynch, J. (C) 8638–8641 [8766–8769]
- Lynch, V. M. (C) 2267–2270 [2299–2302], 5038–5042 [5116–5120]
- Lyoo, W. S. (C) 6426–6429 [6526–6529]



- Ma, C. (C) 9971–9974 [10119–10122]
Ma, D.-L. (C) 3735–3739 [3795–3799]
Ma, Dawei
– Highly Efficient Catalytic System for Enantioselective Michael Addition of Aldehydes to Nitroalkenes in Water (C) 545–548 [555–558]
DOI: 10.1002/anie.200704161
– Total Synthesis and Structure Assignment of Papuamide B, A Potent Marine Cyclopeptide with Anti-HIV Properties (C) 2844–2848 [2886–2890]
DOI: 10.1002/anie.200705557
– Total Synthesis of Salinamide A: A Potent Anti-Inflammatory Bicyclic Dipeptide (C) 3614–3617 [3670–3673]
DOI: 10.1002/anie.200800397
Ma, Dongge
– A Simple Carbazole/Oxadiazole Hybrid Molecule: An Excellent Bipolar Host for Green and Red Phosphorescent OLEDs (C) 8104–8107 [8224–8227]
DOI: 10.1002/anie.200803396
Ma, J. (C) 6821–6824 [6927–6930]
Ma, R.
– Topochemical Synthesis of Monometallic (Co²⁺–Co³⁺) Layered Double Hydroxide and Its Exfoliation into Positively Charged Co(OH)₂ Nanosheets (C) 86–89 [92–95]
DOI: 10.1002/anie.200703941
Ma, Shengming
– An Efficient Approach to Substituted 1,5,7,8,9-Pentahydrocyclopenta[*h*]-2-Benzopyran-3-one Derivatives by a Palladium-Catalyzed Tandem Reaction of 2,7-Alkadiynyl Carbonates with 2,3-Allenic Acids (C) 8255–8258 [8379–8382]
DOI: 10.1002/anie.200803424
– Highly Regio- and Stereoselective Double Michael Addition–Cyclization of 2,3-Allenates with Organozinc Compounds: Efficient Synthesis of 5-Benzylidenecyclohex-2-enones (C) 6045–6048 [6134–6137]
DOI: 10.1002/anie.200801497
– Metal-Catalyzed Enantioselective Allylation in Asymmetric Synthesis (R) 258–297 [264–303]
DOI: 10.1002/anie.200605113
– [Pd(PPh₃)₄]-Catalyzed Diastereoselective Synthesis of *trans*-1,2-Diazetidines from 2,3-Allenyl Hydrazines and Aryl Halides (C) 4581–4583 [4657–4659]
DOI: 10.1002/anie.200800364
Ma, Shengqian (C) 4130–4133 [4198–4201], 7263–7266 [7373–7376]
Ma, W.
– Visible-Light-Induced Aerobic Oxidation of Alcohols in a Coupled Photocatalytic System of Dye-Sensitized TiO₂ and TEMPO (C) 9730–9733 [9876–9879]
DOI: 10.1002/anie.200803630
Ma, Yanyun (C) 8901–8904 [9033–9036]
Ma, Ying (C) 7301–7305 [7411–7415], 8905–8908 [9037–9040]
Maan, J. C. (C) 4421–4424 [4493–4496]
Mabry, J. M.
– Fluorinated Polyhedral Oligomeric Silsesquioxanes (F-POSS) (C) 4137–4140 [4205–4208]
DOI: 10.1002/anie.200705355
McAlpin, J. G. (C) 2824–2827 [2866–2869]
McBurney, R. T. (C) 3381–3384 [3429–3432], 6999–7003 [7107–7111]
McCann, D. M. (C) 5179–5182 [5257–5260]
McCarty, L. S. (R) 2188–2207 [2218–2239]
Maccato, C. (C) 7275–7279 [7385–7389]
McCauley, J. A.
– Bismacrocyclic Inhibitors of Hepatitis C NS3/4a Protease (C) 9104–9107 [9244–9247]
DOI: 10.1002/anie.200803298
McCleskey, T. M.
– Three-Coordinate Ligand for Physiological Beryllium Imaging by Fluorescence (C) 7332–7334 [7442–7444]
DOI: 10.1002/anie.200801965
McCleskey, T. M. (C) 5768–5771 [5852–5855]
McCollum, B. M. (C) 9772–9774 [9918–9920]
McCormick, A. V. (C) 9096–9099 [9236–9239]
McCusker, L. B. (C) 4401–4405 [4473–4477]
McDonald, F. E.
– Mimicking Biosynthesis: Total Synthesis of the Triterpene Natural Product Abudinol B from a Squalene-like Precursor (C) 4377–4379 [4449–4451]
DOI: 10.1002/anie.200800749
McDonald, F. M.
– Regenerative Medicine and Stem Cell Based Drug Discovery (R) 5718–5738 [5802–5823]
DOI: 10.1002/anie.200700724
McDonald, R. (C) 4910–4913 [4988–4991]
McEleney, K. (C) 3279–3282 [3324–3328]
McGannon, C. M. (C) 1265–1268 [1285–1288]
McGarrigle, E. M. (C) 3784–3786 [3844–3846]
McGlacken, G. P.
– Formation of Carbanions Using Neutral Organic Molecules as Electron-Transfer Reagents: A Radical Concept (H) 1819–1823 [1843–1847]
DOI: 10.1002/anie.200704883
McGlone, T. (C) 6881–6884 [6987–6990]
McGrath, J. E. (C) 6019–6024 [6108–6113]
McGrath, M. J. (C) 6367–6370 [6467–6470]
McGrath, N. A. (C) 9450–9453 [9592–9595]
Machado, G. (C) 9075–9078 [9215–9218]
Machida, M. 9180–9185 [9320–9325]
Maciá, B. (C) 1317–1319 [1337–1339]
McInnes, E. J. L.
– Supertetrahedral and Bi-supertetrahedral Cages: Synthesis, Structures, and Magnetic Properties of Deca- and Enneadecametallic Cobalt(II) Clusters (C) 9695–9699 [9841–9845]
DOI: 10.1002/anie.200804147
McInnes, E. J. L. (C) 9681–9684 [9827–9830]
McIntyre, C. J. (C) 9104–9107 [9244–9247]
McKinnie, S. M. K. (C) 9472–9475 [9614–9617]
Macklin, T. K.
– Carbamoyl Translocations by an Anionic *ortho*-Fries and Cumulenolate α -Acylation Pathway: Regioselective Synthesis of Poly-substituted Chromone 3- and 8-Carb-oxamides (C) 2097–2101 [2127–2131]
DOI: 10.1002/anie.200704360
MacLachlan, M. J.
– Mesostructured Prussian Blue Analogues (C) 511–514 [521–524]
DOI: 10.1002/anie.200703627
McLain, S. E.
– Charge-Based Interactions between Peptides Observed as the Dominant Force for Association in Aqueous Solution (C) 9059–9062 [9199–9202]
DOI: 10.1002/anie.200802679
McMahon, S. A. (C) 7853–7856 [7971–7974]
MacMillan, D. W. C.
– Total Synthesis and Structural Revision of Callipeltoside C (C) 3568–3572 [3624–3628]
DOI: 10.1002/anie.200800086
McMurry, T. J. (C) 4918–4921 [4996–4999]
McPartlin, M. (C) 1111–1114 [1127–1130]
MacQuarrie, S. (C) 3279–3282 [3324–3328]
Maddaluno, J.
– Intramolecular Carbolithiation of Alkynes: *anti* Selectivity (C) 891–893 [905–907]
DOI: 10.1002/anie.200704139
Madden, M. M. (C) 2832–2835 [2874–2877]
Madsen, R. (C) 888–890 [902–904]
Maeda, M. (C) 8839–8842 [8971–8974]
Maeda, N. (C) 9256–9259 [9396–9399]
Maeda, S.
– Peristaltic Motion of Polymer Gels (C) 6690–6693 [6792–6795]
DOI: 10.1002/anie.200801347
Maeda, Y. (C) 1298–1300 [1318–1320], 7905–7908 [8023–8026], 8642–8645 [8770–8773]
Maegawa, T. (C) 5394–5397 [5474–5477]
Maesato, M. (C) 9883–9886 [10031–10034]
Maestri, G. (C) 3223–3226 [3267–3270]
Magner, E.
– Proteins in Mesoporous Silicates (R) 8582–8594 [8710–8723]
DOI: 10.1002/anie.200705238
Magull, J. (C) 5246–5249 [5324–5327]
Mahammed, A. (C) 7896–7900 [8014–8018]
Mahata, K. (H) 5284–5286 [5364–5366]
Mahesh, S. (C) 4691–4694 [4769–4772]
Maheshwari, S. (H) 4262–4263 [4332–4333]
Maheshwari, V. (R) 7808–7826 [7926–7945]
Mahler, M. (C) 1693–1697 [1717–1721]
Mahon, M. F. (C) 8482–8486 [8610–8614]
Maid, H. (R) 8794–8824 [8924–8956], (C) 8941–8945 [9073–9077]
Maier, J.
– Superior Storage Performance of a Si@SiO₂/C Nanocomposite as Anode Material for Lithium-Ion Batteries (C) 1645–1649 [1669–1673]
DOI: 10.1002/anie.200704287
Maier, J. (R) 3874–3894 [3936–3958]
Maillet, C. (C) 6674–6677 [6776–6779]
Maimone, T. J. (C) 3054–3056 [3097–3099]
Maishal, T. K. (C) 8654–8656 [8782–8784]
Maisonhaute, E.
– Electrochemically Driven Release of Pico-mole Amounts of Calcium Ions with Temporal and Spatial Resolution

- (C) 5211–5214 [5289–5292]
DOI: 10.1002/anie.200705274
- Maiti, D. (C) 82–85 [88–91]
- Maji, M. S. (C) 9547–9550 [9690–9692]
- Majima, T.
– Defect-Mediated Photoluminescence Dynamics of Eu³⁺-Doped TiO₂ Nanocrystals Revealed at the Single-Particle or Single-Aggregate Level
(C) 5348–5352 [5428–5432]
DOI: 10.1002/anie.200800528
- Makarczyk, P. (C) 6674–6677 [6776–6779]
- Mäkinen, A. (C) 7442–7445 [7552–7555]
- Makino, K. (C) 6438–6440 [6538–6540]
- Mal, P. (C) 8297–8301 [8421–8425]
- Mal, S. S. (C) 793–796 [805–808], (L) 9383–9384 [9523–9524]
- Malacria, M.
– The Role of Bent Acyclic Allene Gold Complexes in Axis-to-Center Chirality Transfers
(C) 7534–7538 [7644–7648]
DOI: 10.1002/anie.200802332
- Malacria, M. (C) 718–721 [730–733], 6865–6868 [6971–6974]
- Malakooti, R. (C) 3814–3817 [3874–3877]
- Malan, C. (C) 701–705 [713–717]
- Mallick, B. (C) 7635–7638 [7747–7750]
- Maltsas, P. (C) 3016–3020 [3058–3062], 3021–3025 [3063–3067]
- Malyshev, O. N. (C) 3262–3266 [3306–3310]
- Mamiya, J.-i. (C) 4986–4988 [5064–5066]
- Mammana, A. (C) 9879–9882 [10027–10030]
- Mancuso, J. (C) 1130–1133 [1146–1149]
- Mandal, P. (C) 7685–7688 [7799–7802]
- Mandal, S. (R) 4798–4828 [4876–4907]
- Mandal, T. (C) 7714–7717 [7828–7831]
- Manesh, K. M. (C) 9349–9351 [9489–9491]
- Manetto, A. (M) 8350–8358 [8478–8487]
- Manetto, S. (C) 1515–1518 [1538–1541]
- Mann, S.
– Emergent Hybrid Nanostructures Based on Non-Equilibrium Block Copolymer Self-Assembly
(C) 9476–9479 [9618–9621]
DOI: 10.1002/anie.200803231
- Life as a Nanoscale Phenomenon
(R) 5306–5320 [5386–5401]
DOI: 10.1002/anie.200705538
- Manners, I.
– Iridium-Catalyzed Dehydrocoupling of Primary Amine–Borane Adducts: A Route to High Molecular Weight Polyaminoboranes, Boron–Nitrogen Analogues of Polyolefins
(C) 6212–6215 [6308–6311]
DOI: 10.1002/anie.200801197
- Strained Metallocenophanes with Late Transition Metals in the Bridge: Syntheses and Structures of Nickel- and Platinum-Bridged [1]Ferrocenophanes
(C) 4354–4357 [4426–4429]
DOI: 10.1002/anie.200705672
- Synthesis and Lithographic Patterning of FePt Nanoparticles Using a Bimetallic Metallopolyyne Precursor
(C) 1255–1259 [1275–1279]
DOI: 10.1002/anie.200703199
- Manners, I. (C) 3826–3829 [3886–3889]
- Mannocci, L. (C) 3196–3201 [3240–3245]
- Mansoori, U. (C) 7685–7688 [7799–7802]
- Mantel, M. L. H. (C) 2668–2672 [2708–2712]
- Manthorpe, J. M. (C) 4335–4338 [4407–4410], 4339–4342 [4411–4414]
- Mantovani, G.
– Simultaneous Copper(I)-Catalyzed Azide–Alkyne Cycloaddition (CuAAC) and Living Radical Polymerization
(C) 4180–4183 [4248–4251]
DOI: 10.1002/anie.200800179
- Manukyan, A. K. (C) 6233–6235 [6329–6331]
- Manzenrieder, F. (C) 2608–2611 [2647–2651]
- Mao, L.
– A Simple Assay for Direct Colorimetric Visualization of Trinitrotoluene at Picomolar Levels Using Gold Nanoparticles
(C) 8601–8604 [8729–8732]
DOI: 10.1002/anie.200804066
- Marazano, C.
– Further Insight from Model Experiments into a Possible Scenario Concerning the Origin of Manzamine Alkaloids
(C) 5418–5421 [5498–5501]
DOI: 10.1002/anie.200800488
- Marciniak, B.
– Synthesis, Characterization, and Catalytic Activity of a Well-Defined Rhodium Siloxide Complex Immobilized on Silica
(C) 541–544 [551–554]
DOI: 10.1002/anie.200704362
- Marcos, V. (C) 6836–6839 [6942–6945], 7941–7944 [8059–8062]
- Marcoux, D. (C) 10155–10158 [10309–10312]
- Marcus, A. P. (C) 6379–6383 [6479–6483]
- Marder, T. B.
– B–N versus C–C: How Similar Are They? (H) 242–244 [248–250]
DOI: 10.1002/anie.200703535
- Marek, I. Corrigendum: 1982
- Marek, I.
– Convergent Preparation of Enantiomerically Pure Polyalkylated Cyclopropane Derivatives
(C) 6865–6868 [6971–6974]
DOI: 10.1002/anie.200802093
- Maria, J. (C) 5013–5017 [5091–5095]
- Marigo, M.
– Asymmetric Aminocatalysis—Gold Rush in Organic Chemistry
(R) 6138–6171 [6232–6265]
DOI: 10.1002/anie.200705523
- Marion, N. (C) 718–721 [730–733]
- Marion, O. (C) 2876–2879 [2918–2921]
- Markert, T. (C) 3821–3825 [3881–3885]
- Märki, M. (C) 4512–4515 [4588–4591]
- Markle, T. F. (C) 738–740 [750–752]
- Markovich, G.
– Plasmon-Resonance-Enhanced Absorption and Circular Dichroism
(C) 4855–4857 [4933–4935]
DOI: 10.1002/anie.200800231
- Marks, T. J.
– Versatile Pathways for In Situ Polyolefin Functionalization with Heteroatoms: Catalytic Chain Transfer
(R) 2006–2025 [2034–2054]
DOI: 10.1002/anie.200703310
- Maron, L.
– Lanthanum Does Form Stable Molecular Compounds in the +2 Oxidation State
(C) 1488–1491 [1510–1513]
DOI: 10.1002/anie.200704887
- Metallaboratranes Derived from a Triphosphanyl–Borane: Intrinsic C₃ Symmetry Supported by a Z-Type Ligand
(C) 1481–1484 [1503–1506]
DOI: 10.1002/anie.200705024
- Marques Fernandes, M. (C) 5846–5850 [5930–5934]
- Marquez, M. (C) 9648–9652 [9794–9798]
- Marsden, C. J. (C) 5366–5370 [5446–5450]
- Marsella, M. (C) 8442–8445 [8570–8573]
- Marshall, A. G. (C) 2796–2799 [2838–2841]
- Martens, A. A. (C) 4192–4195 [4260–4263]
- Martin, B. (C) 4740–4743 [4818–4821]
- Martín, N.
– Sc₃N@C₈₀-Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications
(C) 4173–4176 [4241–4244]
DOI: 10.1002/anie.200800473
- Self-Organization of Electroactive Materials: A Head-to-Tail Donor–Acceptor Supramolecular Polymer
(C) 1094–1097 [1110–1113]
DOI: 10.1002/anie.200703049
- Martínez, J. I. (C) 4683–4686 [4761–4764]
- Martínez, V. (C) 6433–6437 [6533–6537]
- Martínez-Huitle, C. A.
– Electrochemical Alternatives for Drinking Water Disinfection
(M) 1998–2005 [2024–2032]
DOI: 10.1002/anie.200703621
- Martinho, M. (C) 7064–7067 [7172–7175], 8068–8071 [8188–8191]
- Martyn, L. J. P. (C) 7009–7012 [7117–7120]
- Martynova, I. M. (C) 6624–6628 [6726–6730]
- Maruoka, K.
– Binaphthyl-Modified Quaternary Phosphonium Salts as Chiral Phase-Transfer Catalysts: Asymmetric Amination of β -Keto Esters
(C) 9466–9468 [9608–9610]
DOI: 10.1002/anie.200804140
- Complete Switch of Migratory Aptitude in Aluminum-Catalyzed 1,2-Rearrangement of Differently α,α -Disubstituted α -Siloxy Aldehydes
(C) 5203–5206 [5281–5284]
DOI: 10.1002/anie.200800801
- Maruyama, A. (C) 3787–3790 [3847–3850]
- Maruyama, J. (C) 6590–6593 [6692–6695]
- Marx, A.
– Enzymatic Synthesis of Multiple Spin-Labeled DNA
(C) 6782–6785 [6886–6890]
DOI: 10.1002/anie.200802314
- Mas-Ballester, R. (C) 1896–1899 [1922–1925]
- Mas-Marza, E. (C) 5830–5832 [5914–5916]
- Masarwa, A. Corrigendum: 1982
- Mascal, M.
– Direct, High-Yield Conversion of Cellulose into Biofuel
(C) 7924–7926 [8042–8044]
DOI: 10.1002/anie.200801594
- Mascareñas, J. L.
– Platinum-Catalyzed Intramolecular [4C + 3C] Cycloaddition between Dienes and Allenes
(C) 951–954 [965–968]
DOI: 10.1002/anie.200704566
- Masel, R. I. (C) 5018–5021 [5096–5099]
- Maseras, F.
– Practical Implications of Boron-to-Zinc Transmetalation for the Catalytic Asymmetric Arylation of Aldehydes
(C) 1098–1101 [1114–1117]
DOI: 10.1002/anie.200703103

- Mash, E. A. (C) 1685–1688 [1709–1712]
Masiero, S.
– The Direct Conversion of Light into Continuous Mechanical Energy by Photoreversible Self-Assembly: A Prototype of a Light-Powered Engine
(C) 3184–3187 [3228–3231]
DOI: 10.1002/anie.200705313
- Mason, C. B. (C) 9717–9721 [9863–9867]
Maspoch, D. (C) 1857–1860 [1883–1886]
Massi, A.
– Asymmetric Organocatalysis: From Infancy to Adolescence
(R) 4638–4660 [4716–4739]
DOI: 10.1002/anie.200704684
- Masson, G.
– Synthesis of α -Ketoamides by a Molecular-Sieves-Promoted Formal Oxidative Coupling of Aliphatic Aldehydes with Isocyanides
(C) 947–950 [961–964]
DOI: 10.1002/anie.200704840
- Mastalerz, M.
– The Next Generation of Shape-Persistent Zeolite Analogues: Covalent Organic Frameworks
(H) 445–447 [453–455]
DOI: 10.1002/anie.200703871
- Masui, R. (C) 4012–4015 [4076–4079]
Masuyama, T. (C) 102–105 [108–111]
Matena, M. (C) 2414–2417 [2448–2451], 7726–7730 [7840–7844]
Mathevet, F. (C) 8412–8415 [8540–8543]
Mathis, G. (C) 735–737 [747–749]
Matile, S.
– Metal–Organic Scaffolds: Heavy-Metal Approaches to Synthetic Ion Channels and Pores
(H) 9603–9607 [9745–9749]
DOI: 10.1002/anie.200803300
- Rigid Oligoperylenedimide Rods: Anion– π Slides with Photosynthetic Activity
(C) 921–923 [935–937]
DOI: 10.1002/anie.200703749
- Zipper Assembly of Vectorial Rigid-Rod π -Stack Architectures with Red and Blue Naphthalenediimides: Toward Supramolecular Cascade n/p-Heterojunctions
(C) 3727–3729 [3787–3789]
DOI: 10.1002/anie.200800203
- Matković-Čalogović, D. (C) 7022–7025 [7130–7133]
Matsubara, K. (C) 10195–10198 [10349–10352]
Matsubara, R. (C) 8093–8095 [8213–8215]
Matsuda, T. (C) 6885–6887 [6991–6993]
Matsuda, Y. (C) 6008–6010 [6097–6099]
Matsui, H.
– Label-Free Pathogen Detection with Sensor Chips Assembled from Peptide Nanotubes
(C) 9752–9755 [9898–9901]
DOI: 10.1002/anie.200804299
- Urease as a Nanoreactor for Growing Crystalline ZnO Nanoshells at Room Temperature
(C) 5415–5417 [5495–5497]
DOI: 10.1002/anie.200801181
- Matsui, Y. (C) 2493–2496 [2527–2530]
Matsumoto, Kazuhiro (C) 10195–10198 [10349–10352]
Matsumoto, Kouichi (C) 2506–2508 [2540–2542]
Matsumoto, S. i. (C) 9303–9306 [9443–9446]
Matsumoto, T. (C) 1913–1915 [1939–1941]
Matsumoto, Y. (C) 2480–2483 [2514–2517]
Matsunaga, S.
– A Heterobimetallic Pd/La/Schiff Base Complex for *anti*-Selective Catalytic Asymmetric Nitroaldol Reactions and Applications to Short Syntheses of β -Adrenoceptor Agonists
(C) 3230–3233 [3274–3277]
DOI: 10.1002/anie.200705617
- Chiral γ -Amino Amide Synthesis by Heterobimetallic Lanthanum/Lithium/Pybox-Catalyzed Direct Asymmetric Mannich-Type Reactions of α -Keto Anilides
(C) 6847–6850 [6953–6956]
DOI: 10.1002/anie.200801564
- Lewis Base Assisted Brønsted Base Catalysis: Bidentate Phosphine Oxides as Activators and Modulators of Brønsted Basic Lanthanum–Aryloxides
(C) 9125–9129 [9265–9269]
DOI: 10.1002/anie.200803682
- Matsuoka, S. (C) 8611–8614 [8739–8742]
Matsuoka, Y. (C) 8241–8245 [8365–8369]
Matsuzawa, H. (C) 3781–3783 [3841–3843]
Matzger, A. J.
– A Crystalline Mesoporous Coordination Copolymer with High Microporosity
(C) 677–680 [689–692]
DOI: 10.1002/anie.200705020
- Mauduit, M. (C) 9122–9124 [9262–9264]
Maue, M. (C) 3578–3580 [3634–3636]
Maugel, N. (C) 4882–4886 [4960–4964], 5215–5219 [5293–5297]
Maul, M. J. (C) 10076–10080 [10230–10234]
Maurin, G.
– Molecular Dynamics Simulations of Breathing MOFs: Structural Transformations of MIL-53(Cr) upon Thermal Activation and CO₂ Adsorption
(C) 8487–8491 [8615–8619]
DOI: 10.1002/anie.200803067
- Quasi-Elastic Neutron Scattering and Molecular Dynamics Study of Methane Diffusion in Metal Organic Frameworks MIL-47(V) and MIL-53(Cr)
(C) 6611–6615 [6713–6717]
DOI: 10.1002/anie.200801748
- Maurin, M. (C) 573–576 [583–586]
Maury, O.
– Protein Crystallography through Supramolecular Interactions between a Lanthanide Complex and Arginine
(C) 3388–3391 [3436–3439]
DOI: 10.1002/anie.200704683
- Mavrikakis, M.
– Nanocatalysis Beyond the Gold-Rush Era
(H) 7390–7392 [7500–7502]
DOI: 10.1002/anie.200802592
- May, A. E. (C) 9743–9746 [9889–9892]
May, T. L. (C) 7358–7362 [7468–7472]
Maya, C. (C) 4380–4383 [4452–4455]
Mayer, G.
– Enrichment of Cell-Targeting and Population-Specific Aptamers by Fluorescence-Activated Cell Sorting
(C) 5190–5193 [5268–5271]
DOI: 10.1002/anie.200800216
- Mayer, G. (C) 971–973 [985–987]
Mayer, J. M.
– Concerted Proton–Electron Transfer in Pyridylphenols: The Importance of the Hydrogen Bond
(C) 738–740 [750–752]
DOI: 10.1002/anie.200702486
- Mayor, M.
– Light-Powered Electrical Switch Based on Cargo-Lifting Azobenzene Monolayers
(C) 3407–3409 [3455–3457]
DOI: 10.1002/anie.200705339
- Matter-Wave Metrology as a Complementary Tool for Mass Spectrometry
(C) 6195–6198 [6290–6293]
DOI: 10.1002/anie.200801942
- Mayr, H.
– “Carbocation Watching” in Solvolysis Reactions
(C) 3958–3961 [4022–4025]
DOI: 10.1002/anie.200800354
- Electrophilic Reactivities of α,β -Unsaturated Iminium Ions
(C) 8723–8726 [8851–8854]
DOI: 10.1002/anie.200802889
- Relative Rates of Bromine–Magnesium Exchange Reactions in Substituted Bromobenzene Derivatives
(C) 202–204 [208–210]
DOI: 10.1002/anie.200704100
- Mazac, K. (C) 8950–8953 [9083–9086]
Mazet, C. (C) 1762–1765 [1786–1789]
Mazzanti, A. (C) 8703–8706 [8831–8834], 8707–8710 [8835–8838]
Mazzanti, M.
– A Nitrido-Centered Uranium Azido Cluster Obtained from a Uranium Azide
(C) 3040–3042 [3082–3084]
DOI: 10.1002/anie.200705742
- Mazzolini, J. (C) 9311–9313 [9451–9453]
Mealli, C.
– S₂²⁻ Rings, Disulfides, and Sulfides in Transition-Metal Complexes: The Subtle Interplay of Oxidation and Structure
(C) 2864–2868 [2906–2910]
DOI: 10.1002/anie.200705296
- Mecking, S.
– Coordination Copolymerization of Polar Vinyl Monomers H₂C=CHX
(H) 2538–2542 [2572–2576]
DOI: 10.1002/anie.200704642
- Crystalline Polymer Ultrathin Films from Mesoscopic Precursors
(C) 4509–4511 [4585–4587]
DOI: 10.1002/anie.200801028
- Meekes, H. (C) 6445–6447 [6545–6547], 7226–7229 [7336–7339]
Mehdi, A. (C) 8654–8656 [8782–8784]
Mehrkhodavandi, P.
– A Highly Active Chiral Indium Catalyst for Living Lactide Polymerization
(C) 2290–2293 [2322–2325]
DOI: 10.1002/anie.200705033
- Mei, T.-S. (C) 5215–5219 [5293–5297], 6452–6455 [6552–6555]
Meier, B. H.
– Infectious and Noninfectious Amyloids of the HET-s(218–289) Prion Have Different NMR Spectra
(C) 5839–5841 [5923–5925]
DOI: 10.1002/anie.200704896
- One- and Two-Dimensional NMR Spectroscopy with a Magnetic-Resonance Force Microscope
(C) 8961–8963 [9096–9098]
DOI: 10.1002/anie.200802978
- Polymorphism in an Amyloid-Like Fibril-Forming Model Peptide
(C) 5842–5845 [5926–5929]
DOI: 10.1002/anie.200800021
- Meier, B. H. (C) 5851–5854 [5935–5938]

- Meier, Chris
- Bioreversible Protection of Nucleoside Diphosphates (C) 8719–8722 [8847–8850] DOI: 10.1002/anie.200803100
 - Efficient Synthesis of Nucleoside Diphosphate Glycopyranoses (C) 1500–1502 [1523–1525] DOI: 10.1002/anie.200703237
- Meier, Christoph (C) 3821–3825 [3881–3885]
- Meier, M. (E) 3322–3328 [3368–3374]
- Meijer, E. W.
- Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface (C) 4997–5001 [5075–5079] DOI: 10.1002/anie.200800255
- Meitl, M. A. (R) 5524–5542 [5606–5624]
- Melançon III, C. E. (R) 9814–9859 [9960–10007]
- Melander, C.
- Construction and Screening of a 2-Aminoimidazole Library Identifies a Small Molecule Capable of Inhibiting and Dispersing Bacterial Biofilms across Order, Class, and Phylum (C) 5229–5231 [5307–5309] DOI: 10.1002/anie.200800862
- Melchiorre, P.
- Aminocatalytic Enantioselective *anti*-Mannich Reaction of Aldehydes with In Situ Generated *N*-Cbz and *N*-Boc Imines (C) 8700–8702 [8828–8830] DOI: 10.1002/anie.200803819
 - Asymmetric Aminocatalysis—Gold Rush in Organic Chemistry (R) 6138–6171 [6232–6265] DOI: 10.1002/anie.200705523
 - Organocatalytic Asymmetric Aziridination of Enones (C) 8703–8706 [8831–8834] DOI: 10.1002/anie.200803647
 - Proline-Catalyzed Asymmetric Formal α -Alkylation of Aldehydes via Vinyllogous Iminium Ion Intermediates Generated from Arylsulfonyl Indoles (C) 8707–8710 [8835–8838] DOI: 10.1002/anie.200803947
- Meldrum, T. (C) 4316–4320 [4388–4392]
- Melkko, S. (C) 3196–3201 [3240–3245]
- Mellot-Draznieks, C. (C) 8487–8491 [8615–8619], 8634–8637 [8762–8765]
- Melnikov, A. S. (C) 3942–3945 [4006–4009]
- Meltzer, M. (C) 1332–1334 [1352–1355]
- Menard, E. (R) 5524–5542 [5606–5624]
- Menard, F. (C) 2085–2088 [2115–2118]
- Menche, D. (C) 3722–3726 [3782–3786]
- Mendichi, R. (C) 4504–4508 [4580–4584]
- Mendoza, A. (C) 7044–7047 [7152–7155]
- Mendoza, E. (C) 9752–9755 [9898–9901]
- Meng, G.
- Converting Free-Standing Porous Silicon into Related Porous Membranes (C) 365–367 [371–373] DOI: 10.1002/anie.200703698
- Menner, A. (C) 8277–8279 [8401–8403]
- Menninger, S. (C) 6473–6477 [6573–6577]
- Mensinger, Z. L. (C) 9484–9486 [9626–9628]
- Menzel, K.-D. (C) 3995–3998 [4059–4062]
- Mercy, M. (C) 1481–1484 [1503–1506]
- Merdanovic, M. (C) 1332–1334 [1352–1355]
- Mereiter, K. (C) 9142–9145 [9282–9285]
- Mergny, J.-L.
- A Metal-Mediated Conformational Switch Controls G-Quadruplex Binding Affinity (C) 4858–4861 [4936–4939] DOI: 10.1002/anie.200800468
- Merino, E. (C) 3046–3049 [3089–3092]
- Merkle, R.
- How Is Oxygen Incorporated into Oxides? A Comprehensive Kinetic Study of a Simple Solid-State Reaction with SrTiO₃ as a Model Material (R) 3874–3894 [3936–3958] DOI: 10.1002/anie.200700987
- Merrill, W. A. (C) 9115–9117 [9255–9257]
- Metgé, G. (C) 8412–8415 [8540–8543]
- Metrangolo, P.
- Halogen Bonding in Supramolecular Chemistry (M) 6114–6127 [6206–6220] DOI: 10.1002/anie.200800128
- Metz, N. (C) 4748–4752 [4826–4830]
- Metzler-Nolte, N.
- Cellular Uptake Quantification of Metalated Peptide and Peptide Nucleic Acid Bioconjugates by Atomic Absorption Spectroscopy (C) 955–959 [969–973] DOI: 10.1002/anie.200703994
- Meudal, H. (C) 4370–4372 [4442–4444]
- Meudtner, R. M. (C) 4926–4930 [5004–5008]
- Meunier, V. (C) 520–524 [530–534], 2948–2953 [2990–2995]
- Meyer, Franc
- A Synthetic Analogue of Rieske-Type [2Fe-2S] Clusters (C) 9537–9541 [9680–9684] DOI: 10.1002/anie.200803418
- Meyer, Franck (M) 6114–6127 [6206–6220]
- Meyer, G.
- Superbulky Ligands and Trapped Electrons: New Perspectives in Divalent Lanthanide Chemistry (H) 4962–4964 [5040–5042] DOI: 10.1002/anie.200801444
- Meyer, H.-J.
- Multilateral Solid-State Metathesis Reactions for the Preparation of Materials with Heteroanions: The [Si(CN₂)₄]⁴⁺ Ion (C) 7547–7550 [7658–7661] DOI: 10.1002/anie.200801784
- Meyer, K.
- An Iron Nitride Complex (C) 2681–2684 [2721–2724] DOI: 10.1002/anie.200800600
- Meyer, R. (C) 2135–2137 [2165–2168]
- Meyer, T. J.
- Observation of Three Intervalence-Transfer Bands for a Class II–III Mixed-Valence Complex of Ruthenium (C) 503–506 [513–516] DOI: 10.1002/anie.200702760
- Meyers, S. T. (C) 9484–9486 [9626–9628]
- Mi, Y.
- Capture and Release of Protein by a Reversible DNA-Induced Sol–Gel Transition System (C) 331–333 [337–339] DOI: 10.1002/anie.200704143
 - Total Synthesis of Callystatin A by Titanium-Mediated Reductive Alkyne–Alkyne Cross-Coupling (C) 7837–7840 [7955–7958] DOI: 10.1002/anie.200803031
- Total Synthesis of Macbecin I (C) 4005–4008 [4069–4072] DOI: 10.1002/anie.200800400
- Michael, F. E. (C) 6073–6076 [6162–6165]
- Michalik, D. (C) 6465–6468 [6565–6568]
- Michel, H. (C) 1668–1671 [1692–1695]
- Michelet, V.
- Cycloisomerization of 1,*n*-Enynes: Challenging Metal-Catalyzed Rearrangements and Mechanistic Insights (R) 4268–4315 [4338–4386] DOI: 10.1002/anie.200701589
- Micura, R. (C) 4110–4113 [4178–4181]
- Midori, M. (C) 6244–6246 [6340–6342]
- Mier, W. (C) 955–959 [969–973]
- Mifsud, M. (C) 9542–9546 [9685–9689]
- Migliori, A. (C) 3814–3817 [3874–3877]
- Migoni, D. (C) 507–510 [517–520]
- Miguel, Daniel (C) 1920–1922 [1946–1948]
- Miguel, Delia (C) 7354–7357 [7464–7467]
- Mihailova, B. (C) 8650–8653 [8778–8781]
- Mihalcik, D. J. (C) 6229–6232 [6325–6328]
- Mihov, G. (C) 3372–3375 [3420–3423]
- Mihovilovic, M. D.
- Self-Sufficient Baeyer–Villiger Monooxygenases: Effective Coenzyme Regeneration for Biooxygenation by Fusion Engineering (C) 2275–2278 [2307–2310] DOI: 10.1002/anie.200704630
- Mikami, N. (C) 6008–6010 [6097–6099]
- Mikami, Y. (C) 138–141 [144–147]
- Milczek, E. (C) 6825–6828 [6931–6934]
- Milios, C. J. (C) 2828–2831 [2870–2873]
- Milita, S. (C) 8596–8600 [8724–8728]
- Millange, F.
- Structural Effects of Solvents on the Breathing of Metal–Organic Frameworks: An In Situ Diffraction Study (C) 4100–4105 [4168–4173] DOI: 10.1002/anie.200705607
- Millemaggi, A. (C) 6445–6447 [6545–6547]
- Miller, J. J. (C) 771–774 [783–786]
- Miller, K. A. (C) 589–592 [599–602], 5075–5078 [5153–5156]
- Miller, P. W.
- Synthesis of ¹¹C, ¹⁸F, ¹⁵O, and ¹³N Radio-labels for Positron Emission Tomography (R) 8998–9033 [9136–9172] DOI: 10.1002/anie.200800222
- Miller, S. J.
- Functional Analysis of an Aspartate-Based Epoxidation Catalyst with Amide-to-Alkene Peptidomimetic Catalyst Analogues (C) 6707–6711 [6809–6813] DOI: 10.1002/anie.200802223
- Miller, Y. (C) 6272–6274 [6368–6370]
- Miller II, A. L. (C) 935–939 [949–953]
- Millet, P. (C) 9948–9950 [10096–10098]
- Milne, B. F. (C) 8090–8092 [8210–8212]
- Miloradovic, I. (C) 2978–2981 [3020–3023]
- Milroy, D. (C) 9274–9278 [9414–9418]
- Milsmann, C. (C) 7110–7113 [7218–7221]
- Milstein, D.
- A Pincer-Type Anionic Platinum(0) Complex (C) 3603–3606 [3659–3662] DOI: 10.1002/anie.200705927
 - Selective Synthesis of Primary Amines Directly from Alcohols and Ammonia (C) 8661–8664 [8789–8792] DOI: 10.1002/anie.200803229
- Min, J. J. (C) 5362–5365 [5442–5445]
- Min, J. K. (C) 7306–7309 [7416–7419]

- Minamitsuji, Y. (C) 3787–3790 [3847–3850]
Minato, D. (C) 9458–9461 [9600–9603]
Mindiola, D. J.
– A Transient V^{III} -Alkylidene Complex: Oxidation Chemistry Including the Activation of N_2 to Afford a Highly Porous Honeycomb-Like Framework (C) 3769–3772 [3829–3832]
DOI: 10.1002/anie.200705931
– Early Transition-Metal Hydrazido Complexes: Masked Metallanitrenes from N–N Bond Scission (H) 1557–1559 [1580–1583]
DOI: 10.1002/anie.200704987
– Evidence for the Existence of a Terminal Imidoscandium Compound: Intermolecular C–H Activation and Complexation Reactions with the Transient $Sc=NAr$ Species (C) 8502–8505 [8630–8633]
DOI: 10.1002/anie.200803325
Ming, T. (C) 9685–9690 [9831–9836]
Mínguez Espallargas, G. (C) 1693–1697 [1717–1721]
Minnaard, A. J.
– Catalytic Enantioselective 1,6-Conjugate Addition of Grignard Reagents to Linear Dienoates (C) 398–401 [404–407]
DOI: 10.1002/anie.200703702
Minnaard, A. J. (C) 1317–1319 [1337–1339]
Minozzi, M.
– Approach to Spirocyclohexadienimines and Corresponding Dienones through Radical *ipso* Cyclization onto Aromatic Azides (C) 9439–9442 [9581–9584]
DOI: 10.1002/anie.200804333
Miqueu, K. (C) 3552–3555 [3608–3611], 8674–8677 [8802–8805]
Miranda, O. R. (C) 2590–2594 [2628–2632]
Miras, H. N. (C) 5609–5612 [5691–5694], 6881–6884 [6987–6990], 8420–8423 [8548–8551]
Miravet, J. F. (R) 8002–8018 [8122–8139]
Mirkin, C. A.
– Spectroscopically Enhancing Electrical Nanotraps (C) 1938–1941 [1964–1967]
DOI: 10.1002/anie.200705312
– Topographically Flat, Chemically Patterned PDMS Stamps Made by Dip-Pen Nanolithography (C) 9951–9954 [10099–10102]
DOI: 10.1002/anie.200803834
Misawa, A. (C) 8241–8245 [8365–8369]
Mišek, J. (C) 3188–3191 [3232–3235]
Miserque, F. (C) 9542–9546 [9685–9689]
Mishra, A. (C) 2986–2989 [3028–3031]
Mishra, R. (C) 4679–4682 [4757–4760], (H) 6518–6521 [6618–6621]
Mitchell, N. (C) 5565–5568 [5647–5650]
Mitchell, S. G. (C) 6881–6884 [6987–6990]
Mitchell, T. A. (C) 5026–5029 [5104–5107]
Mitoraj, D. (C) 9975–9978 [10123–10126]
Mitsudome, T. (C) 138–141 [144–147], 7938–7940 [8056–8058]
Miura, J. (C) 6418–6421 [6518–6521]
Miura, M.
– Fluorescent Naphthyl- and Anthrylazo-les from the Catalytic Coupling of Phenylazoles with Internal Alkynes through the Cleavage of Multiple C–H Bonds (C) 4019–4022 [4083–4086]
DOI: 10.1002/anie.200800924
Miyabe, H. (C) 5600–5604 [5682–5686]
Miyaji, K. (C) 10195–10198 [10349–10352]
Miyake, Y. (C) 3781–3783 [3841–3843]
Miyako, E.
– Carbon Nanotube–Polymer Composite for Light-Driven Microthermal Control (C) 3610–3613 [3666–3669]
DOI: 10.1002/anie.200800296
Miyamura, H. (C) 8093–8095 [8213–8215]
Miyasaka, H.
– An Electron-Transfer Ferromagnet with $T_c = 107$ K Based on a Three-Dimensional $[Ru_2]_2/TCNQ$ System (C) 7760–7763 [7874–7877]
DOI: 10.1002/anie.200802574
Miyashita, M.
– Palladium-Catalyzed Stereospecific Substitution of α,β -Unsaturated γ,δ -Epoxy Esters by Alcohols with Double Inversion of Configuration: Synthesis of 4-Alkoxy-5-hydroxy-2-pentenoates (C) 750–754 [762–766]
DOI: 10.1002/anie.200703889
Miyata, K. (C) 5163–5166 [5241–5244]
Miyata, O. (C) 5600–5604 [5682–5686]
Miyatake, K. (C) 2792–2795 [2834–2837]
Miyatake, R. (C) 7289–7292 [7399–7402]
Miyachi, M.
– Nanoporous-Walled Tungsten Oxide Nanotubes as Highly Active Visible-Light-Driven Photocatalysts (C) 7051–7055 [7159–7163]
DOI: 10.1002/anie.200802207
Miyaura, N.
– Cyclic Triolborates: Air- and Water-Stable Ate Complexes of Organoboronic Acids (C) 928–931 [942–945]
DOI: 10.1002/anie.200704162
Miyazaki, K. (C) 8611–8614 [8739–8742]
Miyazaki, S. (C) 9669–9672 [9815–9818]
Miyoshi, D. (C) 9034–9038 [9174–9178]
Mizorogi, N. (C) 7905–7908 [8023–8026], 8642–8645 [8770–8773]
Mizugaki, T. (C) 138–141 [144–147], 7938–7940 [8056–8058]
Mizuma, H. (C) 102–105 [108–111]
Mizumura, M. (C) 5378–5381 [5458–5461]
Mizuno, N.
– Efficient Oxidative Alkyne Homocoupling Catalyzed by a Monomeric Dicopper-Substituted Silicotungstate (C) 2407–2410 [2441–2444]
DOI: 10.1002/anie.200705126
– Heterogeneously Catalyzed Efficient Oxygenation of Primary Amines to Amides by a Supported Ruthenium Hydroxide Catalyst (C) 9249–9251 [9389–9391]
DOI: 10.1002/anie.200802464
Mizuse, K. (C) 6008–6010 [6097–6099]
Mizuta, S. (C) 8051–8054 [8171–8174]
Mizutani, Y. (C) 5772–5776 [5856–5860]
Mochida, K. (C) 9760–9764 [9906–9910]
Mockus, N. V. (C) 1458–1461 [1480–1483]
Moessner, C. (C) 3016–3020 [3058–3062], 3021–3025 [3063–3067]
Moggach, S. (C) 2828–2831 [2870–2873]
Mohammed, O. F. (C) 9044–9048 [9184–9188]
Mohri, S. (C) 7673–7676 [7787–7790]
Möhlwald, H. (C) 320–323 [326–329], 3000–3003 [3042–3045]
Moitessier, N.
– Toward a Computational Tool Predicting the Stereochemical Outcome of Asymmetric Reactions: Development and Application of a Rapid and Accurate Program Based on Organic Principles (C) 2635–2638 [2675–2678]
DOI: 10.1002/anie.200704774
Mojović, M. (C) 8735–8739 [8863–8867]
Mokari, T. (C) 5605–5608 [5687–5690]
Mola, J. (C) 5830–5832 [5914–5916]
Molev, G. (C) 4343–4345 [4415–4417]
Molev, V. (C) 4343–4345 [4415–4417]
Molins, E. (C) 3348–3351 [3396–3399]
Molinski, T. F.
– (+)-Zwittermicin A: Assignment of its Complete Configuration by Total Synthesis of the Enantiomer and Implication of D-Serine in its Biosynthesis (C) 8086–8089 [8206–8209]
DOI: 10.1002/anie.200801561
Molnar, F. (C) 3458–3460 [3508–3510]
Molnár, G. (C) 8236–8240 [8360–8364]
Molvinger, K. (C) 8236–8240 [8360–8364]
Momiya, N. (C) 4122–4125 [4190–4193]
Monari, M. (C) 8075–8078 [8195–8198]
Monchaud, D. (C) 4858–4861 [4936–4939]
Mondal, D. (C) 7511–7514 [7621–7624]
Monecke, P. (C) 7736–7740 [7850–7854]
Monguchi, Y. (C) 5394–5397 [5474–5477]
Moniatte, M. (C) 7857–7860 [7975–7978]
Monnier, F.
– Catalytic C–C, C–N, and C–O Ullmann-Type Coupling Reactions: Copper Makes a Difference (H) 3096–3099 [3140–3143]
DOI: 10.1002/anie.200703209
Mönnikes, R. (C) 9989–9992 [10138–10142]
Mönninghoff, S. (C) 3626–3630 [3682–3686]
Monteagudo, S. (C) 7941–7944 [8059–8062]
Montero, A. (C) 185–189 [191–195]
Moon, H. R. (C) 7741–7745 [7855–7859], 8390–8393 [8518–8521]
Moon, S.-J. (C) 1749–1752 [1773–1776]
Moon, W. K.
– Multifunctional Uniform Nanoparticles Composed of a Magnetite Nanocrystal Core and a Mesoporous Silica Shell for Magnetic Resonance and Fluorescence Imaging and for Drug Delivery (C) 8438–8441 [8566–8569]
DOI: 10.1002/anie.200802469
Moore, B. S.
– Extending the Biosynthetic Repertoire in Ribosomal Peptide Assembly (H) 9386–9388 [9526–9528]
DOI: 10.1002/anie.200803868
– Mutasynthesis of Fluorosilinosporamide, a Potent and Reversible Inhibitor of the Proteasome (C) 3936–3938 [4000–4002]
DOI: 10.1002/anie.200800177
Moore, E. G. (C) 9500–9503 [9642–9645]
Moran, J. (C) 1410–1413 [1432–1435]
Moran, W. J. (C) 3234–3237 [3278–3281]
Morency, L. (C) 5030–5033 [5108–5111]
Moreno-Flores, S. (C) 4707–4710 [4785–4788]
Moreno Oliva, M. (C) 1443–1446 [1465–1468]
Moreth, S. A. (C) 593–596 [603–606]
Morey, J. V. (C) 1111–1114 [1127–1130]
Morgan, B. J. (C) 6877–6880 [6983–6986]
Morgan, J. R. (C) 173–176 [179–182]
Morgon, N. H. (C) 151–154 [157–160]
Mori, H. (C) 7938–7940 [8056–8058]
Mori, L. (C) 9734–9738 [9880–9884]
Mori, Shigeki (C) 681–684 [693–696]

- Mori, Shigeo (C) 7032–7035 [7140–7143]
Mori, Y.
– Regioselective Aliphatic Retro-[1,4]-Brook Rearrangements (C) 1091–1093 Corrigendum: 1982 [1107–1109 Corrigendum: 2008] DOI: 10.1002/anie.200702539
Moriarty, M. M. (C) 303–306 [309–312]
Morikawa, M.-a. (C) 106–108 [112–114]
Morikawa, Y. (C) 7673–7676 [7787–7790]
Morimoto, H. (C) 6847–6850 [6953–6956], 9125–9129 [9265–9269]
Morimoto, K. (C) 1301–1304 [1321–1324]
Morimoto, R. (C) 5371–5373 [5451–5453]
Morimoto, T. (C) 4563–4567 [4639–4643]
Morita, H. (C) 1298–1300 [1318–1320]
Morita, N. (C) 6418–6421 [6518–6521]
Morita, U. (C) 3426–3429 [3474–3477]
Morita, Y.
– Curved Aromaticity of a Corannulene-Based Neutral Radical: Crystal Structure and 3D Unbalanced Delocalization of Spin (C) 2035–2038 [2065–2068] DOI: 10.1002/anie.200704752
Morita, Y. (C) 3988–3990 [4052–4054]
Moroder, L.
– Conformational Properties of 4-Mercaptoproline and Related Derivatives (C) 2143–2146 [2174–2177] DOI: 10.1002/anie.200704310
Morris, D. E.
– Mixed Valency in a Uranium Multimetallic Complex (C) 2993–2996 [3035–3038] DOI: 10.1002/anie.200705781
Morris, R. E.
– Gas Storage in Nanoporous Materials (R) 4966–4981 [5044–5059] DOI: 10.1002/anie.200703934
– Ionic Liquids and Microwaves—Making Zeolites for Emerging Applications (H) 442–444 [450–452] DOI: 10.1002/anie.200704888
Morris, R. H.
– Highly Efficient Catalyst Systems Using Iron Complexes with a Tetradentate PNNP Ligand for the Asymmetric Hydrogenation of Polar Bonds (C) 940–943 [954–957] DOI: 10.1002/anie.200705115
Morrison, A. J. (C) 7099–7102 [7207–7210]
Morse, D. L. (C) 1685–1688 [1709–1712]
Morton, T. H.
– The Cationic C=F⁺ Stretching Vibration in the Gas Phase (C) 2106–2108 [2136–2138] DOI: 10.1002/anie.200704657
Moser, S. (C) 8954–8957 [9087–9091]
Moses, P. G. (C) 4683–4686 [4761–4764]
Moss, J. R. (C) 2121–2126 [2151–2156]
Mostafa, G. (C) 8455–8459 [8583–8587]
Moteki, S. A. (C) 894–897 [908–911]
Motokawa, N. (C) 7760–7763 [7874–7877]
Motokura, K. (C) 9230–9235 [9370–9375], 9252–9255 [9392–9395]
Motoyoshi, K. (C) 8044–8046 [8164–8166]
Moudrakovski, I. L. (C) 5616–5618 [5698–5700]
Moussa, J. (M) 1372–1380 [1392–1400]
Movassaghi, M.
– A Stereospecific Palladium-Catalyzed Route to Monoalkyl Diazenes for Mild Allylic Reduction (C) 8909–8912 [9041–9044] DOI: 10.1002/anie.200802921
– Concise Total Synthesis of (+)-WIN 64821 and (–)-Ditryptophenaline (C) 1485–1487 [1507–1509] DOI: 10.1002/anie.200704960
Möws, K. (C) 198–201 [204–207]
Moyer, B. A. (C) 1866–1870 [1892–1896]
Mrksich, M.
– On-Chip Synthesis and Label-Free Assays of Oligosaccharide Arrays (C) 3396–3399 [3444–3447] DOI: 10.1002/anie.200704998
Mrogiński, M. A. (C) 4753–4755 [4831–4833]
Mu, L. (C) 4922–4925 [5000–5003]
Muccini, M. (C) 9895–9899 [10043–10047]
Mudring, A.-V.
– Dysprosium Room-Temperature Ionic Liquids with Strong Luminescence and Response to Magnetic Fields (C) 7635–7638 [7747–7750] DOI: 10.1002/anie.200802390
– Europium-Based Ionic Liquids as Luminescent Soft Materials (C) 7631–7634 [7743–7746] DOI: 10.1002/anie.200801159
Mueller, M. (C) 10086–10089 [10240–10243]
Mugford, P. F. (M) 8782–8793 [8912–8923]
Mügglér, T. (C) 3196–3201 [3240–3245]
Muir, T. W.
– Activation of Protein Splicing by Protease- or Light-Triggered O to N Acyl Migration (C) 7764–7767 [7878–7881] DOI: 10.1002/anie.200802502
Mukherjee, Anindita (C) 6172–6176 [6266–6271]
Mukherjee, Arindam (C) 2217–2221 [2249–2253]
Mukherjee, P. S.
– Self-Assembly of a Nanoscopic Pt₁₂Fe₁₂ Heterometallic Open Molecular Box Containing Six Porphyrin Walls (C) 8455–8459 [8583–8587] DOI: 10.1002/anie.200803543
Mulchandani, A. (C) 5186–5189 [5264–5267]
Mullen, C. A. (C) 6011–6014 [6100–6103]
Müllen, K.
– Controlling the Columnar Orientation of C₃-Symmetric “Superbenzenes” through Alternating Polar/Apolar Substituents (C) 1703–1706 [1727–1730] DOI: 10.1002/anie.200703967
– Nanostructured TiO₂ Films Templated by Amphiphilic Dendritic Core–Double-Shell Macromolecules: From Isolated Nanorings to Continuous 2D Mesoporous Networks (C) 8400–8403 [8528–8531] DOI: 10.1002/anie.200803071
– Polypyrene Dendrimers (C) 10175–10178 [10329–10332] DOI: 10.1002/anie.200803408
– Polytriphenylene Dendrimers: A Unique Design for Blue-Light-Emitting Materials (C) 8292–8296 [8416–8420] DOI: 10.1002/anie.200802854
– Transparent Carbon Films as Electrodes in Organic Solar Cells (C) 2990–2992 [3032–3034] DOI: 10.1002/anie.200704909
– Tris(2,2′-bipyridyl)ruthenium(II) with Branched Polyphenylene Shells: A Family of Charged Shape-Persistent Nanoparticles (C) 1662–1667 [1686–1691] DOI: 10.1002/anie.200704256
– Water-Soluble Monofunctional Perylene and Terrylene Dyes: Powerful Labels for Single-Enzyme Tracking (C) 3372–3375 [3420–3423] DOI: 10.1002/anie.200705409
Müllen, K. (C) 783–787 [795–799]
Müller, A. H. E.
– Emulsion Polymerization Using Janus Particles as Stabilizers (C) 711–714 [723–726] DOI: 10.1002/anie.200703224
Müller, C. A. (C) 3363–3366 [3411–3414]
Müller, C. E. (C) 6180–6183 [6275–6278]
Müller, D. J.
– A Bond for a Lifetime: Employing Membrane Nanotubes from Living Cells to Determine Receptor–Ligand Kinetics (C) 9775–9777 [9921–9923] DOI: 10.1002/anie.200803552
Müller, J. (C) 5250–5252 [5328–5331]
Müller, J.-L. (C) 6674–6677 [6776–6779]
Müller, J.-O. (C) 1645–1649 [1669–1673]
Müller, R.
– Spirocyclic Oxetanes: Synthesis and Properties (C) 4512–4515 [4588–4591] DOI: 10.1002/anie.200800450
Müller, L. (L) 3683–3686 [3741–3744]
Müller, L. O. (C) 7659–7663 [7772–7776]
Müller, P. (C) 8937–8940 [9069–9072]
Müller, R.
– Crystal Structure of a Molecular Assembly Line (H) 8344–8346 [8470–8473] DOI: 10.1002/anie.200803293
– Production of the Antifungal Isochromanone Ajudazols A and B in *Chondromyces crocatus* Cm c5: Biosynthetic Machinery and Cytochrome P450 Modifications (C) 4595–4599 [4671–4676] DOI: 10.1002/anie.200705569
Müller, R. (C) 2308–2311 [2341–2344]
Müller, T. (C) 8954–8957 [9087–9091]
Müller, U. (C) 2138–2142 [2169–2173]
Müller, W. E. G. (C) 4748–4752 [4826–4830]
Mulvey, G. L. (C) 672–676 [684–688]
Mulvey, R. E.
– Structurally Defined Reactions of Sodium TMP–Zincate with Nitrile Compounds: Synthesis of a Salt-Like Sodium Sodiumdizincate and Other Unexpected Ion-Pair Products (C) 731–734 [743–746] DOI: 10.1002/anie.200704341
– Tuning the Basicity of Synergic Bimetallic Reagents: Switching the Regioselectivity of the Direct Dimetalation of Toluene from 2,5- to 3,5-Positions (C) 6208–6211 [6304–6307] DOI: 10.1002/anie.200801158
– Unmasking Representative Structures of TMP-Active Hauser and Turbo-Hauser Bases (C) 8079–8081 [8199–8201] DOI: 10.1002/anie.200802618
Mulvihill, M. (C) 6456–6460 [6556–6560]
Mulzer, J.
– It All Began with an Error: The Nomenclature/Communesin Story (M) 8170–8176 [8290–8296] DOI: 10.1002/anie.200801735
– Short Formal Synthesis of (–)-Platencin (C) 6199–6200 [6294–6295] DOI: 10.1002/anie.200801441

- Synthesis of Platensimycin
(M) 2548–2555 [2582–2590]
DOI: 10.1002/anie.200705303
- Mun, J. Y. (C) 2470–2474 [2504–2508]
Münch, M. (C) 1512–1514 [1535–1537]
Münck, E.
- An Inverted and More Oxidizing Isomer of $[\text{Fe}^{\text{IV}}(\text{O})(\text{tmc})(\text{NCCH}_3)]^{2+}$
(C) 8068–8071 [8188–8191]
DOI: 10.1002/anie.200802219
- Proton- and Reductant-Assisted Dioxxygen Activation by a Nonheme Iron(II) Complex to Form an Oxoiron(IV) Intermediate
(C) 7064–7067 [7172–7175]
DOI: 10.1002/anie.200801832
- Münck, E. (C) 1896–1899 [1922–1925]
Muñoz, M. C. (C) 4211–4216 [4279–4284]
Muñoz, M. P. (C) 5067–5070 [5145–5148]
Munoz, R. (C) 525–528 [535–538]
Munteanu, M. (C) 3435–3437 [3484–3486]
Murahashi, S.-I.
- Aerobic Oxidation of Primary Amines to Oximes Catalyzed by DPPH and $\text{WO}_3/\text{Al}_2\text{O}_3$
(C) 2079–2081 [2109–2111]
DOI: 10.1002/anie.200705002
- Murakami, Kei (C) 5833–5835 [5917–5919]
Murakami, Keiko (C) 2661–2664 [2701–2704]
Murakami, T. (C) 2032–2034 [2062–2064]
Muramatsu, Y. (C) 1088–1090 [1104–1106]
Muranaka, A. (C) 5153–5156 [5231–5234]
Muranaka, S. (C) 5740–5745 [5824–5829], 7032–7035 [7140–7143]
Murata, M. (C) 2039–2041 [2069–2071]
Murata, Y.
- Internal Magnetic Fields of Dianions of Fullerene C_{60} and Its Cage-Opened Derivatives Studied with Encapsulated H_2 as an NMR Probe
(C) 2039–2041 [2069–2071]
DOI: 10.1002/anie.200705285
- Murayama, R. (C) 6860–6864 [6966–6970]
Murayama, T. (C) 1900–1902 [1926–1928]
Murdoch, W. J. (C) 1260–1264 [1280–1284]
Murgida, D. H. (C) 4753–4755 [4831–4833]
Murphy, B. J. (C) 7263–7266 [7373–7376]
Murphy, D. M.
- Discrimination of Geometrical Epoxide Isomers by ENDOR Spectroscopy and DFT Calculations: The Role of Hydrogen Bonds
(C) 1414–1416 [1436–1438]
DOI: 10.1002/anie.200703537
- Murphy, R. (C) 2824–2827 [2866–2869]
Murphy-Benenato, K. (C) 1680–1684 [1704–1708]
Murrie, M.
- Polyoxometalate-Mediated Self-Assembly of Single-Molecule Magnets: $[\{\text{XW}_9\text{O}_{34}\}_2\text{Mn}^{\text{III}}_4\text{Mn}^{\text{II}}_4\text{O}_4(\text{H}_2\text{O})_4]\}^{12-}$
(C) 5609–5612 [5691–5694]
DOI: 10.1002/anie.200801281
- Murrie, M. (C) 2828–2831 [2870–2873]
Murugesu, M.
- Dinuclear Dysprosium(III) Single-Molecule Magnets with a Large Anisotropic Barrier
(C) 8848–8851 [8980–8983]
DOI: 10.1002/anie.200802966
- Murn, C. A. (C) 924–927 [938–941]
Musaev, D. G. (C) 3896–3899 [3960–3963]
Musat, R. (C) 8033–8035 [8153–8155]
Musiol, H.-J. (C) 2143–2146 [2174–2177]
Mutai, T.
- Switching of Polymorph-Dependent ESIPT Luminescence of an Imidazo-[1,2-*a*]pyridine Derivative
(C) 9522–9524 [9664–9666]
DOI: 10.1002/anie.200803975
- Mwangi, M. T. (C) 935–939 [949–953]
Mykhailiuk, P. K. (C) 5765–5767 [5849–5851]
Mynott, R. (C) 8450–8454 [8578–8582]
Myung, N. V. (C) 5186–5189 [5264–5267]
- Na, S. J. (C) 7306–7309 [7416–7419]
Na, S. W. (C) 1733–1735 [1757–1759]
Nachtegaal, M. (C) 9260–9264 [9400–9404]
Nachtigall, F. M. (C) 151–154 [157–160]
Nachtsheim, B. J. (C) 593–596 [603–606]
Nadjo, L. (C) 793–796 [805–808], 9542–9546 [9685–9689]
Nagai, J. (C) 164–168 [170–174]
Nagai, T. (C) 2493–2496 [2527–2530]
Nagai, Y.
- In Situ Redispersion of Platinum Autoexhaust Catalysts: An On-Line Approach to Increasing Catalyst Lifetimes?
(C) 9303–9306 [9443–9446]
DOI: 10.1002/anie.200803126
- Nagaki, A. (C) 7833–7836 [7951–7954]
Nagamine, Y. (C) 5153–5156 [5231–5234]
Nagao, I. (C) 8096–8099 [8216–8219]
Nagarajan, S. (C) 6994–6998 [7102–7106]
Nagasawa, H.
- Synthesis of 2-Arylbenzoxazoles by Copper-Catalyzed Intramolecular Oxidative C–O Coupling of Benzanilides
(C) 6411–6413 [6511–6513]
DOI: 10.1002/anie.200801240
- Nagasawa, K.
- Macrocyclic Hexaoxazoles as Sequence- and Mode-Selective G-Quadruplex Binders
(C) 5557–5560 [5639–5642]
DOI: 10.1002/anie.200801235
- Nagase, S.
- Bis-Carbene Adducts of Non-IPR La_2C_2 : Localization of High Reactivity around Fused Pentagons and Electrochemical Properties
(C) 8642–8645 [8770–8773]
DOI: 10.1002/anie.200803529
- [2 + 1] Cycloaddition of Nitrene onto C_{60} Revisited: Interconversion between an Aziridinofullerene and an Azafulleroid
(C) 1298–1300 [1318–1320]
DOI: 10.1002/anie.200704410
- Observation of ^{13}C NMR Chemical Shifts of Metal Carbides Encapsulated in Fullerenes: $\text{Sc}_2\text{C}_2@C_{82}$, $\text{Sc}_2\text{C}_2@C_{84}$, and $\text{Sc}_3\text{C}_2@C_{80}$
(C) 7905–7908 [8023–8026]
DOI: 10.1002/anie.200802584
- Nagasue, Y. (C) 9458–9461 [9600–9603]
Nagata, H. (C) 3610–3613 [3666–3669]
Nagawa, K. (C) 3230–3233 [3274–3277]
Nagumo, Y. (C) 2792–2795 [2834–2837]
Nah, H. (C) 6259–6262 [6355–6358]
Naik, R. R.
- Photoactivated Biotemplated Nanoparticles as an Enzyme Mimic
(C) 5335–5339 [5415–5419]
DOI: 10.1002/anie.200800023
- Nair, S. (C) 552–555 [562–565]
Nair, S. A. (C) 4918–4921 [4996–4999]
Naismith, J. H.
- Unusual Chromophore and Cross-Links in Ranamurfin: A Blue Protein from the Foam Nests of a Tropical Frog
(C) 7853–7856 [7971–7974]
DOI: 10.1002/anie.200802901
- Naismith, J. H. (C) 9533–9536 [9676–9679]
Naito, S. (C) 4737–4739 [4815–4817]
Naito, T.
- Regioselective Hydroxysulfenylation of α,β -Unsaturated Imines: Enhanced Stability of an Intermediate Radical
(C) 5600–5604 [5682–5686]
DOI: 10.1002/anie.200801041
- Nájera, C.
- Catalytic Enantioselective 1,3-Dipolar Cycloaddition Reactions of Azomethine Ylides and Alkenes by Using Phosphoramidite–Silver(I) Complexes
(C) 6055–6058 [6144–6147]
DOI: 10.1002/anie.200801690
- Nakabayashi, K. (C) 2046–2048 [2076–2078]
Nakafuji, S.-y. (C) 1141–1144 [1157–1160]
Nakagawa, K. (C) 3914–3918 [3978–3982]
Nakagawa, O. Corrigendum: 8983
Nakahodo, T. (C) 1298–1300 [1318–1320], 6917–6919 [7023–7025]
Nakai, M. (C) 6699–6702 [6801–6804]
Nakajima, J. (C) 1462–1464 [1484–1486]
Nakajima, K. (C) 7905–7908 [8023–8026]
Nakajima, Y. (C) 10159–10162 [10313–10316]
Nakamura, K. (C) 6685–6689 [6787–6791]
Nakamura, Seiichi
- Total Synthesis of Pinnatoxin A
(C) 7091–7094 [7199–7202]
DOI: 10.1002/anie.200802729
- Nakamura, Shuichi (C) 164–168 [170–174], 1130–1133 [1146–1149], 4157–4161 [4225–4229], 8051–8054 [8171–8174]
Nakamura, Y. (C) 7289–7292 [7399–7402]
Nakao, Y.
- Nickel/BPh₃-Catalyzed Alkynylcyanation of Alkynes and 1,2-Dienes: An Efficient Route to Highly Functionalized Conjugated Enynes
(C) 385–387 [391–393]
DOI: 10.1002/anie.200704095
- Nakashima, D. (C) 2411–2413 [2445–2447]
Nakasuji, K.
- Curved Aromaticity of a Corannulene-Based Neutral Radical: Crystal Structure and 3D Unbalanced Delocalization of Spin
(C) 2035–2038 [2065–2068]
DOI: 10.1002/anie.200704752
- Nakata, M. (C) 5803–5805 [5887–5889]
Nakata, N. (C) 2661–2664 [2701–2704]
Nakatani, K. (C) 577–580 [587–590]
Nakaya, Y. (C) 1913–1915 [1939–1941]
Nam, K. M. (C) 9504–9508 [9646–9650]
Nam, S.-W. (C) 872–876 [886–890]
Nam, W.
- Experiment and Theory Reveal the Fundamental Difference between Two-State and Single-State Reactivity Patterns in Nonheme $\text{Fe}^{\text{IV}}=\text{O}$ versus $\text{Ru}^{\text{IV}}=\text{O}$ Oxidants
(C) 3356–3359 [3404–3407]
DOI: 10.1002/anie.200705880



- Hydrogen Atom Abstraction and Hydride Transfer Reactions by Iron(IV)–Oxo Porphyrins (C) 7321–7324 [7431–7434]
DOI: 10.1002/anie.200802346
- Nangreave, J. (C) 5157–5159 [5235–5237]
Nanni, D.
- Approach to Spirocyclohexadienimines and Corresponding Dienones through Radical *ipso* Cyclization onto Aromatic Azides (C) 9439–9442 [9581–9584]
DOI: 10.1002/anie.200804333
- Narducci Sarjeant, A. A. (C) 82–85 [88–91]
Narine, A. A. (C) 5661–5665 [5744–5748]
Nash, I. A. (C) 2872–2875 [2914–2917]
Nash, J. J.
- Reactivity of the 3,4,5-Tridehydropyridinium Cation—An Aromatic α,α,σ -Triradical (C) 9860–9865 [10008–10013]
DOI: 10.1002/anie.200802714
- Naskar, S. (C) 9948–9950 [10096–10098]
Nassif, N. (C) 6441–6444 [6541–6544]
Natalio, F. (C) 4748–4752 [4826–4830]
Natarajan, S.
- Open-Framework Structures of Transition-Metal Compounds (R) 4798–4828 [4876–4907]
DOI: 10.1002/anie.200701404
- Nau, W. M.
- Activation and Stabilization of Drugs by Supramolecular pK_a Shifts: Drug-Delivery Applications Tailored for Cucurbiturils (C) 5398–5401 [5478–5481]
DOI: 10.1002/anie.200801054
- Naubron, J.-V. (C) 3245–3249 [3289–3293]
Naud, D. L. (C) 8307–8309 [8431–8433]
Naumann, W. (C) 7876–7879 [7994–7997]
Naumov, S. (C) 3267–3270 [3311–3314]
Navrotsky, A. (C) 8634–8637 [8762–8765]
Nayak, A. (C) 2978–2981 [3020–3023]
Nazeeruddin, M. K.
- Highly Efficient and Thermally Stable Organic Sensitizers for Solvent-Free Dye-Sensitized Solar Cells (C) 327–330 [333–336]
DOI: 10.1002/anie.200703852
- Stepwise Cosensitization of Nanocrystalline TiO_2 Films Utilizing Al_2O_3 Layers in Dye-Sensitized Solar Cells (C) 8259–8263 [8383–8387]
DOI: 10.1002/anie.200802852
- Nebel, C. E. (C) 5183–5185 [5261–5263]
Neckers, L. (C) 4432–4435 [4504–4507]
Neelakandan, P. P. (C) 8407–8411 [8535–8539]
Nefliu, M. (C) 3422–3425 [3470–3473]
Nelson, A.-G. D. (C) 6252–6254 [6348–6350]
Nemirovsky, D. (C) 4343–4345 [4415–4417]
Neri, D.
- A Portable Albumin Binder from a DNA-Encoded Chemical Library (C) 3196–3201 [3240–3245]
DOI: 10.1002/anie.200704936
- Nesterov, A. (C) 7132–7135 [7241–7244]
Nestler, H.-P. (C) 406–409 [412–415]
Nettels, D. (C) 6184–6188 [6279–6283]
Neuenschwander, B. (C) 6233–6235 [6329–6331]
Neumann, H. (C) 4887–4891 [4965–4969]
Neumann, J. J. (C) 7230–7233 [7340–7343]
Neumann, M. A. (C) 2427–2430 [2461–2464]
Neumann, R.
- A Stable “End-On” Iron(III)–Hydroperoxo Complex in Water Derived from a Multi-Iron(II)-Substituted Polyoxometalate and Molecular Oxygen (C) 9908–9912 [10056–10060]
DOI: 10.1002/anie.200803966
- Neuzil, P. (C) 3900–3904 [3964–3968]
Nevado, C.
- Gold-Catalyzed Cycloisomerization of Cyclopropyl Alkynyl Acetates: A Versatile Approach to 5-, 6-, and 7-Membered Carbocycles (C) 10110–10113 [10264–10267]
DOI: 10.1002/anie.200804202
- Neveu, P. (C) 3744–3746 [3804–3806]
Nevidomskyy, A. (C) 529–532 [539–542]
Newton, G. N. (C) 4388–4391 [4460–4463]
Newton, M. A. (C) 9303–9306 [9443–9446]
Ng, K.-M. (C) 4568–4572 [4644–4648]
Nguyen, K. T. (C) 9104–9107 [9244–9247]
Nguyen, T. (C) 9115–9117 [9255–9257]
Nguyen, T. M. (C) 5418–5421 [5498–5501]
Nguyen, U. T. (C) 3747–3750 [3807–3810]
Nguyen, Y. (C) 8678–8681 [8806–8809]
Nguyen, Y. H. Le (C) 898–901 [912–915]
Ni, C. (C) 9115–9117 [9255–9257]
Ni, J. (C) 1245–1249 [1265–1269]
Ni, Z. (R) 5136–5147 [5214–5225]
Nia, R. P. (C) 4675–4678 [4753–4756]
Nibbering, E. T. J.
- Direct Femtosecond Observation of Tight and Loose Ion Pairs upon Photoinduced Bimolecular Electron Transfer (C) 9044–9048 [9184–9188]
DOI: 10.1002/anie.200803164
- Nicholls, J. M. (C) 1910–1912 [1936–1938]
Nichols, R. J. (C) 1861–1865 [1887–1891]
Nicholson, G. (C) 3258–3261 [3302–3305]
Nickels, E. A. (C) 2817–2819 [2859–2861]
Nicolaou, K. C.
- A Chiral Pool Based Synthesis of Platensimycin (C) 944–946 [958–960]
DOI: 10.1002/anie.200705080
- An Expedient Strategy for the Synthesis of Tryptamines and Other Heterocycles (C) 4217–4220 [4285–4288]
DOI: 10.1002/anie.200800404
- Asymmetric Synthesis and Biological Properties of Uncialamycin and 26-*epi*-Uncialamycin (C) 185–189 [191–195]
DOI: 10.1002/anie.200704577
- Synthesis of the Sporolide Ring Framework through a Cascade Sequence Involving an Intramolecular [4 + 2] Cycloaddition Reaction of an *o*-Quinone (C) 1432–1435 [1454–1457]
DOI: 10.1002/anie.200705334
- The Continuing Saga of the Marine Polyether Biotoxins (R) 7182–7225 [7292–7335]
DOI: 10.1002/anie.200801696
- Total Syntheses and Structural Revision of α - and β -Diversonolic Esters and Total Syntheses of Diversonol and Blennolide C (C) 6579–6582 [6681–6684]
DOI: 10.1002/anie.200802632
- Total Synthesis of (+)-Cortistatin A (C) 7310–7313 [7420–7423]
DOI: 10.1002/anie.200803550
- Total Synthesis of Platencin (C) 1780–1783 [1804–1807]
DOI: 10.1002/anie.200800066
- Total Synthesis of the Originally Assigned Structure of Vannusal B (C) 8605–8610 [8733–8738]
DOI: 10.1002/anie.200804228
- Nicoud, J.-F. (C) 9525–9529 [9667–9671]
Nidetzky, B.
- A High-Yielding Biocatalytic Process for the Production of 2-*O*-(α -D-glucopyranosyl)-*sn*-glycerol, a Natural Osmolyte and Useful Moisturizing Ingredient (C) 10086–10089 [10240–10243]
DOI: 10.1002/anie.200803562
- Nie, S.
- Nanocrystal Synthesis in an Amphibious Bath: Spontaneous Generation of Hydrophilic and Hydrophobic Surface Coatings (C) 9916–9921 [10064–10069]
DOI: 10.1002/anie.200804179
- Nieberle, J. (C) 2227–2230 [2259–2262]
Niederberger, M.
- Surfactant-Free Nonaqueous Synthesis of Metal Oxide Nanostructures (M) 5292–5304 [5372–5385]
DOI: 10.1002/anie.200704541
- Niedner-Schatteburg, G.
- Infrared Spectroscopy and Ab Initio Theory of Isolated H_3O^+ : From Buckets of Water to the Schrödinger Equation and Back (H) 1008–1011 [1024–1027]
DOI: 10.1002/anie.200703555
- Nieger, M. (C) 6001–6003 [6090–6092]
Nielsch, K.
- A Practical, Self-Catalytic, Atomic Layer Deposition of Silicon Dioxide (C) 6177–6179 [6272–6274]
DOI: 10.1002/anie.200800245
- Nielsen, P. (C) 1726–1728 [1750–1752]
Nielsen, R. J. (C) 7849–7852 [7967–7970]
Nielsen, T. E. (M) 48–56 [52–61]
Niemeyer, C. M.
- Chemical Strategies for Generating Protein Biochips (R) 9618–9647 [9762–9792]
DOI: 10.1002/anie.200801711
- High-Throughput, Real-Time Monitoring of the Self-Assembly of DNA Nanostructures by FRET Spectroscopy (C) 2135–2137 [2165–2168]
DOI: 10.1002/anie.200704836
- Photochemical Surface Patterning by the Thiol-Ene Reaction (C) 4421–4424 [4493–4496]
DOI: 10.1002/anie.200800101
- Rational Engineering of Dynamic DNA Systems (H) 3871–3873 [3933–3935]
DOI: 10.1002/anie.200800675
- Nienhaus, G. U.
- Sculpting an RNA Conformational Energy Landscape by a Methyl Group Modification—A Single-Molecule FRET Study (C) 4326–4330 [4398–4402]
DOI: 10.1002/anie.200705675
- The Green Fluorescent Protein: A Key Tool to Study Chemical Processes in Living Cells (H) 8992–8994 [9130–9132]
DOI: 10.1002/anie.200804998
- Nietlispach, D.
- Solution-State NMR Spectroscopy of a Seven-Helix Transmembrane Protein Receptor: Backbone Assignment, Secondary Structure, and Dynamics

- (C) 7297–7300 [7407–7410]
DOI: 10.1002/anie.200802783
- Nii, N. (C) 7457–7460 [7567–7570]
- Nikan, M. (C) 4900–4902 [4978–4980]
- Nikawa, H. (C) 8642–8645 [8770–8773]
- Niketić, V.
- NO Dismutase Activity of Seven-Coordinate Manganese(II) Pentaazamacrocyclic Complexes
(C) 8735–8739 [8863–8867]
DOI: 10.1002/anie.200801325
- Nikitin, E. B. (C) 7924–7926 [8042–8044]
- Nikonov, G. I.
- Agostic NSi–H···Mo Complexes: From Curiosity to Catalysis
(C) 7701–7704 [7815–7818]
DOI: 10.1002/anie.200802147
- Nilges, T.
- Mineralization Routes to Polyphosphides: Cu₂P₂₀ and Cu₅InP₁₆
(C) 5654–5657 [5736–5739]
DOI: 10.1002/anie.200705540
- Ning, J. Q. (C) 9895–9899 [10043–10047]
- Ning, X. (C) 2253–2255 [2285–2287]
- Nishibayashi, Y.
- Copper-Catalyzed Asymmetric Propargylic Substitution Reactions of Propargylic Acetates with Amines
(C) 3781–3783 [3841–3843]
DOI: 10.1002/anie.200800276
- Nishida, G. (C) 3410–3413 [3458–3461]
- Nishida, S. (C) 2035–2038 [2065–2068]
- Nishide, H. (C) 2792–2795 [2834–2837]
- Nishigaya, Y. (C) 6657–6660 [6759–6762]
- Nishihara, H.
- Observation of Electrochemical Single-Electron-Transfer Events of Gold Nanoparticles in Aqueous Solution in the Presence of Both Ammonium and Sulfonate Surface-Active Agents
(C) 6699–6702 [6801–6804]
DOI: 10.1002/anie.200801704
- Nishimori, Y. (C) 6699–6702 [6801–6804]
- Nishimura, D. (C) 6077–6079 [6166–6168]
- Nishimura, N. (C) 6255–6258 [6351–6354]
- Nishimura, Takahiro (C) 1447–1449 [1469–1471]
- Nishimura, Tatsuya (C) 2800–2803 [2842–2845]
- Nishitsuji, S. (C) 9883–9886 [10031–10034]
- Nishiura, M. (C) 2642–2645 [2682–2685], 5792–5795 [5876–5879], 9700–9703 [9846–9849]
- Nishiyama, N. (C) 5163–5166 [5241–5244]
- Nising, C. F.
- Highlights in Steroid Chemistry: Total Synthesis versus Semisynthesis
(H) 9389–9391 [9529–9531]
DOI: 10.1002/anie.200803720
- Nispel, M. (C) 10094–10097 [10248–10251]
- Nitschke, J. R.
- An Unlockable–Relockable Iron Cage by Subcomponent Self-Assembly
(C) 8297–8301 [8421–8425]
DOI: 10.1002/anie.200803066
 - Self-Assembly in Systems of Subcomponents: Simple Rules, Subtle Consequences
(C) 377–380 [383–386]
DOI: 10.1002/anie.200703877
- Niu, H. Corrigendum: 1167
- Niu, X. (C) 3995–3998 [4059–4062]
- Niwa, O.
- Nanohybrid Carbon Film for Electrochemical Detection of SNPs without Hybridization or Labeling
(C) 6681–6684 [6783–6786]
DOI: 10.1002/anie.200801304
- Nixon, J. F. (C) 3801–3804 [3861–3864]
- Njardarson, J. T.
- An Efficient Substrate-Controlled Approach Towards Hypoestoxide, a Member of a Family of Diterpenoid Natural Products with an Inside-Out [9.3.1]Bicyclic Core
(C) 9450–9453 [9592–9595]
DOI: 10.1002/anie.200804237
- Nobusawa, K. (C) 4577–4580 [4653–4656]
- Nocton, G. (C) 3040–3042 [3082–3084]
- Nodasaka, Y. (C) 2493–2496 [2527–2530]
- Noguchi, K. (C) 1312–1316 [1332–1336], 3410–3413 [3458–3461], 5820–5822 [5904–5906]
- Noh, S. B. (C) 681–684 [693–696]
- Noh, S. K.
- Phosphorus-Containing Ligands for Iron(III)-Catalyzed Atom Transfer Radical Polymerization
(C) 6426–6429 [6526–6529]
DOI: 10.1002/anie.200801647
- Nojiri, H. (C) 5609–5612 [5691–5694]
- Nolan, S. P.
- [(NHC)₂Cu]X Complexes as Efficient Catalysts for Azide–Alkyne Click Chemistry at Low Catalyst Loadings
(C) 8881–8884 [9013–9016]
DOI: 10.1002/anie.200803289
- Nolan, S. P. (C) 718–721 [730–733]
- Nolde, F. (C) 3372–3375 [3420–3423]
- Noll, B. C. (C) 10144–10146 [10298–10300]
- Nolte, R. J. M. (C) 2431–2434 [2465–2468]
- Nonoyama, K. (C) 7424–7427 [7534–7537]
- Noor, A. (C) 7246–7249 [7356–7359]
- Noorduyn, W. L. (C) 6445–6447 [6545–6547], 7226–7229 [7336–7339]
- Nordén, B. (C) 5148–5152 [5226–5230]
- Nören-Müller, A. (C) 5973–5977 [6061–6066]
- Noréus, D. (C) 2796–2799 [2838–2841]
- Norret, M. (C) 6362–6366 [6462–6466]
- Nørskov, J. K.
- On the Role of Surface Modifications of Palladium Catalysts in the Selective Hydrogenation of Acetylene
(C) 9299–9302 [9439–9442]
DOI: 10.1002/anie.200802844
 - Scaling Relationships for Adsorption Energies on Transition Metal Oxide, Sulfide, and Nitride Surfaces
(C) 4683–4686 [4761–4764]
DOI: 10.1002/anie.200705739
 - Trends in the Catalytic CO Oxidation Activity of Nanoparticles
(C) 4835–4839 [4913–4917]
DOI: 10.1002/anie.200801479
- Northrup, A. B. (C) 3568–3572 [3624–3628]
- Nosenko, Y. (C) 6037–6040 [6126–6129]
- Noury, F. (C) 4370–4372 [4442–4444]
- Novak, M. A. (C) 9075–9078 [9215–9218]
- Nozaki, K.
- Syntheses, Structures, and Reactivities of Borylcopper and -zinc Compounds: 1,4-Silaboration of an α,β -Unsaturated Ketone to Form a γ -Siloxyallylborane
(C) 6606–6610 [6708–6712]
DOI: 10.1002/anie.200801728
 - Helical (5Z, 11E)-Dibenzo[a,e]cyclooctatetrene: A Spring-Loaded Monomer
(C) 2982–2985 [3024–3027]
DOI: 10.1002/anie.200704355
- Nuhant, P. (C) 5418–5421 [5498–5501]
- Numajiri, K. (C) 3400–3402 [3448–3450]
- Nüsse, D. (C) 4421–4424 [4493–4496]
- Nuzzo, R. G.
- Seeing Molecules by Eye: Surface Plasmon Resonance Imaging at Visible Wavelengths with High Spatial Resolution and Submonolayer Sensitivity
(C) 5013–5017 [5091–5095]
DOI: 10.1002/anie.200800501
- Nyholm, L. (C) 3034–3036 [3076–3078]
- Nyman, M. D. (C) 4844–4846 [4922–4924]
- Nyong, A. (C) 5374–5377 [5454–5457]



- Oba, M. (C) 5163–5166 [5241–5244]
- Obeid, S. (C) 6782–6785 [6886–6890]
- Obel, J. (C) 10098–10101 [10252–10255]
- Öberg, E. (C) 8228–8231 [8352–8355]
- Oberhuber, M. (C) 3057–3061 [3100–3104]
- Oblad, P. F. (C) 9941–9943 [10089–10091]
- O'Brien, C. J. (C) 5631–5633 [5713–5715]
- O'Brien, E. M. (C) 6877–6880 [6983–6986]
- O'Brien, P.
- Expanding the Synthetic Potential of Asymmetric Deprotonation: Arylation of Carbanions
(H) 2734–2736 [2774–2776]
DOI: 10.1002/anie.200704539
- Palladium-Catalyzed Enantioselective Oxidation of Chiral Secondary Alcohols: Access to Both Enantiomeric Series
(C) 6367–6370 [6467–6470]
DOI: 10.1002/anie.200801865
- O'Brien, P. G. (C) 3814–3817 [3874–3877]
- O'Callaghan, M. J. (C) 6892–6896 [6998–7002]
- Ochal, Z. (C) 7888–7891 [8006–8009]
- Ochi, Y. (C) 2039–2041 [2069–2071]
- Oda, T. (C) 6473–6477 [6573–6577]
- Oddou, J.-L. (C) 715–717 [727–729]
- O'Dwyer, C. (C) 6538–6549 [6638–6650]
- Oestreich, M.
- Catalytic Asymmetric C–Si Bond Formation to Acyclic α,β -Unsaturated Acceptors by Rh^I-Catalyzed Conjugate Silyl Transfer Using a Si–B Linkage
(C) 3818–3820 [3878–3880]
DOI: 10.1002/anie.200800361
 - Conclusive Evidence for an S_N2-Si Mechanism in the B(C₆F₅)₃-Catalyzed Hydro-silylation of Carbonyl Compounds: Implications for the Related Hydrogenation
(C) 5997–6000 [6086–6089]
DOI: 10.1002/anie.200801675
 - Kinetic Resolution and Desymmetrization by Stereoselective Silylation of Alcohols
(H) 248–250 [254–257]
DOI: 10.1002/anie.200704210
- Offer, J. (C) 3919–3922 [3983–3986]
- Offermann, M. (C) 6794–6797 [6899–6902]
- Oganessian, Yu. T. (C) 3262–3266 [3306–3310]
- Ogasawara, S.
- Straightforward and Reversible Photoregulation of Hybridization by Using a Photochromic Nucleoside

- (C) 8839–8842 [8971–8974]
DOI: 10.1002/anie.200803496
- Ogata, C. (C) 2480–2483 [2514–2517]
- Ogawa, C. (C) 6909–6911 [7015–7017]
- Ogawa, S. (C) 2070–2073 [2100–2103]
- Ogilby, P. R.
- Metal-Enhanced 1270 nm Singlet Oxygen Phosphorescence
(C) 6025–6027 [6114–6116]
DOI: 10.1002/anie.200800755
- Oh, C. H.
- Intramolecular Huisgen-Type Cyclization of Platinum-Bound Perylene Ions with Alkenes and Subsequent Insertion into a Benzylic C–H Bond
(C) 7505–7507 [7615–7617]
DOI: 10.1002/anie.200802425
- Oh, J. (C) 6259–6262 [6355–6358]
- Oh, J. Y. (C) 5382–5385 [5462–5465]
- Oh, K. T. (C) 2418–2421 [2452–2455]
- Oh, Megan (C) 7009–7012 [7117–7120]
- Oh, Moonhyun
- Monitoring Shape Transformation from Nanowires to Nanocubes and Size-Controlled Formation of Coordination Polymer Particles
(C) 2049–2051 [2079–2081]
DOI: 10.1002/anie.200704209
- Oh, S. H. (C) 7872–7875 [7990–7993]
- Oh, W. (C) 552–555 [562–565]
- O'Hagan, D.
- Catalytic Asymmetric Fluorination Comes of Age
(H) 1179–1182 [1198–1201]
DOI: 10.1002/anie.200704700
 - Fluorinase-Coupled Base Swaps: Synthesis of [¹⁸F]-5'-Deoxy-5'-fluorouridines
(C) 10141–10143 [10295–10297]
DOI: 10.1002/anie.200804040
 - S-Adenosyl-L-methionine:Hydroxide Adenosyltransferase: A SAM Enzyme
(C) 5357–5361 [5437–5441]
DOI: 10.1002/anie.200800794
- O'Hair, R. A. J.
- Gas-Phase Formation of the Gombert–Bachmann Magnesium Ketyl
(C) 9118–9121 [9258–9261]
DOI: 10.1002/anie.200803463
- O'Hara, C. T. (C) 731–734 [743–746], 8079–8081 [8199–8201]
- Ohashi, I. (C) 1777–1779 [1801–1803]
- Ohba, M. (C) 8843–8847 [8975–8979], 9883–9886 [10031–10034]
- Ohishi, T. (C) 5792–5795 [5876–5879]
- Ohkawa, T. (C) 9522–9524 [9664–9666]
- Ohkoshi, S.-i.
- Observation of an Iron(II) Spin-Crossover in an Iron Octacyanoniobate-Based Magnet
(C) 6885–6887 [6991–6993]
DOI: 10.1002/anie.200802266
- Ohkubo, K. (C) 6712–6716 [6814–6818], 9669–9672 [9815–9818]
- Ohkubo, M. (C) 4722–4724 [4800–4802]
- Ohkuma, T.
- Asymmetric Hydrogenation of Aromatic, Aliphatic, and α,β -Unsaturated Acyl Silanes Catalyzed by Tol-binap/Pica Ruthenium(II) Complexes: Practical Synthesis of Optically Active α -Hydroxysilanes
(C) 1770–1773 [1794–1797]
DOI: 10.1002/anie.200704696
 - Highly Enantioselective Hydrogenation of Aryl Vinyl Ketones to Allylic Alcohols Catalyzed by the Tol-Binap/Dmapen Ruthenium(II) Complex
(C) 7457–7460 [7567–7570]
DOI: 10.1002/anie.200802533
 - [Ru(phgly)₂(binap)]/Li₂CO₃: A Highly Active, Robust, and Enantioselective Catalyst for the Cyanosilylation of Aldehydes
(C) 6643–6646 [6745–6748]
DOI: 10.1002/anie.200801501
- Ohlin, C. A. (C) 4844–4846 [4922–4924], 5634–5636 [5716–5718], 8251–8254 [8375–8378]
- Ohmatsu, K. (C) 5203–5206 [5281–5284]
- Ohmiya, H. (C) 1893–1895 [1919–1921]
- Ohmori, O. (C) 7254–7257 [7364–7367]
- Ohmuro-Matsuyama, Y. (C) 7527–7529 [7637–7639]
- Ohta, H. (C) 8310–8314 [8434–8438]
- Okada, M. (C) 1298–1300 [1318–1320]
- Okada, S. (C) 6860–6864 [6966–6970]
- Okamoto, R. (C) 5402–5406 [5482–5486]
- Okano, T. (C) 9053–9058 [9193–9198]
- Okano, Y. (C) 3376–3380 [3424–3428]
- Okatsu, H. (C) 9265–9268 [9405–9408]
- Oke, M. (C) 7853–7856 [7971–7974]
- O'Keeffe, M.
- Reticular Chemistry of Metal–Organic Polyhedra
(R) 5136–5147 [5214–5225]
DOI: 10.1002/anie.200705008
- O'Keeffe, M. (E) 7996–8000 [8116–8121]
- Okoshi, K. (C) 515–519 [525–529]
- Okubo, Y. (C) 1429–1431 [1451–1453]
- Okuda, H. (C) 1454–1457 [1476–1479]
- Oldenburg, P. D. (C) 1887–1889 [1913–1915]
- Olea, D. (C) 2026–2031 [2056–2061]
- Olivucci, M.
- Chemical Selectivity through Control of Excited-State Dynamics
(H) 6322–6325 [6420–6424]
DOI: 10.1002/anie.200800898
- Olschewski, D. (C) 8215–8219 [8338–8343]
- Olsen, D. B. (C) 9104–9107 [9244–9247]
- Oltra, J. E.
- Divergent Titanium-Mediated Allylations with Modulation by Nickel or Palladium
(C) 7515–7519 [7625–7629]
DOI: 10.1002/anie.200802520
- O'Malley, D. P. (C) 3578–3580 [3634–3636], 3581–3583 [3637–3639]
- Onaca, O. (C) 7029–7031 [7137–7139]
- O'Neil, C. P. (C) 7857–7860 [7975–7978]
- O'Neill, C. (C) 525–528 [535–538]
- O'Neill, J. (C) 9326–9329 [9466–9469]
- Onitsuka, K.
- Regio- and Enantioselective O-Allylation of Phenol and Alcohol Catalyzed by a Planar-Chiral Cyclopentadienyl Ruthenium Complex
(C) 1454–1457 [1476–1479]
DOI: 10.1002/anie.200704457
- Ono, S. Corrigendum: 8983
- Onodera, T. (C) 3588–3591 [3644–3647]
- Onomura, O.
- Efficient Kinetic Resolution of Racemic Amino Aldehydes by Oxidation with *N*-Iodosuccinimide
(C) 9458–9461 [9600–9603]
DOI: 10.1002/anie.200804188
- Onorato, F. (C) 552–555 [562–565]
- Ooi, T. (C) 5203–5206 [5281–5284]
- Oomens, J. (C) 2106–2108 [2136–2138], 9666–9668 [9812–9814]
- Opietnik, M. (C) 9866–9869 [10014–10017]
- Oppel, C. (C) 3043–3045 [3085–3088]
- Oppel, I. M. (née Müller)
- Rational Design of a Double-Walled Tetrahedron Containing Two Different C₃-Symmetric Ligands
(C) 402–405 [408–411]
DOI: 10.1002/anie.200703789
- Oppel, I. M. (née Müller) (C) 4744–4747 [4822–4825], 6869–6872 [6975–6978]
- Orian, L. (C) 5331–5334 [5411–5414]
- Orlandi, M. (C) 6616–6619 [6718–6721]
- Orr-Ewing, A. J.
- Product Selection through Photon Flux: Laser-Specific Lactone Synthesis
(C) 2283–2286 [2315–2318]
DOI: 10.1002/anie.200704816
- Ortiz, A. (C) 8605–8610 [8733–8738]
- Orton, J. B. (C) 8634–8637 [8762–8765]
- Orts, J. (C) 7736–7740 [7850–7854]
- Osada, H. (C) 6657–6660 [6759–6762]
- Osawa, E. (C) 5183–5185 [5261–5263]
- Osei Akoto, C. (C) 8055–8058 [8175–8178]
- Oshima, K.
- Silver-Catalyzed Transmetalation between Chlorosilanes and Aryl and Alkenyl Grignard Reagents for the Synthesis of Tetraorganosilanes
(C) 5833–5835 [5917–5919]
DOI: 10.1002/anie.200801949
- Osuka, A.
- A Stable Radical Species from Facile Oxygenation of meso-Free 5,10,20,25-Tetrakis-(pentafluorophenyl)-Substituted [26]Hexaphyrin(1.1.1.1.1.1)
(C) 9661–9665 [9807–9811]
DOI: 10.1002/anie.200804570
 - Effective Expansion of the Subporphyrin Chromophore Through Conjugation with meso-Oligo(1,4-phenyleneethynylene) Substituents: Octupolar Effect on Two-Photon Absorption
(C) 4840–4843 [4918–4921]
DOI: 10.1002/anie.200801192
 - Metalation of Expanded Porphyrins: A Chemical Trigger Used To Produce Molecular Twisting and Möbius Aromaticity
(C) 681–684 [693–696]
DOI: 10.1002/anie.200704407
 - Protonation-Triggered Conformational Changes to Möbius Aromatic [32]Heptaphyrins(1.1.1.1.1.1.1)
(C) 9657–9660 [9803–9806]
DOI: 10.1002/anie.200804457
 - Synthesis of Chiral Porphyrins through Pd-Catalyzed [3 + 2] Annulation and Heterochiral Self-Assembly
(C) 5378–5381 [5458–5461]
DOI: 10.1002/anie.200801269
 - 2,5-Thienylene-Bridged Triangular and Linear Porphyrin Trimers
(C) 6004–6007 [6093–6096]
DOI: 10.1002/anie.200802026
- Otake, Y. (C) 1312–1316 [1332–1336]
- Otero, R. (C) 9673–9676 [9819–9822]
- Ott, H. (C) 4321–4325 [4393–4397]
- Ott, I. (C) 955–959 [969–973]
- Ott, S.
- Incorporating Phosphaalkenes into Oligoacetylenes
(C) 8228–8231 [8352–8355]
DOI: 10.1002/anie.200802253
- Ott, T. (C) 3245–3249 [3289–3293]
- Ouahab, L. (C) 8687–8691 [8815–8819]
- Ouyang, Z. (C) 8646–8649 [8774–8777]
- Ovadia, O. (C) 2595–2599 [2633–2637]
- Ovcharenko, V. (C) 6897–6899 [7003–7005]

- Over, H.
– Stable Deacon Process for HCl Oxidation over RuO₂ (C) 2131–2134 [2161–2164]
DOI: 10.1002/anie.200705124
- Overgaard, J. (C) 4687–4690 [4765–4768]
Ovsitser, O. (C) 3227–3229 [3271–3273]
Oxgaard, J. (C) 7849–7852 [7967–7970]
Ozaki, Y. (C) 2046–2048 [2076–2078]
Ozerov, O. V.
– Metallaboranes Derived from a Triphosphanyl–Borane: Intrinsic C₃ Symmetry Supported by a Z-Type Ligand (C) 1481–1484 [1503–1506]
DOI: 10.1002/anie.200705024
- Ozin, G. A.
– Large-Scale Synthesis of Ultrathin Bi₂S₃ Necklace Nanowires (C) 3814–3817 [3874–3877]
DOI: 10.1002/anie.200705034
- Ozolins, V. (C) 882–887 [896–901]
- Pace, A. (C) 9726–9729 [9872–9875]
Pace, G. (C) 2484–2488 [2518–2522], 3407–3409 [3455–3457]
Paddon-Row, M. N.
– Enantioselective Oxazaborolidinium-Catalyzed Diels–Alder Reactions without CH···O Hydrogen Bonding (C) 7013–7017 [7121–7125]
DOI: 10.1002/anie.200802002
- Paderi, M. (R) 6538–6549 [6638–6650]
Pagano, J. J. (C) 9900–9903 [10048–10051]
Pagels, M. (C) 3271–3274 [3315–3318]
Pagenkopf, B. L.
– Tuning of Electrogenerated Silole Chemiluminescence (C) 7731–7735 [7845–7849]
DOI: 10.1002/anie.200802034
- Pahl, E. (C) 8207–8210 [8329–8333]
Paik, Y. (C) 94–96 [100–102]
Pakkanen, T. A.
– Self-Assembly of Supramolecular Luminescent Au^I–Cu^I Complexes: “Wrapping” an Au₆Cu₆ Cluster in a [Au₃(diphosphine)₃]³⁺ “Belt” (C) 3942–3945 [4006–4009]
DOI: 10.1002/anie.200800452
- Pakkanen, T. A. (C) 9279–9283 [9419–9423]
Palamarchuk, G. V. (C) 5765–5767 [5849–5851]
Palkovits, R. (C) 8047–8050 [8167–8170]
Palmer, D. J. (C) 8033–8035 [8153–8155]
Palomares, E.
– Stepwise Cosensitization of Nanocrystalline TiO₂ Films Utilizing Al₂O₃ Layers in Dye-Sensitized Solar Cells (C) 8259–8263 [8383–8387]
DOI: 10.1002/anie.200802852
- Palomino, R. M. (C) 9961–9964 [10109–10112]
Pålsson, L.-O. (C) 9500–9503 [9642–9645]
Pammer, F. (C) 3271–3274 [3315–3318]
Pan, D. (C) 4729–4732 [4807–4810]
Pan, H. (C) 3560–3564 [3616–3620]
Pan, J. (C) 8464–8467 [8592–8595]
Pan, Q. (C) 7868–7871 [7986–7989]
- Pan, S. C. Corrigendum: 5490
Pan, S. C. (C) 3622–3625 Corrigendum: 5490 [3678–3681 Corrigendum: 5572]
Panella, B.
– Desorption Studies of Hydrogen in Metal–Organic Frameworks (C) 2138–2142 [2169–2173]
DOI: 10.1002/anie.200704053
- Paneque, M. (C) 4380–4383 [4452–4455]
Pangerl, M. (C) 7949–7952 [8067–8070]
Panknin, O. (C) 1907–1909 [1933–1935]
Pantani, O. (C) 9948–9950 [10096–10098]
Pantelev, J. (C) 2097–2101 [2127–2131]
Panthöfer, M. (L) 3683–3686 [3741–3744]
Pantos, G. D. (C) 2689–2692 [2729–2732]
Pap, J. S. (C) 10102–10105 [10256–10259]
Pápai, I.
– Turning Frustration into Bond Activation: A Theoretical Mechanistic Study on Heterolytic Hydrogen Splitting by Frustrated Lewis Pairs (C) 2435–2438 [2469–2472]
DOI: 10.1002/anie.200705586
- Pape, T. (C) 6794–6797 [6899–6902]
Pappo, D. (C) 944–946 [958–960]
Pardo, E. (C) 4211–4216 [4279–4284]
Pardo-Ibañez, P. (C) 6433–6437 [6533–6537]
Parella, T. (C) 5830–5832 [5914–5916]
Parise, J. B. (C) 7263–7266 [7373–7376]
Park, C. (C) 2959–2963 [3001–3005], 9922–9926 [10070–10074]
Park, C. B.
– Electrochemical Regeneration of NADH Enhanced by Platinum Nanoparticles (C) 1749–1752 [1773–1776]
DOI: 10.1002/anie.200703632
- Park, G. Y. (C) 9084–9087 [9224–9227]
Park, H. B.
– Highly Chlorine-Tolerant Polymers for Desalination (C) 6019–6024 [6108–6113]
DOI: 10.1002/anie.200800454
- Park, H. S.
– Mass Spectrometry Signal Amplification Method for Attomolar Detection of Antigens Using Small-Molecule-Tagged Gold Microparticles (C) 9518–9521 [9660–9663]
DOI: 10.1002/anie.200803893
- Park, H.-Y. (C) 9307–9310 [9447–9450]
Park, I.-S. (C) 9307–9310 [9447–9450]
Park, J.-H. (C) 7284–7288 [7394–7398]
Park, J. H. (C) 1749–1752 [1773–1776]
Park, J. K. (C) 681–684 [693–696]
Park, J. T.
– Single-Crystalline Hollow Face-Centered-Cubic Cobalt Nanoparticles from Solid Face-Centered-Cubic Cobalt Oxide Nanoparticles (C) 9504–9508 [9646–9650]
DOI: 10.1002/anie.200803048
- Park, J.-W. (C) 109–112 [115–118]
Park, J. Y. (C) 8893–8896 [9025–9028], (R) 9212–9228 [9352–9368]
Park, Jeonghyun (C) 4200–4203 [4268–4271]
Park, Jeong Chan (C) 6259–6262 [6355–6358]
Park, Ji Chan (C) 763–767 [775–779]
Park, Jinho (C) 5362–5365 [5442–5445]
Park, K. (C) 2804–2807 [2846–2849]
Park, K.-M. (C) 793–796 [805–808], (L) 9383–9384 [9523–9524]
Park, S. M. (C) 763–767 [775–779]
Park, S. T. (C) 9496–9499 [9638–9641]
Park, Sangjin (C) 5362–5365 [5442–5445]
- Park, Sungjin (C) 6267–6271 [6363–6367], 7466–7469 [7576–7579]
Park, Sungsu
– Fluorescent Molecular Logic Gates Using Microfluidic Devices (C) 872–876 [886–890]
DOI: 10.1002/anie.200703813
- Park, Y. J. (C) 109–112 [115–118]
Parker, J. S. (C) 2872–2875 [2914–2917]
Parkes, M. V. (C) 9955–9957 [10103–10105]
Parlier, A. (C) 6843–6846 [6949–6952]
Parmon, V. N. (C) 4559–4562 [4635–4638]
Parra, A. (C) 7941–7944 [8059–8062]
Parrilla, I. (C) 4512–4515 [4588–4591]
Parrinello, M. (C) 3536–3539 [3592–3595]
Parrino, F. (C) 7107–7109 [7215–7217]
Parris, S. (C) 5060–5062 [5138–5140]
Parrish, D. (C) 8307–8309 [8431–8433]
Parry, A. L. (C) 8859–8862 [8991–8994]
Parsons, S.
– [Mn₄] under Pressure: A Combined Crystallographic and Magnetic Study (C) 2828–2831 [2870–2873]
DOI: 10.1002/anie.200705819
- Parthasarathy, K. (C) 9462–9465 [9604–9607]
Partridge, B. M. (C) 4354–4357 [4426–4429]
Partyka, D. V. (C) 7489–7492 [7599–7602]
Parvez, M. (C) 361–364 [367–370]
Pascarelli, S. (C) 9303–9306 [9443–9446]
Pasek, M. A.
– Production of Potentially Prebiotic Condensed Phosphates by Phosphorus Redox Chemistry (C) 7918–7920 [8036–8038]
DOI: 10.1002/anie.200802145
- Pasparakis, G. (C) 4847–4850 [4925–4928]
Passarelli, V. (C) 2093–2096 [2123–2126]
Paszkiwicz, E. (C) 672–676 [684–688]
Patallo, E. P. (C) 9533–9536 [9676–9679]
Patchkovskii, S.
– Raman Detection of “Ambiguous” Conjugated Biradicals: Rapid Thermal Singlet-to-Triplet Intersystem Crossing in an Extended Viologen (C) 1443–1446 [1465–1468]
DOI: 10.1002/anie.200704398
- Patel, J. (C) 4224–4227 [4292–4295]
Patel, K. (C) 2222–2226 [2254–2258]
Paterson, A. J. (C) 4521–4524 [4597–4600]
Paterson, I.
– Total Synthesis of Spirastrellolide A Methyl Ester—Part 2: Subunit Union and Completion of the Synthesis (C) 3021–3025 [3063–3067]
DOI: 10.1002/anie.200705566
- Total Synthesis of Spirastrellolide A Methyl Ester—Part 1: Synthesis of an Advanced C17–C40 Bis-spiroacetal Subunit (C) 3016–3020 [3058–3062]
DOI: 10.1002/anie.200705565
- Paterson, M. J. (C) 1058–1062 [1074–1078]
Patman, R. L. (C) 5220–5223 [5298–5301]
Patrick, B. O. (C) 2290–2293 [2322–2325]
Patrick, L. G. F. (C) 768–770 [780–782]
Pattabiraman, V. R. (C) 9472–9475 [9614–9617]
Pattacini, R. (C) 6856–6859 [6962–6965]
Patthey, F. (C) 1076–1079 [1092–1095]
Patureau, F. W. (C) 3180–3183 [3224–3227]
Paul, F. Corrigendum: 629
Paulus, W. (C) 5740–5745 [5824–5829]
Pauly, M. (C) 6817–6820 [6923–6926]
Pavlick, R. A. (C) 3791–3794 [3851–3854]

- Pavlov, A. A. (C) 7918–7920 [8036–8038]
 Pawin, G. (C) 8442–8445 [8570–8573]
 Payne, A. D. (C) 910–912 [924–926]
 Payne, A. H. (C) 5060–5062 [5138–5140]
 Payne, R. J. (C) 4411–4415 [4483–4487]
 Peacock, R. D. (C) 6881–6884 [6987–6990]
 Pécaut, J. (C) 715–717 [727–729], 3040–3042 [3082–3084]
 Pech, A. (C) 5456–5460 [5536–5540]
 Pedersen, H. (C) 888–890 [902–904]
 Pedro, J. R.
 – Highly Enantioselective Zinc/Binol-Catalyzed Alkynylation of *N*-Sulfonyl Aldimines (C) 5593–5596 [5675–5678]
 DOI: 10.1002/anie.200801020
 Pedroso, E. F. (C) 4211–4216 [4279–4284]
 Pei, T.
 – Expanding the [1,2]-Aryl Migration to the Synthesis of Substituted Indoles (C) 4231–4233 [4299–4301]
 DOI: 10.1002/anie.200705804
 Peiris, J. S. M. (C) 1910–1912 [1936–1938]
 Pelletier, M. (C) 3596–3599 [3652–3655]
 Pender-Cudlip, M. (C) 5232–5234 [5310–5312]
 Peneva, K. (C) 3372–3375 [3420–3423]
 Peng, A. (C) 7301–7305 [7411–7415]
 Peng, Q. (C) 1741–1744 [1765–1768]
 Peng, S.-M. (C) 7475–7478 [7585–7588]
 Peng, X.
 – Synthetic Scheme for High-Quality InAs Nanocrystals Based on Self-Focusing and One-Pot Synthesis of InAs-Based Core–Shell Nanocrystals (C) 7677–7680 [7791–7794]
 DOI: 10.1002/anie.200802867
 Peng, X.-S. (C) 7310–7313 [7420–7423]
 Penn, R. L. (C) 9096–9099 [9236–9239]
 Penner, A. (C) 8867–8871 [8999–9003]
 Pentelute, B. L. (C) 1102–1106 [1118–1122]
 Percival, P. W.
 – Probing the Reactivity of a Stable Silene Using Muonium (C) 9772–9774 [9918–9920]
 DOI: 10.1002/anie.200804458
 Pereira, C. L. M. (C) 4211–4216 [4279–4284]
 Peresyphkina, E. V. (C) 1465–1468 [1487–1490]
 Pérez, E. M. (C) 1094–1097 [1110–1113]
 Pérez del Pino, Á. (C) 1861–1865 [1887–1891]
 Pérez-Falcón, J. M. (C) 1857–1860 [1883–1886]
 Pérez-Ramírez, J.
 – Toward Functional Clathrasils: Size- and Composition-Controlled Octadecasil Nanocrystals by Desilication (C) 7913–7917 [8031–8035]
 DOI: 10.1002/anie.200802393
 Perez-Velasco, A. (C) 921–923 [935–937], 6275–6277 [6371–6373]
 Periana, R. A.
 – Facile Oxy-Functionalization of a Nucleophilic Metal Alkyl with a *cis*-Dioxo Metal Species via a (2 + 3) Transition State (C) 7849–7852 [7967–7970]
 DOI: 10.1002/anie.200802575
 Pericàs, M. A.
 – Practical Implications of Boron-to-Zinc Transmetalation for the Catalytic Asymmetric Arylation of Aldehydes (C) 1098–1101 [1114–1117]
 DOI: 10.1002/anie.200703103
 Peris, G. (C) 6707–6711 [6809–6813]
 Perkins, M. V.
 – Total Synthesis of Enzyme Inhibitor Spirastrellolide A—Stereochemical Confirmation (H) 2921–2925 [2963–2967]
 DOI: 10.1002/anie.200800486
 Perl, N. R. (C) 3037–3039 [3079–3081]
 Perman, J. A. (C) 8460–8463 [8588–8591]
 Perrin, D. M.
 – A Highly Selective DNzyme Sensor for Mercuric Ions (C) 4346–4350 [4418–4422]
 DOI: 10.1002/anie.200800960
 Perring, M. (C) 935–939 [949–953]
 Perry, J. W.
 – Porphyrin Dimer Carbocations with Strong Near Infrared Absorption and Third-Order Optical Nonlinearity (C) 7095–7098 [7203–7206]
 DOI: 10.1002/anie.200802687
 Persau, C. (C) 1326–1331 [1346–1351]
 Person, B. (C) 5465–5469 [5545–5550]
 Persoons, A. (C) 2978–2981 [3020–3023]
 Peruzzini, M.
 – Heterobimetallic Cooperation Mediates the Transformation of White Phosphorus into Zwitterionic *catena*-Phosphonium(+)–diphosphonide(–) Ligands (C) 3766–3768 [3826–3828]
 DOI: 10.1002/anie.200800470
 Peruzzini, M. (C) 4425–4427 [4497–4499]
 Pery, T. (C) 2074–2078 [2104–2108]
 Pesciaoli, F. (C) 8703–8706 [8831–8834]
 Peterlik, H. (C) 7127–7131 [7236–7240]
 Peters, M. V. (C) 5968–5972 [6056–6060]
 Peters, R.
 – Contact Ion Pair Directed Lewis Acid Catalysis: Asymmetric Synthesis of *trans*-Configured β -Lactones (C) 5461–5464 [5541–5544]
 DOI: 10.1002/anie.200801143
 – Enantioselective Bimetallic Catalysis of Michael Additions Forming Quaternary Stereocenters (C) 9284–9288 [9424–9429]
 DOI: 10.1002/anie.200803539
 Petersen, J. L. (C) 726–730 [738–742], 1458–1461 [1480–1483]
 Petersen, S. (C) 3192–3195 [3236–3239]
 Peterson, B. R. (C) 1250–1254 [1270–1274]
 Peterson, V. K. (C) 8929–8932 [9061–9064]
 Petitjean, A. (C) 2484–2488 [2518–2522]
 Petkova, I. (C) 6037–6040 [6126–6129]
 Petri-Fink, A.
 – Superparamagnetic Nanoparticles as a Powerful Systems Biology Characterization Tool in the Physiological Context (C) 7857–7860 [7975–7978]
 DOI: 10.1002/anie.200800357
 Petrini, M.
 – Proline-Catalyzed Asymmetric Formal α -Alkylation of Aldehydes via Vinylogous Iminium Ion Intermediates Generated from Arylsulfonyl Indoles (C) 8707–8710 [8835–8838]
 DOI: 10.1002/anie.200803947
 Petronilho, A. (C) 4380–4383 [4452–4455]
 Petrov, S. (C) 1255–1259 [1275–1279], 3814–3817 [3874–3877]
 Petrukhina, M. A.
 – Coordination of Buckybowls: The First Concave-Bound Metal Complex (H) 1550–1552 [1572–1574]
 DOI: 10.1002/anie.200704783
 Petrushkin, O. V. (C) 3262–3266 [3306–3310]
 Petzold, H. (C) 3008–3011 [3050–3053]
 Pfaltz, A.
 – Enantio- and Diastereoselective Hydrogenation of Farnesol and O-Protected Derivatives: Stereocontrol by Changing the C=C Bond Configuration (C) 2298–2300 [2330–2332]
 DOI: 10.1002/anie.200705521
 – Mass Spectrometric Screening of Chiral Catalysts by Monitoring the Back Reaction of Quasi-enantiomeric Products: Palladium-Catalyzed Allylic Substitution (C) 3363–3366 [3411–3414]
 DOI: 10.1002/anie.200705081
 – Mass Spectrometric Screening of Enantioselective Diels–Alder Reactions (C) 3360–3362 [3408–3410]
 DOI: 10.1002/anie.200705082
 Pfeifer, T. (C) 9547–9550 [9690–9692]
 Pham, D. M. (C) 3740–3743 [3800–3803]
 Philip, R. (C) 5750–5754 [5834–5838]
 Philippot, K. (C) 2074–2078 [2104–2108]
 Phillips, A. E. (C) 1396–1399 [1418–1421]
 Phillips, A. J.
 – Total Synthesis of Aburatubolactam A (C) 8499–8501 [8627–8629]
 DOI: 10.1002/anie.200803593
 Phillips, R. L. (C) 2590–2594 [2628–2632]
 Philp, D.
 – A Simple Synthetic Replicator Amplifies Itself from a Dynamic Reagent Pool (C) 9965–9970 [10113–10118]
 DOI: 10.1002/anie.200804223
 Phoenix, S. (C) 1272–1275 [1292–1295]
 Pieniazek, S. N. (C) 7746–7749 [7860–7863]
 Piera, J. (R) 3506–3523 [3558–3576]
 Pieraccini, S. (C) 3184–3187 [3228–3231]
 Pierron, J. (C) 701–705 [713–717]
 Piers, W. E.
 – Heterolytic H₂ Activation by Nonmetals (H) 38–41 [38–42]
 DOI: 10.1002/anie.200702816
 Pietrzak, M. (C) 1123–1126 [1139–1142]
 Piguet, D. (C) 3262–3266 [3306–3310]
 Pilati, T. (M) 6114–6127 [6206–6220]
 Pillai, V. K.
 – Polymer Electrolyte Fuel Cells Using Nafion-Based Composite Membranes with Functionalized Carbon Nanotubes (C) 2653–2656 [2693–2696]
 DOI: 10.1002/anie.200704343
 Piller, F. M. (C) 6802–6806 [6907–6911]
 Pines, A. (C) 4316–4320 [4388–4392]
 Pink, M. (C) 3769–3772 [3829–3832], 9112–9114 [9252–9254]
 Pinkhassik, E.
 – Directed Assembly of Sub-Nanometer Thin Organic Materials with Programmed-Size Nanopores (C) 7036–7039 [7144–7147]
 DOI: 10.1002/anie.200801814
 – Functionalization of Imprinted Nanopores in Nanometer-Thin Organic Materials (C) 8264–8267 [8388–8391]
 DOI: 10.1002/anie.200803261
 Pinna, N.
 – Non-Aqueous Routes to Metal Oxide Thin Films by Atomic Layer Deposition (C) 3592–3595 [3648–3651]
 DOI: 10.1002/anie.200705550
 – Surfactant-Free Nonaqueous Synthesis of Metal Oxide Nanostructures

- (M) 5292–5304 [5372–5385]
DOI: 10.1002/anie.200704541
- Pinnavaia, T. J.
– Mesostructured Forms of the Transition Phases η - and χ - Al_2O_3
(C) 7501–7504 [7611–7614]
DOI: 10.1002/anie.200802278
- Piñón III, V. (C) 1425–1428 [1447–1450]
- Pintacuda, G. (C) 5851–5854 [5935–5938]
- Pinzón, J. R. (C) 4173–4176 [4241–4244]
- Pipkorn, R. (C) 7132–7135 [7241–7244]
- Pippel, E. (C) 7004–7008 [7112–7116]
- Pipper, J.
– Clockwork PCR Including Sample Preparation
(C) 3900–3904 [3964–3968]
DOI: 10.1002/anie.200705016
- Pisula, W. (C) 1703–1706 [1727–1730]
- Pivetta, M.
– Two-Dimensional Tiling by Rubrene Molecules Self-Assembled in Supramolecular Pentagons, Hexagons, and Heptagons on a Au(111) Surface
(C) 1076–1079 [1092–1095]
DOI: 10.1002/anie.200704479
- Pivoňková, H. (C) 2059–2062 [2089–2092]
- Pizzey, C. L. (C) 1241–1244 [1261–1264]
- Plass, W.
– Carboxylate-Bridged Dinuclear Active Sites in Oxygenases: Diiron, Dimanganese, or is Heterodinuclear Better?
(H) 7588–7591 [7700–7703]
DOI: 10.1002/anie.200802366
- Platts, J. A.
– Kinetics of Iminium Ion Catalysis
(C) 2820–2823 [2862–2865]
DOI: 10.1002/anie.200705539
- Plech, A. (C) 5550–5553 [5632–5635]
- Plenio, H.
– Catalysts for the Sonogashira Coupling—The Crownless Again Shall Be King
(H) 6954–6956 [7060–7063]
DOI: 10.1002/anie.200802270
- Plietker, B.
– Ligand-Dependent Mechanistic Dichotomy in Iron-Catalyzed Allylic Substitutions: σ -Allyl versus π -Allyl Mechanism
(C) 198–201 [204–207]
DOI: 10.1002/anie.200703874
- Plonska-Brzezinska, M. E. (C) 4173–4176 [4241–4244]
- Plutowski, U. (C) 6065–6068 [6154–6157]
- Podkolzin, S. G. (C) 5002–5004 [5080–5082]
- Poduska, A. (C) 2864–2868 [2906–2910]
- Pohl, N. L.
– Fluorous Tags Catching on Microarrays
(H) 3868–3870 [3930–3932]
DOI: 10.1002/anie.200704801
- Synthesis and Quantitative Evaluation of *Glycero-D-manno*-heptose Binding to Concanavalin A by Fluorous-Tag Assistance
(C) 1707–1710 [1731–1734]
DOI: 10.1002/anie.200704262
- Pohl, R. (C) 2059–2062 [2089–2092]
- Polarz, S.
– Amino Acid Silica Hybrid Materials with Mesoporous Structure and Enantiopure Surfaces
(C) 9513–9517 [9655–9659]
DOI: 10.1002/anie.200803405
- Poleschner, H.
– Selenirenium and Tellurirenium Ions
(C) 6461–6464 [6561–6564]
DOI: 10.1002/anie.200801691
- Polet, D. (C) 7310–7313 [7420–7423]
- Poli, R.
– Homolytic Bond Strengths and Formation Rates in Half-Sandwich Chromium Alkyl Complexes: Relevance for Controlled Radical Polymerization
(C) 6069–6072 [6158–6161]
DOI: 10.1002/anie.200801498
- Polsky, R. (C) 2631–2634 [2671–2674]
- Pomerantz, W. C. (C) 1241–1244 [1261–1264]
- Pommeret, S. (C) 8033–8035 [8153–8155]
- Pompidor, G. (C) 3388–3391 [3436–3439]
- Ponou, S. (C) 3999–4004 [4063–4068]
- Pons, V. (H) 9600–9602 [9742–9744]
- Popeko, A. G. (C) 3262–3266 [3306–3310]
- Popov, A. A. (C) 6204–6207 [6300–6303], 8196–8200 [8318–8322]
- Popovitz-Biro, R. (C) 9908–9912 [10056–10060]
- Popp, A. (C) 8958–8960 [9092–9095]
- Porcel, S. (C) 1883–1886 [1909–1912], 7515–7519 [7625–7629]
- Pordea, A. (C) 1400–1404 [1422–1426]
- Porte, L. (C) 6994–6998 [7102–7106]
- Portehault, D. (C) 6441–6444 [6541–6544]
- Potrzebowski, M. J. (C) 541–544 [551–554]
- Pöttgen, R.
– Pnictide Oxides: A New Class of High- T_c Superconductors
(H) 4782–4784 [4860–4863]
DOI: 10.1002/anie.200801818
- Pöttgen, R. (C) 963–966 [977–980]
- Poulsen, L. (C) 6025–6027 [6114–6116]
- Poulsen, T. B. (C) 4687–4690 [4765–4768]
- Poustka, A. (C) 7132–7135 [7241–7244]
- Poutsma, J. L.
– Highly Stereoselective Ring Expansion Reactions Mediated by Attractive Cation– π Interactions
(C) 6233–6235 [6329–6331]
DOI: 10.1002/anie.200801591
- Pouységu, L. (C) 3552–3555 [3608–3611]
- Poveda, M. L.
– Monodentate, N-Heterocyclic Carbene-Type Coordination of 2,2'-Bipyridine and 1,10-Phenanthroline to Iridium
(C) 4380–4383 [4452–4455]
DOI: 10.1002/anie.200800705
- Power, P. P.
– Synthesis and Characterization of the Metal(I) Dimers [Ar'MMAr']: Comparisons with Quintuple-Bonded [Ar'CrCrAr']
(C) 9115–9117 [9255–9257]
DOI: 10.1002/anie.200802657
- Prabusankar, G. (C) 7234–7237 [7344–7347]
- Pradeep, C. P. (C) 4388–4391 [4460–4463]
- Pradeepkumar, P. I. (C) 1753–1757 [1777–1781]
- Prager, L. (C) 3267–3270 [3311–3314]
- Prandi, J.
– Synthesis of Diacylated Trehalose Sulfates: Candidates for a Tuberculosis Vaccine
(C) 9734–9738 [9880–9884]
DOI: 10.1002/anie.200803835
- Prasad Korivi, R. (C) 4892–4895 [4970–4973]
- Prato, M. (C) 7726–7730 [7840–7844]
- Praveen, V. K. (C) 5746–5749 [5830–5833], 5750–5754 [5834–5838]
- Prehm, M. (C) 6080–6083 [6169–6172], 9063–9066 [9203–9206]
- Preishuber-Pflügl, P.
– Variably Isotactic Poly(hydroxybutyrate) from Racemic β -Butyrolactone: Microstructure Control by Achiral Chromi-
- um(III) Salophen Complexes
(C) 3458–3460 [3508–3510]
DOI: 10.1002/anie.200703859
- Presa Soto, A. (C) 6212–6215 [6308–6311]
- Prescimone, A. (C) 2828–2831 [2870–2873]
- Presly, O. C. (C) 4354–4357 [4426–4429]
- Pretorius, A. (C) 8946–8949 [9078–9082]
- Prins, L. J.
– Exploiting Neighboring-Group Interactions for the Self-Selection of a Catalytic Unit
(C) 2475–2479 [2509–2513]
DOI: 10.1002/anie.200703857
- Prins, R.
– Hydrosulfurization of 4,6-Dimethylthiophene over Noble Metals Supported on Mesoporous Zeolites
(C) 8478–8481 [8606–8609]
DOI: 10.1002/anie.200802540
- Prins, R. (C) 6052–6054 [6141–6143]
- Prisner, T. F. (C) 1224–1227 [1244–1247]
- Pritchard, R. G. (C) 924–927 [938–941], 9681–9684 [9827–9830]
- Pritz, S. (C) 3642–3645 [3698–3701]
- Pritzker, M. (C) 4397–4400 [4469–4472]
- Procter, D. J.
– Synthesis and Reactions of the Pestalotiopsis Skeleton
(C) 5631–5633 [5713–5715]
DOI: 10.1002/anie.200801900
- Prokopcová, H. (H) 3674–3676 [3732–3734]
- Proserpio, D. M. (E) 7996–8000 [8116–8121]
- Protasiewicz, J. D.
– Synergistic Binding of Both Lewis Acids and Bases to Phosphinidenes
(C) 7489–7492 [7599–7602]
DOI: 10.1002/anie.200801741
- Protchenko, A. V.
– Lanthanum Does Form Stable Molecular Compounds in the +2 Oxidation State
(C) 1488–1491 [1510–1513]
DOI: 10.1002/anie.200704887
- Prots, Yu. (C) 8280–8284 [8404–8408]
- Prudent, M. (C) 4675–4678 [4753–4756]
- Prusov, E. V. (C) 10081–10085 [10235–10239]
- Puchberger, M. (C) 9142–9145 [9282–9285]
- Puchta, R. (C) 8941–8945 [9073–9077]
- Pudney, C. R. (C) 537–540 [547–550]
- Pugh, D. (C) 9765–9767 [9911–9913]
- Puigmartí-Luis, J. (C) 1861–1865 [1887–1891]
- Pum, D. (C) 4707–4710 [4785–4788]
- Purcell, J. M. (C) 2796–2799 [2838–2841]
- Purrello, R.
– Reversible “Chiral Memory” in Ruthenium Tris(phenanthroline)–Anionic Porphyrin Complexes
(C) 9879–9882 [10027–10030]
DOI: 10.1002/anie.200803619
- Puthenveetil, S. (C) 7018–7021 [7126–7129]
- Pütter, H. (C) 2138–2142 [2169–2173]
- Puukilainen, E. (C) 7442–7445 [7552–7555]
- Puzo, G. (C) 9734–9738 [9880–9884]
- Pye, P. J.
– A Polar Radical Pair Pathway To Assemble the Pyrimidinone Core of the HIV Integrase Inhibitor Raltegravir Potassium
(C) 4134–4136 [4202–4204]
DOI: 10.1002/anie.200703681
- Pyrz, W. D. (C) 2788–2791 [2830–2833]



- Qi, L.
– Bioinspired Fabrication of 3D Ordered Macroporous Single Crystals of Calcite from a Transient Amorphous Phase (C) 2388–2393 [2422–2427]
DOI: 10.1002/anie.200705403
- Qi, X. (C) 7068–7070 [7176–7178]
- Qian, L.-F. (C) 9330–9333 [9470–9473]
- Qian, X.
– A Ratiometric Fluorescent Probe Based on FRET for Imaging Hg^{2+} Ions in Living Cells (C) 8025–8029 [8145–8149]
DOI: 10.1002/anie.200803246
- Qiao, L. (C) 2646–2648 [2686–2688]
- Qiao, X.-C. (C) 4351–4353 [4423–4425]
- Qin, B. (C) 9875–9878 [10023–10026]
- Qin, J. (C) 8104–8107 [8224–8227]
- Qin, L. (C) 1938–1941 [1964–1967]
- Qin, M. (C) 6052–6054 [6141–6143]
- Qin, T. (C) 8292–8296 [8416–8420]
- Qin, X. (C) 7931–7933 [8049–8051]
- Qin, Y.
– Efficient Assembly of an Indole Alkaloid Skeleton by Cyclopropanation: Concise Total Synthesis of ($\pm$)-Minfiensine (C) 3618–3621 [3674–3677]
DOI: 10.1002/anie.200800566
- Qiu, F. (C) 5009–5012 [5087–5090]
- Qiu, L.-G.
– Hierarchically Micro- and Mesoporous Metal–Organic Frameworks with Tunable Porosity (C) 9487–9491 [9629–9633]
DOI: 10.1002/anie.200803640
- Qiu, Z. (C) 6572–6575 Corrigendum: 7580 [6674–6677 Corrigendum: 7692]
- Qu, J. (C) 2832–2835 [2874–2877]
- Qu, X. (C) 3973–3975 [4037–4039]
- Qu, Z.-R. (C) 8596–8600 [8724–8728]
- Que Jr., L.
– An Inverted and More Oxidizing Isomer of $[\text{Fe}^{\text{IV}}(\text{O})(\text{tmc})(\text{NCCCH}_3)]^{2+}$ (C) 8068–8071 [8188–8191]
DOI: 10.1002/anie.200802219
- Contrasting *cis* and *trans* Effects on the Reactivity of Nonheme Oxoiron(IV) Complexes (C) 1896–1899 [1922–1925]
DOI: 10.1002/anie.200704228
- Iron-Catalyzed Asymmetric Olefin *cis*-Dihydroxylation with 97% Enantiomeric Excess (C) 1887–1889 [1913–1915]
DOI: 10.1002/anie.200705061
- Proton- and Reductant-Assisted Dioxygen Activation by a Nonheme Iron(II) Complex to Form an Oxoiron(IV) Intermediate (C) 7064–7067 [7172–7175]
DOI: 10.1002/anie.200801832
- Que Jr., L. (C) 9071–9074 [9211–9214]
- Queen, W. L. (C) 3791–3794 [3851–3854]
- Quiclet-Sire, B. (C) 1436–1438 [1458–1460]
- Quideau, S. Corrigendum: 628
- Quideau, S.
– Highly Diastereoselective Synthesis of Orthoquinone Monoketals through λ^3 -

- Iodane-Mediated Oxidative Dearomatization of Phenols (C) 3552–3555 [3608–3611]
DOI: 10.1002/anie.200705816
- Qureshi, M. K. N. (C) 7099–7102 [7207–7210]



- Raab, A. (C) 8090–8092 [8210–8212]
- Raber, G. (C) 2665–2667 [2705–2707]
- Rabinovich, D. (C) 1458–1461 [1480–1483]
- Rachid, S. (C) 4595–4599 [4671–4676]
- Rack, J. J.
– Femtosecond Isomerization in a Photochromic Molecular Switch (C) 1458–1461 [1480–1483]
DOI: 10.1002/anie.200703677
- Radacki, K. (C) 4931–4933 [5009–5011], 5650–5653 [5732–5735], 5978–5980 [6067–6069], 9979–9981 [10127–10129]
- Radadia, A. D. (C) 5018–5021 [5096–5099]
- Raddatz, M.-S. L. (C) 5190–5193 [5268–5271]
- Rademann, J.
– Sensitized Detection of Inhibitory Fragments and Iterative Development of Non-Peptidic Protease Inhibitors by Dynamic Ligation Screening (C) 3275–3278 [3319–3323]
DOI: 10.1002/anie.200704594
- Radhakrishnan, T. P.
– Growing Molecular Crystals on Inorganic Crystals: Polar Structure Induced by Non-centrosymmetric Templates (C) 3969–3972 [4033–4036]
DOI: 10.1002/anie.200704031
- Radkowski, K. (C) 8302–8306 [8426–8430]
- Radošević, A. T. (C) 3755–3758 [3815–3818]
- Radosz, M. (C) 1260–1264 [1280–1284]
- Raghavaiah, P. (C) 3969–3972 [4033–4036]
- Ragupathi, G.
– Synthesis of QS-21-Xylose: Establishment of the Immunopotentiating Activity of Synthetic QS-21 Adjuvant with a Melanoma Vaccine (C) 6395–6398 [6495–6498]
DOI: 10.1002/anie.200801885
- Rahman, T. S. (C) 8442–8445 [8570–8573]
- Rahn, N. (C) 597–599 [607–609]
- Raines, R. T.
– Hydrolytic Stability of Hydrazones and Oximes (C) 7523–7526 [7633–7636]
DOI: 10.1002/anie.200802651
- Rainier, J. D.
– Harnessing Glycal-Epoxy Rearrangements: The Generation of the AB, EF, and IJ Rings of Adriatoxin (C) 8055–8058 [8175–8178]
DOI: 10.1002/anie.200803791
- Highly Diastereoselective Sulfonium Ylide Rearrangements to Quaternary Substituted Indolines (C) 5374–5377 [5454–5457]
DOI: 10.1002/anie.200801336

- Raiteri, P.
– Unravelling the Shuttling Mechanism in a Photoswitchable Multicomponent Bistable Rotaxane (C) 3536–3539 [3592–3595]
DOI: 10.1002/anie.200705207
- Raj, A. (C) 7639–7643 [7751–7755]
- Rakshit, S. (C) 7230–7233 [7340–7343]
- Ramaiah, D.
– DNA-Assisted Long-Lived Excimer Formation in a Cyclophane (C) 8407–8411 [8535–8539]
DOI: 10.1002/anie.200803162
- Ramakrishnan, A. (C) 7107–7109 [7215–7217]
- Ramamoorthy, A.
– Bicelle-Enabled Structural Studies on a Membrane-Associated Cytochrome b_5 by Solid-State MAS NMR Spectroscopy (C) 7864–7867 [7982–7985]
DOI: 10.1002/anie.200801338
- Ramírez, J. (C) 5194–5197 [5272–5275]
- Rammensee, S. (C) 4592–4594 [4668–4670]
- Rampi, M. A.
– Light-Powered Electrical Switch Based on Cargo-Lifting Azobenzene Monolayers (C) 3407–3409 [3455–3457]
DOI: 10.1002/anie.200705339
- Randazzo, R. (C) 9879–9882 [10027–10030]
- Rantanen, T.
– Fluorescence-Quenching-Based Enzyme-Activity Assay by Using Photon Upconversion (C) 3811–3813 [3871–3873]
DOI: 10.1002/anie.200705861
- Rao, Q.-Q. (C) 2458–2462 [2492–2496]
- Rao, Y. (C) 4896–4899 [4974–4977]
- Rao Volla, C. M. (C) 1305–1307 [1325–1327]
- Raouafi, N. (C) 5211–5214 [5289–5292]
- Rasched, G. (C) 967–970 [981–984]
- Rasmussen, P. (C) 3262–3266 [3306–3310]
- Rasmusson, T. (C) 7009–7012 [7117–7120]
- Raston, C. L.
– Loading Molecular Hydrogen Cargo within Viruslike Nanocontainers (C) 6362–6366 [6462–6466]
DOI: 10.1002/anie.200802441
- Ratcliffe, C. I. (C) 9704–9707 [9850–9853]
- Rath, N. P. (C) 1693–1697 [1717–1721]
- Rathore, R.
– Jay Kazuo Kochi (O) 9186 [9326]
DOI: 10.1002/anie.200805187
- Ratnikov, M. O. (C) 9739–9742 [9885–9888]
- Rauchfuss, T. B.
– [FeFe]-Hydrogenase Models and Hydrogen: Oxidative Addition of Dihydrogen and Silanes (C) 9756–9759 [9902–9905]
DOI: 10.1002/anie.200804400
- Rauf, W. (C) 4228–4230 [4296–4298]
- Rauwald, U. (C) 3950–3953 [4014–4017]
- Rauwel, E. (C) 3592–3595 [3648–3651]
- Rauwel, P. (C) 3592–3595 [3648–3651]
- Ravaine, S. (C) 4725–4728 [4803–4806]
- Rawal, V. H.
– Total Synthesis of ($\pm$)-Platencin (C) 4373–4376 [4445–4448]
DOI: 10.1002/anie.200800756
- Ray, K. (C) 8068–8071 [8188–8191]
- Raymond, K. N.
– Design and Formation of a Large Tetrahedral Cluster Using 1,1'-Binaphthyl Ligands

- (C) 6062–6064 [6151–6153]
DOI: 10.1002/anie.200801226
- High-Relaxivity MRI Contrast Agents: Where Coordination Chemistry Meets Medical Imaging
(M) 8568–8580 [8696–8709]
DOI: 10.1002/anie.200800212
 - 3-Hydroxypyridin-2-one Complexes of Near-Infrared (NIR) Emitting Lanthanides: Sensitization of Holmium(III) and Praseodymium(III) in Aqueous Solution
(C) 9500–9503 [9642–9645]
DOI: 10.1002/anie.200802337
- Raynaud, J. (C) 5390–5393 [5470–5473]
Raynes, E. P. (R) 2754–2787 [2794–2828]
Razavet, M. (C) 564–567 [574–577]
Ready, J. M.
- Synthesis of Cyclopentenones from Cyclopropanes and Silyl Ynol Ethers
(C) 7068–7070 [7176–7178]
DOI: 10.1002/anie.200801957
- Real, J. A.
- Spin-Crossover Nanocrystals with Magnetic, Optical, and Structural Bistability Near Room Temperature
(C) 6433–6437 [6533–6537]
DOI: 10.1002/anie.200801673
- Reamer, R. A. (C) 4134–4136 [4202–4204]
Rebek Jr., J.
- Gas Behavior in Self-Assembled Capsules
(C) 6059–6061 [6148–6150]
DOI: 10.1002/anie.200802023
- Reboul, J. (C) 8433–8437 [8561–8565]
Rech, J. C. (C) 7317–7320 [7427–7430]
Reddy, D. S. (C) 164–168 [170–174]
Reece, J. N. (C) 9860–9865 [10008–10013]
Reed, C. A.
- The Low Basicity of Phosphabenzene: First Examples of Protonation, Alkylation, and Silylation Reactions
(C) 3801–3804 [3861–3864]
DOI: 10.1002/anie.200800878
- Reek, J. N. H.
- METAMORPhos: Adaptive Supramolecular Ligands and Their Mechanistic Consequences for Asymmetric Hydrogenation
(C) 3180–3183 [3224–3227]
DOI: 10.1002/anie.200705212
- Reese, M. (C) 7736–7740 [7850–7854]
Reetz, M. T.
- Combinatorial Transition-Metal Catalysis: Mixing Monodentate Ligands to Control Enantio-, Diastereo-, and Regioselectivity
(R) 2556–2588 [2592–2626]
DOI: 10.1002/anie.200704327
- Reetz, M. T. (C) 5085–5088 [5163–5166]
Reibenspies, J. H. (C) 9492–9495 [9634–9637]
Reichard, H. A. (C) 7837–7840 [7955–7958]
Reichold, R. (C) 2143–2146 [2174–2177]
Reiher, M.
- Important for the Definition of Terminology in Computational Chemistry
(L) 7171 [7283–7284]
DOI: 10.1002/anie.200802506
- Reijerse, E. (C) 6897–6899 [7003–7005]
Reilly, J. P.
- Does a Charge Tag Really Provide a Fixed Charge?
(C) 2463–2465 [2497–2499]
DOI: 10.1002/anie.200705048
- Reiman, S. (C) 2997–2999 [3039–3041]
Rein, F. N. (C) 503–506 [513–516]
Reiner, C. (C) 755–758 [767–770]
Reinhart, C. (C) 1668–1671 [1692–1695]
Reinhoudt, D. N.
- Heterogeneous Catalysis through Micro-contact Printing
(C) 9927–9932 [10075–10080]
DOI: 10.1002/anie.200803480
- Reinnig, M.-C. (L) 3683–3686 [3741–3744]
Reisenauer, H. P. (C) 7071–7074 [7179–7182]
Reisinger, C. M. (C) 8112–8115 [8232–8235]
Reiter, R. C. (C) 8714–8718 [8842–8846]
Reitzig, M. (C) 7876–7879 [7994–7997]
Remy, P. (C) 1866–1870 [1892–1896]
Ren, G. (C) 5619–5622 [5701–5704]
Ren, J.
- Virion-Mimicking Nanocapsules from pH-Controlled Hierarchical Self-Assembly for Gene Delivery
(C) 1260–1264 [1280–1284]
DOI: 10.1002/anie.200703203
- Ren, X. (C) 7868–7871 [7986–7989]
Ren, Y.-P. (C) 2398–2401 [2432–2435]
Renard, P.-Y. (C) 4224–4227 [4292–4295]
Renault, J. P.
- Finite Size Effects on Hydrogen Bonds in Confined Water
(C) 8033–8035 [8153–8155]
DOI: 10.1002/anie.200802630
- Rendler, S. (H) 248–250 [254–257], (C) 5997–6000 [6086–6089]
Renfrew, A. K. (C) 3773–3776 [3833–3836]
Renner, C. (C) 2143–2146 [2174–2177]
Renner, S. (C) 6473–6477 [6573–6577]
Rentschler, E. (C) 6208–6211 [6304–6307]
Repetto, P. (R) 6538–6549 [6638–6650]
Repo, T.
- Facile Heterolytic H₂ Activation by Amines and B(C₆F₅)₃
(C) 6001–6003 [6090–6092]
DOI: 10.1002/anie.200800935
- Resnati, G.
- Halogen Bonding in Supramolecular Chemistry
(M) 6114–6127 [6206–6220]
DOI: 10.1002/anie.200800128
- Retailleau, P. (C) 8876–8880 [9008–9012]
Retamosa, M. de G. (C) 6055–6058 [6144–6147]
Révay, Z. (C) 9274–9278 [9414–9418]
Revell, J. D. (C) 1871–1874 [1897–1900]
Rey, F. (C) 1080–1083 [1096–1099]
Rey, C. (C) 8654–8656 [8782–8784]
Reza Halvagar, M. (C) 1955–1957 [1981–1983]
Rhee, A. (C) 5577–5581 [5659–5663]
Rhee, Y. H.
- Gold(I)-Catalyzed Cycloisomerization of 3-Methoxy-1,6-enynes Featuring Tandem Cyclization and [3,3]-Sigmatropic Rearrangement
(C) 2263–2266 [2295–2298]
DOI: 10.1002/anie.200705117
- Rheingold, A. L. (C) 5075–5078 [5153–5156]
Rheinländer, B. (C) 6177–6179 [6272–6274]
Rho, H. S. (C) 7872–7875 [7990–7993]
Ribelin, T. (C) 6233–6235 [6329–6331]
Ribó, M. (C) 7764–7767 [7878–7881]
Ricard, L. (C) 1436–1438 [1458–1460]
Ricci, A.
- Organocatalytic Asymmetric Diels–Alder Reactions of 3-Vinylindoles
(C) 9236–9239 [9376–9379]
DOI: 10.1002/anie.200804275
- Richardson, C. (C) 8482–8486 [8610–8614]
Richardson, R. M. (C) 3826–3829 [3886–3889]
Richert, C.
- Chemical Primer Extension in Seconds
(C) 6065–6068 [6154–6157]
DOI: 10.1002/anie.200801260
- Richter, M. E. A. (C) 8872–8875 [9004–9007]
Richtering, W.
- Interplay between Hydrogen Bonding and Macromolecular Architecture Leading to Unusual Phase Behavior in Thermosensitive Microgels
(C) 338–341 [344–347]
DOI: 10.1002/anie.200703728
- Richthammer, P. (C) 1729–1732 [1753–1756]
Riedel, D. (C) 5046–5048 [5124–5126]
Riedel, S. (C) 8631–8633 [8759–8761]
Riedinger, J. (C) 3258–3261 [3302–3305]
Riedrich, M. (H) 4785–4788 [4864–4867]
Rief, M. (C) 8192–8195 [8314–8317]
Rieger, B.
- Facile Heterolytic H₂ Activation by Amines and B(C₆F₅)₃
(C) 6001–6003 [6090–6092]
DOI: 10.1002/anie.200800935
- Variably Isotactic Poly(hydroxybutyrate) from Racemic β -Butyrolactone: Microstructure Control by Achiral Chromium(III) Salophen Complexes
(C) 3458–3460 [3508–3510]
DOI: 10.1002/anie.200703859
- Rieger, J. C. (C) 7837–7840 [7955–7958]
Riehm, T. (C) 2414–2417 [2448–2451]
Riek, R. (C) 5839–5841 [5923–5925]
Rienstra, C. M.
- Rapid Analysis of Organic Compounds by Proton-Detected Heteronuclear Correlation NMR Spectroscopy with 40 kHz Magic-Angle Spinning
(C) 7328–7331 [7438–7441]
DOI: 10.1002/anie.200802108
- Riesco-Fagundo, C. (C) 1130–1133 [1146–1149], 8917–8919 [9049–9051]
Righini, R. (C) 8033–8035 [8153–8155]
Rigo, P. (C) 4362–4365 [4434–4437]
Rijs, A. M. (C) 3174–3179 [3218–3223]
Riman, R. E. (C) 6049–6051 [6138–6140]
Rinaldi, R. (C) 8047–8050 [8167–8170]
Ringe, A. (C) 5246–5249 [5324–5327]
Rios, R. (C) 8468–8472 [8596–8600]
Ripmeester, J. A.
- A Channel-Free Soft-Walled Capsular Calixarene Solid for Gas Adsorption
(C) 5616–5618 [5698–5700]
DOI: 10.1002/anie.200800071
- Dissociation Behavior of Clathrate Hydrates to Ice and Dependence on Guest Molecules
(C) 1276–1279 [1296–1299]
DOI: 10.1002/anie.200703718
- Transformation of the Hexagonal-Structure Clathrate Hydrate of Cyclooctane to a Low-Symmetry Form Below 167 K
(C) 9704–9707 [9850–9853]
DOI: 10.1002/anie.200801694
- Riskin, M. (C) 4416–4420 [4488–4492]
Riss, A. (C) 1496–1499 [1518–1522]
Rissanen, K.
- An Unlockable–Relockable Iron Cage by Subcomponent Self-Assembly
(C) 8297–8301 [8421–8425]
DOI: 10.1002/anie.200803066
- Rissanen, K. (C) 788–792 [800–804]

- Ritala, M. (C) 7442–7445 [7552–7555]
 Ritchie, C. (C) 5609–5612 [5691–5694],
 6881–6884 [6987–6990]
 Ritter, C. (C) 5740–5745 [5824–5829]
 Ritter, H.
 – Pseudopolyanions Based on Poly(NI-PAAM-co- β -Cyclodextrin Methacrylate) and Ionic Liquids
 (C) 3435–3437 [3484–3486]
 DOI: 10.1002/anie.200704995
 Ritter, T.
 – Palladium-Mediated Fluorination of Arylboronic Acids
 (C) 5993–5996 [6082–6085]
 DOI: 10.1002/anie.200802164
 Rittweger, E. (C) 2685–2688 [2725–2728]
 Robert, T. (C) 7718–7721 [7832–7835]
 Roberts, A. J. (C) 1774–1776 [1798–1800]
 Robertson, N.
 – Catching the Rainbow: Light Harvesting in Dye-Sensitized Solar Cells
 (H) 1012–1014 [1028–1030]
 DOI: 10.1002/anie.200704538
 Robles, R. (C) 7515–7519 [7625–7629]
 Roccatano, D. (C) 7029–7031 [7137–7139]
 Rocha, J.
 – Metal–Organic Nanoporous Structures with Anisotropic Photoluminescence and Magnetic Properties and Their Use as Sensors
 (C) 1080–1083 [1096–1099]
 DOI: 10.1002/anie.200704702
 Rocha, R. C.
 – Observation of Three Intervalence-Transfer Bands for a Class II–III Mixed-Valence Complex of Ruthenium
 (C) 503–506 [513–516]
 DOI: 10.1002/anie.200702760
 Rocha, S. (C) 3372–3375 [3420–3423]
 Roach, R. (C) 4878–4881 [4956–4959]
 Roche, S. P. (C) 6840–6842 [6946–6948]
 Rocquefelte, X. (C) 2301–2303 [2333–2336]
 Rodríguez, F. (C) 7044–7047 [7152–7155],
 7354–7357 [7464–7467]
 Rodríguez, J. A.
 – Dissociation of SO₂ on Au/TiC(001): Effects of Au–C Interactions and Charge Polarization
 (C) 6685–6689 [6787–6791]
 DOI: 10.1002/anie.200801027
 Rodríguez, M. (C) 5830–5832 [5914–5916]
 Rodríguez, N. (C) 3043–3045 [3085–3088],
 (R) 3100–3120 [3144–3164]
 Rodríguez, R. (C) 2677–2680 [2717–2720]
 Rodríguez-Blanco, C. (C) 1857–1860 [1883–1886]
 Roelfaers, M. B. J. (C) 2813–2816 [2855–2858]
 Roesler, R.
 – Unusual B₄N₂C₂ Ligand in a Ruthenium Pseudo-Triple-Decker Sandwich Complex Displaying Three Reversible Electron-Transfer Steps
 (C) 361–364 [367–370]
 DOI: 10.1002/anie.200703556
 Rogach, A. L. (R) 6538–6549 [6638–6650]
 Rogers, E. W. (C) 8086–8089 [8206–8209]
 Rogers, J. A.
 – Seeing Molecules by Eye: Surface Plasmon Resonance Imaging at Visible Wavelengths with High Spatial Resolution and Submonolayer Sensitivity
 (C) 5013–5017 [5091–5095]
 DOI: 10.1002/anie.200800501
 – Semiconductor Wires and Ribbons for High-Performance Flexible Electronics
 (R) 5524–5542 [5606–5624]
 DOI: 10.1002/anie.200703238
 Rogers, S. A. (C) 5229–5231 [5307–5309]
 Rogers-Evans, M.
 – Spirocyclic Oxetanes: Synthesis and Properties
 (C) 4512–4515 [4588–4591]
 DOI: 10.1002/anie.200800450
 Rogez, G.
 – Single-Molecule Magnets with Mesomorphic Lamellar Ordering
 (C) 490–495 [500–505]
 DOI: 10.1002/anie.200704460
 Röglin, L. (C) 3258–3261 [3302–3305],
 7119–7122 [7228–7231]
 Rogov, V. A. (C) 4559–4562 [4635–4638]
 Rohbognner, C. J. (C) 1503–1507 [1526–1530]
 Rohde, H. (C) 6807–6810 [6912–6915]
 Rohde, J.-U. (C) 9071–9074 [9211–9214]
 Rohde, R. D. (C) 9927–9932 [10075–10080]
 Rohmer, M.-M.
 – A Tale of Two Isomers (Continued): Is the Phenyl Hydride Complex of Chromium More Stable than Its Benzene-Bridged Isomer?
 (C) 5597–5599 [5679–5681]
 DOI: 10.1002/anie.200801032
 Roizen, J. L. (C) 6873–6876 [6979–6982]
 Rokita, S. E.
 – Immortalizing a Transient Electrophile for DNA Cross-Linking
 (C) 1291–1293 [1311–1313]
 DOI: 10.1002/anie.200704137
 Rokob, T. A. (C) 2435–2438 [2469–2472]
 Rolff, M. (H) 2344–2347 [2378–2381]
 Romanelli, M. (C) 6049–6051 [6138–6140]
 Romano, A. (C) 507–510 [517–520]
 Romano, J. J. (C) 9104–9107 [9244–9247]
 Romano, R. M. (C) 10114–10118 [10268–10272]
 Romanov, S. G. (R) 6538–6549 [6638–6650]
 Romero, I.
 – Ru-Hbnp-Based Water-Oxidation Catalysts Anchored on Conducting Solid Supports
 (C) 5830–5832 [5914–5916]
 DOI: 10.1002/anie.200704912
 Romerosa, A.
 – A Water Soluble Diruthenium–Gold Organometallic Microgel
 (C) 8665–8669 [8793–8797]
 DOI: 10.1002/anie.200803232
 Rominger, F. (C) 3454–3457 [3503–3507]
 Romo, D.
 – Enantioselective Synthesis of (+)-Monobromophakellin and (+)-Phakellin: A Concise Phakellin Annulation Strategy Applicable to Palau'amine
 (C) 1284–1286 [1304–1306]
 DOI: 10.1002/anie.200703998
 – Highly Diastereoselective, Tandem, Three-Component Synthesis of Tetrahydrofurans from Ketoaldehydes via Silylated β -Lactone Intermediates
 (C) 5026–5029 [5104–5107]
 DOI: 10.1002/anie.200800235
 Romo-Herrera, J. M. (C) 2948–2953 [2990–2995]
 Roos, B. O. (C) 5366–5370 [5446–5450]
 Rooshenas, P. (C) 8696–8699 [8824–8827]
 Roscini, C. (C) 2283–2286 [2315–2318]
 Rose, B. D. (C) 8714–8718 [8842–8846]
 Rose, F. J. (C) 1910–1912 [1936–1938]
 Rosen, E. L. (C) 2267–2270 [2299–2302]
 Rosenau, F. (C) 5085–5088 [5163–5166]
 Rosenau, T. (C) 9866–9869 [10014–10017]
 Rosenauer, A. (C) 8946–8949 [9078–9082]
 Rosenbach Jr., N. (C) 6611–6615 [6713–6717]
 Rosenthal, U.
 – Discovering Chemical Terra Incognita: Unusual Metallacycles and Their Reactions
 (H) 5118–5121 [5196–5199]
 DOI: 10.1002/anie.200801571
 Ross III, C. W. (C) 9104–9107 [9244–9247]
 Rosseinsky, M. J. Corrigendum: 1167
 Rosseinsky, M. J.
 – Opening the “Stable” Door
 (H) 8778–8780 [8907–8910]
 DOI: 10.1002/anie.200802365
 Rossel, T. (C) 1400–1404 [1422–1426]
 Rossmesl, J. (C) 4683–4686 [4761–4764]
 Rosspeintner, A. (C) 960–962 [974–976]
 Rotello, V. M.
 – Rapid and Efficient Identification of Bacteria Using Gold-Nanoparticle–Poly(*para*-phenyleneethynylene) Constructs
 (C) 2590–2594 [2628–2632]
 DOI: 10.1002/anie.200703369
 Roth, A. (H) 7588–7591 [7700–7703]
 Rothenmund, S. (C) 3642–3645 [3698–3701]
 Rothenberg, G.
 – Cat-in-a-Cup: Facile Separation of Large Homogeneous Catalysts
 (C) 5407–5410 [5487–5490]
 DOI: 10.1002/anie.200801116
 Rothgaengel, C. (C) 9979–9981 [10127–10129]
 Röthlingshöfer, M. (C) 6065–6068 [6154–6157]
 Rotter, M. (C) 7949–7952 [8067–8070]
 Roulland, E.
 – Total Synthesis of (+)-Oocycin A: Application of the Suzuki–Miyaura Cross-Coupling of 1,1-Dichloro-1-alkenes with 9-Alkyl 9-BBN
 (C) 3762–3765 [3822–3825]
 DOI: 10.1002/anie.200800585
 Roussel, C. (C) 2646–2648 [2686–2688]
 Rovira, C. (C) 1861–1865 [1887–1891]
 Rovis, T.
 – More than Bystanders: The Effect of Olefins on Transition-Metal-Catalyzed Cross-Coupling Reactions
 (R) 840–871 [852–884]
 DOI: 10.1002/anie.200700278
 Rowan, A. E. (C) 2431–2434 [2465–2468]
 Rowley, J. M. (C) 6041–6044 [6130–6133]
 Roy, S. (C) 6192–6194 [6287–6289]
 Roy, V. A. L. (C) 9895–9899 [10043–10047]
 Roy, X. (C) 511–514 [521–524]
 Rozkiewicz, D. I. (C) 9927–9932 [10075–10080]
 Rozzell, D. (C) 9337–9340 [9477–9480]
 Ruani, G. (C) 8596–8600 [8724–8728]
 Ruben, M.
 – Micro- and Nanopatterning of Spin-Transition Compounds into Logical Structures
 (C) 8596–8600 [8724–8728]
 DOI: 10.1002/anie.200802085
 Ruben, M. (C) 8835–8838 [8967–8970]
 Rubenbauer, P. (C) 10106–10109 [10260–10263]
 Ruck, M.
 – The Molecular Cluster
 [Bi₁₀Au₂](SbBi₃Br₉)₂

- (C) 3932–3935 [3996–3999]
DOI: 10.1002/anie.200800142
- Ruck, R. T.
– Palladium-Catalyzed Tandem Heck Reaction/C–H Functionalization—Preparation of Spiro-Indane-Oxindoles
(C) 4711–4714 [4789–4792]
DOI: 10.1002/anie.200800549
- Ruda, H. E.
– Synthesis and Lithographic Patterning of FePt Nanoparticles Using a Bimetallic Metallopolyyne Precursor
(C) 1255–1259 [1275–1279]
DOI: 10.1002/anie.200703199
- Rudd, M. T. (C) 9104–9107 [9244–9247]
- Rudenstine, N. L.
– *Jeremy R. Knowles*
(O) 8772–8773 [8900–8901]
DOI: 10.1002/anie.200804809
- Rudin, M. (C) 3196–3201 [3240–3245]
- Rudler, H.
– Overall “Pseudocationic” Trifluoromethylation of Dihydropyridines with Triflic Anhydride
(C) 6843–6846 [6949–6952]
DOI: 10.1002/anie.200801879
- Rudolphi, F. (C) 3043–3045 [3085–3088]
- Rudyk, H. (C) 2808–2812 [2850–2854]
- Rueping, M.
– A Highly Enantioselective Brønsted Acid Catalyzed Reaction Cascade
(C) 5836–5838 [5920–5922]
DOI: 10.1002/anie.200801435
- Asymmetric Brønsted Acid Catalysis: Enantioselective Nucleophilic Substitutions and 1,4-Additions
(C) 593–596 [603–606]
DOI: 10.1002/anie.200703668
- Asymmetric Iminium Ion Catalysis: An Efficient Enantioselective Synthesis of Pyranonaphthoquinones and β -Lapachones
(C) 3046–3049 [3089–3092]
DOI: 10.1002/anie.200705110
- Catalytic Asymmetric Aminoallylation of Aldehydes: A Catalytic Enantioselective Aza-Cope Rearrangement
(C) 10090–10093 [10244–10247]
DOI: 10.1002/anie.200803610
- Highly Enantioselective Organocatalytic Carbonyl-Ene Reaction with Strongly Acidic, Chiral Brønsted Acids as Efficient Catalysts
(C) 6798–6801 [6903–6906]
DOI: 10.1002/anie.200802139
- Ruff, Y. (C) 3556–3559 [3612–3615]
- Ruhlmann, L.
– Unprecedented Replacement of Bridging Oxygen Atoms in Polyoxometalates with Organic Imido Ligands
(C) 2626–2630 [2666–2670]
DOI: 10.1002/anie.200704546
- Ruiz-García, R. (C) 4211–4216 [4279–4284]
- Ruiz-Molina, D.
– Valence-Tautomeric Metal–Organic Nanoparticles
(C) 1857–1860 [1883–1886]
DOI: 10.1002/anie.200705263
- Rumpler, A. (C) 2665–2667 [2705–2707]
- Runge, M. B. (C) 935–939 [949–953]
- Ruoslahti, E. (C) 7284–7288 [7394–7398]
- Rurack, K.
– A Core-Modified Rubyrin with *meso*-Aryl Substituents and Phenanthrene-Fused Pyrrole Rings: A Highly Conjugated Near-Infrared Dye and Hg²⁺ Probe
(C) 193–197 [199–203]
DOI: 10.1002/anie.200702854
- Ruspic, C. (C) 2121–2126 [2151–2156]
- Russell, D. A.
– Imaging of Latent Fingerprints through the Detection of Drugs and Metabolites
(C) 10167–10170 [10321–10324]
DOI: 10.1002/anie.200804348
- Russell, R. J. M. (C) 5357–5361 [5437–5441]
- Russo, B. (C) 2402–2406 [2436–2440]
- Russo, L. (C) 731–734 [743–746], 6208–6211 [6304–6307]
- Rutjes, F. P. J. T.
– High-Pressure Entry into Platencin
(C) 6576–6578 [6678–6680]
DOI: 10.1002/anie.200802912
- Ruzgas, T. (C) 7270–7274 [7380–7384]
- Ryde, U. (C) 9537–9541 [9680–9684]
- Ryu, H. J. (C) 7639–7643 [7751–7755]
- Ryu, S.
– Directed Surface Overgrowth and Morphology Control of Polyhedral Gold Nanocrystals
(C) 763–767 [775–779]
DOI: 10.1002/anie.200704094
- S, S. (C) 7306–7309 [7416–7419]
- Saalfank, R. W.
– Supramolecular Coordination Chemistry: The Synergistic Effect of Serendipity and Rational Design
(R) 8794–8824 [8924–8956]
DOI: 10.1002/anie.200702075
- Template and pH-Mediated Synthesis of Tetrahedral Iridium Complexes [Cs₂[In₄(L)₄]⁺ and [In₄(H^NL)₄]⁴⁺: Breaking the Symmetry of *N*-Centered C₃(L)³⁻ To Give Neutral [In₄(L)₄]
(C) 8941–8945 [9073–9077]
DOI: 10.1002/anie.200804225
- Sabaté, R. (C) 5839–5841 [5923–5925]
- Saccà, B.
– High-Throughput, Real-Time Monitoring of the Self-Assembly of DNA Nanostructures by FRET Spectroscopy
(C) 2135–2137 [2165–2168]
DOI: 10.1002/anie.200704836
- Sachtler, J. W. A. (C) 882–887 [896–901]
- Sadakane, M.
– Molybdenum–Vanadium-Based Molecular Sieves with Microchannels of Seven-Membered Rings of Corner-Sharing Metal Oxide Octahedra
(C) 2493–2496 [2527–2530]
DOI: 10.1002/anie.200705448
- Sadighi, J. P. (C) 8937–8940 [9069–9072]
- Sadler, P. J.
– Metal and Ligand Control of Sulfonate Reactivity: Arene Ruthenium Thiolato-Mono-S-Oxides
(C) 3008–3011 [3050–3053]
DOI: 10.1002/anie.200705342
- Periodic Iron Nanomineralization in Human Serum Transferrin Fibrils
(C) 2217–2221 [2249–2253]
DOI: 10.1002/anie.200705723
- Sadow, A. D. (C) 4878–4881 [4956–4959]
- Sadownik, J. W. (C) 9965–9970 [10113–10118]
- Sadowska, J. M. (C) 672–676 [684–688]
- Saez, I. M. (R) 2754–2787 [2794–2828]
- Saffon-Merceron, N. (C) 7530–7533 [7640–7643]
- Safonova, O. V. (C) 9260–9264 [9400–9404]
- Sagae, H. (C) 1312–1316 [1332–1336]
- Sagara, Y. (C) 5175–5178 [5253–5256]
- Sagdeev, R. (C) 6897–6899 [7003–7005]
- Saigo, K.
– Two-Component Liquid Crystals as Chiral Reaction Media: Highly Enantioselective Photodimerization of an Anthracene Derivative Driven by the Ordered Microenvironment
(C) 8241–8245 [8365–8369]
DOI: 10.1002/anie.200803242
- Saillard, J.-Y. (C) 8687–8691 [8815–8819]
- Sailor, M. J.
– Micellar Hybrid Nanoparticles for Simultaneous Magnetofluorescent Imaging and Drug Delivery
(C) 7284–7288 [7394–7398]
DOI: 10.1002/anie.200801810
- Sainiemi, L. (C) 7442–7445 [7552–7555]
- Saito, M. (C) 2600–2603 [2638–2642]
- Saito, Shohei (C) 681–684 [693–696], 9657–9660 [9803–9806]
- Saito, Susumu
– Rh^I-Catalyzed Hydration of Organonitriles under Ambient Conditions
(C) 3607–3609 [3663–3665]
DOI: 10.1002/anie.200800366
- Sajiki, H.
– Mild and Efficient H/D Exchange of Alkanes Based on C–H Activation Catalyzed by Rhodium on Charcoal
(C) 5394–5397 [5474–5477]
DOI: 10.1002/anie.200800941
- Sakaguchi, N. (C) 2493–2496 [2527–2530]
- Sakaguchi, S. (C) 9326–9329 [9466–9469]
- Sakai, N. (C) 3727–3729 [3787–3789], (H) 9603–9607 [9745–9749]
- Sakai, Takafumi
– DNA Introduction into Living Cells by Water Droplet Impact with an Electro-spray Process
(C) 1429–1431 [1451–1453]
DOI: 10.1002/anie.200704429
- Sakai, Takamasa (C) 917–920 [931–934], 9039–9043 [9179–9183]
- Sakata, I. (C) 1429–1431 [1451–1453]
- Sakurada, K.
– Regenerative Medicine and Stem Cell Based Drug Discovery
(R) 5718–5738 [5802–5823]
DOI: 10.1002/anie.200700724
- Sala, X. (C) 5830–5832 [5914–5916]
- Salaklang, J. (C) 7857–7860 [7975–7978]
- Salameh, A. (C) 2117–2120 [2147–2150]
- Salazar, V. (C) 4380–4383 [4452–4455]
- Saleh, N. i.
– Activation and Stabilization of Drugs by Supramolecular pK_a Shifts: Drug-Delivery Applications Tailored for Cucurbiturils
(C) 5398–5401 [5478–5481]
DOI: 10.1002/anie.200801054
- Salih, K. S. M. (C) 8492–8495 [8620–8623]
- Salitros, I. (C) 8596–8600 [8724–8728]
- Saliu, K. (C) 4910–4913 [4988–4991], 9560–9564 [9702–9706]
- Salles, F. (C) 6611–6615 [6713–6717], 8487–8491 [8615–8619]
- Salmon, L. (C) 8236–8240 [8360–8364]



- Saltiel, J.
– Photoisomerization of *cis,cis*- and *cis,trans*-1,4-Di-*o*-tolyl-1,3-butadiene in Glassy Media at 77 K: One-Bond-Twist and Bicycle-Pedal Mechanisms (C) 1237–1240 [1257–1260]
DOI: 10.1002/anie.200704465
- Saman, D. (C) 3188–3191 [3232–3235]
- Samanta, S. (C) 6634–6637 [6736–6739]
- Sambhy, V. (C) 1250–1254 [1270–1274]
- Sambri, L. (C) 8700–8702 [8828–8830]
- Samec, Z. (C) 4675–4678 [4753–4756]
- Samoc, M. Corrigendum: 629
- Samori, B.
– A Polymeric Molecular “Handle” for Multiple AFM-Based Single-Molecule Force Measurements (C) 2431–2434 [2465–2468]
DOI: 10.1002/anie.200704526
- Samori, P.
– Light-Powered Electrical Switch Based on Cargo-Lifting Azobenzene Monolayers (C) 3407–3409 [3455–3457]
DOI: 10.1002/anie.200705339
- Subnanometer-Resolved Patterning of Bicomponent Self-Assembled Monolayers on Au(111) (C) 2484–2488 [2518–2522]
DOI: 10.1002/anie.200704731
- Sanaú, M. (C) 5194–5197 [5272–5275]
- Sánchez, L. (C) 1094–1097 [1110–1113]
- Sanchez, L. (C) 7639–7643 [7751–7755]
- Sanchez-Benitez, J. (C) 2828–2831 [2870–2873]
- Sánchez-Vega, M. G. (C) 1920–1922 [1946–1948]
- Sandee, A. J. (C) 3180–3183 [3224–3227]
- Sanders, J. K. M.
– Templated Amplification of an Unexpected Receptor for C₇₀ (C) 2689–2692 [2729–2732]
DOI: 10.1002/anie.200704983
- Sanders, J. K. M. (C) 2677–2680 [2717–2720]
- Sandhage, K. H.
– 3D Rutile Titania-Based Structures with *Morpho* Butterfly Wing Scale Morphologies (C) 7921–7923 [8039–8041]
DOI: 10.1002/anie.200801311
- Sandoval-Chavez, C. (C) 6843–6846 [6949–6952]
- Sankar, J. (C) 6004–6007 [6093–6096]
- Sankir, M. (C) 6019–6024 [6108–6113]
- Sansano, J. M.
– Catalytic Enantioselective 1,3-Dipolar Cycloaddition Reactions of Azomethine Ylides and Alkenes by Using Phosphoramidite–Silver(I) Complexes (C) 6055–6058 [6144–6147]
DOI: 10.1002/anie.200801690
- Santamaría, J. (C) 6225–6228 [6321–6324]
- Santi, S.
– Synthesis of the Prototypical Cyclic Metallocene Triad: Mixed-Valence Properties of [(FeCp)₃(trindenyl)] Isomers (C) 5331–5334 [5411–5414]
DOI: 10.1002/anie.200801124
- Santiago-Blay, J. A.
– Chemical Signatures of Fossilized Resins and Recent Plant Exudates (M) 9608–9616 [9750–9760]
DOI: 10.1002/anie.200705973
- Santiso-Quinones, G. (C) 7659–7663 [7772–7776]
- Santoro, F.
– Chemical Selectivity through Control of Excited-State Dynamics (H) 6322–6325 [6420–6424]
DOI: 10.1002/anie.200800898
- Sanz, M. E. (C) 6216–6220 [6312–6316]
- Sanz, R.
– Gold(I)-Catalyzed Tandem Reactions Initiated by 1,2-Indole Migrations (C) 7354–7357 [7464–7467]
DOI: 10.1002/anie.200802660
- Sapienza, P. J. (C) 10192–10194 [10346–10348]
- Saraf, R. F.
– Tactile Devices To Sense Touch on a Par with a Human Finger (R) 7808–7826 [7926–7945]
DOI: 10.1002/anie.200703693
- Sarangthem, R. S. (C) 9708–9710 [9854–9856]
- Saraogi, I. (C) 9691–9694 [9837–9840]
- Sardo, A. (C) 701–705 [713–717], 1400–1404 [1422–1426]
- Sarkar, B. (C) 6192–6194 [6287–6289]
- Sarkar, P. (C) 7029–7031 [7137–7139]
- Sarma, R. J. (C) 377–380 [383–386]
- Sarpong, R.
– Pronounced Steric Effects of Substituents in the Nazarov Cyclization of Aryl Dienyl Ketones (C) 6379–6383 [6479–6483]
DOI: 10.1002/anie.200801542
- Rapid Construction of the Cortistatin Pentacyclic Core (C) 6650–6653 [6752–6755]
DOI: 10.1002/anie.200802203
- Sartorel, A. (C) 7275–7279 [7385–7389]
- Saruhashi, K. (C) 10195–10198 [10349–10352]
- Sarver, J. (C) 10192–10194 [10346–10348]
- Sasai, H. (C) 1454–1457 [1476–1479]
- Sasaki, Makoto
– Total Synthesis of (+)-Neopeltolide (C) 4737–4739 [4815–4817]
DOI: 10.1002/anie.200801399
- Sasaki, Minoru (C) 750–754 [762–766]
- Sasaki, S. Corrigendum: 8983
- Sasaki, Takayoshi (C) 86–89 [92–95]
- Sasaki, Takehiko (C) 9252–9255 [9392–9395]
- Sasaki, Y. (C) 7424–7427 [7534–7537]
- Sass, H. J. (C) 9870–9874 [10018–10022]
- Sasse, F. (C) 6478–6482 [6578–6582]
- Sato, K.
– Macrocyclic High-Spin (*S* = 2) Molecule: Spin Identification of a Sterically Rigid Metacyclopentane-Based Nitroxide Tetradical by Two-Dimensional Electron Spin Transient Nutation Spectroscopy (C) 3988–3990 [4052–4054]
DOI: 10.1002/anie.200705583
- Sato, K. (C) 2035–2038 [2065–2068]
- Sato, S. (C) 5780–5782 [5864–5866]
- Satoh, T.
– Fluorescent Naphthyl- and Anthryl azoles from the Catalytic Coupling of Phenyl azoles with Internal Alkynes through the Cleavage of Multiple C–H Bonds (C) 4019–4022 [4083–4086]
DOI: 10.1002/anie.200800924
- Sattler, I.
– Benzopyrenomycin, a Cytotoxic Bacterial Polyketide Metabolite with a Benzo[*a*]pyrene-Type Carbocyclic Ring System (C) 3995–3998 [4059–4062]
DOI: 10.1002/anie.200800083
- Sattler, K. (C) 1640–1644 [1664–1668]
- Sauer, J.
– Activation of Methane by Oligomeric (Al₂O₃)_{*x*}⁺ (*x* = 3,4,5): The Role of Oxygen-Centered Radicals in Thermal Hydrogen-Atom Abstraction (C) 1946–1950 [1972–1976]
DOI: 10.1002/anie.200704791
- Sauer, M.
– Subdiffraction-Resolution Fluorescence Imaging with Conventional Fluorescent Probes (C) 6172–6176 [6266–6271]
DOI: 10.1002/anie.200802376
- Sauer, M. (C) 5465–5469 [5545–5550]
- Saunders, G. C. (C) 5043–5045 [5121–5123]
- Sautet, P. (C) 9274–9278 [9414–9418]
- Savard, D. (C) 5816–5819 [5900–5903]
- Savran, C. A.
– Rapid Detection of *S*-Adenosyl Homocysteine Using Self-Assembled Optical Diffraction Gratings (C) 1051–1053 [1067–1069]
DOI: 10.1002/anie.200703222
- Sawa, H. (C) 8642–8645 [8770–8773]
- Sawai, K. (C) 6917–6919 [7023–7025]
- Sawai, T. (C) 3988–3990 [4052–4054]
- Sawamura, M.
– Self-Assembled Monolayers of Compact Phosphanes with Alkanethiolate Pendant Groups: Remarkable Reusability and Substrate Selectivity in Rh Catalysis (C) 5627–5630 [5709–5712]
DOI: 10.1002/anie.200800884
- Synthesis of Optically Active Boron–Silicon Bifunctional Cyclopropane Derivatives through Enantioselective Copper(I)-Catalyzed Reaction of Allylic Carbonates with a Diboron Derivative (C) 7424–7427 [7534–7537]
DOI: 10.1002/anie.200802342
- Sawangwan, T. (C) 10086–10089 [10240–10243]
- Sawayama, J. (C) 1038–1041 [1054–1057]
- Sawyer, J. R. (C) 342–345 [348–351]
- Saxena, K. (C) 5973–5977 [6061–6066]
- Saxena, S.
– Electron Spin Resonance Shows Common Structural Features for Different Classes of *EcoRI*–DNA Complexes (C) 10192–10194 [10346–10348]
DOI: 10.1002/anie.200803588
- Sayalero, S. (C) 1098–1101 [1114–1117]
- Scandola, F.
– Toward Fluorescent Memories with Non-destructive Readout: Photoswitching of Fluorescence by Intramolecular Electron Transfer in a Diaryl Ethene–Perylene Bisimide Photochromic System (C) 6616–6619 [6718–6721]
DOI: 10.1002/anie.200802007
- Scapinello, M. (C) 5331–5334 [5411–5414]
- Scariot, M. (C) 9075–9078 [9215–9218]
- Schaack, B. B. (C) 9092–9095 [9232–9235]
- Schaak, R. E. (C) 6221–6224 [6317–6320]
- Schaapman, M. C. (C) 6576–6578 [6678–6680]
- Schaefer III, H. F.
– Predicting Molecules—More Realism, Please! (E) 7164–7167 [7276–7279]
DOI: 10.1002/anie.200801206
- Schäfer, B. (C) 8228–8231 [8352–8355]

- Schaller, H. F. (C) 3958–3961 [4022–4025]
Schalley, C. A.
- Anion Binding to Resorcinarene-Based Cavitands: The Importance of C–H... Anion Interactions (C) 788–792 [800–804]
DOI: 10.1002/anie.200703451
- Schappacher, F. M. (C) 963–966 [977–980]
Scharfe, M. (C) 4595–4599 [4671–4676]
Schatte, G. (C) 7056–7059 [7164–7167]
Schauer, C. K.
- Structural and Spectroscopic Characterization of an Unprecedented Cationic Transition-Metal η^1 -Silane Complex (C) 4141–4143 [4209–4211]
DOI: 10.1002/anie.200705359
- Schauerhann, S.
- Influence of Carbon Deposition on the Hydrogen Distribution in Pd Nanoparticles and Their Reactivity in Olefin Hydrogenation (C) 9289–9293 [9430–9434]
DOI: 10.1002/anie.200801923
- Scheck, R. A. Corrigendum: 7788
Scheerer, P. (C) 4753–4755 [4831–4833]
Scheibel, T.
- An Engineered Spider Silk Protein Forms Microspheres (C) 4592–4594 [4668–4670]
DOI: 10.1002/anie.200800683
- Scheiber, H. (C) 8292–8296 [8416–8420]
Scheidt, K. A.
- Highly Stereoselective Synthesis of Substituted γ -Lactams from Acylsilanes (C) 2294–2297 [2326–2329]
DOI: 10.1002/anie.200705229
- Scheidt, W. R.
- Cyanide: A Strong-Field Ligand for Ferromes and Hemoproteins? (C) 10144–10146 [10298–10300]
DOI: 10.1002/anie.200804116
- Scheifele, Q. (C) 148–150 [154–156]
Scheinost, J. C. (C) 3919–3922 [3983–3986]
Scheller, F. W. (C) 3000–3003 [3042–3045]
Schelter, E. J. (C) 2993–2996 [3035–3038]
Schenning, A. P. H. J.
- Emerging Solvent-Induced Homochirality by the Confinement of Achiral Molecules Against a Solid Surface (C) 4997–5001 [5075–5079]
DOI: 10.1002/anie.200800255
- Scherb, C. (C) 5777–5779 [5861–5863]
Scherer, W.
- Reply (L) 7798–7801 [7914–7917]
DOI: 10.1002/anie.200802616
- Scherf, U.
- Organic Semiconductors for Solution-Processable Field-Effect Transistors (OFETs) (R) 4070–4098 [4138–4167]
DOI: 10.1002/anie.200701920
- Scherman, O. A.
- Supramolecular Block Copolymers with Cucurbit[8]uril in Water (C) 3950–3953 [4014–4017]
DOI: 10.1002/anie.200705591
- Schermelleh, L. (C) 1515–1518 [1538–1541]
Scheschke, D.
- A Base-Stabilized Neutral B=B Bond: Closing a Gap by Filling the Void (H) 1995–1997 [2021–2023]
DOI: 10.1002/anie.200705459
- Scheuermann, J. (C) 3196–3201 [3240–3245]
Scheurer, A. (R) 8794–8824 [8924–8956], (C) 8941–8945 [9073–9077]
Schiaffino, L. (C) 6832–6835 [6938–6941]
Schieferstein, H. (C) 5989–5992 [6078–6081]
Schiessel, T. (C) 9341–9344 [9481–9484]
Schiewek, R. (C) 9989–9992 [10138–10142]
Schiffer, A. (C) 7736–7740 [7850–7854]
Schilling, K. (C) 4331–4334 [4403–4406]
Schilp, S. (C) 1421–1424 [1443–1446], 6786–6789 [6891–6894]
Schindler, C. S. (C) 8852–8855 [8984–8987]
Schindler, S. (C) 82–85 [88–91]
Schleid, T. (C) 6192–6194 [6287–6289]
Schlemmer, B. (C) 9138–9141 [9278–9281]
Schleyer, P. von R.
- Predicting Molecules—More Realism, Please! (E) 7164–7167 [7276–7279]
DOI: 10.1002/anie.200801206
- Schlichting, I.
- Crystal Structure and Mechanism of a DNA (6-4) Photolyase (C) 10076–10080 [10230–10234]
DOI: 10.1002/anie.200804268
- Schlögl, R. (C) 1645–1649 [1669–1673], 5005–5008 [5083–5086], 9274–9278 [9414–9418]
Schlosser, M. (C) 755–758 [767–770]
Schmalz, H.-G.
- Enantioselective Cu-Catalyzed 1,4-Addition of Grignard Reagents to Cyclohexenone Using Taddol-Derived Phosphine–Phosphite Ligands and 2-Methyl-THF as a Solvent (C) 7718–7721 [7832–7835]
DOI: 10.1002/anie.200803247
- Schmid, G.
- Ionically Cross-Linked Gold Clusters and Gold Nanoparticles (H) 3496–3498 [3548–3550]
DOI: 10.1002/anie.200800506
- Schmid, H. A. (C) 2595–2599 [2633–2637]
Schmidt, M. (C) 5846–5850 [5930–5934]
Schmidt, M. A. (C) 1485–1487 [1507–1509]
Schmidt, M. F. (C) 3275–3278 [3319–3323]
Schmidt, R. (C) 4529–4532 [4605–4608]
Schmidt, R. R. Corrigendum: 5277
Schmidt, S. (C) 5456–5460 [5536–5540]
Schmidt, T. L. (C) 967–970 [981–984]
Schmidt, W. (C) 3954–3957 [4018–4021]
Schmidt-Grund, R. (C) 6177–6179 [6272–6274]
Schmittkamp, M. (C) 7339–7341 [7449–7451]
Schmitt, E. (C) 7551–7556 [7662–7667]
Schmitt, J.-L. (C) 2235–2239 [2267–2271]
Schmitt, W.
- Hybrid Organic–Inorganic Polyoxometalates: Functionalization of V^{IV}/V^V Nanosized Clusters to Produce Molecular Capsules (C) 6904–6908 [7010–7014]
DOI: 10.1002/anie.200801770
- Schmittl, M.
- Diversity and Complexity through Reversible Multiple Orthogonal Interactions in Multicomponent Assemblies (H) 5284–5286 [5364–5366]
DOI: 10.1002/anie.200800583
- Schmittl, M. (C) 4707–4710 [4785–4788]
Schmitz, A. (C) 9565–9568 [9707–9710]
Schmitz, O. J.
- A Universal Ionization Label for the APLI-(TOF)MS Analysis of Small Molecules and Polymers (C) 9989–9992 [10138–10142]
DOI: 10.1002/anie.200804106
- Schmuki, P.
- Growth of Aligned TiO_2 Bamboo-Type Nanotubes and Highly Ordered Nanolace (C) 1916–1919 [1942–1945]
DOI: 10.1002/anie.200704144
- Lattice Widening in Niobium-Doped TiO_2 Nanotubes: Efficient Ion Intercalation and Swift Electrochromic Contrast (C) 7934–7937 [8052–8055]
DOI: 10.1002/anie.200802598
- Schnakenburg, G. (C) 5799–5802 [5883–5886], 7127–7131 [7236–7240]
Schneider, A. (C) 9533–9536 [9676–9679]
Schneider, C.
- The Enantioselective, Brønsted Acid Catalyzed, Vinylogous Mannich Reaction (C) 3631–3634 [3687–3690]
DOI: 10.1002/anie.200800103
- Schneider, J. (C) 4512–4515 [4588–4591]
Schneider, J. J.
- A Chip-Sized Nanoscale Monolithic Chemical Reactor (C) 8958–8960 [9092–9095]
DOI: 10.1002/anie.200802954
- Schneider, K. (C) 3258–3261 [3302–3305]
Schneider, S. (C) 10076–10080 [10230–10234]
Schneider, W.-D. (C) 1076–1079 [1092–1095]
Schnepf, A. (C) 8201–8206 [8323–8328]
Schnitzler, T. (C) 783–787 [795–799]
Schnöckel, H.
- $MgCl$ and Mg_2Cl_2 : From Theoretical and Thermodynamic Considerations to Spectroscopy and Chemistry of Species with Mg–Mg Bonds (C) 8740–8744 [8868–8872]
DOI: 10.1002/anie.200802960
- $Si@Al_{56}[N(2,6-iPr_2C_6H_3)SiMe_3]_{12}$: The Largest Neutral Metalloid Aluminum Cluster, a Molecular Model for a Silicon-Poor Aluminum–Silicon Alloy? (C) 8201–8206 [8323–8328]
DOI: 10.1002/anie.200801585
- Schnorr, J. M. (C) 1662–1667 [1686–1691]
Schöck, F.
- Editorial: 2007/5000/500/10/2008/120/75/48 → 52/CEJ/CAJ/CMC/CSC—Without Words? 5–9 [5–9]
DOI: 10.1002/anie.200705239
- Schödel, A. (C) 5777–5779 [5861–5863]
Schoeller, W. W.
- The Existence of Two Short-Bond Isomers for Bicyclo[1.1.0]butane Derivatives Based on Boron and Phosphorus (C) 155–159 [161–165]
DOI: 10.1002/anie.200704008
- Schofield, C. J.
- Thioester Hydrolysis and C–C Bond Formation by Carboxymethylproline Synthase from the Crotonase Superfamily (C) 9322–9325 [9462–9465]
DOI: 10.1002/anie.200803906
- Schöllhorn, B.
- Electrochemically Driven Release of Picomole Amounts of Calcium Ions with Temporal and Spatial Resolution (C) 5211–5214 [5289–5292]
DOI: 10.1002/anie.200705274
- Scholten, J. D. (C) 9075–9078 [9215–9218]
Scholz, R. (C) 7004–7008 [7112–7116]
Schönberger, M. (C) 5989–5992 [6078–6081]

- Schoonheydt, R. A.
– Morphology of and Catalysis in Single Crystals of Zeolites (H) 9188–9191 [9328–9331]
DOI: 10.1002/anie.200801327
- Schowalter, M. (C) 8946–8949 [9078–9082]
- Schrader, W. (C) 9092–9095 [9232–9235]
- Schreiber, S. L.
– Towards the Optimal Screening Collection: A Synthesis Strategy (M) 48–56 [52–61]
DOI: 10.1002/anie.200703073
- Schreiner, P. R.
– An Interrupted [4 + 3] Cycloaddition Reaction: A Hydride Shift (Ene Reaction) Intervenes (C) 8696–8699 [8824–8827]
DOI: 10.1002/anie.200803487
- Diamonds are a Chemist's Best Friend: Diamondoid Chemistry Beyond Adamantane (R) 1022–1036 [1038–1053]
DOI: 10.1002/anie.200701684
- Enantioselective Kinetic Resolution of *trans*-Cycloalkane-1,2-diols (C) 6180–6183 [6275–6278]
DOI: 10.1002/anie.200800641
- Spectroscopic Identification of Dihydroxycarbene (C) 7071–7074 [7179–7182]
DOI: 10.1002/anie.200802105
- Schrock, R. R.
– Catalytic Reduction of Dinitrogen to Ammonia by Molybdenum: Theory versus Experiment (M) 5512–5522 [5594–5605]
DOI: 10.1002/anie.200705246
- Schröder, H. (R) 9618–9647 [9762–9792]
- Schröder, H. C. (C) 4748–4752 [4826–4830]
- Schröder, L.
– Temperature-Controlled Molecular Depolarization Gates in Nuclear Magnetic Resonance (C) 4316–4320 [4388–4392]
DOI: 10.1002/anie.200800382
- Schröder, M.
– Outer-Sphere Coordination Chemistry: Selective Extraction and Transport of the [PtCl₆]²⁻ Anion (C) 1745–1748 [1769–1772]
DOI: 10.1002/anie.200703272
- Schroeder, H. (C) 2135–2137 [2165–2168], 4421–4424 [4493–4496]
- Schröter, M.-K. (C) 7234–7237 [7344–7347]
- Schubert, M. (C) 2138–2142 [2169–2173]
- Schubiger, P. A. (C) 4922–4925 [5000–5003]
- Schuetz, A. (C) 2032–2034 [2062–2064]
- Schuler, B.
– Probing Protein–Chaperone Interactions with Single-Molecule Fluorescence Spectroscopy (C) 6184–6188 [6279–6283]
DOI: 10.1002/anie.200800298
- Schuler, F. (C) 4512–4515 [4588–4591]
- Schuler, M. (C) 357–360 [363–366], 7927–7930 [8045–8048]
- Schultz, D. (C) 8297–8301 [8421–8425]
- Schultz, P. G.
– A Genetically Encoded Boronate-Containing Amino Acid (C) 8220–8223 [8344–8347]
DOI: 10.1002/anie.200803240
- Addition of an α -Hydroxy Acid to the Genetic Code of Bacteria (C) 722–725 [734–737]
DOI: 10.1002/anie.200704074
- Site-Specific Incorporation of Methyl- and Acetyl-Lysine Analogues into Recombinant Proteins (C) 6399–6401 [6499–6501]
DOI: 10.1002/anie.200802336
- Schulz, A.
– A Blue Homoleptic Bismuth–Nitrogen Cation (C) 9530–9532 [9672–9675]
DOI: 10.1002/anie.200803987
- A Cationic Cyclic Phosphorus(III) Azide (C) 6465–6468 [6565–6568]
DOI: 10.1002/anie.200801674
- Tetrazarsoles—A New Class of Binary Arsenic–Nitrogen Heterocycles (C) 603–606 [614–617]
DOI: 10.1002/anie.200704367
- Schulz, C. E. (C) 10144–10146 [10298–10300]
- Schulz, F. (C) 6001–6003 [6090–6092]
- Schulz, S.
– Unexpected C–C Bond Formation and Synthesis of Tetranuclear Zinc Carbodiimide Clusters from the Reaction of ZnMe₂ and *i*PrN=C=N*i*Pr (C) 1512–1514 [1535–1537]
DOI: 10.1002/anie.200704417
- Schulz, T. (C) 8719–8722 [8847–8850]
- Schulz-Dobrick, M. (C) 2256–2259 [2288–2291]
- Schulze Isfort, C. (C) 6794–6797 [6899–6902]
- Schurig, V. (C) 913–916 [927–930]
- Schürmann, M. (C) 1650–1653 [1674–1677], 2121–2126 [2151–2156], 6869–6872 [6975–6978]
- Schuster, E. M. (C) 4555–4558 [4631–4634]
- Schüth, F.
– Depolymerization of Cellulose Using Solid Catalysts in Ionic Liquids (C) 8047–8050 [8167–8170]
DOI: 10.1002/anie.200802879
- Detection of Structural Elements of Different Zeolites in Nucleating Solutions by Electrospray Ionization Mass Spectrometry (C) 9092–9095 [9232–9235]
DOI: 10.1002/anie.200803007
- Schüttelpeiz, M. (C) 6172–6176 [6266–6271]
- Schuur, B. (C) 3905–3908 [3969–3972]
- Schwab, E. (C) 1477–1480 [1499–1502]
- Schwalbe, H. (C) 1668–1671 [1692–1695], 5973–5977 [6061–6066]
- Schwaneberg, U.
– Functionalized Nanocompartments (Synthosomes) with a Reduction-Triggered Release System (C) 7029–7031 [7137–7139]
DOI: 10.1002/anie.200801076
- Schwärz, G. (C) 1942–1945 [1968–1971]
- Schwartsburd, L. (C) 3603–3606 [3659–3662]
- Schwartzentruber, J. A. (C) 2635–2638 [2675–2678]
- Schwarz, A. (C) 10086–10089 [10240–10243]
- Schwarz, H.
– Activation of Methane by Oligomeric (Al₂O₃)_x⁺ (*x* = 3,4,5): The Role of Oxygen-Centered Radicals in Thermal Hydrogen-Atom Abstraction (C) 1946–1950 [1972–1976]
DOI: 10.1002/anie.200704791
- Schwarz, N. (C) 2304–2307 [2337–2340]
- Schwarz, U.
– A 3D Network of Four-Bonded Germanium: A Link between Open and Dense (C) 6790–6793 [6895–6898]
DOI: 10.1002/anie.200800914
- Schwarzer, D.
– Chemoselective Ligation and Modification Strategies for Peptides and Proteins (R) 10030–10074 [10182–10228]
DOI: 10.1002/anie.200801313
- Schwederski, B. (C) 6192–6194 [6287–6289]
- Schweiger, L. F. (C) 10141–10143 [10295–10297]
- Schweizer, W. B. (C) 4512–4515 [4588–4591], 10081–10085 [10235–10239]
- Schwendemann, S. (C) 7543–7546 [7654–7657]
- Schwerdtfeger, P.
– Accurate Melting Temperatures for Neon and Argon from Ab Initio Monte Carlo Simulations (C) 8207–8210 [8329–8333]
DOI: 10.1002/anie.200802743
- Schwertfeger, H. (R) 1022–1036 [1038–1053]
- Scopelliti, R. (C) 1848–1852 [1874–1878]
- Scorrano, G. (C) 7275–7279 [7385–7389]
- Scott, B. L. (C) 2993–2996 [3035–3038], 7332–7334 [7442–7444]
- Scott, J. (C) 8502–8505 [8630–8633]
- Scott, M. S. (C) 1935–1937 [1961–1963]
- Scrimin, P.
– Exploiting Neighboring-Group Interactions for the Self-Selection of a Catalytic Unit (C) 2475–2479 [2509–2513]
DOI: 10.1002/anie.200703857
- Scrosati, B. (R) 2930–2946 [2972–2989]
- Scrutton, N. S.
– Are Environmentally Coupled Enzymatic Hydrogen Tunneling Reactions Influenced by Changes in Solution Viscosity? (C) 537–540 [547–550]
DOI: 10.1002/anie.200704484
- Seebach, D.
– Solution Structures of β Peptides from Raman Optical Activity (C) 6392–6394 [6492–6494]
DOI: 10.1002/anie.200801111
- Seeberger, P. H.
– Semisynthesis of a Glycosylphosphatidylinositol-Anchored Prion Protein (C) 8215–8219 [8338–8343]
DOI: 10.1002/anie.200802161
- Seefeldt, B. (C) 6172–6176 [6266–6271]
- Seeler, F. (C) 4931–4933 [5009–5011], 5981–5983 [6070–6072]
- Seeliger, M. W. (C) 3196–3201 [3240–3245]
- Séguin, C. (C) 1410–1413 [1432–1435]
- Sehllleier, Y. H. (C) 3600–3602 [3656–3658]
- Seidel, R. (C) 8215–8219 [8338–8343]
- Seifert, G. (C) 9533–9536 [9676–9679]
- Seiple, I. B. (C) 3578–3580 [3634–3636], 3581–3583 [3637–3639]
- Seisenbaeva, G. A. (C) 8506–8509 [8634–8637]
- Seiser, T. (C) 6483–6485 [6583–6585], 9294–9297 [9435–9438]
- Seitsonen, A. P. (C) 2131–2134 [2161–2164]
- Seitz, O.
– Extending the Scope of Native Chemical Peptide Coupling (H) 1553–1556 [1575–1579]
DOI: 10.1002/anie.200704886

- Low-Noise Stemless PNA Beacons for Sensitive DNA and RNA Detection (C) 9555–9559 [9697–9701]
DOI: 10.1002/anie.200803549
- Native Chemical Ligation at Valine (C) 6807–6810 [6912–6915]
DOI: 10.1002/anie.200801590
- Target-Catalyzed Transfer Reactions for the Amplified Detection of RNA (C) 7119–7122 [7228–7231]
DOI: 10.1002/anie.200801355
- Seitz, O. (C) 3258–3261 [3302–3305]
- Seki, Kazutaka (C) 5613–5615 [5695–5697]
- Seki, Kenichi (C) 10195–10198 [10349–10352]
- Seki, Takahiro (C) 9039–9043 [9179–9183]
- Seki, Tomohiro (C) 3367–3371 [3415–3419]
- Sekioka, N. (C) 6681–6684 [6783–6786]
- Sekiya, R.
- A Quadruply Stranded Metallohelicate and Its Spontaneous Dimerization into an Interlocked Metallohelicate (C) 706–710 [718–722]
DOI: 10.1002/anie.200703162
- Selig, P. (C) 5082–5084 [5160–5162]
- Sellin, D. (C) 4679–4682 [4757–4760]
- Sels, B. F. (C) 1477–1480 [1499–1502], 2813–2816 [2855–2858]
- Selvapalam, N. (C) 3352–3355 [3400–3403]
- Sen, A.
- Antibacterial and Hemolytic Activities of Pyridinium Polymers as a Function of the Spatial Relationship between the Positive Charge and the Pendant Alkyl Tail (C) 1250–1254 [1270–1274]
DOI: 10.1002/anie.200702287
- Senami, K. (C) 3787–3790 [3847–3850]
- Sénèque, O.
- Cyclic Peptides Bearing a Side-Chain Tail: A Tool to Model the Structure and Reactivity of Protein Zinc Sites (C) 6888–6891 [6994–6997]
DOI: 10.1002/anie.200800677
- Sénèque, O. (C) 715–717 [727–729]
- Sengelau, C. A. (C) 3769–3772 [3829–3832]
- Seniori Costantini, S. (C) 4425–4427 [4497–4499]
- Seo, D. (C) 763–767 [775–779]
- Seo, G.
- Cucurbit[6]uril: Organic Molecular Porous Material with Permanent Porosity, Exceptional Stability, and Acetylene Sorption Properties (C) 3352–3355 [3400–3403]
DOI: 10.1002/anie.200800772
- Seo, Mi Sook (C) 3356–3359 [3404–3407]
- Seo, Mun Sik (C) 5167–5170 [5245–5248]
- Seo, Y.-K. (C) 4144–4148 [4212–4216]
- Seong, J. E. (C) 7306–7309 [7416–7419]
- Seppelt, K.
- Neil Bartlett (O) 8557 [8685]
DOI: 10.1002/anie.200804715
- Seppelt, K. (C) 6461–6464 [6561–6564]
- Serdobintsev, P. Yu. (C) 3942–3945 [4006–4009]
- Sergeev, A. (C) 4887–4891 [4965–4969]
- Serov, A. A. (C) 3262–3266 [3306–3310]
- Serrano, O. (C) 4380–4383 [4452–4455]
- Serrano Ruiz, M. (C) 8665–8669 [8793–8797]
- Serre, C. (C) 4100–4105 [4168–4173], 4144–4148 [4212–4216], 6611–6615 [6713–6717]
- Sessler, J. L.
- Benzene-, Pyrrole-, and Furan-Containing Diametrically Strapped Calix[4]pyrroles—An Experimental and Theoretical Study of Hydrogen-Bonding Effects in Chloride Anion Recognition (C) 5038–5042 [5116–5120]
DOI: 10.1002/anie.200801426
- Poly(methyl methacrylate)s with Pendant Calixpyrroles and Crown Ethers: Polymeric Extractants for Potassium Halides (C) 9648–9652 [9794–9798]
DOI: 10.1002/anie.200803970
- Sessler, J. L. (C) 1123–1126 [1139–1142]
- Sessoli, R.
- Record Hard Magnets: Glauber Dynamics Are Key (H) 5508–5510 [5590–5592]
DOI: 10.1002/anie.200801549
- Sethson, I. (C) 2796–2799 [2838–2841]
- Seto, M. (C) 6873–6876 [6979–6982]
- Severin, K.
- Multicomponent Assembly of Boronic Acid Based Macrocycles and Cages (C) 1848–1852 [1874–1878]
DOI: 10.1002/anie.200705272
- Severn, J. R. (C) 9279–9283 [9419–9423]
- Sevillano, P. (C) 1326–1331 [1346–1351]
- Shah, S. (C) 7018–7021 [7126–7129]
- Shaik, S. Corrigendum: 8148
- Shaik, S.
- Experiment and Theory Reveal the Fundamental Difference between Two-State and Single-State Reactivity Patterns in Nonheme Fe^{IV}=O versus Ru^{IV}=O Oxidants (C) 3356–3359 [3404–3407]
DOI: 10.1002/anie.200705880
- Shaikh, N. S. (C) 2497–2501 [2531–2535]
- Shaikh, R. R. (C) 8707–8710 [8835–8838]
- Shair, M. D.
- Enantioselective Synthesis of the Central Ring System of Lomaiviticin A in the Form of an Unusually Stable Cyclic Hydrate (C) 1680–1684 [1704–1708]
DOI: 10.1002/anie.200704830
- Shaller, A. D. (C) 7705–7709 [7819–7823]
- Shamala, N.
- Hybrid α Polypeptides: Structural Characterization of a C₁₂/C₁₀ Helix with Alternating Hydrogen-Bond Polarity (C) 6430–6432 [6530–6532]
DOI: 10.1002/anie.200801665
- Shameema, O. (C) 5561–5564 [5643–5646]
- Shan, X. (C) 1896–1899 [1922–1925]
- Shanbhag, S.
- A Temperature-Driven Reversible Phase Transfer of 2-(Diethylamino)ethanethiol-Stabilized CdTe Nanoparticles (C) 9875–9878 [10023–10026]
DOI: 10.1002/anie.200803582
- Shang, D. (C) 392–394 [398–400]
- Shantz, D. F. (C) 552–555 [562–565]
- Shapira, A. (C) 6272–6274 [6368–6370]
- Shapiro, N. (C) 2849–2852 [2891–2894]
- Sharma, A. K. (C) 4703–4706 [4781–4784]
- Sharma, J. (C) 5157–5159 [5235–5237]
- Sharma, R. (C) 5018–5021 [5096–5099]
- Shaw, M. L. (C) 560–563 [570–573]
- Shaw, W. J.
- In Situ Multinuclear NMR Spectroscopic Studies of the Thermal Decomposition of Ammonia Borane in Solution (C) 7493–7496 [7603–7606]
DOI: 10.1002/anie.200802100
- Shemer, G. (C) 4855–4857 [4933–4935]
- Shen, C. K.-F. (C) 1072–1075 [1088–1091]
- Shen, G. (C) 9469–9471 [9611–9613]
- Shen, L. (C) 3618–3621 [3674–3677]
- Shen, Meihua (C) 5056–5059 [5134–5137]
- Shen, Min (C) 6583–6585 [6685–6687]
- Shen, W.-W. (C) 4204–4207 [4272–4275]
- Shen, Y.-T. (C) 6717–6721 [6819–6823]
- Shen, Yang (C) 324–326 [330–332]
- Shen, Yi (C) 2227–2230 [2259–2262]
- Shen, Youqing
- Virion-Mimicking Nanocapsules from pH-Controlled Hierarchical Self-Assembly for Gene Delivery (C) 1260–1264 [1280–1284]
DOI: 10.1002/anie.200703203
- Shen, Zhen
- A Core-Modified Rubyrin with *meso*-Aryl Substituents and Phenanthrene-Fused Pyrrole Rings: A Highly Conjugated Near-Infrared Dye and Hg²⁺ Probe (C) 193–197 [199–203]
DOI: 10.1002/anie.200702854
- Shen, Zhong
- Gold Nanoparticles Coated with a Thermosensitive Hyperbranched Polyelectrolyte: Towards Smart Temperature and pH Nanosensors (C) 2227–2230 [2259–2262]
DOI: 10.1002/anie.200704572
- Sheng, E. (C) 1245–1249 [1265–1269]
- Shepperson, I. R. (C) 5067–5070 [5145–5148]
- Sherburn, M. S.
- Enantioselective Oxazaborolidinium-Catalyzed Diels–Alder Reactions without CH $\cdots$ O Hydrogen Bonding (C) 7013–7017 [7121–7125]
DOI: 10.1002/anie.200802002
- One-Step Synthesis and Exploratory Chemistry of [5]Dendralene (C) 910–912 [924–926]
DOI: 10.1002/anie.200704470
- Sheriff, B. A. (C) 9927–9932 [10075–10080]
- Sherman, J. C.
- Template-Assembled Synthetic G-Quartets (TASQs) (C) 4900–4902 [4978–4980]
DOI: 10.1002/anie.200704199
- Shevlin, M. (C) 4711–4714 [4789–4792]
- Shi, B.-F. (C) 4882–4886 [4960–4964]
- Shi, J. (C) 7293–7296 [7403–7406]
- Shi, L. (C) 202–204 [208–210], 7868–7871 [7986–7989]
- Shi, Q. (C) 8682–8686 [8810–8814]
- Shi, T. (C) 8288–8291 [8412–8415]
- Shi, Y.
- A Palladium-Catalyzed Dehydrogenative Diamination of Terminal Olefins (C) 8224–8227 [8348–8351]
DOI: 10.1002/anie.200803184
- Shi, Z.-J.
- Cross-Coupling of Aryl/Alkenyl Pivalates with Organozinc Reagents through Nickel-Catalyzed C–O Bond Activation under Mild Reaction Conditions (C) 10124–10127 [10278–10281]
DOI: 10.1002/anie.200803814
- Multiple C–H Activations To Construct Biologically Active Molecules in a Process Completely Free of Organohalogen and Organometallic Components (C) 1115–1118 [1131–1134]
DOI: 10.1002/anie.200704092
- Palladium-Catalyzed Direct Arylation of (Hetero)Arenes with Aryl Boronic Acids

- (C) 1473–1476 [1495–1498]
DOI: 10.1002/anie.200704619
- Shibasaki, M.
- A Heterobimetallic Pd/La/Schiff Base Complex for *anti*-Selective Catalytic Asymmetric Nitroaldol Reactions and Applications to Short Syntheses of β -Adrenoceptor Agonists (C) 3230–3233 [3274–3277]
DOI: 10.1002/anie.200705617
 - Chiral γ -Amino Amide Synthesis by Heterobimetallic Lanthanum/Lithium/Pybox-Catalyzed Direct Asymmetric Mannich-Type Reactions of α -Keto Anilides (C) 6847–6850 [6953–6956]
DOI: 10.1002/anie.200801564
 - Lewis Base Assisted Brønsted Base Catalysis: Bidentate Phosphine Oxides as Activators and Modulators of Brønsted Basic Lanthanum–Aryloxides (C) 9125–9129 [9265–9269]
DOI: 10.1002/anie.200803682
- Shibata, M. (C) 3923–3926 [3987–3990]
- Shibata, Naoki (C) 681–684 [693–696]
- Shibata, Norio
- Catalytic Enantioselective Michael Addition of 1-Fluorobis(phenylsulfonyl)methane to α,β -Unsaturated Ketones Catalyzed by Cinchona Alkaloids (C) 8051–8054 [8171–8174]
DOI: 10.1002/anie.200802904
 - Cinchona Alkaloid Catalyzed Enantioselective Fluorination of Allyl Silanes, Silyl Enol Ethers, and Oxindoles (C) 4157–4161 [4225–4229]
DOI: 10.1002/anie.200800717
 - Desymmetrization-like Catalytic Enantioselective Fluorination of Malonates and Its Application to Pharmaceutically Attractive Molecules (C) 164–168 [170–174]
DOI: 10.1002/anie.200704093
- Shibatani, K.
- Stereoselective Synthesis of α,α -Chlorofluoro Carbonyl Compounds Leading to the Construction of Fluorinated Chiral Quaternary Carbon Centers (C) 5796–5798 [5880–5882]
DOI: 10.1002/anie.200801682
- Shie, J.-J. (C) 5788–5791 [5872–5875]
- Shiga, D. (C) 2480–2483 [2514–2517]
- Shigdel, U. K. (C) 90–93 [96–99]
- Shih, H.-W. (C) 3755–3758 [3815–3818]
- Shim, J. H. (C) 9504–9508 [9646–9650]
- Shimada, F.
- Regenerative Medicine and Stem Cell Based Drug Discovery (R) 5718–5738 [5802–5823]
DOI: 10.1002/anie.200700724
- Shimada, S.
- Efficient Fixation of Carbon Dioxide by Hypervalent Organobismuth Oxide, Hydroxide, and Alkoxide (C) 6590–6593 [6692–6695]
DOI: 10.1002/anie.200802277
- Shimakawa, Y. (C) 7032–7035 [7140–7143]
- Shimasaki, T. (C) 4866–4869 [4944–4947]
- Shimizu, H. (C) 5600–5604 [5682–5686]
- Shimizu, M.
- Modular Approach to Silicon-Bridged Biaryls: Palladium-Catalyzed Intramolecular Coupling of 2-(Arylsilyl)aryl Triflates (C) 9760–9764 [9906–9910]
DOI: 10.1002/anie.200804146
 - Palladium-Catalyzed Annulation of *vic*-Bis(pinacolatoboryl)alkenes and -phenanthrenes with 2,2'-Dibromobiaryls: Facile Synthesis of Functionalized Phenanthrenes and Dibenzo[*g,p*]chrysenes (C) 8096–8099 [8216–8219]
DOI: 10.1002/anie.200803213
- Shimoda, N. (C) 9314–9317 [9454–9457]
- Shimomura, M. (C) 8044–8046 [8164–8166]
- Shimon, L. J. W. (C) 9908–9912 [10056–10060]
- Shin, C.-C. (C) 9891–9894 [10039–10042]
- Shin, H. S. (C) 693–696 [705–708]
- Shin, I.
- An Apoptosis-Inducing Small Molecule That Binds to Heat Shock Protein 70 (C) 7466–7469 [7576–7579]
DOI: 10.1002/anie.200802801
- Shin, J.-Y. (C) 6004–6007 [6093–6096], 9657–9660 [9803–9806]
- Shin, S.
- Gold-Catalyzed Waste-Free Generation and Reaction of Azomethine Ylides: Internal Redox/Dipolar Cycloaddition Cascade (C) 7040–7043 [7148–7151]
DOI: 10.1002/anie.200802802
- Shin, S. R. (C) 2470–2474 [2504–2508]
- Shin, U. S.
- Hydrogenation of Arenes by Dual Activation: Reduction of Substrates Ranging from Benzene to C₆₀ Fullerene under Ambient Conditions (C) 8615–8617 [8743–8745]
DOI: 10.1002/anie.200803850
- Shin, W. H. (C) 9904–9907 [10052–10055]
- Shin, Y. W. (C) 685–688 [697–700]
- Shin-ya, K. (C) 5557–5560 [5639–5642]
- Shinde, R. (C) 7880–7882 [7998–8000]
- Shinjo, H. (C) 9303–9306 [9443–9446]
- Shinkai, S. (C) 4577–4580 [4653–4656]
- Shinohara, H. (C) 515–519 [525–529]
- Shinohara, S. (C) 7032–7035 [7140–7143]
- Shinohara, S.-i. (C) 9039–9043 [9179–9183]
- Shinokubo, H.
- Synthesis of Chiral Porphyrins through Pd-Catalyzed [3 + 2] Annulation and Heterochiral Self-Assembly (C) 5378–5381 [5458–5461]
DOI: 10.1002/anie.200801269
 - 2,5-Thienylene-Bridged Triangular and Linear Porphyrin Trimers (C) 6004–6007 [6093–6096]
DOI: 10.1002/anie.200802026
- Shinokubo, H. (C) 681–684 [693–696]
- Shintani, R.
- Rhodium-Catalyzed Rearrangement of Aryl Bis(alkynyl) Carbinols to 3-Alkynyl-1-indanones (C) 1447–1449 [1469–1471]
DOI: 10.1002/anie.200704818
- Shiomi, D. (C) 2035–2038 [2065–2068], 3988–3990 [4052–4054]
- Shiota, Y. (C) 5772–5776 [5856–5860]
- Shioyama, H. (C) 2287–2289 [2319–2321]
- Shiraki, T. (C) 106–108 [112–114]
- Shiramizu, M. (C) 8093–8095 [8213–8215]
- Shiratori, S.
- A Layered Mesoporous Carbon Sensor Based on Nanopore-Filling Cooperative Adsorption in the Liquid Phase (C) 7254–7257 [7364–7367]
DOI: 10.1002/anie.200802820
- Shiro, M. (C) 4157–4161 [4225–4229], 6712–6716 [6814–6818], 8051–8054 [8171–8174]
- Shishkin, O. V. (C) 5765–5767 [5849–5851]
- Shishkin, S. V. (C) 3262–3266 [3306–3310]
- Shitama, H. (C) 2450–2453 [2484–2487]
- Shizuka, M. (C) 5049–5051 [5127–5129]
- Shleev, S.
- Transistor-Like Behavior of a Fungal Lacase (C) 7270–7274 [7380–7384]
DOI: 10.1002/anie.200801364
- Shoae, M. (C) 8525–8528 [8653–8656]
- Shoji, M. (C) 6657–6660 [6759–6762]
- Shreeve, J. n. M.
- Activation of the C–F Bond: Transformation of CF₃N=N- into 5-Azidotetrazoles (C) 7087–7090 [7195–7198]
DOI: 10.1002/anie.200802459
 - Energetic Nitrogen-Rich Derivatives of 1,5-Diaminotetrazole (C) 6236–6239 [6332–6335]
DOI: 10.1002/anie.200801886
- Shreve, A. P. (C) 503–506 [513–516]
- Shu, D. (C) 8933–8936 [9065–9068]
- Shu, T. (C) 1063–1067 [1079–1083]
- Shubina, T. E. (C) 6624–6628 [6726–6730]
- Shukla, A. D. (C) 2657–2660 [2697–2700]
- Shukla, A. K. (C) 1668–1671 [1692–1695]
- Shukoor, M. I. (C) 4748–4752 [4826–4830]
- Shustova, N. B. (C) 6204–6207 [6300–6303]
- Shutov, A. V. (C) 3262–3266 [3306–3310]
- Si, R. (C) 2884–2887 [2926–2929]
- Sia, S. (R) 2754–2787 [2794–2828]
- Sibi, M. P.
- Enantioselective Enolate Protonations: Friedel–Crafts Reactions with α -Substituted Acrylates (C) 9913–9915 [10061–10063]
DOI: 10.1002/anie.200804221
- Sicker, D. (C) 1958–1960 [1984–1986]
- Sickert, M. (C) 3631–3634 [3687–3690]
- Sicoli, G. (C) 735–737 [747–749]
- Sieber, S. A.
- β -Lactones as Privileged Structures for the Active-Site Labeling of Versatile Bacterial Enzyme Classes (C) 4600–4603 [4677–4680]
DOI: 10.1002/anie.200705768
- Siega, K. (C) 4362–4365 [4434–4437]
- Siegel, D. J. (C) 882–887 [896–901]
- Siegel, J. S.
- Synthesis of 2,6-Diarylphenyldimethylsilyl Cations: Polar- π Distribution of Cation Character (C) 1719–1722 [1743–1746]
DOI: 10.1002/anie.200705291
- Sieger, M. (C) 6192–6194 [6287–6289]
- Siegfried, M. J. (C) 368–372 [374–378]
- Sieiro, C. (C) 1443–1446 [1465–1468]
- Siengalewicz, P. (M) 8170–8176 [8290–8296]
- Sierra-Martin, B. (C) 8665–8669 [8793–8797]
- Sievers, H. (C) 9513–9517 [9655–9659]
- Siewert, I. (C) 7953–7956 [8071–8074]
- Sigman, M. S.
- Aerobic Alcohol Oxidation Coupled to Palladium-Catalyzed Alkene Hydroarylation with Boronic Esters (C) 3219–3222 [3263–3266]
DOI: 10.1002/anie.200705317
 - Quantitatively Correlating the Effect of Ligand-Substituent Size in Asymmetric Catalysis Using Linear Free Energy Relationships (C) 771–774 [783–786]
DOI: 10.1002/anie.200704257

- Sijbesma, R. P.
– A Self-Healing Elastomer
(H) 8161–8163 [8282–8284]
DOI: 10.1002/anie.200803072
- Siluvai, G. S. (C) 9084–9087 [9224–9227]
- Silva, D. O. (C) 9075–9078 [9215–9218]
- Silva, F. (C) 7927–7930 [8045–8048]
- Silverman, R. B.
– From Basic Science to Blockbuster Drug: The Discovery of Lyrica
(E) 3500–3504 [3552–3556]
DOI: 10.1002/anie.200704280
- Silverman, S. K.
– DNA-Catalyzed Formation of Nucleopeptide Linkages
(C) 1753–1757 [1777–1781]
DOI: 10.1002/anie.200703676
- Sim, Y. (C) 9717–9721 [9863–9867]
- Simaan, S. Corrigendum: 1982
- Simeonov, K. S. (C) 6283–6285 Corrigendum: 9590 [6379–6381 Corrigendum: 9732]
- Simeunović, V. (C) 8735–8739 [8863–8867]
- Simionescu, R. (C) 7701–7704 [7815–7818]
- Simmel, F. C.
– Three-Dimensional Nanoconstruction with DNA
(H) 5884–5887 [5968–5971]
DOI: 10.1002/anie.200801982
- Simmons, E. M. (C) 6650–6653 [6752–6755]
- Simon, A. (C) 6703–6706 [6805–6808]
- Simon, Patrice (C) 3392–3395 [3440–3443]
- Simon, Paul (C) 1405–1409 [1427–1431], 7876–7879 [7994–7997], 8280–8284 [8404–8408]
- Simon, S. C. (C) 10175–10178 [10329–10332]
- Simoncic, P. (C) 8634–8637 [8762–8765]
- Singh, A. (C) 6037–6040 [6126–6129]
- Singh, D. C. N. G. (C) 1693–1697 [1717–1721]
- Singh, J. (C) 9260–9264 [9400–9404]
- Singh, K. N.
– A Study of BF₃-Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions
(C) 4703–4706 [4781–4784]
DOI: 10.1002/anie.200705967
- Singh, P.
– A Study of BF₃-Promoted *ortho* Lithiation of Anilines and DFT Calculations on the Role of Fluorine–Lithium Interactions
(C) 4703–4706 [4781–4784]
DOI: 10.1002/anie.200705967
- Singh, S.
– The Selenium-Based Hexameric Macrocycle [(Se=P(μ-NiBu)₂)P(μ-Se)]₆
(C) 1111–1114 [1127–1130]
DOI: 10.1002/anie.200703981
- Singleton, M. L. (C) 9492–9495 [9634–9637]
- Šišak, D. (C) 7022–7025 [7130–7133]
- Sisson, A. L. (C) 3727–3729 [3787–3789]
- Sitzmann, H. (C) 3271–3274 [3315–3318]
- Siu, C.-K. (C) 8288–8291 [8412–8415], 9666–9668 [9812–9814]
- Siu, K. W. M.
– Structure of the Observable Histidine Radical Cation in the Gas Phase: A Captodative α-Radical Ion
(C) 9666–9668 [9812–9814]
DOI: 10.1002/anie.200804101
- Siu, K. W. M. (C) 8288–8291 [8412–8415]
- Skanthakumar, S. (C) 298–302 [304–308]
- Skrydstrup, T.
– Palladium-Catalyzed Intermolecular Ene–Yne Coupling: Development of an Atom-Efficient Mizoroki–Heck-Type Reaction
(C) 2668–2672 [2708–2712]
DOI: 10.1002/anie.200705558
- Slanina, Z. (C) 8642–8645 [8770–8773]
- Slater, B. (C) 8634–8637 [8762–8765]
- Slattery, J. (C) 7659–7663 [7772–7776]
- Slawin, A. M. Z. (C) 2857–2859 [2899–2901], 3381–3384 [3429–3432], 6999–7003 [7107–7111], 8036–8039 [8156–8159]
- Sleiman, H. F.
– Templated Synthesis of Highly Stable, Electroactive, and Dynamic Metal–DNA Branched Junctions
(C) 2443–2446 [2477–2480]
DOI: 10.1002/anie.200703741
- Sleytr, U. B. (C) 4707–4710 [4785–4788]
- Sliwa, M. (C) 2813–2816 [2855–2858]
- Slocik, J. M. (C) 5335–5339 [5415–5419]
- Slominski, L. (C) 1896–1899 [1922–1925]
- Slootweg, J. C. (C) 4584–4587 [4660–4663]
- Slota, U. K.
– An Engineered Spider Silk Protein Forms Microspheres
(C) 4592–4594 [4668–4670]
DOI: 10.1002/anie.200800683
- Šmejkal, T. (C) 311–315 [317–321], 3946–3949 [4010–4013]
- Smethurst, C. A. (C) 768–770 [780–782]
- Smirnovas, V. (C) 338–341 [344–347]
- Smit, W. A.
– Lewis Acid Catalyst Free Electrophilic Alkylation of Silicon-Capped π Donors in 1,1,1,3,3,3-Hexafluoro-2-propanol
(C) 9739–9742 [9885–9888]
DOI: 10.1002/anie.200803927
- Smith, A. C. (C) 1736–1740 [1760–1764]
- Smith, A. M. (C) 9916–9921 [10064–10069]
- Smith, D. A. (C) 8674–8677 [8802–8805]
- Smith, D. J. (C) 2948–2953 [2990–2995]
- Smith, D. K.
– High-Tech Applications of Self-Assembling Supramolecular Nanostructured Gel-Phase Materials: From Regenerative Medicine to Electronic Devices
(R) 8002–8018 [8122–8139]
DOI: 10.1002/anie.200800022
- Smith, J. C. (C) 9059–9062 [9199–9202]
- Smith, J. D. (C) 10147–10150 [10301–10304]
- Smith, K. M.
– Homolytic Bond Strengths and Formation Rates in Half-Sandwich Chromium Alkyl Complexes: Relevance for Controlled Radical Polymerization
(C) 6069–6072 [6158–6161]
DOI: 10.1002/anie.200801498
- Smith, M. (C) 4316–4320 [4388–4392]
- Smith, M. C. (C) 9071–9074 [9211–9214]
- Smith, M. D.
– A Nonpeptidic Reverse Turn that Promotes Parallel Sheet Structure Stabilized by C–H···O Hydrogen Bonds in a Cyclopropane γ-Peptide
(C) 7099–7102 [7207–7210]
DOI: 10.1002/anie.200802648
- Smith, S. (C) 6233–6235 [6329–6331]
- Smith, S. W. (C) 9334–9336 [9474–9476]
- Smith III, A. B.
– *Ortho*-TMS Benzaldehyde: An Effective Linchpin for Type II Anion Relay Chemistry (ARC)
(C) 7082–7086 [7190–7194]
DOI: 10.1002/anie.200802301
- Smolensky, E. D. (C) 8692–8695 [8820–8823]
- Smout, S. (C) 2813–2816 [2855–2858]
- Snaddon, T. N. (C) 8450–8454 [8578–8582]
- Snajdrova, R. (C) 2275–2278 [2307–2310]
- Snapper, M. L.
– Catalytic Enantioselective Hosomi–Sakurai Conjugate Allylation of Cyclic Unsaturated Ketoesters
(C) 5049–5051 [5127–5129]
DOI: 10.1002/anie.200800628
- Snieckus, V.
– Albert I. Meyers
(O) 1986–1987 [2012–2013]
DOI: 10.1002/anie.200800294
- Carbamoyl Translocations by an Anionic *ortho*-Fries and Cumulenolate α-Acylation Pathway: Regioselective Synthesis of Poly-substituted Chromone 3- and 8-Carboxamides
(C) 2097–2101 [2127–2131]
DOI: 10.1002/anie.200704360
- So, C. M. (C) 6402–6406 [6502–6506], 8059–8063 [8179–8183]
- So, I. (C) 2470–2474 [2504–2508]
- So, M.-H. (C) 9895–9899 [10043–10047]
- So, P.-K. (C) 3735–3739 [3795–3799]
- So, S. M. (C) 8657–8660 [8785–8788]
- Soai, K.
– Achiral Nucleobase Cytosine Acts as an Origin of Homochirality of Biomolecules in Conjunction with Asymmetric Autocatalysis
(C) 496–499 [506–509]
DOI: 10.1002/anie.200703634
- Sobek, J. (C) 5382–5385 [5462–5465]
- Socher, E. (C) 9555–9559 [9697–9701]
- Sodeoka, M.
– Catalytic Enantioselective Aldol-type Reaction of β-Ketesters with Acetals
(C) 4196–4199 [4264–4267]
DOI: 10.1002/anie.200705344
- Soderholm, L.
– The Structure of the Plutonium Oxide Nanocluster [Pu₃₈O₅₆Cl₅₄(H₂O)₈]^{14–}
(C) 298–302 [304–308]
DOI: 10.1002/anie.200704420
- Soga, K. (C) 4122–4125 [4190–4193]
- Soh, J. H. (C) 872–876 [886–890]
- Sohma, Y. (C) 1102–1106 [1118–1122]
- Sohn, M.-H. (C) 8404–8406 [8532–8534]
- Sohtome, Y. (C) 3230–3233 [3274–3277]
- Sokolov, M. N. (C) 1465–1468 [1487–1490]
- Sokolova, V. (R) 1382–1395 [1402–1416]
- Solcà, N. (C) 395–397 [401–403]
- Soleilhavoup, M. (C) 5224–5228 [5302–5306]
- Soleimannejad, J. (C) 1693–1697 [1717–1721]
- Sollogoub, M.
– Regiospecific Tandem Azide-Reduction/Deprotection To Afford Versatile Amino Alcohol-Functionalized α- and β-Cyclo-dextrins
(C) 7060–7063 [7168–7171]
DOI: 10.1002/anie.200801573
- Solomon, D. (C) 672–676 [684–688]
- Solomon, E. I.
– A Combined NRVs and DFT Study of Fe^{IV}=O Model Complexes: A Diagnostic Method for the Elucidation of Non-Heme Iron Enzyme Intermediates

- (C) 9071–9074 [9211–9214]
DOI: 10.1002/anie.200803740
- Solozhenko, V. L. (C) 8268–8271 [8392–8395]
- Somfai, P.
– Synthesis of Aryl Glycines by the α Arylation of Weinreb Amides
(C) 1907–1909 [1933–1935]
DOI: 10.1002/anie.200704689
- Sommariva, M. (C) 2817–2819 [2859–2861]
- Sommer, M. (C) 7901–7904 [8019–8022]
- Sommerdijk, N. A. J. M.
– Cryo Electron Tomography Reveals Confined Complex Morphologies of Tripeptide-Containing Amphiphilic Double-Comb Diblock Copolymers
(C) 8859–8862 [8991–8994]
DOI: 10.1002/anie.200802834
- Somorjai, G. A.
– A Reactive Oxide Overlayer on Rhodium Nanoparticles during CO Oxidation and Its Size Dependence Studied by In Situ Ambient-Pressure X-ray Photoelectron Spectroscopy
(C) 8893–8896 [9025–9028]
DOI: 10.1002/anie.200803574
- Molecular Factors of Catalytic Selectivity
(R) 9212–9228 [9352–9368]
DOI: 10.1002/anie.200803181
- Soncini, A. (C) 4126–4129 [4194–4197]
- Song, C. E.
– A Highly Reactive and Enantioselective Bifunctional Organocatalyst for the Methanolytic Desymmetrization of Cyclic Anhydrides: Prevention of Catalyst Aggregation
(C) 7872–7875 [7990–7993]
DOI: 10.1002/anie.200801636
- Hydrogenation of Arenes by Dual Activation: Reduction of Substrates Ranging from Benzene to C₆₀ Fullerene under Ambient Conditions
(C) 8615–8617 [8743–8745]
DOI: 10.1002/anie.200803850
- Song, H.
– Directed Surface Overgrowth and Morphology Control of Polyhedral Gold Nanocrystals
(C) 763–767 [775–779]
DOI: 10.1002/anie.200704094
- Single-Crystalline Hollow Face-Centered-Cubic Cobalt Nanoparticles from Solid Face-Centered-Cubic Cobalt Oxide Nanoparticles
(C) 9504–9508 [9646–9650]
DOI: 10.1002/anie.200803048
- Song, H.-K. (C) 1749–1752 [1773–1776]
- Song, I. C. (C) 8438–8441 [8566–8569]
- Song, J.-H. (C) 7828–7832 [7946–7950]
- Song, J.-N. (C) 9565–9568 [9707–9710]
- Song, Jianxin (C) 6004–6007 [6093–6096]
- Song, Jinliang (C) 1127–1129 [1143–1145]
- Song, K. (C) 2978–2981 [3020–3023]
- Song, R.
– A Temperature-Driven Reversible Phase Transfer of 2-(Diethylamino)ethanethiol-Stabilized CdTe Nanoparticles
(C) 9875–9878 [10023–10026]
DOI: 10.1002/anie.200803582
- Song, W. (C) 2832–2835 [2874–2877]
- Song, Y.
– Ultrasensitive DNA Detection Using Photonic Crystals
(C) 7258–7262 [7368–7372]
DOI: 10.1002/anie.200801998
- Song, Y. C. (C) 5823–5826 [5907–5910]
- Song, Y.-F. (C) 4384–4387 [4456–4459], 4388–4391 [4460–4463], (H) 4635–4637 [4713–4715], (C) 5609–5612 [5691–5694]
- Sonström, P. (C) 8946–8949 [9078–9082]
- Soós, T.
– Turning Frustration into Bond Activation: A Theoretical Mechanistic Study on Heterolytic Hydrogen Splitting by Frustrated Lewis Pairs
(C) 2435–2438 [2469–2472]
DOI: 10.1002/anie.200705586
- Sootsman, J. R. (C) 8618–8622 [8746–8750]
- Soper, A. K. (C) 9059–9062 [9199–9202]
- Soragni, A. (C) 5839–5841 [5923–5925]
- Sørensen, R. Z. (C) 9299–9302 [9439–9442]
- Sorimachi, H. (C) 1770–1773 [1794–1797]
- Sotiropoulos, J.-M. (C) 3552–3555 [3608–3611], 8674–8677 [8802–8805]
- Sotomayor Torres, C. M. (R) 6538–6549 [6638–6650]
- Souharce, B. (R) 4070–4098 [4138–4167]
- Soukka, T. (C) 3811–3813 [3871–3873]
- South, C. R. (C) 1425–1428 [1447–1450]
- Southon, P. D. (C) 1396–1399 [1418–1421], 8929–8932 [9061–9064]
- Spada, G. P.
– Alignment by the Convective and Vortex Flow of Achiral Self-Assembled Fibers Induces Strong Circular Dichroism Effects
(H) 636–638 [646–648]
DOI: 10.1002/anie.200704602
- Spada, G. P. (C) 3184–3187 [3228–3231]
- Spagnolo, P.
– Approach to Spirocyclohexadienimines and Corresponding Dienones through Radical *ipso* Cyclization onto Aromatic Azides
(C) 9439–9442 [9581–9584]
DOI: 10.1002/anie.200804333
- Spandl, R. J. (C) 2808–2812 [2850–2854]
- Spantulescu, M. D. (C) 5034–5037 [5112–5115]
- Specht, A. (C) 3192–3195 [3236–3239], 9525–9529 [9667–9671]
- Spek, A. L. (C) 4584–4587 [4660–4663]
- Spencer, J. B. (C) 6028–6032 [6117–6121]
- Spiccia, L.
– Sustained Water Oxidation Photocatalysis by a Bioinspired Manganese Cluster
(C) 7335–7338 [7445–7448]
DOI: 10.1002/anie.200801132
- Spickermann, C. (C) 3639–3641 [3695–3697]
- Spielmann, J. (C) 6290–6295 [6386–6391], 9434–9438 [9576–9580]
- Spiering, H. (C) 2997–2999 [3039–3041]
- Spies, P. (C) 7543–7546 [7654–7657]
- Spieß, H. W.
– NMR Spectroscopy: Pushing the Limits of Sensitivity
(H) 639–642 [649–652]
DOI: 10.1002/anie.200704428
- Spieß, S. (C) 7652–7655 [7764–7767]
- Spikes, G. H. (C) 2973–2977 [3015–3019]
- Spinks, G. M. (C) 2470–2474 [2504–2508]
- Spiteller, D. (C) 6028–6032 [6117–6121]
- Spitz, R. (C) 9311–9313 [9451–9453]
- Sprengers, J. W. (C) 3223–3226 [3267–3270]
- Spring, D. R.
– Anti-MRSA Agent Discovery Using Diversity-Oriented Synthesis
(C) 2808–2812 [2850–2854]
DOI: 10.1002/anie.200705415
- Sprinzl, M.
– Peptide-Bond Synthesis on the Ribosome: No Free Vicinal Hydroxy Group Required on the Terminal Ribose Residue of Peptidyl-tRNA
(C) 7242–7245 [7352–7355]
DOI: 10.1002/anie.200801511
- Spruell, J. M. (C) 9927–9932 [10075–10080]
- Sreejith, S. (C) 7883–7887 [8001–8005]
- Sridhar Reddy, M. (C) 1272–1275 [1292–1295]
- Srinivas, K. (C) 4153–4156 [4221–4224]
- Srinivasan, Alagar (C) 4563–4567 [4639–4643]
- Srinivasan, Ananth (C) 4922–4925 [5000–5003]
- Srinivasan, S. (C) 5746–5749 [5830–5833], 5750–5754 [5834–5838]
- Srinivasarao, M.
– 3D Rutile Titania-Based Structures with *Morpho* Butterfly Wing Scale Morphologies
(C) 7921–7923 [8039–8041]
DOI: 10.1002/anie.200801311
- Srivatsan, S. G. (C) 6661–6665 [6763–6767]
- Staack, D. (C) 8020–8024 [8140–8144]
- Staats, H. (C) 788–792 [800–804]
- Stadler, D. (C) 7557–7559 [7668–7670]
- Stadler, V.
– Combinatorial Synthesis of Peptide Arrays with a Laser Printer
(C) 7132–7135 [7241–7244]
DOI: 10.1002/anie.200801616
- Stahlhut, M. W. (C) 9104–9107 [9244–9247]
- Stalke, D.
– Electron-Density Investigation of Metal–Metal Bonding in the Dinuclear “Borylene” Complex $[(\text{Cp}(\text{CO})_2\text{Mn})_2(\mu\text{-BrBu})]$
(C) 4321–4325 [4393–4397]
DOI: 10.1002/anie.200705257
- Stalke, D. (C) 1326–1331 [1346–1351], 8941–8945 [9073–9077]
- Stamatatos, T. C. (C) 6694–6698 Corrigendum: 9590 [6796–6800 Corrigendum: 9732]
- Stamou, D. (C) 5544–5549 [5626–5631]
- Stankic, S. (C) 1496–1499 [1518–1522]
- Stanley, L. M. (C) 9913–9915 [10061–10063]
- Star, A.
– Carbon Nanotube Gas and Vapor Sensors
(R) 6550–6570 [6652–6673]
DOI: 10.1002/anie.200704488
- Stará, I. G.
– A Straightforward Route to Helically Chiral N-Heteroaromatic Compounds: Practical Synthesis of Racemic 1,14-Diaza-[5]helicene and Optically Pure 1- and 2-Aza[6]helicenes
(C) 3188–3191 [3232–3235]
DOI: 10.1002/anie.200705463
- Starý, I.
– A Straightforward Route to Helically Chiral N-Heteroaromatic Compounds: Practical Synthesis of Racemic 1,14-Diaza-[5]helicene and Optically Pure 1- and 2-Aza[6]helicenes
(C) 3188–3191 [3232–3235]
DOI: 10.1002/anie.200705463
- Stasch, A.
– Stable Adducts of a Dimeric Magnesium(I) Compound
(C) 9079–9083 [9219–9223]
DOI: 10.1002/anie.200803960
- Staubitz, A. (C) 6212–6215 [6308–6311]
- Staudt, T. (C) 2685–2688 [2725–2728]

- Stauffer, J. (C) 7659–7663 [7772–7776]
 Stavitski, E. (C) 3543–3547 [3599–3603], 5637–5640 [5719–5722]
 Steed, J. W.
 – A “Compartmental” Borromean Weave Coordination Polymer Exhibiting Saturated Hydrogen Bonding to Anions and Water Cluster Inclusion (C) 5761–5764 [5845–5848]
 DOI: 10.1002/anie.200801556
 – Structure Calculation of an Elastic Hydrogel from Sonication of Rigid Small Molecule Components (C) 1058–1062 [1074–1078]
 DOI: 10.1002/anie.200703785
 Steeves, A. H. (C) 2969–2972 [3011–3014]
 Steigerwald, M. L. (C) 2982–2985 [3024–3027]
 Steill, J. (C) 9666–9668 [9812–9814]
 Stein, A.
 – Nanoscale Reactor Engineering: Hydrothermal Synthesis of Uniform Zeolite Particles in Massively Parallel Reaction Chambers (C) 9096–9099 [9236–9239]
 DOI: 10.1002/anie.200803103
 Steinbock, O.
 – Bubble-Templated and Flow-Controlled Synthesis of Macroscopic Silica Tubes Supporting Zinc Oxide Nanostructures (C) 9900–9903 [10048–10051]
 DOI: 10.1002/anie.200803203
 Steinbüchel, A.
 – Bacterial Acyltransferases as an Alternative for Lipase-Catalyzed Acylation for the Production of Oleochemicals and Fuels (M) 3688–3694 [3746–3752]
 DOI: 10.1002/anie.200705265
 Steinfeld, G. (C) 7659–7663 [7772–7776]
 Steinhauer, C. (C) 5465–5469 [5545–5550]
 Steinhäuser, G. (R) 3330–3347 [3376–3394]
 Steinmetz, H. (C) 600–602 [610–613]
 Steinmetz, M. O. (C) 5842–5845 [5926–5929]
 Steitz, B. (C) 7857–7860 [7975–7978]
 Stellfeld, T. (C) 4922–4925 [5000–5003]
 Stenkamp, R. E.
 – X-Ray Structure and Designed Evolution of an Artificial Transfer Hydrogenase (C) 1400–1404 [1422–1426]
 DOI: 10.1002/anie.200704865
 Stensgaard, I. (C) 9673–9676 [9819–9822]
 Stepanov, A. G.
 – Understanding Methane Aromatization on a Zn-Modified High-Silica Zeolite (C) 4559–4562 [4635–4638]
 DOI: 10.1002/anie.200800317
 Stephan, D. W.
 – Hydrogen and Amine Activation by a Frustrated Lewis Pair of a Bulky N-Heterocyclic Carbene and B(C₆F₅)₃ (C) 7433–7437 [7543–7547]
 DOI: 10.1002/anie.200802596
 Stephenson, C. R. J. (C) 8852–8855 [8984–8987]
 Stern, D. (C) 8941–8945 [9073–9077]
 Steven, A. C. (C) 6247–6251 [6343–6347]
 Stevenson, C. D.
 – The Isomers of [12]Annulyne and their Reactive Relationships to Heptalene and Biphenyl (C) 8714–8718 [8842–8846]
 DOI: 10.1002/anie.200803863
 Stewart, A. (C) 6900–6903 [7006–7009]
 Stewart, M. E. (C) 5013–5017 [5091–5095]
 Stewart, T. (C) 9326–9329 [9466–9469]
 Stewart, T. J. (C) 5075–5078 [5153–5156]
 Stirling, A. (C) 2435–2438 [2469–2472]
 Stobrawe, A. (C) 6674–6677 [6776–6779]
 Stockhill, J. L. (R) 2365–2386 [2400–2421]
 Stöcker, M.
 – Biofuels and Biomass-To-Liquid Fuels in the Biorefinery: Catalytic Conversion of Lignocellulosic Biomass using Porous Materials (R) 9200–9211 [9340–9351]
 DOI: 10.1002/anie.200801476
 Stoddart, J. F.
 – An Acid–Base-Controllable [c2]Daisy Chain (C) 7470–7474 [7580–7584]
 DOI: 10.1002/anie.200803036
 – Heterogeneous Catalysis through Microcontact Printing (C) 9927–9932 [10075–10080]
 DOI: 10.1002/anie.200803480
 – pH-Responsive Supramolecular Nanovalves Based on Cucurbit[6]uril Pseudorotaxanes (C) 2222–2226 [2254–2258]
 DOI: 10.1002/anie.200705211
 Stoddart, J. F. (C) 3536–3539 [3592–3595]
 Stöhr, M.
 – Transforming Surface Coordination Polymers into Covalent Surface Polymers: Linked Polycondensed Aromatics through Oligomerization of N-Heterocyclic Carbene Intermediates (C) 2414–2417 [2448–2451]
 DOI: 10.1002/anie.200704072
 – Trimodular Engineering of Linear Supramolecular Miniatures on Ag(111) Surfaces Controlled by Complementary Triple Hydrogen Bonds (C) 7726–7730 [7840–7844]
 DOI: 10.1002/anie.200802325
 Stoll, R. S. (C) 5968–5972 [6056–6060]
 Stoltz, B. M.
 – Catalytic Enantioselective Alkylation of Substituted Dioxanone Enol Ethers: Ready Access to C(α)-Tetrasubstituted Hydroxyketones, Acids, and Esters (C) 6873–6876 [6979–6982]
 DOI: 10.1002/anie.200801424
 – Palladium-Catalyzed Enantioselective Oxidation of Chiral Secondary Alcohols: Access to Both Enantiomeric Series (C) 6367–6370 [6467–6470]
 DOI: 10.1002/anie.200801865
 – The Biology and Chemistry of the Zoonthamine Alkaloids (R) 2365–2386 [2400–2421]
 DOI: 10.1002/anie.200703172
 Stone, K. M. (C) 10192–10194 [10346–10348]
 Stoppioni, P.
 – Controlling the Activation of White Phosphorus: Formation of Phosphorous Acid and Ruthenium-Coordinated 1-Hydroxytriphosphane by Hydrolysis of Doubly Metalated P₄ (C) 4425–4427 [4497–4499]
 DOI: 10.1002/anie.200800723
 Stöveken, T. (M) 3688–3694 [3746–3752]
 Strano, M. S.
 – On-Chip Micro Gas Chromatograph Enabled by a Noncovalently Functionalized Single-Walled Carbon Nanotube Sensor Array (C) 5018–5021 [5096–5099]
 DOI: 10.1002/anie.200704501
 Strasdeit, H.
 – Mercury–Alkyl Bond Cleavage Based on Organomercury Lyase (H) 828–830 [840–842]
 DOI: 10.1002/anie.200704275
 Strassner, T. (C) 10106–10109 [10260–10263]
 Strauss, S. H.
 – C₁-(C₈₄-C₂)(11)(CF₃)₁₂: Trifluoromethylation Yields Structural Proof of a Minor C₈₄ Cage and Reveals a Principle of Higher Fullerene Reactivity (C) 6204–6207 [6300–6303]
 DOI: 10.1002/anie.200801777
 Streb, C. (C) 6881–6884 [6987–6990]
 Stuart, M. (C) 2063–2066 [2093–2096]
 Stubna, A. (C) 1896–1899 [1922–1925]
 Stucky, G. D.
 – A General Route to Diverse Mesoporous Metal Oxide Submicrospheres with Highly Crystalline Frameworks (C) 8682–8686 [8810–8814]
 DOI: 10.1002/anie.200802487
 Studer, A.
 – Biomimetic Carbene-Catalyzed Oxidations of Aldehydes Using TEMPO (C) 8727–8730 [8855–8858]
 DOI: 10.1002/anie.200802735
 – Oxidative Homocoupling of Aryl, Alkenyl, and Alkynyl Grignard Reagents with TEMPO and Dioxxygen (C) 9547–9550 [9690–9692]
 DOI: 10.1002/anie.200804197
 – Thiol-Catalyzed Stereoselective Transfer Hydroamination of Olefins with N-Aminated Dihydropyridines (C) 779–782 [791–794]
 DOI: 10.1002/anie.200703902
 Studt, F. (C) 9299–9302 [9439–9442]
 Studte, C. (C) 5451–5455 [5531–5535]
 Stumpf, T.
 – Charge Compensation in Solid Solutions (C) 5846–5850 [5930–5934]
 DOI: 10.1002/anie.200705827
 Sturm, C. (C) 6177–6179 [6272–6274]
 Su, B. (C) 4675–4678 [4753–4756]
 Su, D. S.
 – Surface Chemistry of Ag Particles: Identification of Oxide Species by Aberration-Corrected TEM and by DFT Calculations (C) 5005–5008 [5083–5086]
 DOI: 10.1002/anie.200800406
 Su, F. Corrigendum: 1167
 Su, F.-Z. (C) 334–337 [340–343]
 Su, Y. (C) 4729–4732 [4807–4810]
 Suárez, E.
 – Sequential Norrish Type II Photoelimination and Intramolecular Aldol Cyclization of 1,2-Diketones in Carbohydrate Systems: Stereoselective Synthesis of Cyclopentitols (C) 8917–8919 [9049–9051]
 DOI: 10.1002/anie.200803696
 Suárez-Sobrinó, A. L. (C) 6225–6228 [6321–6324]
 Suda, M. (C) 160–163 [166–169]
 Sudik, A. (C) 882–887 [896–901]
 Suga, S. (C) 2506–2508 [2540–2542]
 Sugai, T. (C) 515–519 [525–529]
 Suganuma, M. (C) 5557–5560 [5639–5642]
 Sugawara, K. (C) 2493–2496 [2527–2530]
 Sugimoto, N.
 – Regulation of Telomerase Activity by the Thermodynamic Stability of a DNA·RNA

- Hybrid
(C) 9034–9038 [9174–9178]
DOI: 10.1002/anie.200803577
- Sugino, H. (C) 5600–5604 [5682–5686]
Sugiono, E. (C) 3046–3049 [3089–3092]
Sugiyama, A. (C) 5371–5373 [5451–5453]
Sugizaki, S. (C) 1770–1773 [1794–1797]
Suh, M. P.
– A Comparison of the H₂ Sorption Capacities of Isostructural Metal–Organic Frameworks With and Without Accessible Metal Sites: [{Zn₂(abtc)(dmf)₂}]₃ and [{Cu₂(abtc)(dmf)₂}]₃ versus [{Cu₂(abtc)}]₃ (C) 7741–7745 [7855–7859]
DOI: 10.1002/anie.200801488
– A Stair-Shaped Molecular Silver(0) Chain (C) 8390–8393 [8518–8521]
DOI: 10.1002/anie.200803465
- Suhm, M. A.
– Chirality Recognition between Neutral Molecules in the Gas Phase (R) 6970–6992 [7076–7100]
DOI: 10.1002/anie.200800957
- Sui, X. (C) 7479–7481 [7589–7591]
Sui-Seng, C. (C) 940–943 [954–957]
Suijkerbuijk, B. M. J. M. (R) 7396–7421 [7506–7532]
Sujecki, S. (C) 6033–6036 [6122–6125]
Suk, J. S. (C) 9726–9729 [9872–9875]
Sumerin, V. (C) 6001–6003 [6090–6092]
Sumida, Y. (C) 5740–5745 [5824–5829]
Sumper, M.
– Silacidins: Highly Acidic Phosphopeptides from Diatom Shells Assist in Silica Precipitation In Vitro (C) 1729–1732 [1753–1756]
DOI: 10.1002/anie.200704994
- Sumpter, B. G. (C) 520–524 [530–534], 2948–2953 [2990–2995]
Sun, C. (C) 4516–4520 Corrigendum: 5277 [4592–4596 Corrigendum: 5357]
Sun, C.-L. (C) 1473–1476 [1495–1498]
Sun, D. (C) 8442–8445 [8570–8573]
Sun, H. (C) 1698–1702 [1722–1726], 7438–7441 [7548–7551]
Sun, I.-C. (C) 2804–2807 [2846–2849]
Sun, Jianwei (C) 3215–3218 [3259–3262]
Sun, Jing (C) 1072–1075 [1088–1091]
Sun, Junliang (C) 7868–7871 [7986–7989]
Sun, L. B. (C) 3418–3421 [3466–3469]
Sun, M. (C) 525–528 [535–538]
Sun, Q.-F. (C) 4551–4554 [4627–4630]
Sun, S.
– A General Approach to the Size- and Shape-Controlled Synthesis of Platinum Nanoparticles and Their Catalytic Reduction of Oxygen (C) 3588–3591 [3644–3647]
DOI: 10.1002/anie.200800073
– Au–Fe₃O₄ Dumbbell Nanoparticles as Dual-Functional Probes (C) 173–176 [179–182]
DOI: 10.1002/anie.200704392
- Sun, S.-G.
– Shape-Controlled Synthesis of Gold Nanoparticles in Deep Eutectic Solvents for Studies of Structure–Functionality Relationships in Electrocatalysis (C) 9100–9103 [9240–9243]
DOI: 10.1002/anie.200803202
- Sun, X.-X. (C) 2458–2462 [2492–2496]
Sun, X.-Y. (C) 3250–3253 [3294–3297]
Sun, Y.-P. (C) 7310–7313 [7420–7423]
Sun, Yinyong (C) 8478–8481 [8606–8609]
Sun, Yu (C) 3271–3274 [3315–3318]
Sun, Yugang (R) 5524–5542 [5606–5624]
Sun, Z. (C) 3540–3542 [3596–3598]
Sundaresan, A. (C) 7685–7688 [7799–7802]
Sundermeyer, J. (C) 82–85 [88–91]
Sung, Y.-E.
– Promotional Effect of Palladium on the Hydrogen Oxidation Reaction at a PtPd Alloy Electrode (C) 9307–9310 [9447–9450]
DOI: 10.1002/anie.200802749
- Suni, N. M. (C) 7442–7445 [7552–7555]
Surry, D. S. (R) 6338–6361 [6438–6461]
Süss-Fink, G.
– Water Oxidation: A Robust All-Inorganic Catalyst (H) 5888–5890 [5972–5974]
DOI: 10.1002/anie.200801121
- Süss-Fink, G. (C) 3773–3776 [3833–3836]
Sussman, V. J. (C) 484–489 [494–499]
Süssmuth, R. D.
– Proximicins A, B, and C—Antitumor Furan Analogues of Netropsin from the Marine Actinomycete *Verrucosispora* Induce Upregulation of p53 and the Cyclin Kinase Inhibitor p21 (C) 3258–3261 [3302–3305]
DOI: 10.1002/anie.200705295
- Sutcliffe, M. J. (C) 537–540 [547–550]
Sutherland, D. S. (C) 6025–6027 [6114–6116]
Sutter, J. (C) 2681–2684 [2721–2724]
Suwala, K. (C) 7888–7891 [8006–8009]
Suzuki, D. (C) 917–920 [931–934]
Suzuki, H.
– Drastic Acceleration of Phosphine/Phosphite Incorporation into a Tetrahydrido Ruthenium/Osmium Complex, and One-way Ruthenium to Osmium Migration of a Phosphorus Ligand (C) 10159–10162 [10313–10316]
DOI: 10.1002/anie.200804482
- Suzuki, Keisuke
– Formation of α -Hydroxy- β -diketones through Hydroxylation of Isoxazolium Salts: Stereoselective Approach to Angular *cis*-Diols in Polycyclic Systems (C) 7446–7449 [7556–7559]
DOI: 10.1002/anie.200801586
– Isoxazole-Assisted Direct Substitution of the Hydroxy Group in α -Ketols: Introduction of Angular Substituents in a Polycyclic System (C) 9887–9890 [10035–10038]
DOI: 10.1002/anie.200801577
– Ring Selectivity: Successive Ring Expansion of Two Benzocyclobutenes for Divergent Access to Angular and Linear Benzanthraquinones (C) 2248–2252 [2280–2284]
DOI: 10.1002/anie.200705630
– Total Synthesis and Structure Assignment of the Anthrone C-Glycoside Cassialoin (C) 1084–1087 [1100–1103]
DOI: 10.1002/anie.200704625
- Suzuki, Ken
– Aerobic Oxidation of Primary Amines to Oximes Catalyzed by DPPH and WO₃/Al₂O₃ (C) 2079–2081 [2109–2111]
DOI: 10.1002/anie.200705002
- Suzuki, Ken (C) 1770–1773 [1794–1797], 1887–1889 [1913–1915]
Suzuki, Kenta (C) 496–499 [506–509]
Suzuki, Koji (C) 6681–6684 [6783–6786]
Suzuki, Kosuke (C) 5780–5782 [5864–5866]
Suzuki, Masaaki (C) 9661–9665 [9807–9811]
Suzuki, Motohiro (C) 160–163 [166–169]
Suzuki, N.
– Transformation of a 1-Zirconacyclopent-3-yne, a Five-Membered Cycloalkyne, into a 1-Zirconacyclopent-3-ene and Formal “1-Zirconacyclopenta-2,3-dienes” (C) 5198–5202 [5276–5280]
DOI: 10.1002/anie.200800739
- Suzuki, T. (C) 2248–2252 [2280–2284]
Svirikhin, A. I. (C) 3262–3266 [3306–3310]
Swager, T. M.
– Molecular Recognition for High Selectivity in Carbon Nanotube/Polythiophene Chemiresistors (C) 8394–8396 [8522–8524]
DOI: 10.1002/anie.200802762
- Swaminathan Iyer, K. (C) 6362–6366 [6462–6466]
Swamy, K. M. K. (C) 872–876 [886–890]
Swart, I. (C) 3543–3547 [3599–3603]
Swennenhuys, B. H. G. (C) 6602–6605 [6704–6707]
Swiegers, G. F.
– Sustained Water Oxidation Photocatalysis by a Bioinspired Manganese Cluster (C) 7335–7338 [7445–7448]
DOI: 10.1002/anie.200801132
- Symes, M. D. (C) 4392–4396 [4464–4468]
Szabó, T. (C) 8268–8271 [8392–8395]
Szigethy, G. (C) 9500–9503 [9642–9645]
Szpilman, A. M. (C) 4335–4338 [4407–4410], 4339–4342 [4411–4414]
Szubert, K. (C) 541–544 [551–554]
Szymczak, N. K. (C) 7493–7496 [7603–7606]
Szyperski, T.
– Structure of the Protein BPTI Derived with NOESY in Supercooled Water: Validation and Refinement of Solution Structures (C) 324–326 [330–332]
DOI: 10.1002/anie.200702842



- Taberna, P.-L. (C) 3392–3395 [3440–3443]
Tabudravu, J. N. (C) 8090–8092 [8210–8212]
Tachikawa, T. (C) 5348–5352 [5428–5432]
Tada, M. (C) 9230–9235 [9370–9375], 9252–9255 [9392–9395]
Tadano, K.-i.
– Total Synthesis of (–)-Pestalotiopsin A (C) 3426–3429 [3474–3477]
DOI: 10.1002/anie.200800253
- Tae, E. L. (C) 10128–10132 [10282–10286]
Tagashira, N. (C) 6620–6623 [6722–6725]
Tagmatarchis, N. (C) 5148–5152 [5226–5230]
Tahara, K. (C) 2964–2968 [3006–3010]
Tahara, T. (C) 102–105 [108–111]
Tahir, M. N. (C) 4748–4752 [4826–4830]
Tai, C.-C. (C) 9891–9894 [10039–10042]
Tai, F.-I. (C) 5554–5556 [5636–5638]
Taillefer, M.
– Catalytic C–C, C–N, and C–O Ullmann-Type Coupling Reactions: Copper Makes a Difference (H) 3096–3099 [3140–3143]
DOI: 10.1002/anie.200703209

- Tait, S. L.
- Ordering and Stabilization of Metal–Organic Coordination Chains by Hierarchical Assembly through Hydrogen Bonding at a Surface (C) 8835–8838 [8967–8970]
DOI: 10.1002/anie.200803124
 - Tajima, A. (C) 8044–8046 [8164–8166]
 - Takabe, K. (C) 6657–6660 [6759–6762]
 - Takacs, J. M.
 - Exploiting Self-Assembly for Ligand-Scaffold Optimization: Substrate-Tailored Ligands for Efficient Catalytic Asymmetric Hydroboration (C) 894–897 [908–911]
DOI: 10.1002/anie.200703127
 - Takada, A. (C) 7446–7449 [7556–7559]
 - Takada, Kazunori (C) 86–89 [92–95]
 - Takada, Kenji (C) 2792–2795 [2834–2837]
 - Takada, N. (C) 2032–2034 [2062–2064]
 - Takagi, M. (C) 5557–5560 [5639–5642]
 - Takagi, N. (C) 9303–9306 [9443–9446]
 - Takahashi, H. (C) 307–310 [313–316]
 - Takahashi, Kazunori (C) 131–133 [137–139]
 - Takahashi, Keisuske (C) 6244–6246 [6340–6342]
 - Takahashi, T. (C) 6077–6079 [6166–6168]
 - Takahashi, Y. (C) 6685–6689 [6787–6791]
 - Takai, A. (C) 5371–5373 [5451–5453]
 - Takai, K.
 - Rhenium-Catalyzed Synthesis of Stereo-defined Cyclopentenes from β -Ketoesters and Aliphatic Allenes (C) 9318–9321 [9458–9461]
DOI: 10.1002/anie.200803350
 - Takakusagi, S. (C) 5627–5630 [5709–5712]
 - Takamizawa, S.
 - Gas-Conforming Transformability of an Ionic Single-Crystal Host Consisting of Discrete Charged Components (C) 1689–1692 [1713–1716]
DOI: 10.1002/anie.200702950
 - Takanabe, K. (C) 7689–7693 [7803–7807]
 - Takano, H. (C) 2792–2795 [2834–2837]
 - Takano, M. (C) 5740–5745 [5824–5829], 7032–7035 [7140–7143]
 - Takao, K.-i. (C) 3426–3429 [3474–3477]
 - Takase, M. (C) 1703–1706 [1727–1730]
 - Takashima, Y. (C) 6077–6079 [6166–6168]
 - Takata, K. (C) 7032–7035 [7140–7143]
 - Takata, M. (C) 3914–3918 [3978–3982]
 - Takats, J.
 - Scorpionate-Supported Dialkyl and Dihydride Lanthanide Complexes: Ligand- and Solvent-Dependent Cluster Hydride Formation (C) 4910–4913 [4988–4991]
DOI: 10.1002/anie.200705977
 - Takats, J. (C) 9560–9564 [9702–9706]
 - Takatsu, K. (C) 1447–1449 [1469–1471]
 - Takaya, J. (C) 4906–4909 [4984–4987]
 - Takayanagi, S.-i. (C) 7673–7676 [7787–7790]
 - Takei, O. (C) 1429–1431 [1451–1453]
 - Takei, T. (C) 9265–9268 [9405–9408]
 - Takenaga, N. (C) 3787–3790 [3847–3850]
 - Takenaka, M. (C) 9883–9886 [10031–10034]
 - Takenaka, N.
 - Helical Chiral Pyridine *N*-Oxides: A New Family of Asymmetric Catalysts (C) 9708–9710 [9854–9856]
DOI: 10.1002/anie.200803338
 - Takeoka, Y.
 - Photoregulated Wormlike Motion of a Gel (C) 9039–9043 [9179–9183]
DOI: 10.1002/anie.200803046
 - Takeya, S. (C) 1276–1279 [1296–1299]
 - Takikawa, H. (C) 7446–7449 [7556–7559], 9887–9890 [10035–10038]
 - Takizawa, M. (C) 928–931 [942–945]
 - Takui, T.
 - Curved Aromaticity of a Corannulene-Based Neutral Radical: Crystal Structure and 3D Unbalanced Delocalization of Spin (C) 2035–2038 [2065–2068]
DOI: 10.1002/anie.200704752
 - Macrocyclic High-Spin ($S=2$) Molecule: Spin Identification of a Sterically Rigid Metacyclopentane-Based Nitroxide Tetradical by Two-Dimensional Electron Spin Transient Nutation Spectroscopy (C) 3988–3990 [4052–4054]
DOI: 10.1002/anie.200705583
 - Talapin, D. V. (C) 3029–3033 [3071–3075]
 - Talluri, E. (C) 4533–4537 [4609–4613]
 - Talyzin, A. V.
 - Colossal Pressure-Induced Lattice Expansion of Graphite Oxide in the Presence of Water (C) 8268–8271 [8392–8395]
DOI: 10.1002/anie.200802860
 - Talyzin, A. V. (C) 2796–2799 [2838–2841]
 - Tam, H.-L. (C) 9685–9690 [9831–9836]
 - Tam, U. C. (C) 5022–5025 [5100–5103]
 - Tam, W.
 - Enantioselective Palladium-Catalyzed Trimethylenemethane [3 + 2] Cycloadditions (H) 2926–2928 [2968–2970]
DOI: 10.1002/anie.200705481
 - Tamaki, T. (C) 5803–5805 [5887–5889]
 - Tamaru, Y.
 - Convenient Synthesis of Pyrrolidines by Amphiphilic Allylation of Imines with 2-Methylenepropane-1,3-diols (C) 5803–5805 [5887–5889]
DOI: 10.1002/anie.200801252
 - Tamm, M.
 - Heterolytic Dihydrogen Activation by a Frustrated Carbene–Borane Lewis Pair (C) 7428–7432 [7538–7542]
DOI: 10.1002/anie.200802705
 - Tamura, T. (C) 6657–6660 [6759–6762]
 - Tan, B. (C) 10187–10191 Corrigendum: 10014 [10341–10345]
 - Tan, C.-H.
 - Enantioselective Protonation Catalyzed by a Chiral Bicyclic Guanidine Derivative (C) 5641–5645 [5723–5727]
DOI: 10.1002/anie.200801378
 - Tan, J. (C) 3275–3278 [3319–3323]
 - Tan, K.-T. (C) 3747–3750 [3807–3810]
 - Tan, L. (C) 3614–3617 [3670–3673]
 - Tan, R. X.
 - Unprecedented Immunosuppressive Polyketides from *Daldinia eschscholzii*, a Mantis-Associated Fungus (C) 5823–5826 [5907–5910]
DOI: 10.1002/anie.200801284
 - Tan, Y.-Z. (C) 5340–5343 [5420–5423]
 - Tanabe, F. (C) 2039–2041 [2069–2071]
 - Tanabe, T. (C) 9303–9306 [9443–9446]
 - Tanaka, D. (C) 3914–3918 [3978–3982]
 - Tanaka, Katsunori (C) 102–105 [108–111]
 - Tanaka, Ken
 - Enantioselective Synthesis of P-Stereogenic Alkynylphosphine Oxides by Rh-Catalyzed [2 + 2 + 2] Cycloaddition (C) 3410–3413 [3458–3461]
DOI: 10.1002/anie.200800144
 - Enantioselective Synthesis of Spirocyclic Benzopyranones by Rhodium-Catalyzed Intermolecular [4 + 2] Annulation (C) 5820–5822 [5904–5906]
DOI: 10.1002/anie.200801642
 - Highly Regio-, Diastereo-, and Enantioselective [2 + 2 + 2] Cycloaddition of 1,6-Enynes with Electron-Deficient Ketones Catalyzed by a Cationic Rh⁺/H₈-binap Complex (C) 1312–1316 [1332–1336]
DOI: 10.1002/anie.200704758
 - Tanaka, Koji
 - Synthesis and Electrochemical Reduction of a Ruthenium Complex Bearing an *N,N*-Bis[(benzo[*g*][1,5]naphthyridin-2-yl)methyl]propane-2-amine Ligand as an NAD⁺/NADH-Type Redox Site (C) 9768–9771 [9914–9917]
DOI: 10.1002/anie.200804404
 - Tanaka, M. (C) 385–387 [391–393]
 - Tanaka, S.-y. (C) 6620–6623 [6722–6725]
 - Tanaka, T. (C) 5203–5206 [5281–5284]
 - Tanaka, Y. (C) 681–684 [693–696]
 - Tancini, F. (C) 4504–4508 [4580–4584]
 - Tang, L. (C) 6069–6072 [6158–6161]
 - Tang, M. (C) 3202–3205 [3246–3249]
 - Tang, M.-C. (C) 2213–2216 [2245–2248]
 - Tang, Q. (C) 693–696 [705–708]
 - Tang, R.
 - Yeast Cells with an Artificial Mineral Shell: Protection and Modification of Living Cells by Biomimetic Mineralization (C) 3560–3564 [3616–3620]
DOI: 10.1002/anie.200704718
 - Tang, S. (C) 7631–7634 [7743–7746]
 - Tang, W.
 - Synthesis of Cyclobutenes by Highly Selective Transition-Metal-Catalyzed Ring Expansion of Cyclopropanes (C) 8933–8936 [9065–9068]
DOI: 10.1002/anie.200803910
 - Tang, Yalin
 - Screening Potential Antitumor Agents from Natural Plant Extracts by G-Quadruplex Recognition and NMR Methods (C) 5590–5592 [5672–5674]
DOI: 10.1002/anie.200800913
 - Tang, Yefeng (C) 1432–1435 [1454–1457]
 - Tang, Z.
 - A Temperature-Driven Reversible Phase Transfer of 2-(Diethylamino)ethanethiol-Stabilized CdTe Nanoparticles (C) 9875–9878 [10023–10026]
DOI: 10.1002/anie.200803582
 - Tanino, K. (C) 750–754 [762–766]
 - Tannert, R. (C) 6473–6477 [6573–6577]
 - Tantillo, D. J.
 - Pronounced Steric Effects of Substituents in the Nazarov Cyclization of Aryl Dienyl Ketones (C) 6379–6383 [6479–6483]
DOI: 10.1002/anie.200801542
 - Tao, A. (C) 6456–6460 [6556–6560]
 - Tao, G.-H. (C) 7087–7090 [7195–7198]
 - Tao, J.
 - The Designed Assembly of Augmented Diamond Networks From Predetermined Pentanuclear Tetrahedral Units (C) 5344–5347 [5424–5427]
DOI: 10.1002/anie.200800403
 - Tao, Y. (C) 8104–8107 [8224–8227]
 - Taquet, J.-P. (C) 7652–7655 [7764–7767]
 - Tarascon, J.-M. (R) 2930–2946 [2972–2989]
 - Tasker, P. A.
 - Outer-Sphere Coordination Chemistry: Selective Extraction and Transport of the

- [PtCl₆]²⁻ Anion
(C) 1745–1748 [1769–1772]
DOI: 10.1002/anie.200703272
- Tatarek-Nossol, M. (C) 7114–7118 [7222–7227]
- Taton, D.
– Harnessing the Potential of N-Heterocyclic Carbenes for the Rejuvenation of Group-Transfer Polymerization of (Meth)Acrylics (C) 5390–5393 [5470–5473]
DOI: 10.1002/anie.200800490
- Tatsu, Y.
– Photocontrolled Cell Adhesion on a Surface Functionalized with a Caged Arginine-Glycine-Aspartate Peptide (C) 7527–7529 [7637–7639]
DOI: 10.1002/anie.200802731
- Tatsumi, K.
– Heterolytic Dihydrogen Activation by a Sulfido- and Oxo-Bridged Dinuclear Germanium–Ruthenium Complex (C) 1913–1915 [1939–1941]
DOI: 10.1002/anie.200704899
- Tatsumi, T. (C) 1042–1046 [1058–1062]
- Tatsumi, R. (C) 6917–6919 [7023–7025]
- Tavan, P. (C) 2143–2146 [2174–2177]
- Taylor, C. (C) 3801–3804 [3861–3864]
- Taylor, K. M. L. (C) 7722–7725 [7836–7839]
- Taylor, R. J. K.
– The Telescoped Intramolecular Michael/Olefination (TIMO) Approach to α -Alkylidene- γ -butyrolactones: Synthesis of (+)-Paeonilactone B (C) 1935–1937 [1961–1963]
DOI: 10.1002/anie.200705329
- Taslely Hamorsky, K. (C) 3718–3721 [3778–3781]
- Tegel, M. (C) 7949–7952 [8067–8070]
- Teichert, A. (C) 3360–3362 [3408–3410]
- Teixeira, S. R. (C) 9075–9078 [9215–9218]
- Tejel, C.
– From Olefins to Ketones via a 2-Rhoda-oxetane Complex (C) 2502–2505 [2536–2539]
DOI: 10.1002/anie.200705802
- Stabilization of the Hydroperoxido Ligand: A $1\kappa O, 2\kappa O'$ Dimetallic Coordination Mode (C) 2093–2096 [2123–2126]
DOI: 10.1002/anie.200702559
- Tel-Vered, R. (C) 6629–6633 [6731–6735], 8272–8276 [8396–8400]
- ten Elshof, J. E. (C) 5407–5410 [5487–5490]
- Tenaglia, A.
– PtCl₂-Catalyzed [6 + 2] Cycloaddition of Alkynes Tethered to Cycloheptatriene (C) 2454–2457 [2488–2491]
DOI: 10.1002/anie.200705482
- Tenderholt, A. L. (C) 9071–9074 [9211–9214]
- Teng, X. (C) 2055–2058 [2085–2088]
- Tenza, K. (C) 357–360 [363–366]
- Teobaldi, G. (C) 4392–4396 [4464–4468]
- Teplý, F. (C) 3188–3191 [3232–3235]
- Tera, M. (C) 5557–5560 [5639–5642]
- Terabayashi, T. (C) 6606–6610 [6708–6712]
- Terada, M.
– Enantioselective Activation of Aldehydes by Chiral Phosphoric Acid Catalysts in an Aza-ene-type Reaction between Glyoxylate and Encarbamate (C) 4122–4125 [4190–4193]
DOI: 10.1002/anie.200800232
- Terada, Y. (C) 5438–5441 [5518–5521]
- Teranishi, T.
– Gold(0) Porphyrins on Gold Nanoparticles (C) 307–310 [313–316]
DOI: 10.1002/anie.200703943
- Terazzi, E. (C) 490–495 [500–505]
- Tereshatov, E. E. (C) 3262–3266 [3306–3310]
- Terfort, A.
– Micrometer-Scale Protein-Resistance Gradients by Electron-Beam Lithography (C) 7238–7241 [7348–7351]
DOI: 10.1002/anie.200800810
- Terfort, A. (C) 5250–5252 [5328–5331]
- Terraneo, G. (M) 6114–6127 [6206–6220]
- Terrones, H. (C) 2948–2953 [2990–2995]
- Terrones, M.
– An Atomistic Branching Mechanism for Carbon Nanotubes: Sulfur as the Triggering Agent (C) 2948–2953 [2990–2995]
DOI: 10.1002/anie.200705053
- Teschner, D.
– Understanding Palladium Hydrogenation Catalysts: When the Nature of the Reactive Molecule Controls the Nature of the Catalyst Active Phase (C) 9274–9278 [9414–9418]
DOI: 10.1002/anie.200802134
- Tessier, A. (C) 7927–7930 [8045–8048]
- Teulade-Fichou, M.-P. (C) 4858–4861 [4936–4939]
- Textor, M. (C) 6184–6188 [6279–6283]
- Tham, F. S. (C) 155–159 [161–165], 3801–3804 [3861–3864]
- Thangadurai, D. T. (C) 2263–2266 [2295–2298]
- Thar, J. (C) 3639–3641 [3695–3697]
- Theato, P. (C) 4748–4752 [4826–4830]
- Theissmann, T. (C) 6798–6801 [6903–6906]
- Thelakkat, M.
– Crystalline–Crystalline Donor–Acceptor Block Copolymers (C) 7901–7904 [8019–8022]
DOI: 10.1002/anie.200802725
- Theopold, K. H. (C) 5597–5599 [5679–5681]
- Thépôt, J.-Y. (C) 8687–8691 [8815–8819]
- Therese, H. A. (C) 4748–4752 [4826–4830]
- Therien, M. J.
– Molecular Symmetry and Solution-Phase Structure Interrogated by Hyper-Rayleigh Depolarization Measurements: Elaborating Highly Hyperpolarizable D₂-Symmetric Chromophores (C) 2978–2981 [3020–3023]
DOI: 10.1002/anie.200703187
- Therrien, B.
– The “Complex-in-a-Complex” Cations [(acac)₂M ⊂ Ru₆(p-*i*PrC₆H₄Me)₆(tpt)₂(dhbq)₃]⁶⁺: A Trojan Horse for Cancer Cells (C) 3773–3776 [3833–3836]
DOI: 10.1002/anie.200800186
- Thibodeaux, C. J. (R) 9814–9859 [9960–10007]
- Thibon, A. (C) 7064–7067 [7172–7175]
- Thiel, J. (C) 6881–6884 [6987–6990]
- Thiel, W. R.
– Dibenzo[*c,g*]fluorenyliron: An Organometallic Relative of Pentahelicene (C) 3271–3274 [3315–3318]
DOI: 10.1002/anie.200705743
- Thielges, S. (C) 2635–2638 [2675–2678]
- Thiem, H. (R) 4070–4098 [4138–4167]
- Thieuleux, C.
– A Tailored Organometallic–Inorganic Hybrid Mesostuctured Material: A Route to a Well-Defined, Active, and Reusable Heterogeneous Iridium-NHC Catalyst for H/D Exchange (C) 8654–8656 [8782–8784]
DOI: 10.1002/anie.200802956
- Thirunavukkarasu, V. S. (C) 9462–9465 [9604–9607]
- Thomas, A.
– Porous, Covalent Triazine-Based Frameworks Prepared by Ionothermal Synthesis (C) 3450–3453 [3499–3502]
DOI: 10.1002/anie.200705710
- Thomas, F. (C) 1958–1960 [1984–1986]
- Thomas, G. L. (C) 2808–2812 [2850–2854]
- Thomas, H. (C) 7238–7241 [7348–7351]
- Thomas, J. M.
– Lord Rutherford (1871–1937): The Newton of the Atom and the Winner of the Nobel Prize for Chemistry, 1908 (E) 9392–9401 [9532–9541]
DOI: 10.1002/anie.200803876
- Thomas III, S. W. (C) 6654–6656 [6756–6758]
- Thompson, B. C. (R) 58–77 [62–82]
- Thompson, D. H.
– Rapid Detection of *S*-Adenosyl Homocysteine Using Self-Assembled Optical Diffraction Gratings (C) 1051–1053 [1067–1069]
DOI: 10.1002/anie.200703222
- Thompson, J. D. (C) 2993–2996 [3035–3038]
- Thompson, L. K. (C) 511–514 [521–524]
- Thompson, S. (C) 2244–2247 [2276–2279]
- Thorley, K. J. (C) 7095–7098 [7203–7206]
- Thorson, J. S.
– Probing the Aglycon Promiscuity of an Engineered Glycosyltransferase (C) 8889–8892 [9021–9024]
DOI: 10.1002/anie.200803508
- Thu, H.-Y. (C) 6638–6642 [6740–6744], 9747–9751 [9893–9897]
- Thuéry, P.
– Polyimido Uranium(IV) Clusters: Imido-metalates with an M₇(μ₃-N)₆(μ₂-N)₆ Core Analogous to the Anderson-Type Polyoxometalate Motif (C) 5586–5589 [5668–5671]
DOI: 10.1002/anie.200801420
- Thuéry, P. (L) 5892–5893 [5976–5977]
- Thum, C. C. L. (C) 9118–9121 [9258–9261]
- Thummel, R. P.
– Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Condensed Phase and in Supersonic Jets (C) 6037–6040 [6126–6129]
DOI: 10.1002/anie.200801350
- Thun, J. (C) 1640–1644 [1664–1668]
- Tian, S.-L. (C) 1115–1118 [1131–1134]
- Tian, X.-Y. (C) 9487–9491 [9629–9633]
- Tian, Y. S. (C) 5167–5170 [5245–5248]
- Tiburcio, J.
– Cooperative Ion–Ion Interactions in the Formation of Interpenetrated Molecules (C) 97–101 [103–107]
DOI: 10.1002/anie.200703019
- Tichý, M. (C) 3188–3191 [3232–3235]
- Tidwell, T. T.
– Hugo (Ugo) Schiff, Schiff Bases, and a Century of β -Lactam Synthesis (E) 1016–1020 [1032–1036]
DOI: 10.1002/anie.200702965

- Tiefenbacher, K.
– Short Formal Synthesis of (–)-Platencin (C) 6199–6200 [6294–6295]
DOI: 10.1002/anie.200801441
- Tiefenbacher, K. (M) 2548–2555 [2582–2590]
- Tietze, L. F.
– Total Synthesis of Polyoxygenated Cembranes (C) 5246–5249 [5324–5327]
DOI: 10.1002/anie.200800626
- Tillack, A. (C) 2304–2307 [2337–2340]
- Timco, G. A.
– Heterometallic Rings Made From Chromium Stick Together Easily (C) 9681–9684 [9827–9830]
DOI: 10.1002/anie.200803637
- Octa-, Deca-, Trideca-, and Tetradecanuclear Heterometallic Cyclic Chromium–Copper Cages (C) 924–927 [938–941]
DOI: 10.1002/anie.200704132
- Ting, A. Y.
– An Engineered Aryl Azide Ligase for Site-Specific Mapping of Protein–Protein Interactions through Photo-Cross-Linking (C) 7018–7021 [7126–7129]
DOI: 10.1002/anie.200802088
- Tinnefeld, P.
– A Reducing and Oxidizing System Minimizes Photobleaching and Blinking of Fluorescent Dyes (C) 5465–5469 [5545–5550]
DOI: 10.1002/anie.200801518
- Tinnefeld, P. (C) 6172–6176 [6266–6271]
- Tiozzo, C. (C) 6666–6669 [6768–6771]
- Titirici, M.-M.
– Superior Storage Performance of a Si@SiO₂/C Nanocomposite as Anode Material for Lithium-Ion Batteries (C) 1645–1649 [1669–1673]
DOI: 10.1002/anie.200704287
- Tkachev, S. V. (C) 1465–1468 [1487–1490]
- Tobe, Y.
– One Building Block, Two Different Supramolecular Surface-Confined Patterns: Concentration in Control at the Solid–Liquid Interface (C) 2964–2968 [3006–3010]
DOI: 10.1002/anie.200705322
- Tobisu, M.
– Nickel-Catalyzed Cross-Coupling of Aryl Methyl Ethers with Aryl Boronic Esters (C) 4866–4869 [4944–4947]
DOI: 10.1002/anie.200801447
- Toca-Herrera, J. L.
– From Native to Non-Native Two-Dimensional Protein Lattices through Underlying Hydrophilic/Hydrophobic Nanoprotrusions (C) 4707–4710 [4785–4788]
DOI: 10.1002/anie.200800151
- Toftagaard, R. (C) 6025–6027 [6114–6116]
- Toftelund, A. (C) 4683–4686 [4761–4764]
- Toganoh, M. (C) 4563–4567 [4639–4643], 5438–5441 [5518–5521], 8913–8916 [9045–9048]
- Togni, A.
– Palladium-Catalyzed Enantioselective Allylic Phosphination (C) 4878–4881 [4956–4959]
DOI: 10.1002/anie.200801287
- Tohyama, K. (C) 5803–5805 [5887–5889]
- Toiya, M. (C) 7753–7755 [7867–7869]
- Tok, O. L. (C) 6469–6472 [6569–6572]
- Tokarev, A. (C) 8236–8240 [8360–8364]
- Toki, M. (C) 8642–8645 [8770–8773]
- Toktarev, A. V. (C) 4559–4562 [4635–4638]
- Tokuyasu, T. (C) 8723–8726 [8851–8854]
- Tolman, W. B.
– Novel Reactivity of Side-On (Disulfido)-dicopper Complexes Supported by Bi- and Tridentate Nitrogen Donors: Impact of Axial Coordination (C) 533–536 [543–546]
DOI: 10.1002/anie.200704690
- Tomás, M. (C) 6225–6228 [6321–6324]
- Tomasini, C.
– A Fiberlike Peptide Material Stabilized by Single Intermolecular Hydrogen Bonds (C) 8075–8078 [8195–8198]
DOI: 10.1002/anie.200802587
- Tomioaka, Y. (C) 8096–8099 [8216–8219]
- Tomita, A. (C) 1462–1464 [1484–1486], 7841–7844 [7959–7962]
- Tomka, I. T. (C) 5842–5845 [5926–5929]
- Tomkinson, N. C. O.
– Kinetics of Iminium Ion Catalysis (C) 2820–2823 [2862–2865]
DOI: 10.1002/anie.200705539
- Tomoda, H. (C) 9522–9524 [9664–9666]
- Tomović, Ž. (C) 2990–2992 [3032–3034], 4997–5001 [5075–5079]
- Tong, C. C. (C) 1745–1748 [1769–1772]
- Tong, G. S.-M. (C) 9747–9751 [9893–9897]
- Tong, G. S. M. (C) 9895–9899 [10043–10047]
- Tong, H. (C) 3976–3978 [4040–4042]
- Tong, Q. (C) 4509–4511 [4585–4587]
- Tong, Rong (C) 4830–4834 [4908–4912]
- Tong, Rongbiao (C) 4377–4379 [4449–4451]
- Tong, X. (C) 3596–3599 [3652–3655]
- Tonnar, J. (C) 1294–1297 [1314–1317]
- Tor, Y.
– A Highly Emissive Fluorescent Nucleoside that Signals the Activity of Toxic Ribosome-Inactivating Proteins (C) 6661–6665 [6763–6767]
DOI: 10.1002/anie.200802199
- Tørnøe, C. W. (C) 1726–1728 [1750–1752]
- Törnroos, K. W. (C) 775–778 [787–790], 9560–9564 [9702–9706]
- Torrallba, G. (C) 7132–7135 [7241–7244]
- Torres, D. (C) 9274–9278 [9414–9418]
- Torres, T.
– Highly Conductive Supramolecular Nanostructures of a Covalently Linked Phthalocyanine–C₆₀ Fullerene Conjugate (C) 2026–2031 [2056–2061]
DOI: 10.1002/anie.200705260
- Sc₃N@C₈₀-Ferrocene Electron-Donor/Acceptor Conjugates as Promising Materials for Photovoltaic Applications (C) 4173–4176 [4241–4244]
DOI: 10.1002/anie.200800473
- Torres Pazmiño, D. E. (C) 2275–2278 [2307–2310]
- Toru, T.
– Desymmetrization-like Catalytic Enantioselective Fluorination of Malonates and Its Application to Pharmaceutically Attractive Molecules (C) 164–168 [170–174]
DOI: 10.1002/anie.200704093
- Toru, T. (C) 4157–4161 [4225–4229], 8051–8054 [8171–8174]
- Tosheva, L.
– Indirect Observation of Structured Incipient Zeolite Nanoparticles in Clear Precursor Solutions (C) 8650–8653 [8778–8781]
DOI: 10.1002/anie.200802941
- Toste, F. D.
– Synthesis of (–)-Octalactin A by a Strategic Vanadium-Catalyzed Oxidative Kinetic Resolution (C) 3755–3758 [3815–3818]
DOI: 10.1002/anie.200800554
- Tóth, É.
– Detection of Enzymatic Activity by PARACEST MRI: A General Approach to Target a Large Variety of Enzymes (C) 4370–4372 [4442–4444]
DOI: 10.1002/anie.200800809
- Toulgoat, F. (C) 5661–5665 [5744–5748]
- Toullec, P. Y. (R) 4268–4315 [4338–4386]
- Toupet, L. (C) 3388–3391 [3436–3439]
- Townsend, J. E. (C) 10192–10194 [10346–10348]
- Toyota, K. (C) 3988–3990 [4052–4054]
- Trachsel, E. (C) 3196–3201 [3240–3245]
- Tragni, M. (C) 3238–3241 [3282–3285]
- Traitcheva, N. (C) 8872–8875 [9004–9007]
- Tranchemontagne, D. J. (R) 5136–5147 [5214–5225]
- Trapp, N. (L) 7798–7801 [7914–7917]
- Trapp, O.
– Sensing on a Molecular Level—Chemistry at the Interface of Information Technology (H) 8158–8160 [8278–8281]
DOI: 10.1002/anie.200802807
- Trauner, D.
– Catalysis of 6 π Electrocyclizations (C) 8100–8103 [8220–8223]
DOI: 10.1002/anie.200803336
- Tredwell, M. (C) 357–360 [363–366]
- Tregenna-Piggott, P. L. W.
– Superhyperfine Interaction in [MnF₆]^{3–} (C) 148–150 [154–156]
DOI: 10.1002/anie.200703771
- Tremel, W.
– dsRNA-Functionalized Multifunctional γ -Fe₂O₃ Nanocrystals: A Tool for Targeting Cell Surface Receptors (C) 4748–4752 [4826–4830]
DOI: 10.1002/anie.200704735
- Reply to “Mirror Symmetry Breaking” of the Centrosymmetric CaCO₃ Crystals with Amino Acids (L) 3683–3686 [3741–3744]
DOI: 10.1002/anie.200800120
- Trend, R. M. (C) 6367–6370 [6467–6470]
- Trépanier, V. E. (C) 4217–4220 [4285–4288]
- Treutwein, J. (C) 6811–6813 [6916–6919]
- Trewin, A. Corrigendum: 1167
- Tria, G. S. (C) 1780–1783 [1804–1807]
- Trillo, B. (C) 951–954 [965–968]
- Trincado, M. (C) 5623–5626 [5705–5708]
- Tromp, M. (C) 9260–9264 [9400–9404]
- Trost, B. M.
– A Concise Synthesis of (–)-Oseltamivir (C) 3759–3761 [3819–3821]
DOI: 10.1002/anie.200800282
- Troyanov, S. (C) 190–192 [196–198]
- Trudeau, M. (C) 4896–4899 [4974–4977]
- Trukhan, N. (C) 2138–2142 [2169–2173]
- Truppo, M. D.
– Rapid Determination of Both the Activity and Enantioselectivity of Ketoreductases (C) 2639–2641 [2679–2681]
DOI: 10.1002/anie.200705046
- Truscott, F. R. (C) 7099–7102 [7207–7210]
- Trushkov, I. V. (C) 1107–1110 [1123–1126]
- Trüssel, S. (C) 3196–3201 [3240–3245]
- Try, A. C. (C) 1123–1126 [1139–1142]

- Tsai, M.-H. (C) 581–585 [591–595]
Tsai, Y.-C.
– Quintuply-Bonded Dichromium(I) Complexes Featuring Metal–Metal Bond Lengths of 1.74 Å
(C) 9933–9936 [10081–10084]
DOI: 10.1002/anie.200803859
– Remarkably Short Metal–Metal Bonds: A Lantern-Type Quintuply Bonded Dichromium(I) Complex
(C) 7250–7253 [7360–7363]
DOI: 10.1002/anie.200801286
Tsang, K. Y. (C) 944–946 [958–960]
Tsao, N. (C) 2990–2992 [3032–3034]
Tsapatsis, M.
– Layered Silicates by Swelling of AMH-3 and Nanocomposite Membranes
(C) 552–555 [562–565]
DOI: 10.1002/anie.200703440
– Pores by Pillaring: Not Always a Maze
(H) 4262–4263 [4332–4333]
DOI: 10.1002/anie.200705755
Tsapatsis, M. (C) 9096–9099 [9236–9239]
Tschierske, C.
– Bent-Core Mesogens with Branched Carbosilane Termini: Flipping Suprastructural Chirality without Reversing Polarity
(C) 6892–6896 [6998–7002]
DOI: 10.1002/anie.200800814
– Liquid-Crystal Engineering with Anchor-Shaped Molecules: Honeycombs with Hexagonal and Trigonal Symmetries Formed by Polyphilic Bent-Core Molecules
(C) 6080–6083 [6169–6172]
DOI: 10.1002/anie.200802021
– Liquid-Crystalline Kagome
(C) 9063–9066 [9203–9206]
DOI: 10.1002/anie.200802957
Tseng, H.-R.
– A Hydrodynamically Focused Stream as a Dynamic Template for Site-Specific Electrochemical Micropatterning of Conducting Polymers
(C) 1072–1075 [1088–1091]
DOI: 10.1002/anie.200704264
Tsogoeva, S. B.
– Evidence for an Enol Mechanism in a Highly Enantioselective Mannich-Type Reaction Catalyzed by Primary Amine–Thiourea
(C) 6624–6628 [6726–6730]
DOI: 10.1002/anie.200800849
Tsubaki, N.
– A Core/Shell Catalyst Produces a Spatially Confined Effect and Shape Selectivity in a Consecutive Reaction
(C) 353–356 [359–362]
DOI: 10.1002/anie.200703335
Tsubakiyama, M. (C) 7673–7676 [7787–7790]
Tsuchiya, Takahiro (C) 1298–1300 [1318–1320], 8642–8645 [8770–8773]
Tsuchiya, Tsuchiya (C) 7905–7908 [8023–8026]
Tsuda, A.
– “Conformational” Solvatochromism: Spatial Discrimination of Nonpolar Solvents by Using a Supramolecular Box of a π -Conjugated Zinc Bisporphyrin Rotamer
(C) 5153–5156 [5231–5234]
DOI: 10.1002/anie.200801332
– Directed 1D Assembly of a Ring-Shaped Inorganic Nanocluster Templated by an Organic Rigid-Rod Molecule: An Inorganic/Organic Polypseudorotaxane
(C) 2070–2073 [2100–2103]
DOI: 10.1002/anie.200705308
Tsui, E. Y.
– Reactions of a Stable Monomeric Gold(I) Hydride Complex
(C) 8937–8940 [9069–9072]
DOI: 10.1002/anie.200803842
Tsui, Y.
– Triarylphosphanes with Dendritically Arranged Tetraethylene Glycol Moieties at the Periphery: An Efficient Ligand for the Palladium-Catalyzed Suzuki–Miyaura Coupling Reaction
(C) 8310–8314 [8434–8438]
DOI: 10.1002/anie.200802683
Tsumimoto, A. Corrigendum: 8983
Tsumimoto, Y. (C) 5740–5745 [5824–5829]
Tsukamoto, H.
– Palladium(0)-Catalyzed Alkynyl and Allenyl Iminium Ion Cyclizations Leading to 1,4-Disubstituted 1,2,3,6-Tetrahydropyridines
(C) 4851–4854 [4929–4932]
DOI: 10.1002/anie.200800823
Tsung, C.-K. (C) 8682–8686 [8810–8814]
Tsurkan, L. (C) 7036–7039 [7144–7147]
Tsurugi, H. (C) 4019–4022 [4083–4086]
Tsutsui, C. (C) 1429–1431 [1451–1453]
Tsutsumi, S. (C) 4432–4435 [4504–4507]
Tsybin, Y. O. (C) 2796–2799 [2838–2841]
Tu, T.
– Pyridine-Bridged Benzimidazolium Salts: Synthesis, Aggregation, and Application as Phase-Transfer Catalysts
(C) 7127–7131 [7236–7240]
DOI: 10.1002/anie.200801628
Tu, W. (C) 4184–4187 [4252–4255]
Tuczek, F.
– How Do Copper Enzymes Hydroxylate Aliphatic Substrates? Recent Insights from the Chemistry of Model Systems
(H) 2344–2347 [2378–2381]
DOI: 10.1002/anie.200705533
Tudge, M. T. (C) 1469–1472 [1491–1494]
Tuma, J. (C) 7736–7740 [7850–7854]
Tumanov, V. V. (C) 9739–9742 [9885–9888]
Tumpane, J.
– Alignment of Carbon Nanotubes in Weak Magnetic Fields
(C) 5148–5152 [5226–5230]
DOI: 10.1002/anie.200801548
Tuna, F. (C) 924–927 [938–941], 9681–9684 [9827–9830], 9695–9699 [9841–9845]
Tunik, S. P.
– Self-Assembly of Supramolecular Luminescent $\text{Au}^{\text{I}}-\text{Cu}^{\text{I}}$ Complexes: “Wrapping” an Au_6Cu_6 Cluster in a $[\text{Au}_3(\text{diphosphine})_3]^{3+}$ “Belt”
(C) 3942–3945 [4006–4009]
DOI: 10.1002/anie.200800452
Tuononen, H. M. (C) 361–364 [367–370]
Turk, B.
– Selective Activity-Based Probes for Cysteine Cathepsins
(C) 406–409 [412–415]
DOI: 10.1002/anie.200702811
Turk, V. (C) 406–409 [412–415]
Turner, N. J.
– Rapid Determination of Both the Activity and Enantioselectivity of Ketoreductases
(C) 2639–2641 [2679–2681]
DOI: 10.1002/anie.200705046
Turro, N. J. (C) 8954–8957 [9087–9091]
Tüxen, J. (C) 6195–6198 [6290–6293]
Twamley, B. (C) 6236–6239 [6332–6335], 7087–7090 [7195–7198]
Tzoulaki, D. (C) 3954–3957 [4018–4021]
Tzschucke, C. C. (C) 209–212 [216–219]
Tzur, E. (C) 6422–6425 [6522–6525]



- Uchida, M. (C) 7845–7848 [7963–7966]
Uchida, S. (C) 1923–1927 [1949–1953]
Uchimar, T.
– Direct Organocatalytic Mannich Reaction of Acetaldehyde: An Improved Catalyst and Mechanistic Insight from a Computational Study
(C) 9053–9058 [9193–9198]
DOI: 10.1002/anie.200802073
Uchiumi, R. (C) 2661–2664 [2701–2704]
Uchiyama, M. (C) 5153–5156 [5231–5234]
Uchiyama, S.
– Multiplexing Sensory Molecules Map Protons Near Micellar Membranes
(C) 4667–4669 [4745–4747]
DOI: 10.1002/anie.200801516
Udachin, K. A. (C) 9704–9707 [9850–9853]
Udagawa, S. (C) 4906–4909 [4984–4987]
Uddin, M. J. (C) 9269–9273 [9409–9413]
Ueda, Akio (C) 6681–6684 [6783–6786]
Ueda, Akira (C) 2035–2038 [2065–2068]
Ueda, Masafumi (C) 5600–5604 [5682–5686]
Ueda, Minoru
– Enantiodifferential Approach for the Detection of the Target Membrane Protein of the Jasmonate Glycoside that Controls the Leaf Movement of *Albizia saman*
(C) 7289–7292 [7399–7402]
DOI: 10.1002/anie.200801820
Ueda, S. (C) 6411–6413 [6511–6513]
Ueda, T. (C) 1689–1692 [1713–1716]
Ueda, W.
– Molybdenum–Vanadium-Based Molecular Sieves with Microchannels of Seven-Membered Rings of Corner-Sharing Metal Oxide Octahedra
(C) 2493–2496 [2527–2530]
DOI: 10.1002/anie.200705448
Uemura, M. (C) 6643–6646 [6745–6748]
Uemura, T. (C) 9883–9886 [10031–10034]
Ueno, S. (C) 1928–1931 [1954–1957]
Ueoka, K. (C) 2506–2508 [2540–2542]
Uetrecht, C. (C) 6247–6251 [6343–6347]
Uetsuka, H. (C) 5183–5185 [5261–5263]
Ugolotti, J. (C) 2622–2625 [2662–2665]
Uher, C. (C) 8618–8622 [8746–8750]
Uhl, W.
– Strongly Oxidizing and Reducing Functions Combined in a Single Compound: An Alkyl Gallium Peroxide Possessing a Nine-Membered $(\text{GaR})_3(\text{O}_2)_3$ Heterocycle
(C) 1955–1957 [1981–1983]
DOI: 10.1002/anie.200704739
Uhlig, F. (C) 3639–3641 [3695–3697]
Uhlig, K. (C) 5666–5668 [5749–5752]
Uhm, S. (C) 10163–10166 [10317–10320]
Uji-i, H. (C) 783–787 [795–799], 3372–3375 [3420–3423]
Ulbricht, H. (C) 6195–6198 [6290–6293]



- Ulrich, A. S.
– Synthesis of Trifluoromethyl-Substituted Proline Analogues as ^{19}F NMR Labels for Peptides in the Polyproline II Conformation (C) 5765–5767 [5849–5851]
DOI: 10.1002/anie.200801022
- Ulrich, C. (C) 3034–3036 [3076–3078]
- Ulrich, G. (M) 1184–1201 [1202–1219], (C) 8876–8880 [9008–9012]
- Ulrich, S. (C) 2240–2243 Corrigendum: 4462 [2272–2275 Corrigendum: 4534]
- Umani-Ronchi, A.
– Enantioselective Phase-Transfer-Catalyzed Intramolecular Aza-Michael Reaction: Effective Route to Pyrazino-Indole Compounds (C) 3238–3241 [3282–3285]
DOI: 10.1002/anie.200705685
- Umebayashi, N. (C) 4196–4199 [4264–4267]
- Umeda, N. (C) 4019–4022 [4083–4086]
- Umezaki, S. (C) 4870–4873 [4948–4951]
- Umezawa, N. (C) 6438–6440 [6538–6540]
- Underbakke, E. S. (C) 9677–9680 [9823–9826]
- Unell, M. (C) 8506–8509 [8634–8637]
- Ungar, G.
– Liquid-Crystal Engineering with Anchor-Shaped Molecules: Honeycombs with Hexagonal and Trigonal Symmetries Formed by Polyphilic Bent-Core Molecules (C) 6080–6083 [6169–6172]
DOI: 10.1002/anie.200802021
- Liquid-Crystalline Kagome (C) 9063–9066 [9203–9206]
DOI: 10.1002/anie.200802957
- Ungur, L. (C) 4126–4129 [4194–4197]
- Uno, H. (C) 5438–5441 [5518–5521], 8913–8916 [9045–9048]
- Unoike, K. (C) 4691–4694 [4769–4772]
- Uosaki, K. (C) 5627–5630 [5709–5712]
- Updegraff III, J. B. (C) 7489–7492 [7599–7602]
- Urabe, H.
– Iron-Catalyst-Switched Selective Conjugate Addition of Grignard Reagents: $\alpha,\beta,\gamma,\delta$ -Unsaturated Amides as Versatile Templates for Asymmetric Three-Component Coupling Processes (C) 6860–6864 [6966–6970]
DOI: 10.1002/anie.200801928
- Urakawa, A.
– Space- and Time-Resolved Combined DRIFT and Raman Spectroscopy: Monitoring Dynamic Surface and Bulk Processes during NO_x Storage Reduction (C) 9256–9259 [9396–9399]
DOI: 10.1002/anie.200804077
- Urban, T. (C) 3458–3460 [3508–3510]
- Urushima, T. (C) 9053–9058 [9193–9198]
- Usuki, T. (C) 8611–8614 [8739–8742]
- Utsumi, N. (C) 4588–4591 [4664–4667]
- Uttamchandani, M. (C) 1698–1702 [1722–1726], 7438–7441 [7548–7551]
- Uyar, T.
– Electrospinning of Cyclodextrin–Pseudopolyrotaxane Nanofibers (C) 9108–9111 [9248–9251]
DOI: 10.1002/anie.200803352
- Užarević, K. (C) 7022–7025 [7130–7133]
- Uzun, A. (C) 9245–9248 [9385–9388]
- Vacca, J. P. (C) 9104–9107 [9244–9247]
- Vagner, J. (C) 1685–1688 [1709–1712]
- Valdés, C. (C) 6594–6597 [6696–6699]
- Valle, F. (C) 2431–2434 [2465–2468]
- Vallera, D. A. (C) 10179–10182 [10333–10336]
- van Beilen, J. B. (C) 5232–5234 [5310–5312]
- van Bokhoven, J. A.
– Generating Highly Active Partially Oxidized Platinum during Oxidation of Carbon Monoxide over $\text{Pt}/\text{Al}_2\text{O}_3$: In Situ, Time-Resolved, and High-Energy-Resolution X-Ray Absorption Spectroscopy (C) 9260–9264 [9400–9404]
DOI: 10.1002/anie.200803427
- van Bommel, K. (C) 2063–2066 [2093–2096]
- van de Linde, S. (C) 6172–6176 [6266–6271]
- van Delft, F. L. (C) 6576–6578 [6678–6680]
- Van der Auweraer, M. (C) 2964–2968 [3006–3010], 4997–5001 [5075–5079]
- van der Boom, M. E.
– Chemical Communication between Metal-Complex-Based Monolayers (C) 2260–2262 [2292–2294]
DOI: 10.1002/anie.200705841
- Redox-Active Monolayers as a Versatile Platform for Integrating Boolean Logic Gates (C) 5322–5326 [5402–5406]
DOI: 10.1002/anie.200800830
- van der Heijden, A. W. A. M. (C) 5002–5004 [5080–5082]
- van der Spoel, D.
– Picosecond Melting of Ice by an Infrared Laser Pulse: A Simulation Study (C) 1417–1420 [1439–1442]
DOI: 10.1002/anie.200703987
- van der Vlies, A. J. (C) 7857–7860 [7975–7978]
- van Eldik, R.
– Which Oxidant Is Really Responsible for P450 Model Oxygenation Reactions? A Kinetic Approach (C) 5238–5242 [5316–5320]
DOI: 10.1002/anie.200800907
- van Enckevort, W. J. P. (C) 6445–6447 [6545–6547], 7226–7229 [7336–7339]
- van Esch, J.
– Preparation of Nanostructures by Orthogonal Self-Assembly of Hydrogelators and Surfactants (C) 2063–2066 [2093–2096]
DOI: 10.1002/anie.200704609
- van Halbeek, H. (C) 6073–6076 [6162–6165]
- Van Kirk, E. A. (C) 1260–1264 [1280–1284]
- van Laar, F. (C) 1477–1480 [1499–1502]
- van Leeuwen, P. W. N. M. (C) 6602–6605 [6704–6707]
- van Maarseveen, J. H.
– Enantioselective Copper-Catalyzed Propargylic Amination (C) 3777–3780 [3837–3840]
DOI: 10.1002/anie.200705264
- van Noort, D. (C) 872–876 [886–890]
- Van Noyen, J. (C) 2813–2816 [2855–2858]
- van Pée, K.-H.
– New Insights into the Mechanism of Enzymatic Chlorination of Tryptophan (C) 9533–9536 [9676–9679]
DOI: 10.1002/anie.200802466
- van Pée, K.-H. (C) 7876–7879 [7994–7997]
- Van Speybroeck, V. (C) 5179–5182 [5257–5260]
- van Wüllen, C. (C) 3250–3253 [3294–3297]
- van Zwo, F. (C) 3905–3908 [3969–3972]
- Vanag, V. K. (C) 7753–7755 [7867–7869]
- VanDerveer, D. G. (C) 3791–3794 [3851–3854]
- Vannahme, J. (C) 755–758 [767–770]
- Varadarajan, N.
– An Engineered Protease that Cleaves Specifically after Sulfated Tyrosine (C) 7861–7863 [7979–7981]
DOI: 10.1002/anie.200800736
- Varga, S. L. (C) 9104–9107 [9244–9247]
- Varpness, Z. B. (C) 7845–7848 [7963–7966]
- Varszegi, C. (C) 1477–1480 [1499–1502]
- Vasudev, P. G. (C) 6430–6432 [6530–6532]
- Vattier, F. (C) 4380–4383 [4452–4455]
- Vaughan, O. P. H. (C) 2422–2426 [2456–2460]
- Vauthey, E.
– Direct Femtosecond Observation of Tight and Loose Ion Pairs upon Photoinduced Bimolecular Electron Transfer (C) 9044–9048 [9184–9188]
DOI: 10.1002/anie.200803164
- Zipper Assembly of Vectorial Rigid-Rod π -Stack Architectures with Red and Blue Naphthalenediimides: Toward Supramolecular Cascade n/p-Heterojunctions (C) 3727–3729 [3787–3789]
DOI: 10.1002/anie.200800203
- Vavilala, C. (C) 4707–4710 [4785–4788]
- Vecchio, V. M. (C) 507–510 [517–520]
- Vederas, J. C.
– Solid-Supported Synthesis and Biological Evaluation of the Lantibiotic Peptide Bis-(desmethyl) Lactacin 3147 A2 (C) 9472–9475 [9614–9617]
DOI: 10.1002/anie.200802919
- Vehlow, K. (C) 2615–2618 [2655–2658]
- Veitch, G. E. (R) 9402–9429 [9542–9570]
- Velder, J. (C) 7718–7721 [7832–7835]
- Velkova, A. (C) 7114–7118 [7222–7227]
- Vella, S. J. (C) 6654–6656 [6756–6758]
- Velonia, K.
– In Situ ATRP-Mediated Hierarchical Formation of Giant Amphiphile Bionanoreactors (C) 6263–6266 [6359–6362]
DOI: 10.1002/anie.200801007
- Verbiest, T. (C) 2978–2981 [3020–3023]
- Verch, A. (C) 9138–9141 [9278–9281]
- Verel, R. (C) 5842–5845 [5926–5929], 5851–5854 [5935–5938]
- Verevkin, S. P.
– Predicting Enthalpy of Vaporization of Ionic Liquids: A Simple Rule for a Complex Property (C) 5071–5074 [5149–5152]
DOI: 10.1002/anie.200800926
- Verhoeven, A. (C) 3600–3602 [3656–3658]
- Verkerk, U. H. (C) 9666–9668 [9812–9814]
- Verma, S.
– Dityryptophan Conjugation Triggers Conversion of Biotin Fibers into Soft Spherical Structures (C) 2860–2863 [2902–2905]
DOI: 10.1002/anie.200705012

- Periodic Iron Nanomineralization in Human Serum Transferrin Fibrils (C) 2217–2221 [2249–2253]
DOI: 10.1002/anie.200705723
- Verri, T. (C) 507–510 [517–520]
- Versluis, C. (C) 6247–6251 [6343–6347]
- Verteletskii, P. V. (C) 1107–1110 [1123–1126]
- Vesely, J. (C) 8468–8472 [8596–8600]
- Veyre, L. (C) 8654–8656 [8782–8784]
- Vicat, J. (C) 3388–3391 [3436–3439]
- Vidal-Gancedo, J. (C) 1861–1865 [1887–1891]
- Viers, B. D. (C) 4137–4140 [4205–4208]
- Vierstra, R. D. (C) 4753–4755 [4831–4833]
- Vigalok, A.
- Highly Efficient Organic Reactions “on Water”, “in Water”, and Both (C) 2849–2852 [2891–2894]
DOI: 10.1002/anie.200705347
- Vignolle, J. (C) 2271–2274 [2303–2306]
- Vij, A.
- Fluorinated Polyhedral Oligomeric Silsesquioxanes (F-POSS) (C) 4137–4140 [4205–4208]
DOI: 10.1002/anie.200705355
- Vila-Perelló, M. (C) 7764–7767 [7878–7881]
- Vilar, R. (R) 8998–9033 [9136–9172]
- Villa, E. M. (C) 4844–4846 [4922–4924], 5634–5636 [5716–5718], 8251–8254 [8375–8378]
- Villaescusa, L. A. (C) 7913–7917 [8031–8035]
- Villiers, C. (L) 5892–5893 [5976–5977]
- Villinger, A. (C) 603–606 [614–617], 6465–6468 [6565–6568], 9530–9532 [9672–9675]
- Vimont, A. (C) 4144–4148 [4212–4216]
- Viñas, C. (C) 5830–5832 [5914–5916]
- Vinck, E. (C) 1414–1416 [1436–1438]
- Vines, F. (C) 6685–6689 [6787–6791]
- Vinhato, E. (C) 8657–8660 [8785–8788]
- Vinter, J. G. (C) 6275–6277 [6371–6373]
- Vinu, A.
- A Layered Mesoporous Carbon Sensor Based on Nanopore-Filling Cooperative Adsorption in the Liquid Phase (C) 7254–7257 [7364–7367]
DOI: 10.1002/anie.200802820
- Vinueza, N. R. (C) 9860–9865 [10008–10013]
- Vlieg, E.
- Attrition-Enhanced Deracemization of an Amino Acid Derivative That Forms an Epitaxial Racemic Conglomerate (C) 7226–7229 [7336–7339]
DOI: 10.1002/anie.200802468
- Complete Deracemization by Attrition-Enhanced Ostwald Ripening Elucidated (C) 6445–6447 [6545–6547]
DOI: 10.1002/anie.200801846
- Vo, G. D. (C) 2127–2130 [2157–2160]
- Vogel, A. (C) 5085–5088 [5163–5166]
- Vogel, C. (C) 2681–2684 [2721–2724]
- Vogel, H.
- An Integrated Self-Assembled Nanofluidic System for Controlled Biological Chemistry (C) 5544–5549 [5626–5631]
DOI: 10.1002/anie.200801606
- Vogel, P.
- Iron-Catalyzed Desulfinylative C–C Cross-Coupling Reactions of Sulfonyl Chlorides with Grignard Reagents (C) 1305–1307 [1325–1327]
DOI: 10.1002/anie.200704858
- Vogelsang, J. (C) 5465–5469 [5545–5550]
- Vogt, T. (C) 2788–2791 [2830–2833]
- Vögtle, F. (C) 5422–5425 [5502–5505]
- Voica, A.-F. (C) 3054–3056 [3097–3099]
- Voigtmann, U. (C) 4922–4925 [5000–5003]
- Vojtíšek, P. (C) 3188–3191 [3232–3235]
- Volkova, N. (C) 7896–7900 [8014–8018]
- Vomasta, D. (C) 7644–7647 [7756–7759]
- von Hopffgarten, M. (C) 9150–9154 [9290–9295]
- von Itzstein, M.
- Avian Influenza H5-Containing Virus-Like Particles (VLPs): Host-Cell Receptor Specificity by STD NMR Spectroscopy (C) 1910–1912 [1936–1938]
DOI: 10.1002/anie.200704872
- von Kiedrowski, G.
- Leslie E. Orgel (O) 2338–2339 [2372–2373]
DOI: 10.1002/anie.200800571
- Self-Assembly of a DNA Dodecahedron from 20 Trisoligonucleotides with C_{3h} Linkers (C) 3626–3630 [3682–3686]
DOI: 10.1002/anie.200702682
- von Kiedrowski, G. (C) 8424–8428 [8552–8556]
- von Maltzahn, G. (C) 7284–7288 [7394–7398]
- von Stetten, D. (C) 4753–4755 [4831–4833]
- Vors, J.-P. (C) 10137–10140 [10291–10294]
- Vosch, T.
- Photoactivation of Silver-Exchanged Zeolite A (C) 2813–2816 [2855–2858]
DOI: 10.1002/anie.200704861
- Voss, C. V. (C) 741–745 [753–757]
- Vostokin, G. K. (C) 3262–3266 [3306–3310]
- Vries, T. (C) 1287–1290 [1307–1310]
- Vriz, S. (C) 3744–3746 [3804–3806]
- Vuojola, J. (C) 3811–3813 [3871–3873]
- Vura-Weis, J. (C) 3798–3800 [3858–3860]
- Waalboer, D. C. J. (C) 6576–6578 [6678–6680]
- Wach, J.-Y. (C) 7123–7126 [7232–7235]
- Wacker, R. (C) 4421–4424 [4493–4496]
- Wada, Yasufumi (C) 7673–7676 [7787–7790]
- Wada, Yasuhiro (C) 102–105 [108–111]
- Wadepohl, H. (C) 4546–4550 [4622–4626], 4670–4674 [4748–4752], 4740–4743 [4818–4821]
- Waelchli, M. (C) 7905–7908 [8023–8026]
- Wägberg, T. (C) 2796–2799 [2838–2841]
- Wagenknecht, H.-A.
- Perylene Bisimide Dimers as Fluorescent “Glue” for DNA and for Base-Mismatch Detection (C) 2612–2614 [2652–2654]
DOI: 10.1002/anie.200705237
- Wagner, B. (C) 4512–4515 [4588–4591]
- Wagner, B. D.
- Ternary Complexes Comprising Cucurbit[10]uril, Porphyrins, and Guests (C) 2657–2660 [2697–2700]
DOI: 10.1002/anie.200705346
- Wagner, C. R.
- Self-Assembly of Antibodies by Chemical Induction (C) 10179–10182 [10333–10336]
DOI: 10.1002/anie.200803507
- Wagner, F. R.
- Metal–Metal Distances at the Limit: A Coordination Compound with an Ultra-short Chromium–Chromium Bond (C) 7246–7249 [7356–7359]
DOI: 10.1002/anie.200801160
- Wagner, F. R. (C) 6469–6472 [6569–6572]
- Wagner, M. (C) 1662–1667 [1686–1691], 10175–10178 [10329–10332]
- Wagner, N. (M) 6128–6136 [6221–6230]
- Wagner, U. G. (M) 8782–8793 [8912–8923]
- Wahi, M. S. (C) 1291–1293 [1311–1313]
- Wahl, B. (C) 3932–3935 [3996–3999]
- Wakahara, T. (C) 7905–7908 [8023–8026]
- Wakchaure, V. (C) 7656–7658 [7768–7771]
- Walde, P.
- Vesicle Formation from Reactive Surfactants (C) 1323–1325 [1343–1345]
DOI: 10.1002/anie.200704022
- Waldmann, H.
- Asymmetric Synthesis of Natural Product Inspired Tricyclic Benzopyrones by an Organocatalyzed Annulation Reaction (C) 6869–6872 [6975–6978]
DOI: 10.1002/anie.200802413
- Chemical Strategies for Generating Protein Biochips (R) 9618–9647 [9762–9792]
DOI: 10.1002/anie.200801711
- Development of Selective RabGGTase Inhibitors and Crystal Structure of a RabGGTase–Inhibitor Complex (C) 3747–3750 [3807–3810]
DOI: 10.1002/anie.200705795
- Discovery of a New Class of Inhibitors of *Mycobacterium tuberculosis* Protein Tyrosine Phosphatase B by Biology-Oriented Synthesis (C) 5973–5977 [6061–6066]
DOI: 10.1002/anie.200801566
- Photochemical Surface Patterning by the Thiol–Ene Reaction (C) 4421–4424 [4493–4496]
DOI: 10.1002/anie.200800101
- Total Synthesis of Chondramide C and Its Binding Mode to F-Actin (C) 6473–6477 [6573–6577]
DOI: 10.1002/anie.200801010
- Waldmann, H. (C) 4679–4682 [4757–4760]
- Walker, M. (C) 9063–9066 [9203–9206]
- Wallace, G. G. (C) 2470–2474 [2504–2508]
- Walsh, C. T. (H) 5700–5702 [5784–5786]
- Walsh, E. G. (C) 173–176 [179–182]
- Walsh, M. A. (C) 7853–7856 [7971–7974]
- Walter, C. (C) 3818–3820 [3878–3880]
- Walther, A. (C) 711–714 [723–726]
- Walther, C. (C) 5846–5850 [5930–5934]
- Waltman, A. W. (C) 8514–8517 [8642–8645]
- Walton, R. I.
- Structural Effects of Solvents on the Breathing of Metal–Organic Frameworks: An In Situ Diffraction Study (C) 4100–4105 [4168–4173]
DOI: 10.1002/anie.200705607
- Waluk, J.
- Proton transfer with a twist? Femtosecond Dynamics of 7-(2-pyridyl)indole in Con-



- condensed Phase and in Supersonic Jets (C) 6037–6040 [6126–6129]
DOI: 10.1002/anie.200801350
- Wan, J. (C) 2646–2648 [2686–2688]
- Wan, Q. (C) 8521–8524 [8649–8652]
- Wan, S. (C) 8826–8830 [8958–8962]
- Wang, Aie (C) 2298–2300 [2330–2332]
- Wang, Aiqin (C) 8510–8513 [8638–8641]
- Wang, Anjie
- The Synthesis of Metal Phosphides: Reduction of Oxide Precursors in a Hydrogen Plasma (C) 6052–6054 [6141–6143]
DOI: 10.1002/anie.200801559
- Wang, Ben (C) 3560–3564 [3616–3620]
- Wang, Bin (C) 8224–8227 [8348–8351]
- Wang, C.-R. (C) 6717–6721 [6819–6823]
- Wang, Chao (C) 173–176 [179–182], 3588–3591 [3644–3647], 9049–9052 [9189–9192]
- Wang, Chen
- Site-Selective Fabrication of Two-Dimensional Fullerene Arrays by Using a Supramolecular Template at the Liquid-Solid Interface (C) 6717–6721 [6819–6823]
DOI: 10.1002/anie.200802518
- Wang, Chen (C) 5619–5622 [5701–5704]
- Wang, Chuan (C) 7539–7542 [7649–7653]
- Wang, Cuihua (C) 4432–4435 [4504–4507]
- Wang, Da-W. (C) 373–376 [379–382]
- Wang, Dayang
- Controlling the Growth of Charged-Nanoparticle Chains through Interparticle Electrostatic Repulsion (C) 3984–3987 [4048–4051]
DOI: 10.1002/anie.200705537
 - Stimuli-Responsive Reversible Transport of Nanoparticles Across Water/Oil Interfaces (C) 320–323 [326–329]
DOI: 10.1002/anie.200702597
- Wang, De-X. (C) 388–391 [394–397], 7485–7488 [7595–7598], 9454–9457 [9596–9599]
- Wang, Deyun (C) 1879–1882 [1905–1908]
- Wang, Di (C) 5005–5008 [5083–5086]
- Wang, Dongren (C) 2615–2618 [2655–2658], 3267–3270 [3311–3314]
- Wang, Dunwei
- Spontaneous Growth of Highly Conductive Two-Dimensional Single-Crystalline TiSi_2 Nanonets (C) 7681–7684 [7795–7798]
DOI: 10.1002/anie.200802744
- Wang, Fei (C) 8394–8396 [8522–8524]
- Wang, Feng (C) 906–909 [920–923]
- Wang, Haihui
- Simultaneous Production of Hydrogen and Synthesis Gas by Combining Water Splitting with Partial Oxidation of Methane in a Hollow-Fiber Membrane Reactor (C) 9341–9344 [9481–9484]
DOI: 10.1002/anie.200803899
- Wang, Haiyan (C) 5768–5771 [5852–5855]
- Wang, Hong (C) 3919–3922 [3983–3986]
- Wang, Hua (C) 6598–6601 [6700–6703]
- Wang, Huan (C) 1291–1293 [1311–1313]
- Wang, Huanting
- Cubes of Zeolite A with an Amorphous Core (C) 8397–8399 [8525–8527]
DOI: 10.1002/anie.200802823
- Wang, Hui (C) 8510–8513 [8638–8641]
- Wang, Huijun (C) 342–345 [348–351]
- Wang, Jian (C) 4177–4179 [4245–4247]
- Wang, Jianfang
- A General Route to Diverse Mesoporous Metal Oxide Submicrospheres with Highly Crystalline Frameworks (C) 8682–8686 [8810–8814]
DOI: 10.1002/anie.200802487
 - Ordered Gold Nanostructure Assemblies Formed By Droplet Evaporation (C) 9685–9690 [9831–9836]
DOI: 10.1002/anie.200803642
- Wang, Jiangyun (C) 722–725 [734–737], 6399–6401 [6499–6501]
- Wang, Jianhua
- Atmospheric-Pressure Dielectric-Barrier Discharge as a Radiation Source for Optical Emission Spectrometry (C) 7909–7912 [8027–8030]
DOI: 10.1002/anie.200803841
- Wang, Jianhua (C) 1432–1435 [1454–1457]
- Wang, Jie (C) 974–976 [988–991]
- Wang, Joseph
- Ultrafast Catalytic Alloy Nanomotors (C) 9349–9351 [9489–9491]
DOI: 10.1002/anie.200803841
- Wang, K. (C) 7461–7465 [7571–7575]
- Wang, K.-C. (C) 5063–5066 [5141–5144]
- Wang, L.-C. (C) 334–337 [340–343]
- Wang, L.-N. (C) 5052–5055 [5130–5133]
- Wang, L.-X. (C) 4351–4353 [4423–4425], 8496–8498 [8624–8626]
- Wang, Leyu (C) 1054–1057 [1070–1073], 2439–2442 [2473–2476]
- Wang, Li (C) 6052–6054 [6141–6143]
- Wang, Lijia (C) 8670–8673 [8798–8801]
- Wang, Likui (C) 4725–4728 [4803–4806]
- Wang, Longsheng (C) 2626–2630 [2666–2670]
- Wang, M.-S. (C) 3565–3567 [3621–3623], 4149–4152 [4217–4220]
- Wang, M.-X.
- Asymmetric Synthesis of 5-(1-Hydroxyalkyl)tetrazoles by Catalytic Enantioselective Passerini-Type Reactions (C) 9454–9457 [9596–9599]
DOI: 10.1002/anie.200804213
 - Catalytic Enantioselective Passerini Three-Component Reaction (C) 388–391 [394–397]
DOI: 10.1002/anie.200704315
 - Halide Recognition by Tetraoxacalix[2]arene[2]triazine Receptors: Concurrent Noncovalent Halide- π and Lone-pair- π Interactions in Host-Halide-Water Ternary Complexes (C) 7485–7488 [7595–7598]
DOI: 10.1002/anie.200801705
- Wang, P. (C) 6678–6680 [6780–6782], 7931–7933 [8049–8051]
- Wang, Q.-Q. (C) 7485–7488 [7595–7598]
- Wang, Qi (C) 8104–8107 [8224–8227]
- Wang, Qiang (C) 8104–8107 [8224–8227]
- Wang, Qiangbin
- Quantum Dot Bioconjugation during Core-Shell Synthesis (C) 316–319 [322–325]
DOI: 10.1002/anie.200703648
- Wang, Qiangbin (C) 5157–5159 [5235–5237]
- Wang, Quanrui
- Gold-Catalyzed Cycloisomerization of Cyclopropyl Alkynyl Acetates: A Versatile Approach to 5-, 6-, and 7-Membered Carbocycles (C) 10110–10113 [10264–10267]
DOI: 10.1002/anie.200804202
- Wang, S.-X. (C) 388–391 [394–397]
- Wang, Shaohui (C) 1284–1286 [1304–1306]
- Wang, Shixing (C) 7454–7456 [7564–7566]
- Wang, Shu
- Ultrasensitive DNA Detection Using Photonic Crystals (C) 7258–7262 [7368–7372]
DOI: 10.1002/anie.200801998
- Wang, Shutao (C) 1072–1075 [1088–1091]
- Wang, T.-S. (C) 6717–6721 [6819–6823]
- Wang, Tao (C) 746–749 [758–761], 9685–9690 [9831–9836]
- Wang, Tianli (C) 8464–8467 [8592–8595]
- Wang, Wei
- A Highly Stereoselective Hydrogen-Bond-Mediated Michael-Michael Cascade Process through Dynamic Kinetic Resolution (C) 4177–4179 [4245–4247]
DOI: 10.1002/anie.200800381
- Wang, Wei (C) 7705–7709 [7819–7823], 9487–9491 [9629–9633], 9870–9874 [10018–10022]
- Wang, Wenxin (H) 7804–7806 [7921–7924]
- Wang, X.-d. (C) 7450–7453 [7560–7563]
- Wang, X.-r. (C) 7450–7453 [7560–7563]
- Wang, X.-S. (C) 4130–4133 [4198–4201], 7263–7266 [7373–7376]
- Wang, Xiaodong (C) 8510–8513 [8638–8641]
- Wang, Xin (C) 7731–7735 [7845–7849]
- Wang, Xingwang (C) 1119–1122 [1135–1138], 8112–8115 [8232–8235]
- Wang, Xinyan (C) 7036–7039 [7144–7147]
- Wang, Xisheng (C) 9466–9468 [9608–9610]
- Wang, Xuan (C) 2990–2992 [3032–3034]
- Wang, Xuefeng (C) 5366–5370 [5446–5450]
- Wang, Y.-Y. (C) 9726–9729 [9872–9875]
- Wang, Yao (C) 6052–6054 [6141–6143]
- Wang, Yaobing (C) 8905–8908 [9037–9040]
- Wang, Yarong (C) 7461–7465 [7571–7575]
- Wang, Yi (C) 7350–7353 [7460–7463]
- Wang, Ying (C) 3418–3421 [3466–3469]
- Wang, Yizhong (C) 2832–2835 [2874–2877]
- Wang, Yong (C) 3356–3359 [3404–3407]
- Wang, Yonggang (C) 7461–7465 [7571–7575]
- Wang, Yu (C) 7250–7253 [7360–7363], 9933–9936 [10081–10084]
- Wang, Yuanhua (C) 1439–1442 [1461–1464]
- Wang, Yuanliang (C) 7479–7481 [7589–7591]
- Wang, Zheming (C) 877–881 [891–895]
- Wang, Zheng (C) 2840–2843 [2882–2885]
- Wang, Zhenqiang (C) 4699–4702 [4777–4780]
- Wang, Zhijian (C) 8464–8467 [8592–8595]
- Wang, Zhiqiang (C) 9049–9052 [9189–9192]
- Wang, Zhiyong (C) 9096–9099 [9236–9239]
- Wanka, L. (C) 6180–6183 [6275–6278]
- Ward, T. R.
- Artificial Enzymes Made to Order: Combination of Computational Design and Directed Evolution (H) 7802–7803 [7918–7920]
DOI: 10.1002/anie.200802865
 - Artificial Metalloenzymes for Asymmetric Allylic Alkylation on the Basis of the Biotin-Avidin Technology (C) 701–705 [713–717]
DOI: 10.1002/anie.200703159
 - X-Ray Structure and Designed Evolution of an Artificial Transfer Hydrogenase (C) 1400–1404 [1422–1426]
DOI: 10.1002/anie.200704865

- Wariishi, H. (C) 9866–9869 [10014–10017]
 Waring, A. J. (C) 3202–3205 [3246–3249]
 Wark, A. W. (M) 644–652 [654–663]
 Warncke, S. (C) 3442–3444 [3491–3493]
 Warnecke, S. (C) 1500–1502 [1523–1525]
 Waroquier, M. (C) 5179–5182 [5257–5260]
 Warr, R. J. (C) 1745–1748 [1769–1772]
 Warren, J. E. (C) 2828–2831 [2870–2873]
 Warren, T. H.
 – Copper–Nitrene Complexes in Catalytic C–H Amination (C) 9961–9964 [10109–10112]
 DOI: 10.1002/anie.200804304
 Warshel, A.
 – Predicting Drug-Resistant Mutations of HIV Protease (C) 697–700 [709–712]
 DOI: 10.1002/anie.200704178
 Washington, M. P. (C) 7489–7492 [7599–7602]
 Wasielewski, M. R.
 – The Influence of Guanine on DNA Hole Transport Efficiency (C) 3798–3800 [3858–3860]
 DOI: 10.1002/anie.200705903
 Waskell, L. (C) 7864–7867 [7982–7985]
 Wasmer, C. (C) 5839–5841 [5923–5925]
 Watanabe, C. (C) 5386–5389 [5466–5469]
 Watanabe, Masahiro
 – Direct Visualization of Oxygen Distribution in Operating Fuel Cells (C) 2792–2795 [2834–2837]
 DOI: 10.1002/anie.200705516
 Watanabe, Masayuki (C) 131–133 [137–139], 2792–2795 [2834–2837]
 Watanabe, Takashi (C) 5740–5745 [5824–5829]
 Watanabe, Tomonari (C) 2079–2081 [2109–2111]
 Watanabe, Yasuyoshi (C) 102–105 [108–111]
 Watanabe, Yuki (C) 9430–9433 [9572–9575]
 Watts, A. (C) 9059–9062 [9199–9202]
 Watts, N. R. (C) 6247–6251 [6343–6347]
 Watzke, A. (C) 406–409 [412–415]
 Weatherspoon, M. R. (C) 7921–7923 [8039–8041]
 Weatherstone, S. (C) 8079–8081 [8199–8201]
 Weber, B.
 – An Iron(II) Spin-Crossover Complex with a 70 K Wide Thermal Hysteresis Loop (C) 10098–10101 [10252–10255]
 DOI: 10.1002/anie.200802806
 Weck, M.
 – Erasable Coordination Polymer Multilayers on Gold (C) 1425–1428 [1447–1450]
 DOI: 10.1002/anie.200704418
 Weckhuysen, B. M.
 – Catalytic Hydrogen-Chlorine Exchange between Chlorinated Hydrocarbons under Oxygen-Free Conditions (C) 5002–5004 [5080–5082]
 DOI: 10.1002/anie.200800270
 – In Situ Synchrotron-Based IR Microspectroscopy To Study Catalytic Reactions in Zeolite Crystals (C) 3543–3547 [3599–3603]
 DOI: 10.1002/anie.200705562
 – Intergrowth Structure of Zeolite Crystals and Pore Orientation of Individual Subunits Revealed by Electron Backscatter Diffraction/Focused Ion Beam Experiments (C) 5637–5640 [5719–5722]
 DOI: 10.1002/anie.200801433
 Weder, C.
 – Hole Control in Microporous Polymers (H) 448–450 [456–458]
 DOI: 10.1002/anie.200704697
 Wedig, U.
 – A Piece of the Picture—Misunderstanding of Chemical Concepts (E) 10026–10029 [10176–10180]
 DOI: 10.1002/anie.200803605
 Weding, N. (C) 6465–6468 [6565–6568]
 Wee, L. H. (C) 8650–8653 [8778–8781]
 Wegner, H. A.
 – Stereochemistry at B rgerstock: Chemical Biology and Organic Synthesis in Focus (T) 5496–5499 [5578–5581]
 DOI: 10.1002/anie.200802643
 Wegrzecki, M. (C) 3262–3266 [3306–3310]
 Wehofskey, N. (C) 5456–5460 [5536–5540]
 Wei, B. (C) 331–333 [337–339]
 Wei, J. (C) 7931–7933 [8049–8051]
 Wei, W. (C) 3973–3975 [4037–4039]
 Wei, X.
 – Heterotrimetallic Salts: Synthesis, Structures, and Superbase Reactivity of Crystalline *tert*-Butoxides [Li₄Na₂K₂(O*t*Bu)₈(μ-L)]_n (C) 3976–3978 [4040–4042]
 DOI: 10.1002/anie.200705268
 Wei, Yinan (C) 3718–3721 [3778–3781]
 Wei, Yongge
 – Unprecedented Replacement of Bridging Oxygen Atoms in Polyoxometalates with Organic Imido Ligands (C) 2626–2630 [2666–2670]
 DOI: 10.1002/anie.200704546
 Weidemann, N. (C) 5799–5802 [5883–5886]
 Weigelt, S. (C) 4406–4410 [4478–4482]
 Weihe, H.
 – Superhyperfine Interaction in [MnF₆]^{3–} (C) 148–150 [154–156]
 DOI: 10.1002/anie.200703771
 Weihrich, R. (C) 5654–5657 [5736–5739]
 Weik, F. (C) 193–197 [199–203]
 Weing rtner, H.
 – Understanding Ionic Liquids at the Molecular Level: Facts, Problems, and Controversies (R) 654–670 [664–682]
 DOI: 10.1002/anie.200604951
 Weinrich, D. (C) 4421–4424 [4493–4496], (R) 9618–9647 [9762–9792]
 Weismann, D. (C) 3271–3274 [3315–3318]
 Weiss, A. A.
 – Differentiation between Structurally Homologous Shiga 1 and Shiga 2 Toxins by Using Synthetic Glycoconjugates (C) 1265–1268 [1285–1288]
 DOI: 10.1002/anie.200703680
 Weiss, E. A. (C) 142–144 [148–150]
 Weiss, M. A. (C) 1102–1106 [1118–1122]
 Weissleder, R. (C) 4119–4121 [4187–4189]
 Weissman, K. J. (C) 4595–4599 [4671–4676], (H) 8344–8346 [8470–8473]
 Weizmann, Y. (C) 126–130 [132–136]
 Welch, M. (C) 2808–2812 [2850–2854]
 Weller, H. (C) 8946–8949 [9078–9082]
 Welter, C. (C) 7652–7655 [7764–7767]
 Welter, R. (C) 490–495 [500–505]
 Wemmer, D. E. (C) 4316–4320 [4388–4392]
 Wen, J. (C) 8897–8900 [9029–9032]
 Wender, P. A. (C) 3939–3941 [4003–4005]
 Wendicke, S. (C) 1500–1502 [1523–1525]
 Wendt, K. U.
 – Crystallography-Independent Determination of Ligand Binding Modes (C) 7736–7740 [7850–7854]
 DOI: 10.1002/anie.200801792
 – Selective Activity-Based Probes for Cysteine Cathepsins (C) 406–409 [412–415]
 DOI: 10.1002/anie.200702811
 Weng, Y. (C) 2279–2282 [2311–2314]
 Wennemers, H.
 – Tripeptides as Efficient Asymmetric Catalysts for 1,4-Addition Reactions of Aldehydes to Nitroolefins—A Rational Approach (C) 1871–1874 [1897–1900]
 DOI: 10.1002/anie.200704972
 Wentworth Jr., P.
 – Cholesterol *seco*-Sterol-Induced Aggregation of Methylated Amyloid-β Peptides—Insights into Aldehyde-Initiated Fibrillation of Amyloid-β (C) 3919–3922 [3983–3986]
 DOI: 10.1002/anie.200705922
 Wenzl, S. (C) 1729–1732 [1753–1756]
 Werner, E. J. (M) 8568–8580 [8696–8709]
 Werness, J. B. (C) 8933–8936 [9065–9068]
 Wernsdorfer, W. (C) 6694–6698 Corrigendum: 9590 [6796–6800 Corrigendum: 9732]
 Werth, S. (C) 9341–9344 [9481–9484]
 Wesemann, L.
 – Octahedral Coordination Compounds of the Ni, Pd, Pt Triad (C) 963–966 [977–980]
 DOI: 10.1002/anie.200704814
 Wesquet, A. O. (C) 3050–3053 [3093–3096]
 West, J. P. (C) 3791–3794 [3851–3854]
 West, R. (C) 9772–9774 [9918–9920]
 Westerhausen, M.
 – Molecular Magnesium(I) Compounds: From Curiosity to Kudos (H) 2185–2187 [2215–2217]
 DOI: 10.1002/anie.200705758
 Westerlind, U. (C) 7551–7556 [7662–7667]
 Westra, A. N. (C) 1745–1748 [1769–1772]
 Weststrate, C. J. (C) 2131–2134 [2161–2164]
 Wettig, B. (C) 9982–9984 [10130–10133]
 Wetzel, A. (C) 9130–9133 [9270–9273]
 Wetzel, S. (C) 3747–3750 [3807–3810]
 Weyherm ller, T. (C) 955–959 [969–973], 1228–1231 [1248–1251], 2973–2977 [3015–3019], 6384–6387 [6484–6487]
 Wezenberg, S. J. (M) 2354–2364 [2388–2399]
 Whangbo, M.-H. (C) 7931–7933 [8049–8051]
 Wheatley, P. S. (R) 4966–4981 [5044–5059]
 Wheeler, D. R. (C) 2631–2634 [2671–2674]
 Wheeler, K. A.
 – Rediscovering Pasteur's Quasiracemates (C) 78–81 [84–87]
 DOI: 10.1002/anie.200704007
 Wheeler, S. E. (M) 7592–7601 [7704–7713]
 Wheelhouse, K. M. P. (n e Gosby) (C) 2872–2875 [2914–2917]
 White, A. J. P. (C) 5812–5815 [5896–5899]
 White, M. C.
 – A Chiral Lewis Acid Strategy for Enantioselective Allylic C–H Oxidation (C) 6448–6451 [6548–6551]
 DOI: 10.1002/anie.200802106
 White, M. F. (C) 7853–7856 [7971–7974]
 White, P. S. (C) 4141–4143 [4209–4211]

- Whitesides, G. M.
- Electrostatic Charging Due to Separation of Ions at Interfaces: Contact Electrification of Ionic Electrets (R) 2188–2207 [2218–2239]
DOI: 10.1002/anie.200701812
 - Eutectic Gallium–Indium (EGaIn): A Moldable Liquid Metal for Electrical Characterization of Self-Assembled Monolayers (C) 142–144 [148–150]
DOI: 10.1002/anie.200703642
 - Patterns of Electrostatic Charge and Discharge in Contact Electrification (C) 6654–6656 [6756–6758]
DOI: 10.1002/anie.200802062
- Whiting, A.
- A Catalytic Aldol Reaction and Condensation through In Situ Boron “Ate” Complex Enolate Generation in Water (C) 768–770 [780–782]
DOI: 10.1002/anie.200704293
 - Asymmetric Direct Amide Synthesis by Kinetic Amine Resolution: A Chiral Bifunctional Aminoboronic Acid Catalyzed Reaction between a Racemic Amine and an Achiral Carboxylic Acid (C) 2673–2676 [2713–2716]
DOI: 10.1002/anie.200705643
- Whittaker, J. (C) 1102–1106 [1118–1122]
- Whittaker, L. J. (C) 1102–1106 [1118–1122]
- Whittell, G. R. (C) 3826–3829 [3886–3889], 4354–4357 [4426–4429]
- Whyte, G. (C) 2042–2045 [2072–2075]
- Wicklow, D. T. (C) 3573–3577 [3629–3633]
- Wider, G. (C) 977–981 [992–996]
- Wiebe, W. (C) 8116–8119 [8236–8239]
- Wieckowska, A. (C) 3927–3931 [3991–3995]
- Wiegardt, K.
- An Electron-Transfer Series of High-Valent Chromium Complexes with Redox Non-Innocent, Non-Heme Ligands (C) 6384–6387 [6484–6487]
DOI: 10.1002/anie.200800669
 - Reversible Electron Transfer Coupled to Spin Crossover in an Iron Coordination Salt in the Solid State (C) 1228–1231 [1248–1251]
DOI: 10.1002/anie.200704951
 - Transition-Metal Complexes with Singly Reduced 1,2-Diketone Radical Ligands (C) 2973–2977 [3015–3019]
DOI: 10.1002/anie.200705410
- Wiegardt, K. (C) 7110–7113 [7218–7221]
- Wiehn, M. S. (C) 8120–8122 [8240–8242]
- Wieland, M. (C) 2604–2607 [2643–2646]
- Wiener, J. J. M. (C) 3568–3572 [3624–3628]
- Wieser-Jeunesse, C. Corrigendum: 3666
- Wiesner, M. (C) 1871–1874 [1897–1900]
- Wietor, J.-L. (C) 2677–2680 [2717–2720], 2689–2692 [2729–2732], (H) 8161–8163 [8282–8284]
- Wilczok, U. (C) 3954–3957 [4018–4021]
- Wilde, M.
- Influence of Carbon Deposition on the Hydrogen Distribution in Pd Nanoparticles and Their Reactivity in Olefin Hydrogenation (C) 9289–9293 [9430–9434]
DOI: 10.1002/anie.200801923
- Wilhelm, S. (C) 5085–5088 [5163–5166]
- Wilk, W. (C) 5973–5977 [6061–6066]
- Williams, D. B. G.
- Aluminum Triflate as a Highly Active and Efficient Nonprotic Cocatalyst in the Palladium-Catalyzed Methoxycarbonylation Reaction (C) 560–563 [570–573]
DOI: 10.1002/anie.200702889
- Williams, D. R. (C) 7466–7469 [7576–7579]
- Williams, F. J. (C) 2422–2426 [2456–2460]
- Williams, G. J. (C) 8889–8892 [9021–9024]
- Williams, O. (C) 2869–2871 [2911–2913]
- Williams, R. J. P.
- Electron Transfer and Electronic Conduction through an Intervening Medium (E) 6758–6765 [6860–6868]
DOI: 10.1002/anie.200703177
- Williams, R. M.
- Isolation, Structure Elucidation, and Biomimetic Total Synthesis of Versicolamide B, and the Isolation of Antipodal (–)-Stephacidin A and (+)-Notoamide B from *Aspergillus versicolor* NRRL 35600 (C) 3573–3577 [3629–3633]
DOI: 10.1002/anie.200800106
 - Rabe Rest in Peace: Confirmation of the Rabe–Kindler Conversion of *d*-Quinotoxine Into Quinine: Experimental Affirmation of the Woodward–Doering Formal Total Synthesis of Quinine (C) 1736–1740 [1760–1764]
DOI: 10.1002/anie.200705421
- Williams, V. M. (C) 5220–5223 [5298–5301]
- Willinger, M.-G. (C) 3592–3595 [3648–3651]
- Willis, A. C. (C) 910–912 [924–926], 7013–7017 [7121–7125]
- Willis, B. (R) 8360–8379 [8488–8507]
- Willits, D. (C) 7845–7848 [7963–7966]
- Willner, H. (C) 10114–10118 [10268–10272]
- Willner, I.
- CdS Nanoparticles/ β -Cyclodextrin-Functionalized Electrodes for Enhanced Photoelectrochemistry (C) 6629–6633 [6731–6735]
DOI: 10.1002/anie.200801141
 - Increasing the Complexity of Periodic Protein Nanostructures by the Rolling-Circle-Amplified Synthesis of Aptamers (C) 126–130 [132–136]
DOI: 10.1002/anie.200703688
 - Optical Analysis of Hg^{2+} Ions by Oligonucleotide–Gold-Nanoparticle Hybrids and DNA-Based Machines (C) 3927–3931 [3991–3995]
DOI: 10.1002/anie.200705991
 - Optical Detection of Glucose and Acetylcholine Esterase Inhibitors by H_2O_2 -Sensitive CdSe/ZnS Quantum Dots (C) 1676–1679 [1700–1703]
DOI: 10.1002/anie.200704794
 - Photochemical and Electrochemical Encoding of Erasable Magnetic Patterns (C) 4416–4420 [4488–4492]
DOI: 10.1002/anie.200705793
 - Photoelectrochemistry with Ordered CdS Nanoparticle/Relay or Photosensitizer/Relay Dyads on DNA Scaffolds (C) 8272–8276 [8396–8400]
DOI: 10.1002/anie.200802590
 - Semiconductor Quantum Dots for Bioanalysis (R) 7602–7625 [7714–7736]
DOI: 10.1002/anie.200800169
- Willcock, D. J.
- Discrimination of Geometrical Epoxide Isomers by ENDOR Spectroscopy and DFT Calculations: The Role of Hydrogen Bonds (C) 1414–1416 [1436–1438]
DOI: 10.1002/anie.200703537
- Wills, M.
- Asymmetric Catalysis Using Air: Clean Kinetic Resolution of Secondary Alcohols (H) 4264–4267 [4334–4337]
DOI: 10.1002/anie.200801152
- Wilner, O. I. (C) 126–130 [132–136], 8272–8276 [8396–8400]
- Wilson, A. V. (C) 1774–1776 [1798–1800]
- Wilson, C. (C) 6033–6036 [6122–6125]
- Wilson, E. F. (C) 4384–4387 [4456–4459]
- Wilson, R. E. (C) 298–302 [304–308]
- Wimmer, R. (C) 913–916 [927–930]
- Windsor, M. A. (C) 2853–2856 [2895–2898]
- Wingfield, P. T. (C) 6247–6251 [6343–6347]
- Winkler, M.
- Fluorinase-Coupled Base Swaps: Synthesis of [^{18}F]-5'-Deoxy-5'-fluorouridines (C) 10141–10143 [10295–10297]
DOI: 10.1002/anie.200804040
- Winkler, T. (C) 7238–7241 [7348–7351]
- Winpenny, R. E. P.
- Heterometallic Rings Made From Chromium Stick Together Easily (C) 9681–9684 [9827–9830]
DOI: 10.1002/anie.200803637
 - Octa-, Deca-, Trideca-, and Tetradecanuclear Heterometallic Cyclic Chromium–Copper Cages (C) 924–927 [938–941]
DOI: 10.1002/anie.200704132
 - Quantum Information Processing Using Molecular Nanomagnets As Qubits (H) 7992–7994 [8112–8114]
DOI: 10.1002/anie.200802742
- Winpenny, R. E. P. (C) 9695–9699 [9841–9845]
- Winssinger, N.
- Divergent Synthesis of a Pochonin Library Targeting HSP90 and In Vivo Efficacy of an Identified Inhibitor (C) 4432–4435 [4504–4507]
DOI: 10.1002/anie.200800233
- Winter, R.
- Cold- and Pressure-Induced Dissociation of Protein Aggregates and Amyloid Fibrils (H) 6518–6521 [6618–6621]
DOI: 10.1002/anie.200802027
 - Small-Molecule Inhibitors of Islet Amyloid Polypeptide Fibril Formation (C) 4679–4682 [4757–4760]
DOI: 10.1002/anie.200705372
- Winter, R. (C) 338–341 [344–347]
- Wiosna-Salyga, G. (C) 6037–6040 [6126–6129]
- Wirges, C. T. (M) 8350–8358 [8478–8487]
- Wirtz, C. (C) 8450–8454 [8578–8582]
- Wischerhoff, E. (C) 5666–5668 [5749–5752]
- Withers, S. G.
- A New Generation of Specific *Trypanosoma cruzi* trans-Sialidase Inhibitors (C) 2700–2703 [2740–2743]
DOI: 10.1002/anie.200705435
- Witte, G.
- Selenium as a Key Element for Highly Ordered Aromatic Self-Assembled Monolayers (C) 5250–5252 [5328–5331]
DOI: 10.1002/anie.200800883
- Witte, P. (C) 3991–3994 [4055–4058]
- Woggon, W.-D.
- A Short Route to α -Tocopherol (C) 5827–5829 [5911–5913]
DOI: 10.1002/anie.200801765

- Wolf, I. (C) 6272–6274 [6368–6370]
 Wolf, J. (C) 1439–1442 [1461–1464]
 Wolf, R. (C) 4584–4587 [4660–4663]
 Wolf, S. E. (L) 3683–3686 [3741–3744]
 Wolfert, M. A. (C) 2253–2255 [2285–2287]
 Wolff, K. (C) 10167–10170 [10321–10324]
 Wöll, C.
 – Functionalized Coordination Space in Metal–Organic Frameworks (H) 8164–8168 [8285–8289]
 DOI: 10.1002/anie.200801612
 – Spectroscopic Characterization and Deliberate Modification of a Single Molecule by Tunneling of Electrons (H) 1364–1366 [1384–1386]
 DOI: 10.1002/anie.200704110
 Wöll, C. (C) 5250–5252 [5328–5331]
 Wöll, D. (C) 783–787 [795–799]
 Woloszynek, R. A. (C) 7489–7492 [7599–7602]
 Wolter, F. E. (C) 3258–3261 [3302–3305]
 Wolverton, C. (C) 882–887 [896–901]
 Won, D.-H. (C) 5438–5441 [5518–5521]
 Won, K. (C) 1749–1752 [1773–1776]
 Wong, B. M. (C) 2969–2972 [3011–3014]
 Wong, C.-H.
 – Cysteine-Free Peptide and Glycopeptide Ligation by Direct Aminolysis (C) 4411–4415 [4483–4487]
 DOI: 10.1002/anie.200705298
 Wong, C.-H. (C) 5788–5791 [5872–5875], 8627–8630 [8755–8758]
 Wong, G. C. L.
 – HIV TAT Forms Pores in Membranes by Inducing Saddle-Splay Curvature: Potential Role of Bidentate Hydrogen Bonding (C) 2986–2989 [3028–3031]
 DOI: 10.1002/anie.200704444
 Wong, K. L. (C) 8442–8445 [8570–8573]
 Wong, K.-W. (C) 6912–6916 [7018–7022]
 Wong, K.-Y.
 – A Highly Selective Luminescent Switch-On Probe for Histidine/Histidine-Rich Proteins and Its Application in Protein Staining (C) 3735–3739 [3795–3799]
 DOI: 10.1002/anie.200705319
 Wong, K. Y. (C) 1280–1283 [1300–1303]
 Wong, S. D. (C) 9071–9074 [9211–9214]
 Wong, W.-L. (C) 3735–3739 [3795–3799]
 Wong, W.-Y.
 – Synthesis and Lithographic Patterning of FePt Nanoparticles Using a Bimetallic Metallopolyyne Precursor (C) 1255–1259 [1275–1279]
 DOI: 10.1002/anie.200703199
 Wong-Foy, A. G. (C) 677–680 [689–692]
 Woo, S. (C) 6259–6262 [6355–6358]
 Woo, S. K. (C) 1733–1735 [1757–1759], 3242–3244 [3286–3288]
 Wood, C. D. Corrigendum: 1167
 Woodward, C. C. (C) 2294–2297 [2326–2329]
 Woollins, J. D.
 – Synthesis and Structure of Eight-, Nine-, and Ten-Membered Rings with P-Se-Se-P Linkages (C) 2857–2859 [2899–2901]
 DOI: 10.1002/anie.200705021
 Worrall, C. P. (C) 3234–3237 [3278–3281]
 Wosylus, A. (C) 6790–6793 [6895–6898]
 Wright, D. S.
 – The Selenium-Based Hexameric Macrocycle [(Se=)P(μ -NtBu)₂(μ -Se)]₆ (C) 1111–1114 [1127–1130]
 DOI: 10.1002/anie.200703981
 Wright, J. A. (C) 9765–9767 [9911–9913]
 Wright, S. H. (C) 8090–8092 [8210–8212]
 Wu, C.-C.
 – Benzimidazole/Amine-Based Compounds Capable of Ambipolar Transport for Application in Single-Layer Blue-Emitting OLEDs and as Hosts for Phosphorescent Emitters (C) 581–585 [591–595]
 DOI: 10.1002/anie.200704113
 – Highly Efficient Blue-Emitting Iridium(III) Carbene Complexes and Phosphorescent OLEDs (C) 4542–4545 [4618–4621]
 DOI: 10.1002/anie.200800748
 Wu, C.-G.
 – Multifunctionalized Ruthenium-Based Supersensitizers for Highly Efficient Dye-Sensitized Solar Cells (C) 7342–7345 [7452–7455]
 DOI: 10.1002/anie.200802120
 Wu, C.-I. (C) 8618–8622 [8746–8750]
 Wu, D. (C) 193–197 [199–203]
 Wu, H. (C) 2208–2212 [2240–2244], 3730–3734 [3790–3794], 8638–8641 [8766–8769]
 Wu, Jishan (C) 7470–7474 [7580–7584]
 Wu, Junchen (C) 1063–1067 [1079–1083]
 Wu, L. (C) 4733–4736 [4811–4814]
 Wu, P. (C) 5022–5025 [5100–5103]
 Wu, R. (C) 2993–2996 [3035–3038]
 Wu, S.-J. (C) 7342–7345 [7452–7455]
 Wu, T. (C) 113–116 [119–122]
 Wu, T.-C. (C) 9891–9894 [10039–10042]
 Wu, W. Corrigendum: 8148
 Wu, X. (C) 5340–5343 [5420–5423]
 Wu, Y.-D. (C) 1741–1744 [1765–1768]
 Wu, Y.-T.
 – Synthesis, Structure, and Photophysical Properties of Highly Substituted 8,8a-Dihydrocyclopenta[a]indenes (C) 9891–9894 [10039–10042]
 DOI: 10.1002/anie.200802560
 Wu, Y.-W. (C) 3747–3750 [3807–3810]
 Wu, Yi (C) 3618–3621 [3674–3677]
 Wu, Yue (C) 8929–8932 [9061–9064]
 Wu, Yun (C) 9487–9491 [9629–9633]
 Wudl, F.
 – The Most Stable and Fully Characterized Functionalized Heptacene (C) 8380–8385 [8508–8513]
 DOI: 10.1002/anie.200803345
 Wuest, W. M. (C) 7082–7086 [7190–7194]
 Wuitschik, G. (C) 4512–4515 [4588–4591]
 Wulf, A. (C) 3830–3834 [3890–3894], 8731–8734 [8859–8862]
 Wulf, V. (C) 9989–9992 [10138–10142]
 Wulff, M. (C) 1047–1050 [1063–1066], 5550–5553 [5632–5635]
 Wunderlich, S. (C) 4740–4743 [4818–4821]
 Wurst, K. (C) 3267–3270 [3311–3314]
 Würtele, C. (C) 82–85 [88–91]
 Würthner, F.
 – Evolution of Homochiral Helical Dye Assemblies: Involvement of Autocatalysis in the “Majority-Rules” Effect (C) 1232–1236 [1252–1256]
 DOI: 10.1002/anie.200704550
 – Solvent Effect on Color, Band Shape, and Charge-Density Distribution for Merocyanine Dyes Close to the Cyanine Limit (C) 4529–4532 [4605–4608]
 DOI: 10.1002/anie.200800279
 – Toward Fluorescent Memories with Non-destructive Readout: Photoswitching of Fluorescence by Intramolecular Electron Transfer in a Diaryl Ethene-Perylene Bis-imide Photochromic System (C) 6616–6619 [6718–6721]
 DOI: 10.1002/anie.200802007
 Würthner, F. (C) 3367–3371 [3415–3419]
 Wurtz, N. R. (C) 4335–4338 [4407–4410]
 Würtz, S. (C) 7230–7233 [7340–7343]
 Wüstenberg, B. (C) 2298–2300 [2330–2332]
 Wüthrich, K.
 – Interactions with Hydrophobic Clusters in the Urea-Unfolded Membrane Protein OmpX (C) 977–981 [992–996]
 DOI: 10.1002/anie.200703367
 Wuttke, S. (C) 190–192 [196–198]
 Wypych, J.-C. (C) 5418–5421 [5498–5501]



- Xi, P. (C) 5646–5649 [5728–5731]
 Xia, L. (C) 4725–4728 [4803–4806]
 Xia, W. (C) 9944–9947 [10092–10095]
 Xia, Y.-Y.
 – Surfactant-Free Synthesis of SnO₂@PMMA and TiO₂@PMMA Core-Shell Nanobeads Designed for Peptide/Protein Enrichment and MALDI-TOF MS Analysis (C) 4204–4207 [4272–4275]
 DOI: 10.1002/anie.200705942
 Xia, Younan
 – Facile Synthesis of Branched Au Nanostructures by Templating Against a Self-Destructive Lattice of Magnetic Fe Nanoparticles (C) 9653–9656 [9799–9802]
 DOI: 10.1002/anie.200804634
 Xia, Yu (C) 8646–8649 [8774–8777]
 Xia, Yun (C) 1698–1702 [1722–1726], 2626–2630 [2666–2670]
 Xian, M.
 – Fast Reductive Ligation of S-Nitrosothiols (C) 6598–6601 [6700–6703]
 DOI: 10.1002/anie.200801654
 Xiang, J. (C) 1715–1718 [1739–1742], 5590–5592 [5672–5674]
 Xiang, S. (C) 5646–5649 [5728–5731]
 Xiang, S.-C. (C) 4149–4152 [4217–4220]
 Xiao, C.-x. (C) 746–749 [758–761]
 Xiao, J. (C) 4729–4732 [4807–4810]
 Xiao, L. (C) 8246–8250 [8370–8374]
 Xiao, W.-J.
 – Ru-Catalyzed Tandem Cross-Metathesis/Intramolecular-Hydroarylation Sequence (C) 2489–2492 [2523–2526]
 DOI: 10.1002/anie.200705194
 Xiao, Yi
 – A Ratiometric Fluorescent Probe Based on FRET for Imaging Hg²⁺ Ions in Living Cells (C) 8025–8029 [8145–8149]
 DOI: 10.1002/anie.200803246
 Xiao, Youli (C) 9722–9725 [9868–9871]
 Xiao, Yuanjing (C) 1903–1906 [1929–1932]
 Xiao, Yuming (C) 9071–9074 [9211–9214]
 Xie, H. (C) 4177–4179 [4245–4247]

- Xie, J. (C) 173–176 [179–182]
 Xie, J.-H. (C) 4351–4353 [4423–4425]
 Xie, M. (C) 1308–1311 [1328–1331]
 Xie, R. (C) 7677–7680 [7791–7794]
 Xie, S.-Y.
 – Crystal Structures of Saturn-Like $C_{50}Cl_{10}$ and Pineapple-Shaped $C_{64}Cl_4$: Geometric Implications of Double- and Triple-Pentagon-Fused Chlorofullerenes (C) 5340–5343 [5420–5423]
 DOI: 10.1002/anie.200800338
 Xie, W. (C) 2844–2848 [2886–2890]
 Xie, Y. (C) 1127–1129 [1143–1145]
 Xie, Z.-L. (C) 8623–8626 [8751–8754]
 Xie, Z.-x. (C) 7450–7453 [7560–7563]
 Xie, Zhaoxiong
 – Synthesis of Trisubstituted Gold Nanocrystals with Exposed High-Index Facets by a Facile Chemical Method (C) 8901–8904 [9033–9036]
 DOI: 10.1002/anie.200802750
 Xie, Zuowei
 – Nickel-Mediated Coupling Reactions of Carbonyne with Alkenes: A Synthetic Route to Alkenylcarboranes (C) 6572–6575 Corrigendum: 7580 [6674–6677 Corrigendum: 7692]
 DOI: 10.1002/anie.200801958
 – Reaction of 13-Vertex Carboranes with Nucleophiles: Unprecedented Cage-Carbon Extrusion and Formation of Monocarba-closo-dodecaborate Anions (C) 9447–9449 [9589–9591]
 DOI: 10.1002/anie.200804249
 Xin, J. (C) 392–394 [398–400]
 Xing, B. Corrigendum: 3081
 Xiong, H.-M. (C) 4204–4207 [4272–4275]
 Xiong, X. (C) 7482–7484 [7592–7594]
 Xu, B. (C) 689–692 [701–704]
 Xu, Chenjie (C) 173–176 [179–182]
 Xu, Chunhu (C) 877–881 [891–895]
 Xu, D. (C) 3540–3542 [3596–3598]
 Xu, Gang (C) 3565–3567 [3621–3623], 4149–4152 [4217–4220]
 Xu, Guangzhi (C) 5590–5592 [5672–5674]
 Xu, Hong (C) 4997–5001 [5075–5079]
 Xu, Huadong (C) 8933–8936 [9065–9068]
 Xu, Huaping (C) 9049–9052 [9189–9192]
 Xu, Jiadi (C) 7864–7867 [7982–7985]
 Xu, Jiaxi (C) 759–762 Corrigendum: 1541 [771–774 Corrigendum: 1564]
 Xu, Jide (C) 9500–9503 [9642–9645]
 Xu, Jingjing (C) 3008–3011 [3050–3053]
 Xu, Jinjie (C) 7301–7305 [7411–7415]
 Xu, Lai (M) 7592–7601 [7704–7713]
 Xu, Liang (C) 7258–7262 [7368–7372]
 Xu, Lijin (C) 8464–8467 [8592–8595]
 Xu, Liping (C) 1685–1688 [1709–1712]
 Xu, M. (C) 1063–1067 [1079–1083]
 Xu, P. (C) 1260–1264 [1280–1284]
 Xu, Qian (C) 1766–1769 [1790–1793]
 Xu, Qiang
 – Iron-Nanoparticle-Catalyzed Hydrolytic Dehydrogenation of Ammonia Borane for Chemical Hydrogen Storage (C) 2287–2289 [2319–2321]
 DOI: 10.1002/anie.200704943
 Xu, Qiang (C) 5823–5826 [5907–5910]
 Xu, R. (C) 4401–4405 [4473–4477], 7868–7871 [7986–7989]
 Xu, S. J. (C) 9895–9899 [10043–10047]
 Xu, Sailong (C) 2466–2469 [2500–2503]
 Xu, Senmiao (C) 2840–2843 [2882–2885]
 Xu, T. (C) 9487–9491 [9629–9633]
 Xu, W. (C) 9673–9676 [9819–9822]
 Xu, Xin (C) 4538–4541 [4614–4617]
 Xu, Xurong (C) 3560–3564 [3616–3620]
 Xu, Z. (C) 4366–4369 [4438–4441]
 Xue, H. (C) 8831–8834 [8963–8966]
 Xue, M.-X. (C) 3414–3417 [3462–3465]
 Xue, X. (C) 906–909 [920–923]
 Xue, Z. (C) 6426–6429 [6526–6529]

 Yabe, Y. (C) 9522–9524 [9664–9666]
 Yabu, H. (C) 8044–8046 [8164–8166]
 Yagai, S.
 – Toroidal Nanoobjects from Rosette Assemblies of Melamine-Linked Oligo(*p*-phenyleneethynylene)s and Cyanurates (C) 4691–4694 [4769–4772]
 DOI: 10.1002/anie.200800417
 – Transformation from H- to J-Aggregated Perylene Bisimide Dyes by Complexation with Cyanurates (C) 3367–3371 [3415–3419]
 DOI: 10.1002/anie.200705385
 Yaghi, O. M.
 – Reticular Chemistry of Metal–Organic Polyhedra (R) 5136–5147 [5214–5225]
 DOI: 10.1002/anie.200705008
 Yakhvarov, D. (C) 3766–3768 [3826–3828]
 Yalalov, D. A. (C) 6624–6628 [6726–6730]
 Yam, V. W.-W.
 – Au₃₆ Crown: A Macrocyclization Directed by Metal–Metal Bonding Interactions (C) 4551–4554 [4627–4630]
 DOI: 10.1002/anie.200801001
 Yamada, H. (C) 5582–5585 [5664–5667]
 Yamada, I.
 – A Perovskite Containing Quadrivalent Iron as a Charge-Disproportionated Ferromagnet (C) 7032–7035 [7140–7143]
 DOI: 10.1002/anie.200801482
 Yamada, M. (C) 4986–4988 [5064–5066]
 Yamada, R. (C) 3426–3429 [3474–3477]
 Yamada, S. (C) 1068–1071 [1084–1087]
 Yamaguchi, H. (C) 6077–6079 [6166–6168]
 Yamaguchi, J. (C) 3578–3580 [3634–3636], 3581–3583 [3637–3639], 6657–6660 [6759–6762]
 Yamaguchi, K. (C) 2407–2410 [2441–2444], 9249–9251 [9389–9391]
 Yamaguchi, R. (C) 1084–1087 [1100–1103]
 Yamaguchi, Shigehiro
 – Phosphonium- and Borate-Bridged Zwitterionic Ladder Stilbene and Its Extended Analogues (C) 5582–5585 [5664–5667]
 DOI: 10.1002/anie.200801834
 Yamaguchi, Shigeru (C) 6004–6007 [6093–6096]
 Yamaguchi, Syuhei (C) 2407–2410 [2441–2444]
 Yamaguchi, Takumi (C) 2067–2069 [2097–2099]
 Yamaguchi, Taro (C) 3426–3429 [3474–3477]
 Yamamoto, H.
 – Enantioselective 1,3-Dipolar Cycloaddition of Nitrones with Ethyl Vinyl Ether: The Difference between Brønsted and Lewis Acid Catalysis (C) 2411–2413 [2445–2447]
 DOI: 10.1002/anie.200705314
 – Enantioselective O-Nitroso Aldol Reaction of Silyl Enol Ethers (C) 3795–3797 [3855–3857]
 DOI: 10.1002/anie.200705679
 – Stereoselective Synthesis of α,α -Chlorofluoro Carbonyl Compounds Leading to the Construction of Fluorinated Chiral Quaternary Carbon Centers (C) 5796–5798 [5880–5882]
 DOI: 10.1002/anie.200801682
 – Vanadium-Catalyzed Enantioselective Desymmetrization of *meso* Secondary Allylic Alcohols and Homoallylic Alcohols (C) 7520–7522 [7630–7632]
 DOI: 10.1002/anie.200802523
 Yamamoto, M. (C) 7934–7937 [8052–8055]
 Yamamoto, T. (C) 1672–1675 [1696–1699]
 Yamamoto, Yasunori
 – Cyclic Triborates: Air- and Water-Stable Ate Complexes of Organoboronic Acids (C) 928–931 [942–945]
 DOI: 10.1002/anie.200704162
 Yamamoto, Yohei (C) 1672–1675 [1696–1699]
 Yamamoto, Yoshinori
 – Carbocycle Synthesis through Facile and Efficient Palladium-Catalyzed Allylative De-aromatization of Naphthalene and Phenanthrene Allyl Chlorides (C) 4366–4369 [4438–4441]
 DOI: 10.1002/anie.200800529
 Yamamoto, Yuya (C) 2800–2803 [2842–2845]
 Yamanaka, I.
 – Neutral H₂O₂ Synthesis by Electrolysis of Water and O₂ (C) 1900–1902 [1926–1928]
 DOI: 10.1002/anie.200704431
 Yamane, T. (C) 6438–6440 [6538–6540]
 Yamanoi, Y. (C) 6699–6702 [6801–6804]
 Yamashita, H. 9180–9185 [9320–9325]
 Yamashita, Makoto
 – Syntheses, Structures, and Reactivities of Borylcopper and -zinc Compounds: 1,4-Silaboration of an α,β -Unsaturated Ketone to Form a γ -Siloxyallylborane (C) 6606–6610 [6708–6712]
 DOI: 10.1002/anie.200801728
 Yamashita, Masahiro (C) 7760–7763 [7874–7877]
 Yamashita, T. (C) 6590–6593 [6692–6695]
 Yamashita, Y. (C) 5613–5615 [5695–5697]
 Yamauchi, Y.
 – Mesoporous Platinum with Giant Mesocages Templated from Lyotropic Liquid Crystals Consisting of Diblock Copolymers (C) 5371–5373 [5451–5453]
 DOI: 10.1002/anie.200801381
 Yamazaki, Y. (C) 7905–7908 [8023–8026]
 Yan, C.
 – Metal-Tunable Nanocages as Artificial Chemosensors (C) 877–881 [891–895]
 DOI: 10.1002/anie.200704206
 Yan, H.
 – DNA-Tile-Directed Self-Assembly of Quantum Dots into Two-Dimensional Nanopatterns (C) 5157–5159 [5235–5237]
 DOI: 10.1002/anie.200801485

- Quantum Dot Bioconjugation during Core–Shell Synthesis (C) 316–319 [322–325]
DOI: 10.1002/anie.200703648
- Yan, H. (C) 5569–5572 [5651–5654]
- Yan, J.-M. (C) 2287–2289 [2319–2321]
- Yan, Jie (C) 7026–7028 [7134–7136]
- Yan, Jun (C) 8420–8423 [8548–8551]
- Yan, N.
- Aqueous-Phase Fischer–Tropsch Synthesis with a Ruthenium Nanocluster Catalyst (C) 746–749 [758–761]
DOI: 10.1002/anie.200703481
- Yan, X. (C) 1054–1057 [1070–1073]
- Yan, Yun
- Nanoribbons Self-Assembled from Triblock Peptide Polymers and Coordination Polymers (C) 4192–4195 [4260–4263]
DOI: 10.1002/anie.200705242
- Yan, Yushan
- Ionothermal Synthesis of Oriented Zeolite AEL Films and Their Application as Corrosion-Resistant Coatings (C) 525–528 [535–538]
DOI: 10.1002/anie.200704003
- Yanai, N. (C) 9883–9886 [10031–10034]
- Yang, C.
- A Simple Carbazole/Oxadiazole Hybrid Molecule: An Excellent Bipolar Host for Green and Red Phosphorescent OLEDs (C) 8104–8107 [8224–8227]
DOI: 10.1002/anie.200803396
- Yang, C.-f. (C) 9240–9244 [9380–9384]
- Yang, F. (C) 5646–5649 [5728–5731]
- Yang, G.-Y.
- Designed Synthesis of POM–Organic Frameworks from $\{Ni_6PW_9\}$ Building Blocks under Hydrothermal Conditions (C) 3909–3913 [3973–3977]
DOI: 10.1002/anie.200705709
- Yang, Hong (C) 4397–4400 [4469–4472]
- Yang, Hua (C) 2443–2446 [2477–2480]
- Yang, Jian (C) 4141–4143 [4209–4211]
- Yang, Jing (C) 3418–3421 [3466–3469]
- Yang, Jun
- A Self-Catalyzing Hydrogen-Storage Material (C) 882–887 [896–901]
DOI: 10.1002/anie.200703756
- Yang, Li (C) 5646–5649 [5728–5731], 7479–7481 [7589–7591]
- Yang, Lihua (C) 2986–2989 [3028–3031]
- Yang, Liping (C) 6647–6649 [6749–6751]
- Yang, N.
- Vertically Aligned Diamond Nanowires for DNA Sensing (C) 5183–5185 [5261–5263]
DOI: 10.1002/anie.200801706
- Yang, Peidong
- Surface-Enhanced Raman Spectroscopy for Trace Arsenic Detection in Contaminated Water (C) 6456–6460 [6556–6560]
DOI: 10.1002/anie.200800776
- Synthesis of Lead Chalcogenide Alloy and Core–Shell Nanowires (C) 5605–5608 [5687–5690]
DOI: 10.1002/anie.200801162
- Yang, Peng (C) 4858–4861 [4936–4939]
- Yang, Pengyuan (C) 2646–2648 [2686–2688]
- Yang, Q. (C) 5590–5592 [5672–5674]
- Yang, S.-D. (C) 1473–1476 [1495–1498]
- Yang, S. H. (C) 9904–9907 [10052–10055]
- Yang, Shangfeng
- Carbon Pyramidalization in Fullerene Cages Induced by the Endohedral Cluster: Non-Scandium Mixed Metal Nitride Clusterfullerenes (C) 8196–8200 [8318–8322]
DOI: 10.1002/anie.200802009
- Yang, Shu (C) 5590–5592 [5672–5674]
- Yang, Shuo (C) 3730–3734 [3790–3794]
- Yang, W. (C) 4200–4203 [4268–4271]
- Yang, W.-B. (C) 8627–8630 [8755–8758]
- Yang, X. (C) 392–394 [398–400], 7079–7081 [7187–7189]
- Yang, Y.-L. (C) 6717–6721 [6819–6823]
- Yang, Y.-W. (C) 2222–2226 [2254–2258]
- Yang, Yajun (C) 365–367 [371–373]
- Yang, Yong (C) 8394–8396 [8522–8524], 9252–9255 [9392–9395]
- Yang, Yongan (C) 2208–2212 [2240–2244], 8638–8641 [8766–8769]
- Yang, Z.
- Janus Colloids Formed by Biphasic Grafting at a Pickering Emulsion Interface (C) 3973–3975 [4037–4039]
DOI: 10.1002/anie.200705103
- Yao, Jianfeng (C) 8397–8399 [8525–8527]
- Yao, Jianfeng
- Controllable Nanonet Assembly Utilizing a Pressure-Difference Method Based on Anodic Aluminum Oxide Templates (C) 8905–8908 [9037–9040]
DOI: 10.1002/anie.200802788
- Optical Waveguide Based on Crystalline Organic Microtubes and Microrods (C) 7301–7305 [7411–7415]
DOI: 10.1002/anie.200802570
- Yao, Jimin (C) 5013–5017 [5091–5095]
- Yao, S. (C) 3250–3253 [3294–3297], 7110–7113 [7218–7221]
- Yao, S. Q.
- Peptide Microarray for High-Throughput Determination of Phosphatase Specificity and Biology (C) 1698–1702 [1722–1726]
DOI: 10.1002/anie.200703473
- Rapid Affinity-Based Fingerprinting of 14-3-3 Isoforms Using a Combinatorial Peptide Microarray (C) 7438–7441 [7548–7551]
DOI: 10.1002/anie.200801395
- Yao, X. (C) 6670–6673 [6772–6775]
- Yar, M. (C) 3784–3786 [3844–3846]
- Yashima, E.
- Encapsulation of Fullerenes in a Helical PMMA Cavity Leading to a Robust Processable Complex with a Macromolecular Helicity Memory (C) 515–519 [525–529]
DOI: 10.1002/anie.200703655
- Yasuda, M. (C) 6620–6623 [6722–6725]
- Yasuda, N. (C) 4157–4161 [4225–4229]
- Yazaki, R. (C) 5613–5615 [5695–5697]
- Ye, B.-C.
- Highly Sensitive Detection of Mercury(II) Ions by Fluorescence Polarization Enhanced by Gold Nanoparticles (C) 8386–8389 [8514–8517]
DOI: 10.1002/anie.200803069
- Yebeutichou, R. M. (C) 4504–4508 [4580–4584]
- Yeh, C.-H. (C) 4892–4895 [4970–4973]
- Yeh, N.-C. (C) 8627–8630 [8755–8758]
- Yeh, R. M. (C) 6062–6064 [6151–6153]
- Yehezkeili, O. (C) 8272–8276 [8396–8400]
- Yen, C.-H. (C) 9933–9936 [10081–10084]
- Yen, C. P.-H. (C) 8657–8660 [8785–8788]
- Yeo, W.-S.
- Mass Spectrometry Signal Amplification Method for Attomolar Detection of Antigens Using Small-Molecule-Tagged Gold Microparticles (C) 9518–9521 [9660–9663]
DOI: 10.1002/anie.200803893
- Yeom, H.-S. (C) 7040–7043 [7148–7151]
- Yeon, Y.-R. (C) 109–112 [115–118]
- Yeremin, A. V. (C) 3262–3266 [3306–3310]
- Yerushalmi, R. (C) 4440–4442 [4512–4514]
- Yi, T.
- Ultrasound Switch and Thermal Self-Repair of Morphology and Surface Wettability in a Cholesterol-Based Self-Assembly System (C) 1063–1067 [1079–1083]
DOI: 10.1002/anie.200703946
- Yildiz, H. B. (C) 6629–6633 [6731–6735], 8272–8276 [8396–8400]
- Yin, B.-C. (C) 8386–8389 [8514–8517]
- Yin, G. (C) 4733–4736 [4811–4814], 5442–5445 [5522–5525]
- Yin, H.
- Exogenous Agents that Target Transmembrane Domains of Proteins (M) 2744–2752 [2784–2793]
DOI: 10.1002/anie.200704780
- Yin, M. (C) 8400–8403 [8528–8531]
- Yin, P. (C) 2626–2630 [2666–2670]
- Yin, S. (C) 9049–9052 [9189–9192]
- Yin, S.-F. (C) 6590–6593 [6692–6695]
- Yin, Y.
- Core–Satellite Nanocomposite Catalysts Protected by a Porous Silica Shell: Controllable Reactivity, High Stability, and Magnetic Recyclability (C) 8924–8928 [9056–9060]
DOI: 10.1002/anie.200803968
- Formation of Hollow Silica Colloids through a Spontaneous Dissolution–Regrowth Process (C) 5806–5811 [5890–5895]
DOI: 10.1002/anie.200800927
- Ying, J. Y.
- Efficient Catalytic System for the Selective Production of 5-Hydroxymethylfurfural from Glucose and Fructose (C) 9345–9348 [9485–9488]
DOI: 10.1002/anie.200803207
- Yokota, M. (C) 4870–4873 [4948–4951]
- Yokota, S. (C) 9866–9869 [10014–10017]
- Yokoyama, N. (C) 4989–4992 [5067–5070]
- Yoneyama, Y. (C) 353–356 [359–362]
- Yonezawa, T. (C) 6699–6702 [6801–6804]
- Yong, G. (C) 9345–9348 [9485–9488]
- Yonker, C. (C) 7493–7496 [7603–7606]
- Yoo, C. I. (C) 763–767 [775–779]
- Yoo, J.
- A Hybrid Nanoparticle Probe for Dual-Modality Positron Emission Tomography and Magnetic Resonance Imaging (C) 6259–6262 [6355–6358]
DOI: 10.1002/anie.200801369
- Yoo, K. S. (C) 9326–9329 [9466–9469]
- Yoo, S. J. (C) 9307–9310 [9447–9450]
- Yoo, W. C. (C) 9096–9099 [9236–9239]
- Yoon, D.-W. (C) 5038–5042 [5116–5120]
- Yoon, J.
- Fluorescent Molecular Logic Gates Using Microfluidic Devices (C) 872–876 [886–890]
DOI: 10.1002/anie.200703813

- Yoon, K. B.
- Acidity Scale for Metal Oxides and Sanderson's Electronegativities of Lanthanide Elements (C) 10128–10132 [10282–10286] DOI: 10.1002/anie.200803837
- Yoon, M.-C. (C) 9661–9665 [9807–9811]
- Yoon, S. M. (C) 693–696 [705–708]
- Yoon, Y.-R. (C) 4525–4528 [4601–4604]
- Yoon, Z. S. (C) 681–684 [693–696]
- Yorimitsu, H.
- Silver-Catalyzed Transmetalation between Chlorosilanes and Aryl and Alkenyl Grignard Reagents for the Synthesis of Tetraorganosilanes (C) 5833–5835 [5917–5919] DOI: 10.1002/anie.200801949
- York, J. T. (C) 533–536 [543–546]
- Yoshida, J.-i.
- An Electroinitiated Cation Chain Reaction: Intramolecular Carbon–Carbon Bond Formation between Thioacetal and Olefin Groups (C) 2506–2508 [2540–2542] DOI: 10.1002/anie.200705748
 - Aryllithium Compounds Bearing Alkoxy-carbonyl Groups: Generation and Reactions Using a Microflow System (C) 7833–7836 [7951–7954] DOI: 10.1002/anie.200803205
- Yoshida, R.
- Self-Flocculating/Self-Dispersing Oscillation of Microgels (C) 917–920 [931–934] DOI: 10.1002/anie.200703953
- Yoshida, R. (C) 6690–6693 [6792–6795], 9039–9043 [9179–9183]
- Yoshida, S. (C) 8310–8314 [8434–8438]
- Yoshifuji, M.
- Poly(Biradicals): Oligomers of 1,3-Diphosphacyclobutane-2,4-diyl Units (C) 6418–6421 [6518–6521] DOI: 10.1002/anie.200801461
- Yoshikawa, I. (C) 1038–1041 [1054–1057]
- Yoshimura, F. (C) 750–754 [762–766]
- Yoshimura, K. (C) 5740–5745 [5824–5829]
- Yoshimura, T. (C) 1298–1300 [1318–1320]
- Yoshino, Tatsuhiko (C) 9125–9129 [9265–9269]
- Yoshino, Toru (C) 5627–5630 [5709–5712]
- Yoshio, M. (C) 2800–2803 [2842–2845]
- Yoshitsugu, M. (C) 3923–3926 [3987–3990]
- Yoshizawa, K. (C) 5772–5776 [5856–5860]
- You, C.-C. (C) 2590–2594 [2628–2632]
- You, J.
- Self-Assembled Bifunctional Catalysis Induced by Metal Coordination Interactions: An Exceptionally Efficient Approach to Enantioselective Hydrophosphonylation (C) 5646–5649 [5728–5731] DOI: 10.1002/anie.200801766
- You, X.-Z.
- A Core-Modified Rubyrin with *meso*-Aryl Substituents and Phenanthrene-Fused Pyrrole Rings: A Highly Conjugated Near-Infrared Dye and Hg²⁺ Probe (C) 193–197 [199–203] DOI: 10.1002/anie.200702854
- Youk, S. H. (C) 7872–7875 [7990–7993]
- Youn, Y. S. (C) 2418–2421 [2452–2455]
- Young, D. D. (C) 7482–7484 [7592–7594]
- Young, I. S. (C) 3578–3580 [3634–3636], 3581–3583 [3637–3639]
- Young, M.
- Monitoring Biomimetic Platinum Nanocluster Formation Using Mass Spectrometry and Cluster-Dependent H₂ Production (C) 7845–7848 [7963–7966] DOI: 10.1002/anie.200802481
- Young, N. A.
- TiF₂: Linear or Bent? (C) 1774–1776 [1798–1800] DOI: 10.1002/anie.200704667
- Young Jr., V. G. (C) 533–536 [543–546], 7064–7067 [7172–7175]
- Yousaf, M. N.
- An Electroactive Catalytic Dynamic Substrate that Immobilizes and Releases Patterned Ligands, Proteins, and Cells (C) 6267–6271 [6363–6367] DOI: 10.1002/anie.200800166
- Yu, C.
- Solving Complex Concentric Circular Mesostuctures by Using Electron Tomography (C) 6670–6673 [6772–6775] DOI: 10.1002/anie.200801755
- Yu, H.-Q. (C) 9034–9038 [9174–9178]
- Yu, J.-Q.
- Pd^{II}-Catalyzed Enantioselective Activation of C(sp³)-H and C(sp²)-H Bonds Using Monoprotected Amino Acids as Chiral Ligands (C) 4882–4886 [4960–4964] DOI: 10.1002/anie.200801030
 - Pd^{II}-Catalyzed Monoselective *ortho* Halogenation of C–H Bonds Assisted by Counter Cations: A Complementary Method to Directed *ortho* Lithiation (C) 5215–5219 [5293–5297] DOI: 10.1002/anie.200705613
 - Synthesis of Indolines and Tetrahydroisoquinolines from Arylethylamines by Pd^{II}-Catalyzed C–H Activation Reactions (C) 6452–6455 [6552–6555] DOI: 10.1002/anie.200802187
- Yu, J.-S. K. (C) 7250–7253 [7360–7363], 9933–9936 [10081–10084]
- Yu, Jaehoon
- Amphiphilic Helical Peptides Containing Two Acridine Moieties Display Picomolar Affinity toward HIV-1 RRE and TAR (C) 134–137 [140–143] DOI: 10.1002/anie.200703090
- Yu, Jie (C) 2458–2462 [2492–2496]
- Yu, Jihong
- A Germanate Built from a 6¹²6⁶ Cavity Coterminated by an (H₂O)₁₆ Cluster and 2-Methylpiperazine (C) 7868–7871 [7986–7989] DOI: 10.1002/anie.200801375
 - Combining Structure Modeling and Electron Microscopy to Determine Complex Zeolite Framework Structures (C) 4401–4405 [4473–4477] DOI: 10.1002/anie.200705175
- Yu, M. (C) 1063–1067 [1079–1083]
- Yu, M. K. (C) 5362–5365 [5442–5445]
- Yu, P. (C) 8601–8604 [8729–8732]
- Yu, R. (C) 7497–7500 [7607–7610]
- Yu, S. (C) 545–548 [555–558]
- Yu, S.-Y.
- Au₃₆ Crown: A Macrocyclization Directed by Metal–Metal Bonding Interactions (C) 4551–4554 [4627–4630] DOI: 10.1002/anie.200801001
- Yu, T. (C) 8438–8441 [8566–8569]
- Yu, W. (C) 1245–1249 [1265–1269]
- Yu, Xiao-Qi
- Iron-Mediated Direct Arylation of Unactivated Arenes (C) 8897–8900 [9029–9032] DOI: 10.1002/anie.200802526
- Yu, Xiao-Qiang (C) 750–754 [762–766], 928–931 [942–945]
- Yu, Yanlei (C) 4986–4988 [5064–5066]
- Yu, Yongliang (C) 7909–7912 [8027–8030]
- Yu, Z. (C) 1308–1311 [1328–1331]
- Yu, Z. T. F. (C) 1072–1075 [1088–1091]
- Yu, Z.-X. (C) 3939–3941 [4003–4005]
- Yuan, D. (C) 4130–4133 [4198–4201], 7263–7266 [7373–7376]
- Yuan, P. (C) 6670–6673 [6772–6775]
- Yuan, Y. (C) 8521–8524 [8649–8652]
- Yuasa, J. (C) 1068–1071 [1084–1087]
- Yudha S., S. (C) 9318–9321 [9458–9461]
- Yudin, A. K.
- Amphoteric Amino Aldehydes Enable Rapid Assembly of Unprotected Amino Alcohols (C) 4188–4191 [4256–4259] DOI: 10.1002/anie.200705776
 - Aromatic Fluorine as a Versatile Control Element for the Construction of Molecules with Helical Chirality (C) 7009–7012 [7117–7120] DOI: 10.1002/anie.200801991
- Yue, T. (C) 9454–9457 [9596–9599]
- Yue, W. (C) 8397–8399 [8525–8527]
- Yuen, M.-Y. (C) 9895–9899 [10043–10047]
- Yukawa, T. (C) 9125–9129 [9265–9269]
- Yuki, M. (C) 2642–2645 [2682–2685]
- Yulikov, M. (C) 6782–6785 [6886–6890]
- Yun, J.
- Catalytic Asymmetric Boration of Acyclic α,β -Unsaturated Esters and Nitriles (C) 145–147 [151–153] DOI: 10.1002/anie.200703699
- Yun, M. (C) 2959–2963 [3001–3005]
- Yun, S. Y. (C) 6201–6203 [6297–6299]
- Yuwono, V. M. (C) 1241–1244 [1261–1264]



- Zacchini, S. (C) 6666–6669 [6768–6771]
- Zachariasse, K. A.
- Polypyrrole Dendrimers (C) 10175–10178 [10329–10332] DOI: 10.1002/anie.200803408
- Zacher, D. (C) 3438–3441 [3487–3490]
- Zaera, F.
- Hydrocarbon Chain Growth on V(100) Single-Crystal Surfaces via Vinyl Intermediates (C) 6583–6585 [6685–6687] DOI: 10.1002/anie.200802338
- Zahn, D.
- The Nucleation Mechanism of Fluorapatite–Collagen Composites: Ion Association and Motif Control by Collagen Proteins (C) 4982–4985 [5060–5063] DOI: 10.1002/anie.200800908
- Zahn, S. (C) 3639–3641 [3695–3697]
- Zähringer, U.
- Structure and Dynamics of ¹³C,¹⁵N-Labeled Lipopolysaccharides in a Membrane Mi-

- metic
(C) 9870–9874 [10018–10022]
DOI: 10.1002/anie.200803474
- Zaiß, T. (C) 755–758 [767–770]
- Zakarian, A.
– Total Synthesis of (±)-Trichoderma-
amide B and of a Putative Biosynthetic
Precursor to Aspergillazine A Using an
Oxaza-Cope Rearrangement
(C) 6829–6831 [6935–6937]
DOI: 10.1002/anie.200801652
- Zakeeruddin, S. M.
– Organic Dye-Sensitized Ionic Liquid
Based Solar Cells: Remarkable Enhance-
ment in Performance through Molecular
Design of Indoline Sensitizers
(C) 1923–1927 [1949–1953]
DOI: 10.1002/anie.200705225
- Zakharov, L. N. (C) 117–120 [123–126],
9484–9486 [9626–9628]
- Zamora, F.
– Highly Conductive Supramolecular Nano-
structures of a Covalently Linked Phthaloc-
yanine–C₆₀ Fullerene Conjugate
(C) 2026–2031 [2056–2061]
DOI: 10.1002/anie.200705260
- Zampella, G. (C) 9756–9759 [9902–9905]
- Zanardi, G. (C) 9439–9442 [9581–9584]
- Zard, S. Z.
– Radical Allylation with α -Branched Allyl
Sulfones
(C) 9443–9446 [9585–9588]
DOI: 10.1002/anie.200804298
- The Total Synthesis of (±)-Fortucine and a
Revision of the Structure of Kirkine
(C) 1436–1438 [1458–1460]
DOI: 10.1002/anie.200704996
- Zare, R. N.
– Sustained Release of Drugs Dispersed in
Polymer Nanoparticles
(C) 7880–7882 [7998–8000]
DOI: 10.1002/anie.200802260
- Zarkesh, R. A. (C) 4715–4718 [4793–4796]
- Zarzynski, M. C. (C) 3791–3794 [3851–
3854]
- Zavalij, P. (C) 1439–1442 [1461–1464]
- Zayats, M. (R) 7602–7625 [7714–7736]
- Zdilla, M. J. (C) 7697–7700 [7811–7814]
- Zecchina, A. (C) 9269–9273 [9409–9413]
- Zehnacker, A.
– Chirality Recognition between Neutral
Molecules in the Gas Phase
(R) 6970–6992 [7076–7100]
DOI: 10.1002/anie.200800957
- Zeng, Q.-D.
– Site-Selective Fabrication of Two-Dimen-
sional Fullerene Arrays by Using a Supra-
molecular Template at the Liquid-Solid
Interface
(C) 6717–6721 [6819–6823]
DOI: 10.1002/anie.200802518
- Zeng, X. (C) 6080–6083 [6169–6172], 9063–
9066 [9203–9206]
- Zeng, Y. (C) 6388–6391 [6488–6491]
- Zenobi, R.
– Mass Spectrometric Method for Analyzing
Metabolites in Yeast with Single Cell
Sensitivity
(C) 5382–5385 [5462–5465]
DOI: 10.1002/anie.200705923
- Zepik, H. H.
– Vesicle Formation from Reactive Surfac-
tants
(C) 1323–1325 [1343–1345]
DOI: 10.1002/anie.200704022
- Zerbetto, F.
– Cadot–Chodkiewicz Active Template
Synthesis of Rotaxanes and Switchable
Molecular Shuttles with Weak Intercom-
ponent Interactions
(C) 4392–4396 [4464–4468]
DOI: 10.1002/anie.200800891
- Shaping of a Conformationally Flexible
Molecular Structure for Spectroscopy
(C) 3174–3179 [3218–3223]
DOI: 10.1002/anie.200705627
- Zettl, A. (C) 5022–5025 [5100–5103]
- Zewail, A. H.
– Ultrafast Electron Diffraction Reveals
Dark Structures of the Biological Chromo-
phore Indole
(C) 9496–9499 [9638–9641]
DOI: 10.1002/anie.200804152
- Zgierski, M. Z. (C) 1443–1446 [1465–1468]
- Zhan, S.-Z. (C) 1711–1714 [1735–1738]
- Zhang, Chaoxing (C) 3012–3015 [3054–
3057]
- Zhang, Chi Corrigendum: 8148
- Zhang, D.-H. (C) 9034–9038 [9174–9178]
- Zhang, Fan (C) 6015–6018 [6104–6107]
- Zhang, Fazhi (C) 2466–2469 [2500–2503]
- Zhang, G. (C) 10171–10174 [10325–10328]
- Zhang, Haifei
– Freeze-Align and Heat-Fuse: Microwires
and Networks from Nanoparticle Suspen-
sions
(C) 4573–4576 [4649–4652]
DOI: 10.1002/anie.200705512
- Zhang, Hao (C) 3984–3987 [4048–4051]
- Zhang, Hong (C) 5590–5592 [5672–5674]
- Zhang, Hongjun (C) 185–189 [191–195],
8605–8610 [8733–8738]
- Zhang, Hongxing (C) 1272–1275 [1292–
1295]
- Zhang, Hua (C) 2279–2282 [2311–2314]
- Zhang, Huijun (C) 1063–1067 [1079–1083]
- Zhang, J.-J. (C) 2489–2492 [2523–2526]
- Zhang, Ji (C) 8897–8900 [9029–9032]
- Zhang, Jian (C) 5434–5437 [5514–5517],
9447–9449 [9589–9591]
- Zhang, Jianling (C) 3012–3015 [3054–3057],
10119–10123 [10273–10277]
- Zhang, Jiatao (C) 1326–1331 [1346–1351]
- Zhang, Jie (C) 3909–3913 [3973–3977],
5823–5826 [5907–5910]
- Zhang, Jin
– A Tunable FRET Circuit for Engineering
Fluorescent Biosensors
(C) 500–502 [510–512]
DOI: 10.1002/anie.200703493
- Zhang, Jing (C) 1766–1769 [1790–1793],
5619–5622 [5701–5704]
- Zhang, Jun (C) 3540–3542 [3596–3598],
9469–9471 [9611–9613]
- Zhang, Junliang
– Tetrasubstituted Furans by a Pd^{II}-Cata-
lyzed Three-Component Michael Addi-
tion/Cyclization/Cross-Coupling Reaction
(C) 1903–1906 [1929–1932]
DOI: 10.1002/anie.200704531
- Zhang, Junliang (C) 90–93 [96–99]
- Zhang, Junrui (C) 4753–4755 [4831–4833]
- Zhang, K. Y. (C) 2213–2216 [2245–2248]
- Zhang, Kai (C) 1741–1744 [1765–1768]
- Zhang, Ke (C) 7454–7456 [7564–7566]
- Zhang, L.-De (C) 9487–9491 [9629–9633]
- Zhang, Liangren (C) 4729–4732 [4807–
4810]
- Zhang, Lide (C) 365–367 [371–373]
- Zhang, Lili (C) 1410–1413 [1432–1435]
- Zhang, Liming
– Platinum-Catalyzed Formation of Cyclic-
Ketone-Fused Indoles from *N*-(2-Alkynyl-
phenyl)lactams
(C) 346–349 [352–355]
DOI: 10.1002/anie.200702931
- Zhang, Lixian Corrigendum: 8148
- Zhang, Lixin (C) 2642–2645 [2682–2685]
- Zhang, Miao (C) 9730–9733 [9876–9879]
- Zhang, Min (C) 3618–3621 [3674–3677]
- Zhang, Minjuan (C) 5605–5608 [5687–5690]
- Zhang, Qiao (C) 5806–5811 [5890–5895],
8924–8928 [9056–9060]
- Zhang, Qichun (C) 113–116 [119–122]
- Zhang, Qifeng (C) 2402–2406 [2436–2440]
- Zhang, S.-J. (C) 9971–9974 [10119–10122]
- Zhang, Tao
– Direct Catalytic Conversion of Cellulose
into Ethylene Glycol Using Nickel-Pro-
moted Tungsten Carbide Catalysts
(C) 8510–8513 [8638–8641]
DOI: 10.1002/anie.200803233
- Zhang, Tianfu (C) 8893–8896 [9025–9028]
- Zhang, Tierui (C) 5806–5811 [5890–5895],
8924–8928 [9056–9060]
- Zhang, Ting (C) 3759–3761 [3819–3821]
- Zhang, W.-X. (C) 9700–9703 [9846–9849]
- Zhang, Wei (C) 7520–7522 [7630–7632],
9330–9333 [9470–9473]
- Zhang, Wen (C) 8933–8936 [9065–9068]
- Zhang, X.-B. (C) 2287–2289 [2319–2321]
- Zhang, X. P.
– Acceptor/Acceptor-Substituted Diazo
Reagents for Carbene Transfers: Cobalt-
Catalyzed Asymmetric *Z*-Cyclopropana-
tion of Alkenes with α -Nitrodiazoacetates
(C) 8460–8463 [8588–8591]
DOI: 10.1002/anie.200803857
- Zhang, Xi
– Controlled Self-Assembly Manipulated by
Charge-Transfer Interactions: From Tubes
to Vesicles
(C) 9049–9052 [9189–9192]
DOI: 10.1002/anie.200803361
- Zhang, Xianzheng
– A Facile One-Pot Construction of Supra-
molecular Polymer Micelles from α -Cyclo-
dextrin and Poly(ϵ -caprolactone)
(C) 5573–5576 [5655–5658]
DOI: 10.1002/anie.200800952
- Zhang, Xiaolin (C) 8025–8029 [8145–8149]
- Zhang, Xiaoyang (C) 7931–7933 [8049–
8051]
- Zhang, Xin (C) 4358–4361 [4430–4433]
- Zhang, Xinyi (C) 8397–8399 [8525–8527]
- Zhang, Xu (C) 6647–6649 [6749–6751]
- Zhang, Xue (C) 2840–2843 [2882–2885]
- Zhang, Xumu (C) 2840–2843 [2882–2885]
- Zhang, Y.-H. (C) 4882–4886 [4960–4964]
- Zhang, Y. L. (C) 5823–5826 [5907–5910]
- Zhang, Y.-Z. (C) 8496–8498 [8624–8626]
- Zhang, Yawen (C) 8893–8896 [9025–9028]
- Zhang, Yi (C) 353–356 [359–362], 3900–
3904 [3964–3968]
- Zhang, Yixin (C) 3196–3201 [3240–3245]
- Zhang, Yongqiang
– Bent-Core Mesogens with Branched Car-
bosilane Termini: Flipping Suprastructural
Chirality without Reversing Polarity
(C) 6892–6896 [6998–7002]
DOI: 10.1002/anie.200800814
- Zhang, Yugen
– Efficient Catalytic System for the Selective
Production of 5-Hydroxymethylfurfural
from Glucose and Fructose

- (C) 9345–9348 [9485–9488]
DOI: 10.1002/anie.200803207
- Zhang, Yun (C) 3801–3804 [3861–3864]
- Zhang, Z.-B. (C) 6019–6024 [6108–6113]
- Zhang, Z.-J. (C) 3565–3567 [3621–3623], 4149–4152 [4217–4220]
- Zhang, Zhaojun (C) 1127–1129 [1143–1145]
- Zhang, Zhaojie (C) 1260–1264 [1280–1284]
- Zhang, Zhaorong (C) 7501–7504 [7611–7614]
- Zhang, Zheng (C) 8831–8834 [8963–8966]
- Zhang, Zhiqiang (C) 8104–8107 [8224–8227]
- Zhang, Zongren (C) 3584–3587 [3640–3643]
- Zhao, C. (C) 5026–5029 [5104–5107]
- Zhao, C.-G.
- Modularly Designed Organocatalytic Assemblies for Direct Nitro-Michael Addition Reactions (C) 7714–7717 [7828–7831]
DOI: 10.1002/anie.200803236
- Zhao, D. (C) 5646–5649 [5728–5731]
- Zhao, G.-L. (C) 8468–8472 [8596–8600]
- Zhao, Hong (C) 8601–8604 [8729–8732]
- Zhao, Hongyu (C) 9743–9746 [9889–9892]
- Zhao, J.-C. (C) 5353–5356 [5433–5436]
- Zhao, Jincai
- Visible-Light-Induced Aerobic Oxidation of Alcohols in a Coupled Photocatalytic System of Dye-Sensitized TiO₂ and TEMPO (C) 9730–9733 [9876–9879]
DOI: 10.1002/anie.200803630
- Zhao, Junfang (C) 9666–9668 [9812–9814]
- Zhao, Liang (C) 6278–6282 [6374–6378], 7075–7078 [7183–7186]
- Zhao, Lili (C) 2466–2469 [2500–2503]
- Zhao, Lingzhi (C) 6670–6673 [6772–6775]
- Zhao, Wei (C) 5823–5826 [5907–5910]
- Zhao, Weian (M) 6330–6337 [6428–6436]
- Zhao, X. S.
- Patterning the Surface of Colloidal Microspheres and Fabrication of Nonspherical Particles (C) 4725–4728 [4803–4806]
DOI: 10.1002/anie.200801061
- Zhao, Y.-Q. (C) 1255–1259 [1275–1279]
- Zhao, Y. S. (C) 7301–7305 [7411–7415]
- Zhao, Yanning (C) 4516–4520 Corrigendum: 5277 [4592–4596 Corrigendum: 5357]
- Zhao, Yue
- Fast *Cis-Trans* Isomerization of an Azobenzene Derivative in Liquids and Liquid Crystals under a Low Electric Field (C) 3596–3599 [3652–3655]
DOI: 10.1002/anie.200705699
- Zhao, Yueju (C) 10119–10123 [10273–10277]
- Zhao, Z. (C) 9875–9878 [10023–10026]
- Zhao, Z.-G. (C) 7051–7055 [7159–7163]
- Zharnikov, M.
- Electron-Beam Chemical Lithography with Aliphatic Self-Assembled Monolayers (C) 1421–1424 [1443–1446]
DOI: 10.1002/anie.200704105
 - Fabrication of a Full-Coverage Polymer Nanobrush on an Electron-Beam-Activated Template (C) 6786–6789 [6891–6894]
DOI: 10.1002/anie.200801858
 - Micrometer-Scale Protein-Resistance Gradients by Electron-Beam Lithography (C) 7238–7241 [7348–7351]
DOI: 10.1002/anie.200800810
- Zharnikov, M. (C) 3407–3409 [3455–3457]
- Zhen, J. (C) 5619–5622 [5701–5704]
- Zheng, F. (C) 4538–4541 [4614–4617]
- Zheng, G. (C) 1938–1941 [1964–1967], 9951–9954 [10099–10102]
- Zheng, J.-C. (C) 6201–6203 [6297–6299]
- Zheng, L. (C) 8901–8904 [9033–9036]
- Zheng, L.-S. (C) 2398–2401 [2432–2435], 5340–5343 [5420–5423], 5344–5347 [5424–5427]
- Zheng, M. (C) 8510–8513 [8638–8641]
- Zheng, N. (C) 8682–8686 [8810–8814]
- Zheng, Q.-Y. (C) 7485–7488 [7595–7598]
- Zheng, S.-T. (C) 3909–3913 [3973–3977]
- Zheng, Z.-F. (C) 5353–5356 [5433–5436]
- Zheng, Zhiping
- A Four-Shell, Nesting Doll-like 3d–4f Cluster Containing 108 Metal Ions (C) 2398–2401 [2432–2435]
DOI: 10.1002/anie.200705731
- Zheng, Zijian (C) 9951–9954 [10099–10102]
- Zhi, L.
- Transparent Carbon Films as Electrodes in Organic Solar Cells (C) 2990–2992 [3032–3034]
DOI: 10.1002/anie.200704909
- Zhi, L. (C) 1703–1706 [1727–1730]
- Zhong, G.
- Organocatalytic Asymmetric α -Aminoxylation/Aza-Michael Reactions for the Synthesis of Functionalized Tetrahydro-1,2-oxazines (C) 10187–10191 Corrigendum: 10014 [10341–10345 Corrigendum: 10164]
DOI: 10.1002/anie.200803731
- Zhong, Y.-L.
- A Polar Radical Pair Pathway To Assemble the Pyrimidinone Core of the HIV Integrase Inhibitor Raltegravir Potassium (C) 4134–4136 [4202–4204]
DOI: 10.1002/anie.200703681
- Zhou, B. (C) 3376–3380 [3424–3428]
- Zhou, C. (C) 9469–9471 [9611–9613]
- Zhou, D. H. (C) 7328–7331 [7438–7441]
- Zhou, G. (C) 8292–8296 [8416–8420]
- Zhou, H.-C.
- A Coordinatively Linked Yb Metal–Organic Framework Demonstrates High Thermal Stability and Uncommon Gas-Adsorption Selectivity (C) 4130–4133 [4198–4201]
DOI: 10.1002/anie.200800312
 - Enhancing H₂ Uptake by “Close-Packing” Alignment of Open Copper Sites in Metal–Organic Frameworks (C) 7263–7266 [7373–7376]
DOI: 10.1002/anie.200802087
- Zhou, Haifeng (C) 8464–8467 [8592–8595]
- Zhou, Haoshen
- The Design of a LiFePO₄/Carbon Nanocomposite With a Core–Shell Structure and Its Synthesis by an In Situ Polymerization Restriction Method (C) 7461–7465 [7571–7575]
DOI: 10.1002/anie.200802539
- Zhou, Jian (C) 7656–7658 [7768–7771]
- Zhou, Jianrong (C) 5783–5787 [5867–5871]
- Zhou, Jie Corrigendum: 3081
- Zhou, Jigang (C) 7731–7735 [7845–7849]
- Zhou, L. (C) 6670–6673 [6772–6775]
- Zhou, Q. (C) 5590–5592 [5672–5674]
- Zhou, Q.-L.
- Catalytic Asymmetric Reaction with Water: Enantioselective Synthesis of α -Hydroxyesters by a Copper–Carbenoid O–H Insertion Reaction (C) 932–934 [946–948]
DOI: 10.1002/anie.200704651
- Copper-Catalyzed Highly Enantioselective Carbenoid Insertion into Si–H Bonds (C) 8496–8498 [8624–8626]
DOI: 10.1002/anie.200803192
 - Enantioselective Rhodium-Catalyzed Addition of Arylboronic Acids to α -Ketoesters (C) 4351–4353 [4423–4425]
DOI: 10.1002/anie.200800423
- Zhou, S. (C) 7681–7684 [7795–7798]
- Zhou, S.-J. (C) 5340–5343 [5420–5423]
- Zhou, W.-W. (C) 3565–3567 [3621–3623]
- Zhou, Wang (C) 4729–4732 [4807–4810]
- Zhou, Wei (C) 7438–7441 [7548–7551]
- Zhou, Wuzong (C) 8397–8399 [8525–8527]
- Zhou, Xin (C) 392–394 [398–400], 7079–7081 [7187–7189]
- Zhou, Xufeng (C) 6670–6673 [6772–6775]
- Zhou, Yang (C) 7454–7456 [7564–7566]
- Zhou, Yifeng (C) 1063–1067 [1079–1083]
- Zhou, Yuming (C) 1896–1899 [1922–1925]
- Zhou, Zhi-You (C) 9100–9103 [9240–9243]
- Zhou, Zhiguo (C) 1063–1067 [1079–1083]
- Zhou, Zhong-Yuan (C) 3735–3739 [3795–3799]
- Zhou, Zhongyuan (C) 1280–1283 [1300–1303], 6402–6406 [6502–6506]
- Zhu, B. (C) 6015–6018 [6104–6107]
- Zhu, Daoben (C) 7258–7262 [7368–7372]
- Zhu, Di (C) 10187–10191 Corrigendum: 10014 [10341–10345]
- Zhu, F. (C) 6392–6394 [6492–6494]
- Zhu, H. (C) 3730–3734 [3790–3794]
- Zhu, H.-Y.
- Visible-Light-Driven Oxidation of Organic Contaminants in Air with Gold Nanoparticle Catalysts on Oxide Supports (C) 5353–5356 [5433–5436]
DOI: 10.1002/anie.200800602
- Zhu, J. H.
- One-Pot Synthesis of Potassium-Functionalized Mesoporous γ -Alumina: A Solid Superbase (C) 3418–3421 [3466–3469]
DOI: 10.1002/anie.200800034
- Zhu, Jianglong (C) 8521–8524 [8649–8652]
- Zhu, Jieping
- Asymmetric Synthesis of 5-(1-Hydroxyalkyl)tetrazoles by Catalytic Enantioselective Passerini-Type Reactions (C) 9454–9457 [9596–9599]
DOI: 10.1002/anie.200804213
 - Catalytic Enantioselective Passerini Three-Component Reaction (C) 388–391 [394–397]
DOI: 10.1002/anie.200704315
 - Synthesis of α -Ketoamides by a Molecular-Sieves-Promoted Formal Oxidative Coupling of Aliphatic Aldehydes with Isocyanides (C) 947–950 [961–964]
DOI: 10.1002/anie.200704840
 - Synthesis of Diastereomers of Complestatin and Chloropeptin I: Substrate-Dependent Atroposelectivity of the Intramolecular Suzuki–Miyaura Reaction (C) 4167–4172 [4235–4240]
DOI: 10.1002/anie.200800599
- Zhu, Jin
- Monolayer-Barcoded Nanoparticles for On-Chip DNA Hybridization Assay (C) 5009–5012 [5087–5090]
DOI: 10.1002/anie.200800435

- Zhu, Jintao (C) 2113–2116 [2143–2146]
 Zhu, L.
 – Nanoscale Tubular and Sheetlike Superstructures from Hierarchical Self-Assembly of Polymeric Janus Particles (C) 10171–10174 [10325–10328]
 DOI: 10.1002/anie.200803315
 Zhu, M.-K. (C) 3414–3417 [3462–3465]
 Zhu, N. Q. M. (C) 1072–1075 [1088–1091]
 Zhu, Nianying (C) 6638–6642 [6740–6744]
 Zhu, Ningning (C) 8601–8604 [8729–8732]
 Zhu, S.-F. (C) 932–934 [946–948], 8496–8498 [8624–8626]
 Zhu, S. S. (C) 788–792 [800–804]
 Zhu, Shaolin (C) 545–548 [555–558]
 Zhu, Shifa (C) 8460–8463 [8588–8591]
 Zhu, X. (C) 9533–9536 [9676–9679]
 Zhu, X.-Y. (C) 2489–2492 [2523–2526]
 Zhu, Yimin (C) 9677–9680 [9823–9826]
 Zhu, Yulin (C) 2626–2630 [2666–2670]
 Zhuang, Jiaqi (C) 2208–2212 [2240–2244], 3730–3734 [3790–3794], 8638–8641 [8766–8769]
 Zhuang, Jie (C) 1054–1057 [1070–1073]
 Zhuang, Z. (C) 5619–5622 [5701–5704]
 Zhuo, R. (C) 5573–5576 [5655–5658]
 Zi, W. (C) 2844–2848 [2886–2890]
 Ziatdinov, V. R. (C) 7849–7852 [7967–7970]
 Zielasek, V. (C) 8946–8949 [9078–9082]
 Ziemert, N. (C) 7756–7759 [7870–7873]
 Ziener, U.
 – Hierarchically Self-Assembled Host–Guest Network at the Solid–Liquid Interface for Single-Molecule Manipulation (C) 3821–3825 [3881–3885]
 DOI: 10.1002/anie.200705527
 Zierold, R. (C) 6177–6179 [6272–6274]
 Ziessel, R.
 – Ethynyl–Boron Subphthalocyanines Displaying Efficient Cascade Energy Transfer and Large Stokes Shifts (C) 8876–8880 [9008–9012]
 DOI: 10.1002/anie.200803131
 – The Chemistry of Fluorescent Bodipy Dyes: Versatility Unsurpassed (M) 1184–1201 [1202–1219]
 DOI: 10.1002/anie.200702070
 Ziller, J. W. (C) 589–592 [599–602], 4715–4718 [4793–4796]
 Zimmerman, S. C.
 – Substituted 1,3,5-Triazaadamantanes: Biocompatible and Degradable Building Blocks (C) 8072–8074 [8192–8194]
 DOI: 10.1002/anie.200802222
 Zimmermann, B. (C) 7103–7106 [7211–7214]
 Zimmermann, J. (C) 3626–3630 [3682–3686]
 Zimmermann, M. (C) 775–778 [787–790], 9560–9564 [9702–9706]
 Zimmermann, R. (C) 8735–8739 [8863–8867]
 Zink, J. I.
 – pH-Responsive Supramolecular Nanovalves Based on Cucurbit[6]uril Pseudorotaxanes (C) 2222–2226 [2254–2258]
 DOI: 10.1002/anie.200705211
 Zintl, M. (C) 3458–3460 [3508–3510]
 Zoli, L. (C) 4162–4166 [4230–4234]
 Zou, J.
 – Solving Complex Concentric Circular Mesostuctures by Using Electron Tomography (C) 6670–6673 [6772–6775]
 DOI: 10.1002/anie.200801755
 Zou, J.-P. (C) 4149–4152 [4217–4220]
 Zou, T. (C) 8104–8107 [8224–8227]
 Zou, W.-Q. (C) 3565–3567 [3621–3623]
 Zou, X.
 – A Germanate Built from a 6⁸12⁶ Cavity Cotemplated by an (H₂O)₁₆ Cluster and 2-Methylpiperazine (C) 7868–7871 [7986–7989]
 DOI: 10.1002/anie.200801375
 Zou, Y. (C) 10110–10113 [10264–10267]
 Zou, Z. G. (C) 3418–3421 [3466–3469]
 Zu, L. (C) 4177–4179 [4245–4247]
 Zuccheri, G. (C) 2431–2434 [2465–2468]
 Zumbuehl, A.
 – Stereochemistry at Bürgenstock: Chemical Biology and Organic Synthesis in Focus (T) 5496–5499 [5578–5581]
 DOI: 10.1002/anie.200802643
 Zweckstetter, M.
 – Dissociation of Amyloid Fibrils of α -Synuclein in Supercooled Water (C) 5046–5048 [5124–5126]
 DOI: 10.1002/anie.200800342
 Zweidinger, S. (C) 2131–2134 [2161–2164]
 Zweifel, T. (C) 3245–3249 [3289–3293]

Reviews and Minireviews

The name of the correspondence author is in boldface and it is accompanied by the title of the publication and all coauthors.

- Adams, R. D.** and *Captain, B.*, Hydrogen Activation by Unsaturated Mixed-Metal Cluster Complexes: New Directions 252
- Ahn, J.-H.*, see *Rogers, J. A.* 5524
- Ali, M. M.*, see *Brook, M. A.* 6330
- Allard, S.*, see *Scherf, U.* 4070
- Amin, S. B.*, see *Marks, T. J.* 2006
- Moussa, J.* and **Amouri, H.**, Supramolecular Assemblies Based on Organometallic Quinonoid Linkers: A New Class of Coordination Networks 1372
- Anderson, K. B.**, see *Lambert, J. B.* 9608
- Anthony, J. E.**, The Larger Acenes: Versatile Organic Semiconductors 452
- Dadon, Z.*, *Wagner, N.*, and **Ashkenasy, G.**, The Road to Non-Enzymatic Molecular Networks 6128
- Aversa, R. J.*, see *Nicolaou, K. C.* 7182
- Baca, A. J.*, see *Rogers, J. A.* 5524
- Piera, J.* and **Bäckvall, J.-E.**, Catalytic Oxidation of Organic Substrates by Molecular Oxygen and Hydrogen Peroxide by Multistep Electron Transfer—A Biomimetic Approach 3506
- Bartoli, G.*, see *Melchiorre, P.* 6138
- Behenna, D. C.*, see *Stoltz, B. M.* 2365
- Bertoni, C.*, see *Eychmüller, A.* 6538
- Beutner, G. L.*, see *Denmark, S. E.* 1560
- Boyer, A.*, see *Ley, S. V.* 9402
- Brillas, E.*, see *Martínez-Huitle, C. A.* 1998
- Zhao, Weian, Ali, M. M., Brook, M. A., and Li, Yingfu.*, Rolling Circle Amplification: Applications in Nanotechnology and Biodetection with Functional Nucleic Acids 6330
- Bruce, P. G.**, *Scrosati, B.*, and *Tarascon, J.-M.*, Nanomaterials for Rechargeable Lithium Batteries 2930
- Surry, D. S.* and **Buchwald, S. L.**, Biaryl Phosphane Ligands in Palladium-Catalyzed Amination 6338
- Captain, B.*, see *Adams, R. D.* 252
- Gramlich, P. M. E.*, *Wirges, C. T.*, *Manetto, A.*, and **Carell, T.**, Postsynthetic DNA Modification through the Copper-Catalyzed Azide–Alkyne Cycloaddition Reaction 8350
- Carlone, A.*, see *Melchiorre, P.* 6138
- Carmona, E.** and *Galindo, A.*, Direct Bonds Between Metal Atoms: Zn, Cd, and Hg Compounds with Metal–Metal Bonds 6526
- Defieber, C.*, *Grützmacher, H.*, and **Carreira, E. M.**, Chiral Olefins as Steering Ligands in Asymmetric Catalysis 4482
- Çelebi-Ölçüm, N.*, see *Houk, K. N.* 7592
- Jun, Y.-w.*, *Lee, J.-H.*, and **Cheon, J.**, Chemical Design of Nanoparticle Probes for High-Performance Magnetic Resonance Imaging 5122
- Cherny, I.*, see *Gazit, E.* 4062
- Choi, W. M.*, see *Rogers, J. A.* 5524
- Choudhary, T. V.*, see *Choudhary, V. R.* 1828
- Choudhary, T. V.* and **Choudhary, V. R.**, Energy-Efficient Syngas Production through Catalytic Oxy-Methane Reforming Reactions 1828
- Claborn, K.*, see *Kaminsky, W.* 5706
- Cooney, J.*, see *Hudson, S.* 8582
- Wark, A. W.*, *Lee, H. J.*, and **Corn, R. M.**, Multiplexed Detection Methods for Profiling MicroRNA Expression in Biological Samples 644
- Cosquer, G.*, see *Goodby, J. W.* 2754
- Cowling, S. J.*, see *Goodby, J. W.* 2754
- Dadon, Z.*, see *Ashkenasy, G.* 6128
- Liang, C.*, *Li, Zuojiang*, and **Dai, S.**, Mesoporous Carbon Materials: Synthesis and Modification 3696
- Datta, A.*, see *Raymond, K. N.* 8568
- Defieber, C.*, see *Carreira, E. M.* 4482
- Del Valle, J. R.*, see *Hanessian, S.* 1202
- Denmark, S. E.** and *Beutner, G. L.*, Lewis Base Catalysis in Organic Synthesis 1560
- Willis, B.*, *Eubanks, L. M.*, **Dickerson, T. J.**, and *Janda, K. D.*, The Strange Case of the Botulinum Neurotoxin: Using Chemistry and Biology to Modulate the Most Deadly Poison 8360
- Dincă, M.*, see *Long, J. R.* 6766
- Domínguez de María, P.**, “Nonsolvent” Applications of Ionic Liquids in Biotransformations and Organocatalysis 6960
- Dondoni, A.** and *Massi, A.*, Asymmetric Organocatalysis: From Infancy to Adolescence 4638
- Draper, M.*, see *Goodby, J. W.* 2754
- Dunn, S.*, see *Eychmüller, A.* 6538
- Durand, T.**, see *Jahn, U.* 5894
- Edwards, J. K.*, see *Hutchings, G. J.* 9192
- Sokolova, V.* and **Eppe, M.**, Inorganic Nanoparticles as Carriers of Nucleic Acids into Cells 1382
- Ersmark, K.*, see *Hanessian, S.* 1202
- Ertl, G.**, Reactions at Surfaces: From Atoms to Complexity (Nobel Lecture) 3524
- Escuder, B.*, see *Hirst, A. R.* 8002
- Ess, D. H.*, see *Houk, K. N.* 7592
- Eubanks, L. M.*, see *Dickerson, T. J.* 8360
- Rogach, A. L.*, *Gaponik, N.*, *Lupton, J. M.*, *Bertoni, C.*, *Gallardo, D. E.*, *Dunn, S.*, *Li Pira, N.*, *Paderi, M.*, *Repetto, P.*, *Romanov, S. G.*, *O'Dwyer, C.*, *Sotomayor Torres, C. M.*, and **Eychmüller, A.**, Light-Emitting Diodes with Semiconductor Nanocrystals 6538
- Mugford, P. F.*, *Wagner, U. G.*, *Jiang, Yun*, **Faber, K.**, and *Kazlauskas, R. J.*, Enantiocomplementary Enzymes: Classification, Molecular Basis for Their Enantioselectivity, and Prospects for Mirror-Image Biotransformations 8782
- Fert, A.**, Origin, Development, and Future of Spintronics (Nobel Lecture) 5956

- Schwertfeger, H., **Fokin, A. A.**, and **Schreiner, P. R.**, Diamonds are a Chemist's Best Friend: Diamondoid Chemistry Beyond Adamantane 1022
- Forster, Michael, see **Scherf, U.** 4070
- Thompson, B. C. and **Fréchet, J. M. J.**, Polymer–Fullerene Composite Solar Cells 58
- Frederick, M. O., see **Nicolaou, K. C.** 7182
- Siengalewicz, P., **Gaich, T.**, and **Mulzer, J.**, It All Began with an Error: The Nomofungin/Communesin Story 8170
- Galano, J.-M.**, see **Jahn, U.** 5894
- Galindo, A., see **Carmona, E.** 6526
- Gallardo, D. E., see **Eychmüller, A.** 6538
- Galli, C.**, **Gentili, P.**, and **Lanzalunga, O.**, Hydrogen Abstraction and Electron Transfer with Aminoxy Radicals: Synthetic and Mechanistic Issues 4790
- Gaponik, N., see **Eychmüller, A.** 6538
- Cherny, I. and **Gazit, E.**, Amyloids: Not Only Pathological Agents but Also Ordered Nanomaterials .. 4062
- Gee, A. D., see **Miller, P. W.** 8998
- Genêt, J.-P., see **Michelet, V.** 4268
- Gentili, P., see **Galli, C.** 4790
- Gill, R., see **Willner, I.** 7602
- Goodby, J. W.**, **Saez, I. M.**, **Cowling, S. J.**, **Görtz, V.**, **Draper, M.**, **Hall, A. W.**, **Sia, S.**, **Cosquer, G.**, **Lee, S.-E.**, and **Raynes, E. P.**, Transmission and Amplification of Information and Properties in Nanostructured Liquid Crystals 2754
- Gooßen, K., see **Gooßen, L. J.** 3100
- Gooßen, L. J.**, **Rodríguez, N.**, and **Gooßen, K.**, Carboxylic Acids as Substrates in Homogeneous Catalysis 3100
- Görtz, V., see **Goodby, J. W.** 2754
- Gramlich, P. M. E., see **Carell, T.** 8350
- Grützmacher, H., see **Carreira, E. M.** 4482
- Hackenberger, C. P. R.** and **Schwarzer, D.**, Chemoselective Ligation and Modification Strategies for Peptides and Proteins 10030
- Hahn, F. E.** and **Jahnke, M. C.**, Heterocyclic Carbenes: Synthesis and Coordination Chemistry 3122
- Hall, A. W., see **Goodby, J. W.** 2754
- Ersmark, K.**, **Del Valle, J. R.**, and **Hanessian, S.**, Chemistry and Biology of the Aeruginosin Family of Serine Protease Inhibitors 1202
- Harriman, A., see **Ziessel, R.** 1184
- Hartschuh, A.**, Tip-Enhanced Near-Field Optical Microscopy 8178
- Hirst, A. R.**, **Escuder, B.**, **Miravet, J. F.**, and **Smith, D. K.**, High-Tech Applications of Self-Assembling Supramolecular Nanostructured Gel-Phase Materials: From Regenerative Medicine to Electronic Devices 8002
- Hopf, H.**, [2.2]Paracyclophanes in Polymer Chemistry and Materials Science 9808
- Ess, D. H., **Wheeler, S. E.**, **Iafe, R. G.**, **Xu, Lai**, **Çelebi-Ölçim, N.**, and **Houk, K. N.**, Bifurcations on Potential Energy Surfaces of Organic Reactions 7592
- Huang, Young, see **Rogers, J. A.** 5524
- Hudson, S.**, **Cooney, J.**, and **Magner, E.**, Proteins in Mesoporous Silicates 8582
- Edwards, J. K.** and **Hutchings, G. J.**, Palladium and Gold–Palladium Catalysts for the Direct Synthesis of Hydrogen Peroxide 9192
- Iafe, R. G.**, see **Houk, K. N.** 7592
- Isborn, C.**, see **Kaminsky, W.** 5706
- Jahn, U.**, **Galano, J.-M.**, and **Durand, T.**, Beyond Prostaglandins—Chemistry and Biology of Cyclic Oxygenated Metabolites Formed by Free-Radical Pathways from Polyunsaturated Fatty Acids 5894
- Jahnke, M. C.**, see **Hahn, F. E.** 3122
- Janda, K. D.**, see **Dickerson, T. J.** 8360
- Jiang, Yun**, see **Faber, K.** 8782
- Jocher, C. J.**, see **Raymond, K. N.** 8568
- Johnson, J. B.**, see **Rovis, T.** 840
- Jonkheijm, P.**, see **Niemeyer, C. M.** 9618
- Jun, Y.-w.**, see **Cheon, J.** 5122
- Kahr, B.**, see **Kaminsky, W.** 5706
- Claborn, K.**, **Isborn, C.**, **Kaminsky, W.**, and **Kahr, B.**, Optical Rotation of Achiral Compounds 5706
- Kauffman, D. R.**, see **Star, A.** 6550
- Kazlauskas, R. J.**, see **Faber, K.** 8782
- Kim, D.-H.**, see **Rogers, J. A.** 5524
- Kim, H.-S.**, see **Rogers, J. A.** 5524
- Steinhauser, G.** and **Klapötke, T. M.**, “Green” Pyrotechnics: A Chemists' Challenge 3330
- Wezenberg, S. J.** and **Kleij, A. W.**, Material Applications for Salen Frameworks 2354
- Suijkerbuijk, B. M. J. M.** and **Klein Gebbink, R. J. M.**, Merging Porphyrins with Organometallics: Synthesis and Applications 7396
- Lambert, J. B.**, **Santiago-Blay, J. A.**, and **Anderson, K. B.**, Chemical Signatures of Fossilized Resins and Recent Plant Exudates 9608
- Lanzalunga, O.**, see **Galli, C.** 4790
- Lee, H. J.**, see **Corn, R. M.** 644
- Lee, J.-H.**, see **Cheon, J.** 5122
- Lee, S.-E.**, see **Goodby, J. W.** 2754
- Veitch, G. E.**, **Boyer, A.**, and **Ley, S. V.**, The Azadirachtin Story 9402
- Li, Yingfu**, see **Brook, M. A.** 6330
- Li, Zuojiang**, see **Dai, S.** 3696
- Li Pira, N.**, see **Eychmüller, A.** 6538
- Liang, C.**, see **Dai, S.** 3696
- Thibodeaux, C. J.**, **Melançon III, C. E.**, and **Liu, H.-w.**, Natural-Product Sugar Biosynthesis and Enzymatic Glycodiversification 9814
- Dincă, M.** and **Long, J. R.**, Hydrogen Storage in Microporous Metal–Organic Frameworks with Exposed Metal Sites 6766
- Long, N. J.**, see **Miller, P. W.** 8998
- Lu, Z.**, see **Ma, Shengming** 258
- Lupton, J. M.**, see **Eychmüller, A.** 6538
- Lu, Z.** and **Ma, Shengming**, Metal-Catalyzed Enantioselective Allylation in Asymmetric Synthesis . 258
- McCarty, L. S.**, see **Whitesides, G. M.** 2188
- McDonald, F. M.**, see **Sakurada, K.** 5718

Magner, E. , see <i>Hudson, S.</i>	8582	<i>Paderi, M.</i> , see <i>Eychmüller, A.</i>	6538
<i>Maheshwari, V.</i> , see <i>Saraf, R.</i>	7808	<i>Park, J. Y.</i> , see <i>Somorjai, G. A.</i>	9212
<i>Maid, H.</i> , see <i>Saalfank, R. W.</i>	8794	<i>Piera, J.</i> , see <i>Bäckvall, J.-E.</i>	3506
<i>Maier, J.</i> , see <i>Merkle, R.</i>	3874	<i>Pilati, T.</i> , see <i>Metrangolo, P.</i>	6114
<i>Mandal, S.</i> , see <i>Natarajan, S.</i>	4798	Pinna, N. and <i>Niederberger, M.</i> , Surfactant-Free Non- aqueous Synthesis of Metal Oxide Nanostructures .	5292
<i>Manetto, A.</i> , see <i>Carell, T.</i>	8350	<i>Werner, E. J., Datta, A., Jocher, C. J., and Raymond, K. N.</i> , High-Relaxivity MRI Contrast Agents: Where Coordination Chemistry Meets Medical Imaging	8568
Mann, S. , Life as a Nanoscale Phenomenon	5306	<i>Raynes, E. P.</i> , see <i>Goodby, J. W.</i>	2754
Marigo, M. , see <i>Melchiorre, P.</i>	6138	Reetz, M. T. , Combinatorial Transition-Metal Cata- lysis: Mixing Monodentate Ligands to Control En- antio-, Diastereo-, and Regioselectivity	2556
<i>Amin, S. B.</i> and Marks, T. J. , Versatile Pathways for In Situ Polyolefin Functionalization with Hetero- atoms: Catalytic Chain Transfer	2006	<i>Repetto, P.</i> , see <i>Eychmüller, A.</i>	6538
Martínez-Huitle, C. A. and <i>Brillas, E.</i> , Electrochemical Alternatives for Drinking Water Disinfection	1998	Resnati, G. , see <i>Metrangolo, P.</i>	6114
Massi, A. , see <i>Dondoni, A.</i>	4638	<i>Rodríguez, N.</i> , see <i>Gooßen, L. J.</i>	3100
<i>Meitl, M. A.</i> , see <i>Rogers, J. A.</i>	5524	<i>Rogach, A. L.</i> , see <i>Eychmüller, A.</i>	6538
<i>Melançon III, C. E.</i> , see <i>Liu, H.-w.</i>	9814	<i>Baca, A. J., Ahn, J.-H., Sun, Yugang, Meitl, M. A., Menard, E., Kim, H.-S., Choi, W. M., Kim, D.-H., Huang, Young, and Rogers, J. A.</i> , Semiconductor Wires and Ribbons for High-Performance Flexible Electronics	5524
Melchiorre, P. , <i>Marigo, M., Carlone, A., and Bartoli, G.</i> , Asymmetric Aminocatalysis—Gold Rush in Or- ganic Chemistry	6138	<i>Romanov, S. G.</i> , see <i>Eychmüller, A.</i>	6538
<i>Menard, E.</i> , see <i>Rogers, J. A.</i>	5524	<i>Johnson, J. B.</i> and Roivis, T. , More than Bystanders: The Effect of Olefins on Transition-Metal-Catalyzed Cross-Coupling Reactions	840
Merkle, R. and <i>Maier, J.</i> , How Is Oxygen Incorporated into Oxides? A Comprehensive Kinetic Study of a Simple Solid-State Reaction with SrTiO ₃ as a Model Material	3874	Saalfank, R. W. , <i>Maid, H., and Scheurer, A.</i> , Supra- molecular Coordination Chemistry: The Synergistic Effect of Serendipity and Rational Design	8794
Metrangolo, P. , <i>Meyer, Franck, Pilati, T., Resnati, G., and Terraneo, G.</i> , Halogen Bonding in Supramole- cular Chemistry	6114	<i>Saez, I. M.</i> , see <i>Goodby, J. W.</i>	2754
<i>Meyer, Franck</i> , see <i>Metrangolo, P.</i>	6114	Sakurada, K. , <i>McDonald, F. M., and Shimada, F.</i> , Re- generative Medicine and Stem Cell Based Drug Discovery	5718
Michelet, V. , <i>Toullec, P. Y., and Genêt, J.-P.</i> , Cyclo- isomerization of 1, <i>n</i> -Enynes: Challenging Metal- Catalyzed Rearrangements and Mechanistic In- sights	4268	Santiago-Blay, J. A. , see <i>Lambert, J. B.</i>	9608
Miller, P. W. , <i>Long, N. J., Vilar, R., and Gee, A. D.</i> , Synthesis of ¹¹ C, ¹⁸ F, ¹⁵ O, and ¹³ N Radiolabels for Positron Emission Tomography	8998	<i>Maheshwari, V.</i> and Saraf, R. , Tactile Devices To Sense Touch on a Par with a Human Finger	7808
<i>Miravet, J. F.</i> , see <i>Hirst, A. R.</i>	8002	<i>Allard, S., Forster, Michael, Souharce, B., Thiem, H., and Scherf, U.</i> , Organic Semiconductors for Solu- tion-Processable Field-Effect Transistors (OFETs) .	4070
Morris, R. E. and <i>Wheatley, P. S.</i> , Gas Storage in Na- nopororous Materials	4966	<i>Scheurer, A.</i> , see <i>Saalfank, R. W.</i>	8794
<i>Moussa, J.</i> , see <i>Amouri, H.</i>	1372	<i>Nielsen, T. E.</i> and Schreiber, S. L. , Towards the Opti- mal Screening Collection: A Synthesis Strategy ...	48
<i>Mugford, P. F.</i> , see <i>Faber, K.</i>	8782	Schreiner, P. R. , see <i>Fokin, A. A.</i>	1022
Mulzer, J. , see <i>Gaich, T.</i>	8170	Schrock, R. R. , Catalytic Reduction of Dinitrogen to Ammonia by Molybdenum: Theory versus Experi- ment	5512
<i>Tiefenbacher, K.</i> and Mulzer, J. , Synthesis of Platensi- mycin	2548	<i>Schröder, H.</i> , see <i>Niemeyer, C. M.</i>	9618
Natarajan, S. and <i>Mandal, S.</i> , Open-Framework Structures of Transition-Metal Compounds	4798	Schwarzer, D. , see <i>Hackenberger, C. P. R.</i>	10030
<i>Ni, Z.</i> , see <i>O'Keeffe, M.</i>	5136	<i>Schwertfeger, H.</i> , see <i>Fokin, A. A.</i>	1022
Nicolaou, K. C. , <i>Frederick, M. O., and Aversa, R. J.</i> , The Continuing Saga of the Marine Polyether Bio- toxins	7182	<i>Scrosati, B.</i> , see <i>Bruce, P. G.</i>	2930
Niederberger, M. , see <i>Pinna, N.</i>	5292	Shimada, F. , see <i>Sakurada, K.</i>	5718
<i>Nielsen, T. E.</i> , see <i>Schreiber, S. L.</i>	48	<i>Sia, S.</i> , see <i>Goodby, J. W.</i>	2754
<i>Jonkheijm, P., Weinrich, D., Schröder, H., Niemeyer, C. M., and Waldmann, H.</i> , Chemical Strategies for Generating Protein Biochips	9618	<i>Siengalewicz, P.</i> , see <i>Gaich, T.</i>	8170
<i>O'Dwyer, C.</i> , see <i>Eychmüller, A.</i>	6538	Smith, D. K. , see <i>Hirst, A. R.</i>	8002
<i>Tranchemontagne, D. J., Ni, Z., O'Keeffe, M., and Yaghi, O. M.</i> , Reticular Chemistry of Metal–Or- ganic Polyhedra	5136	<i>Sokolova, V.</i> , see <i>Eppele, M.</i>	1382
		Somorjai, G. A. and <i>Park, J. Y.</i> , Molecular Factors of Catalytic Selectivity	9212

<i>Sotomayor Torres, C. M.</i> , see <i>Eychmüller, A.</i>	6538	<i>Vilar, R.</i> , see <i>Miller, P. W.</i>	8998
<i>Souharce, B.</i> , see <i>Scherf, U.</i>	4070	<i>Wagner, N.</i> , see <i>Ashkenasy, G.</i>	6128
<i>Kauffman, D. R.</i> and <i>Star, A.</i> , Carbon Nanotube Gas and Vapor Sensors	6550	<i>Wagner, U. G.</i> , see <i>Faber, K.</i>	8782
<i>Stöveken, T.</i> and <i>Steinbüchel, A.</i> , Bacterial Acyltransferases as an Alternative for Lipase-Catalyzed Acylation for the Production of Oleochemicals and Fuels	3688	<i>Waldmann, H.</i> , see <i>Niemeyer, C. M.</i>	9618
<i>Steinhauser, G.</i> , see <i>Klapötke, T. M.</i>	3330	<i>Wark, A. W.</i> , see <i>Corn, R. M.</i>	644
<i>Stockdill, J. L.</i> , see <i>Stoltz, B. M.</i>	2365	<i>Weingärtner, H.</i> , Understanding Ionic Liquids at the Molecular Level: Facts, Problems, and Controversies	654
<i>Stöcker, M.</i> , Biofuels and Biomass-To-Liquid Fuels in the Biorefinery: Catalytic Conversion of Lignocellulosic Biomass using Porous Materials	9200	<i>Weinrich, D.</i> , see <i>Niemeyer, C. M.</i>	9618
<i>Behenna, D. C.</i> , <i>Stockdill, J. L.</i> , and <i>Stoltz, B. M.</i> , The Biology and Chemistry of the Zoanthamine Alkaloids	2365	<i>Werner, E. J.</i> , see <i>Raymond, K. N.</i>	8568
<i>Stöveken, T.</i> , see <i>Steinbüchel, A.</i>	3688	<i>Wezenberg, S. J.</i> , see <i>Kleij, A. W.</i>	2354
<i>Suhm, M. A.</i> , see <i>Zehnacker, A.</i>	6970	<i>Wheatley, P. S.</i> , see <i>Morris, R. E.</i>	4966
<i>Suijkerbuijk, B. M. J. M.</i> , see <i>Klein Gebbink, R. J. M.</i>	7396	<i>Wheeler, S. E.</i> , see <i>Houk, K. N.</i>	7592
<i>Sun, Yugang</i> , see <i>Rogers, J. A.</i>	5524	<i>McCarty, L. S.</i> and <i>Whitesides, G. M.</i> , Electrostatic Charging Due to Separation of Ions at Interfaces: Contact Electrification of Ionic Electrets	2188
<i>Surry, D. S.</i> , see <i>Buchwald, S. L.</i>	6338	<i>Willis, B.</i> , see <i>Dickerson, T. J.</i>	8360
<i>Tarascon, J.-M.</i> , see <i>Bruce, P. G.</i>	2930	<i>Gill, R.</i> , <i>Zayats, M.</i> , and <i>Willner, I.</i> , Semiconductor Quantum Dots for Bioanalysis	7602
<i>Terraneo, G.</i> , see <i>Metrangolo, P.</i>	6114	<i>Wirges, C. T.</i> , see <i>Carell, T.</i>	8350
<i>Thibodeaux, C. J.</i> , see <i>Liu, H.-w.</i>	9814	<i>Xu, Lai</i> , see <i>Houk, K. N.</i>	7592
<i>Thiem, H.</i> , see <i>Scherf, U.</i>	4070	<i>Yaghi, O. M.</i> , see <i>O'Keeffe, M.</i>	5136
<i>Thompson, B. C.</i> , see <i>Fréchet, J. M. J.</i>	58	<i>Yin, H.</i> , Exogenous Agents that Target Transmembrane Domains of Proteins	2744
<i>Tiefenbacher, K.</i> , see <i>Mulzer, J.</i>	2548	<i>Zayats, M.</i> , see <i>Willner, I.</i>	7602
<i>Toullec, P. Y.</i> , see <i>Michelet, V.</i>	4268	<i>Zehnacker, A.</i> and <i>Suhm, M. A.</i> , Chirality Recognition between Neutral Molecules in the Gas Phase	6970
<i>Tranchemontagne, D. J.</i> , see <i>O'Keeffe, M.</i>	5136	<i>Zhao, Weian</i> , see <i>Brook, M. A.</i>	6330
<i>Ulrich, G.</i> , see <i>Ziessel, R.</i>	1184	<i>Ulrich, G.</i> , <i>Ziessel, R.</i> , and <i>Harriman, A.</i> , The Chemistry of Fluorescent Bodipy Dyes: Versatility Unsurpassed	1184
<i>Veitch, G. E.</i> , see <i>Ley, S. V.</i>	9402		

Essays

<i>Barbas III, C. F.</i> , Organocatalysis Lost: Modern Chemistry, Ancient Chemistry, and an Unseen Biosynthetic Apparatus	42	<i>Hyde, S. T.</i> , <i>O'Keeffe, M.</i> , and <i>Proserpio, D. M.</i> , A Short History of an Elusive Yet Ubiquitous Structure in Chemistry, Materials, and Mathematics	7996
<i>Bornmann, L.</i> and <i>Daniel, H.-D.</i> , The Effectiveness of the Peer Review Process: Inter-Referee Agreement and Predictive Validity of Manuscript Refereeing at <i>Angewandte Chemie</i>	7173	<i>Jansen, M.</i> and <i>Wedig, U.</i> , A Piece of the Picture—Misunderstanding of Chemical Concepts	10026
<i>Bozonnet, M.</i> , see <i>Crespy, D.</i>	3322	<i>Langen, P.</i> , see <i>Hucho, F.</i>	1824
<i>Crespy, D.</i> , <i>Bozonnet, M.</i> , and <i>Meier, M.</i> , 100 Years of Bakelite, the Material of a 1000 Uses	3322	<i>Lodge, M. T. J.</i> , see <i>Edwards, P. P.</i>	6758
<i>Daniel, H.-D.</i> , see <i>Bornmann, L.</i>	7173	<i>Meier, M.</i> , see <i>Crespy, D.</i>	3322
<i>Edwards, P. P.</i> , <i>Gray, H. B.</i> , <i>Lodge, M. T. J.</i> , and <i>Williams, R. J. P.</i> , Electron Transfer and Electronic Conduction through an Intervening Medium	6758	<i>O'Keeffe, M.</i> , see <i>Hyde, S. T.</i>	7996
<i>Gray, H. B.</i> , see <i>Edwards, P. P.</i>	6758	<i>Proserpio, D. M.</i> , see <i>Hyde, S. T.</i>	7996
<i>Hoffmann, R.</i> , <i>Schleyer, P. von R.</i> , and <i>Schaefer III, H. F.</i> , Predicting Molecules—More Realism, Please!	7164	<i>Schaefer III, H. F.</i> , see <i>Hoffmann, R.</i>	7164
<i>Hoffmann, R.</i> and <i>Hopf, H.</i> , Learning from Molecules in Distress	4474	<i>Schleyer, P. von R.</i> , see <i>Hoffmann, R.</i>	7164
<i>Hopf, H.</i> , see <i>Hoffmann, R.</i>	4474	<i>Silverman, R. B.</i> , From Basic Science to Blockbuster Drug: The Discovery of Lyrica	3500
<i>Langen, P.</i> and <i>Hucho, F.</i> , Karl Lohmann and the Discovery of ATP	1824	<i>Thomas, J. M.</i> , Lord Rutherford (1871–1937): The Newton of the Atom and the Winner of the Nobel Prize for Chemistry, 1908	9392
		<i>Tidwell, T. T.</i> , Hugo (Ugo) Schiff, Schiff Bases, and a Century of β -Lactam Synthesis	1016
		<i>Wedig, U.</i> , see <i>Jansen, M.</i>	10026
		<i>Williams, R. J. P.</i> , see <i>Edwards, P. P.</i>	6758

Highlights

<i>Albini, A.</i> , see <i>Bonesi, S. M.</i>	10022	<i>Song, Y.-F.</i> and <i>Cronin, L.</i> , Postsynthetic Covalent Modification of Metal–Organic Framework (MOF) Materials	4635
<i>Alcaide, B.</i> and <i>Almendros, P.</i> , Organocatalytic Reactions with Acetaldehyde	4632	<i>Dondoni, A.</i> , The Emergence of Thiol–Ene Coupling as a Click Process for Materials and Bioorganic Chemistry	8995
<i>Aldridge, S.</i> , Exploitation of a Very Strongly σ -Donating Sn^{II} Ligand: Synthesis of a Homoleptic, Octahedral Ni^{IV} Complex	2348	<i>Duschek, A.</i> , see <i>Kirsch, S. F.</i>	5703
<i>Wang, Wenxin</i> and <i>Alexander, C.</i> , Self-Immolative Polymers	7804	<i>Elbing, M.</i> , see <i>Bazan, G. C.</i>	834
<i>Almendros, P.</i> , see <i>Alcaide, B.</i>	4632	<i>Enthaler, S.</i> , see <i>Beller, M.</i>	3317
<i>Arndt, H.-D.</i> and <i>Riedrich, M.</i> , Synthesis of Marine Alkaloids from the Oroidin Family	4785	<i>Eppe, M.</i> , From Metal Complexes to Nanominerals: The Formation of Inorganic Nanoparticles on Fibrils of Transferrin	4960
<i>Pons, V.</i> and <i>Baker, R. T.</i> , Soluble Boron–Nitrogen High Polymers from Metal-Complex-Catalyzed Amine Borane Dehydrogenation	9600	<i>Fagnoni, M.</i> , see <i>Bonesi, S. M.</i>	10022
<i>Elbing, M.</i> and <i>Bazan, G. C.</i> , A New Design Strategy for Organic Optoelectronic Materials by Lateral Boryl Substitution	834	<i>Feldkamp, U.</i> and <i>Niemeyer, C. M.</i> , Rational Engineering of Dynamic DNA Systems	3871
<i>Enthaler, S.</i> , <i>Junge, K.</i> , and <i>Beller, M.</i> , Sustainable Metal Catalysis with Iron: From Rust to a Rising Star?	3317	<i>Walsh, C. T.</i> and <i>Fischbach, M. A.</i> , Inhibitors of Sterol Biosynthesis as <i>Staphylococcus aureus</i> Antibiotics ..	5700
<i>Berkefeld, A.</i> , see <i>Mecking, S.</i>	2538	<i>Fischer, R. A.</i> and <i>Wöll, C.</i> , Functionalized Coordination Space in Metal–Organic Frameworks	8164
<i>Berkessel, A.</i> , Asymmetric Epoxidation of Olefins with Hydrogen Peroxide—Catalysis by an Aspartate-Containing Tripeptide	3677	<i>Glorius, F.</i> , Asymmetric Cross-Coupling of Non-Activated Secondary Alkyl Halides	8347
<i>Bilke, J. L.</i> , see <i>O'Brien, P.</i>	2734	<i>Gourdon, A.</i> , On-Surface Covalent Coupling in Ultrahigh Vacuum	6950
<i>Binder, W. H.</i> , Polymer-Induced Transient Pores in Lipid Membranes	3092	<i>Grabow, L. C.</i> , see <i>Mavrikakis, M.</i>	7390
<i>Böckmann, A.</i> , 3D Protein Structures by Solid-State NMR Spectroscopy: Ready for High Resolution ..	6110	<i>Grela, K.</i> , The Joy and Challenge of Small Rings Metathesis	5504
<i>Bonesi, S. M.</i> , <i>Fagnoni, M.</i> , and <i>Albini, A.</i> , Biaryl Formation Involving Carbon-Based Leaving Groups: Why Not?	10022	<i>Greulich, K.-O.</i> , The Wave Property of Heavy Molecules—Its Use in Mass Spectrometry	7990
<i>Bongers, N.</i> , see <i>Krause, N.</i>	2178	<i>Gross, Z.</i> , The Groves–Spiro Dioxomanganese(V) Story	2737
<i>Bräse, S.</i> , see <i>Nising, C. F.</i>	9389	<i>Grützmaier, H.</i> , Cooperating Ligands in Catalysis ..	1814
<i>Brunet, V. A.</i> , see <i>O'Hagan, D.</i>	1179	<i>Haase, C.</i> , see <i>Seitz, O.</i>	1553
<i>Bucher, G.</i> , Hydroxycarbene: Watching a Molecular Mole at Work	6957	<i>Kaufhold, O.</i> and <i>Hahn, F. E.</i> , Carbodicarbenes: Divalent Carbon(0) Compounds	4057
<i>Burghard, M.</i> , A Freight Train of Nanotubes for Cargo Transport on the Nanoscale	8565	<i>Hashmi, A. S. K.</i> , “High Noon” in Gold Catalysis: Carbene versus Carbocation Intermediates	6754
<i>Butenschön, H.</i> , Oxazaborolidines as Catalysts for Enantioselective Cycloadditions: Now [2 + 2]!	3492	<i>Hausch, F.</i> , Betablockers at Work: The Crystal Structure of the β_2 -Adrenergic Receptor	3314
<i>Butenschön, H.</i> , Seven-Membered Rings by Cyclization at Transition Metals: [4 + 3], [3 + 2 + 2], [5 + 2]	5287	<i>Hicks, R. G.</i> , Metal Complexes of Aminyl Radicals ..	7393
<i>Christmann, M.</i> , Selective Oxidation of Aliphatic C–H Bonds in the Synthesis of Complex Molecules	2740	<i>Himmel, H.-J.</i> and <i>Linti, G.</i> , GaI as Ligand in Transition-Metal Complexes—An Alternative to CO or N_2 ?	6326
<i>Cintas, P.</i> , Sublime Arguments: Rethinking the Generation of Homochirality under Prebiotic Conditions	2918	<i>Hüsing, N.</i> , Cluster-Based Holey Semiconductors ...	1992
<i>Cölfen, H.</i> , Single Crystals with Complex Form via Amorphous Precursors	2351	<i>Jauch, J.</i> , Total Synthesis of Azadirachtin—Finally Completed After 22 Years	34
<i>Connon, S. J.</i> , The Catalytic Asymmetric Strecker Reaction: Ketimines Continue to Join the Fold	1176	<i>Jin, R.</i> , Super Robust Nanoparticles for Biology and Biomedicine	6750
<i>Craig, S. L.</i> , Cool as a Cucumber	8776	<i>Johrendt, D.</i> and <i>Pöttgen, R.</i> , Pnictide Oxides: A New Class of High- T_{C} Superconductors	4782
		<i>Junge, K.</i> , see <i>Beller, M.</i>	3317
		<i>Jux, N.</i> , The Porphyrin Twist: Hückel and Möbius Aromaticity	2543
		<i>Kane, R. S.</i> , Fabricating Complex Polymeric Micro- and Nanostructures: Lithography in Microfluidic Devices	1368

<i>Prokopcová, H.</i> and Kappe, C. O. , Copper-Catalyzed C–C Coupling of Thiol Esters and Boronic Acids under Aerobic Conditions	3674	Moore, B. S. , Extending the Biosynthetic Repertoire in Ribosomal Peptide Assembly	9386
<i>Kaufhold, O.</i> , see <i>Hahn, F. E.</i>	4057	Morris, R. E. , Ionic Liquids and Microwaves—Making Zeolites for Emerging Applications	442
<i>Kenward, A. L.</i> , see <i>Piers, W. E.</i>	38	<i>Weissman, K. J.</i> and Müller, R. , Crystal Structure of a Molecular Assembly Line	8344
<i>Kerman, K.</i> , see <i>Kraatz, H.-B.</i>	6522	Niedner-Schatteburg, G. , Infrared Spectroscopy and Ab Initio Theory of Isolated H ₂ O ₂ ⁺ : From Buckets of Water to the Schrödinger Equation and Back ..	1008
<i>Khan, T. A.</i> , see <i>McGlacken, G. P.</i>	1819	Niemeyer, C. M. , see <i>Feldkamp, U.</i>	3871
<i>Duschek, A.</i> and Kirsch, S. F. , Combining the Concepts: Dual Catalysis with Carbophilic Lewis Acids	5703	Nienhaus, G. U. , The Green Fluorescent Protein: A Key Tool to Study Chemical Processes in Living Cells	8992
Köhler, J. , Square-Planar Coordinated Iron in the Layered Oxoferate(II) SrFeO ₂	4470	Nising, C. F. and <i>Bräse, S.</i> , Highlights in Steroid Chemistry: Total Synthesis versus Semisynthesis ...	9389
Köhn, R. D. , Reactivity of Chromium Complexes under Spin Control	245	O'Brien, P. and <i>Bilke, J. L.</i> , Expanding the Synthetic Potential of Asymmetric Deprotonation: Arylation of Carbanions	2734
<i>Kerman, K.</i> and Kraatz, H.-B. , Metals Coordinate Protein–Protein Interactions	6522	<i>Rendler, S.</i> and Oestreich, M. , Kinetic Resolution and Desymmetrization by Stereoselective Silylation of Alcohols	248
<i>Bongers, N.</i> and Krause, N. , Golden Opportunities in Stereoselective Catalysis	2178	<i>Brunet, V. A.</i> and O'Hagan, D. , Catalytic Asymmetric Fluorination Comes of Age	1179
<i>Le Marquand, P.</i> , see <i>Tam, W.</i>	2926	Olivucci, M. and <i>Santoro, F.</i> , Chemical Selectivity through Control of Excited-State Dynamics	6322
Lelieveld, J. , A Reverse Ozone Hole on Mars	9804	Perkins, M. V. , Total Synthesis of Enzyme Inhibitor Spirastrellolide A—Stereochemical Confirmation ..	2921
Lindahl, P. A. , Implications of a Carboxylate-Bound C-Cluster Structure of Carbon Monoxide Dehydrogenase	4054	Petrushina, M. A. , Coordination of Buckybowls: The First Concave-Bound Metal Complex	1550
Linti, G. , see <i>Himmel, H.-J.</i>	6326	<i>Kenward, A. L.</i> and <i>Piers, W. E.</i> , Heterolytic H ₂ Activation by Nonmetals	38
<i>Liu, Zhiqiang</i> , see <i>Marder, T. B.</i>	242	<i>Roth, A.</i> and Plass, W. , Carboxylate-Bridged Dinuclear Active Sites in Oxygenases: Diiron, Dimanganese, or is Heterodinuclear Better?	7588
Lueken, H. , A Magnetoelectric Effect in YMnO ₃ and HoMnO ₃	8562	Plenio, H. , Catalysts for the Sonogashira Coupling—The Crownless Again Shall Be King	6954
Lutz, J.-F. , Copper-Free Azide–Alkyne Cycloadditions: New Insights and Perspectives	2182	Pohl, N. L. , Fluorous Tags Catching on Microarrays ..	3868
Lynam, J. M. , New Routes for the Functionalization of P ₄	831	<i>Pons, V.</i> , see <i>Baker, R. T.</i>	9600
McGlacken, G. P. and <i>Khan, T. A.</i> , Formation of Carbanions Using Neutral Organic Molecules as Electron-Transfer Reagents: A Radical Concept ..	1819	Pöttgen, R. , see <i>Johrendt, D.</i>	4782
<i>Mahata, K.</i> , see <i>Schmittel, M.</i>	5284	<i>Prokopcová, H.</i> , see <i>Kappe, C. O.</i>	3674
<i>Maheshwari, S.</i> , see <i>Tsapatsis, M.</i>	4262	<i>Rendler, S.</i> , see <i>Oestreich, M.</i>	248
<i>Liu, Zhiqiang</i> and Marder, T. B. , B–N versus C–C: How Similar Are They?	242	<i>Riedrich, M.</i> , see <i>Arndt, H.-D.</i>	4785
Mastalerz, M. , The Next Generation of Shape-Persistent Zeolite Analogues: Covalent Organic Frameworks	445	Robertson, N. , Catching the Rainbow: Light Harvesting in Dye-Sensitized Solar Cells	1012
<i>Sakai, N.</i> and Matile, S. , Metal–Organic Scaffolds: Heavy-Metal Approaches to Synthetic Ion Channels and Pores	9603	<i>Rolff, M.</i> , see <i>Tuczek, F.</i>	2344
<i>Grabow, L. C.</i> and Mavrikakis, M. , Nanocatalysis Beyond the Gold-Rush Era	7390	Rosenthal, U. , Discovering Chemical Terra Incognita: Unusual Metallacycles and Their Reactions	5118
<i>Berkefeld, A.</i> and Mecking, S. , Coordination Copolymerization of Polar Vinyl Monomers H ₂ C=CHX ..	2538	Rosseinsky, M. J. , Opening the “Stable” Door	8778
Meyer, G. , Superbulky Ligands and Trapped Electrons: New Perspectives in Divalent Lanthanide Chemistry	4962	<i>Roth, A.</i> , see <i>Plass, W.</i>	7588
Mindiola, D. J. , Early Transition-Metal Hydrazido Complexes: Masked Metallanitrenes from N–N Bond Scission	1557	<i>Sakai, N.</i> , see <i>Matile, S.</i>	9603
<i>Mishra, R.</i> , see <i>Winter, R.</i>	6518	Santoro, F. , see <i>Olivucci, M.</i>	6322
Monnier, F. and <i>Taillefer, M.</i> , Catalytic C–C, C–N, and C–O Ullmann-Type Coupling Reactions: Copper Makes a Difference	3096	Scheschkewitz, D. , A Base-Stabilized Neutral B=B Bond: Closing a Gap by Filling the Void	1995
		Schmid, G. , Ionically Cross-Linked Gold Clusters and Gold Nanoparticles	3496
		Schmittel, M. and <i>Mahata, K.</i> , Diversity and Complexity through Reversible Multiple Orthogonal Interactions in Multicomponent Assemblies	5284

Schoonheydt, R. A. , Morphology of and Catalysis in Single Crystals of Zeolites	9188	Tsapatsis, M. and Maheshwari, S. , Pores by Pillaring: Not Always a Maze	4262
Haase, C. and Seitz, O. , Extending the Scope of Native Chemical Peptide Coupling	1553	Rolff, M. and Tuczek, F. , How Do Copper Enzymes Hydroxylate Aliphatic Substrates? Recent Insights from the Chemistry of Model Systems	2344
Sessoli, R. , Record Hard Magnets: Glauber Dynamics Are Key	5508	Walsh, C. T. , see Fischbach, M. A.	5700
Wietor, J.-L. and Sijbesma, R. P. , A Self-Healing Elastomer	8161	Wang, Wenxin , see Alexander, C.	7804
Simmel, F. C. , Three-Dimensional Nanoconstruction with DNA	5884	Ward, T. R. , Artificial Enzymes Made to Order: Combination of Computational Design and Directed Evolution	7802
Song, Y.-F. , see Cronin, L.	4635	Weder, C. , Hole Control in Microporous Polymers ..	448
Spada, G. P. , Alignment by the Convective and Vortex Flow of Achiral Self-Assembled Fibers Induces Strong Circular Dichroism Effects	636	Weissman, K. J. , see Müller, R.	8344
Spiess, H. W. , NMR Spectroscopy: Pushing the Limits of Sensitivity	639	Westerhausen, M. , Molecular Magnesium(I) Compounds: From Curiosity to Kudos	2185
Strasdeit, H. , Mercury–Alkyl Bond Cleavage Based on Organomercury Lyase	828	Wietor, J.-L. , see Sijbesma, R. P.	8161
Süss-Fink, G. , Water Oxidation: A Robust All-Inorganic Catalyst	5888	Wills, M. , Asymmetric Catalysis Using Air: Clean Kinetic Resolution of Secondary Alcohols	4264
Taillefer, M. , see Monnier, F.	3096	Winpenny, R. E. P. , Quantum Information Processing Using Molecular Nanomagnets As Qubits	7992
Le Marquand, P. and Tam, W. , Enantioselective Palladium-Catalyzed Trimethylenemethane [3+2] Cycloadditions	2926	Mishra, R. and Winter, R. , Cold- and Pressure-Induced Dissociation of Protein Aggregates and Amyloid Fibrils	6518
Trapp, O. , Sensing on a Molecular Level—Chemistry at the Interface of Information Technology	8158	Wöll, C. , see Fischer, R. A.	8164
		Wöll, C. , Spectroscopic Characterization and Deliberate Modification of a Single Molecule by Tunneling of Electrons	1364

Book Reviews

For book reviews authors/editors, book titles, and reviewers are givens.

Autobiography/Biography

Hargittai, I., Hargittai, M.	Candid Science VI	Kauffman, G. B., Kauffman, L. M.	7388
------------------------------	-------------------	-------------------------------------	------

Encyclopedia/Handbook/Reference Book

Cornils, B., Herrmann, W. A., Muhler, M., Wong, C.-H.	Catalysis from A to Z	Centi, G.	1547
Hames, I.	Peer Review and Manuscript Management in Scientific Journals	Daniel, H.-D.	1810

History of Science

Buckingham, J.	Bitter Nemesis	Seeman, J. I.	3310
----------------	----------------	---------------	------

Industrial Chemistry

Bartholomew, C. H., Farrauto, R. J.	Fundamentals of Industrial Catalytic Processes	Cornils, B.	1173
Rand, D. A. J., Dell, R. M.	Hydrogen Energy	Kreysa, G., Jüttner, K.	5881

Monograph/Research Report in Analytical Chemistry

Becker, J. S.	Inorganic Mass Spectrometry	Uggerud, E.	4259
Dinnebier, R. E., Billinge, S. J. L.	Powder Diffraction	Sironi, A.	8558
Workman, J., Jr., Weyer, L.	Practical Guide to Interpretive Near-Infrared Spectroscopy	Salzer, R.	4628
Hibbert, D. B.	Quality Assurance for the Analytical Chemistry Laboratory	Vogel, M.	1360
Marsili, R.	Sensory-Directed Flavor Analysis	Breme, K., Fernandez, X., Meierhenrich, U. J.	31

Monograph/Research Report in Biochemistry/Bioorganic Chemistry

Bégué, J.-P., Bonnet-Delpon, D.	Bioorganic and Medicinal Chemistry of Fluorine	Kauffman, G. B.	8155
Lindhorst, T. K.	Essentials of Carbohydrate Chemistry and Biochemistry	Hoffmann-Röder, A.	1360
Hecht, S., Huc, I.	Foldamers	Gellman, S.	632
Compain, P., Martin, O. R.	Iminosugars	Krämer, K.	9378
Sigel, A., Sigel, H., Sigel, R. K. O.	Nickel and Its Surprising Impact in Nature	Ragsdale, S. W.	824
Gazit, E.	Plenty of Room for Biology at the Bottom	Samorí, B.	236
Renger, G.	Primary Processes of Photosynthesis	Senge, M. O.	6944
Mayer, R. J., Ciechanover, A. J., Rechsteiner, M.	Protein Degradation	Giannis, A.	5880
Neidle, S., Balasubramanian, S.	Quadruplex Nucleic Acids	Müller, S.	2914
Lilley, D. M. J., Eckstein, F.	Ribozymes and RNA Catalysis	Jäschke, A.	8558

Monograph/Research Report in Industrial Chemistry

Johnson, D. S., Li, J. J.	The Art of Drug Synthesis	Schaschke, N.	5115
---------------------------	---------------------------	---------------	------

Monograph/Research Report in Inorganic Chemistry

Li, W.-K., Zhou, G.-D., Mak, T. C. W.	Advanced Structural Inorganic Chemistry	Rothenberger, A.	8343
Štěpnička, P.	Ferrocenes	Jäkle, F., Sheridan, J. B.	7587
Langa, F., Nierengarten, J.-F.	Fullerenes	Akasaka, T.	633
Marusak, R. A., Doan, K., Cummings, S. D.	Integrated Approach to Coordination Chemistry	Klein, A.	438
Wright, P. A.	Microporous Framework Solids	Volkmer, D.	7163
Fehlner, T. P., Halet, J.-F., Saillard, J.-Y.	Molecular Clusters	Albert, B.	8774

Monograph/Research Report in Intermolecular Interactions

Bakmutov, V. I.	Dihydrogen Bonds	Desiraju, G. R.	7794
-----------------	------------------	-----------------	------

Monograph/Research Report in Materials Science

Monk, P. M. S., Mortimer, R. J., Rosseinsky, D. R.	Electrochromism and Electrochromic Devices	Reynolds, J. R.	6945
---	--	-----------------	------

Endres, F., Abbott, A. P., MacFarlane, D. R.	Electrodeposition from Ionic Liquids	Welton, T.	4468
Shahinpoor, M., Schneider, H.-J.	Intelligent Materials	Hilgers, P., Riechers, A., König, B.	3089
Rao, C. N. R., Müller, A., Cheetham, A. K.	Nanomaterials Chemistry	Simon, U.	2174
Pelesko, J. A.	Self Assembly	Nitschke, J. R.	6108
Koch, C. C., Ovid'ko, I. A., Seal, S., Veprek, S.	Structural Nanocrystalline Materials	Sholl, D. S.	1006, 2340
Severn, J. R., Chadwick, J. C.	Tailor-Made Polymers	Busico, V.	6748

Monograph/Research Report in Medicinal Chemistry

Corey, E. J., Czako, B., Kürti, L.	Molecules and Medicine	Metternich, R. E., Burge, C. S.	2173
------------------------------------	------------------------	------------------------------------	------

Monograph/Research Report in Nanotechnology

Vo-Dinh, T.	Nanotechnology in Biology and Medicine	Kneipp, K.	2340
-------------	--	------------	------

Monograph/Research Report in Organic Chemistry

Gotor, V., Alfonso, I., García-Urdiales, E.	Asymmetric Organic Synthesis with Enzymes	Berglund, P.	6514
Sinnott, M. L.	Carbohydrate Chemistry and Biochemistry	Schweizer, F.	5696
Li, C.-J., Chan, T.-H.	Comprehensive Organic Reactions in Aqueous Media	Shaughnessy, K. H.	1988
Blunt, J. W., Munro, M. H. G.	Dictionary of Marine Natural Products	Krohn, K.	4956
Wolf, C.	Dynamic Stereochemistry of Chiral Compounds	Bornscheuer, U.	5282
Paquette, L. A.	Fluorine-Containing Reagents	Haufe, G.	4051
Demchenko, A. V.	Handbook of Chemical Glycosylation	Werz, D. B.	5281
Fattorusso, E., Tagliatella-Scafati, O.	Modern Alkaloids	Spiteller, P.	2730
Li, J. J.	Name Reactions for Functional Group Transformations	Sälinger, D.	2731
Hudlický, T., Reed, J. W.	The Way of Synthesis	Rinner, U., Mulzer, J.	32
Pignataro, B.	Tomorrow's Chemistry Today	Kauffman, G. B.	7988

Monograph/Research Report in Physical/Theoretical Chemistry

Shaik, S. S., Hiberty, P. C.	A Chemist's Guide to Valence Bond Theory	Nemirowski, A., Schreiner, P. R.	9802
Hites, R. A.	Elements of Environmental Chemistry	Lenoir, D.	2535
Hynes, J. T., Klinman, J. P., Limbach, H.-H., Schowen, R. L.	Hydrogen-Transfer Reactions	Beyer, M. K.	1809
Kuhs, W. F.	Physics and Chemistry of Ice	Geil, B.	1989

Monograph/Research Report in the History of Science

Bertomeu-Sánchez, J. R., Nieto-Galan, A.	Chemistry, Medicine, and Crime	Kauffman, G. B.	3670
--	--------------------------------	-----------------	------

Monograph/Research Report on Catalysis

Maruoka, K.	Asymmetric Phase Transfer Catalysis	Makosza, M.	8990
Rothenberg, G.	Catalysis	Cornils, B.	5500
Astruc, D.	Nanoparticles and Catalysis	Wong, M. S.	7795
Baugh, L. S., Canich, J. A. M.	Stereoselective Polymerization with Single-Site Catalysts	Resconi, L.	8155
van Leeuwen, P. W. N. M.	Supramolecular Catalysis	Lützen, A.	6320

Monograph/Research Report on Spectroscopic Methods

Rieger, P. H.	Electron Spin Resonance	Jeschke, G.	2913
Likhtenshtein, G. L., Yamauchi, J., Nakatsuji, S.'i., Smirnov, A. I., Tamura, R.	Nitroxides	Turro, N. J., Chen, J. Y.-C.	9596
Kaim, W., Klein, A.	Spectroelectrochemistry	Compton, R. G.	9378

Popular Science Book

Allhoff, F., Lin, P., Moor, J., Weckert, J.	Nanoethics	Altmann, J.	3864
Atkins, P.	Four Laws that Drive the Universe	Cooper, A.	3088
Nicolaou, K. C., Montagnon, T.	Molecules that Changed the World	Metternich, R. E., Nantermet, P. G.	3309

Text Book

Duke, C. V. A., Williams, C. D.	Chemistry for Environmental and Earth Sciences	Lenoir, D.	5697
Hanson, J. R.	Chemistry in the Garden	Sell, C.	2535
Herdewijn, P., Kisakürek, M. V.	Origin of Life	Meierhenrich, U.	8342
Roesky, H. W.	Spectacular Chemical Experiments	van Eldik, R.	824
Rogers, B., Pennathur, S., Adams, J.	Nanotechnology	Bachmann, J.,	4778
		Nielsch, K.	
Sengoopta, C.	The Most Secret Quintessence of Life	Ottow, E.,	3489
		Weinmann, H.	

Correspondences

Lahav, M., Leiserowitz, L.	Comments on "Mirror Symmetry Breaking" of the Centrosymmetric CaCO ₃ Crystals with Amino Acids	3680
Loges, N., Wolf, S. E., Panthöfer, M., Müller, L., Reinnig, M.-C., Hoffmann, T., Tremel, W.	Reply to "Mirror Symmetry Breaking" of the Centrosymmetric CaCO ₃ Crystals with Amino Acids	3683
Villiers, C., Thuéry, P., Ephritikhine, M.	The First <i>cis</i> -Dioxido Uranyl Compound under Scrutiny	5892
Frenking, G.	No Important Suggestions	7168
Koch, W.	Excellent, Valuable, and Entertaining	7170
Reiher, M.	Important for the Definition of Terminology in Computational Chemistry	7171
Bickelhaupt, F. M.	Attractive and Convincing	7172
Krapp, A., Frenking, G.	Comments on "Homoleptical Silver(I) Acetylene Complexes"	7796
Himmel, D., Trapp, N., Krossing, I., Altmannshofer, S., Herz, V., Eickerling, G., Scherer, W.	Reply	7798
Cao, R., Anderson, T. M., Hillesheim, D. A., Kögerler, P., Hardcastle, K. I., Hill, C. L.	Platinum-Containing Polyoxometalates	9380
Kortz, U., Lee, U., Joo, H.-C., Park, K.-M., Mal, S. S., Dickman, M. H., Jameson, G. B.	Platinum-Containing Polyoxometalates	9383

Obituaries

Snieckus, V.	Albert I. Meyers	1986
Hübscher, U.	Arthur Kornberg	1172
Crimmins, M. T.	Ernest Ludwig Eliel	9803
Kaim, W.	Hans Bock	2912
Kroneck, P. M. H.	Helmut Beinert	2172
Rathore, R.	Jay Kazuo Kochi	9186
Corey, E. J., Rudenstine, N. L.	Jeremy R. Knowles	8772
von Kiedrowski, G.	Leslie E. Orgel	2338
Seppelt, K.	Neil Bartlett	8557