

www.angewandte.org 2010-49/8 PDA-SDBS The stimulus-induced blue-to-red transition of polydiacetylenes (PDAs) has led to the development of a variety of PDA-based chemosensors. In their Communication on page 1422 ff., J. Yoon, J. Y. Lee, and coworkers describe an anionic-surfactant-selective sensor based on PDA and imidazolium, which shows selective

color response to anionic surfactants. Furthermore, this system easily distinguishes between the anionic surfactants sodium dodecyl sulfate (SDS) and sodium dodecylbenzenesulfonate (SDBS).



Inside Cover

Xiaoqiang Chen, Sunwoo Kang, Min Jung Kim, Joohee Kim, Youn Sang Kim, Heejin Kim, Bo Chi, Sung-Jin Kim, Jin Yong Lee,* and Juyoung Yoon*

The stimulus-induced blue-to-red transition of polydiacetylenes (PDAs) has led to the development of a variety of PDA-based chemosensors. In their Communication on page 1422 ff., J. Yoon, J. Y. Lee, and co-workers describe an anionic-surfactant-selective sensor based on PDA and imidazolium, which shows selective color response to anionic surfactants. Furthermore, this system easily distinguishes between the anionic surfactants sodium dodecyl sulfate (SDS) and sodium dodecylbenzenesulfonate (SDBS).

