

Corrigendum

In this Communication (DOI: 10.1002/anie.201002870), the fourth column of Table 3, containing the reaction times *t*, was mislabeled, and wrong values for entries 6–8 were given. The correct table is shown below.


C–H Bond Functionalization in Water
Catalyzed by Carboxylato Ruthenium(II)
Systems









P. B. Arockiam, C. Fischmeister,
C. Bruneau, P. H. Dixneuf* **6629–6632**

Angew. Chem. Int. Ed. **2010**, *49*

DOI 10.1002/anie.201002870

Table 3: Functionalization of heteroarylbenzene derivatives.^[a]



Entry	<i>T</i> [°C]	Solvent	<i>t</i> [h]	Conv [%]	Product	m/d (yield) ^[b]
1	100	H ₂ O	10	100		1/99 (89)
		NMP	10	99		2/98
7						
2	100	H ₂ O	10	100		1/99 (92)
		NMP	10	99		3/97
8						
3	100	H ₂ O	20	100		0/100 (41)
		NMP	20	70		38/62
9						
4	100	H ₂ O	2	100		0/100 (94)
	40	H ₂ O	62	100		3/97 (90)
10						
5	100	H ₂ O	10	100		4/96 (90)
11						
6	100	H ₂ O	14	100		3/97 (95)
		NMP	14	95		64/36
12						
7	100	H ₂ O	30	100		3/97 (48)
		NMP	30	95		17/83
13						
8	100	H ₂ O	16	100		– (83)
14						

[a] Heteroarylbenzene (0.5 mmol), **A** (5 mol%), KOPIV (20 mol%), K₂CO₃ (3 equiv). Het-X (1.25 mmol; see text for the identity of Het-X in each entry), 2 mL of water. [b] Yield of isolated product in parenthesis.