

A Journal of the Gesellschaft Deutscher Chemiker

Angewandte Chemie


International Edition

D 3461

GDCh

www.angewandte.org

2010–49/49



Salinosporamides

T. A. M. Gulder and B. S. Moore

History of Graphene

D. R. Dreyer, R. S. Ruoff, C. W. Bielawski

Graphene Research

H.-P. Boehm

Highlights: Cross-Coupling • Nanoparticle SERS • Surface Modification




ACIEFS 49 (49) 9295–9538 (2010) · ISSN 1433–7851 · Vol. 49 · No. 49

 **WILEY-VCH**

Cover Picture

Su-Young Moon, Jae-Sung Bae, Eunkyung Jeon, and Ji-Woong Park*

Microporous networks of rigid organic building blocks can be solution-processed by using an organic sol-gel method. In their Communication on page 9504 ff., J.-W. Park and co-workers describe how organic molecular networks grow by the formation of stable organic sols comprising nanoparticle dispersions. This method enables processing of three-dimensional microporous molecular networks into unprecedented forms such as nanoparticles, membranes, or nanocomposites.





History of Graphene

In their Minireview on page 9336 ff., D. R. Dreyer, R. S. Ruoff, and C. W. Bielawski examine the development of the synthesis, isolation, and characterization of graphene from 1840 to the present day.

Salinosporamides

B. S. Moore and T. A. M. Gulder discuss in their Review on page 9346 ff. the salinosporamides, whose potent biological activity and fascinating structure has led to more than 10 total syntheses and the elucidation of their biosynthetic pathways.



Core/Shell Nanoparticles

In their Communication on page 9368 ff., S. Sun and co-workers describe how synthetic control allowed the catalytic properties of multicomponent nanoparticles with a 5 nm Pd core and a 1–2 nm Au or Au/2 nm FePt shell to be tuned by the shell thickness.