

A Journal of the Gesellschaft Deutscher Chemiker


# Angewandte Chemie

50  
YEARS

International Edition

[www.angewandte.org](http://www.angewandte.org)

2011–50/6



## Nanodiamond that is highly soluble ...

... in a physiological environment was fabricated through ring-opening multibranching polymerization of glycidol at high temperature under neutral conditions. In their Communication on page 1388 ff., N. Komatsu and co-workers describe the preparation of the polyglycerol-functionalized nanodiamond, characterization by solid-phase NMR, IR, and Raman spectroscopy and elemental analysis, and separation of the particles according to their size by size-exclusion chromatography.

 WILEY-VCH

## Back Cover

**Li Zhao, Tatsuya Takimoto, Masaaki Ito, Naoko Kitagawa, Takahide Kimura, and Naoki Komatsu\***

**Nanodiamond that is highly soluble** in a physiological environment was fabricated through ring-opening multibranching polymerization of glycidol at high temperature under neutral conditions. In their Communication on page 1388 ff., N. Komatsu and co-workers describe the preparation of the polyglycerol-functionalized nanodiamond, characterization by solid-phase NMR, IR, and Raman spectroscopy and elemental analysis, and separation of the particles according to their size by size-exclusion chromatography.

