

A Journal of the Gesellschaft Deutscher Chemiker

Angewandte Chemie


50
YEARS

International Edition

GDCh

www.angewandte.org

2011–50/14



Metal boride nanocrystals ...

... can be conveniently synthesized through a solution route, as shown by D. Portehault and co-workers in their Communication on page 3262 ff. A one-pot ionothermal process under relatively mild conditions (500–900°C) yields a wide range of structures, from extended 3D (MB_6 , MB_4), 2D (MB_2), and 1D (MB) boron frameworks to cluster-like compounds (M_2B). The typical versatility of a solution route enables adjustment of the particle size and leads to a wide range of functional nanomaterials.

 WILEY-VCH

Inside Cover

David Portehault,* Sarala Devi, Patricia Beaunier, Christel Gervais, Cristina Giordano, Clément Sanchez, and Markus Antonietti

Metal boride nanocrystals can be conveniently synthesized through a solution route, as shown by D. Portehault and co-workers in their Communication on page 3262 ff. A one-pot ionothermal process under relatively mild conditions (500–900 °C) yields a wide range of structures, from extended 3D (MB₆, MB₄), 2D (MB₂), and 1D (MB) boron frameworks to cluster-like compounds (M₂B). The typical versatility of a solution route enables adjustment of the particle size and leads to a wide range of functional nanomaterials.

