

A Journal of the Gesellschaft Deutscher Chemiker

Angewandte Chemie

50
YEARS

International Edition

GDCh

www.angewandte.org

2011–50/52



Reaching for the stars ...

... Although the cyclopentadienyl cation is still synthetically out of reach, the isoelectronic replacement of most of the carbon atoms by elements from the lithosphere, such as silicon and phosphorus, makes a heavier congener accessible. In their Communication on page 12510 ff., H. W. Roesky, M. Scheer, D. Stalke, and co-workers show how the anti-aromatic five-membered CSi_3P ring is stabilized. Picture of planet Earth courtesy of NASA, 1972 (Image ID: AS17-148-22727) and picture of Globular Cluster Messier 15 courtesy of ESA/Hubble and NASA, 2011.

 WILEY-VCH

Back Cover

Sakya S. Sen, Jakob Hey, Maria Eckhardt, Regine Herbst-Irmer, Eric Maedl, Ricardo A. Mata,* Herbert W. Roesky,* Manfred Scheer,* and Dietmar Stalke*

Reaching for the stars Although the cyclopentadienyl cation is still synthetically out of reach, the isoelectronic replacement of most of the carbon atoms by elements from the lithosphere, such as silicon and phosphorus, makes a heavier congener accessible. In their Communication on page 12510 ff., H. W. Roesky, M. Scheer, D. Stalke, and co-workers show how the anti-aromatic five-membered CSi_3P ring is stabilized. Picture of planet Earth courtesy of NASA, 1972 (Image ID: AS17-148-22727) and picture of Globular Cluster Messier 15 courtesy of ESA/Hubble and NASA, 2011.

