





Electrocatalysis Very Important Paper

Pomegranate-Inspired Design of Highly Active and Durable Bifunctional Electrocatalysts for Rechargeable Metal-Air Batteries

Ge Li⁺, Xiaolei Wang⁺, Jing Fu, Jingde Li, Moon Gyu Park, Yining Zhang, Gregory Lui, and Zhongwei Chen*

Abstract: Rational design of highly active and durable electrocatalysts for oxygen reactions is critical for rechargeable metal-air batteries. Herein, we report the design and development of composite electrocatalysts based on transition metal oxide nanocrystals embedded in a nitrogen-doped, partially graphitized carbon framework. Benefiting from the unique pomegranate-like architecture, the composite catalysts possess abundant active sites, strong synergetic coupling, enhanced electron transfer, and high efficiencies in the oxygen reduction reaction (ORR) and oxygen evolution reaction (OER). The Co₃O₄-based composite electrocatalyst exhibited a high halfwave potential of 0.842 V for ORR, and a low overpotential of only 450 mV at the current density of 10 mA cm⁻² for OER. A single-cell zinc-air battery was also fabricated with superior durability, holding great promise in the practical implementation of rechargeable metal-air batteries.

he fast depletion of fossil fuels and severe deterioration of ecology have stimulated extensive research on the utilization and storage of clean and sustainable energy.^[1] Among various energy storage technologies, rechargeable metal-air batteries possess the highest energy density, making them excellent candidates for next generation electrical vehicles (EVs) and hybrid electrical vehicles (HEVs).[2] In metal-air batteries, a metal anode is coupled with an air-breathing cathode that utilizes oxygen from the atmosphere as the reactant for the electrochemical reactions.^[3] Discharging and charging processes occur driven by the electrocatalytic oxygen reduction reaction (ORR) and oxygen evolution reduction (OER).[4] The major challenge associated with the commercialization of metal-air batteries resides in the sluggish kinetics of the ORR and OER resulting in large overpotentials.^[5] Therefore, developing efficient electrocatalysts with high catalytic activities is of great importance for high performance metal-air batteries.[6]

Precious metal-based catalysts such as platinum (Pt),^[7] palladium (Pd),^[8] iridium (Ir),^[9] and alloys^[10] have been

[*] Dr. G. Li, [*] Dr. X. Wang, [*] J. Fu, Dr. J. Li, M. G. Park, Dr. Y. Zhang, G. Lui, Prof. Z. Chen

Department of Chemical Engineering

Waterloo Institute for Nanotechnology

Waterloo Histitute for Nanoteerhology

Waterloo Institute for Sustainable Energy

University of Waterloo

200 University Avenue West, Waterloo, Ontario, N2L 3G1 (Canada) E-mail: zhwchen@uwaterloo.ca

- [+] These authors contributed equally to this work.
- Supporting information and the ORCID identification number(s) for

the author(s) of this article can be found under: http://dx.doi.org/10.1002/anie.201600750.

intensively studied showing superb catalytic properties and have been widely accepted as the most active electrocatalysts. Unfortunately, the scarcity and electrochemical instability of these catalysts have prevented their widespread use owing to extremely high costs and unsatisfactory durability.[11] Nonprecious transition metals (such as Fe, Co, Ni, Mn)[12] and perovskite-based^[13] catalysts have been extensively explored.[14] However, they suffer from inefficient catalytic activity owing to self-accumulation and intrinsically poor electrical conductivity. To address these challenges, nanostructured materials with various morphologies (nanoparticles, nanowires, nanosheets, nanotubes) have been designed for effective exposure of catalytic planes and enhanced diffusion of reactive species,[15] while conductive carbon materials (carbon nanotubes (CNTs)^[16] and graphene^[17]) are often introduced into catalysts to increase the conductivity and structural stability.[18] For example, the Co₃O₄ nanocrystal/reduced graphene oxide bi-functional catalyst exhibits unusual catalytic activity attributed to the synergetic chemical coupling effects.^[19] Despite numerous studies, rational design strategy and efficient development of desired high-performance electrocatalysts is yet limited. [20] An efficient electrocatalyst is expected to: i) exhibit high catalytic activity with a large number of active sites for ORR and OER processes; ii) possess sufficient mass transfer pathways for fast electrode kinetics; and iii) be chemically stable with robust material and/or electrode architecture for high durability.^[21]


International Edition: DOI: 10.1002/anie.201600750

DOI: 10.1002/ange.201600750

German Edition:

Herein, we demonstrate the development of pomegranate-like electrocatalysts based on transition metal oxide nanocrystals embedded in a nitrogen-doped, partially graphitized carbon framework with excellent catalytic activity for ORR and OER and outstanding durability. Nitrogen-doping has been reported to remarkably accelerate the OER process by participating in the electrocatalytic reaction. [22] To demonstrate the design concept, cobalt oxide (Co₃O₄) was chosen as a model material owing to its abundance and theoretically high electrocatalytic activity.^[23] As illustrated in Scheme 1, the Co₃O₄ nanocrystals embedded nitrogen-doped, partially graphitized carbon framework (Co₃O₄/NPGC) with unique pomegranate-like composite architecture provides several major advantages: i) low dimension of highly active Co₃O₄ nanocrystals seeds possess active sites for electrochemical reactions; ii) the pomegranate-like structure efficiently prevents the metal oxide from self-accumulation and provide the mass transfer pathways, which further maintains the catalytic activity; iii) graphitized carbon shell and framework is not only highly conductive, which significantly increases electrical conductivity (Supporting Information, Figure S1), but also





Scheme 1. Illustration of the bifunctional electrocatalyst of Co_3O_4 nanocrystals embedded in a nitrogen-doped partially graphitized carbon framework with unique pomegranate-like composite architecture.

chemically stable and highly robust, which enhances the durability of the catalyst.

The morphology of the $\text{Co}_3\text{O}_4/\text{NPGC}$ was characterized by scanning electron microscopy (SEM). Figure 1A shows a representative SEM image of as-synthesized nanocomposites that possess spherical morphology with smooth surface and uniform size. High-magnification SEM images (Figure 1B) clearly displays the spheres with an average diameter of around 300 nm. The structure of the $\text{Co}_3\text{O}_4/\text{NPGC}$ nanocomposites was revealed by transmission electron microscopy (TEM). Figure 1 C shows a representative TEM image of the nanocomposites where three spheres can be observed. A




Figure 1. A) Low- and B) High-magnification SEM images of as-synthesized $Co_3O_4/NPGC$. C) TEM image of three $Co_3O_4/NPGC$ composite spheres. D) HRTEM image of partially graphitized carbon on the edge of a composite sphere. E) HRTEM image of partially graphitized carbon within a composite sphere. F) HRTEM image of a single Co_3O_4 nanocrystal embedded within $Co_3O_4/NPGC$. G) The corresponding FFT diffraction pattern of the single Co_3O_4 nanocrystal. H) HAADF-STEM image of the $Co_3O_4/NPGC$, and I) the corresponding element mapping spectra on Co, O, C, and N.

pomegranate-like composite architecture was found with clusters of seeds encapsulated within the carbon framework. High-resolution TEM (HRTEM) images revealed that the carbon framework is highly graphitized owing to the presence of cobalt. The graphitization occurs not only on the surface (Figure 1D), but also within the whole composite spheres (Figure 1E), forming highly conductive carbon networks. It is worth mentioning that the carbon framework is still porous, which provides sufficient pathways to facilitate mass transfer. The encapsulated seeds, with an average size of ≈ 10 nm, were highly crystalline and could be indexed to cubic Co₃O₄ where the (220) plane is exposed (Figure 1F and G). [24] These nanocrystals have intimate contact with the highly conductive graphitized carbon framework, which significantly improves the conductivity of the composite electrochemical catalyst. The pomegranate-like structure was further revealed by highangle annular dark field (HAADF) scanning TEM (STEM) image (Figure 1 H), where the nanocrystals seeds were assembled and encapsulated within the carbon framework. The corresponding energy-dispersive X-ray spectroscopy (EDS) mapping (Figure 11) confirmed the presence of elements Co, O, C, and N. The homogeneous dispersion of C and N indicated the successful N-doping, while the uniformly distribution of Co and O confirmed the formation of cobalt oxides.

Nitrogen adsorption/desorption analysis was used to examine the pore structure of the Co₃O₄/NPGC. As shown in Figure 2A, a type-IV isotherm is obtained, suggesting the coexistence of mircropores and mesopores.^[25] The pore size distribution (Figure 2A, inset) confirms the hierarchically




Figure 2. A) N_2 adsorption/desorption isotherms and pore size distribution, B) TGA profile, and C) Raman spectrum of the $Co_3O_4/NPGC$. D) Core-level scan XPS spectrum of element N in the nanocomposites. E) XRD pattern of the $Co_3O_4/NPGC$. F) Core-level scan XPS spectrum of element Co in the nanocomposites.





porous structure that is mainly originated from the assembly of Co₃O₄ nanocrystals. The nanocomposites possess a high Brunauer–Emmett–Teller (BET) surface area of 145 m² g⁻¹ which provides high density of active sites for redox reactions, and a Barrett-Joyner-Halenda (BJH) pore volume of 0.24 cm³ g⁻¹ which favors the mass transfer. According to the thermogravimetric analysis (Figure 2B), the Co₃O₄ content in Co₃O₄/NPGC was calculated to be 79.6%, while the carbon content was 20.4%. The carbon framework was clearly highly graphitized (Figure 2C), with an I_D/I_G ratio of 1.27. To further determine the chemical composition of the nanocomposites, X-ray photoelectron spectroscopy (XPS) analysis was performed (Figure S2). The presence of the element N indicated the successful incorporation of N into the graphitic matrix with a N-doping content of 2.94%. Figure 2D shows the core-level scan spectrum of N1s that can be interpreted into three characteristic peaks located at 398.88, 400.81, and 404.69 eV, corresponding to three main nitrogen species (pyridinic, quaternary, and nitrogen oxides)[26] with the content of 46.18, 39.31, and 14.51%, respectively. Note that both pyridinic and quaternary N-dopants possess the electron-accepting ability which creates net positive charges on adjacent carbon atoms to facilitate oxygen adsorption for ORR with low overpotential. [27] The X-ray diffraction pattern of the nanocomposites (Figure 2E) further confirmed the formation of cubic Co₃O₄ (JCPDS No. 42-1467). [28] The crystal domain size was estimated to be 9.68 nm using Sherrer's equation, which is consistent with the HRTEM observations. Figure 2F depicts the core-level scan spectrum of Co 2p, which exhibits a doublet at 795.87 and 780.75 eV, confirming the presence of Co with mixed valence. The Co $2p_{3/2}$ spectrum (Figure 2F, inset) can be deconvoluted into several peaks, of which the peaks with binding energies of 781.21 and 779.99 eV can be attributed to nitrogen- and oxygen-coordinated Co, respectively, implying the formation of Co-N and Co-O structures that exhibit considerable catalytic activity. [29]

The Co₃O₄/NPGC nanocomposites possess unique pomegranate-like architecture for improved catalytic performance. The electrocatalytic activity of the Co₃O₄/NPGC for ORR was first investigated by linear sweep voltammetry (LSV) in O₂-saturated 0.1M KOH electrolyte using a threeelectrode system. Commercial Co₃O₄ nanoparticles, with an average size of 50 nm, and the nanocomposite without Ndoping (Co₃O₄/PGC) were also measured for comparison. The polarization curves of different catalysts at a scan rate of 10 mV s⁻¹ and a rotation speed of 1600 rpm are shown in Figure 3 A. The Co₃O₄/PGC showed an onset potential of 0.93 V (vs. reversible hydrogen electrode, RHE) and diffusion-limited current density of $-4.45 \,\mathrm{mA\,cm^{-2}}$, which is similar to the commercial Co₃O₄ nanoparticles (0.93 V vs. RHE and -4.55 mA cm^{-2}). By comparison, the Co₃O₄/NPGC exhibited a pronounced improvement in ORR activity, with its more positive onset potential of 0.97 V and significantly larger diffusion-limited current density of $-5.84 \,\mathrm{mA \, cm^{-2}}$. Additionally, the more positive half-wave potential of Co₃O₄/ NPGC ($E_{1/2} = 0.842 \text{ V}$) compared with that of the commercial Co₃O₄ nanoparticles (0.68 V) and the Co₃O₄/PGC (0.69 V) suggests a synergistic ORR activity of Co₃O₄ and N-doped GC in the nanocomposite. Note that quaternary N can induce





Figure 3. A) Comparison of ORR polarization curves of $Co_3O_4/NPGC$, Co_3O_4/PGC , and commercial Co_3O_4 nanoparticles electrocatalysts. B) ORR polarization curves of Co_3O_4/PGC at different rotating speeds (400 to 2500 rpm). C) K-L plot of $Co_3O_4/NPGC$. D) Comparison of OER polarization curves of $Co_3O_4/NPGC$, Co_3O_4/PGC , and commercial Co_3O_4 nanoparticles electrocatalysts. Comparison of E) ORR polarization curves of $Co_3O_4/NPGC$ and Pt/C catalysts at 900 rpm, and F) OER polarization curves of $Co_3O_4/NPGC$, Ir/C, and Pt/C catalysts.

non-uniform electron density distribution on adjacent carbon atoms and facilitate O2 adsorption and dissociation, thus functioning as the efficient active site of ORR. To further investigate the ORR kinetics of the Co₃O₄/NPGC electrocatalyst, polarization curves were obtained at various rotation speeds ranging from 400 to 2500 rpm. As shown in Figure 3B, the Co₃O₄/NPGC exhibited a well-defined platform of diffusion-limited currents at all rotational speeds. More importantly, the near parallelism of the fitted lines suggests first-order reaction kinetics toward the concentration of dissolved oxygen. Based on the Koutecky-Levich (K-L) equation where the corresponding K-L curves were plotted by the inverse current density (J^{-1}) versus the inverse of the square root of the rotation speed ($\omega^{1/2}$) at various electrode potentials (-0.45, -0.50, -0.55, and -0.60 V vs. SCE;Figure 3C), the number of electrons (n) transferred during ORR is estimated to be ≈ 4.0 . The linearity of the K-L plot and the *n* value indicate fast kinetics with a predominant fourelectron reduction reaction mechanism throughout the entire potential range inspected. As mentioned above, the graphitization occurs not only on the surface, but also within the whole nanocomposites during synthesis, which leads to a highly conductive carbon framework contributing the fast ORR process.

To assess the bifunctionality of the $\text{Co}_3\text{O}_4/\text{NPGC}$ nano-composites catalyst, the catalytic activity for OER was also investigated. Figure 3D compares the LSV behavior of asprepared $\text{Co}_3\text{O}_4/\text{NPGC}$, $\text{Co}_3\text{O}_4/\text{PGC}$, and commercial $\text{Co}_3\text{O}_4/\text{NPGC}$

4979







nanoparticles catalysts in the voltage range from 0 to 0.8 V (vs. RHE) at a scan rate of $10~\text{mV}\,\text{s}^{-1}$ and a rotation speed of 900 rpm in N2-saturated 0.1M KOH. As expected, the Co3O4/NPGC showed the lowest overpotential of only 450 mV at the current density of $10~\text{mA}\,\text{cm}^{-2}$, compared to the overpotentials of Co3O4/PGC (495 mV) and commercial Co3O4 (>600 mV). We believed that with the help of nitrogen doping, more Co3O4 active sites could be exposed and participate in the reaction. The synergistic combination of Co3O4 NCs and nitrogen-doped partially graphitized carbon can significantly improve the catalytic activity of this material. The ORR and OER activities of these three materials are summarized in Table S1.

Remarkably, $\mathrm{Co_3O_4/NPGC}$ shows outstanding catalytic performance even compared to those precious metal catalysts. As shown in Figure 3E, $\mathrm{Co_3O_4/NPGC}$ exhibits a 24 mV higher half-wave potential than the Pt/C catalyst, which is considered as the best electrocatalyst for ORR at a rotation speed of 900 rpm. For the OER process, although Ir/C, one of the best OER electrocatalysts, possesses a slightly more negative onset potential, the $\mathrm{Co_3O_4/NPGC}$ exhibits a steeper polarization curve, indicating that the unique pomegranate-like architecture along with the synergistic coupling significantly improves the reaction kinetics.

To better understand this extraordinary catalytic property, we correlated the performance with the architecture of the nanocomposites where the (220) or (110) planes of Co₃O₄ nanocrystals were preferably exposed (Figure S3) by calculating the free energies based on density functional theory (Figure S4). Figure 4 compares how the free energy changes




Figure 4. Standard free energy diagrams for OER obtained at zero potential (U=0), equilibrium potential for OER (U=1.23 V), and at the potential for which all steps proceed downward at pH 14 and T=298 K.

at the (110) (Figure 4A) and (111) (Figure 4B) planes of cubic Co_3O_4 nanocrystals in each step during the OER process at zero electrode potential ($\Phi = 0 \text{ V}$ vs. RHE) and reversible potential for each intermediate reaction. At the equilibrium potential (U = 1.23 V), on Co_3O_4 (110) surface, OH* and O* formation is energetically downhill (exothermic), whereas all of the other steps are uphill (endothermic). On the Co_3O_4 (111) surface, OH* and O_2 formation is energetically downhill, whereas all of the other steps are uphill at U = 1.23 V. By applying an overpotential U > 1.23 V, all of the free energy steps of OER intermediates become relatively more negative at potentials 2.37 and 3.60 V (vs. RHE) for (110) and (111) planes, respectively. Significantly

lower overpotentials are obtained from the Co_3O_4 (110) surface compared to the Co_3O_4 (111) surface, clearly indicating that Co_3O_4 (110) has superior OER activity.

To explore the feasibility of the pomegranate-structured electrocatalyst for future practical applications, a single-cell practical zinc-air battery was assembled using the Co₃O₄/NPGC nanocomposites as the active air electrode material and oxygen in atmospheric air as the main source of fuel (Figure 5 A). Figure 5 B shows the galvanodynamic behaviors




Figure 5. A) Configuration of the single-cell zinc–air battery. B) Galvanodynamic charge–discharge profile of the rechargeable zinc–air battery with $\text{Co}_3\text{O}_4/\text{NPGC}$ nanocomposites electrocatalyst. Galvanostatic charge–discharge cycling performance of rechargeable zinc–air batteries with C) commercial Ir/C, D) commercial Pt/C, and E) $\text{Co}_3\text{O}_4/\text{NPGC}$ nanocomposites electrocatalysts, respectively.

of the Co₃O₄/NPGC nanocomposite electrocatalyst during battery charge and discharge processes. The zinc-air battery using Co₃O₄/NPGC composite electrocatalyst exhibited comparable discharge performance to Pt/C catalyst at relatively lower current densities, and significantly outperformed the zinc-air battery using Pt/C catalyst at relatively higher current densities, which is consistent with the performance comparison in half-cells (Figure S5). The excellent single-cell zinc-air battery performance clearly shows its cost competitiveness over precious-metal-based commercial catalysts. Moreover, compared to the durability of commercial Ir/C (Figure 5C) and Pt/C (Figure 5D), the Co₃O₄/NPGC electrocatalyst exhibits significantly improved durability (Figure 5E) with virtually no voltage fading for both the discharge and charge process even more than 80 h of continuous operation. Interestingly, the discharge overpotential is progressively

Communications





improved as the cycling proceeds, which may be attributed to the unique composite architecture where the catalyst is gradually activated. In contrast, both the state-of-the-art Ir/ C and Pt/C catalysts provide inferior cycle stability with operation time of less than 45 h (Figure 5 C) and 30 h (Figure 5D), respectively, resulting in a significant discharge and charge performance losses. The superior performance of the Co₃O₄/NPGC electrocatalyst is mainly attributed to the unique composite architecture. On the one hand, the partially graphitized carbon frame not only is robust enough for repeated cycling, but also provides sufficient protection for highly active Co₃O₄ nanocrystals. On the other hand, the N dopants coupling with Co₃O₄ nanocrystals efficiently enhance the integrity of the composite spheres, enabling a long cycling stability.

In summary, a pomegranate-like electrocatalyst has been successfully designed and characterized based on transition metal oxide nanocrystals embedded in a nitrogen-doped, partially graphitized carbon framework. The electrocatalysts using Co₃O₄ nanocrystals exhibit excellent catalytic activity for ORR and OER, and outstanding durability owing to the unique pomegranate composite architecture, where lowdimension nanocrystal seeds possess highly active sites for electrochemical reactions, and the graphitized carbon shell and framework significantly increases the electrical conductivity and structural stability. Moreover, the pomegranate-like structure efficiently prevents the metal oxide from selfaccumulation and provides the mass transfer pathways, which further maintains the catalytic activity. The excellent singlecell zinc-air battery performance is achieved with superior durability, holding great promise in the practical implementation of rechargeable metal-air batteries.

Acknowledgements

This work was financially supported by the Natural Sciences and Engineering Research Council of Canada (NSERC), the University of Waterloo, and the Waterloo Institute for Nanotechnology. The authors would like to acknowledge the Canadian Center for Electron Microscopy (CCEM) at McMaster University for TEM and HAADF-STEM support, and the Shared Hierarchical Academic Research Computing Network and Compute/Calcul Canada for the access to the facilities.

Keywords: bifunctional catalyst · Co₃O₄ nanocrystals · DFT calculations · metal-air battery · pomegranate-like architecture

How to cite: Angew. Chem. Int. Ed. 2016, 55, 4977-4982 Angew. Chem. 2016, 128, 5061-5066

- [1] a) Y. Liang, Y. Li, H. Wang, H. Dai, J. Am. Chem. Soc. 2013, 135, 2013-2036; b) M. S. Whittingham, MRS Bull. 2008, 33, 411-419; c) M. Armand, J. M. Tarascon, Nature 2008, 451, 652-657.
- [2] a) P. G. Bruce, S. A. Freunberger, L. J. Hardwick, J.-M. Tarascon, Nat. Mater. 2012, 11, 19-29; b) Q. Huang, W. Cai, H. Yang, J. Liu, J. Cai, R. Xiong, X. Yu, R. Js, A. P. Shapiro, R. L. Hart, C.

- Wei, ECS Trans. 2009, 16, 35-45; c) F. Cheng, J. Chen, Chem. Soc. Rev. 2012, 41, 2172-2192.
- [3] a) M. D. Radin, D. J. Siegel, Energy Environ. Sci. 2013, 6, 2370-2379; b) G. Girishkumar, B. McCloskey, A. C. Luntz, S. Swanson, W. Wilcke, J. Phys. Chem. Lett. 2010, 1, 2193-2203.
- [4] J.-S. Lee, S. Tai Kim, R. Cao, N.-S. Choi, M. Liu, K. T. Lee, J. Cho, Adv. Energy Mater. 2011, 1, 34-50.
- [5] a) F. Cheng, J. Liang, Z. Tao, J. Chen, Adv. Mater. 2011, 23, 1695-1715; b) M. G. Walter, E. L. Warren, J. R. McKone, S. W. Boettcher, Q. Mi, E. A. Santori, N. S. Lewis, Chem. Rev. 2010, 110, 6446-6473; c) D. Higgins, P. Zamani, A. Yu, Z. Chen, Energy Environ. Sci. 2016, 9, 357-390.
- [6] B. Y. Xia, Y. Yan, N. Li, H. B. Wu, X. W. Lou, X. Wang, Nat. Energy 2016, 1, 15006.
- [7] a) Y.-C. Lu, Z. Xu, H. A. Gasteiger, S. Chen, K. Hamad-Schifferli, Y. Shao-Horn, J. Am. Chem. Soc. 2010, 132, 12170-12171; b) T. Yu, D. Y. Kim, H. Zhang, Y. Xia, Angew. Chem. Int. Ed. 2011, 50, 2773 – 2777; Angew. Chem. 2011, 123, 2825 – 2829.
- [8] a) C. W. Xu, H. Wang, P. K. Shen, S. P. Jiang, Adv. Mater. 2007, 19, 4256-4259; b) M.-H. Shao, K. Sasaki, R. R. Adzic, J. Am. Chem. Soc. 2006, 128, 3526-3527.
- [9] Y. Lee, J. Suntivich, K. J. May, E. E. Perry, Y. Shao-Horn, J. Phys. Chem. Lett. 2012, 3, 399-404.
- [10] a) B. Lim, M. Jiang, P. H. C. Camargo, E. C. Cho, J. Tao, X. Lu, Y. Zhu, Y. Xia, Science 2009, 324, 1302-1305; b) Z. Peng, H. Yang, J. Am. Chem. Soc. 2009, 131, 7542-7543.
- [11] a) Y. Shao, G. Yin, Y. Gao, J. Power Sources 2007, 171, 558-566; b) R. Bashyam, P. Zelenay, Nature 2006, 443, 63-66; c) Y. Gorlin, T. F. Jaramillo, J. Am. Chem. Soc. 2010, 132, 13612-
- [12] a) M. Gong, Y. Li, H. Wang, Y. Liang, J. Z. Wu, J. Zhou, J. Wang, T. Regier, F. Wei, H. Dai, J. Am. Chem. Soc. 2013, 135, 8452-8455; b) G. Wu, K. L. More, C. M. Johnston, P. Zelenay, Science 2011, 332, 443 – 447; c) J. Xu, P. Gao, T. S. Zhao, Energy Environ. Sci. 2012, 5, 5333-5339; d) H. Tüysüz, Y. Hwang, S. Khan, A. Asiri, P. Yang, Nano Res. 2013, 6, 47-54; e) M. Augustin, O. Yezerska, J. Derendorf, M. Knipper, D. Fenske, T. Plaggenborg, J. Parisi, ECS Trans. 2013, 45, 1-10.
- [13] a) W. G. Hardin, D. A. Slanac, X. Wang, S. Dai, K. P. Johnston, K. J. Stevenson, J. Phys. Chem. Lett. 2013, 4, 1254-1259; b) J.-I. Jung, H. Y. Jeong, J.-S. Lee, M. G. Kim, J. Cho, Angew. Chem. Int. Ed. 2014, 53, 4582-4586; Angew. Chem. 2014, 126, 4670-
- [14] Y. Li, M. Gong, Y. Liang, J. Feng, J.-E. Kim, H. Wang, G. Hong, B. Zhang, H. Dai, Nat. Commun. 2013, 4, 1805.
- [15] a) Y.-G. Guo, J.-S. Hu, L.-J. Wan, Adv. Mater. 2008, 20, 2878-2887; b) F. Cheng, J. Shen, B. Peng, Y. Pan, Z. Tao, J. Chen, Nat. *Chem.* **2011**, *3*, 79 – 84.
- [16] X. Xu, S. Jiang, Z. Hu, S. Liu, ACS Nano 2010, 4, 4292-4298.
- [17] a) L. Lai, J. R. Potts, D. Zhan, L. Wang, C. K. Poh, C. Tang, H. Gong, Z. Shen, J. Lin, R. S. Ruoff, Energy Environ. Sci. 2012, 5, 7936-7942; b) D. Geng, Y. Chen, Y. Chen, Y. Li, R. Li, X. Sun, S. Ye, S. Knights, Energy Environ. Sci. 2011, 4, 760-764; c) V. Chabot, D. Higgins, A. Yu, X. Xiao, Z. Chen, J. Zhang, Energy Environ. Sci. 2014, 7, 1564-1596.
- [18] a) J. Masa, W. Xia, I. Sinev, A. Zhao, Z. Sun, S. Grützke, P. Weide, M. Muhler, W. Schuhmann, Angew. Chem. Int. Ed. 2014, 53, 8508-8512; Angew. Chem. 2014, 126, 8648-8652; b) Y. Liang, H. Wang, J. Zhou, Y. Li, J. Wang, T. Regier, H. Dai, J. Am. Chem. Soc. 2012, 134, 3517-3523.
- [19] Y. Liang, Y. Li, H. Wang, J. Zhou, J. Wang, T. Regier, H. Dai, Nat. Mater. 2011, 10, 780-786.
- [20] a) J. Jiang, Y. Li, J. Liu, X. Huang, C. Yuan, X. W. Lou, Adv. Mater. 2012, 24, 5166-5180; b) Z.-L. Wang, D. Xu, J.-J. Xu, X.-B. Zhang, Chem. Soc. Rev. 2014, 43, 7746-7786.
- [21] D. U. Lee, H. W. Park, M. G. Park, V. Ismayilov, Z. Chen, ACS Appl. Mater. Interfaces 2015, 7, 902-910.

Communications





- [22] G.-L. Tian, M.-Q. Zhao, D. Yu, X.-Y. Kong, J.-Q. Huang, Q. Zhang, F. Wei, Small 2014, 10, 2251–2259.
- [23] D. U. Lee, M. G. Park, H. W. Park, M. H. Seo, X. Wang, Z. Chen, ChemSusChem 2015, 8, 3129–3138.
- [24] a) X. Xie, Y. Li, Z.-Q. Liu, M. Haruta, W. Shen, *Nature* **2009**, *458*, 746–749; b) Y. Wang, C. M. Yang, W. Schmidt, B. Spliethoff, E. Bill, F. Schüth, *Adv. Mater.* **2005**, *17*, 53–56.
- [25] a) X. Wang, X. Fan, G. Li, M. Li, X. Xiao, A. Yu, Z. Chen, Carbon 2015, 93, 258-265; b) X. Wang, G. Li, R. Tjandra, X. Fan, X. Xiao, A. Yu, RSC Adv. 2015, 5, 41179-41185; c) X. Wang, G. Li, M. H. Seo, F. M. Hassan, M. A. Hoque, Z. Chen, Adv. Energy Mater. 2015, 5, 1501106.
- [26] B. Kumar, M. Asadi, D. Pisasale, S. Sinha-Ray, B. A. Rosen, R. Haasch, J. Abiade, A. L. Yarin, A. Salehi-Khojin, *Nat. Commun.* 2013, 4, 0.
- [27] a) S. Wang, E. Iyyamperumal, A. Roy, Y. Xue, D. Yu, L. Dai, Angew. Chem. Int. Ed. 2011, 50, 11756–11760; Angew. Chem. 2011, 123, 11960–11964; b) G. Nam, J. Park, S. T. Kim, D.-b. Shin, N. Park, Y. Kim, J.-S. Lee, J. Cho, Nano Lett. 2014, 14, 1870–1876.
- [28] X. W. Lou, D. Deng, J. Y. Lee, J. Feng, L. A. Archer, *Adv. Mater.* **2008**, *20*, 258–262.
- [29] S. Cobo, J. Heidkamp, P.-A. Jacques, J. Fize, V. Fourmond, L. Guetaz, B. Jousselme, V. Ivanova, H. Dau, S. Palacin, M. Fontecave, V. Artero, *Nat. Mater.* 2012, 11, 802 807.

Received: January 22, 2016 Revised: February 17, 2016 Published online: March 11, 2016