For Atari U.S.A. \$3.95 CANADA \$4.95 SEPTEMBER 1989 Owners 800 XL XE VOLUME 8, NUMBER 5 The **ATARI** Resource Joystick Test Lab Super **RAMdisk** XF35 Kit Doubles Your Disk Drive

American Techna-Vision

For Orders Only - 1-800-551-9995 CA. Orders / Info. - 415-352-3787

1050 MECHANISM

Factory fresh TANDON mechs. make difficult repairs a snap. Units are complete with Head, Stepper, Spindle motor, belt etc. Just plug in, no difficult alignments or adjustments required.

POWER PACKS

Exact replacement transformer for 800/400, 1050 810, 1200XL, 850, XF551 & 1020 units. Part #CO17945.

\$1450

XL/XE SUPPLY Power Pak for 800XL,600XL \$2500 130XE, 65XE & XE Game.

VISICALC SPREADSHEET

Unleash the computing power of your 8 bit Atari with Visicalc. Compute everything from home finances to high powered financial projections. Hundreds of uses

\$ 19⁹⁵ DISK

THE BOOKKEEPER AND CX85 KEYPAD

You get both Atari's 8 bit professional bookkeeping system and the handy CX85 numeric keypad for one low price. Packages Factory sealed.

\$ 19⁹⁵ SET

XL 40 PIN LSI CHIP SET

A Complete set of 40 Pin Large Scale Integrated Circuits for your 800XL, 600XL or 1200XL computer. Great for quick repairs! Set contains one each of the \$ 1995 following: CPU, GTIA, ANTIC, PIA AND POKEY.

KEYBOARDS

New and complete subassembly. Easy internal replacement.

130XE/65XE \$35.00 \$40.00 \$29.50 800 800XL \$12.50 400

800 4 PIECE BOARD SET

Includes Main Board, Power Supply Assembly, CPU Module and 10K Revision B Operating System Module. All boards are new, tested and complete with all components..... . \$28.50

800/400 MODULES

NEW PARTS COMPLETE WITH IC'S • CX853 RAM MODULE . . . \$9.50 • 800/400 CPU with GTIA \$8.50 800 10K "B" OS MODULE \$8.50
 800 POWER BOARD \$14.50 400 POWER BOARD \$8.50

INTEGRATED CIRCUITS

- CO14795 \$4.50	1050 IC'S
- CO14805 \$4.50	• U7 - 6532 \$6.50
· CO12296 \$4.50	· U8 - 6810 \$4.50
· CO10745 \$4.50	· U9 - 6507 \$4.50
· CO14377 \$4.50	• U10 ROM \$19.50
· CO60472 \$4.50	· U13 2793 \$19.50
· CO12298 \$4.50	• U5 LM2917 \$8.50
· CO12399B \$4.50	• 5713 \$5.25
· CO12499B \$4.50	All other 1050 IC's
· CO14599B \$4.50	\$3.75 each
· CO 14806 \$4.50	Specify by Socket#
· CO10750 \$6.50	oposity by cooksta
· CO10444 \$8.50	850 INTERFACE
· CO60302 \$9.50	12 Piece Chip set.
· CO21697 \$15.00	Includes all plug in
· CO61991 \$15.00	IC's except ROM.
 CO61598. \$20.00 	Replacement fixes
· CO61618 \$20.00	vast majority of 850
 CO24947 \$15.00 	failures \$19.50

REPAIR MANUALS

SAMS Service Manuals for the SAMS Service Manuals for the following units contain schematics, parts listings, labelled photographs showing the location of checkpoints and more! A special section gives oscilloscope and logic probe readings allowing you to narrow the malfunction down to a specific phip or transitor! a specific chip or transistor! 800, 800XL, 130XE, 400, 1025 and 1050 \$19.50 each 520ST Service Manual. \$37.50

MISCELLANEOUS 1027 INK BOLLER \$6.50

	1027 HAN HOLLETT	Ψ0.50
	13 Pin Serial I/O Cable	. \$4.50
	ACE Joystick	\$7.95
	800XL RF Modulator	\$9.50
	1050 Track 0 Sensor	\$8.50
		\$19.50
		\$29.95
		\$32.95
	Paddle Controllers (Pair)	\$6.50
		\$15.00
		\$15.50
	Rambo XL w/o RAM IC's	\$39.95
	850 or PR Modem Cable	\$14.50
		\$14.50
		\$43.95
	I/O 13 Pin PC connector	\$4.50
	I/O 13 Pin Cable end plug	\$4.50
		\$14.00
		\$5.50
	ST Monitor Cable connector	
	ST Drive Cable plug end	\$6.50
	5 1/4" Drive Cable	\$23.95
١		

CALL TOLL FREE 1-800-551-9995 IN CALIF. OR OUTSIDE U.S. CALL 415-352-3787

SOFTWARE

Software compatible with all Atari 8-bit models.

CARTRIDGES

POLE POSITION Cartridge \$15.00	
PAC-MAN Cartridge \$4.00	
DELUXE INVADERS Cartridge \$4.00	
JOURNEY TO THE PLANETS Cart. \$4.00	
DONKEY KONG Cartridge \$5.00	
STAR RAIDERS Cartridge \$5.00	
MILLIPEDE Cartridge \$10.00	
PLATTER MANIA Cart by Epyx \$9.95	
WIZARD OF WOR Cartridge \$9.95	
CAVERNS OF MARS Cartridge \$14.50	
PENGO Cartridge \$15.00	
EASTERN FRONT Cartridge \$15.00	
ATARIWRITER Cartridge \$29.95	
TURMOIL Cartridge \$5.00	
CROSSFIRE Cartridge\$7.50	
SPRINGER Cartridge \$7.50	
SPRINGER Cartridge \$7.50 ADVENTURE CREATOR Cartridge \$12.50	
ZONE RANGER Cartridge \$12.50	
ZONE RANGER Cartridge \$12.50 SILICON WARRIOR Cartridge \$12.50	
MATH ENCOUNTER Cartridge \$12.50	
SPARTADOS-X Cartridge \$59.95	
ACTION O.S.S Cartridge \$59.95	
MAC-65 O.S.S. Cartridge \$59.95	
R-TIME 8 Cartridge \$56.95	
Titime of a ming of the tities	
SPINNAKER EDUCATIONAL CARTRIDGES	
KINDERCOMP Cartridge \$8.75	
FRACTION FEVER Cartridge \$8.75	
ALPHABET ZOO Cartridge \$8.75	
UP FOR GRABS Cartridge \$8.75	
ALF IN THE COLOR CAVES Cart. \$8.75	
DELTA DRAWING Cartridge \$8.75	
STORY MACHINE Cartridge \$8.75	
LINKING LOGIC (Fisher-Price) Cart. \$8.75	
HOT DISK TITLES	
LOI DIOK HITES	
BEST SELLERS / LOW PRICES	
• VIDEO TITLE SHOP \$12.50	
- VIDEO III LE GIOI \$12.00	

HOT DISK TITLE	S
BEST SELLERS / LOW PR	ICES
VIDEO TITLE SHOP	\$12.50
CHESSMASTER 2000	\$12.50
 ALTERNATE REALITY THE CITY 	\$12.50
 ALTERNATE REALITY DUNGEON 	\$12.50
 TOMAHAWK (64K) 	\$12.50
• 221-B BAKER STREET	\$12.50
 MUSIC STUDIO	\$12.50
TEMPLE OF APSHAI	\$12.50
BRIDGE 4.0	\$12.50
HOTEL ALIEN	\$12.50
The state of the s	

COMPUTER BOOKS
Atari Playground Workbook \$7.95
HackerBook Tricks & Tips \$5.00
Inside Atari Basic \$5.00
Atari Basic Ref. manual. \$5.00
How to Atari 6502 Program \$5.00
Write Your Own Games. \$5.00
Programmers Ref. Guide \$14.95
Assembly Language Guide \$21.95 XE Users Handbook \$21.95
XL Users Handbook \$21.95
Atari Basic Faster & Better \$22.95
Your Atari Computer \$17.95
SERIAL I/O CABLE
High Quality, 13Pin \$4.50
Special 3 Cables for \$10.00

MAC-65 CARTRIDGE 6502 Machine language Macro-Assembler. First class tool for serious programmers. . . \$59.95

ATARI 850 INTERFACE Bare PC Board with parts list and

PR: CONNECTION Serial/Parallel Interface for connecting modems and printers. \$65.00

BASIC CARTRIDGE Exact replacement for 800/400/1200XL.....\$15.00

PILOT PACKAGE

Deluxe "Teachers Edition" includes Cartridge and manuals. Teach and learn using the acclaimed PILOT Programming Language . . \$17.50

DISKS

¢10.05

VISICALC Spreadsheet	19.95
BOOKKEEPER & CX85 KEYPAD . MISSION ASTEROID Disk	\$19.95 \$4.95
SPIDER MAN Disk	\$4.95
CRYSTAL RAIDER Disk	\$4.95
DISPATCH RIDER Disk DAVID'S MIDNIGHT MAGIC Disk	\$4.95 \$4.95
ALIEN AMBUSH Disk	\$4.95
REAR GUARD Disk	\$4.95
REAR GUARD Disk. TECHNA-COLOR DREAM Disk FREAKY FACTORY Disk	\$4.95
FREAKY FACTORY Disk	\$4.95
LASER HAWK Disk POCKET REPAIRMAN DISK HUMAN TORCH & THE THING MUSICAL PILOT Ed. Disk CON PUTATION DISK MASTER CHESS DISK	\$4.95 \$4.95
HUMAN TORCH & THE THING	\$5.00
MUSICAL PILOT Ed. Disk	\$5.00
CON*PUTATION Disk	\$5.00
MASTER CHESS Disk	\$5.00 \$5.00
SPEED KING Disk LAST V-8 Disk CHAMBERS OF ZORP Disk PATHFINDER Disk	\$5.00
CHAMBERS OF ZORP Disk	\$5.00
PATHFINDER Disk	\$5.00
MATCH RACER Disk	\$5.00
MATCH FACER Disk	\$5.00 \$6.50
FORT APOCALYPSE Disk	£7 50
NINJA Disk	\$7.50
NINJA Disk	\$7.50
SPORTS SPECTACULAR Disk	\$7.50 \$7.50 \$7.50 \$7.50 \$7.50 \$7.50
THE GAMBLER Disk	\$7.50
MIND MAZES (Educational)	\$7.50
	\$7.50
MONEY TOOLS (Financial Utility).	\$9.95
DIG DUG Disk	\$9.95 \$9.95
	CO OF
CEST'E LA VE Disk	\$9.95
WOMPER STOMPER Disk	\$9.95
OLIN EMERALD (Jr., Adv.)	\$9.95 \$9.95
PUZZLE PANIC DISK PEPYX CEST'E LA VE DISK WOMPER STOMPER DISK OLIN EMERALD (Jr., Adv.) MOVIE MAKER (Graphics) FINANCIAL COOKBOOK CYCLE KNIGHT	\$9.95
CYCLE KNIGHTSONG WRITER	\$9.95
SONG WRITER	\$9.95
CHESSMASTER 2000	\$9.95
BRIDGE 4.0	\$12.50
MUSIC STUDIO HOTEL ALIEN GRANDMA'S HOUSE (Educational) DROPZONE Disk CASTLE WOLFENSTEIN Disk	\$12.50
GRANDMA'S HOUSE (Educational)	\$12.50
DROPZONE Disk	\$12.50
CASTLE WOLFENSTEIN Disk	\$12.50
	\$12.50
TEMPLE OF APSHAI ALI-ANTS Disk MOUSE QUEST Disk (64K)	\$12.50 \$12.50
MOUSE OUEST Disk (64K)	\$12.50
ELECTRONIC DRUMMER DISK	\$12.50
STOCK MARKET Game	\$12.50
NICKERBOCKER Disk	\$12.50 \$12.50
TEMPLE OF ASPHAL	\$12.50
BOULDER DASH Construction Set	\$14.95
MIDWAY BATTLES War Game MOONMIST (Infocom Adventure)	\$14.95
MOONMIST (Infocom Adventure)	\$14.95 \$14.95
MIND SHADOW Adventure 64K HACKER Adventure	\$14.95
SEA STALKER Adventure	\$14.95
STATION FALL Adventure	\$14.95
ZORK 1 Adventure	\$14.95
INFIDEL Adventure	\$14.95 \$14.95
SSI 50 MISSION CRUSH	\$14.95
SSI BATTALION COMMANDER	\$14.95
SSI FIELD OF FIRE	\$14.95
MASTERTYPE (Typing Tutor)	\$15.00
BANK STREET WRITER	\$17.50
SSI FIELD OF FIRE SSI GEMSTONE WARRIOR MASTERTYPE (Typing Tutor) BANK STREET WRITER CUT & PASTE W.P. Disk SPARTADOS CONST. SET	\$17.50
SPARTADOS CONST. SET	\$39.50

DATASOFT DISKS

UDA TASOFT DISAS

VIDEO TITLE SHOP ... \$12.50

ALTERNATE REALITY (The City) \$12.50

ALTERNATE REALITY The Dungeon \$12.50

ZORAO Diek ... \$9.95

SARACEN Diek ... \$9.95

CROSSOHECK Disk ... \$9.95

\$12.50 \$12.50 \$12.50 \$12.50

CROSSCHECK Disk
GUNSLINGER Disk (64K).
TOMAHAWK Helicopter Game 64K
THEATER EUROPE War Game.
BRUCE LEE Disk
MERCENARY Disk
THE GOONIES Disk

221 BAKER STREET (64K) NAPOLEAN IN RUSSIA . . .

AMERICAN TECHNA-VISION Mail Order: 15338 Inverness St., San Leandro, Ca. 94579 2098 Pike Ave., San Leandro, Ca. 94577

Terms: NO MINIMUM ORDER. We accept money orders, personal checks or C.O.D.s. VISA, Master/Card okay. Credit cards restricted to orders over \$18.50. No personal checks on C.O.D. - Shipping: \$4.00 shipping and handling on orders under \$150.00. Add \$2.75 for C.O.D. orders. In Canada total \$6.00 for shipping and handling. Foreign shipping extra. Calif. residents include 7% sales tax. All products new and guaranteed. All sales final.


Prices subject to change without notice. Send SASE for free price list. Atari is a reg. trademark of Atari Corp



Joystick Laboratory Page 20



Mastertronics Two-Game Disk Page 28



Mapping the Atari: Part 2 Page 9



FEATURES

SEPTEMBER 1989, VOL. 8, NO. 5

- 8 SFP review by Steve Fishbein Easy reports from SynFile +.
- 9 MAPPING THE ATARI: PART 2 serialization by Ian Chadwick Exclusive! Classic 8-bit reference book returns.
- 15 SMARTRAM 2.5 by Tim Patrick Super RAMdisk for all XL/XE memory upgrades. Type-in Software 38
- 20 JOYSTICK LABORATORY by Kevin Gevatosky
- 22 XF35 KIT review by Matthew Ratcliff Vastly expanded disk capacity for your 8-bit.
- 28 MASTERTRONICS TWO-GAME DISKS review by David Plotkin L.A. SWAT and Panther Las Vegas Video Poker and Vegas Jackpot

DEPARTMENTS

SUPER DISK BONUS

24 OP AMP CAD by David Hayes Super Disk Bonus designs circuits.

GAME OF THE MONTH

25 SALVAGE 2001 by Jim Tesch

Alien spacecraft is all yours—if you can stay alive. Type-in Software 34

EXTRA DISK BONUS

32 BIKER DAVE ATARI by Eric Lowell Motorcyle madness Disk Bonus game.

FEATURE APPLICATION

26 ATARI PRINT SCREEN by Steve Derderian

SOFTWARE LIBRARY 4 Easy-To-Type 8-Bit Listings

33 TYPO II, SPECIAL ATARI CHARACTERS

EDITORIAL

I/O BOARD

7 NEW PRODUCTS

43 TECH TIPS

CLASSIFIED ADS

45 ADVERTISERS INDEX

Antic—The Atari Resource (ISSN 0745-2527) is published monthly by Antic Publishing. Editorial offices are located at 544 Second Street, San Francisco, CA 94107. ISSN 0745-2527. Second Class Postage paid at San Francisco, California and additional mailing offices. POSTMASTER: Send address change to Antic, The Atari Resource, P.O. Box 1569, Martinez, CA 94553. Subscriptions: One year (12 issues) \$28. Canada and Mexico add \$8, other foreign add \$12. Disk Edition (12 issues with disks) \$59.95, all foreign add \$25. (California residents add 6½% sales tax for disk subscriptions. Editorial submissions should include text and program listings on disk and paper. Submissions will be returned if stamped, self-addressed mailer is supplied. Antic assumes no responsibility for unsolicited editorial material. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Antic is a registered trademark of Antic Publishing, Inc. An Information Technology Company Copyright ©1989 by Antic Publishing. All Rights Reserved. Printed in USA.

COMPUTER SOFTWARE SERVICES

P.O. BOX 17660, ROCHESTER, N.Y. 14617 ATARI PHONE (716) 586-5545

DEALER/DISTRIBUTOR/USER GROUP Discount available call for info. PHONE orders . MASTER CARD, VISA MAIL . Money Orders, Checks

*SHIPPING! Add \$5 for Shipping/Handling/Insurance within the U.S.A. UPS BLUE LABLE (2nd DAY AIR) available for \$3 extra per shipment

CALL TODAY! (716) 586-5545 9 cm - 5pm (EST) WEEKDAYS

COMPUTER SOFTWARE SERVICES P.O. Box 17660 Rochester, N.Y. 14617

ATARI

BRAND NEW ITEMS

The "BLACK BOX"I© \$19995 \$10095

The Black Bax is a device for your XL or 130XE computer that adds tremendous power to your 8-bit Atari. It has two buttons, two switches, and a set of alp switches visible from the outside. It plugs directly into the back of the 600XL, 800XL, and 1330XE computers. Custom cases may be an optional expense. The Black Bax performs three main tasks: interface to a SAS/SCSI bus device (hard disks). Parallel pinter port, and a R5232 port. A fourth option, available soon, will be a floppy disk port, especially useful to XF-551 owners. The SAS/SCSI port provides the necessary signals for hooking up most common hard disks, You may parillion your hard disk into as many drives as you wish: up to 9 can be accessed at at time. By pressing one of the buttons on the Black Bax, you will enter the configuration menu, where you can re-assign drive numbers, etc. When you exit, you will be right back in the program you were running when the switch was pressed. Each hard disk can be write-protected. The Parallel Printer port will allow you to hook up any printer that uses the standard Centronics interface. As an option, you can use the computer's extra memory as a printer buffer, or order the Black Bax with 64K of on-board RAM. You may assign printer number and line-feed options within the menu (for use with multiple printers). Another amazing feature of the Black Bax is the built-in screen dump. By pressing a buttion (on the box), the contents of your screen will be dumped to your printer (you can define text or graphics modes with a switch) The R5232 port supplies the full R5232 spec signals for connection to a modern, or another machine (for null-macheming). The hondler for the Black Bax is the built-in addition of up to four 5.25° or 3.5° mixtures of floppy drives to be used with the system. The drives will act like standard addition of up to four 5.25° or 3.5° mixtures of floppy drives to be used with the system. The drives will act like standard addition of up to four 5.25° or 3.5° mixtures of floppy drives to be used with the The Black Box is a device for your XL or 130XE computer that adds tremendous power to your 8-bit Afari. It has two buttons.

The "MULTIPLEXER"!©

This device brings the power and flexibility of larger systems to your 8-bit. The Multiplexer is a device (actually a collection of modules) that allow up to 8 Ataris to read and writle to the same drive (typacally a hard disk), printer, and talk to each other. One master computer (any 8-bit) is equipped with the master Multiplexer interface. Then up to 8 slaver computers can hook up master* computer (any st-bil) is equipped with the master multiplexer interface. Then up to 8 stave* computers can hook up to the master, each having their own slave interface. The common' peripherals (things that are to be shared) are connected to the master computer. On each stave, all disk and printer I/O is routed through the master, so no others are needed on them. The master computer can be configured in any manner you wish - you can for example have ceriatin peripheral's local to the slave, or routed to a different number on the master. Under development is a BBS system that will make full use of this device, low ling up to 8 lines/users to be using the system at the same time! A multuser chat made is a feature of this program, however, you do not NEED this program to un a BBS with the Multiplexer (out be warned that not all BBS programs will run concurrently). All slaves are independent, and do not need to have the same program running on them. This system is excellent for BBS SysOps, because you can be using your hard diskly while still running your SS with the contract of the system of the system is excellent for BBS sysOps, because you can be using your hard diskly while still running your SS sinther upon the system of the system is excellent for BBS sysOps, because you can be using your hard diskly while still running your some program than the system is excellent for BBS sysOps, because you can be using your hard diskly while still running your some program than the system is excellent for BBS sysOps, because you can be using your hard diskly while still running your some system of the system is excellent for BBS sysOps, because you can be using your hard diskly while still running your system is excellent for BBS sysOps, because you can be using your hard diskly while still running your system is excellent for BBS sysOps, because you can be used to be shared by different people. This is system is excellent for the system is excellent for BBS sysOps.

\$14995 The "SUPER E-BURNER"!© \$14995

This device plugs into your Atat's cartridge port, allowing you to program PROMs or EPROMs. (EPROM stands for Erasable Programmable Read-Only Memory.) A PROM is a type of integrated circuit that will store information permanently. integrated circuit that will store information permanently. This is what is used in cartifdges, and even in the computer to hold the operating system program. The "Super E-Burner" will program the following chips: 2732, 2764, 27128, 27256, and 27512 PROMs/EPROMs, with any suffix. The burner will let you make multiple copies, read data, burn from a file, etc., but does so multiple copies, read data, burn from a file, etc. but does so ERITREMELY fost! It can fully burn and verify a 27 128 in 15 soconds. Also under development is a gang-burner module for the "Super E-Burner", allowing It to program up to 8-chips at a time, with this some insanely-fast speed. The "Super E-Burner" sells for \$149.95. A deluxe version capable of programming 1 MEG EPROMS is available for \$179.95. Add \$5 for \$/H/I

\$0095 The "POWER PLUS"! MEMORY \$9995 (for 800XL'S and 130XE's only)

C.S.S has made the 'Power Plus'! memory upgrades available on C.S.5 nos made the Power rule 1 trianting upgates available on unadvertised basis to our regular pottons. These upgrades have become so popular we are now molding them available to everyone! For those of you uniformillar with Power Plust upgrade, it is the most COMPATABLE upgrade available for the 800XL or 130. The best of our knowledge, appears to be 100% compatible. To upgrade a 130% to 320K is only \$99.95. To upgrade a 800%, to 320K is only \$99.95. To upgrade a 800%, to 320K is only \$149.95 plus (circultry from a 130XE is actually transplanted into an 800XLI). Add \$5 for \$/H/I C.S.S. will install ese upgrades for only \$20 if you wish.

\$3995 The SIO "POWER BOOSTER"! \$3995

Weak data signals are often the problem of errors in data transmissions, especially when working in High or Ultra Speed modes! Long cables, modems, interfaces, and other devices that draw their power from the computer rather than having their own power supply often degrade the waveform of the signals between your computer and other peripherals, sometimes resulting in errors. The SIO Power Booster Cablel will sometimes resulting in errors. The stor rower abouter a capitel with compility the signal to and from your computer 20 to 100 times providing perfect square-wave data transmissions regardless of peripherates used. The "\$10 Power Bootler' Cablel looks like a standard \$10 cable and simply plugs into your computer! Only \$39.95 plus \$5 S/H/I.

BEST SELLERS

JUST RELEASED "SUPER ARCHIVER II"!© (for ATARI 1050 drives) \$9995

NOWI COPIES all ENHANCED DENSITY programs plus retains all of the features of our World Famous SUPER ARCHIVER! (see below). Allows you to COPY or CREATE single or ENHANCED density protection schemes (including PHANTOM SECTORS!). Completely automatic; compatible with the BIT-WRITER I; the ULTIMATE BACKUP/PROGRAMMING device) Only \$99.95 plus \$4 SI/M. NOTICE! If you already own a SUPER ARCHIVER!, you can upgrade to a SUPER ARCHIVER! If for only \$29.95 plus \$5 SI/M. (disk only-no additional hardware required). (disk only-no additional hardware required).

\$6995 The "SUPER ARCHIVER"!© (forATARI 1050 drives)

The new SUPER ARCHIVER, obsoletes all copying devices currently available for the ATARI 1050I It eliminates the need for Patches PDB files, Computer Hardware, etc. Copies are exact duplicates of originals and will run on any drive; without exaggeration, the SUPER ARCHIVER is the most powerful PROGRAMMING/COPYING device available for the 1050l Installation consists of a plug-in chip and 6 simple solder connections. Software included. Features are:

- SIMPLE SOCIETION SOCIETIES SOCIETICA SOCIETICA
 - ARCHIVER/HAPPY ARCHIVER
 COMPATIBLE
 BUILT-IN EDITOR-reads, writes, displays up to 35 sectors/track short in BUILT-IN CUSTOM FORMATTER

\$9995

- BUILT-IN DISASSEMBLER
 BUILT-IN MAPPER up to 42
- secioratrack

 DISPLAYS/COPIES Double Density
 HEADERS

 AUTOMATIC FORMAT LENGTH
 CORRECTION

 SIMPLE INSTALLATION

The SUPER ARCHIVER is so POWERFUL that only programs we know that can't becopied are the newer ELECTRONIC ARTS and SYNFILE/SYNCALC (34 FULLsectors/track). If you want it ALL...buy the "BIT-WRITER" also... then you'll be able to copy even these programs! Only \$69.95 plus \$5 S/H/I.

"ULTRA SPEED PLUS"

Imagine a universal XL/XE Operating System so easy to use anyone can operate it instantly, yet so versatile and powerful that every Hacker, Programmer and Ramdisk owner will wonder how they ever got along without it! Ultra Speed Plus puts unbelievable speed and convenience at your fingertips. Use ANY DOS to place an ULTRA SPEED format on your disks, boot any drive (1-9) upon power-up, format your RAMDISK in Double Density, activate a built-in 400/800 OS for software compatibility, plus dozens of other features too numerous to mention! Below are just a FEW features you'll find in the amazing OS:

- ULTRA Speed S10 for most modified drives
 ULTRA Speed is localeable
- Boot directly from RAMDISK
- Special timer circuits not required for 1 or 2 Meg upgrades
 Background colors adjustable
- Batterst use of OPTION key

 Cold-start without memory loss
 Built-in lloppy/disk
 conliguration editor (1-9)

\$3995

- Built in FIAMDISK configuration editor(I-9)
 RAMDISK exactly duplicates lloppy drive so sector copying and sector editing are not seen included. DOUBLE DENSITY RAMDISK capable Entire MEMORY less that pinpoints defective RAM chip. Bool any drive (1-9) upon power-up or codistart properties of the Code o
- so sector copying and sector copying and possible Buill-in MINI Sector Copier Toggle SCREEN OFF for up to 40% increase of processing speed Toggle internal BASIC Ram resident disk
- (MACH10 menu)

"RICHMANS"

80 Column Word-Processor
Easy to use, very powerful, and NO ADDITIONAL HARDWARE
required! Works with TV or Monitor! This 'DISK ONLY' 80 Column Word-Processor is simple to use while offering numerous features such as:

- Completely Menu driven Self contained DOS Complete Text formatting Built-in Printer Drivers
- Page numbering Justify and Endfill High speed Cursor
 Spell Checker
 80 COLUMNS ON THE
 SCREENI

- Insert and Delete
 Search Mode
 View only mode
 Memory Statistics
 Alternate Output
 Change screen Colors, borders, luminesce
- Mouse compatible
 X EP 80 Compatible

One expert has compared 40 domestic and foreign word-processors and concluded that the RICHMANS 80 Column Word-Processor is the best! Only \$39.95 plus \$5 S/H/I. (64K

\$7095 The "BIT-WRITER"! \$7995

The Super Archiver "BIT-WRITER" is capable of duplicating event the "uncopyable"EA and SYN series which employ 34 FULL sectors/tracks.
"BIT-WRITER" is capableof reproducing these and FUTURE protection schemes of non-physically damageddisks. PLUG-IN circuit boards and 4 simple solder connections. The "SUPER ARCHIVER" with "BIT-WRITER' is the ultimate PROGRAMMING/COPYING device for ATari 1050's. EXACT DUPLICATES of originals are madel Copies run an ANY drive. Must be used with Super Archiver. Only \$79.95 plus \$5

\$3995 THE "QUINTOPUS"! \$3995

The "QUINTOPUSI" is an inexpensive device that provides a tremendous amount ofconvenience while eliminating the problems associated with the endless 'daisy-chaining' of peripherals (eg: drives, interfaces, printers, modems, cassettes, etc.). The "QUINTOPUSI" is an I/O port expander that converts a single through 30 feet or more of cablel), the "QUINTOPUSI" allows each device to be connected directly to the computers through only three or four feet of cable, this is particularly useful when attempting to use ULTRASPEED or WARPSPEED data transfer rates. The "QUINTOPUS!" also provides the "extra" I/O ports often needed to connect devices not having daisy-chaining capabilities. Cable resistance and compacitance are greatly reduced thereby significantly improving the opportunity of accurate data transfers! Only \$39.95 plus \$5 S/H/I. SIO cable is \$5 extra if

\$5995 \$5995 The "QUINTOPUS!" (with SMTCHABLE PORTSI)

This Deluxe version of the "QUINTOPUS!" has all of the above features with the additional benefits of two SWITCHABLE PORTS! This means you can connect two computers to one printer or two printers to one computer; you can switch in a computer/printer combination and while you're printing out a long document, switch in a second computer to access a modern, disk drive, cassette deck, etcl Switch multiple combinations of peripherals or computers without the hassle or re-arranging I/O cables...simply flip a switch! Only \$59.95 plus \$5 S/H/I. SIO cable is \$5 extra if needed.

LIMITED SPECIALS

These specials are available on a first come first served basis. Preowned lifems are in exceptionally clean condition and are in perfect operating order. All items are warrantied. Sorry ... no roinchecks. Order 5 or more items and we'll pay the freight. These SPECIALS are for C.S.S. customers only - NO DEALER DISCOUNTSI Add \$5 to order for S/H/I.

	NO	МАЦУ		AITED
1. SIO Cable (Standard)	\$	15	\$	5
2. Generic Power Supply for XL/XE			-	
computers (5 v.DC regulated -				
also ± 12 v avallable)	\$	35	\$	12
3. EXTRA HEAVY DUTY version of			19	
GENERIC POWER SUPPLY	\$	45	S	19
4. 130XE with 320K POWER PLUS			-	
upgrade and Ultra Speed Plus Installed				
(with power supply and cable)			\$	250
5. 1050 DISK DRIVES with SUPER ARCHIVER II				
and SILENCER installed (with				
power supply and cable)			\$	250
6. 20 MEG hard Drives completel just plug in			1	
and turn on! No extras to purchase!				
Surplus industrial 8° originally sold for				
over \$2000. Super dependable!	\$	2500	\$	595
7. SUPER PILL (without case)	\$	80	\$	22
8. XL FIX ROM	\$	70	\$	29
9. ULTRA MENU/DOS	\$	30	\$	19
10. DISKCRACKER (Newest version)	S	50	S	19
11. ELECTRONIC PHANTOM				
SECTOR MAKER DELUXE	\$	60	\$	35
12. MIRACLE (Disk only Version of Impossible)	\$	70	\$	
13. IMPOSSIBLE for 800 or 800XL	s	150	S	
14. XL MATE	5	30	\$	
15. COMPACTOR	5	30	5	
16. KLONE II (Generic HAPPY Backup)	\$	100	\$	
17. SILENCER	\$	30	\$	
18. BLACK PATCH (MASTER)	\$	50	\$	25
19. BLACK PATCH DATA DISKS 1&2	\$	20	\$	10

REPAIRS

For 24-48 hour repair service on Atari computers or drives, call our repair department at (716) 586-5545 day or night. All work is guaranteed, NO minimum estimate fees: If you have two or more items for repair and don't want to spend any money send them to us and well use the parts from both defective items to make one good working unit at NO CHARGE ... we'll keep the other defective item for parts!



James Capparell
Publisher

John Taggart Associate Publisher

> EDITORIAL Nat Friedland

Editor
Carolyn Cushman
Assistant Editor
Marta Deike
Editorial Coordinator

ART Kathleen McKeown Creative Services Director

> Jim Warner Art Director Kristi Johnson Simkins

Associate Art Director
Georgia Solkov
Photo Editor and Cover Photography

Julianne Ososke
Production Manager
Kate Murphy
Advertising Production Coordinator

CIRCULATION

Manny Sawit

Director

Ann Dunlap

Retail Sales (415) 957-0886

ADVERTISING

Diane Van Arsdall Marketing Manager

Denny Riley
Eastern Sales Representatives
Austin Holian

Western Sales Representative (415) 957-0886

ANTIC PUBLISHING, INC.

James Capparell

President and Chairman of the Board

Donald F. Richard

Richard D. Capparella Directors Lee Isgur

Advisor to the Board John Taggart

Vice President John Cady Controller

GENERAL OFFICES (415) 957-0886 544 Second Street, San Francisco, CA 94107

Credit Card Subscription and Catalog Orders (800) 234-7001, Visa or MasterCard Only

SUBSCRIPTION CUSTOMER SERVICE (415) 372-6002 Antic, P.O. Box 1569, Martinez, CA 94553



I'm pleased to tell you that contrary to some mistaken rumors which seem to be going around, **Antic** Magazine is still being published *monthy* and absolutely has not cut back to six times a year! Anything different that you may have heard via word of mouth or online is simply untrue.

Some confusion seems to have resulted from a recent **Antic** policy change which was explained in a mailing to all subscribers and is also reflected in the magazine's current subscription ads. As of July 1989, the only kind of **Antic**

subscription being offered is a six-month magazine-plus-disk combination for only \$28—the same price as the previous 12-month magazine-only subscription. To simplify this changeover, existing subscribers were converted to sixmonth magazine-plus-disk subscriptions (with bonus issues, if applicable).

However, in our eighth year of reliable service to the 8-bit Atari community, **Antic** continues publishing 12 times yearly. The new \$28 six-month magazine-plus-disk subscription is simply the best value we have ever offered to Atarians. Now each month you get a two-sided disk crammed full of useful and entertaining software, along with the best ongoing source of valuable Atari information, at a price that anybody can afford.

Nat Friedland Editor, Antic

I/O BOARD

NEW TO DOS

As a relative newcomer to the world of Atari, I'd like to know more about the various types of DOS I keep hearing about—SmartDOS, TopDOS, MyDOS, etc. Is there any article available that discusses their relative merits?

Also, has there been an article which would introduce a novice such as myself to a RAMdisk? The 800XL I purchased has a 256K RAMdisk installed, but I don't know how to access it.

Rudolph Kraus Fayette, IA

For a DOS overview, our most comprehensive comparison article is Eric Clausen's Everything You Wanted to Know About DOS in the July 1985 issue. Unfortunately, some of the programs listed in the article are no longer available, and some super new disk operat-

ing systems have come out since. The latest two contenders, SpartaDOS X and DOS XE are discussed at length in the March, 1989 Antic.

SmartRAM 2.5, in this issue, provides a RAMdisk that should work with most 800XL upgrades and DOS 2.5. RAMdisks are largely used as "temporary" disk drives. To save a file to a RAMdisk, you simply address the drive as D8:, rather than the usual D1: or D2:. Because the RAMdisk is actually part of the computer's internal memory, saving or loading files to RAM is much faster than using an external drive. If you have only one drive, the RAMdisk can act as a second drive, making it possible to copy files without disk swapping.

The drawback to a RAMdisk is that it goes away when the power does—if you forget to save your RAMdisk files to an actual floppy disk before pressing [RESET] or turning off the computer, you lose them forever.—ANTIC ED

MORE MONITOR MADNESS

Is it possible to hook up my Atari 800 to my Atari SC1224 monitor? For that matter, is it possible to hook up a VCR to my SC1224?

Franco Simanjuntak Oakland, CA

The Atari ST's SC1224 monitor does not use composite signals, which the 8-bit requires. For the VCR, it's not the monitor you have to worry about, it's the sort of signal your computer is sending. Since the 8-bits use the same signal as the TV, you can book up your 800 up to a VCR. For an ST, a VideoKey is usually required to translate the signal. — ANTIC ED

SHUTDOWN RESTARTED

I noticed after a few levels of *Shutdown* in the April, 1989 issue that an elevator which should take you to the bottom level of the screen actually takes you even further, causing a "Cursor out of bounds" error. At first I thought Tony was using this as an entrance to his other fine game, *Escape from Hell* (June, 1988), but upon examining the code, found that the middle of line 4505 should be changed from -@@-to-/@-because the / indicates a stop for the elevator.

Craig Anderson Indianapolis, IN

MONOCHROME MONITOR?

I have an Atari XEGS computer and would like to know if I have to use a color monitor with it, or could use a monochrome monitor. Would I be able to use an Atari XEP80 card with the XEGS using a television, or do I have to use a monitor?

Richard Williams Cleveland, OH

If you don't want to use a TV for a monitor, you can use a color composite monitor (but not the RGB monitors used with the ST, for example). Composite monochrome monitors are not that easy to find today, but they give you the best results with the XEP80. Most 8-bit software is

designed for color monitors, so you may find monochrome a bit limiting. A good color monitor will provide better resolution and less artifacting (color smearing) than a television set—and give you considerable control over tint and color intensities.—ANTIC ED

TRICKY TEXT ADVENTURE

I read your *Adventure Works* article in the April, 1989 **Antic**, but I can't get the game *Barnaby's Isle* to work. I keep getting pushed back by the troll. Also, the article has a misprint on page 30—it says lines 205 to 207 contain the USE routine, but there's no line 207. Help!

Martin Oliverez San Jose, CA

The game is working, all right, but there's an object you need to "USE" at the point just before you meet the troll. (Line 205 should make the object required quite clear, as a matter of fact.) Lines 205 through 227 contain the various results you get with USE. Usually, text adventures are encrypted so you can't "read" the answers in the program, but this sample adventure should be easy to solve if you just scan the listing itself for clues.—

SIDEWAYS PRINT

In Larry Whiting's June, 1989 I/O letter, he described problems printing sideways on his Atari XMM801 printer. My company, Starfleet Software, writes and sells software to fill in the gaps between all the Epson-compatible software and the needs of the XMM801.

Our Utility Disk #4 for the Atari XMM801 printer contains a utility for printing SynCalc-format files sideways. The cost is \$10 paid by money order or check made out to Terry Ortman. Users may browse our online catalog by calling our BBS at (217) 423-7430, 24 hours a day, 300/1200 baud operation.

Terry Ortman 1037 W. Leafland Ave. Decatur, IL 62522

SETTING TRAPS

I have been having difficulty using the TRAP statement on my Atari 130XE. I never encountered this command in my BASIC programming course, and would like more information on how to use it.

John Mitchell

Cambridge City, IN

The TRAP statement is a way of telling the computer, "If there's an error, let the program handle it, at this line." Using TRAP statements is vital to error-proofing a program. For a detailed discussion, check out Heidi Brumbaugh's Error Trapping in Atari BASIC in the February, 1989 issue of Antic. Back Issues are available.—ANTIC ED

LIKE CHRISTMAS

We just bought our first issue of Antic. It was like Christmas! We suddenly felt like kids in a candy store. With very little software available locally, Antic was like an oasis in an area we thought had all but dried up! Thanks to Antic we can still get software for our beloved 800XL and 1050 drive—we sent for a subscription right away. Thank you for letting us know that we aren't the only loyal Atari users out there.

Pam Baweja Grand Rapids, MI Thanks. It's enthusiastic Atari 8-bit fans like you who keep Antic going. — ANTIC ED

Antic welcomes your feedback, but we regret that the large volume of mail makes it impossible for the Editors to reply to everyone. Although we do respond to as much reader correspondence as time permits, our highest priority must be to publish I/O answers to questions that are meaningful to a substantial number of readers.

Send letters to: Antic I/O Board, 544 Second Street, San Francisco, CA 94107.

MAPPER ...

(applications software) Michael Holloway 3308 Rucker Avenue Paducah, KY 42001 (502) 442-2121 \$16.50, 48K disk

Print maps on your Epson-compatible printer with Mapper. This BASIC program contains pre-drawn maps showing all major parts of the world, along with a world reference guide listing capitals, population, languages and more. Maps can be printed in several sizes and in inverse. The standard version of Mapper uses DOS 2.5, but SpartaDOS and Turbo-BASIC versions are available.

SLEUTH & CSS DISASSEMBLER

(utilities) Creative Sortware Systems 8715 Valley View #3 Berrien Springs, MI 49103 (616) 471-3745

From Creative Software Systems, the Sleuth (\$15.95, 48K) disk utility package features a sector editor, file copier and two sector copiers. The package supports most DOS functions including directory (sorted and/or printed), lock, unlock, rename, delete and format. Other functions include verify, for repairing damaged files, close and undelete. Fully menu-driven and easy to use, the utilities work with single or enhanced density.

The self-documenting CSS Disassembler (\$5.95, 48K disk) will disassemble from memory, disk file or a specified sector. You can insert comments on key memory locations, and send the disassembled listing to a printer or disk file. Versions for both the 400/800 and XL/XE are included, and work with either single or enhanced density. Two page-preview programs give you either a high resolution, full-page preview, or an 80-column preview.

CHANGING PATTERNS

(entertainment/art software)
Stewart Software
11323 Blythe Street
Sun Valley, CA 91352
(213) 875-2012
\$49 (four disks), 48K, color monitor, 2
disk drives recommended

No drawing is required to create art on your 8-bit with **Changing Patterns**, from Los Angeles artist John Stewart. Use keyboard or joystick control to enter a set of parameters, then sit back and watch as the computer generates art. The generated art can be saved to disk or printed out—as either image or formula. The resulting images can be abstract, surreal, medieval, geometric, ornamental, woven, beaded, or in art nouveau style. Limited only by your imagination, Changing Patterns can create millions of images or decorative designs for use in crafts.

VIDEO LIGHT GUN

(hardware)
Best Electronics
2021 The Alameda, Suite 290
San Jose, CA 95126
(408) 243-6950
\$34.95, 48K

Play the latest light gun cartridge games on your 8-bit Atari with the Video Light Gun from Best Electronics. This gun features an adjustable gun sight and a nine-foot cord. Fully compatible with all current Atari light gun software, the gun works with television sets or composite color monitors.

MAP DISKS 3 & 4

(graphics) N.E.R.D.S. Software c/o Don Loeffler 18 Wendy Drive Farmingville, NY 11738 \$16 for both disks, 48K

Map Disks 3 & 4 are now available from the National Educational Report Drawing Services (N.E.R.D.S.).

Designed for use with Broderbund's Print Shop program, these disks provide over 230 pictures of Russia, China, Africa, Asia and the Middle East. Particularly useful for school reports, these disks are available in multiple-copy Lab Packs for school use (send SASE for details).

Other disks still available from N.E.R.D.S. include Maps 1 & 2 (\$15 for both), Biology Disks 1 & 2 (\$15 for both) and the Periodic Table (\$9). These disks are available in Quick Pix conversions for use with AtariWriter or PaperClip. (Quick Pix conversions are not available for Map Disks 3 & 4.)

New Products notices are compiled by the Antic staff from information provided by the products' manufacturers. Antic welcomes such submissions, but assumes no responsibility for the accuracy of these notices or the performance of the products listed.

COMING NEXT IN OCTOBER 1989 ANTIC

Antic Music Sampler— Build your own sound collector

> Text Adventure— Contest Winners

AtariWriter 80 Review

SFP: Easier Reports From SynFile+

Makes the top 8-bit database even better Reviewed by Steve Fishbein

aving remained faithful to SynFile + as my database of choice on the Atari 8-bit computer, I look forward to any utilities that can improve an already excellent program. So, I was intrigued by the Antic New Product listing of a new utility for SynFile +, Donald Seay's SFP.

One of SynFile+'s greatest weaknesses has been its inability to save any of the report parameters. Generating a report requires opening the file, setting up the report parameters, printing, and then closing the file. The entire process must be repeated each time you want to print a report.

Now, SFP sets up permanent report parameters so data can be reprinted in identical format each time. In addition, different parameters can be saved for the same file. Each report format requires only one block of disk space. SFP can also generate these reports directly from the file on the data disk. This eliminates the need to start up and exit the SynFile+program!

SFP consists of four modules. The Menu provides access to the other modules and lets you change some program parameters. The Utility module lists the structure of the files. The

SFP sets up permanent report parameters.

Report module lets you create, save, list and modify reports and the Generate module produces the reports and labels.

The program comes with DOS 2.5 and allows for a RAMdisk to be set up on boot-up. Unlike SynFile+, SFP will work with a data disk in Drive 2. Double density data disks may also be used with SFP, but you must use a DOS that supports double density. Drive 2 can be set as single density and Drive 3 as double density, eliminating a need to change density for any data file.

Seay's program has several features that make it a good value. Using SFP, you can display or print the structure of a SynFile+ file. The structure display includes indices, formulae and look-up tables. You can also alter values associated with record numbers and counter fields; modify look-

up tables, adding, changing or deleting values; change true/false texts to conditional items; change the justification of a data item; and even recover deleted records (under certain circumstances).

If you ever had to swap disks repeatedly when printing reports from large databases, you'll want SFP simply because it reduces swaps by printing the contents in sequence by disk. Also useful, the Page Wait option allows printing onto stationery (or other single-sheet paper).

I did have one problem when I first tried to use the program. The instructions were unclear as to which files needed to be opened, created or modified. Some further explanation in the manual would have been useful.

I used to avoid using SynFile+ for mailing labels because of the inconvenience of having to open the program, set the print parameters for labels and only then, finally print labels. With SFP, I will undoubtedly be re-doing my mailing lists with SynFile+.

\$21.95. (Virginia residents add 90 cents sales tax.) SFP, 4 Forest Drive, Palmyra, VA 22963-2118.

Mapping the PART Atari Exclusive!

Classic 8-bit reference book returns.

By Ian Chadwick


Antic continues the exclusive serialization of key excerpts from the revised second edition of Ian Chadwick's 'Mapping the Atari.' Virtually impossible to obtain today, this book has been one of the key refer-

ence sources for Atari 8-bit

programmers since 1983.

The August 1989 issue of **Antic** explained many

of the uses for a comprehensive Atari memory location guide—which we now begin presenting



ocations zero to 255 (\$0 to \$FF) are called ''page zero'' and have special importance for assembly language programmers since these locations are accessed faster and easier by the machine.

Locations zero to 127 (\$0 to \$7F) are reserved as the OS page zero, while 128 to 255 (\$80 to \$FF) are the BASIC and the user zero page RAM. Locations zero to 1792 (\$0 to \$700) are all used as the OS and (if the cartridge is present) 8K BASIC RAM (except page six). Locations zero to 8191 (\$0 to \$1FFF) are the minimum required for operation (8K).

Locations two through seven are not cleared on any start operation.

DECIMAL	HEX	LABEL
0,1	0,1	LINZBS

LINBUG RAM, replaced by the monitor RAM. It seems to be used to store the VBLANK timer value. One user application I've seen for location zero is in a metronome program in De Re Atari. Also used in cross-assembling the Atari OS.

this month.

2,3

2,3 CASINI

Cassette initialization vector: JSR through here if the cassette boot was successful. This address is extracted from the first six bytes of a cassette boot file.

4,5 4,5 RAMLO

RAM pointer for the memory test used on powerup. Also used to store the disk boot address—normally 1798 (\$706)—for the boot continuation routine.

6 6 TRAMSZ

Temporary Register for RAM size; used during powerup sequence to test RAM availability. This value is then moved to RAMTOP, location 106 (\$6A). Reads one when the BASIC or the A (left) cartridge is plugged in.

7 7 TSTDAT

RAM test data register. Reads one when the B or the right cartridge is

cartridge plugged in) and whether the disk is to be booted.

Locations eight through 15 (\$8-\$F) are cleared on coldstart only.

8 WARMST

Warmstart flag. If the location reads zero, then it is in the middle of powerup; 255 is the normal RESET status. Warmstart is similar to pressing RESET, so should not wipe out memory, variables, or programs.

9 9 BOOT?

Boot flag success indicator. A value of 255 in this location will cause the system to lockup if RESET is pressed. If BOOT? reads one, then the disk boot was successful; if it reads two, then the cassette boot was successful.

10,11 A,B DOSVEC

Start vector for disk (or noncartridge) software. This is the address BASIC jumps to when you call up DOS. Can be set by user to point to boot. Also used to store the cassetteboot RUN address, which is then moved to CASINI (2,3). When you powerup without either the disk or an autoboot cassette tape, DOSINI will read zero in both locations.

14,15 E,F APPMHI

Applications memory high limit and pointer to the end of your BASIC program, used by both the OS and BASIC. It contains the lowest address you can use to set up a screen and Display List (which is also the highest address usable for programs and data below which the diaplay RAM may not be placed).

16 10 POKMSK

POKEY interrupts: the IRQ service uses and alters this location. Shadow for 53774 (\$D20E). POKE with 112 (\$70; also POKE this same value into 53774) to disable the BREAK key. If the following bits are set (to one), then these interrupts are enabled (bit decimal values are in parentheses):

BIT	DECIMAL	FUNCTION
7	128	The BREAK key is enabled.
6	64	The 'other key' interrupt is enabled.
5	32	The serial input data ready interrupt is enabled.
4	16	The serial output data required interrupt is enabled.
3	8	The serial out transmission finished interrupt is enabled.
2	4	The POKEY timer four interrupt is enabled (only in the "B" o
		later versions of the OS ROMs).
1	2	The POKEY timer two interrupt is enabled.
0	1	The POKEY timer one interrupt is enabled.

inserted.

RAMLO, TRAMSZ and TSTDAT are all used in testing the RAM size on powerup. On DOS boot, RAMLO and TRAMSZ also act as temporary storage for the boot continuation address. TRAMSZ and TSTDAT are used later to flag whether or not the A (left) and/or B (right) cartridges, respectively, are plugged in (non-zero equals

your own routine, but RESET will return DOSVEC to the original address. To prevent this, POKE 5446 with the LSB and 5450 with the MSB of your vector address and re-save DOS using the WRITE DOS FILES option in the menu.

12,13 C,D DOSINI

Initialization address for the disk

17 11 BRKKEY

Zero means the BREAK key is pressed; any other number means it's not. A BREAK during I/O returns 128 (\$80). Monitored by both keyboard, display, cassette and screen handlers.

18.19.20 12.13.14 RTCLOK

Internal realtime clock. Location

20 increments every stage one VBLANK interrupt (1/60 second = one jiffy) until it reaches 255 (\$FF); then location 19 is incremented by one and 20 is reset to zero (every 4.27 seconds). When location 19 reaches 255, it and 20 are reset to zero and location 18 is incremented by one (every 18.2 minutes or 65536 TV frames).

21,22 15,16 BUFADR

Indirect buffer address register (page zero). Temporary pointer to the current disk buffer.

23 17 ICCOMT

Command for CIO vector. Stores the CIO command; used to find the offset in the command table for the correct vector to the handler routine.

24,25 18,19 DSKFMS

Disk file manager pointer. Called JMPTBL by DOS; used as vector to FMS.

26,27 1A,1B DSKUTL

The disk utilities pointer. Called BUFADR by DOS, it points to the area saved for a buffer for the utilities package (data buffer; DBUF) or for the program area (MEMLO; 743, 744; \$2E7, \$2E8).

28 1C PTIMOT

Printer timeout, called every printer status request. Initialized to 30, which represents 32 seconds (the value is 64 seconds per 60 increments in this register); typical timeout for the Atari 825 printer is five seconds. The value is set by your printer handler software. It is updated after each printer status request operation. It gets the specific timeout status from location 748 (\$2EC), which is loaded there by SIO.

29 1D PBPNT

Print buffer pointer; points to the current position (byte) in the print buffer. Ranges from zero to the value in location 30.

30 1E PBUFSZ

Print buffer size of printer record for current mode. Normal buffer size and line size equals 40 bytes; double-width print equals 20 bytes (most printers use their own control codes for expanded print); sideways printing equals 29 bytes (Atari 820 printer only). Printer status request equals four PBUFSZ is initialized to 40. The printer handler checks to see if the same value is in PBPNT and, if so, sends the contents of the buffer to the printer.

31 1F PTEMP

Temporary register used by the printer handler for the value of the character being output to the printer.

THE ZIOCB

Locations 32 to 47 (\$20 to \$2F) are the ZIOCB: Page zero Input-Output control Block. They use the same structure as the IOCB's at locations 832 to 959 (\$340 to \$3BF). The ZI-OCB is used to communicate I/O control data between CIO and the device handlers. When a CIO operation is initiated, the information stored in the IOCB channel is moved here for use by the CIO routines. When the operation is finished, the updated information is returned to the user area.

32 20 ICHIDZ

Handler index number. Set by the OS as an index to the device name table for the currently open file. If no file is open on this IOCB (IOCB free), then this register is set to 255 (\$FF).

33 21 ICDNOZ

Device number or drive number. Called MAXDEV by DOS to indicate the maximum number of devices. Initialized to one.

34 22 ICCOMZ

Command code byte set by the user to define how the rest of the IOCB is formatted, and what I/O action is to be performed.

35 23 ICSTAZ

Status of the last IOCB action returned by the device, set by the OS. May or may not be th same status returned by the STATUS command.

36,37 24,25 ICBALZ/HZ

Buffer address for data transfer or the address of the file name for commands such as OPEN, STATUS, etc.

38,39 26,27 ICPTLZ/HZ

Put byte routine address set by the OS. It is the address minus one byte of the device's 'put one byte' routine. It points to CIO's 'IOCB not OPEN' on a CLOSE statement.

40,41 28,29 ICBLLZ/HZ

Buffer length byte count used for PUT and GET operations; decreased by one for each byte transferred.

42 2A ICAX1Z

Auxiliary information first byte used in OPEN to specify the type of file access needed.

43 2B ICAX2Z

CIO working variables, also used by some serial port functions. Auxiliary information second byte.

44,45 2C,2D ICAX3Z/4Z

Used by BASIC NOTE and POINT

commands for the transfer of disk sector numbers. These next four bytes to location 47 are also labelled as: ICSPRZ and are defined as spare bytes for local CIO use.

46 2E ICAX5Z

The byte being accessed within the sector noted in locations 44 and 45. It is also used for the IOCB Number multiplied by 16. Each IOCB block is 16 bytes long. Other sources indicate that the 6502 X register also contains this information.

47 2F ICAX6Z

Spare byte. Also labelled CIOCHR, it is the temporary storage for the character byte in the current PUT operation.

48 30 STATUS

Internal status storage. The SIO routines in ROM use this byte to store the status of the current SIO operation.

49 31 CHKSUM

Data frame checksum used by SIO: single byte sum with carry to the least significant bit. Checksum is the value of the number of bytes transmitted (255; \$FF). When the number of transmitted bytes equals the checksum, a checksum sent flag is set at location 59 (\$3B). Uses locations 53773 (\$D20D) and 56 (\$38) for comparison of values (bytes transmitted).

50,51 32,33 BUFRL/HI

Pointer to the data buffer, the contents of which are transmitted during an I/O operation, used by SIO and the Device Control Block (DCB); points to the byte to send or receive. Bytes are transferred to the eight-bit parallel serial output holding register or from the input holding register at 53773 (\$D20D).

52,53 34,35 BFENLO/HI

Next byte past the end of the SIO and DCB data buffer described above.

54 36 CRETRY

Number of command frame retries. Default is 13 (\$0D). This is the number of times a device will attempt to carry out a command such as read a sector or format a disk.

55 37 DRETRY

Number of device retries. The default is one.

56 38 BUFRFL

Data buffer full flag (255; \$FF equals full).

57 39 RECVDN

Receive done flag (255; \$FF equals done).

58 3A XMTDON

Transmission done flag (255; \$FF equals done).

59 3B CHKSNT

Checksum sent flag (255; \$FF equals sent).

60 3C NOCKSM

Flag for 'no checksum follows data.' Not zero means no checksum follows; zero equals checksum follows transmission data.

61 3D BPTR

Cassette buffer pointer: record data index into the portion of data being read or written. Ranges from zero to the current value at location 650 (\$28A).

62 3E FTYPE

Inter-record gap type between cassette records, copied from location 43 (\$2B; ICAX2Z) in the ZIOCB, stored there from DAUX2 (779; \$30B) by the user.

63 3F FEOF

Cassette end of file flag. If the value is zero, an end of file (EOF) has not been reached. Any other number means it has been detected.

64 40 FREQ

Beep count retain register. Counts the number of beeps required by the cassette handler during the OPEN command for play or record operations; one beep for play, two for record.

65 41 SOUNDR

Noisy I/O flag used by SIO to signal the beeping heard during disk and cassette I/O. POKE here with zero for blessed silence during these operations. Other numbers return the beep. Initialized to three.

66 42 CRITIC

Critical I/O region flag; defines the current operation as a time-critical section when the value here is nonzero. Checked at the NMI process after the stage one VBLANK has been processed. POKEing any number other than zero here will disable the repeat action of the keys and change the sound of the CTRL-2 buzzer.

Zero is normal; setting CRITIC to a non-zero value suspends a number of OS processes including system software timer counting (timers two, three, four and five).

67-73 43-49 FMZSPG

Disk file manager system (FMS) page zero registers (seven bytes).

67,68 43,44 ZBUFP

Page zero buffer pointer to the user filename for disk I/O.

69,70 45,46 ZDRVA

Page zero drive pointer. Copied to here from DBUFAL and DBUFAH; 4905 and 4913 (\$1329, \$1331). Also used in FMS ''free sector,'' setup and ''get sector'' routines.

71,72 47,48 ZSBA

Zero page sector buffer pointer.

73 49 ERRNO

Disk I/O error number. Initialized to 159 (\$9F) by FMS.

74 4A CKEY

Cassette boot request flag on coldstart. Checks to see if the START key is pressed and, if so, CKEY is set.

75 4B CASSBT

Cassette boot flag. The Atari attempts both a disk and a cassette boot simultaneously. Zero here means no cassette boot was successful.

76 4C DSTAT

Display status and keyboard register used by the display handler. Also used to indicate memory is too small for the screen mode, cursor out of range error, and the BREAK abort status.

77 4D ATRACT

Attract mode timer and flag. Attract mode rotates colors on your screen at low luminance levels when the computer is on but no keyboard input is read for a long time (seven to nine minutes). This helps to save your TV screen from ''burn-out'' damage suffered from being left on and not used. It is set to zero by IRQ whenever a key is pressed, otherwise in-

cremented every four seconds by VBLANK (see locations 18-20; \$12-\$14). When the value in ATRACT reaches 127 (\$7F), it is then set to 254 (\$FE) until attract mode is terminated. This sets the flag to reduce the luminance and rotate the colors when the Atari is sitting idle.

78 4E DRKMSK

Dark attract mask; set to 254 (\$FE) for normal brightness when the attract mode is inactive (see location 77). Set to 246 (\$F6) when the attract mode is active to guarantee screen color luminance will not exceed 50†. Initialized to 254 (\$FE).

79 4F COLRSH

Color shift mask; attract color shifter; the color registers are EORd with locations 78 and 79 at the stage two VBLANK (see locations 18-20; \$12-\$14). When set to zero and location 78 equals 246, color luminance is reduced 50%. COLRSH contains the current value of location 19, therefore is given a new color value ever 4.27 seconds.

Bytes 80 to 122 (\$50 to \$7A) are used by the screen editor and display handler.

80 50 TEMP

Temporary register used by the display handler in moving data to and from screen. Also call! TMPCHR.

81 51 HOLD1

Same as location 80. It is used also to hold the number of Display List entries.

82 52 LMARGN

Column of the left margin of text (GR.O or text window only). Zero is the value for the left edge of the screen; LMARGN is initialized to two.

You can POKE the margin locations to set them to your specific program needs, such as POKE 82,10 to make the left margin start ten locations from the edge of the screen.

83 53 RMARGN

Right margin of the text screen, initialized to 39 (\$27).

84 54 ROWCRS

Current graphics or text screen cursor row, value ranging from zero to 191 (\$BF) depending on the current GRAPHICS mode (maximum number of rows, minus one). This location, together with location 85 below, defines the cursor location for the next element to be read/written to the screen. Rows run horizontally, left to right across the TV screen. Row zero is the topmost line; row 192 is the maximum value for the bottom-most line.

85,86 55,56 COLCRS

Current graphics or text mode cursor column; values range from zero to 319 (high byte, for screen mode eight) depending on current GRAPHICS mode (maximum number of columns minus one). Location 86 will always be zero in modes zero through seven. Home position is 0,0 (upper left-hand corner). Columns run vertically from the top to the bottom down the TV screen, the leftmost column being number zero, the rightmost column the maximum value in that mode. The cursor has a complete top to bottom, left to right wraparound on the screen.

87 57 DINDEX

Display mode/current screen mode. Labelled CRMODE by (*M). DINDEX contains the number obtained from the low order four bits of most recent open AUX1 byte. It can be used to fool the OS into thinking

you are in a different GRAPHICS mode by POKEing DINDEX with a number from zero to 11. POKE with seven after you have entered GRAPHICS mode eight, and it will give you a split screen with mode seven on top and mode eight below. However, in order to use both halves of the screen, you will have to modify location 89 (below) to point to the area of the screen you wish to DRAW in.

88,89 58,59 SAVMSC

The lowest address of the screen memory, corresponding to the upper left corner of the screen (where the value at this address will be displayed). The upper left corner of the text window is stored at locations 660, 661 (\$294, \$295).

90 5A OLDROW

Previous graphics cursor row. Updated from location 84 (\$54) before every operation. Used to determine the starting row for the DRAWTO and XIO 18 (FILL command).

91,92 5B,5C OLDCOL

Previous graphics cursor column. Updated from locations 85 and 86 (\$55, \$56) before every operation. These locations are used by the DRAWTO and XIO 18 (FILL) commands to determine the starting column of the DRAW or FILL.

93 5D OLDCHR

Retains the value of the character under the cursor, used to restore that character when the cursor moves.

94,95 5E,5F OLDADR

Retains the memory location of the current cursor location. Used with location 93 (above) to restore the character under the cursor when the cursor moves.

96 60 NEWROW

Point (row) to which DRAWTO and XIO 18 (FILL) will go.

97,98 61,62 NEWCOL

Point (column) to which DRAWTO and XIO 18 (FILL) will go. NEWROW and NEWCOL are initialized to the values in ROWCRS and COLCRS (84 to 86; \$54 to \$56) above, which represent the destination end point of the DRAW and FILL functions. This is done so that ROWCRS and COLCRS can be altered during these routines.

99 63 LOGCOL

Position of the cursor at the column in a logical line. A logical line can contain up to three physical lines, so LOGCOL can range between zero and 119. Used by the display handler.

100,101 64,65 ADRESS

Temporary storage used by the display handler for the Display List address, line buffer (583 to 622; \$247 to \$26E), new MEMTOP value after DL entry, row column address, DMASK value, data to the right of cursor, scroll, delete, the clear screen routine and for the screen address memory (locations 88, 89; \$58, \$59).

102,103 66,67 MLTTMP

Also called OPNTMP and TOADR; first byte used in OPEN as temporary storage. Also used by the display handler as temporary storage.

104,105 68,69 SAVADR

Also called FRMADR. Temporary storage, used with ADRESS above for the data under the cursor and in moving line data on the screen.

106 6A RAMTOP

RAM size, defined by powerup as

passed from TRAMSZ (location 6), given in the total number of available pages (one page equals 256 bytes, so PEEK(106)*256 will tell you where the Atari thinks the last usable address—byte—of RAM is). MEMTOP (741,742; \$2E5,\$2E6) may not extend below this value. In a 48K Atari, RAMTOP is initialized to 160 (\$A0), which points to location 40960 (\$A000). The user's highest address wil be one byte less than this value.

107 6B BUFCNT

Buffer count: the screen editor current logical line size counter.

108,109 6C,6D BUFSTR

Editor low byte (AM). Display editor GETCH routine pointer (location 62867 for entry; \$F593). Temporary storage; returns the character pointed to by BUFCNT above.

110 6E BITMSK

Bit mask used in bit mapping routines by the OS display handler at locations 64235 to 64305 (\$FAEB to \$FB31). Also used as a display handler temporary storage register.

111 6F SHFAMT


Pixel justification: the amount to shift the right justified pixel data on output or the amount to shift the input data to right justify it. Prior to the justification process, this value is always the same as that in 672 (\$2A0).

continued next issue

Copyright 1983 and 1985, COMPUTE! Publications, Inc.

MAPPING THE ATARI \$16.95, COMPUTE! Books, P.O. Box 5406, Greensboro, North Carolina 27403, (919) 275-9809.

Ian Chadwick is a Toronto-based freelance writer.



Take advantage of your XL/XE's upgraded memory with SmartRAM II. This BASIC super RAMdisk works on Atari XL and XE computers with a minimum 128K memory and requires DOS 2.5.

SmartRAM 2.5 is a powerful RAMdisk that can take charge of your extra memory, no matter what upgrade you have installed. You'll find that SmartRAM 2.5 is more convenient and versatile than Atari's official RAM-DISK.COM file.

For a good general description of the various Atari RAM upgrades you may wish to review *Dr. Brilliant's Incredible Atari Brain Transplants*, which appeared in the November 1988 issue of Antic. However, Smart-RAM 2.5 does not support the Atari 800 upgrades.

All of the XL/XE upgrades are really very similar. It is not difficult to dis-

tinguish between them and it's a snap to talk to them. You can control any common XL or XE RAM upgrade with just a few bytes of code.

I will try to explain the function of SmartRAM 2.5 as clearly as possible, but it is complex, requiring some understanding of binary numbers and 6502 assembly language. However, you don't *need* to understand Smart-RAM 2.5 in order to use it effectively.

TYPING IT IN

SmartRAM 2.5 requires Atari DOS 2.5. Boot with a copy of DOS 2.5 and type in Listing 1, RAMDISK.BAS, check it with TYPO II and SAVE a copy to disk before you RUN it. This listing is the BASIC translation of an assembly language program. The assembler source code is also on this month's Antic Disk so that experienced programmers can adapt it if they wish.

Make sure to RUN SmartRAM 2.5

in drive 1 on a disk which includes a copy of the genuine DOS 2.5. The program will check its own data and write out a RAMDISK.COM file to D1:. Your new RAMdisk is now ready to use. So reboot by pressing [RESET] and check it out.

The extra features don't cost more memory.

By the way, for all you 256K 800XL/1200XL users and 320K XE users: I have not tested this with BASIC-XE from OSS/ICD, but it should allow you to use the EXTEND mode with a "1050" RAMdisk! SmartRAM

also works with the XE-GM1 and XE-GM2 RAM upgrades for the XEGS from Innovative Concepts.

SWITCHABLE BANKS

Located in the Atari's 6502 microprocessor, the program counter tells the computer where to go in memory for instructions or data. This counter is 16 bits wide. With 16 bits we can have 65,536 different addresses, or 64K of addressable memory.

While you can install the larger 256K RAM chips, the 6502 cannot "see" any more than 64K. It's like having a 256 story building with no elevators or stairs above the 64th floor. When extra memory is installed in a 64K computer, it must be done in a way that allows small pieces of it, called "banks", to temporarily replace a similar segment of the main memory. This "bank-switching" is what al-


continued on page 18

Bought An ST Computer?

Then convert from Antic to START now!

As you upgrade your computer you'll want to stay with us. *START* magazine for the Atari ST guides you every step of the way.

You can have the remaining value of your Antic subscription converted to an equal value of *START* magazine with disk.





YES!

Convert my Antic Subscription to START magazine with disk.



I am interested.
Tell me how many issues of START I will get.

Clip this coupon and mail to: Antic Subscriptions P.O. Box 1569 Martinez, CA 94553

Name			
Address	A 70	aala	
City	State	Zip	

WH9C

Get Clicking With Your Atari ST!

Subscribe to START magazine with disk

PROGRAMMING UNILLINGS CAMES

Tutorials on START Disk brings the expertise of top ST programmers right into your computer.

Manage the power of your ST, and make your computing more enjoyable with utilities on STart disks.

Stimulate your imagination and your reflexes with games on START Disk! How-to tutorials show you how to write your own pulse-pounding games.

STARTS MONTHLY ST MONTHLY STARTS TO MONTHLY STAR

For Faster Service Call

Toll-Free 1-800-234-7001

Visa or MasterCard Only

YES! Sign me up for 12 issues of START magazine plus DISK for the low price of just \$79.95.

- ☐ Bill me
- ☐ I'm enclosing payment
- ☐ Check enclosed ☐ Visa
- ☐ MasterCard

Credit Card #

Exp. Date

Signature

Name

State

7in

HOOL

Please allow 4-6 weeks for delivery of first issue. Canada & Mexico residents add \$18 per year. Other foreign add \$25 per year. Foreign subscribers (not including Canada) must send full payment. Payment in U.S. funds. California residents add 6½% sales tax.

START SUBSCRIPTIONS P.O. Box 1569 Martinez, CA 94553

lows us to have a 130XE with 128K, or an 800XL with 256K.

The Atari 130XE set the standard for bank-switching on all XL/XE computers. In the 130XE there is an extra 64K, which is accessed in four 16K banks. All of the currently available XL/XE upgrades utilize this method, which is the most striking similarity among them.

MEMORY CONTROL

You control this extra memory by setting or clearing bits at address 54017 decimal (\$D301 hex), the PORTB register in the PIA chip. The eight bits of PORTB are assigned as follows:

Bit 7: Controls the diagnostics Self-Test. 2K ROM

Bit 6: Currently unused in the 130XE (controls built-in Misssile Command on the XEGS).

Bit 5: Controls the ANTIC video processor during banking.

Bit 4: Controls the 6502 microprocessor during banking.

Bit 3: Bank address bit 1.

Bit 2: Bank address bit 0.

Bit 1: Controls the built-in BASIC. 8K ROM

Bit 0: Controls the operating system. 16K ROM

In the 130XE with 128K memory, the four banks are addressed as banks 0 through 3, requiring 2 bits set in one of 4 patterns—00, 01, 10, or 11. To access a new bank, set bits 2 and 3 to the desired bank address, clear bit 4 for the 6502, and/or bit 5 for ANTIC video. Our new bank will then appear in place of the second 16K of main RAM at address 16384 to 32767 decimal (\$4000-\$7FFF). This area is called the "bank window."

With two bits we can address four 16K banks, or 64K. Another bit would give us addresses for another 64K (8 banks), for a total of 128K extra. Yet another bit would give us addresses for an additional 128K (16 banks) for a total of 256K memory plus the 64K of main RAM, which equals 320K.

This is the principle behind all of

these XL/XE memory upgrades. However, since there is only one free bit at \$D301 we do run into a "bit" of trouble, because not all upgrades select the same final control bit.

There are advantages and disadvantages to choosing that last bit. If we employ bit 7, the self-test is disabled. Choosing bit 1 will effectively eliminate access to built-in BASIC. This is of no consequence if you use BASIC XL or some other language in preference to Atari BASIC. But the largest upgrades use both bits.

TESTING BANKS

To use the extra memory, you need to be able to determine which bits are being used, and how to address them. The trick to this is the order in which you test them. You could use the "brute-force" method and test every single bank. After all, at machinelanguage speed it wouldn't take all that long, just a lot of code. But we can do it logically, with much less effort.

Examining how the bits work together, you will find that only a few tests are required. For instance, to test for 192K, only bit 6 need be examined. It is safe to assume that extra RAM there means there are also banks at bits 2 and 3.

One procedure for this testing, in 6502 assembler, is to first load a 130XE bank address into the Y register, and a test bank address for bit-6 into the X register. Next, swap banks while comparing data within the bank window.

For example:

TEST		
LDY	#\$E3	11100011 XE,
		BANK 0
LDX	#\$A3	10100011 BIT 6,
		BANK 0
STY	PORTB	ENABLE XE
		BANK 0
LDA	\$4000	GET FIRST
		BYTE IN
		WINDOW

STX	PORTB	ENABLE TEST
		BANK
CMP	\$4000	ANY MORE
		HERE?
BNE	FOUND	YES! BRANCH
STY	PORTB	JUST IN CASE
		DATA IS SAME
EOR	#\$FF	INVERT BYTE
STA	\$4000	WRITE IT
		BACK
STX	PORTB	AND TEST IT
		AGAIN
CMP	\$4000	STILL SAME?
FOUND		ZFLAG CLEAR
		= PASSED

Note that we didn't need to test for the 130XE bank. We just compared it to our test bank to see if they were different. Since any system with extra RAM at bit 6 will also have the 130XE banks, we can confirm eight banks with only one test. Of course, Smart-RAM 2.5 can't get off that easy since it must address all combinations.

SmartRAM 2.5 can address 64K to 192K of extra memory, so I start testing with the XE banks. If this passes I test bit 6. I then set a flag on the condition of bit 6 and test bit 5.

The reason for the flag on bit 6 is that the Newell 256KXL upgrade, due to its unusual bank addressing, fails the bit 6 test even though it uses bit 6! If bit 5 fails also, we exit and initialize a 64K RAMdisk. But, if bit 5 passes and bit 6 failed a Newell is the only possibility, so we exit and initialize a Newell RAMdisk.

However, if bits 5 and 6 both pass, then we have a RAMBO-XL compatible 256K (or 320K) machine. Finally, if bit 5 fails, we check bit 7.

As you can see, with just four bit tests (XE/6/5/7) we can verify up to 12 banks with five different combinations of bits and three memory sizes. Now that we know all this, we set up a "bank control table," the secret to SmartRAM 2.5.

BANK CONTROL TABLE

The usual method for choosing the address bits for PORTB is to use the

6502 bit-shifting instructions to move them into position. This won't work for SmartRAM 2.5 because you need different instructions depending on which bits you are shifting, and where you are moving them.

My solution was to figure out which bit patterns were necessary for each of the combinations. Then I assembled them into a bank control table. This is a table of bytes, from which SmartRAM pulls the needed bit address.

Bank Control Table Master:

Bit 1Z \$A1,\$A5,\$A9,\$AD

130XE \$E3,\$E7,\$EB,\$EF

Bit 6 \$A3,\$A7,\$AB,\$AF

Bit 5 \$C3,\$C7,\$CB,\$CF

Newell \$83,\$87,\$8B,\$8F

Bit 7 \$63,\$67,\$6B,\$6F;BANKS

4-7

Bit 7Z \$23,\$27,\$2B,\$2F;BANKS

0-3

Bit 1 \$E1,\$E5,\$E9,\$ED

There are a total of 32 bytes in the master table, but only four are used for 128K, eight for 192K, 12 for 256K, and 16 for 320K. As the memory test passes each stage, the proper bytes are placed into the control table. When the test is finished, so is the table.

After this, SmartRAM only has to use simple division to determine which bank it will be accessing and pull that byte from the table. For example, there are 128 single density "sectors" in each bank. If SmartRAM needs sector 129, it wants the second bank, so it just grabs the second byte from the table and stuffs it into PORTB. Poof, Bank 2 is in the window.

1050 EMULATOR

Now let's take a look at the Smart-RAM 2.5 new 1050 Emulator. This will work in the standard 130XE with 128K, as well as upgrades with 192K or 256K.

The emulator can handle bits 2, 3, 5, 6, and 7 (sorry, no bit 1). In a stock 128K 130XE it will give you the nor-

mal Atari 499-sector RAMdisk. In a 192K XE it will give you a "1050" density RAMdisk. And in a 256K XL (or 320K XE) it will give you the 1050 RAMdisk without using any of the 130XE banks! This allows you to use the 130XE banks for other things (like BASIC-XE).

One of the nicest features of Smart-RAM 2.5 is that it will only enable the MEM.SAV file if BASIC (or a cartridge) is active. I'm sure you have all been annoyed by that "TYPE 'Y' IF OK TO USE PROGRAM AREA" message, when you are just using DOS. This is no problem now. If you are not using BASIC, no MEM.SAV prompt is given. You can still use DOS option N (create MEM.SAV) if you want to preserve lower memory.

Another nice feature is the ability to reboot without reformatting a valid RAMdisk. If you have data previously written to the RAMdisk, a *software* reboot at \$E477 will not wipe it out. SmartRAM can be "reboot proof" using the RAMaid coldstart reset button from Innovative Concepts as well. SmartRAM 2.5 checks for valid data before formatting, thus preserving your important data.

NO MEMORY LOSS

All this doesn't cost you any memory. I managed to stuff SmartRAM 2.5 into the locations used by Atari's old handler. And it doesn't cost you any disk space. SmartRAM 2.5 is only eight sectors long, actually one sector *shorter* than Atari's RAM-DISK.COM.

Are there any limitations? Of course. As with all RAMdisks, save what you need to a real disk before you turn off the computer. When the power goes off, any files on RAMdisk will disappear. Also, when designing this program I decided for the sake of compatibility to retain as much of Atari's original DOS 2.5 RAMdisk handler as possible.

This means the program should work with anything designed for the DOS 2.5 RAMdisk. But it will still be

incompatible with software that has problems with the old handler (like DUP.SYS option J).

Note that there is a small bug in DOS 2.5 (not SmartRAM 2.5) which will occasionally give unusual results when reading the RAMdisk directory. The size of the DUP.SYS file will be much larger than the normal 42 sectors. Sometimes a directory listing will report "999 + FREE SECTORS". This is also incorrect, but seems to cause no problems. Although annoying, this bug is apparently harmless, usually occuring after you run a binary file and return to DUP. The problem seems to be caused by the MEM.SAV routines. It usually doesn't happen if MEM.SAV is enabled.

When SmartRAM 2.5 loads into a machine with more than 128K, it patches DOS 2.5 to access the extra memory. While this patched DOS is completely functional and can be written out to a disk, it will no longer be compatible with the standard RAMDISK.COM file and a 128K Atari 130XE. So it is best to reboot without SmartRAM 2.5 before writing DOS. The DUP menu is modified to remind you that DOS has been modified.

Notice that the SmartRAM boot message is printed on the bottom of the screen, so as not to interfere with AUTORUN files that print a RUN "D1:FILENAME" type of message. The boot message will say D8:DISK EMULATOR for the 128K Atari 130XE, and D8:1050 EMULATOR for expanded memory systems. A message on the DUP menu will indicate 192K or 256K, as required. There is no special message for the standard 128K system configuration.

Tim Patrick, 30, lives in Kaiua, on Hawaii's Oahu island. He enjoys assembly language programming and has written numerous utilities which can be found on bulletin boards as far away as Germany. This is his first Antic appearance.

Listing on page 38

Check your joystick accuracy and speed.

joystick

Ever wonder if that old gamer's alibi, "It's the joystick" might really be true?


Check out the accuracy of your joysticks and the speed of your reflexes with this handy BASIC utility. Joystick Test Laboratory works on

8-bit Atari computers with at least 48K memory and disk drive.

By Kevin Gevatosky

ave you ever wondered just which joystick is right for you, or which stick will give the best performance in those fast-paced arcade games? Do you wish there was some way to test and rate a stick so you would know for sure which one to use? Well, if so, your wish has come true—Joystick Test Laboratory is here!

This simple BASIC program is



designed to test you and your joystick for overall accuracy, horizontal & vertical positioning, diagonal positioning, and response time. The results are displayed so you can see for yourself just how well you performed with the joystick.

Not only will Joystick Test Laboratory help select the joystick that's right for you, but it can also be used to keep a record of your performance so you will know if your joystick abilities are improving or not and which areas might need work.

In addition to giving performance ratings, Joystick Test Laboratory also has the capability to test joysticks and paddles to make sure they are functioning properly. Of course, you could test them using BASIC's STICK and PADDLE functions (printing the values to the screen), but why keep

driving a VW when you have a Porsche?

GETTING STARTED

Type in Listing 1, JOYTEST.BAS, check it with TYPO II, and SAVE a copy to disk. Then, RUN the program and a menu will appear with three options—Joystick Tester, Paddle Tester, and Evaluator. To select an option, just press the highlighted letter. But, before you do, be sure that a joystick or pair of paddles is plugged into joystick port 1.

When you select the first option, Joystick Tester, a 3×3 grid will appear on the screen. The squares of the grid represent the nine possible joystick positions.

With the joystick in the neutral position you should see a red colored in-

laboratory

dicator in the center of the grid. Move the joystick around and the indicator will also move to show the joystick's current position. Press the joystick button and the indicator will flash a brighter red. If you cannot get the indicator to move to all the positions of the grid or make it flash, then the joystick is not working properly.

When you have finished testing your joystick, press [START] and the program will return to the options menu.

PADDLE TESTER

The second option, Paddle Tester, will test a pair of paddles plugged into joystick port 1. Paddle 0 is represented by a yellow indicator and paddle 1 by a blue indicator. Turn the paddle knob clockwise and your indicator should move horizontally, left to right, across the screen. Press the paddle button and the entire background will flash yellow or green, depending on which paddle is being tested.

A numerical display shows the exact paddle value over the possible range of 0 to 225. A paddle that is functioning normally will be able to span the whole range of values and will not vary by more than 2 or

3 units when fixed at any particular position. As with the joystick test, press [START] to return to the options menu.

EVALUATOR

When the last option, Evaluator, is selected, you will be asked to enter the number of response cycles—from 10 to 100. The more cycles, the more

representative the evaluation will be. But it will also take longer. If this is the first time you are using this option, try 10 cycles, just to get a feel for the process.

Next, you will be prompted to press the joystick button to start the evaluation. As soon as you press the trigger, the familiar 3×3 grid will be displayed and the red indicator will appear in one of the squares. As quickly as you can, move your joystick to the position indicated. A short beep tells you to act swiftly, because the timer is ticking away to measure your response time.

If the stick is moved to the correct position you will hear a high-pitched tone. If you make a mistake and move the stick in the wrong direction you

on the second of the second of

will hear a low-pitched buzz. This completes one response cycle. To start the next cycle, just return the stick to the neutral position. The red indicator will appear somewhere else in the grid and the timer will start a countdown again.

Once you complete the specified number of cycles, the evaluation will end. If you don't want to finish the remaining cycles, you can abort the routine by pressing the [START] key.

INTERPRETING RESULTS

At the end of the evaluation the results will be displayed and are interpreted as follows:

Overall accuracy—This is the percentage of correct responses made.

Total error—This is the total number of incorrect responses, reported as a percentage.

Horizontal & vertical error—This is the percentage of the total error due to incorrect responses when prompted to move the stick in a horizontal or vertical direction.

Diagonal error—This is the percentage of the total error due to incorrect responses when prompted to move the stick in a diagonal direction.

Average response time—This is the average amount of time (total time/cycles), in seconds, that it took you to respond. This value is significant to a hundreth of a second.

After viewing these results, press the joystick trigger and the recorded values for the individual response cycles will be displayed. The "grid" and "response" categories show, respectively, values for both the indicator position on the grid and the actual position to which the joystick was moved. These values correspond to those given for BASIC's STICK(X) function.

Kevin Gevatosky of Eugene, Oregon is a full-time software engineer who enjoys writing programs for the 8-bit Atari. His most recent article, Butterfingers, appeared in the May 1989 issue of Antic.

Listing on page 36



Bob Woolley, originator of the XF35 Kit disk drive upgrade.

Vastly expanded disk capacity for your 8-bit. Reviewed by Matthew Ratcliff

t one time Atari had intended to produce a 3.5inch disk drive for their 8bit computers to replace the aging 1050, a 5.25-inch model. After displaying the new drive at several computer shows, Atari changed its mind and instead produced the XF551, another 5.25-inch disk drive, capable of storing 360K of data per disk in double-sided, double-density format. If Atari had used a 3.5-inch drive, like those found in the Atari 1040ST, you could squeeze 720K of data onto a durable little disk that fits neatly in your shirt pocket.

Bob Woolley, a very active Atarian

on CompuServe and hardware hacker extraordinaire, decided to see if it was possible to transplant a 720K, 3.5-inch floppy mechanism into an existing XF551 unit. Smart guy that he is, Bob found the task rather simple. All you had to do was remove the 5.25-inch mechanism, adapt a 3.5-inch drive to the case, plug in a new cable, and plunk a new EPROM chip into the controller board.

Many other CompuServe subscribers were quite interested in this project, and Mark Elliott of Innovative Concepts (I.C.) wisely made arrangements with Woolley to produce a kit and bring it to market.

The XF35 Kit comes with an upgrade EPROM, a 34-pin cable with connectors, a 4-pin power adapter cable, and a 34-pin male header. The actual drive mechanism is not provided, but can be obtained easily through IBM-PC mail order houses. Easy-to-follow instructions lead you through the 18 steps necessary for the replacement of the XF551 5.25-inch drive with a 3.5-inch unit.

TWIN DRIVE OPTION

Effectively, the 5.25-inch disk drive and controlling ROM are "discarded". An optional set of instructions, involving another 14 steps, shows you how to keep the 5.25-inch drive in place, and add on the 3.5-inch drive, making it possible to select one or the other using a toggle switch.

You will need to purchase the extra parts including an SPDT toggle switch, a DPDT toggle switch, a 5.25-inch disk drive power splitter, a 34-pin 5.25-inch drive connector, and a case for the 3.5-inch disk drive.

I performed the first installation just to verify that the upgrade would work properly. When I was satisfied that I could format, read, and write 3.5-inch disks to a full 720K with SpartaDOS or SpartaDOS X, and also with MYDOS 4.3b, I performed the dual drive upgrade.

A 3.5-inch disk drive can be ordered from just about any PC-compatible mail order outlet. But few of these come with cases. To minimize the "hacking" on a case, cabling and so forth, Bob Woolley recommends a Tandy 720K external disk drive, designed for use with Tandy's 1000 series PC-compatible computers and available at Tandy Computer and Radio Shack stores.

This Tandy drive comes mounted in a nice case that sits neatly on top of the XF551 unit. I found it on sale for \$99 (catalog number 25-1061).

To modify the drive, you must first discard the Tandy disk drive interface cable, take apart the case and remove a small circuit board and cable. There will then be a sufficient opening in the back for your drive interface and power cables to come out to the XF551.

An extra connector will have to be added to the flat ribbon cable that comes with the project, to allow the XF551 and Tandy (or similar 3.5-inch drive) to be connected "in parallel." The cable was just long enough to get the job done. The connector required for this task was called a "34-Position Card Edge Connector, Insulation Displacement Type." The cost was \$3.95 (catalog number 276-1564A) at Radio Shack.

You will also need a "power splitter" to provide power to both the XF551 and the 3.5-inch units. I happened to have a spare from my last PC upgrade, but they are probably available from Radio Shack. This short cable plugs into the power connector inside the XF551, providing two connectors at the opposite end—one for the 5.25-inch drive and the other for the 3.5-inch.

The instructions specify SPDT and DPDT switches to toggle power (5 and 12 volts) and ROM selections between the two drives—which can only be used one at a time. However, since both switches must be flipped at the same time, a triple-pole, double-throw (TPDT) switch would be more appropriate, as the guide suggests.

DESOLDERING

The most difficult step in the upgrade is desoldering the circuit board end of the original XF551 disk drive ribbon connector—34 pins. I get the best results with a good 30-watt pencil soldering iron and copper braid (also called "solder wick"). A connector is then soldered in its place, making installation and removal of the new interface cable a snap.

For the dual-drive upgrade, a second card edge connector had to be added. The sample drawing showed it in the center of the cable, but I found that it fit best closer to the

XF551. The remainder of the cable for the 3.5-inch drive extended out the back of the XF551, up into the opening at the bottom rear of the 3.5-inch drive case, and up to the drive's circuit board. It was a snug fit with my Tandy drive.

The power connectors for each drive and ROM selects have to be wired into opposite sides of the toggle switch(es). Care must be taken to get the power and ROM select for the

drive, these 720K disks may seem like "little hard drives." However, to get the full potential from your new drive, it's a good idea to use SpartaDOS, or some other DOS which allows more than 64 files per disk.

With the dual upgrade, it's easy to toggle back to full 5.25-inch disk compatibility. It's best to have yet another drive in your system, to make transfer between 5.25-inch disks and 3.5-inch disks a bit simpler. A large

You can get I.C.'s upgraded XF35 Kit including all extra switches.

proper drive both on one side of the switch. The switch should only be changed while the main drive power switch is off. With the TPDT switch there is no way to accidentally run a drive with the wrong ROM.

This upgrade went smoothly. Mark Elliot's instructions are completely detailed, and I seldom needed to refer to his schematics. Remember, though, that the upgrade will most certainly void any warranty remaining on your XF551. If you purchase a new Tandy 3.5-inch drive, its warranty is not likely to be valid after cracking its case, either.

If you are a veteran hardware hacker and have a steady hand you have little to worry about. The upgrade is easily reversed. If you have problems with the 3.5-inch unit, simply replace the 5.25-inch drive. Once you piggyback the ROMs and add the switch, however, the upgrade is basically permanent.

SUPER FLOPPIES

Now, with SpartaDOS 3.2d, SpartaDOS X, or MYDOS 4.3b (and possibly earlier versions of MYDOS), I can create HUGE 720K disks on my 8-bit. The Tandy drive certainly made short work, on a very few disks, of backing up my 20 megabyte FA-ST hard drive. If you don't have a hard

RAMdisk could also fill the bill.

Bob Woolley has created a patch utility program that will modify SpartaDOS 3.2d to support the XF551's high speed I/O (nearly tripling the data transfer rate between the drive and computer). Transfer rates are greatly increased with the XF35 drive as well. The latest incarnation of SpartaDOS X cartridge, 4.20, also supports high speed I/O on the XF35 upgraded drive.

Don't expect this upgrade to enable you to read and write Atari ST diskettes. The disks may be the same size, but the formats used are different. It may be possible to come up with a program that will write in ST format, but no one has yet tackled the job of writing the complicated software needed.

So you can't afford a hard drive, but want a *lot* of storage? If you aren't afraid of a little hardware hacking, then the XF35 Kit may be the perfect solution to your archive needs. You can copy *eight* single sided, single density Atari DOS 2.0 disks to one 720K 3.5-inch disk—a great way to clean up your old disks and recycle a lot of old 5.25-inch disks.

XF35 Kit. \$37.95 (incl. \$3 s&h). Innovative Concepts, 31172 Shawn Drive, Warren, MI 48093. (313) 293-0730.

Op Amp CAD

Super Disk Bonus designs circuits


By David Hayes

his month's Super Disk Bonus is Op Amp CAD, a tool for designing operational amplifier circuits. The integrated circuit Op Amp is the workhorse of linear amplifiers used in most audio equipment. Its low cost and high performance has made it the amplifier of choice among professionals, students, and hobbyists alike.

To use Op Amp CAD properly you need to have some familiarity with operational amplifier circuit design. This lengthy, but useful, BASIC program makes it easy for you to experiment with different component values onscreen, because your Atari works out all the mathematical computations. Each time you enter a new value, the program works out new values for all the affected circuit elements. You'll see the results of each change immediately, and you can print out the values for reference.

This program was written by David Hayes of Huntsville, Alabama. Op Amp CAD requires an 8-bit Atari with at least 48K memory and disk. Op Amp CAD supports these basic circuit configurations—inverting, non-inverting, Schmitt trigger, integrator, differentiator, and adder circuits.

Choose a configuration from the main menu and the program displays a complete schematic of the op amp circuit. Op Amp CAD then allows you to [SELECT] the design



components, input new values, and instantly see the results. Some circuit configurations can be changed by pressing [OPTION]. To return to the main menu, press [RESET].

If your printer is on, the name of the circuit and the various component values will automatically be printed, as well as displayed onscreen. Turn off the printer if you don't want the values printed. This program should work correctly with just about any 80-column printer.

Help files are built into the program and can be accessed by typing [H]. Highly informative error messages also provide help. For example, enter too low a resistor value and the program will warn you that you are risking a short circuit.

An extensive manual for Op Amp CAD is also on this month's Antic Disk. This manual provides detailed information on using the program and lists references for additional information on op amp design. If you are familiar with op amp basics, the program is so user-friendly it hardly

needs documentation.

GETTING STARTED

Op Amp CAD should be run from drive 1, on its own disk. To create an Op Amp CAD disk, first format a blank disk (Atari DOS command [I]) then write DOS files to disk (Atari DOS command [H]). Then use Atari DOS command [C] to copy all the files with one-letter and two-letter filenames from this month's Antic disk.

Files L, T, R, P, C, and W are Atari BASIC programs for Op Amp CAD. The rest are HELP files. Copy AUTO-RUN.CAD to your disk and rename it AUTORUN.SYS. Turn the computer off, put your Op Amp CAD disk in Drive 1, and turn the computer on—with BASIC. (XL/XE owners don't hold down[OPTION]). Op Amp CAD should load and RUN automatically.

Your September 1989 Antic Disk—featuring Op Amp CAD plus a second Super Disk Bonus as well as every type-in program from this issue—will be shipped to you within 24 hours after receiving your order. Just phone Toll-Free to the Antic Disk Desk at (800) 234-7001. The monthly disk is only \$5.95 (plus \$2 for shipping and handling) on your Visa or MasterCard. Or mail a \$5.95 check (plus \$2 shipping and handling) to Antic Disk Desk, 544 Second Street, San Francisco, CA 94107.

Salvage 2001

The alien spacecraft is all yours—
if you can stay alive long enough to salvage it.

By Jim Tesch

t's the 21st century, a great time for junk. What other century would let you own a surplus shuttle rocket and spacesuit? What other era would send you out for a test flight just when a huge alien starship—apparently abandoned—drifts into the solar system?

Pushing your spacecraft past the point of no return, you match orbits with the silent hulk. An initial scan shows the ship to be totally deserted but still functional. So, with your breathing echoing within your helmet you cross that last void between you and your dreams.


GETTING STARTED

Type in Listing 1, SALVAGE.BAS, check it with TYPO II and be sure to SAVE a copy before you RUN it. If you have trouble typing the special characters in lines 1080-1100, don't type these lines. Instead, type in Listing 2. When you RUN Listing 2, it creates a file called LINES.LST. Merge this file with Listing 1 by typing LOAD "D:SALVAGE.BAS" and then ENTER "D:LINES.LST".

When you RUN the program the title screen will appear, showing the strange ship. Press [START] to board and begin exploring.

PLAYING THE GAME

To start the alien vessel, you must find the engineering sections on five of the ship's decks. Each deck has 30



You're marooned in a mysterious alien spaceship and time is running out. Your only hope is to re-start this vessel and fly it home. This BASIC program works on 8-bit Atari computers with minimum 48K memory and disk drive.

rooms and the layout is always slightly different. Some of the ship's corridors are one way only and will close behind you as you pass.

You have a three dimensional (Graphics 9) view of the deck from your helmet. The lower part of your screen consists of a compass that indicates the direction you're facing (Port, Starboard, Aft or Bow) and points towards the bow of the ship.

Indicator bars show your current oxygen and energy levels.

To move, just push your joystick in the direction you want to go. (Pull back on the joystick to turn around and go back to the room behind you.) You'll find oxygen and battery recharger stations on every deck. The oxygen is in large tanks. Recharger stations are indicated by a triangle. Just press the joystick button to replenish

•

your own supplies.

Because your suit is surplus, the longer you wear it the more likely that you'll get a blowout when you take on more oxygen or recharge your battery. You must move as quickly as you can to make it through the ship without a fatal accident.

The [OPTION] key will display your current room number at the cost of one turn of energy. After each level's engineering station has been activated by your presence, find the trans-shaft (shown by a bar on the wall) and you'll be beamed to the next level.

If you keep your bearings and continue moving, fame, fortune and a starship are yours. If not, space really will be your final frontier.

Jim Tesch of Fort Smith, Arkansas owns an ancient and wise Atari named "Gypsy." This is his first appearance in ANTIC.

Listing on page 34


HAVE A QUESTION ABOUT YOUR SUBSCRIPTION?

Get an answer fast!

Call (415) 372-6002

Write:

P.O. Box 1569
Martinez CA 94553



Atari Print Screen

Automatic text screen dumps—just like a PC. **By Steve Derderian**

Print your text screen automatically with this handy utility. Now your Atari 8-bit can print text screens the way IBM PCs do. This BASIC program works on all 8-bit Atari computers of any memory size, with disk drive and printer.

```
UBBERBREBBERBBERBBERBEBBERBBBB
  Antic Monthly Disk, SEFT. 1989 ↔
Aaaaaaaaaacaaaaaaaaacaaaaaaaaa±
       e Side 'A' e
0JOYTEST..BAS(05) SALVAGE..BAS(06)0
OBIKER....BAS(07) PRISCRN..MAS(08)0
ORAMDISK..COM(09) RAMDISK..SRC(10) €
⊕AUTORUN..SYS(11) PRTSCRN..EXE(12)⊕
9DOC....TXT(13)
                        0
                        (4
      009 FREE SECTORS
Select HELP. BAS for information.
```

Computer or compatible, you probably learned about the useful Print Screen button on the keyboard. When pressed, the print screen button copies the text from the screen to the printer. Your Atari computer does not have a print screen button, but, with the aid of a short program, Print Screen, we can emulate the PC print screen button.

Print Screen was written in MAC/65 assembly language. But you don't need to own the MAC/65 cartridge in order to use Print Screen.

GETTING STARTED

Type in Listing 1, PRTSCRN.BAS, check it with TYPO II, and SAVE a copy before you RUN it. When RUN, PRTSCRN.BAS creates a stand-alone machine language program called PRTSCRN.EXE. Antic Disk owners will find PRTSCRN.EXE on the monthly disk.

Don't try to run Print Screen from the Antic Monthly Disk. Copy PRTSCRN.EXE to another disk that has the DOS.SYS file on it. Then use DOS to rename PRTSCRN.EXE to AU-TORUN.SYS so that it will run automatically when you insert the disk.

Print Screen's MAC/65 assembler source code is in Listing 2, which is provided for MAC/65 programmers. You don't need Listing 2 to use Print Screen.

PRINT YOUR SCREEN

Simply press [SHIFT][CON-TROL][P] whenever you want a printed copy of the text screen. (Of course, make sure that your printer is turned on first.)

To test Print Screen, try going to DOS. (Make sure your disk has both DOS.SYS and DUP.SYS on it). Display a directory of your disk and then print it by pressing the [SHIFT][CONTROL][P] combination. Print Screen will also work on BASIC programs LISTed onscreen—except for the special characters, which most printers cannot handle.

When you press [SHIFT][CON-TROL][P] the program that is running is interrupted and Print Screen takes over. It will copy all twenty-four screen lines to the printer and then allow the host program to continue. NOTE: Trying to print screens in Graphics and Text Modes with less than twenty-four lines may cause problems.

Print text screens with a simple key combination.

Pressing the [RESET] button will not remove Print Screen from your computer's memory. The only way to get rid of it is to turn off your computer and then boot with a different disk.


Unfortunately, Print Screen will not work with any program that controls the keyboard interrupt vector such as AtariWriter, ACTION! and most games. It will work fine with any program that inputs and outputs through the standard E: screen editor. Luckily, this includes your BASIC and assembler languages as well as most application programs.

(DOS 2.5 directories print just fine, but not DOS 2.0 directories. At this writing, we don't know why.—ANTIC ED)

Like the PC button, Print Screen isn't a graphics dump. Any graphics you try to print will generally come out as garbage. Still, you might try printing scoring screens from BASIC games, for example. Just enough may be readable to be useful, or to prove you really did get that high score.

Steve Derderian is an application engineer for Comerica Bank in Detroit, Michigan.

Listing on page 39



Two-Game Disks From Mastertronics

L.A. SWAT and Panther, Las Vegas Video Poker and Vegas Jackpot Reviewed by David Plotkin

L.A. SWAT, PANTHER

The first disk includes two arcade games that feature decent graphics and are difficult to master. In L.A. SWAT—the better game from a standpoint of overall playability—you are in command of a patrol penetrating gang territory. There are initially three patrol members, but you control only the squad leader and he is the only one vulnerable.

The idea is to move up a street filled with obstacles. There are buildings on both sides and the streets are filled with hostile (are there any other kind?) gang members. These will attack your squad leader with clubs if they get too close, so you must shoot them to prevent it. They also toss grenades, and you must try to anticipate where the grenade will land and move out of the way.

You control the squad leader with your joystick, and he shoots only in the direction he is traveling. His machine gun has a moderate range and it isn't too difficult to take out the gang members in the early levels.

You can use obstacles for shelter. Gang members seem to be able to climb over most obstacles while your way is effectively blocked by the barriers. Snipers on the rooftops fire at you, and there doesn't seem to be a way to bring them down. All you can do is avoid their bullets. Complicating matters further is the presence of innocent bystanders, who will cost you a hefty 1,000-point penalty if you blast them.

At the end of each level there is an intersection swarming with gang members, who come at you from all directions. If you manage to survive the intersection, then you move on to the next level, where the gang members become more aggressive—there are more of them and some shoot back. When the squad leader is taken out, one of the remaining patrolmen takes his place, until they are all gone.

L.A. SWAT is quite playable and convincingly animated, although very violent. Somehow, I don't think the

Los Angeles Police Department would be amused by this game!


Panther is a science fiction game, somewhat reminiscent of Blue Max and Choplifter. You pilot your saucer across the scrolling landscape, landing periodically to take aboard survivors (hidden in bunkers) of an alien attack. The view is three-quarter perspective, so that the landscape scrolls from the upper right to the lower left corner of the screen.

To control your saucer, you must use the joystick. Mostly, you control the altitude—if you fly too low, you can pile into one of the features which dot the landscape: telephone poles, buildings, bunkers, etc. You can't control the speed. Instead, the saucer travels faster as you move higher.

You can land by pressing the joystick all the way forward. If you do so by a bunker, small figures will climb aboard your craft. You can also fly left and right across the screen, and fire your missiles by pressing the joystick button.



L.A. Swat



Panther



Las Vegas Video Poker

Mastertronic recently released a pair of double-game packages as "flippy" disks with Atari versions on one side and Commodore 64 versions on the reverse. At only \$9.99 apiece, these disks are good entertainment values despite some shortcomings.

Of course, the aforementioned aliens are not standing idly by while you are doing all this. They launch attack waves at you, and you must depend on skill (and luck) to avoid them. The aliens swarm about you, trying not only to shoot you down with their missiles, but also to ram you! And they always seem to show up when you have landed to pick up survivors.

The aliens are very difficult to avoid because it's hard to tell how high you are. There is no real measure of altitude, although after a while you learn to judge when you are at the same altitude as an alien, so you can shoot it down.

The graphics of Panther are a mixed bag. The landscape is highly detailed, but the spacecraft resemble nothing so much as blobs. The landscape changes as the game progresses, with desert, city and ocean scenes among the variations.

This is a tough game, and most of your early games will be very short as the alien attack waves mow you down. One good feature is that you don't lose your survivors when your craft is shot down. L.A. SWAT and



Vegas Jackpot

Panther in combination make a good gaming value.

LAS VEGAS VIDEO POKER, VIDEO JACKPOT

The second flippy consists of two gambling games with good graphics. But one game is not a very faithful simulation, and both are marred by the fact that only instructions for the Commodore version are included in package. It takes some significant trial and error to figure out how they work on the Atari.

Las Vegas Video Poker is a simulation of Jackpot Poker. You can choose to play with nickles, quarters or dollars, but since it isn't real money, just take your pick.

Place as many as five coins in the slot by pressing the [RETURN] key, then press the [SPACEBAR] to draw a five-card poker hand. The cards are displayed across the top of a simulated slot machine.

Once the cards are displayed, press the number keys at the top of the keyboard to designate which cards you want to hold. Then press the [SPACE-BAR] again to draw replacement cards. The machine pays off according to how good a poker hand you have. Minimum payment (return of your bet) requires a pair of jacks. The maximum payment (250 coins) comes for a royal flush, a hand that I never saw in all the time I've played Video Poker.

The graphics for Video Poker are good, as are the sound effects. Unfortunately, the interface is clumsy and uses widely separated keys. The joystick would have made a superior control mechanism, even simulating the pulling action of a real slot machine.

The other game in this package is **Vegas Jackpot**, a slot machine simulation that's unlike any slot machine I've ever seen.

First of all, you can only bet one coin and there's only a single pay line. Real slot machines give you more chances to win with multiple pay lines as the stakes go up. There are also some lights across the top of the machine. After each spin some of the lights light up. Occasionally, you get a chance to "hold" your choice of the four reels, so that on the next spin, the selected reels don't move. There is also something called a "nudge," which automatically moves the reels to a winning position and awards a random jackpot.

There are a few significant problems with Video Vegas. Again, the clumsy interface doesn't use the joystick. More seriously, however, the instructions are only for the C64 version. There are no instructions on how to use the hold or nudge features on the Atari! The instructions for the C64 even state that you can save your nudges and gamble them, but I was never able to figure out how to accomplish this.

Overall, the Video Poker game is good enough to warrant purchasing this package, and Vegas Jackpot is a nice bonus.

\$9.99 each. Mastertronic, 711 West 17th Street, Suite G9, Costa Mesa, CA 92627. (714) 631-1001.

PACKAGE DEALS FROM

» COMPUTER «» PRINTER «» PLOTTER « » XE GS «» 1025 «» 1020 «

INCLUDES:

- 64K COMPUTER
- XG-1 LIGHT GUN
- CX40 JOYSTICK
- 1020 COLOR PRINTER PLOTTER
- 1025 DOT MATRIX PRINTER (80 COL.)
- BUG HUNT
- FLIGHT SIMULATOR
- MISSILE COMMAND

ALL ITEMS ARE NEW EXCEPT 1025 PRINTER

» COMPUTER «» PRINTER «» PLOTTER « » 1200XL «» 1025 «» 1020 «

- 1025 DOT MATRIX PRINTER (80 COL.)
- PAC-MAN CARTRIDGE
- BASIC WITH TUTOR SET

ALL ITEMS ARE RECONDITIONED EXCEPT 1020 PRINTER

INCLUDES:

- SLIME
- INV. TO
- CHICKEN
- PROGRAMING
- BASIC • GORF
- DONKEY KONG
- JOURNEY
 BANDITS TO THE
 - CLAIM
- **PLANETS**
- JUMPER TURMOIL
 DELUXE
- PAC-MAN
- **INVADERS**

ST SOFTWARE TITLES AVAILABLE

CALL FOR LATEST PRICES AND TITLES

» COMPUTER «» PLOTTER « » 1200XL «» 1020 «

INCLUDES:

INCLUDES:

• 1020 PRINTER PLOTTER

• 64K COMPUTER

- 64K COMPUTER
- 1020 PRINTER PLOTTER
- BASIC CARTRIDGE
- PAC-MAN CARTRIDGE

ALL ITEMS ARE NEW EXCEPT 1200XL COMPUTER

DUEL DRIVE

DOUBLE DENSITY DUEL DISK DRIVE (2 DRIVES IN ONE CASE)

» 810 «

A SAVINGS OF \$30

INCLUDES:

- 810 DISK DRIVE (RECON)
- DOS 2.5 W/MANUAL
- POWER SUPPLY AND CABLES

* SPECIAL PRICE AVAILABLE ONLY WHEN PURCHASED WITH ABOVE SYSTEMS. ONE PER SYSTEM ONLY!

12' GREEN RECONDITIONED

NEW ARRIVALS

XE GS COMPUTER SYSTEM

64K COMPUTER

• XG-1 LIGHT GUN

DETATCHABLE KEYBOARD
 BUGHUNT, MISSILE COMMAND

FLIGHT SIMULATOR CARTRIDGE FACTORY NEW

COLOR PRINTER PLOTTER

Complete with: • 2 Pen Sets • 1 Roll Paper

 Power Supply & Cable EXTRA PEN SETS

Brand New \$.89 (Black) \$3.98 (Color)

ATTN. DEALERS PAC-MAN Case of 120

800 48K COMPUTER w/PAC-MAN \$69,95

80 Column

Dot Matrix
Friction/Tractor
Direct Connect

1200XL 64K COMPUTER

w/PAC-MAN

1027 PRINTER

• 80 Column

• Direct Connect Letter Quality

Brand New

DISK DRIVE

800 BOARDS

Mother • CPU YOUR CHOICE

• ROM \$8.98 Power

8Bit I/O Cable . \$4.98

850 Interface \$79.98 Serial, parallel

810 DRIVES \$129

1200XL \$69.98 NEW

5.25" DISKS QTY. 10 ... PRICE .. \$4.00 \$29.95 100 *1000 .. \$200

MAJORITY ARE UNNOTCHED CONTAINING OLD SOFTWARE

NEW DOS XE

DOS 2.5 w/manual .. \$4.98

1010 Tape drive \$29. Books

Inside Atari basic \$2.95 101 Tips and Tricks. \$2.95

CARTRIDGES FOR 800, XL, XE

1				
ı	BASIC CARTRIDGE\$4.95	MATH ENCOUNTER \$7.98	DEFENDER\$14.95	BALLBLAZER \$19.98
١	BASIC TUTOR (2 BOOKS) \$4.95	DANCE FANTASY \$8.98	ROBOTRON\$19.98	BLUE MAX\$19.98
١	TURMOIL\$4.95	LOGIC LEVELS \$8.98	TENNIS\$19.98	STAR RAIDERS II\$19.98
I	PAC-MAN (no box) \$4.95	MEMORY MANOR \$8.98	FINAL LEGACY\$19.98	DAVID'S MIDNIGHT MAGIC\$19.98
١	DONKEY KONG (no box)\$4.95	LINKING LOGIC \$8.98	MARIO BROS\$19.98	ARCHON\$19.98
1	GORF (400,800)\$4.95	CHICKEN \$8.98	DONKEY KONG JR\$19.98	KARATEKA\$19.98
I	DEMON ATTACK (400,800) \$4.95	CLAIM JUMPER \$8.98	JUNGLE HUNT\$19.98	CHOPLIFTER\$19.98
ı	DELUXE INVADERS \$4.95	DELTA DRAWING \$8.98	MOON PATROL\$19.98	GATO\$24.98
ı	JOURNEY TO THE PLANETS \$4.95	HEY DIDDLE DIDDLE \$8.98	BATTLEZONE\$19.98	ACE OF ACES\$24.98
١	STAR RAIDERS \$4.95	SLIME (400/800) \$8.98	FOOD FIGHT\$19.98	LODE RUNNER \$24.98
١	MISSLE COMMAND\$4.95	ALPHABET ZOO \$8.98	HARDBALL\$19.98	BARNYARD BLASTER (gun req.) \$24.98
١	ASTEROIDS \$4.95	ALF \$8.98	FIGHT NIGHT\$19.98	DARK CHAMBERS \$29.98
١	GALAXIAN\$4.95	ADVENTURE CREATOR \$8.98	ONE ON ONE BASKETBALL \$19.98	AIRBALL\$29.98
1	DEFENDER\$4.95	DIG DUG\$14.95	DESERT FALCON\$19.98	SUMMER GAMES\$29.98
١	E.T\$4.95	SKY WRITER\$14.95	NECROMANCER\$19.98	CROSSBOW (gun req.) \$29.98
1	FACEMAKER \$4.95	FOOTBALL \$14.95	RESCUE ON FRACTALUS\$19.98	CRIME BUSTERS (gun req.) \$29.98
L				

DISK SOFTWARE FOR 800, XL, XE

REPTON. \$4.98 BANDITS (48K 400,800) \$4.98 CLAIM JUMPER \$4.98 SYNTREND \$4.98 CROSSCHECK \$4.98	PREPPIE I \$4.98 PREPPIE II \$4.98 THE COUNT \$4.98 DISK 50 (50 GAMES) \$4.98	ROCKET REPAIRMAN. \$4.98 ADVENTURELAND \$4.98 PIRATE ADVENTURE \$4.98 SECRET MISSION \$4.98	OTHER TITLES
---	---	---	--------------

IN THE UNLIKELY EVENT THAT THE ITEM(S) YOU RECEIVE ARE DEFECTIVE, PLEASE CONTACT US FOR AN RA#.

Special buys on 8-BIT Hardware!

Sunrise Plaza 640 Blossom Hill Rd. San Jose, CA 95123 (408) 224-8575 • BBS (408) 224-9052

Light Gun

For use with pistol games on 8-Bit systems

\$34.98

Light Gun Package

Includes:
• Light Gun
• Crime Busters

Crossbow

Barnyard Blaster

SHIPPING: ADD \$5.00 TO ALL ORDERS. AIR AND INTERNATIONAL SHIPPING EXTRA. THAT'S IT WARRANTY: 90 DAY WARRANTY ON ALL ITEMS. TAX: CALIFORNIA RESIDENTS ADD 7% SALES TAX PREPAYMENT: USE VISA, MASTERCARD, MONEY ORDER, CASHIER'S CHECK OR PERSONAL CHECK. PERSONAL CHECK MUST CLEAR PRIOR TO SHIPMENT. C.O.D.: CASH, CASHIER'S CHECK OR M.O. ONLY.

Prices subject to change without notice. Brand and/or product names are trademarks or registered trademarks of their respective holders.

Ad produced on an ATARI SI using Publishing Partner and printed on an ATARI SLM804 PostScript compatible laser printer.

Biker Dave Atari

Double Disk Bonus Game.

By Erik Lowell

e a daring stunt-devil in this month's *Second* Super Disk Bonus, Biker Dave Atari. This thrilling, high-tech motorcycle game has you riding your bike through hoops and over cars.


A lengthy BASIC program, Biker Dave Atari can be RUN directly from your Antic Monthly Disk. From the main menu, simply choose BIKER.BAS and you'll be off and riding.

Use your joystick to choose your skill level, Rookie! or Pro! Beginners are advised to start out at Rookie!

REVVING UP

A flashing message tells you to get ready, and then the engine starts. Your special stunt bike starts out of its customized garage at a roaring 5 miles per hour. But with every press of the joystick button your speed goes up in 5 mph increments. Keep an eye on the speed indicator at the bottom of the screen—go over 110 mph on the first stretch and you won't even make it through the first turn in the giant pipe.

Making your ride even more difficult—there's no way to slow down this specialized speed demon.



There's no way to slow this speed demon.

The object is to find a speed that will get you across the ramp jump, without overshooting the ramp on the other side. If you make it over you get extra points, the ramps move back, and you get an extra car to jump. With each additional car, the speed you need to get over increases—but there's no specific speed increment between jumping three, four, five, six or seven cars.

One mistake, and you'll land with

a resounding crash, wiping out your bike. Don't despair—you get five bikes, and you'll need them all, as you try to jump over the everincreasing lines of cars.

Biker Dave was programmed by Erik Lowell of Gilbertville, Massachusetts. He's a 14-year-old programmer who is very interested in becoming a professional software developer.

Your September 1989 Antic Disk—featuring two Super Disk Bonuses as well as every type-in program from this issue—will be shipped to you within 24 hours after receiving your order. Just phone Toll-Free to the Antic Disk Desk at (800) 234-7001. The monthly disk is only \$5.95 (plus \$2 for shipping and handling) on your Visa or MasterCard. Or mail a \$5.95 check (plus \$2 shipping and handling) to Antic Disk Desk, 544 Second Street, San Francisco, CA 94107.

Programmers: Antic wants to see your most ambitious programs, even those too large or too complex for printing as a type-in listing. High-quality programs in any language that has a runtime version are now eligible for consideration as a Super Disk Bonus.

SOFTWARE LIBRARY

TYPING SPECIAL ATARI CHARACTERS

The Atari Special Characters and the keys you must type in order to get them are shown below:

For [CONTROL] key combination, *bold down* [CONTROL] while pressing the next key. For inverse [CONTROL] [A] through [CONTROL] [Z], press the [2] key—or [本] on the 400/800—then *release* it before pressing the next key. (Press [2] or [本] again to turn off inverse.) For [ESC] key combinations, press [ESC] and then *release* it before pressing the next key.

Carefully study the chart above and pay close attention to differences between lookalike characters such as the slash key's [/] and the [CONTROL] [F] symbol [].

NORMAL VIDEO FOR THIS THIS THIS THIS CTRL. CTRL S CTRL A CTRL T CTRL U CTRL B CTRL C CTRL V CTRL D GTRL W CTRL E CTRL X Z CTRL F CTRL Y N CTRL G CTRL Z ESC ESC CTRL H G CTRL I ESC CTRL ESC CTRL = CTRL J CTRL K ESC CTRL + ESC CTRL * CTRL L CTRL . CTRL M CTRL ; CTRL N CTRL O SHIFT = CTRL P ESC SHIFT CLEAR CTRL Q ESC DELETE CTRL R ESC TAB

INV	ERSE VIDEO
FOR	TYPE
THIS	
1	ESC
	SHIFT
_	DELETE
1	
	SHIFT
	INSERT FSC
hal	CTRL
	TAB
-	FSC
	SHIFT
	TAB
•	水CTRL .
•	水CTRL;
0	小SHIFT =
K	ESC CTRL 2
1	ESC
	CTRL
-	DELETE
D	ESC
	CTRL
	INSELL

TYPO II AUTOMATIC PROOFREADER

TYPO II automatically proofreads Antic's type-in BASIC listings. Type in the listing below and SAVE a copy to disk or cassette. Now type GOTO 32000. At the prompt, type in a single program line without the two-letter TYPO II code at the beginning. Then press [RETURN].

Your line will reappear at the bottom of the screen. If the TYPO II code does not match the code in the magazine, then you've mistyped your line.

To call back a previously typed line, type [*], then the line number, then [RETURN]. When the completed line appears, press [RETURN] again. This is how TYPO II proofreads itself.

To LIST your program, press [BREAK] and type LIST. To return to TYPO II, type GOTO 32000. To remove TYPO II from your program, type LIST "D:FILENAME", o,31999, then [RETURN], then NEW, then ENTER "D:FILENAME", then [RETURN]. Now you can SAVE or LIST your program to disk or cassette.

```
Don't type the TYPO II DY ANDY BARTON UM 32010 REM TYPO II BY ANDY BARTON UM 32010 REM VER. 1.0 FOR ANTIC MAGAZINE 32020 CLR :DIM LINE$(120):CLOSE #2:CLO 5E #3 32030 OPEN #2,4,0,"E":OPEN #3,5,0,"E" 32040 ? "K":POSITION 11,1:? "MINDOMENTO" HT 32050 TRAP 32040:POSITION 2,3:? "Type in a program line" HT 32060 POSITION 1,4:? " ":INPUT #2;LINE $:IF LINE$="" THEN POSITION 2,4:LIST B:GOTO 32060 TH 32070 TH SECONDO BENEVALUES B:GOTO 32060 TH 32080 POSITION 2,10:? "CONT" THE 32090 B=VAL(LINE$):POSITION 1,3:? " ";
```

ALIEN SPACECRAFT IS ALL YOURS—IF YOU CAN STAY ALIVE LONG ENOUGH

SALVAGE 2001

Article on page 25

LISTING 1

Don't type the 1 REM SALVAGE 2001 BY JIM TESCH 2 REM (C) 1989 ANTIC PUBLISHING MU 390 IF LUL=1 OR RND (0) *7500>T THEN GOT EI 410 400 C=PEEK(734):FOR I=14 TO 0 STEP -1:
POKE 734,I:50UND 0,250,0,I:0=0-RND(0)*
0:NEXT I:POKE 734,C
410 FOR I=1 TO 20:POKE P-I,0:NEXT I:FOR I=1 TO 0:POKE P-I,120:NEXT I:POKE 70 AI 10 GOSUB 1700:GOSUB 1490:GOSUB 1070:GO XZ SUB 1140
20 G05UB 1360:POKE 559,46:G05UB 1340:T
XT\$="5ALVAGE 2001":Y=9:G05UB 1320:TXT\$
="BY JIM TE5CH":Y=10:G05UB 1320
30 TXT\$="PRESS 5TART":Y=11:G05UB 1320
40 POKE 53277,2:T=0:LUL=1:0=21:E=21:0L
055=0.4:EL055=0.3:SCORE=0:POKE 704,94:
POKE 705,94
50 IF PEEK(53279)=6 THEN G05UB 370:G05
UB 420:I=2^2^2^2(G05UB 310:G0T0 70
60 C=15*(C<)15):COLOR C:PLOT 39,4:PLOT 39,34:PLOT 68,28:FOR I=1 TO 200:NEXT I:G0T0 50
70 IF LVL=6 THEN G0T0 340 ,50+166*(0)7)-30*(0)14):RETURN 20_POKE_53249,187:P=PM+640+89:E=E-ELO TR 420 55:IF E>20 THEN E=20:GOTO 440:REM ENER FU 430 POKE P-E,0:POKE 705,50+166*(E)7)-(30* (E>14>> : RETURN UO 440 IF LUL=1 OR RND(0)*7500>T THEN GOT 0 460 450 C=PEEK(734):FOR I=14 TO 0 STEP -1: POKE 734,I:SOUND 0,250,0,I:E=E-RND(0)* E:NEXT I:POKE 734,C 460 FOR I=1 TO 20:POKE P-I,0:NEXT I:FO R I=1 TO E:POKE P-I,120:NEXT I:POKE 70 Xn 1:GOTO 50
70 IF LVL=6 THEN GOTO 340
80 GOSUB 900:GOSUB 470:POKE 53279,8
90 IF 0<=0 OR E<=0 THEN GOTO 320
100 IF NOT R<ROOM> THEN 190
110 IF R<ROOM>=1 AND 5TRIG<0>=0 THEN 5
0UND 0,25,8,6:0=21:GOSUB 370:SOUND 0,0 5,50+166*(E>7>-30*(E>14>:RETURN 470 POKE 559,0:POKE 87,9:POKE 77,0:GOS
UB 1760:GOSUB 1340:REM ROOM DRAW
480 IF F(1)=0 THEN F(2)=1:F(3)=2:F(4)= 120 IF R (ROOM) = 2 AND STRIG (0) = 0 THEN S OUND 0,5,2,6:E=21:GOSUB 420:SOUND 0,0, DR 490 IF F(1)=1 THEN F(2)=2:F(3)=3:F(4)= GC 130 IF R(ROOM) <> 3 OR (R(ROOM) = 3 AND EN 140 ENG=1:Y=9:TXT\$="ENGINEERING":GOSUB SC 500 IF F(1)=2 THEN F(2)=3:F(3)=0:F(4)= IE 1320:I=2^2:SOUND 0,250,2,8:GOSUB 775 150 SCORE=5CORE+2500:GOSUB 310:POKE 73 4,32+(LVL*16):SOUND 0,0,0,0 160 IF R(ROOM)<>4 OR (R(ROOM)=4 AND EN G=0) THEN 190 510 IF F(1)=3 THEN F(2)=0:F(3)=1:F(4)= SN HI 520 COLOR 9:FOR I=0 TO 79:COLOR 9:PLOT 0,I:DRAWTO 79,I:NEXT I:GOSUB 890 530 COLOR 6:PLOT 18,10:DRAWTO 61,10:PL CR 160 1 THEN 190
170 POKE 734,32:TXT\$="TRANSHAFT ACTIVE
":Y=9:GOSUB 1320:LVL=LVL+1:GOSUB 785
180 5CORE=5CORE+5000+1000*ccT-LVL*240) OG OT 18,10:DRAWTO 18,79:PLOT 61,10:DRAWT 0 61,79 540 FOR I=-1 TO 1:COLOR 7-I:PLOT 9-I,0 :DRAWTO 17,9:PLOT 62,9:DRAWTO 70-I,0:N HT UE 180 5CORE=5CORE+5000+1000*ccT-LVL*240>
<0):GOSUB 310:GOTO 70
190 5TK=5TICK<0>:T=T+1
200 IF 5TK=6 OR 5TK=5 OR 5TK=9 OR 5TK=
10 OR 5TK=15 THEN 260
210 IF 5TK=14 AND D<F<(1)+F> THEN ROOM=
ROOM+D</F> WT MZ 550 F= (ROOM-1)*4: IF NOT D (F (1)+F) THE N 580
560 C=7:FOR I=10 TO 0 STEP -1:C=C-1*C
>0>:COLOR C:REM C
570 X=40-I:X2=40+I:Y=35-I:PLOT X,Y:DRA
HTO X2,Y:PLOT X,Y:DRAHTO X,79:PLOT X2,
Y:DRAHTO X2,79:NEXT I
580 IF NOT DCF(4)+F> THEN 620
590 FOR I=-1 TO 1:COLOR 5-I:PLOT 0,12+
I:DRAHTO 10,21:NEXT I:REM LEFT DOOR
600 COLOR 4:FOR I=0 TO 10:PLOT 0,12+I:
DRAHTO 10,22:NEXT I
610 FOR I=0 TO 10:COLOR 10-I*0.5:PLOT
10-I,23:DRAHTO 10-I,79:NEXT I
620 IF NOT DCF(2)+F> THEN 660
630 FOR I=-1 TO 1:COLOR 5-I:PLOT 79,12
:NEXT I:REM RIGHT DOOR
640 COLOR 4:FOR,I=0 TO 10:PLOT 79,12+I N 580 7 H RH ROOM+D (F (1) +F) : NR=1
220 IF 5TK=7 AND D (F (2) +F) THEN ROOM=R
00M+D (F (2) +F) : F (1) =F (2) : NR=1
230 IF 5TK=13 AND D (F (3) +F) THEN ROOM=R
00M+D (F (3) +F) : F (1) =F (3) : NR=1
240 IF 5TK=11 AND D (F (4) +F) THEN ROOM=
ROOM+D (F (4) +F) : F (1) =F (4) : NR=1
250 IF NR THEN NR=0: GO5UB 470
260 IF PEEK (53279) =6 THEN 270
270 IF PEEK (53279) =3 THEN TXT\$="ROOM"
:TXT\$ (6) = 5TR\$ (ROOM) : Y=9: GO5UB 1320: GO5
UB 420: GO5UB 420: POKE 53279, 8
290 IF T/50=INT (T/50) THEN GO5UB 890
310 TXT\$="":Y=12: GO5UB 1320: TX EW RE PP FO OC ZT **NEXT 1: REM RIGHT DUUK
640 COLOR 4: FOR , I=0 TO 10: PLOT 79, 12+I
:DRAWTO 69, 22: NEXT I
650 FOR I=0 TO 10: COLOR 10-I*0.5: PLOT
69+I, 23: DRAWTO 69+I, 79: NEXT I
660 POSITION 4, 4: POKE 87, 0: GOSUB 1760:
IF F(1)=0 THEN ? #6; "G": POSITION 4, 2:? TXTS=" ": Y=12:G05UB 1320:TX T\$=5TR\$<C\$CORE>:GO\$UB 1320:RETURN
320 COLOR 0:FOR I=1 TO 6:X=RND (0)*79:Y
=RND (0)*79:PLOT 39,39:DRAWTO X,Y:X2=X: F5 UF =RND <03 *79:PLOT 39,39:DRAHTO X,Y:X2=X:Y2=Y:NEXT I
330 TXT\$="TERMINAL CONDITION":Y=9:GOSUB 1320:TXT\$="ALL VITAL SIGNS CEASED":Y=10:GOSUB 1320:I=2^2^2^2_!GOTO 20
340 GOSUB 1340:GOSUB 1360:COLOR 15:PLOT 50,25:PLOT 52,25:PLOT 54,25
350 POKE 559,46:TXT\$="SHIP ACTIVATED!":Y=9:GOSUB 1320:TXT\$="YOU ARE FAMOUS!":Y=10:GOSUB 1320
360 SCORE=5CORE*2:GOSUB 310:GOTO 40
370 P=PM+512+89:POKE 53248,167:0=0-OLO 55:IF 0>20 THEN 0=20:GOTO 390:REM 0XYGEN 00 #6; "[[]" DU 670 IF F(2)=0 THEN ? #6;"D":POSITION 4 ,2:? #6;"D": 680 IF F(3)=0 THEN ? #6;"D":POSITION 4 ,2:? #6;"D": DL MD 690 IF F(4)=0 THEN ? #6;"@":POSITION 4 2:? #6; "5" 700 POKE 87,9:GOSUB 1760:ON R (ROOM)>0 GOSUB 700+20*(R (ROOM)> 710 POKE 559,46:RETURN OC YU 720 REM OXYGEN DRAW
725 COLOR 2:PLOT 55,37:DRAWTO 55,39:P
OT 54,38:DRAWTO 56,38:FOR I=-3 TO 3:C
LOR 11-I:PLOT 55,40:DRAWTO 55+I,45 PI 380 POKE P-0,0:POKE 704,50+166*(0>7>-(30*(0>14>>:RETURN

```
25 730 NEXT I:X=52:FOR I=-3 TO 3:COLOR 12
-I:PLOT X,45:DRAWTO X,79:X=X+1:NEXT I:
     RETURN
     740
           COLOR
                                  25,37:DRAWTO 21,47:DR
     ANTO 29,47:DRANTO 25,37:COLOR 15:PLOT
23,42:DRANTO 27,42
     750 RETURN
     760 FOR I=1 TO 6:COLOR 3:PLOT 20+1,15:
DRAWTO 20+1,37:PLOT 53+1,15:DRAWTO 53+
1,37:NEXT I:IF ENG THEN 775
     770 RETURN
775 FOR I=1 TO 20:C=RND<0>*16:COLO
X=RND<0>*5+21:Y=RND<0>*21+15:PLOT
                          TO 20: C=RND (0) *16: COLOR C:
             X+33, Y:NEXT I
            COLOR 14:PLOT 26,15:DRAWTO 53,15:R
YZ
     FTURN
     780 COLOR 0:PLOT 20,14:DRAWTO 59,14:RE
BT
     TURN
     785 COLOR 15: FOR I=0 TO
TP
     785 COLOR 15:FOR I=0 TO 39:PLOT 20+I,1
4:50UND 0,39-I,12,8:NEXT I
790 FOR I=200 TO 0 STEP -1:COLOR RND 0
**15:PLOT RND 00*79,RND 00*79:SOUND 0,
I,12,8:NEXT I:SOUND 0,0,0:RETURN
890 FOR I=-8 TO 8 STEP 0.15:SOUND 0,80,80,AB5 cI):NEXT I:SOUND 0,0,0:GOSUB 3
70:GOSUB 420:RETURN
900 POKE 559,0:POKE 734,112:ENG=0:FOR
I=1 TO 30:R cI)=0:NEXT I:REM DECK
910 FOR I=1 TO 30:R=(I-1)*4:DCR)=-5*CI
>55:DCR+1)=1*cT/5<>TNT CT/5>>:DCR+2)=5*
                                              39:PLOT 20+1,1
TH
TX
JB
       5) : D (R+1) = 1 * (I/5 <> INT (I/5)) : D (R+2) = 5*
       I (26)
     920 D(R+3)=-1*((I+4)/5()INT((I+4)/5)):
MN
     NEXT
     930 FOR I=0 TO 99 STEP 12:R=INT(RND(0) *20) +1:D(R) =0:NEXT I 940 FOR I=1 TO 6-LUL:REM OXYGEN
55
          R=INT(RND(0)*30)+1:R(R)=1:NEXT I
FOR I=1 TO 6-LVL:REM PLACE POWER
R=INT(RND(0)*30)+1:IF R(R)<>0 THEN
H5
     960 FOR I=1
ED
     970
       970
     980 R (R) = 2:NEXT I
990 R=INT (RND (0) *30) +1:IF R (R) <>0 THEN
BN
       990 : REM PLACE ENGINEERING
     1000 R(R)=3
             R=INT (RND (0) *30) +1: IF R(R) <>0 THE
ON
     1010
     N 1010
     1020 R(R)=4:R00M=INT(RND(0)*30)+1
1030 R00M=INT(RND(0)*30)+1:IF R(R00M)<
     >0 THEN 1030
1040 F= (ROOM-1)*4
1050 IF NOT D(F)
SD
                    NOT D(F) THEN F=F+1:GOTO 1050
     1060 Fc1>=INTcF/ROOM>-1:RETURN
1070 POKE 559,0:DIM DLI$<96>:REM DLI R
     OUTINES
TG
     1080 DLIS="HEMBINGHENDINGEDICEBURGEDING
     DRO DWEEDDWED"
     1090 DLI$(41)="@DBTT@DMTTEDHTDDMTGEhe
     1100 DLI$ (81) = "BCheDWWBDNEBhe"

1100 DLI$ (81) = "BCheDWWBDNEBhe"

1110 POKE DL, 240: POKE DL+84, 143: POKE D

L+93, 132: POKE DL+97, 132

1120 B=INT (ADR (DLI$) / 256): A=ADR (DLI$) ~
CU
     B*256: POKE 512, A: POKE 513, B
                      54286,192:POKE 256,Z:POKE 55
     1130 POKE
     9,34:RETURN
1140 POKE 87,0:GOSUB 1760:POKE 82,0
1150 POKE 559,0:POKE 752,1:REM LOWER 5
BR
     CREEN
     HT
MD
                            ***
     bb
     1180
              ? #6;"[]
                               In
                                     DI
AF
                   E
     1190
             ?
                #6;"[]
                                      FIR
                                               GREAT FEFFE
QH
                      **6; "D=
                                               (H888888888881)
     1200
              ?
                               ALI
AG
                         C";
                      IRAI
              ?
                 #6; "E
                                      THAIL
     1210
                      I
              ? #6;"[]
                                     NI
                                               THE DECEMBER 184
     1220
DII
                            .. ;
                      I
                 RE
                            00 3
                      1240 ? #6; " 98888888
                                               analamana alamada
SK
                      JU
     1250 ?
                 #6; " | |
                    त्ववादादाः ;
     1260 ? #6; "[[]]
DA
                      वविद्याः ;
```

```
DD | 1270 ? #6; "[[][]
                                      [ ] [ ] · ·
         1280
                     ? #6; "तत्वत्वत्वत्व
                             वववववववः ;
        1290 ? #6;"C C
BA
                                                                    C
                                                                             C
                                                                                      C
                                                                                               C
                                                                                                        C
OF
        1300 RETURN
        1310 REM TEXT PRINTER
1320 G=PEEK(87):POKE 87,0:GOSUB 1760:X
        1320 B-PEEK(8/):PUKE 87,0:GOSUB 1760:X

=20-LEN(TXT$)/2:X2=X:FOR I=1 TO LEN(TX

T$):POSITION X,Y:? #6;TXT$(I,I)

1330 SOUND 0,4,10,8:SOUND 0,0,0:X=X+

1:NEXT I:POKE 87,6:GOSUB 1760:RETURN

1340 G-PEEK(87):POKE 87,0:GOSUB 1760:F

OR I=9 TO 11:POSITION 5,I

1345 ? #6;"

:NEXT I:POKE 87,6:GOSUB 1760:F
LF
KF
KM
        1350 GOSUB 1760:RETURN

1360 POKE 87,9:POKE 734,0:POKE 559,0:G

OSUB 1760:REM SETUP TITLE SCREEN

1370 COLOR 0:FOR Y=0 TO 79:PLOT 0,Y:DR

AWTO 79,Y:NEXT Y
 JZ
55
        HMIU 79, Y: NEXT Y
1380 COLOR 12: FOR I=1 TO 25: X=RND (0)*7
9: Y=RND (0)*79: PLOT X, Y: NEXT I
1390 X=60: Y=10: FOR I=-2 TO 2: COLOR 8-A
B5 (I): PLOT X, Y: DRAWTO X+5, Y: Y=Y+1: X=X+
JQ
LS
         I:NEXT
        1.NEXT 1
1400 X = 25: Y = 16: FOR I = -4 TO 4: COLOR 8-A
B5(I): PLOT X, Y: DRAWTO X+14, Y: Y = Y+1: NEX
T I: COLOR 15: PLOT 34, 24: DRAWTO 36, 24
1410 X = 31: Y = 13: FOR I = -7 TO 7: COLOR 10:
AB5(I): PLOT X, Y: DRAWTO X+5, Y: X = X + I: Y = Y
OF
         +1:NEXT
         1420 X=39:Y=12:FOR I=-8 TO 8:COLOR 11-
        AB5(I):PLOT X,Y:DRAWTO X+20,Y:Y=Y+1:NE XT I:REM BODY 1430 X=33:Y=12:FOR I=-8 TO 8:COLOR 13-AB5(I):PLOT X,Y:DRAWTO X+5*(I<0),Y:X=X-1*(I<0):Y=Y+1:NEXT I
OP
        1440 X=39:Y=5:FOR I=-14 TO 14:COLOR 15
-AB5(I):PLOT X,Y:Y=Y+1:NEXT I:COLOR 5:
PLOT 57,28:DRAWTO 67,28
1450 X=72:Y=35:FOR I=0 TO 1:COLOR 10-I
*4:PLOT X,Y:DRAWTO 74,Y:X=X-1:Y=Y+1:NE
BN
        XT
        XT 1
1460 X=50:COLOR 0:PLOT X,25:PLOT X+2,2
5:PLOT X+4,25
1470 X=72:Y=35:FOR I=0 TO 1:COLOR 10-I
*4:PLOT X,Y:DRAWTO 74,Y:X=X-1:Y=Y+1:NE
DZ
         XT
         1480 COLOR 12:PLOT 74,33:DRAWTO 74,34:
GO
         RETURN
        NEIUNN
1490 POKE 559,0:CH=CHBA5*256:FOR I=0 T
0 1623:POKE CH+I,PEEK(57344+I):NEXT I:
RESTORE 1520:REM CHSET
1500 READ A:IF A=-1 THEN POKE 559,34:P
0KE 756,CHBA5:RETURN
1510 FOR I=0 TO 7:READ X:POKE CH+A*8+I
,X:NEXT I:GOTO 1500
AB
        1520 DATA 1,0,60,60,60,60,0,60,0,16,0,
252,204,204,204,204,252,0,17,0,240,48,
NX
       IIR
UN
EO
BA
        252,204,204,240,204,204,0
1620 DATA 51,0,252,192,252,12,12,252,0
```

continued on next page

```
,52,0,252,48,48,48,48,48,0,53,0,204,20
4,204,204,204,252,0
1630 DATA 54,0,204,204,204,204,252,48
0,55,0,204,204,204,252,252,204,0,56,0
204,204,48,48,204,204,0
1640 DATA 57,0,204,204,48,48,48,48,0,5
8,0,252,12,60,240,192,252,0,86,16,16,1
                                                                                                                                          60 DIM FN$(20),TEMP$(20),AR$(93):DPL=PEK(10592):POKE 10592,255
70 FN$="D:LINES.LST":REM THIS IS THE NAME OF THE DISK FILE TO BE CREATED
                                                                                                                                  PR
IB
                                                                                                                                  MO
                                                                                                                                           80 ?
                                                                                                                                                         "MDisk or Dassette?"; : POKE 764,25
                                                                                                                                  RD
       NOT
                                                                                                                                                                           (PEEK (764) = 18 OR PEEK (764) =
                                                                                                                                           58) THEN 90
100 IF PEEK(764)=18 THEN FN$="C:"
                                                                                                                                   TH
                                                                                                                                          110 POKE 764,255:GRAPHICS 0:? "AN TIC'S GENERIC BASIC"
120 ? "BY CHARLES JACKSON"
130 POKE 10592,DPL:TRAP 200
140 ? :? :? "Creating ";FN$:? "...plea
                                                                                                                                  UB
                                                                                                                                  PU
                                                                                                                                                  stand by."
                                                                                                                                            SP
                                                                                                                                  LW
                                                                                                                                           150 RESTORE : READ LN: LM=LN: DIM A$ (LN):
                                                                                                                                           160 AR$="":READ AR$
170 FOR X=1 TO LEN(AR$) STEP 3:POKE 75
                                                                                                                                   YC
                                                                                                                                           2,255
                                                                                                                                          180 LM=LM-1:POSITION 10,10:? "Countdo
wn...T-";INTcLM/10>;"> "
190 A$CC,C>=CHR$CVALCAR$CX,X+2>>>:C=C+
                                                                                                                                           1:NEXT X:GOTO 160
200 IF PEEK(195)=5 THEN ? :? :? "GTOO
MANY DATA LINES!":? "CANNOT CREATE FIL
        1710 DIM TXT$ (30),R(30),D(119),F(4):PM
=PMBA5*256:GRAPHIC5 8:POKE 559,0
1720 FOR I=0 TO 2:POKE DL+I,112:NEXT I
:POKE DL+3,79:POKE DL+4,PEEK(88):POKE
I M
                                                                                                                                            E!":END
                                                                                                                                          E!":END
210 IF C<LN+1 THEN ? :? "GTOO FEW DATA
LINES!":? "CANNOT CREATE FILE!":END
220 IF FN$="C:" THEN ? :? " Prepare ca
ssette, press [RETURN]"
230 OPEN #1,8,0,FN$
240 POKE 766,1:? #1;A$;:POKE 766,0
250 CLOSE #1:GRAPHICS 0:? "MOUNDUGATION
        DL+5, PEEK (89)
        1730 FOR I=6 TO 84:POKE DL+I,15:NEXT I
:FOR I=85 TO 98:POKE DL+I,4:NEXT I:POK
E DL+99,65
1740 S1=PEEK(88):52=PEEK(89):54=51+52*
All
                                                                                                                                  UQ
         256+3200:53=54-256*INT(54/256):54=INT(
                                                                                                                                  AL
        1750 POKE
RC
                                    560,0:POKE 561,DL/256:POKE 5
                                                                                                                                          1000 DATA 143
1010 DATA 0490480560480320680760730360
61034072173000001238000001141010212201
000208013169064141027208173
1020 DATA 2220021410262081040642010012
08032169900141027208169900141022034155
049048057048032068076073036
1030 DATA 0400520490410610342081690661
41023208169216141024208169200141025208
169006141026208104064201002
1040 DATA 2080171690141410242081690061
4102520816920014103415504904904088032
068076073036040056049041061
        1750 PUKE $60,0:PUKE $61,DL/256:PUKE $
59,34:RETURN
1760 IF PEEK(87)=9 THEN POKE 88,51:POK
E 89,52:RETURN :REM SCREEN MEMORY
1770 POKE 88,53:POKE 89,54:RETURN
LISTING 2
                                                                                                                                  YU
                REM SALVAGE,
HU
        10
                                                     LISTING 2
        20 REM BY JIM TESCH
30 REM (c) 1985,1988 ANTIC PUBLISHING
40 REM (LINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.
50 REM CHANGE LINE 70 AS NECESSARY.)
GD
```

NM

1050

DATA

CHECK YOUR JOYSTICK ACCURACY AND SPEED

OYSTICK LABORATORY

Article on page 20

068076073036040056049041061

01169010141026208104064034155

0340262081040641690001410000

LISTING 1

Don't type the TYPO II Codes!

```
290 REM
300 INIT=1:POSITION 2,11:? #6;"[FINITED PROPERTY
OK | 100
             ********************
        REM * THE JOYSTICK TESTER
REM * BY KEVIN C. GEVATOSKY
REM * COPYRIGHT 1989
REM * ANTIC PUBLISHING
   110
                                                        DU
KT
   130
                                                            310 RAMSET=PEEK (106) *256
   140
                                                                 ROMSET=226*256
   150
        REM
                                                        BZ
                                                                FOR Y=1 TO 64
FOR X=0 TO 7
                                                            330
        POKE 106, PEEK (106) -2
                                                            340
PD
   170
        DIM
             GRID (101), RESPONSE (101), RTIME (
                                                                 CHAR=PEEK (ROMSET+X)
                                                            350
   1913
                                                            360
                                                                 POKE RAMSET+X, CHAR
HR
   180 DBTIME=10
                                                        MB
   190
        380
                                                                ROMSET=ROMSET+8:RAMSET=RAMSET+8
NEXT Y
                                                        TU
BN
                                                        MP
                                                                 NEXT
          #6;" DJOYSTUCE TOSERO"
   210 220
OG
                                                            400 RAMSET=PEEK (106) *256
          BR
                                                        MO
                                                                      X=0 TO 7:POKE RAMSET+X,0:NEXT
          #6:? #6;" JOYSTICK TESTER"
#6:? #6;" PADDLE TESTER"
#6:? #6;" eVALUATOR"
   230
   240
250
260
        ?
?
IF
                                                            420 FOR X=0 TO 7:POKE RAMSET+(16*8)+X.
255:NEXT X
                                                        RO
                         eVALUATOR"
RU
            INIT THEN 470
                                                        SA
                                                                POSITION 2,11:? #6;"
RB
        REM
        REM *** SETUP A RAM CHAR. SET ***
                                                        QX 440 REM
```

```
MU 450 REM *** GET KEYBOARD RESPONSE ***
     460 REM
RB
     470 OPEN #1,4,0,"K:":GET #1,K:CLOSE #1
     480 IF K>96 THEN K=K-32
490 IF K=ASC("J") THEN TEST=1:GOTO 590
BN
    500 IF K<>ASC("E") THEN 570
510 GRAPHICS 0:POKE 752,1:? :? :? "Enter a number from 10 to 100 for the"
520 ? "number of response cycles.":?
530 TRAP 530:INPUT CYCLE5:IF CYCLE5<10
OR CYCLES>100 THEN ? :? "A number from 10 to 100 please!":GOTO 530
540 TRAP 32000
550 ? :GOSUB 2550
560 CNT=0:MISS=0:DMISS=0:TTIME=0:TEST=
0:GOTO 590
XI
RT
AX
FD
     0:GOTO 590
570 IF K=ASC("P"> THEN GOTO 2160
580 GOTO 470
TS
     590 GRAPHICS 16+2
     600 POKE 756, PEEK (106)
610 IF NOT TEST THEN 650
620 SETCOLOR 4,7,4
630 POSITION 1,0:? #6;"joystick test 9
PC
     rid"
     640 GOTO 670
650 SETCOLOR 4,10,2
660 POSITION 3,0:? #6;"evaluator grid"
99
RN
           YQ
     680
ZI
     690
JE
     700
     710
                                                                   1100
                              5,6:? #6;"[
     720
             POSITION
                                                       1
                                                             III
     730
                             5,7:? #6; "(HEEBEEREER"
             POSITION
            CB
     740
     750
     760
NO
     770
        menu"
     780 REM 788 GRID POSITION SELECTOR ***
RT
MO
     800 REM
OT
     810 IF TEST THEN SPNEW=STICK(0):GOTO 8
     40
     820 SPNEW=INT (RND (0) *14+1)
     830 IF SPNEH-SPOLD THEN GOTO 820
840 ON SPNEH GOTO 820,820,820,820,860,
980,1100,820,1220,1340,1460,820,1580,1
OT
     700,1820
850 REM
           860
     870
TE
     880
     890
     900
     910
     930 GOTO 950
940 GOSUB 2010
950 POSITION 12,8:? #6;" ";
960 POSITION 12,9:? #6;" ";
07
RH
GO
HJ
             GOTO 810
    980 REM *** UPPER-RIGHT ***
990 POSITION 12,2:? #6;"国際";
1000 POSITION 12,3:? #6;"国際";
1010 GOSUB 1950
1020 SETCOLOR 3,4,6+6*(1-STRIG(0))
1030 IF NOT TEST THEN 1060
1040 IF STICK(0)=6 THEN 1020
05
DR
ZT
An
              GOTO 1070
GOSUB 2010
POSITION 12,2:? #6;" ";
POSITION 12,3:? #6;" ";
OO
     1050
YR
     1060
     1070
     1080
              GOTO 810
REM *** RIGHT ***
POSITION 12,5:? #6;"因因";
POSITION 12,6:? #6;"因因";
RF
     1090
GR
     1100
     1110
     1120
              GOSUB 1950

SETCOLOR 3,4,6+6*(1-STRIG(0))

IF NOT TEST THEN 1180

IF STICK(0)=7 THEN 1140
     1130
AR
     1149
UI
     1150
     1160
              GOTO 1190
GOSUB 2010
POSITION 12,5:? #6;" ";
POSITION 12,6:? #6;" ";
     1180
     1190
NP
     1200
     1210
```

```
M5 1220 REM *** LOWER-LEFT ***
CC 1230 POSITION 6,8:? #6;"因因";
CW 1240 POSITION 6,9:? #6;"因因";
  CC
CW
EH
                          GOSUB 1950

SETCOLOR 3,4,6+6*(1-5TRIG(0))

IF NOT TEST THEN 1300

IF STICK(0)=9 THEN 1260
            1250
            1260
   00
            1270
            1280
                          GOTO 1310
GOSUB 2010
POSITION 6,8:? #6;" ";
POSITION 6,9:? #6;" ";
  PO 1290
   XP
          1300
   QG 1310
  RA 1320
  05 1330
                            GOTO 810
           1330 GOTO 810
1340 REM *** UPPER-LEFT ***
1350 POSITION 6,2:? #6;"\\(\text{MR}\)';
1360 POSITION 6,3:? #6;"\\(\text{MR}\)';
1370 GOSUB 1950
1380 SETCOLOR 3,4,6+6*(1-STRIG(0))
1390 IF NOT TEST THEN 1420
1400 IF STICK(0)=10 THEN 1380
1410 GOTO 1430
1420 GOSUB 2010
1430 POSITION 6,2:? #6;" ";
1440 POSITION 6,3:? #6;" ";
  OD
  YM 1350
  ZG
  AR 1380
  RU
  LF
QI
XX
MQ 1430 POSITION 6,3:? #0,
RA 1450 GOTO 810
XB 1460 REM *** LEFT ***
AT 1470 POSITION 6,5:? #6;"四四";
BN 1480 POSITION 6,6:? #6;"四四";
EX 1490 GOSUB 1950
ZX 1500 SETCOLOR 3,4,6+6*(1-5TRIG(0))
UA 1510 IF NOT TEST THEN 1540
F5 1520 IF STICK(0)=11 THEN 1500
SC 1530 GOTO 1550
YF 1540 GOSUB 2010
OX 1550 POSITION 6,5:? #6;" ";
PR 1560 POSITION 6,6:? #6;" ";
PR 1570 GOTO 810
  MQ
                        | POSITION 6,6:? #6;" ";
| GOTO 810
| REM *** DOWN ***
| POSITION 9,8:? #6;"四四";
| POSITION 9,9:? #6;"四四";
| GOSUB 1950
| SETCOLOR 3,4,6+6*(1-5TRIG(0))
| IF NOT TEST THEN 1660
| IF STICK(0)=13 THEN 1620
| GOTO 1670
| GOSUB 2010
| POSITION 9.8:2 #6:" ":
  ET 1590
  EL 1600
  ED 1610
  AF 1620
XH 1630
  KR 1640
TW 1650
  YN
          1660
                         GU5UB 2010
POSITION 9,8:? #6;" ";
POSITION 9,9:? #6;" ";
GOTO 810
REM *** UP ***
POSITION 9,2:? #6;"開始";
POSITION 9,3:? #6;"開始";
          1670
1680
1690
  5X
TR
  RQ
          1700
           1710
  AV
          1720
                          GOSUB 1950
SETCOLOR 3,4,6+6*(1-5TRIG(0))
IF NOT TEST THEN 1780
IF STICK(0)=14 THEN 1740
  EL
          1730
1740
1750
  AD
                         IF STICK(0)=14 THEN 1740
GOTO 1790
GOSUB 2010
POSITION 9,2:? #6;" ";
POSITION 9,3:? #6;" ";
GOTO 810
REM *** NEUTRAL ***
POSITION 9,5:? #6;"MM";
POSITION 9,6:? #6;"MM";
SETCOLOR 3,4,6+6*(1-5TRIG(0))
IF PEEK(53279)=6 THEN 190
IF STICK(0)=15 THEN 1850
POSITION 9,5:? #6;" ";
SETCOLOR 3,4,6
GOTO 810
           1760
          1770
1780
1790
  VQ
  YU
  PH
           1800
  OZ
  QH
          1810
  GE
          1820
  CI
           1830
 DC
          1840
  AS
          1850
  XJ
          1860
  RY
          1870
           1880
           1900
  DY
           1910
                           GOTO 810
          1920
1930
  IU
                          REM
  ZH
                          REM *** BEEP & START TIMER ***
          1950 IF NOT TEST THEN CNT=CNT+1:GRID C
CNT>=SPNEW:IF CNT>CYCLES THEN 2340
1960 SOUND 0,28,10,15:FOR X=0 TO 3:NEX
T X:SOUND 0,0,0:POKE 19,0:POKE 20,0:
RETURN
          1940 REM
1950 IF
  JA
 GK
          1970 REM
1980 REM *** GET STICK RESPONSE ***
1990 REM
 TII
  JP
                         IF PEEK(53279)=6 THEN 190
IF STICK(0)=15 THEN 2000
STK=STICK(0):REM READ & DEBOUNCE
FOR X=1 TO DBTIME
IF STICK(0)<>STK THEN 2020
           2000
 WC
           2010 2020
  R5
  LU
           2030
  XG
          2040
2050
                          IF STI
  LO
           2060
                            RTIME (CNT) = PEEK (19) *256+PEEK (20)
  YG
           2070
                                     STK <> SPNEW THEN SOUND 0,40,6,1
```

continued on next page

R X=1 TO 5:NEXT X:GOTO 2090 SOUND 0,30,10,15:FOR X=1 TO 3:NEX WP 2320 REM *** DISPLAY RESULTS *** 2080 2330 REM 2340 GRAPHICS 2+16 SPOLD=SPNEW:RESPONSE(CNT)=STK
IF STICK(0)<>15 THEN 2100
SOUND 0,0,0,0
FOR X=1 TO 20:NEXT X:RETURN 2090 2350 ? :? "The evaluation is over. Her the" UU 2100 are ? HC 2110 2360 "results for ";CYCLES;" iterati ons:" XB 2370 FOR X=1 2130 REM TEMP=GRID (X) UR 2140 REM *** PADDLE TESTER *** 2380 RESPONSE (X) = TEMP THEN 2420 TO 2150 REM 2399 IF 2160 GRAPHICS 5:POKE 752,1:SETCOLOR 4, 5,2:SETCOLOR 2,5,2 2400 MISS=MISS+1 TEMP=5 OR TEMP=6 OR TEMP=9 OR LU 2410 IF 656,0:POKE 657,0:? "MMMMMMM THEN DMISS=DMISS+1 **2170 POKE** TEMP=10 PADDLE TESTER 2420 TTIME=TTIME+RTIME (X) 2430 NEXT X 2440 ? :? "Overall MN 2180 POKE 656,1:POKE 657,13:? "Yellow LO 2440 ? :? "Overall accuracy = ";INT (CC YCLES-MISS)/CYCLES*100);"%" 2450 ? "Total error = ";INT (MISS/CYCLE line 2190 POKE 657,13:? "Green line ="; 2200 POKE 656,3:POKE 657,10:? "Press & MORD for menu"; 5*100);"" WERRY FOR MENU";
2210 COLOR 0:PLOT 0,13:XP=76-INT(PADDLE(0)/3):COLOR 1:DRAWTO XP,13:COLOR 0:PLOT XP,13:DRAWTO 76,13
2220 COLOR 0:PLOT 0,26:XP=76-INT(PADDLE(1)/3):COLOR 2:DRAWTO XP,26:COLOR 0:PLOT XP,26:DRAWTO 76,26
2230 POKE 656,1:POKE 657,27:? 228-PADDLE(0);" ":POKE 657,27:? 228-PADDLE(1)" 2460 ? "Horiz. & vert. error = ";INT (MISS-DMISS)/CYCLES*100);"%" 2470 ? "Diasonal error = ";INT (DMISS/C KP GX YCLE5*100>;"" DW 2480 ? "Average response time = "; INT c DK RF LIH , 2240 SOUND 0,228-PADDLE(0),10,15 2250 SOUND 1,228-PADDLE(1),10,15 2260 IF NOT PTRIG(0) THEN SETCO AL RESPONSES ... 1,228-PADDLE (1),10,15 T PTRIG (0) THEN SETCOLOR 4, RX 2520 ? "Cycle","Grid","Response","Time NOT 2530 FOR X=1 TO CYCLES:? X,GRID (X),RES PONSE(X),INT(RTIME(X)/60*100)/100:NEXT 2.8:GOTO 2290 ZP 2.8:6010 2290 2270 IF NOT PTRIG(1) THEN SETCOLOR 4, 12,10:GOTO 2290 2280 SETCOLOR 4,5,2 2290 IF PEEK(53279)=6 THEN SOUND 0,0,0 GOSUB 2550:GOTO 190 MN 2550 ? :? "Press joystick DAMBGAR to continue." ,0:50UND 1 2300 GOTO 1,0,0,0:GOTO 190 STRIG (0) THEN 2560 2560 IF STR 2570 RETURN 2210 IG 2310 REM

SUPER RAMDISK FOR ALL XL/XE MEMORY UPGRADES

SMARTRAM 2.5

Article on page 15

LISTING 1

Don't type the TYPO II Codes!

10 REM RAMDISK.BAS 20 REM BY TIM PATRICK 30 REM (C) 1985,1989 PH 20 REM BY TIM PATRICK
30 REM (C) 1985,1989 ANTIC PUBLISHING
40 REM (LINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.
50 REM CHANGE LINE 70 AS NECESSARY.)
60 DIM FN\$(20),TEMP\$(20),AR\$(93):DPL=P
EEK(10592):POKE 10592,255
70 FN\$="D:RAMDISK.COM":REM THIS IS THE
NAME OF THE DISK FILE TO BE CREATED
80 ? "MDISK OF Massette?"; POKE 764,25 EU RD (PEEK (764) = 18 OR PEEK (764) = 90 IF NOT 90 IF NUT CPEEK (764) = 18 UR PEEK (764) = 58) THEN 90
100 IF PEEK (764) = 18 THEN FN\$ = "C:"
110 POKE 764, 255: GRAPHICS 0:? "AN TIC'S GENERIC BASIC LOADER"
120 ? "BY CHARLES JACKSON"
130 POKE 10592, DPL: TRAP 200
140 ? :? :? "Creating "; FN\$:? "...plea PII stand by." 150 RESTORE : READ LN:LM=LN:DIM A\$ (LN): LW AR\$="":READ AR\$ FOR X=1 TO LEN(AR\$> STEP 3:POKE 75 170 F 2,255 2,255
180 LM=LM-1:POSITION 10,10:? "Countdo wn...T-";INTCLM/10);") "
190 A\$(C,C)=CHR\$(VAL(AR\$(X,X+2))):C=C+
1:NEXT X:GOTO 160
200 IF PEEK(195)=5 THEN ? :? "GTOO MANY DATA LINES!":? "CANNOT CREATE FILE PRO CONTROL OF THE PROPERTY OF THE PR BK E!": END

CM 210 IF C<LN+1 THEN ? :? "STOO FEW DATA LINES!":? "CANNOT CREATE FILE!":END UQ 220 IF FN\$="C:" THEN ? :? " Prepare ca Press ERETURNI" ssette, 230 OPEN #1,8,0,FN\$ 240 POKE 766,1:? #1;A\$;:POKE 766,0 250 CLOSE #1: GRAPHICS 0:? "MODNOBORDED AL 1000 DATA 958 1010 DATA 2552550000481770511730012110 09252072170172173051032236050016002104 096174156051032236050141177 996174156051032236050141177
1020 DATA 0511741600510322360500480182
38177051208035162003189169051157156051
202016247048019174165051032
1030 DATA 2360500480141620031891650511
57160051202016247238177051104141001211
173177051240036016037160202 1040 DATA 1402180482382260481600031402 37048185173051153156051185115048153051 051136016241048010068073083 1050 DATA 0750322140500320580501690081 701411280071411370111411095016024105048 41153051141049051141112049 1060 DATA 1412140491690000560422022082 52013010007141010007032224007162025160 051169079141072003142068003 1400690031620001420730031690 11141066003032086228162002173001211072 009252061156051141001211160 1080 DATA 0002360001162400012002322360 02116240001200162242236001116240001200

152240066162007173001211009 1090 DATA 2520611560511410012111620641 34051160000132050152145050200208251230 19185153050153196020136016247160008185 19185153050153196020136016247169008185
156051153099024136016247169
1210 DATA 0991412310181690241412320181
73195023024105002141202023160040185173
050153058024136016247169138
1220 DATA 1410930161690061411350110960
41007168173001211009252057156051173001
211009252141001211160192140
1230 DATA 0142121600001320660882000962
53155028069082082079082032087082073084
073078071032077069077046083 34051160000132050152145050200200251230 051202208246206237048016219 1100 DATA 0320480501692541570660031691 52157068003169051157069003169000157075 003157074003032086228104141 1110 DATA 0012110320480501690031570660 HC: 03169004157074003169130157068003169051 157069003032086228048028169 1120 DATA 0071570660031690061570720031 69020157073003169179157068003169051157 073078071032077069077046083 1240 DATA 0650860320450320890320840790 32082085078032068079083033155160003185 173051153160051185232050153 1250 DATA 1170511360162410961771851782 03140001211173000064072142001211205000 064208019140001211073255141 069003032086228048034032048 0501690561411310511411420511 1130 DATA 0501690561411310511411420511 69003157066003169008157074003169130157 068003169051157069003032086 1140 DATA 2280480281690111570660031690 06157072003169020157073003169179157068 DATA 0000641420012112050000642080 03162255252162000140001211104141000064 138096125028028083109097114 1270 DATA 1160820650770450730730320680 003169051157069003032086228 1150 DATA 0481000320480501732500032080 05173248003208023169003157066003169008 157074003169141157068003169 1270 DATA 1160820650770450730730320680 79083032050046053032068056058049048053 0480320590770850760650846079 1280 DATA 0821550981210320841051090320 80097116114105099107044032067079080089 082073071072084032049057056 1290 DATA 0570320650780840730670310310 29205207196201198201197196160198207210 160178181182203160205193195 1160 DATA 0511570690030320862280320480 50169056141063021173177051048081169003 157066003169012157074003169 157066003169012157074003169 1170 DATA 1301570680031690511570690030 32086228169007157066003169048157072003 169000157073003169179157068 1180 DATA 0031690511570690030320862280 48028169011157066003169026157072003169 000157073003169104157068003 1190 DATA 1690511570690030320862281620 64169012157066003076086228169009141142 III 1300 DATA 2002012061971610680490580680 85080046083089083155068056058077069077 046083065086155068056058155 1310 DATA 1631671711751951992032072550 9910310711113113513914322723123523900 HO 020169065141149020160010185 1200 DATA 1420501532220181360162471600 224002225002000048

EASY TEXT SCREEN DUMPS—JUST LIKE A PC

ATARI PRINT SCREEN

Article on page 26

LISTING 1

Don't type the

CB 10 REM PRTSCRN BY STEVE DERDERIAN 10 REM PRISCRN BY STEVE DERDERIAN
30 REM (C) 1985,1988 ANTIC PUBLISHING
40 REM (LINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.
50 REM CHANGE LINE 70 AS NECESSARY.)
60 DIM FN\$(20), TEMP\$(20), AR\$(93):DPL=P
EEK(10592):POKE 10592,255
70 FN\$="D1:PRISCRN.EXE":REM THIS IS TH
E NAME OF THE DISK FILE TO BE CREATED GD FU "MDisk or Dassette?"; : POKE 764,25 80 RD 90 IF NOT (PFFK(764)=18 OR PFFK(764)= THEN 90 110 POKE PEEK (764) = 18 THEN FN\$="C:" 100 IF PEER (764)=18 THEN FW 110 POKE 764,255:GRAPHICS 0 TIC'S GENERIC BASIC LOADER" 120 ? ,"BY CHARLES JACKSON" 130 POKE 10592,DPL:TRAP 200 140 ? :? :? "Creating ";FN\$ 0:? UB KB "; FN\$:? "...plea PU LW 150 RESTORE : READ LN: LM=LN: DIM A\$ (LN) : ARS="": READ ARS YC FOR X=1 TO LENCARS> STEP 3: POKE 75 255 180 LM=LM-1:PD5ITION 10,10:? "(Countdo wn...T-";INT(LM/10);") " 190 A\$(C,C)=CHR\$(VAL(AR\$(X,X+2))):C=C+ DM RK 1:NEXT X:GOTO 160
200 IF PEEK(195)=5 THEN ? :? :? "STOO MANY DATA LINES!":? "CANNOT CREATE FIL ": END 210 IF C<LN+1 THEN ? :? "STOO FEW DATA LINES!":? "CANNOT CREATE FILE!":END 220 IF FN\$="C:" THEN ? :? " Prepare ca Ssette, press [RETURN]"

240006165206208183240177198

continued on next page

- HY 1110 DATA 0891980891980891692551410092
- 10104133016141014210104168104170104064 224195225188180183047092226 1120 DATA 2272282292302312322332342011 96197235236237194208238192168239240241 242032064000096080082084083
- 1130 DATA 1130 DATA 0670820780320860690820830730 79078032049046051032040067041032065078 084073067032077065071065090 0670820780320860690820830730
- DATA 073078069224002225002000064

LISTING 2

```
1000 *******************
1010
       ATART PRINTSCREEN
1929
       This program was written using
       MAC65.
1030
     36
                By Steve Derderian
       (C) 1989 ANTIC PUBLISHING, INC.
1949
1050 ×
       Date Written:
                        November 2, 1988
1969
*****
1080 *
1090 START = $4000
                       ; Initial load add
ress for the program
                       : Vector to
                                  the DO
 initialization routine
1110 POKMSK = $10
                       ;Interupt request
         shadow reg
1120 SAVMSC = $58
 enable
                       :Pointer to
                                    Scree
1130 ZMEMLO = $B0
y relocation section
                       :Work area used b
              $CB
1140 CO
                       ; Work areas used
  Print screen section
50 C1 = $CC :D
1150 C1 = $CC ;
tween $CB and $CE will
                       ; Data residing
                                       be
1160 C2
              SCE.
         =
                       ; be destroyed whe
         screen
                    used
1170 UKEYBD = $0208
                       ; Vector to
yboard interupt routine
1180 RUNAD = $02E0 ;D
                       ; DOS run after lo
ad
1190 MEMLO = $02E7
                       ; Everyone knows M
EMLO
1200 HATABS = $031A
                       ; Device handler a
ddress table
1210 KBCODE = $D209
                       ; KBCODE is the re
gister used to store a key press
1220 IRQEN = $D20E ;The real interup
  request enable register
t requi
1240
              START
     ************************
1250
1260 ×
1270 *
       This program consists of three
1280
                    The first section is
       sections.
1290
       responsible for loading the
     46
       at START ($4000), modifying the
1300
     #
1310
       rest of the program to run at
OMEM
1320
        (actual address unknown until r
un
1330
        time), and moving the program
1340
     36
       LOMEM.
1350
1360
     36
       The following section of the
1370
       program is not moved to LOMEM s
1380
        does not take up any memory
your
1390 *
       computer.
```

```
1400 ×
1410 ***********************
*****
1420 ×
1430
          IDX #19
                       :Search the handl
er
1440 PO1 LDA HATABS, X ; address table 1
nnking
1450
          CMP # P
                        ; for the printer
                       ;device handler.
;Each handler ent
1460
          BEQ P02
1470
          TNX
ru
1480
          TNX
                        consists of thre
2
1490
                        : hytes.
1500
          BNE PO1
                       ; Not found, try a
gain.
1510 ×
1520 P02
          LDA HATABS+1, X ; Found P:.
1530
          STA C0+0
                       ; Move the address
    the
 o f
1540
          LDA HATABS+2, X ;P: vector tab
1e to
          STO CO+1
                       : page A.
1560 ×
1579
          IDY #6
                       :Pick up the addr
ess of
1580
          I DA CCAD. Y
                       ; the P: put byte
routine.
1598
          TAX
1600
          INY
          LDA
              (C0), Y
1619
1620
          TAY
1630
          INX
                        :The table contai
ns the
       address
          BNE P03
                       of the routine M
inus 1.
          TNY
1650
                       : Add 1 to so we c
         JSR.
an do a
1660 ×
1670 P03 STX P17+1
                        ;Store the addres
5 of
1680
     the
          5TX P20+1
                       : put bute routine
 in
1690
          5TY P17+2
                       :section three of
1700
          5TY P20+2
                        :prngram.
1719
1720
          LDA UKEYBD+0 ; Save the addres
5
 o f
1730
          5TA P10+1
                        the current keyb
oard
          IDA UKFYRD+1 : interupt routin
1740
6
1750
          5T0 P10+2
1770
          LDA DOSINI+0 ; Save the addres
S
  O f
1780
          5TA PA6+1
                        the current DAS
reset
1790
          LDA DOSINI+1 ; routine.
1800
          5TA P06+2
1810
1820
          LDX MEMLO+0 : MEMLO points to
          LDY MEMLO+1 ; used by DOS.
the
    last
1830
                                         WP
 need
          add
      to
1840
                        ;1 to MEMLO so we
 don't
        step
1850
          BNE
              P04
                        on that byte.
1860
          TNY
1870
          STX ZMEMLO+0 ; Stash the addre
     P04
   for
1880
          STY ZMEMLO+1 ;use later.
          STX P07+1
1890
                       ; Section two of t
    Program
          5TY P07+3
1900
                        ;also needs to re
member MEMLO.
1920
          CIC
                        ; Add MEMLO to the
 relative address
1930
                        of the print scr
een routine
1940
          ADC # (PA9-PA6 : (Section thre
e) 50
      that
          5TA P08+1
1950
                        ; we can calculate
1960
          TYO
                        :absolute address
1970
          ADC # >PA9-PA6
```

```
1980
         5TA P08+3
1990 *
2000
         CLC
                       ; Add MEMLO to the
 relative address
                       of the internal
2010
to atascii
          ADC # <INTATA-P06 ; conversion
2030
         5TA P14+1
                       ; so we can calcul
ate its
2040
         TYA
                       ; absolute address
2050
          ADC # >INTATA-P06
         5TA P14+2
2060
2070
                       ; Add MEMLO to the
         CIC
2080
relative address
2090
                       ; of the printer c
2100
         ADC # (OUTTBL-P06 ; conversion
 table
2110
         5TA P15+1
                       ;so we can calcul
ate
    its
2120
         TYA
                       ; absolute address
         ADC # >OUTTBL-P06
2130
2140
         5TA P15+2
2150
2160
         LDY #PGMEND-P06-1 ; Move secti
ons
    two
        and
2170 P05 LDA P06, Y
                       three down to ME
MLO.
2180
          STA (ZMEMLO), Y
2190
         DEY
2200
         CPY #$FF
         BNE P05
BEQ P07
2210
2220
                       ; UNCONDITIONAL 5K
         TIME ONLY.
2230 ×
2240
    *************
*****
2250
2260
       This is section two.
                                It is
2270
       responsible for protecting our
2280 ×
       program and installing (and
2290
       reinstalling) the print screen
2300 ×
       program each time the system re
2310
       button is pressed.
2320
2330 * This section (except for the fi
2340
       JSR) is also performed when the
2350 *
       program is initially loaded fro
2360 ×
2370
2788 *************************
*****
2390 ×
2400 P06 J5R $FFFF
                       ; Call the old DOS
 initialization routine.
2410 *
2420 P07 LDX #$FF
                       ; Change the DOS i
nitialization routine
2430 LDY #$FF
                       ; vector to point
   our
2440
         STX DOSINI+0 ; initialization
routine.
2450
         STY DOSINT+1
2460 ×
         CLC
2470
                       ; Raise MEMLO so
hat our
        Program
                 i 5
         LDA MEMLO+0 ;protected.
ADC # <PGMEND-P06+1
STA MEMLO+0
2480
2490
2500
2510
         LDA MEMLO+1
             # >PGMEND-P06+1
2520
         ADC
2530
             MEMLO+1
         STA
2550 P08 LDX #$FF
                       ;Change the keybo
```

```
ard interupt
2560
          LDY #$FF ; vector to point
to
2570
          STX UKFYRD+0 : our interupt ha
2580
          STY UKEYBD+1 : (section three)
2590 ×
2600
          RTS
                        Return to DOS (o
 the 05 if system reset).
2610 *
2620 ****************************
*****
2630
2640 * This is section three.
                                   It is t
2650 ×
       part of the program that actual
14
2660 ×
       performs the screen print funct
ion.
2670 ×
        (This is why we did all of that
2688 *
       stuff above.)
2690 ×
2700 *
       This section is called each tim
2710 * key is pressed.
2730 *******************
*****
2740 *
2750 P09 LDA KBCODE
                      ;Pick up the code
 from the keyboard register
760 CMP #$CA ;Was i
2760
                        ; Was it <SHIFT> <C
ONTROL > P?
2770
2780 *
          BEQ P11
                        : YF5!
2790 P10 JMP $FFFF
                        :NO! - Let the 05
 handle it.
2800 ₩
2810 P11 TXA
                        ;Since this is an
 interupt routine
          PHA
2820
                        ; we are responsib
   for
        saving
1e
2830
                        ; all of the regis
        (The
ters.
2840
          PHA
                        : A-register was s
aved by the OS.>
2850 LDA POKMSK
2850
                        :We don't have to
do this, bu
2860 PHA
           but
                        ; we want to save
POKMSK too.
2870 2880
          AND #$3F
                        :0011 1111 Turn o
   keyboard and
2890
          STA POKMSK
                        ;break key interu
2900
          STA IRQEN
2905
                        : Allow SIO Interr
          CLI
upts.
2910 ×
2920
          LDA #0
                        :CO holds the ind
ex into
2930
         screen RAM.
          STA CO
2940 ×
2950
          LDA # (959
                        ;C1 holds the cou
nter
     used
2960
          STA C1+0
                        ; to tell us when
we have
2970
          LDA # >959
                        : finished coping
all 960
2980
          5TA C1+1
                        ; bytes from the s
creen to the Pri
2990 *
3000 P12 LDA #40
          the printer.
                        ; C2 counts from 4
  to 0.
3010
          STA C2
                        ;When it hits 0,
we do a printer line 3020 *
                        feed.
3030 P13 LDY C0
                        Recall the index
          LDA (SAVMSC), Y ; Pick up the s
3040
creen character.
3050
          PHA
                        :Convert it from
```

internal code	3690 *
3060 ROL A ; to ATASCII. (Tr	*
3070 ROL A	3700 * The following table is used to
3080 ROL A 3090 ROL A	3710 * convert the ATASCII graphics
3100 AND #3 3110 TAX	3720 * character to the equilivant
3120 PLA	3730 * IBM printer character. If you
3130 AND #\$1F 3140 P14 ORA \$FFFF,X	have * 3740 * Panasonic, Epson, or any other
3150 TAX 3160 P15 LDA \$FFFF,X ;Pick up the equi	3750 * printer that supports IBM graph
livant printer character. 3170 CPX #' ;Was the characte	ics * 3760 * characters, this should work fi
7 (a Space? 3180 BCC P16 ;YED!	ne. * 3770 * The table will also protect you
3190 TXA ;NO! - bring it b ack. It was OK before.	* 3780 * from the escape or other printe
3200 CMP # (III ; Virgule? 3210 BNE P16 ; NO! - Print it	r * 3790 * control characters.
3220 LDA #\$B3 ;YES! - change to	* - Charles and American Company
501id 3230 *	3800 *
3240 P16 LDX #0 ;For XL/XE machines.	3810 * If this program does not work *
3250 P17 J5R \$FFFF ;Print the character.	3820 * properly with your printer, you may *
3260 * 3270 INC CO ;NO! - Increment	3830 * have to modify this table.
our screen index. 3280 BNE P18 ; If the index rol	3840 *
1s from \$FF to \$00,	3850 ******************
3290 INC SAVMSC+1 ; increment the s	****** 3860 OUTTBL .BYTE "QOOKUR/\GGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG
3300 * 3310 P18 DEC C1+0 ;Decrement our 96	3870 BYTE "BINGEROEGO"
0 counter.	3880 *
3320 BNE P19 3330 DEC C1+1	3890 инининининининининининининини
3340 * 3350 P19 DEC C2 ;Decrement our 40	3900 *
counter 3360 BNE P21 ;It's not zero.	3910 * The following table is used to
Aren't we done yet?	3920 * convert screen characters to
3370 * 3380 LDA #\$9B ;It was zero, do	3930 * ATASCII characters. DON'T CHAN
a line feed. 3390 LDX #0 ;For XL/XE machin	GE * 3940 * IT.
as. 3400 P20 JSR \$FFFF ;Print the charac	3950 *
ter. 3410 *	3960 инининининининининининининини
3420 P21 LDA C1+0 3430 AND C1+1	****** 3970 INTATA .BYTE \$20,\$40,\$00,\$60
3440 CMP #\$FF ;Did we hit -1? 3450 BEQ P22 ;YES! - We're alm	3980 * 3990 *******************************
ost done.	HHHHHH
3460 * LDA C2	4000 *
3480 BNE P13 ; Haven't filled a	4010 * The following message places the
3490 BEQ P12 ; UNCONDITIONAL - reset the 40 counter.	4020 * program name and version number in *
3500 * 3510 P22 DEC SAVMSC+1 ;Restore the Poi	4030 * the object code created by the
nter	4040 * Assembler. This is so you can see *
3530 DEC SAUMSC+1	4050 * if you are running an old versi
3540 * 3550 LDA #\$FF ;Clear the key pr	on * 4060 * of the program.
ess so 3560 STA KBCODE ; we don't get stu	4070 *
ck in a 100p. 3570 *	* 4080 * This message is not copied down
3580 PLA ;Restore the inte	to * 4090 * LOMEM after the program is load
3590 STA POKMSK ; request register	ed * 4100 * So it will not take up any extr
3600 STA IRQEN	a *
3610 PLA ; Restore the CPU registers.	4110 * memory in your computer.
3620 TAY 3630 PLA	4120 *
3640 TAX 3650 PLA	4130 ************************************
3660 RTI ;Return from the	4140 PGMEND .BYTE "PRTSCRN VERSION 1.3 (C) ANTIC MAGAZINE"
interupt. 3670 *	4150 *= RUNAD
3980 жининиминиминиминиминиминиминиминиминими	4160 .WORD START ;Tell DOS to run the program

42

Tech Tips

BIGGER 130XE RAMDISKS

By Charles Jackson

30XE owners have many reasons to appreciate DOS 2.5's 412-sector RAMdisk. It lets you save files *quickly*, it's reliable, and automatically installs its own copies of the DUP.SYS and MEM.SAV files, giving you *instant* access to the DOS menu. Since DUP.SYS is in D8:, your RAMdisk, you don't have to wait for it to load from drive 1.

You can get a 499-sector RAMdisk if you erase the DUP.SYS and MEM.SAV files. This will give you 87 more sectors. Unfortunately, you won't be able to get to the DOS menu anymore because your Atari will be looking for it on D8:, your RAMdisk. Every time you type DOS, your Atari will check your RAMdisk for a DUP.SYS file (the one you erased) and return you to a READY prompt.

Here's how to make BASIC look for DUP.SYS in drive 1. POKE 5439, ASC("1")

You can make BASIC look for DUP.SYS in any other drive by placing the ASCII value of the drive number into memory location 5439 (\$153F). POKE 5439,ASC("2") will make DOS look in drive 2.

Now you can erase DUP.SYS and MEM.SAV from your RAMdisk, giving you 87 more sectors, and you'll *still* be able to get a DOS menu. Just make sure you have DUP.SYS on a floppy disk!

KEYBOARD INPUT CHECKER

By Arnold Putong

Error trapping and checking keyboard input can be a big hassle in BASIC. By using PEEK(764) to verify the input, you can eliminate complicated IF-THEN sequences. Location 764 holds a numeric value for the last key pressed—it is not an ASCII code.

The following short program will allow you to determine which value is associated with each key on the keyboard. Note—*three spaces are required* between the final quotation marks in line 20.

10 GRAPHICS 18:POKE 16,64:POKE 53774,64

20 POKE 752,1:? #6;" ":POSITION 8,5:?

#6;PEEK(764);" ":GOTO 20

RUN the program and try pressing a key. The key's value will be printed on the screen. You can also see the combined values you get using the [CONTROL] or [SHIFT] keys.

Once you know the value of the keystrokes your program is looking for, you can use statements such as:

IF PEEK(764) = 27 THEN ...

DOCFILE QUICKPRINT

By Frank Jersawitz

Need a quick way to print documentation files either to the screen or the printer? You could use any of the many fine programs available, such as *Two-Column Print Pro* from the June 1989 **Antic**.

However, if you don't want to bother with other programs, there's an easy way to print your files from DOS. Simply use DOS option [C], COPY FILE. First make sure your printer is turned on! When DOS prompts you for file names, just type:

D:FILENAME.EXT,P:

The file will be printed. Replace P: with S: and your file will be displayed on the screen. To stop the scrolling so you can read the file, press [CONTROL][1]. Press this key combination again to resume scrolling.

IMPROVED TRIGGER RESPONSE

By James Hague

In many BASIC programs, especially games with long main loops, the user could press the joystick button so fast that the program misses it completely. There is a way to have the computer "remember" when the button is pressed, even after it is released. When the program finally gets around to checking the button's status, it seems as if it's still pressed. The key is the following command:

POKE 53277,4

Use this command *before* you start executing your main loop (that is, just once before the loop is entered). Then, after you have detected a button press and reacted to it, you will need to use this command again to clear the button. If you are using Player/Missile Graphics in your program, change the 4 to a 7.

Antic pays \$25 for every original and exclusive Tech Tip submission that we publish. Send your 8-bit or ST disk and printout to: Antic Tech Tips, 544 Second Street, San Francisco, CA 94107. Tech Tips welcomes very short programs that demonstrate the Atari's powers, simple hardware modifications, or useful macros for popular software.

Antic Classifieds



For the best in Atari Public Domain Software write for your free catalog. 8-bit or ST. Good Prices and Fast Service. Vulcan Software P.O. Box 692, Manassas, VA. 22111-0692 (5/90)



The Munich Atari XL/XE Public Domain Association offers a great number of PD-disks. We sell (\$2/2S), change and buy PD-Software. Free list. Write to: Florian Bechert, August-Foppl-Str.17, 8,000 Munchen 50, West-Germany(FRG) (9/89)

SI now features the LARGEST and BEST Software Collection of any ATARI 8-Bit P-D specialist in North America! Our SUPERIOR Theme Disks (300+ sides/ over 5,000 different programs!) average just \$2—3 per packed D-S disk. Shipping FREE. Try MLX GAMES' GREATEST HITS (our Most Popular title) for only \$3.00—receive SI's newest Catalog FREE! Catalog alone/\$2.00. SASE for Disk Listings only. SOFT-WARE INFINITY, 642 East Waring Avenue, State College, PA 16801. (11/89)

PRINTSHOP GRAPHICS. Holidays \$15.00. LDS Prophets and Temples \$15.00. LDS Church Auxiliaries \$15.00. 120 pictures each. Free Catalog. PCS Software Box 18574, Kearns, UT 84118. (10/89)



10 disks with the best P.D. games ever made for the Atari 8-bit for only \$10.00 plus 2.00 S/H. Order NOW! E.Lopez, P.O. Box 6772, Pico Rivera, CA 90661-6772

LET THE GOVENMENT FINANCE your small business. Grants/Loans to \$500,000 yearly. Free recorded message: 707-448-0270 (JZ5) (9/89)



CREATE/PRINT MUSIC MANUSCRIPT. 48K 800/XL/XE. Words and music. WYSIWYG. Epson, Star, Panasonic printers, or easily create your own driver. Very high quality display and output. A SERIOUS TOOL for musicians; a NEAT TOY for music-lovers. Written by an M.A. in music. \$19.95. 30-day MONEY-BACK GUAR-ANTEE. John Kelleher, 4400 New Jersey Street, San Diego, CA 92116 (10/89)

BEST PD DISKS/PRICES—fastest service—FREE bonuses—8-bit/ST. Automatic DISK-A-MONTH program. Full disks less than \$1.50 each. Super sample disk with catalog \$3.50. Specify computer. PATNOR, POB 370782, El Paso, TX 79937

MUSIC LOVERS! MIDI YOUR ATARI! We have music software, Midi interfaces, and hundreds of pre-programmed songs available for the Atari XL/XE and Atari ST. For catalog send \$1.00 to The MIDI Inn, P.O. Box 2362, Dept. AN7, Westmont, IL 60559. Specify your computer, music software and Midi instruments on hand. (9/89)

250+ DS/SD DISKS OF PD SOFTWARE FOR YOUR ATARI 8-BIT. PLEASE SEND \$3 TO: AAPDS 6-18TH EDGEMORE, HUTCHINSON, KS 67502.



Stop overpaying for P.D. software!!! ALL 8-bit disks only \$2.00 each, ST only \$3.00. Quantity discounts, great selection. Specify computer. Send large SASE: MWPDS, 890 N. Huntington St., Medina, OH 44256 (9/89)

VAST SELECTION of ATARI 8-bit PD and more. Unique catalog disk only \$1.00 postpaid (refundable). J. Edwards, 138 South Main, Travelers Rest, SC 29690.(9/89)



Get our free catalog of 800/XL/XE Public Domain and Freeware! Choose from over 300 theme disks, all tested and guaranteed. The most descriptive catalog available anywhere. Dependable worldwide service! BELLCOM, Box 1043-A, Peterborough, Ontario, Canada K9J 7A5.(9/89)

Your choice of 8-bit P.D. software on each side of every disk. Great selection, competitive prices. Send SASE for catalog. Dino's RYO, 664 W.Arrow Hwy, Suite 197, San Dimas, Calif. 91773.

Public Domain Software—ST \$4/Disk, 800/XL/XE \$3/Disk. Largest ST Selection. The Atari ST Book \$16.95. Fast Service, Visa/Mastercard, FREE catalog—Specify Computer. BRE Software, 352 W. Bedford, Suite 104-A, Fresno, CA 93711. (800) 347-6760 (1/90)

New NERDS graphics collections for Print Shop(R): MAPS 3 & 4: China, Russia, Africa, East—230 pics: \$15 both. PD HOLIDAY disks—200 pics: \$8.00 both. Rock Insinias: 120 pics: \$9. BIOLOGY 1 & 2: Animal, Plant, Micro, more—230 pics: \$15 both. Add \$1 P & H. LSASE for printouts. NERDS, Loeffler, 18 Wendy Dr., Farmingville, NY 11738 (11/89)

CHRISTIAN SOFTWARE and PUBLIC DOMAIN PD low as \$1.80/disk. Send SASE for Catalog. AGAPE GAMES Disk five Christian Games \$12.95 (8 BITS W/48K). Dan Sharpe GPO Box 911 Chicopee MA 01021 (9/89)



12 X-RATED DISKS FOR THE ATARI 800/XL/XE only \$14.95 plus \$2.50 shipping and handling. Must state that you are over 21. Send a check or money order to: ComputerActive, Box 893-X, Clinton, OK 73601 (9/89)

Easy Scan II The 1989 Antic Award Winner! (See May 1989 issue) Easy Scan II is now even better! In addition to using Graphic Modes 8 and 15, and office to use the graphic Modes 8 and 15, and 15 and

Advertisers Index

	PAGE NO.
AMERICAN TECHNAVISION	2
ANTIC	46,47
B & C COMPUTERVISION	IBC
COMPUTER SOFTWARE SERVICES	4
INNOVATIVE CONCEPTS	44
SAN JOSE COMPUTER	30.31
START	15

BUY SELL TRADE SWAP

Antic Classifieds

544 Second Street, San Francisco, CA 94017 Telephone (415) 957-0886

Name	Company
Address	Phone
City/State/Zip	
MasterCard/Visa Number	Expiration Date
Signature	Issue(s) Ad to Appear
Enclosed is my payment for \$	

RATE: \$1.00 PER WORD—twenty (20) word minimum.

BOLDFACE: Add \$7.50 per line for boldface words or add \$40.00 for the entire ad set in boldface (any number of lines).

STARS: Add \$6.50 for one (1) line of six (6) stars $\star\star\star\star\star$ at top of ad. **TERMS:** Prepayment is required. Check, Money Order, Visa or MasterCard is accepted. Make check payable to Antic Publishing.

FORMS: Ads are subject to publisher's approval and **MUST BE TYPED.** Please underline words to be set in boldface.

GENERAL INFORMATION: Advertisers using Post Office Box numbers in their ads must supply permanent address and telephone numbers. Ad will appear in the next available issue after receipt unless otherwise specified.

DEADLINE: 90 days prior to cover date (e.g., December 1988 closes September 1, 1988—December issue on sale November 1, 1988).

Clip this coupon, attach to typewritten copy and send with remittance to address on the left.

HANDWRITTEN COPY WILL NOT BE ACCEPTED

AN AD IN ANTIC REACHES MORE THAN 100,000 SERIOUS ATARI USERS

More affordable than ever...

Subscribe to Antic with Disk for

ONLY \$28.00!

Get 6 issues of Antic with disk for the super low price of **\$28.00**. It's so much easier on your checkbook!

Antic's disk is your best source of continued 8-bit software support.



Subscribe now!

Call Toll-Free: 1-800-234-7001

Visa/Mastercard orders only

SUPER BONUS PROGRAM on Antic Disk!

You get even more value when you get the Antic disk... a Bonus Program that's too large a type-in program to fit in the magazine.

Plus you get all 172K of this month's Antic programs on disk. Great 8-bit software without typing!

Order your disk now!
Phone toll-free:
1-800-234-7001
(Visa/Mastercard orders)

Ask for ADS989



BACK ISSUE SALE

Complete Your Atari "Toolkit"

SAVE 25% TO 35%

How To Order:

Simply give the Order Numbers of the issues you want, and include the letter corresponding to the following selections:

A- magazine & disk

B- magazine only

C- disk only

Example: 1A- is for "April 1983, magazine & disk"

If no letters are indicated in your order, we will automatically send you the magazine only (B).

Prices:

1 To 5If you order more IssuesIssuesthan 5 IssuesMagazine & Disk\$7.00 each\$6.50 eachMagazine only\$3.00 each\$2.75 eachDisk only\$5.00 each\$4.75 each

Please include shipping & handling charges:

1 to 5 issues: \$1 for each issue 6 and over : \$5 plus 50c for each

issue over 5.

FOR ORDERS ONLY CALL TOLL- FREE (800) 234-7001 (7-5pm PST.)

MasterCard & Visa Only

Or send your check to: ANTIC BACK ISSUES 544 Second Street San Francisco, CA 94107 California residents add 6 1/2% sales tax.

Back Issue Order Form

	lection Order # B, or C	Selection A, B, or C
	Total Issues	
	Ordered:	
Total Issues Ordered:	1 to 5 6 & over:	
No. Issues of Sel. A:	x \$7 ea. x \$6.50 ea.	= \$
No. Issues of Sel. B:	x \$3 ea. x \$2.75 ea.	= \$
No. Issues of Sel. C:		= \$
		Total \$
	Shipping & hand	dling \$
	Amount one	locad o

☐ Check Enclosed	□ VISA	☐ MasterCard
Name		
Address		
City	State	Zip
Credt Card #		
Exp. Date		
Canada, Mexico ar per issue. Paymen accompany all fore residents add 6 1/3	t in U.S. fu ign orders.	inds must California

Missing any issues? Looking for those great utilities, games, and reviews? You'll find it all right here! Copies are limited, so order today!

ORDER	# ISSUE	ORDER	# ISSUE
1	April 1983: Games—3-D Maze, Voyeur (No Disk)	30	October 1985: Mind Tools—Graph 3D, GEM
2	May 1983: Telecomputing-Microids,		Color Cascade
3	Tele Chess (No Disk) June 1983: Databases—Stargazing, Dancin' Man (No Disk)	31	November 1985: New Communications— TYPO II Double Feature, 130XE Memory Management
4	July 1983: Adventure Games—Dragonsmoke, Shoot-em-up Math	32	December 1985: Shoppers Guide—DISKIO Plus, Box-In
5	August 1983: Graphics—3-D Fuji, Keystroke Artist	33	January 1986: Atari Products are Back— Appointment Calendar, Dungeon Master's
6	September 1983: Education—P/M Tutor	34	Apprentice February 1986: Printer Power—T-Shirt
7	October 1983: Sports Games—AutoCassette	34	Construction Set, Forth Escapes
8	November 1983: Sound & Music—Air Raid, Casting Characters	35	March 1986: Practical Applications—Lunar Lander Constructor, Lie Detector
9	December 1983: Buyer's Guide— AUTORUN.SYS, Automate Player/Missiles	36	April 1986: Computer Mathematics—Fractal Zoom, 3-D Fractals
	January 1984: Printers—Pocket Calendars, Screen Dump	37	May 1986: 4th Anniversary—Digital Gardener, Molecular Weight Calculator
11	February 1984: Personal Finance—TYPO, Gauntlet	38	June 1986: Summer Computing—Weather Wizard, Bomb Squad
12	March 1984: International Issue—DiskRead, Poker Solitaire	39	July 1986: Computer Arts—Amazing Card Shuffler, Grafcon ST
13	April 1984: Games—Risky Rescue, Math Wizard	40	August 1986: Online Communications— Ultrafont, Floppy Filer
	May/June 1984: Exploring XL Computers— Escape from Epsilon, Scroll to the Top	41	September 1986: Weather—WEFAX Decoder (8-bit/ST), BASIC Tracer
	July 1984: Communications—AMODEM, BASIC Animation Secrets	42	October 1986: Hard Disks—Video Stretch, TYPO ST
16	August 1984: Disk Drives—Horseplay, Recall	43	November 1986: Personal Finance—Budget
17	Graphics Converter, Olympic Dash (No Magazine)	44	dataBASE, V-Graph December 1986: Shoppers Guide—Stepper
18	October 1984: Computer Learning—Bouncing Ball, Antic 4/5 Editor/Animator	45	Motors, Nuclear Waste Dump January 1987: Talking Atari—Talking Typewriter, Rebound
	November 1984: Computer Adventures— Adventure Island, Advent X-5 December 1984: Rever's Guide, Infebite	46	February 1987: Word Processing—SF Fogger, Electric Charlie!
20	December 1984: Buyer's Guide—Infobits, Biffdrop Variation Typo II	47	March 1987: Dvorak Keyboard, Multi-AUTORUN
21	January 1985: Super Utilities—TYPO II, DISKIO	48	April 1987: —Designer Labels, Taxman
22	February 1985: Finances—Home Loan Analyzer, Drum/Bass Synth		May 1987: 5th Anniversary—A-Rogue, Poker Slot Machine
23	March 1985: Printers—Kwik Dump, Font Maker	50	June 1987: Animation—Verbot Commander, Citadel
24	April 1985: Computer Frontiers—Dot Matrix Digitizer, Speech Editor	51	July 1987: Print Anything—Ghost Writer, Your Net Worth
25	May 1985: New Super Ataris—Son of Infobits, Arena Racer	52	August 1987: Atari Muscle—Sideways Spreadsheet, Diamond Dave
26	June 1985: Computer Arts—View 3-D, The Musician	53	September 1987: Work/Play—Mighty Mailer, Maximillian B.
27	July 1985: Computer Challenges—Miniature Golf, Guess That Song	54	October 1987: Football Predictor—Antic Prompter (8-bit/ST), Spelling Checker (No Ma
28	August 1985: Telecommunications—Atari 'Toons, Pro*Term	55	November 1987: Practical Applications— Critical-Path Projects, WYSIWYG Cassettes
29	September 1985: Power Programming— One-Pass Disk Copy 130, Crickets	56	December 1987: Print Holiday—P.S. Envelope Maker, Antic Publisher (No Magazine)

B&(ComputerVisions

3257 KIFER ROAD SANTA CLARA, CA 95051 (408) 749-1003 (408) 749-9389 FAX

EDUCATION

A+ BIOLOGY G10+ 17.95

A+ GERMAN 17.95
A+ GRAMMER G4+ 17.95
A+ LERN TO READ G1-4 35.95
A+ READING COMP G1-8 35.95 A+ SCIENCE G3-4 17.95 A+ SCIENCE G5-6 17.95 A+ SCIENCE G7-8 17.95 A+ SPANISH 17.95

ATARI LIGHT MODULE (REO. STARTER SET) . GRANDMA'S HOUSE (-10) 9.95
HEY DIDDLE (AGE 3-10). 9.95 LINKWORD: SPANISH 22.50 LINKWORD: GERMAN 22.50 LINKWORD: FRENCH 22.50 LINKWORD: ITALIAN ... 22.50 MASTER TYPE 14.95 STATES AND CAPITALS .. 9.95 QUIZ MSTR. USA CONSTR. 8.95
AMERICAN EDUCATION:



STORE HOURS TUE - FRI 10am - 6pm SAT - 10am - 5pm CLOSED SUN - MON

06	01	1
ENTERTA INMEN	Г	
12 ADAMS ADVENTURES		AC
	26.95	AC
ALT. REALITY CITY	26.95	BA
ALT.REAL DUNGEON	26.95	B
	19.95	B
AUTO DUEL	35.95	D
BEYOND CASTLE WOLF	14.95	DO
BISMARK	26.95	DO
BOP & WRESTLE		D
BORDINO:1812	22.50	K
BOULDERDASH CONSTR.SET		L
BRUCE LEE		L
CASTLE WOLFENSTEIN		M
CHAMP. LODE RUNNER	26.95	M
CONFLICT IN VIET NAM .		P
COSMIC TUNNELS	9.95	SI
D-BUG	7.95	
DALLAS QUEST	7.95	
DELUXE INVADERS	7.95	
F-15 STRIKE EAGLE	31.50	
FIGHT NIGHT		
GAUNTLET (64K)		
DEEPER DUNGEONS		
GREAT AMER.ROAD RACE .	22.50	
GUNSLINGER	26.95	
HARD HAT MAC	7.95	
JAWBREAKER	9.95	
KARATEKA	13.50	Al
KENNEDY APPROACH	17.95	A'
KORONIS RIFT	13.50	A'
LAST V-8	8.95	A'
L.A. SWAT/PANTHER	8.95	A'
LEADERBOARD	13.50	A
LODE RUNNER	13.50	B
MICROLEAGUE BASEBALL		B
NAPOLEON AT WATERLOO .	22.50	C
MONTEZUMA'S REVENGE	14.95	D
MOUSEQUEST	17.95	E
MOON SHUTTLE	7.95	F
NATO COMMANDER	17.95	G
NIBBLER	12.95	Н
NINJA	8.95	Н
OGRE	26.95	Н
OIL'S WELL	9.95	н
O'RILEY'S MINE	9.95	I
PIRATES OF BARB. COAST		L
PITFALL/DEMON ATTACK .	13.50	Me
PREPPIE I & II	9.95	M
RESCUE ON FRACTALAS	13 50	N
ROME & THE BARBARTANS	17.95	N
SILENT SERVICE	31.50	N
SOLO FLIGHT	17.95	P
SPEEDKING	8.95	P.

SPEEDKING 8.95 SPITFIRE 40 31.50

STARFLEET I 44.95 STAR RAIDERS II 17.95

 SPY VS. SPY III
 17.95

 STOCKMARKET
 22.50

 STRIP POKER
 26.95

SUMMER GAMES 17.95

TAX DODGE 9.95
TEMPLE OF APSHAI 9.95
THE HULK 5.35
TOMAHAWK (64K) 26.95

TRAILBLAZER 26.95 ULTIMA II 35.95 ULTIMA III 35.95

WINTER CHALLENGE 13.50 ZAXXON (400/800)..... 13.50

800 (48K)

\$79.95

400 (16K)

COMPUTER

\$29.95

PROGRAMMING ACTIONI	
ACTION! TOOLKIT	
BASIC XL	
BASIC XL TOOLKIT	26.95
BASIC XE	71.95
DIAMOND (GEM O/S)	69.95
DOS 2.5	7.95
DOS XE	10.00
DISK I/O	26.95
KYAN PASCAL	62.95
LIGHTSPEED C	35.95
LOGO	29.95
MAC/65	71.95
MAC/65 TOOLKIT	26.95
PILOT	19.95
SPARTA DOS X	71.95

well/les		m.	
8 P		L	-
	()		* #
1 7.	78.		-36
	4	,	

	A+ SPANISH 17.95
(E.T:	A+ SPELLING G2-8 35.95
	A+ U.S. GEOG. G8+ 17.95
PRODUCTIVITY	A+ U.S. GOV. G10+ 17.95
ANIMATION STATION 89.9	
ATARIWRITER 29.9	5 A+ VOCABULARY G4+ 17.95
ATARIWRITER (CART ONLY)19.9	5 A+ WORLD GEOG. G8+ . 17.95
ATARIWRITER+ 44.9	
ATARI BOOKKEEPER 24.9	
ATARI MUSIC II 14.9	
AWARDWARE (1050) 13.5	O ASTROGROVER 8.95
BANK STREET WRITER 14.9	
BLAZING PADDLES 31.5	O ERNIE'S MAGIC SHAPE, 8.95
COMPUTE YOUR ROOTS 35.9	5 DAVIDSON:
DATAMANAGER 8.9	
ELECTRONIC CHECKBOOK . 8.9	
FAMILY FINANCE 6.9	
GUITAR WIZARD 26.9	
HOME ACCOUNTANT 19.9	
HOME BASE 12.9	
HOME FILING MANAGER 6.9	
НОМЕРАК 24.9	
INVENTORY MASTER 80.9	
LETTER WIZARD 29.9	
MONEY MANAGER 8.9	
MUSIC CONSTRUCTION SET 13.5	
NEWSROOM (1050 - 64K). 44.9	
NEWS STATION 26.9	
NEWS STA. COMPANION 26.9	
PAGE DESIGNER 26.9	5 10 LITTLE ROBOTS
PAINT 12.9	5 (PRE-SCHOOL) 26.95
PRINT POWER (1050) 13.5	
PRINTKIT (1050) 13.5	
PRINTSHOP 34.9	
P.S. COMPANION (64K) . 24.9	
P.S.GRAPHICS LIBRARY 1 17.9	
P.S.GRAPHICS LIBRARY 2 17.9	5 STICKY BEAR NUMBERS, 26.95
P.S.GRAPHICS LIBRARY 3 17.9	5 STICKY BEAR ABC'S 26.96
PROOF READER 17.9	5 STICKY BEAR OPPOSITE 26.95
PUBLISHING PRO 35.9	5 SB BASKET BOUNCE 26.95
RUBBER STAMP 26.9	
SYNTREND 14.9	E
SUPER MAILER 35.9	
THE LOTTO PROGRAM 17.9	
TIMEWISE 6.9	5 *********
TURBOWORD/80 COLUMN	WE CARRY A FULL
REQUIRES XEP80 44.9	5
VIDEO TITLESHOP (64K). 26.9	
GRAPHICS COMPANION. 17.9	5 FOR THE 520/1040 AND
VIRTUOSO 29.9	
VISICALC 24.9	

L/XE SOFT WARE ALL TITLES ON CARTRIDGE

ENTERTAINME	NT
3D TIC-TAC-TOE AIRBALL (XL/XE)	9.95
AIRBALL (XL/XE)	24.95
ALIEN AMBUSH	9.95
ACE OF ACES (XL/XE)	24.95
ARCHON	19.95
ARCHON	15.95
ASTRO CHASE	14.95
ATARI TENNIS	9.95
ATLANTISBALL BLAZER	14.95
BALL BLAZER	19.95
BARNYARD BLASTER BATTLEZONE B.C. QUEST FOR TIRES	24.95
BATTLEZONE	19.95
B.C. QUEST FOR TIRES	19.95
BLUE MAX	19.95
BOULDERS & BOMBS	14.95
CAVERNS OF MARS	14.95
CENTIPEDE	14.95
CHICKEN	9.95
CHICKEN	14.95
CLAIM JUMPER (400/800)	9.95
CLOUDBURST	9.95
	14.95
	24.95
	24.95
CROSSFIRE	9.95
CRYSTAL CASTLES (XL/XE	10 05
DADK CHAMBEDS (ALIVE)	24.95
DARK CHAMBERS (XL/XE) DAVIDS MIDNIGHT MAGIC	19.95
DEFENDER	14.05
DELUXE INVADERS	14.95
DESERT FALCON	7.95 19.95
DESERT FALCON	10.05
DIG DUG DONKEY KONG DONKEY KONG JR	19.95
DONKET KONG	5.00
ENGREDN PRONT (1041)	19.95
EASTERN FRONT (1941).	19.95
DONKEY KONG JR EASTERN FRONT (1941). E.T. PHONE HOME	9.95
FINAL LEGACY FOOD FIGHT (XL/XE)	19.95
FOOD FIGHT (XL/XE)	19.95
FOOTBALL	14.90
FROGGER	14.95
GALAXIAN	9.95
GATO	24.95
GORF (400/800)	
GYRUSS	14.95
HARDBALL	19.95
INTO EAGLES NEST(XL/X	E) 19.95
JOURNEY TO PLANETS	9.95
JOUST	19.95
JUNGLE HUNT	19.95
KABOOMI	14.95
KARATEKA	19.95
KRAZY ANTICS	14.95
LODE RUNNER	24.95
MARIO BROS	24.95
MEGAMANIA	9.95
MILLIPEDE	14.95
MISSILE COMMAND	5.00
MOON PATROL	19.95
MR. COOL	9.95
MS. PAC MAN	19.95
NECROMANCER	19.95
INTO ENGLES NEST (AL/A) JOURNEY TO PLANETS JOUST JUNGLE HUNT KABOOM! KARATEKA KRAZY ANTICS LODE RUNNER MARIO BROS MEGAMANIA MILLIPEDE MISSILE COMMAND MOON PATROL MR. COOL MS. PAC MAN MS. PAC MAN MS. PAC MAN MS. PAC MAN PENGO PLATTERMANIA PENGO PLATTERMANIA POLE POSITION POPEYE O-BERT OIX	19.95
PAC MAN	5.00
PENGO	19.95
PLATTERMANTA	9.95
POLE POSITION	19.95
POPEYE	14.95
O-BERT	14.95
Q-BERT	14.95
DECCHE ON PRACTATE	14.95
QIX RESCUE ON FRACTALAS . RETURN OF THE JEDI	19.95
RETURN OF THE JEDI	14.95
ROBOTRON: 2084	19.95
SKI WRITER	14.95

SLIME (400/800)	9.95
SPRINGER	7.95
SPACE INVADERS	14.95
STAR RAIDERS	5.00
STAR RAIDERS II	19.95
SUBMARINEE COMMANDER	14.95
SUMMER GAMES (XL/XE).	24.95
SUPER BREAKOUT	9.95
SUPER COBRA	14.95
THUNDERFOX	19.95
TURMOIL	9.95
WIZARD OF WOR	5.00
PRODUCTIVITY	Y
ATARTWRITER	29.95

FUN WITH ART 14.95

MICROFILER 22.50



EDUCATION

MATH ENCOUNTERS

FISHER PRICE (PRE SCHOO	DL):
DANCE FANTASY	8.95
LINKING LOGIC	8.95
LOGIC LEVELS	8.95
MEMORY MANOR	8.95
SPINNAKER (AGE 3-10):	
ALF IN COLOR CAVES .	9.95
ALPHABET ZOO	9.95
DELTA DRAWING	9.95
FACEMAKER	9.95
KIDS ON KEYS	9.95
KINDERCOMP	9.95
STORY MACHINE (XL/XE)	9.95
(AGE 7 - ADULT):	
ADV. CREATOR (400/800).	9.95
FRACTION FEVER	9.95
(* = REQ. LIGNT GUN)	

SPECIAL VALUE PAC-MAN AND OIX **CARTRIDGES** IN SPECIAL STORAGE CASE ALL FOR ONLY

\$9.95

SPECIAL PRICE **ATARI** XE GAME MACHING **NOW ONLY** \$99.95

LIMITED TIME ONLY



SUPER SPECIALS RECONDITIONED ATARI MERCHANDISE 30 DAY WARRANTY

SPACE AGE COMPUTER JOYSTICK \$5.00.

> ATARI TRACKBALL \$9.95

1030 MODEM WITH EXPRESS! \$24.95

1010 PROGRAM RECORDER \$29.95

1020 COLOR PRINTER/PLOTTER \$19.95

(new in box) 40 COLUMNS WIDE INC. PENS, PAPER, ETC.

ATARI BOOKKEEPER \$14.95 - NO BOX

ATARI NUMERIC **KEYPAD \$7.95**

DISKETTES AS LOW AS 20 CENTS 10 FOR \$4.00 100 FOR \$29.95 1000 FOR \$200 MOST ARE UNNOTCHED WITH OLD SOFTWARE

SHIPPING INFORMATION - Prices do not include shipping and handling. Add \$5.00 for small items (\$8.00 Min. for Canada). Add \$8.00 for disk drive. Add \$2.75 for C.O.D. Calif. res. include 7% sales tax. Mastercard and Visa accepted if your telephone is listed in your local phone directory. Orders may be pre-paid with money order, cashier check, or personal check. Personal checks are held for three weeks before order is processed. C.O.D orders are shipped via UPS and must be paid with cash, cashier check or money order. International and APO orders must be pre-paid with cashier check or money order. \$20.00 minimum on all orders. All sales are final - no refunds - prices are subject to change. subject to change.

Phone orders accepted TUESDAY THROUGH FRIDAY from 10:00 am to 6:00 pm PST. We carry a full line of ATARI products - large public domain library - write or call for free catalogue

