Rapid Letter

Overexpression of Human Thioredoxin in Transgenic Mice Controls Oxidative Stress and Life Span

AKIRA MITSUI,¹ JUNJI HAMURO,¹ HAJIME NAKAMURA,² NORIHIKO KONDO,² YOKO HIRABAYASHI,³ SONOKO ISHIZAKI-KOIZUMI,¹ TADASHI HIRAKAWA,¹ TOHRU INOUE,³ and JUNJI YODOI²

ABSTRACT

Transgenic (Tg) mice overexpressing human thioredoxin (TRX), a small redox-active protein, were produced to investigate the role of the protein in a variety of stresses. Bone marrow cells from TRX-Tg mice were more resistant to ultraviolet C-induced cytocide compared with those from wild type (WT) C57BL/6 mice. TRX-Tg mice exhibited extended median and maximum life spans compared with WT mice. Telomerase activity in spleen tissues in TRX-Tg mice was higher than that in WT mice. These results suggest that overexpression of TRX results in resistance against oxidative stress and a possible extension of life span without apparent abnormality in mammals. *Antioxid. Redox Signal.* 4, 693–696.

INTRODUCTION

HIOREDOXIN (TRX) is a small, ubiquitous multifunctional protein with a redox-active disulfide/dithiol within the conserved active-site sequence: -Cys-Gly-Pro-Cys-(2). TRX regulates via thiol redox control various intracellular molecules, including transcription factors such as nuclear factor-κB and activator protein 1 (7). TRX gene promoter contains a variety of stress responsive elements (3), and TRX is induced by various stresses, including viral infection, ischemia–reperfusion, and hydrogen peroxide (7). Furthermore, administration of recombinant TRX protein shows a cytoprotective effect against oxidative stress-induced cell damage (6). These data suggest that TRX plays a number of important biological roles in both intra- and extracellular

We produced TRX-overexpressing transgenic (Tg) mice and investigated the role of TRX in stress response, as well as longevity. Previous study demonstrated that brain focal ischemic injury is attenuated in TRX-Tg mice and that generation of oxidized protein is suppressed in TRX-Tg mice after the ischemic insult (13). In the present study, we examined ultraviolet (UV)-induced cytocide of hemopoietic progenitor cells in TRX-Tg mice and control wild-type (WT) C57BL/6 mice, and also determined telomerase activities, as well as their life spans.

MATERIALS AND METHODS

TRX-Tg mice

TRX-overexpressing Tg mouse lines were established as described previously (13). In brief, plasmid vector, pADF- β AP/T, was constructed by inserting human β -actin promoter from pH β APr-3-neo, human TRX cDNA (12), and human β -actin terminator from pH β APr-3-neo in pUC18. To generate Tg mice, 5.5-kb Xba I-Vsp I fragment of the recombinant

¹Pharmaceutical Research Laboratories, Ajinomoto Co., Inc., 1-1 Suzuki-cho, Kawasaki-ku, Kawasaki, 210-8681, Japan.

²Department of Biological Responses, Institute for Virus Research, Kyoto University, 53 Shogoin, Kawara-cho, Sakyo-ku, Kyoto, 606-8507, Japan.

³Cellular and Molecular Toxicology Division, Biological Safety Research Center, National Institute of Health Sciences, 1-18-1 Kamiyoga, Setagaya-ku, Tokyo, 158-8501, Japan.

694 MITSUI ET AL.

plasmid was microinjected into the pronuclei of the C57BL/6. Mouse line (βAc-ADF-2) containing four copies of the human TRX cDNA per genome was used for further studies. TRX-Tg mice were selected by polymerase chain reaction (PCR) with mouse genomic DNA as a template and synthetic oligonucleotides as primers: forward primer, 5'-CAGATCGACAAGAC-3'; reverse primer, 5'-CAGGAA-ACAGCTATGAC-3'. Animals were maintained on normal diet under the specific pathogen-free conditions.

TRX assay

TRX activities in the organ homogenate were determined by NADPH/TRX reductase-dependent insulin reducing assay (5). In brief, the assay mixture (120 μ l) contained 0.1 M Tris-Cl, pH 7.5, 2 mM EDTA, 0.2 mM NADPH, 140 μ M insulin, 0.4 units/ml human placenta TRX reductase, and organ homogenate. The reaction was determined from the oxidation of NADPH at 340 nm at 25°C. The activity was expressed as ΔA_{340} /min.

Survival of CFU-GM

Bone marrow cells from the TRX-Tg mice were exposed to a graded dose of UVC (248 nm) in each Petri dish, followed by semisolid *in vitro* culture for colony formation of hemopoietic progenitor cells (CFU-GM) as described elsewhere (8). In brief, marrow cells (2 \times 10⁴/ml) in minimum essential medium Eagle (α modification) containing 0.8% methyl cellulose, 30% (vol/vol) fetal bovine serum, 1% deionized bovine serum albumin (fraction V; Sigma), 100 μ M 2-mercaptoethanol, and 10 ng/ml recombinant murine granulocyte-macrophage growth factor (R&D Systems, Minneapolis, MN, U.S.A.) were plated into 35-mm Petri dishes. The cultures were incubated at 37°C, 5% CO $_2$ for 6 days, and colonies were scored under a dissecting microscope.

Survival analysis of mice

TRX-Tg mice and normal littermates were maintained under identical conditions with free access to food and water. Identification of either TRX-Tg or normal animals was done by PCR described above immediately after the death. Survival curves of each group were plotted according to the Kaplan–Meier method, and the survival data were analyzed by the generalized Wilcoxon test. The median and maximum life spans of the animals were calculated from the time (in months) at which mortality reached 50% and 100% of the starting population of each group.

Measurement of telomerase activity

A stretch PCR assay for telomerase activity was use as previously described (14). Spleen cells were prepared by Ficoll–Hypaque density centrifugation and lysed in lysis buffer on ice for 30 min. The protein concentration of lysates was measured using the Bio-Rad DC Protein Assay Kit (Bio-Rad Laboratories, Hercules, CA, U.S.A.). Telomerase activities were analyzed by TeloChaser kit (Toyobo Co., Ltd., Osaka, Japan) in a 6-bp ladder when the PCR products were subjected to the electrophoresis on a 10% polyacrylamide gel and stained with ethidium bromide.

RESULTS

Generation of TRX-overexpressing Tg mice

TRX-Tg mice grew normally and were fertile. There were no observable phenotypic and behavioral differences between TRX-Tg and WT mice. Previous report demonstrated that human TRX protein content in TRX-Tg tissues was at least threefold higher than mouse endogenous TRX without exception (13). We also reconfirmed that the activity of TRX in brain and heart of TRX-Tg mice was roughly sixfold and twofold higher, respectively, compared with that of WT mice (Fig. 1).

Resistance against oxidative stress in TRX-Tg mice

Previous reports have shown that TRX overexpression introduces resistance to a variety of oxidative stresses *in vitro*. TRX-Tg mice show resistancy against oxidative stress, including cerebral ischemia (13). As UV exposure is known to produce oxidative stress, we examined here the resistancy of bone marrow cells from TRX-Tg and WT mice against UVC exposure. When exposed to UVC at 9.4 μ W/cm², bone marrow cells from TRX-Tg mice were more resistant to UVC-induced cytocide than those from WT mice (Fig. 2).

Extended life span of TRX-Tg mice

Fifty-three TRX-Tg and WT mice were bred and maintained under the specific pathogen-free condition. Body weights of TRX-Tg and WT mice at 12 months after birth were not significantly different (data not shown), indicating that the Tg mice grew normally until at least this time. Survival curves of TRX-Tg and WT mice are shown in Fig. 3. In this experiment, the median survival of WT mice was relatively shorter than that of C57BL/6 mice previously reported as 21-23 months. However, under the same condition, the life spans of TRX-Tg and WT mice were significantly different (p=0.039, determined by generalized Wilcoxon test), and the onset of median and 100% mortality (median and maxi-




FIG. 1. TRX activities in the heart and the brain are elevated in TRX-Tg mice. TRX activity in tissue homogenate was measured by NADPH/TRX reductase-dependent insulin reducing assay. Open columns indicate TRX activity in WT organs (n = 4), and hatched columns represent TRX-Tg mice (n = 3). Data are expressed as means \pm SEM (standard error of mean value). *p < 0.05; **p < 0.001, compared with WT mice.




FIG. 2. Bone marrow cells from TRX-Tg mice are more resistant to exposure to UVC. CFU-GM survival after exposure to a graded dose of UV light was determined. Survival curves of CFU-GM of TRX-Tg (\bigcirc) and WT (\bigcirc) mice after exposure to UVC at 9.4 μ W/cm² are shown.

mum life span) in TRX-Tg mice were delayed as compared with WT mice. Relative to the controls, the percent increase in TRX-Tg mice was 35% in the median life span and 22% in the maximum life span. To confirm this result, another independent experiment was performed. Fifty-one percent of TRX-Tg mice survived (42 alive/82 total) at 20 months after birth, whereas only 30% of WT mice survived (28 alive/94 total). The difference between TRX-Tg and WT mice was significant (p = 0.004, χ^2 test).

Enhanced telomerase activity in TRX-Tg tissue

Previous reports have showed evidence of antioxidation and telomerase activity extending the life span (15). Recently, it was also reported that telomerase-deficient mice have impaired stress response and shorter life span than their WT counterparts (1, 10).

Thus, we examined the telomerase activity in spleen tissues of TRX-Tg and WT mice. Samples from spleen tissues of 4-, 6-, and 8-month-old TRX-Tg mice, but not WT mice,




FIG. 3. TRX-Tg mice exhibit extended life span. Survival curves of TRX-Tg mice (solid line) and WT mice (dashed line) were plotted according to the Kaplan–Meier method.




FIG. 4. Telomerase activity in TRX-Tg spleen tissue is higher than that in WT tissue. Telomerase activity in spleen tissues of 4-, 6-, and 8-month-old WT and TRX-Tg mice was examined as described in Materials and Methods. The intensity of 6-bp ladder over the lower band indicates telomerase activity.

showed 6-bp ladder signals amplified by PCR with telomere sequence-specific primers (Fig. 4, lanes 2, 4, and 6). This indicates that telomerase activity in TRX-Tg spleen tissue was higher than that in WT tissue.

DISCUSSION

We demonstrate here that overexpression of human TRX in Tg mice suppresses oxidative stress damage and elongates the life span. In our experiments, the mean body weight of the TRX-Tg mice was statistically not different from that of control WT mice. Although caloric restriction is one of the most effective ways of survival elongation (16–18) and further detailed study with well controlled food uptake is ideal, our study strongly suggests that the longer life span of TRX-Tg mice is not mainly due to nutrition factors. Considering the possible unknown influence of environmental factors on the survival data, a cooperative study in a different facility in the U.S.A. is now in progress.

Previous study demonstrated that focal ischemic injury of the brain was attenuated and the generation of oxidized protein after the ischemic insult was prevented in TRX-Tg mice (13). In the present study, TRX-Tg mice were shown to be resistant to oxidative tissue damage, such as UV-induced cytocide of hemopoietic progenitor cells. These data demonstrate that overexpressed TRX in murine tissue could protect the animals from reactive oxygen species-induced tissue injury.

Several lines of evidence have suggested that oxidative stress is closely related to the life span, and antioxidant enzymes are required for longevity of mammals. The maximum life span of mice, rats, guinea pigs, rabbits, pigs, and cows correlated positively with superoxide dismutase (SOD) and catalase activity in the brain, liver, and heart (11). The activity of mitochondrial SOD in the liver tissues of the senescence-accelerated mouse strain was about one-half that in the control strain (9).

696 MITSUI ET AL.

Telomerase activity is also another determinant of longevity of various animals. We showed evidence of extension of life span of TRX-Tg mice along with higher expression of telomerase activities in spleen cells from 4-, 6-, and 8-month-old Tg mice compared with those in WT mice.

Recently, targeted mutation of the mouse p66shc gene has been demonstrated to prolong mouse life span by as much as 30% (4). This mutation enhanced resistance to hydrogen peroxide- or UV irradiation-induced cellular apoptosis, as well as *in vivo* resistance to paraquat, which generates superoxide anions upon cellular intake. These findings and our present study provide evidence that acquired stress resistance in mice is associated with extended life span.

It is to be noted that there was no significant incidence of tumor formation in TRX-Tg mice in our colony. Together with the increase of life span, TRX overexpression by itself may not increase the risk of oncogenesity, although a detailed study with local application of carcinogens is in progress.

In summary, TRX-overexpressing mice acquired resistance to various oxidative stresses, as well as extended life span. TRX-Tg mice provide a unique experimental system to study the mechanism of the aging process in mammals.

ACKNOWLEDGMENTS

We thank Drs. A. Richardson at THSC at San Antonio and Huber Warner at NIA, NIH for critical comments on the manuscript and ongoing cooperation for the further detailed study of longevity.

ABBREVIATIONS

PCR, polymerase chain reaction; SOD, superoxide dismutase; Tg, transgenic; TRX, thioredoxin; UV, ultraviolet, WT, wild-type.

REFERENCES

- Herrera E, Samper E, Martin-Caballero J, Flores JM, Lee HW, and Blasco MA. Disease states associated with telomerase deficiency appear earlier in mice with short telomeres. *EMBO J* 18: 2950–2960, 1999.
- 2. Holmgren A. Thioredoxin. *Annu Rev Biochem* 54: 237–271, 1985.
- 3. Kim YC, Masutani H, Yamaguchi Y, Itoh K, Yamamoto M, and Yodoi J. Hemin-induced activation of the thioredoxin gene by Nrf2. *J Biol Chem* 276: 18399–18406, 2001.
- Migliaccio E, Giorgio M, Mele S, Pelicci G, Reboldi P, Pandolfi P, Lanfrancone L, and Pelicci G. The p66shc adaptor protein controls oxidative stress response and life span in mammals. *Nature* 402: 309–312, 1999.
- 5. Mitsui A, Hirakawa T, and Yodoi J. Reactive oxygenreducing and protein-refolding activities of adult T cell leukemia-derived factor/human thioredoxin. *Biochem Biophys Res Commun* 186: 1220–1226, 1992.
- 6. Nakamura H, Matsuda M, Furuke K, Kitaoka Y, Iwata S, Toda K, Inamoto T, Yamaoka Y, Ozawa K, and Yodoi J. Adult

- T cell leukemia-derived factor/human thioredoxin protects endothelial F-2 cell injury caused by activated neutrophils or hydrogen peroxide. *Immunol Lett* 42: 75–80, 1994.
- Nakamura H, Nakamura K, and Yodoi J. Redox regulation of cellular activation. Annu Rev Immunol 15: 351–369, 1997.
- Nishijima I, Nakahata T, Watanabe S, Tsuji K, Tanaka I, Hirabayashi Y, Inoue T, and Arai K. Hematopoietic and lymphopoietic responses in human granulocytemacrophage colony-stimulating factor (GM-CSF) receptor transgenic mice injected with human GM-CSF. *Blood* 90: 1031–1038, 1997.
- Park JW, Choi CH, Kim MS, and Chung MH. Oxidative status in senescence-accelerated mice. *J Gerontol* 51: 337–345, 1996.
- Rudolph KL, Chang S, Lee HW, Blasco M, Gottlieb GJ, Greider C, and DePinho RA. Longevity, stress response, and cancer in aging telomerase-deficient mice. *Cell* 96: 701–712, 1999.
- 11. Sohal RS, Sohal BH, and Brunk UT. Relationship between antioxidant defenses and longevity in different mammalian species. *Mech Ageing Dev* 53: 209–215, 1990.
- 12. Tagaya Y, Maeda Y, Mitsui A, Kondo N, Matsui H, Hamuro J, Brown N, Arai K, Yokota T, Wakasugi H, and Yodoi J. ATL-derived factor (ADF), an IL-2 receptor/Tac inducer homologous to thioredoxin; possible involvement of dithiol-reduction in the IL-2 receptor induction. *EMBO J* 8: 757–764, 1989.
- Takagi Y, Mitsui A, Nishiyama A, Nozaki K, Sono H, Gon Y, Hashimoto N, and Yodoi J. Overexpression of thioredoxin in transgenic mice attenuates focal ischemic brain damage. *Proc Natl Acad Sci U S A* 96: 4131–4136, 1999.
- 14. Tatematsu K, Nakayama J, Danbara M, Shionoya S, Sato H, Omine M, and Ishikawa F. A novel quantitative 'stretch PCR assay', that detects a dramatic increase in telomerase activity during the progression of myeloid leukemias. *Oncogene* 13: 2265–2274, 1996.
- 15. von Zglinicki T. Telomeres: influencing the rate of aging. *Ann NY Acad Sci* 854: 318–327, 1998.
- Weindruch R, Walford RL, Fligiel S, and Guthrie D. The retardation of aging in mice by dietary restriction: longevity, cancer, immunity and lifetime energy intake. J Nutr 116: 641–654, 1986.
- 17. Yoshida K, Inoue T, Nojima K, Hirabayashi Y, and Sado T. Calorie restriction reduces the incidence of myeloid leukemia induced by a single whole-body radiation in C3H/He mice. *Proc Natl Acad Sci U S A* 94: 2615–2619, 1997.
- 18. Yu BP. Aging and oxidative stress: modulation by dietary restriction. *Free Radic Biol Med* 21: 651–668, 1996.

Address reprint requests to:
Dr. Junji Yodoi
Department of Biological Responses
Institute for Virus Research
Kyoto University
53 Shogoin
Kawara-cho, Sakyo-ku
Kyoto, 606-8507, Japan

E-mail:yodoi@virus.kyoto-u.ac.jp

Received for publication April 8, 2002; accepted May 8, 2002.

This article has been cited by:

- 1. Oxidative Stress 120-138. [CrossRef]
- 2. Adam B. Salmon, Lisa C. Flores, Yan Li, Holly Van Remmen, Arlan Richardson, Yuji Ikeno. 2012. Reduction of glucose intolerance with high fat feeding is associated with anti-inflammatory effects of thioredoxin 1 overexpression in mice. *Pathobiology of Aging & Age-related Diseases* 2:0. . [CrossRef]
- 3. Markus M. Bachschmid, Stefan Schildknecht, Reiko Matsui, Rebecca Zee, Dagmar Haeussler, Richard A. Cohen, David Pimental, Bernd van der Loo. 2012. Vascular aging: Chronic oxidative stress and impairment of redox signaling—consequences for vascular homeostasis and disease. *Annals of Medicine* 1-20. [CrossRef]
- 4. Cynthia Portal-Celhay, Ellen R Bradley, Martin J Blaser. 2012. Control of intestinal bacterial proliferation in regulation of lifespan in Caenorhabditis elegans. *BMC Microbiology* **12**:1, 49. [CrossRef]
- 5. JennaLynn Styskal, Holly Van Remmen, Arlan Richardson, Adam B. Salmon. 2012. Oxidative stress and diabetes: What can we learn about insulin resistance from antioxidant mutant mouse models?. *Free Radical Biology and Medicine* **52**:1, 46-58. [CrossRef]
- 6. Anthony J.R. Hickey, Mia Jüllig, Jacqueline Aitken, Kerry Loomes, Mark E. Hauber, Anthony R.J. Phillips. 2011. Birds and longevity: Does flight driven aerobicity provide an oxidative sink?. *Ageing Research Reviews*. [CrossRef]
- 7. Syed Ibrahim Rizvi, Kanti Bhooshan PandeyOxidative Stress and Aging: A Comparison between Vertebrates and Invertebrates 167-174. [CrossRef]
- 8. Franziska Kriegenburg , Esben G. Poulsen , Annett Koch , Elke Krüger , Rasmus Hartmann-Petersen . 2011. Redox Control of the Ubiquitin-Proteasome System: From Molecular Mechanisms to Functional Significance. *Antioxidants & Redox Signaling* 15:8, 2265-2299. [Abstract] [Full Text HTML] [Full Text PDF] [Full Text PDF with Links]
- 9. Ji Sun Song, Hyun Hwa Cho, Byung-Joo Lee, Yong Chan Bae, Jin Sup Jung. 2011. Role of Thioredoxin 1 and Thioredoxin 2 on Proliferation of Human Adipose Tissue-Derived Mesenchymal Stem Cells. *Stem Cells and Development* **20**:9, 1529-1537. [Abstract] [Full Text HTML] [Full Text PDF] [Full Text PDF] with Links]
- 10. V. I. Perez, L. A. Cortez, C. M. Lew, M. Rodriguez, C. R. Webb, H. Van Remmen, A. Chaudhuri, W. Qi, S. Lee, A. Bokov, W. Fok, D. Jones, A. Richardson, J. Yodoi, Y. Zhang, K. Tominaga, G. B. Hubbard, Y. Ikeno. 2011. Thioredoxin 1 Overexpression Extends Mainly the Earlier Part of Life Span in Mice. The Journals of Gerontology Series A: Biological Sciences and Medical Sciences. [CrossRef]
- 11. Reinald Pamplona, Gustavo Barja. 2011. An evolutionary comparative scan for longevity-related oxidative stress resistance mechanisms in homeotherms. *Biogerontology* . [CrossRef]
- 12. Soon Lim, Hiroki Ashida, Rie Watanabe, Koji Inai, Yun-Soo Kim, Keiko Mukougawa, Hirokazu Fukuda, Ken-ichi Tomizawa, Kei-ichi Ushiyama, Hiroshi Asao, Masahiro Tamoi, Hiroshi Masutani, Shigeru Shigeoka, Junji Yodoi, Akiho Yokota. 2011. Production of biologically active human thioredoxin 1 protein in lettuce chloroplasts. *Plant Molecular Biology* **76**:3-5, 335-344. [CrossRef]
- 13. Lili Yang, Defeng Wu, Xiaodong Wang, Arthur I. Cederbaum. 2011. Depletion of cytosolic or mitochondrial thioredoxin increases CYP2E1-induced oxidative stress via an ASK-1–JNK1 pathway in HepG2 cells. *Free Radical Biology and Medicine* **51**:1, 185-196. [CrossRef]
- 14. Cristina Alonso-Bouzon, Gustavo Duque. 2011. Osteoporosis senil: una actualización. *Revista Española de Geriatría y Gerontología* **46**:4, 223-229. [CrossRef]
- 15. Baruch E. Bulvik, Eduard Berenshtein, Abraham Marim Konijn, Leonid Grinberg, Vladimir Vinokur, Ron Eliashar, Mordechai Chevion. 2011. Aging is an organ-specific process: changes in homeostasis of iron and redox proteins in the rat. *AGE*. [CrossRef]

- 16. Li Kong, Xue Cai, Xiaohong Zhou, Lily L. Wong, Ajay S. Karakoti, Sudipta Seal, James F. McGinnis. 2011. Nanoceria extend photoreceptor cell lifespan in tubby mice by modulation of apoptosis/survival signaling pathways. *Neurobiology of Disease* **42**:3, 514-523. [CrossRef]
- 17. Hervé Sartelet, Anne-Laure Rougemont, Monique Fabre, Marine Castaing, Michel Duval, Raouf Fetni, Stefan Michiels, Mona Beaunoyer, Gilles Vassal. 2011. Activation of the phosphatidylinositol 3#-kinase/AKT pathway in neuroblastoma and its regulation by thioredoxin 1. *Human Pathology*. [CrossRef]
- 18. Niv Bachnoff, Michael Trus, Daphne Atlas. 2011. Alleviation of oxidative stress by potent and selective thioredoxin-mimetic peptides. *Free Radical Biology and Medicine* **50**:10, 1355-1367. [CrossRef]
- 19. Juan Carlos Fierro-González, María González-Barrios, Antonio Miranda-Vizuete, Peter Swoboda. 2011. The thioredoxin TRX-1 regulates adult lifespan extension induced by dietary restriction in Caenorhabditis elegans. *Biochemical and Biophysical Research Communications* **406**:3, 478-482. [CrossRef]
- 20. George L. Sutphin, Matt KaeberleinComparative Genetics of Aging 215-241. [CrossRef]
- 21. Michael Lustgarten, Florian L. Muller, Holly Van RemmenAn Objective Appraisal of the Free Radical Theory of Aging 177-202. [CrossRef]
- 22. Y. Kamimoto, T. Sugiyama, T. Kihira, L. Zhang, N. Murabayashi, T. Umekawa, K. Nagao, N. Ma, N. Toyoda, J. Yodoi, N. Sagawa. 2010. Transgenic mice overproducing human thioredoxin-1, an antioxidative and anti-apoptotic protein, prevents diabetic embryopathy. *Diabetologia* 53:9, 2046-2055. [CrossRef]
- 23. Christopher Koczor, James Kohler, William Lewis. 2010. Transgenic mouse models of mitochondrial toxicity associated with HIV/AIDS and antiretrovirals. *Methods* **51**:4, 399-404. [CrossRef]
- 24. Arne Holmgren, Jun Lu. 2010. Thioredoxin and thioredoxin reductase: Current research with special reference to human disease. *Biochemical and Biophysical Research Communications* **396**:1, 120-124. [CrossRef]
- 25. Jin Wu, Ruihua Zhang, Massimo Torreggiani, Adrian Ting, Huabao Xiong, Gary E. Striker, Helen Vlassara, Feng Zheng. 2010. Induction of Diabetes in Aged C57B6 Mice Results in Severe Nephropathy. *The American Journal of Pathology* **176**:5, 2163-2176. [CrossRef]
- 26. Yi-Jen Liau, Yu-Ting Chen, Choa-Yi Lin, Jenq-Kuen Huang, Chi-Tsai Lin. 2010. Characterisation of 2-Cys peroxiredoxin isozyme (Prx1) from Taiwanofungus camphorata (Niu-chang-chih): Expression and enzyme properties. *Food Chemistry* **119**:1, 154-160. [CrossRef]
- 27. Adam B. Salmon, Arlan Richardson, Viviana I. Pérez. 2010. Update on the oxidative stress theory of aging: Does oxidative stress play a role in aging or healthy aging?. *Free Radical Biology and Medicine* **48**:5, 642-655. [CrossRef]
- 28. Fu-Cheng Luo, Sheng-Dong Wang, Kui Li, Hajime Nakamura, Junji Yodoi, Jie Bai. 2010. Panaxatriol saponins extracted from Panax notoginseng induces thioredoxin-1 and prevents 1-methyl-4-phenylpyridinium ion-induced neurotoxicity. *Journal of Ethnopharmacology* **127**:2, 419-423. [CrossRef]
- 29. Jennifer J. Young, Asmita Patel, Priyamvada Rai. 2010. Suppression of thioredoxin-1 induces premature senescence in normal human fibroblasts. *Biochemical and Biophysical Research Communications* **392**:3, 363-368. [CrossRef]
- 30. Misato SUGAHARA, Jotaro NAKANISHI, Yuji KATSUTA. 2010. Kaempferol Enhanced the Intracellular Thioredoxin System in Normal Cultured Human Keratinocytes. *Bioscience, Biotechnology, and Biochemistry* **74**:8, 1701-1703. [CrossRef]
- 31. Michika Mochizuki, Yong-Won Kwon, Junji Yodoi, Hiroshi Masutani. 2009. Thioredoxin Regulates Cell Cycle via the ERK1/2-Cyclin D1 Pathway. *Antioxidants & Redox Signaling* 11:12, 2957-2971. [Abstract] [Full Text HTML] [Full Text PDF] [Full Text PDF with Links] [Supplemental material]
- 32. Md. Kaimul Ahsan , Hajime Nakamura , Junji Yodoi Redox Regulation by Thioredoxin in Cardiovascular Diseases 159-165. [Abstract] [Summary] [Full Text PDF] [Full Text PDF] with Links]

- 33. Marcus Conrad. 2009. Transgenic mouse models for the vital selenoenzymes cytosolic thioredoxin reductase, mitochondrial thioredoxin reductase and glutathione peroxidase 4. *Biochimica et Biophysica Acta (BBA) General Subjects* **1790**:11, 1575-1585. [CrossRef]
- 34. Hiroaki Okuyama, Toru Yoshida, Aoi Son, Shin-ichi Oka, Dongmei Wang, Rika Nakayama, Hiroshi Masutani, Hajime Nakamura, Yo-ichi Nabeshima, Junji Yodoi. 2009. Thioredoxin Binding Protein 2 Modulates Natural Killer T Cell-Dependent Innate Immunity in the Liver: Possible Link to Lipid Metabolism. *Antioxidants & Redox Signaling* 11:10, 2585-2593. [Abstract] [Full Text HTML] [Full Text PDF] [Full Text PDF with Links]
- 35. Hiroshi Masutani, Ryoko Otsuki, Yoshimi Yamaguchi, Masahiro Takenaka, Nobue Kanoh, Koji Takatera, Yuji Kunimoto, Junji Yodoi. 2009. Fragrant Unsaturated Aldehydes Elicit Activation of the Keap1/Nrf2 System Leading to the Upregulation of Thioredoxin Expression and Protection Against Oxidative Stress. *Antioxidants & Redox Signaling* 11:5, 949-962. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 36. Hajime Nakamura, Yuma Hoshino, Hiroaki Okuyama, Yoshiyuki Matsuo, Junji Yodoi. 2009. Thioredoxin 1 delivery as new therapeutics. *Advanced Drug Delivery Reviews* **61**:4, 303-309. [CrossRef]
- 37. William R. Swindell. 2009. Accelerated failure time models provide a useful statistical framework for aging research. *Experimental Gerontology* **44**:3, 190-200. [CrossRef]
- 38. John Mitchell, Alex Morris, Jacqueline de Belleroche. 2009. Thioredoxin reductase 1 haplotypes modify familial amyotrophic lateral sclerosis onset. *Free Radical Biology and Medicine* **46**:2, 202-211. [CrossRef]
- 39. Reginald M. Gorczynski, Ender Terzioglu. 2008. Aging and the immune system. *International Urology and Nephrology* **40**:4, 1117-1125. [CrossRef]
- 40. E. V. Kalinina, N. N. Chernov, A. N. Saprin. 2008. Involvement of thio-, peroxi-, and glutaredoxins in cellular redox-dependent processes. *Biochemistry (Moscow)* **73**:13, 1493-1510. [CrossRef]
- 41. K YEN, D STEINSALTZ, C MOBBS. 2008. Validated analysis of mortality rates demonstrates distinct genetic mechanisms that influence lifespan. *Experimental Gerontology* **43**:12, 1044-1051. [CrossRef]
- 42. Piotr Zimniak. 2008. Detoxification reactions: Relevance to aging. *Ageing Research Reviews* **7**:4, 281-300. [CrossRef]
- 43. Hiroaki Okuyama, Aoi Son, Md. Kaimul Ahsan, Hiroshi Masutani, Hajime Nakamura, Junji Yodoi. 2008. Thioredoxin and thioredoxin binding protein 2 in the liver. *IUBMB Life* **60**:10, 656-660. [CrossRef]
- 44. Stefano Aquaro, Fernanda Scopelliti, Michela Pollicita, Carlo Federico Perno. 2008. Oxidative stress and HIV infection: target pathways for novel therapies?. *Future HIV Therapy* 2:4, 327-338. [CrossRef]
- 45. João Pedro de Magalhães, Richard G.A. Faragher. 2008. Cell divisions and mammalian aging: integrative biology insights from genes that regulate longevity. *BioEssays* **30**:6, 567-578. [CrossRef]
- 46. Gustavo Duque, Bruce R. Troen. 2008. Understanding the Mechanisms of Senile Osteoporosis: New Facts for a Major Geriatric Syndrome. *Journal of the American Geriatrics Society* **56**:5, 935-941. [CrossRef]
- 47. Tomoaki Hoshino, Masaki Okamoto, Satoko Takei, Yuki Sakazaki, Tomoaki Iwanaga, Hisamichi Aizawa. 2008. Redox-Regulated Mechanisms in Asthma. *Antioxidants & Redox Signaling* 10:4, 769-784. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 48. Chiao-Po Hsu, Ibrahim Odewale, Ralph R. Alcendor, Junichi Sadoshima. 2008. Sirt1 protects the heart from aging and stress. *Biological Chemistry* **389**:3, 221-231. [CrossRef]
- 49. T NOIKE, S MIWA, J SOEDA, A KOBAYASHI, S MIYAGAWA. 2008. Increased expression of thioredoxin-1, vascular endothelial growth factor, and redox factor-1 is associated with poor prognosis in patients with liver metastasis from colorectal cancer. *Human Pathology* **39**:2, 201-208. [CrossRef]

- 50. Alba Naudí, Pilar Caro, Mariona Jové, José Gómez, Jordi Boada, Victoria Ayala, Manuel Portero-Otín, Gustavo Barja, Reinald Pamplona. 2007. Methionine Restriction Decreases Endogenous Oxidative Molecular Damage and Increases Mitochondrial Biogenesis and Uncoupling Protein 4 in Rat Brain. *Rejuvenation Research* 10:4, 473-484. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 51. Reinald Pamplona, Gustavo Barja. 2007. Highly resistant macromolecular components and low rate of generation of endogenous damage: Two key traits of longevity. *Ageing Research Reviews* **6**:3, 189-210. [CrossRef]
- 52. Ahsan M. Kaimul, Hajime Nakamura, Hiroshi Masutani, Junji Yodoi. 2007. Thioredoxin and thioredoxin-binding protein-2 in cancer and metabolic syndrome. *Free Radical Biology and Medicine* **43**:6, 861-868. [CrossRef]
- 53. Manuel Serrano, Maria A. Blasco. 2007. Cancer and ageing: convergent and divergent mechanisms. *Nature Reviews Molecular Cell Biology* **8**:9, 715-722. [CrossRef]
- 54. J SEYFRIED, U WULLNER. 2007. Inhibition of Thioredoxin reductase induces apoptosis in neuronal cell lines: Role of glutathione and the MKK4/JNK pathway. *Biochemical and Biophysical Research Communications* **359**:3, 759-764. [CrossRef]
- 55. Yosuke Funato, Hiroaki Miki. 2007. Nucleoredoxin, a Novel Thioredoxin Family Member Involved in Cell Growth and Differentiation. *Antioxidants & Redox Signaling* **9**:8, 1035-1058. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 56. Jennifer S. Moylan, Michael B. Reid. 2007. Oxidative stress, chronic disease, and muscle wasting. *Muscle & Nerve* **35**:4, 411-429. [CrossRef]
- 57. O. Golubnitschaja. 2007. Cell cycle checkpoints: the role and evaluation for early diagnosis of senescence, cardiovascular, cancer, and neurodegenerative diseases. *Amino Acids* **32**:3, 359-371. [CrossRef]
- 58. Malin J. Svensson, Jan Larsson. 2007. Thioredoxin-2 affects lifespan and oxidative stress in Drosophila. *Hereditas* **144**:1, 25-32. [CrossRef]
- 59. Christopher Horst Lillig, Arne Holmgren. 2007. Thioredoxin and Related Molecules–From Biology to Health and Disease. *Antioxidants & Redox Signaling* **9**:1, 25-47. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 60. P CARO, A SANZ, J GOMEZ, G BARJA. 2006. La restricción de metionina en la dieta disminuye el estrés oxidativo en mitocondrias de corazón. *Revista Española de Geriatría y Gerontología* **41**:6, 334-339. [CrossRef]
- 61. Yan Chen, Min Yu, Dean P. Jones, J. Timothy Greenamyre, Jiyang Cai. 2006. Protection against oxidant-induced apoptosis by mitochondrial thioredoxin in SH-SY5Y neuroblastoma cells. *Toxicology and Applied Pharmacology* **216**:2, 256-262. [CrossRef]
- 62. Junichi Sadoshima . 2006. Redox Regulation of Growth and Death in Cardiac Myocytes. *Antioxidants & Redox Signaling* **8**:9-10, 1621-1624. [Citation] [Full Text PDF] [Full Text PDF with Links]
- 63. Christina Vieira Dos Santos, Pascal Rey. 2006. Plant thioredoxins are key actors in the oxidative stress response. *Trends in Plant Science* **11**:7, 329-334. [CrossRef]
- 64. H. M. Brown-Borg. 2006. Longevity in mice: is stress resistance a common factor?. *AGE* **28**:2, 145-162. [CrossRef]
- 65. Samuel E. Schriner, Nancy J. Linford. 2006. Extension of mouse lifespan by overexpression of catalase. *AGE* **28**:2, 209-218. [CrossRef]
- 66. Reinald Pamplona, Gustavo Barja. 2006. Mitochondrial oxidative stress, aging and caloric restriction: The protein and methionine connection. *Biochimica et Biophysica Acta (BBA) Bioenergetics* **1757**:5-6, 496-508. [CrossRef]
- 67. Karin U Schallreuter. 2006. Functioning Methionine-S-Sulfoxide Reductases A and B Are Present in Human Skin. *Journal of Investigative Dermatology* **126**:5, 947-949. [CrossRef]

- 68. Goh Tsuji, Masahiro Koshiba, Hajime Nakamura, Hidekazu Kosaka, Saori Hatachi, Chiyo Kurimoto, Masahiro Kurosaka, Yoshitake Hayashi, Junji Yodoi, Shunichi Kumagai. 2006. Thioredoxin protects against joint destruction in a murine arthritis model. *Free Radical Biology and Medicine* **40**:10, 1721-1731. [CrossRef]
- 69. Karin U. Schallreuter, Katharina Rübsam, Bhaven Chavan, Carsten Zothner, Johanna M. Gillbro, Jennifer D. Spencer, John M. Wood. 2006. Functioning methionine sulfoxide reductases A and B are present in human epidermal melanocytes in the cytosol and in the nucleus. *Biochemical and Biophysical Research Communications* 342:1, 145-152. [CrossRef]
- 70. Alberto Sanz, Reinald Pamplona, Gustavo Barja. 2006. Is the Mitochondrial Free Radical Theory of Aging Intact?. *Antioxidants & Redox Signaling* 8:3-4, 582-599. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 71. Aoi Son, Hajime Nakamura, Norihiko Kondo, Yoshiyuki Matsuo, Wenrui Liu, Shin-ichi Oka, Yasuyuki Ishii, Junji Yodoi. 2006. Redox regulation of mast cell histamine release in thioredoxin-1 (TRX) transgenic mice. *Cell Research* **16**:2, 230-239. [CrossRef]
- 72. Toru Yoshida, Norihiko Kondo, Shin-Ichi Oka, Md Kaimul Ahsan, Tomijiro Hara, Hiroshi Masutani, Hajime Nakamura, Junji Yodoi Ab. 2006. Thioredoxin-binding protein-2 (TBP-2): Its potential roles in the aging process. *BioFactors* 27:1-4, 47-51. [CrossRef]
- 73. Antonio Miranda-Vizuete, Juan Carlos Fierro González, Gabriele Gahmon, Jan Burghoorn, Plácido Navas, Peter Swoboda. 2006. Lifespan decrease in a Caenorhabditis elegans mutant lacking TRX-1, a thioredoxin expressed in ASJ sensory neurons. *FEBS Letters* **580**:2, 484-490. [CrossRef]
- 74. Isao ShimokawaA Transgenic Mini Rat Strain as a Tool for Studying Aging and Calorie Restriction 367-378. [CrossRef]
- 75. Reinald Pamplona, Manuel Portero-Otín, Alberto Sanz, Victoria Ayala, Ekaterina Vasileva, Gustavo Barja. 2005. Protein and lipid oxidative damage and complex I content are lower in the brain of budgerigar and canaries than in mice. Relation to aging rate. *AGE* 27:4, 267-280. [CrossRef]
- 76. Yumiko Nishinaka, Hiroshi Masutani, Junji Yodoi, Yong-Chul KimThe Gene Regulatory Mechanism of Thioredoxin and Thioredoxin Binding Protein-2/VDUP1 in Cancer Prevention **20055781**, 25-35. [CrossRef]
- 77. Karin U. Schallreuter. 2005. Functioning Methionine-S-Sulfoxide Reductases A and B Are Present in Human Skin. *Journal of Investigative Dermatology*, ahead of print051012013220009-???. [CrossRef]
- 78. Richard G. Cutler . 2005. Oxidative Stress and Aging: Catalase Is a Longevity Determinant Enzyme. *Rejuvenation Research* **8**:3, 138-140. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 79. H Masutani, S Ueda, J Yodoi. 2005. The thioredoxin system in retroviral infection and apoptosis. *Cell Death and Differentiation* **12**, 991-998. [CrossRef]
- 80. Hee Sun Byun, Eun Wie Cho, Jin Sik Kim, Myung Sook Moon, Jung Joo Yum, Kug Chan Kim, In Gyu Kim. 2005. Thioredoxin overexpression in HT-1080 cells induced cellular senescence and sensitization to gamma radiation. *FEBS Letters* **579**:19, 4055-4062. [CrossRef]
- 81. M Flint Beal. 2005. Less stress, longer life. Nature Medicine 11:6, 598-599. [CrossRef]
- 82. George Trendelenburg, Ulrich Dirnagl. 2005. Neuroprotective role of astrocytes in cerebral ischemia: Focus on ischemic preconditioning. *Glia* **50**:4, 307-320. [CrossRef]
- 83. Hajime Nakamura . 2005. Thioredoxin and Its Related Molecules: Update 2005. *Antioxidants & Redox Signaling* **7**:5-6, 823-828. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 84. CHUANG C. CHIUEH, TSUGUNOBU ANDOH, P BOON CHOCK. 2005. Induction of Thioredoxin and Mitochondrial Survival Proteins Mediates Preconditioning-Induced Cardioprotection and Neuroprotection. *Annals of the New York Academy of Sciences* **1042**:1, 403-418. [CrossRef]
- 85. Evan C. Hadley, Edward G. Lakatta, Marcelle Morrison-Bogorad, Huber R. Warner, Richard J. Hodes. 2005. The Future of Aging Therapies. *Cell* **120**:4, 557-567. [CrossRef]

- 86. João Pedro de Magalhães. 2005. Open-minded scepticism: inferring the causal mechanisms of human ageing from genetic perturbations. *Ageing Research Reviews* **4**:1, 1-22. [CrossRef]
- 87. Hiroshi Masutani, Yoshimi Yamaguchi, Ryoko Otsuki, Nobue Kanoh, Yuji Kunimoto, Kazuo Murata, Junji Yodoi. 2005. Important Role of Antioxidants in Oxidative Stress Thioredoxin and Thioredoxin Inducers against Oxidative Stress. *Journal of Clinical Biochemistry and Nutrition* 37:2, 45-53. [CrossRef]
- 88. Hiroyuki Kakimaru, Hiroko Kataoka, Koh-ichi Enomoto, Nobuyuki Kumahashi, Akihiro Ohira, Junji Yodoi, Yuji Uchio, Mitsuo Ochi. 2005. Thioredoxin Gene Expression in Rat Knee Articular Cartilage After Full-Thickness Injury. *Connective Tissue Research* **46**:1, 27-32. [CrossRef]
- 89. Isao ShimokawaRodent Models for the Study of the Role of Growth Hormone-Insulin-like Growth Factor-I or the Insulin Axis in Aging and Longevity 173-184. [CrossRef]
- 90. Isabelle Petropoulos, Bertrand Friguet. 2005. Protein maintenance in aging and replicative senescence: a role for the peptide methionine sulfoxide reductases. *Biochimica et Biophysica Acta (BBA) Proteins and Proteomics* **1703**:2, 261-266. [CrossRef]
- 91. K OKUBO, H NAKAMURA, J WATANABE, T KAMOTO, J YODOI, O OGAWA, H NISHIYAMA. 2004. OVER EXPRESSION OF THIOREDOXIN-1 IN TRANSGENIC MICE ATTENUATES GERM CELL APOPTOSIS INDUCED BY EXPERIMENTAL CRYPTORCHIDISM. *The Journal of Urology* 172:6, 2479-2482. [CrossRef]
- 92. J MARY, S VOUGIER, C PICOT, M PERICHON, I PETROPOULOS, B FRIGUET. 2004. Enzymatic reactions involved in the repair of oxidized proteins. *Experimental Gerontology* **39**:8, 1117-1123. [CrossRef]
- 93. Keisuke Shioji, Hajime Nakamura, Hiroshi Masutani, Junji Yodoi. 2003. Redox Regulation by Thioredoxin in Cardiovascular Diseases. *Antioxidants & Redox Signaling* **5**:6, 795-802. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 94. K Bloomfield. 2003. Thioredoxin-mediated redox control of the transcription factor Sp1 and regulation of the thioredoxin gene promoter. *Gene* **319**, 107-116. [CrossRef]
- 95. Tory M. Hagen . 2003. Oxidative Stress, Redox Imbalance, and the Aging Process. *Antioxidants & Redox Signaling* **5**:5, 503-506. [Citation] [Full Text PDF] [Full Text PDF with Links]
- 96. Toru Yoshida, Shin-Ichi Oka, Hiroshi Masutani, Hajime Nakamura, Junji Yodoi. 2003. The Role of Thioredoxin in the Aging Process: Involvement of Oxidative Stress. *Antioxidants & Redox Signaling* 5:5, 563-570. [Abstract] [Full Text PDF] [Full Text PDF with Links]
- 97. Hajime Nakamura, Norihiko Kondo, Kiichi Hirota, Hiroshi Masutani, Junji YodoiThiols and Thioredoxin in Cellular Redox Control **20035754**, . [CrossRef]
- 98. Morag J. Farquhar, David T. Bowen. 2003. Oxidative Stress and the Myelodysplastic Syndromes. *International Journal of Hematology* **77**:4, 342-350. [CrossRef]
- 99. 2002. Anti-Aging Medicine LiteratureWatch. *Journal of Anti-Aging Medicine* **5**:4, 377-395. [Citation] [Full Text PDF] [Full Text PDF with Links]
- 100. Dipak K. Das Methods in Redox Signaling . [Citation] [Full Text HTML] [Full Text PDF] [Full Text PDF with Links]