

Related Elsevier Titles Contents Alert

J. VIROLOGICAL METHODS

VOL. 42 NO. 1

1 APRIL 1993

M. Gilbert (Seattle, WA, USA), L. Brigido (San Francisco, CA, USA), W.E.G. Müller (Mainz, Germany), J.E. Hansen (Copenhagen, Denmark), R.A. Ezekowitz (Boston, MA, USA) and J. Mills (San Francisco, CA, USA), Screening for inhibitors of HIV gp120-CD4 binding using an enzyme-linked immunoabsorbant assay .	1
S.K. Reddy, D. Sy and A. Silim (St-Hyacinthe, Quebec, Canada), Radioimmunoprecipitation of avian reovirus polypeptides using virus-specific IgM and IgG murine monoclonal and chicken polyclonal antibodies	13
Yu.S. Boriskin, J.C. Booth (London, UK) and A. Yamada (Tokyo, Japan), Rapid detection of mumps virus by the polymerase chain reaction	23
T.M. Logan, K.J. Linthicum, J.R. Moulton and T.G. Ksiazek (Frederick, MD, USA), Antigen-capture enzyme-linked immunosorbent assay for detection and quantification of Crimean-Congo hemorrhagic fever virus in the tick, <i>Hyalomma truncatum</i>	33
H.-M. Cheng, Y.-T. Foong, A. Mathew, C.-K. Sam (Kuala Lumpur, Malaysia), J. Dillner (Stockholm, Sweden) and U. Prasad (Kuala Lumpur, Malaysia), Screening for nasopharyngeal carcinoma with an ELISA using the Epstein-Barr virus nuclear antigen, EBNA 1: a complementary test to the IgA/VCA immunofluorescence assay	45
M.C. Höfner, W.C. Carpenter and A.I. Donaldson (Pirbright, Surrey, UK), Detection of foot-and-mouth disease virus RNA in clinical samples and cell culture isolates by amplification of the capsid coding region	53
B. Weber and H.W. Doerr (Frankfurt a. M, Germany), Evaluation of the automated VIDAS system for the detection of anti-HIV-1 and anti-HIV-2 antibodies	63
J. Drescher and W. Verhagen (Hannover, Germany), Comparative investigation of the hemagglutinin epitopes of influenza virus A/Brazil/11/78 (H1N1) and its escape variants	75
S.-L. Chen, C.-P. Han and Y.-P. Tsao (Taipei, Taiwan), Construction of site-specific mutants of E5A protein of HPV-11 using the polymerase chain reaction and a single mutant primer	89
M. Ishaq and G.L. Stoner (Bethesda, MD, USA), Tri-primer PCR can distinguish free and cloned viral DNA in a single reaction	95
M. Reiniš, M. Damková and E. Korec (Prague, Czechoslovakia), Receptor-mediated transport of oligodeoxynucleotides into hepatic cells.....	99
C.P. Pollini, L. Giunchedi and R. Credi (Bologna, Italy), A chemiluminescent immunoassay for the diagnosis of grapevine closteroviruses on nitrocellulose membrane	107
A. Garbarg-Chenon (Paris, France), M. Segondy, A.-M. Conge, M.-F. Huguet (Montpellier, France), J.-C. Nicolas, E. Grimpel, N. Moniot-Ville, F. Bricout (Paris, France), A. Serre (Montpellier, France), C. Courpottin (Paris, France) and J.-P. Vendrell (Montpellier, France), Virus isolation, polymerase chain reaction and in vitro antibody production for the diagnosis of pediatric human immunodeficiency virus infection	117
M. Willems, H. Moshage, F. Nevens, J. Fevery and S.H. Yap (Leuven, Belgium), Plasma collected from heparinized blood is not suitable for HCV-RNA detection by conventional RT-PCR assay.....	127

J. VIROLOGICAL METHODS

VOL. 42 NO. 2-3

15 MAY 1993

S.D. Roseff, M. Rockis, J.F. Keiser, M.M. Caparas, J. Comerford, R.L. Sandin and C.T. Garrett (Washington, D.C, USA), Optimization for detection of cytomegalovirus by the polymerase chain reaction (PCR) in clinical samples	137
R. Julen, U.N. Wiesmann and H. Koblet (Berne, Switzerland), Chemically induced plasma membrane vesicles as a useful tool for the investigation of virus binding to susceptible cells	147
G.A.M. Berbers, A.H.J.O. Marzec, M. Bastmeijer, P.G.M. van Gageldonk and André D. Plantinga (Bilthoven, The Netherlands), Blocking ELISA for detection of mumps virus antibodies in human sera	155
W. Lüke, F. Polzien, J.-G. Scharf and G. Hunsmann (Göttingen, Germany), Biochemical and immunological characterization of micellar complexes of the envelope glycoprotein of a simian immunodeficiency virus isolated from an african green monkey	169
B.M. Mitchell and D.C. DeBorde (Missoula, MT, USA), A procedure for the isolation of specific point mutants of influenza virus	181
M.E. Johansson, M. Ahrel-Andersson (Stockholm, Sweden) and S. Gudnadottir (Reykjavik, Iceland), Molecular epidemiology of adenoviruses isolated in Iceland during 1988-1990	193
J.F.J.M. van den Heuvel, D.W. Thornbury, T.P. Pirone and J.A. Lesnaw (Lexington, KY, USA), A simple and efficient procedure for the oral inoculation of <i>Trichoplusia ni</i> larvae with polyhedrin-negative recombinant baculovirus	207
F. Fuchs, I. Leparç (Lyon, France), H. Kopecka (Paris, France), D. Garin and M. Aymard (Lyon, France), Use of cRNA digoxigenin-labelled probes for detection of enteroviruses in humans and in the environment ..	217
T.H. Turpen, A.M. Turpen, N. Weinzettl, M.H. Kumagai (Vacaville, CA, USA) and W.O. Dawson (Riverside, CA, USA), Transfection of whole plants from wounds inoculated with <i>Agrobacterium tumefaciens</i> containing cDNA of tobacco mosaic virus	227
S.K. Schepetiuk and T. Kok (Adelaide, Australia), The use of MDCK, MEK and LLC-MK2 cell lines with enzyme immunoassay for the isolation of influenza and parainfluenza viruses from clinical specimens	241
C. Vandenvelde, R. Scheen, M. Defoor, M. Duys, J. Dumon and D. Van Beers (Brussels, Belgium), Suppression of the inhibitory effect of denatured albumin on the polymerase chain reaction by sodium octanoate: application to routine clinical detection of hepatitis B virus at its infectivity threshold in serum	251
L.M. Tieben (Leiden, The Netherlands), J. ter Schegget, René P. Minnaar (Amsterdam, The Netherlands), J.N. Bouwes Bavinck (Leiden, The Netherlands), R.J.M. Berkhout (Amsterdam, The Netherlands), B.J. Vermeer (Leiden, The Netherlands), M.F. Jebbink and H.L. Smits (Amsterdam, The Netherlands), Detection of cutaneous and genital HPV types in clinical samples by PCR using consensus primers	265

R. Di, J.H. Hill and R.A. Van Deusen (Ames, IA, USA), Antigenic signature analysis reflects differences among plant virus isolates	281
K. Karaca, P. Palukaitis and S. Naqi (Ithaca, NY, USA), Oligonucleotide probes in infectious bronchitis virus diagnosis and strain identification.....	293
I. Färber, P. Wutzler, P. Wohlrabe (Erfurt, FRG), H. Wolf (Regensburg, FRG), W. Hinderer and H.-H. Sonneborn (Dreieich, FRG), Serological diagnosis of infectious mononucleosis using three anti-Epstein-Barr virus recombinant ELISAs	301
J. Böni and J. Schüpbach (Zurich, Switzerland), Primer extension analysis provides a sensitive tool for the identification of PCR-amplified DNA from HIV-1	309
S.A. Nadin-Davis, S.C. Chang (Nepean, Ontario, Canada), H. Smith and R.M. Jacobs (Guelph, Ontario, Canada), Detection of bovine immunodeficiency-like virus by the polymerase chain reaction	323
I. Baginski, I. Chemin, F. Turin, C. Pichoud, C. Trépo and O. Hantz (Lyon, France), Direct cloning and expression of PCR amplified DNA and RNA sequences: application to the hepadnaviruses nucleocapsid proteins	337
Y. Nishibe and Y.K. Inoue (Kyoto, Japan), Reappraisal of modified neutralization test for Inoue-Melnick virus	345

VOL. 28 NO. 1

1 APRIL 1993

D.J. Gaertner, R.O. Jacoby, E.A. Johnson, F.X. Paturzo, A.L. Smith and J.L. Brandsma (New Haven, CT 06510, USA), Characterization of acute rat parvovirus infection by in situ hybridization.....	1
A.K. Williams, L. Wang, L.W. Sneed and E.W. Collisson (USA), Analysis of a hypervariable region in the 3' non-coding end of the infectious bronchitis virus genome.....	19
Y. Stram, I. Sela, O. Edelbaum (Rehovot, Israel), E. Tanne (Bet Dagan, Israel), M. Karchi and H. Karchi (Rehovot, Israel), Expression and assembly of the potato virus Y (PVY) coat protein (CP) in <i>Escherichia coli</i> cells.....	29
X. Xu, E.P. Rocha, H.L. Regenery, A.P. Kendal and N.J. Cox (Atlanta, GA, USA), Genetic and antigenic analyses of influenza A (H1N1) viruses, 1986-1991.....	37
C.J. Funk and R.A. Consigli (Manhattan, KS 66506, USA), Temporal expression and immunogold localization of <i>Plodia interpunctella</i> granulosis virus structural proteins.....	57
S.K. Mittal, M.R. McDermott, D.C. Johnson, L. Prevec and F.L. Graham (Hamilton, Ont, Canada), Monitoring foreign gene expression by a human adenovirus-based vector using the firefly luciferase gene as a reporter.....	67

VIRUS RESEARCH

VOL. 28 NO. 2

15 MAY 1993

M.E. Piccone, A. Fernandez-Sesma and P. Palese (New York, NY 10029, USA), Mutational analysis of the influenza virus vRNA promoter.....	99
Z. Ge, C. Hiruki and K.L. Roy (Edmonton, Alberta, Canada), Nucleotide sequence of sweet clover necrotic mosaic dianthovirus RNA-1.....	113
D.C. Bloom, R. Stern, M. Duke, D. Smith and R.W. Moyer (Gainesville, FL 32610, USA), A revised <i>HindIII</i> map and sequence analysis of a large 'left-hand' non-essential region of the rabbit poxvirus genome.....	125
D.K.S. Goh (Lexington, KY 40546-0091, USA), Identification and immunocharacterization of a 25K structural protein in <i>Autographa californica</i> nuclear polyhedrosis virus (AcMNPV).....	141
J. Schorr and W. Doerfler (Cologne, Germany), Non-homologous recombination between adenovirus and AcNPV DNA fragments in cell-free extracts from insect <i>Spodoptera frugiperda</i> nuclei.....	153
D.S. Turner and S.N. Covey (Norwich, UK), Reverse transcription products generated by defective plus-strand synthesis during cauliflower mosaic virus replication.....	171
G. Morace, G. Pisani, F. Beneduce, M. Divizia and A. Panà (Rome, Italy), Mutations in the 3A genomic region of two cytopathic strains of hepatitis A virus isolated in Italy.....	187
N.D. Christensen and J.W. Kreider (Hershey, PA 17033, USA), Monoclonal antibody neutralization of BPV-1.....	195
M. Yu, K.A. McColl and A.R. Gould (Geelong Vic., 3220, Australia), Cloning and nucleotide sequence determination of the major envelope glycoprotein (gp55) gene of hog cholera virus (Weybridge).....	203

Instructions to Authors

Submission of a paper to an Elsevier Virology Journal implies that it has not previously been published (except in abstract form) and that it is not being submitted for publication elsewhere. The authors are requested to transfer their copyright to the Publisher, to ensure the widest possible dissemination of information.

Papers and original figures should be submitted together with two copies accompanied by a letter of transmittal to (one of) the Editor(s) in Chief.

Submission of Manuscripts The preferred medium of final submission to the accepting Editor is on disk with the accompanying reviewed and revised manuscript (see 'Electronic manuscripts' below).

Manuscripts, in English, should be typed on one side of the paper only with double spacing and wide margins, and should have a separate title page bearing author(s) names and affiliations as well as an address for correspondence, and a telephone number for immediate enquiry.

Full-length papers (Research Articles) should generally not exceed 25 typewritten pages and should be divided into Summary (on a separate sheet and not exceeding 200 words, followed by 3-6 key words), Introduction, Materials and Methods, Results, and Discussion.

Short communications typically should not exceed 1500 words or equivalent space including figures and tables and should not be divided into sections, i.e., Introduction, Materials and Methods, etc., but should have a brief Summary, 3-6 key words and a full reference list. These must be brief definitive reports, not preliminary findings.

Review articles will be published following invitation from the Editor-in-Chief.

Electronic manuscripts: Electronic manuscripts have the advantage that there is no need for the rekeying of text, thereby avoiding the possibility of introducing errors and resulting in reliable and fast delivery of proofs.

The preferred storage medium is a 5.25 or 3.5 inch disk in MS-DOS format, although other systems are welcome, e.g., Macintosh (in this case, save your file in the usual manner, do not use the option 'save in MS-DOS format'). After final acceptance, your disk plus one final, printed and exactly matching version (as a printout) should be submitted together to the accepting editor. It is important that the file on disk and the printout are identical. Please specify the type of computer and word-processing package used (do **not** convert your textfile to plain ASCII). Ensure that the letter 'l' and digit '1' (also letter 'O' and digit '0') have been used properly, and format your article (tabs, indents, etc.) consistently. Characters not available on your word processor (Greek letters,