

Corrigendum

Corrigendum to “Enhanced antiviral benefit of combination therapy with lamivudine and famciclovir against WHV replication in chronic WHV carrier woodchucks”
[Antiviral Res. 45 (2000) 19–32][☆]

Brent E. Korba ^{a,*}, Paul Cote ^a, William Hornbuckle ^b, Raymond Schinazi ^c,
John L. Gerin ^a, Bud C. Tennant ^b

^a *Division of Molecular Virology and Immunology, Georgetown University Medical Center, 5640 Fishers Lane, Rockville, MD 2852, USA*

^b *College of Veterinary Medicine, Cornell University, Ithaca, NY USA*

^c *Department of Pediatrics, Emory University, Decatur, GA, USA*

The author regrets that Figure 3 included in the article above was incorrect. The correct Figure 3 is printed on the following page.

[☆] PII of original article S0166-3542(99)00072-8.

* Corresponding author.




Fig. 3. Effect of antiviral treatments on WHV replication in chronic carrier woodchucks. Geometric mean values for each experimental group are displayed. See text and Section 2 for experimental details. Horizontal bars denote the treatment periods. Vertical lines denote standard deviations. The top panels compare the effects of the four monotherapies relative to the placebo-treated control group. The remaining panels individually compare the effect of each dose of 3TC monotherapy to the two corresponding combination treatments with 3TC plus FCV. 'WHVge', WHV genomic equivalents (virion or WHV DNA-containing virus particles). 'WHV RI', hepatic WHV DNA replication intermediates.