



THE EPIC PROMISE: WE GUARANTEE MOST ITEMS TO BE AVAILABLE FROM STOCK AT ALL TIMES.

Legends of Lothian

7 Realms, Lost On Parrot Island. Dungeon Hero, Child Murderer Mad House, Total Species and



WORKBENGHIJ SEI ZAPPOLARCHOS G-DRIVE CD SOFTWARE 100 MISC. PRINTER DRIVERS NEW PRINTER DRIVERS

SON PRINT UTILITY (Drivers for most S RURREL SCSI CD-ROM SOFTWARE IME BOOTER - Run old games on A1 Run old games on A1200

WORKBENCH 3.0 Politides Workbench, Storage, Extra/s.

Dust Cover (State Model Amiga Logo Disk Credificard Wallets Amiga Boing! Mouse Mat Official Amiga Mouse & Mat Keep The Momentum Going u sa Theme (202) £5.95 arts Socks (White with Boing! Logo)

HOT HOUSE WIVES

up to during the day? Only Suitable for Adults. ADULT SENSATION 5 water - 30 Games PAGE 3 GIRLS Summer - Around 700 Adult Images
ANIME BABES SErrorer - 3,000 Manga Pictures

RUBBERAMA....... Hundred's of Images JUST 18.comp - Around 600 Adult Pix READERS WIVES 2.comp - Around 500 Pix PARES.comp - Around 600 Adians TEENAGE DREAMS UNGEON EROTICA Assurd 600 Adult Pt ALL £15 each - Buy 3 and get the 4th FREETI

ADULT CATALOGUE AVAILABLE Call 0906 55 31900*

Crater an adult catalogue on this fire and you'll be sent a complete Adult CO-ROM and Vision Comp 2 Adult CO's FREE

PREY: Alien Encounter

space station and lister to live radio communications. Fully ren-dered slick 3D game. "True Ridley

FANTASTIC DREAMS advanced version of the top rated "Elastic Dreams". Now includes FunRoom containing 500 premade

clips. Ike eyes, noses etc. CANDY FACTORY Candy Take any common Order C079/0 (250 Amiga font and create a impressive looking logo with light reflections. Rated 92%

The New Epic Gold Card

Exclusive Gold Club CD 20% OFF your order, Today!

Regular Catalogues & Offers Use our "EasyOrder" system and save time. Upto 20% OFF future purchases Request your Gold Card Now. Only \$10 03700 110013

It has finally arrived The Playstation™ smash hit is now by a carbon character called "Bertie" He gives them a task to perform, tells them what to do, a when the task is complete he tells them how well they did tels them how well they do. Each question answered cor-rectly will award them 1-3 gold stars which are shown at all times in the top left of the

PRO MIDI INTERFACE Connects to your serial port and offers in out & through ports.
Order: PROMIDE £24.99 MEGA-LO SOUND SAMPLER High quality 8bit Direct to Disk/Ram sam-pler. Suitable for use on any Amiga.

MI-PC LINKUP Make use of the PC's CD-ROM drive. Zio HD Floppy etc. Great for transfering files Order: AMI-PC LINKUP New Price £14.99 TURBO PRINT 7 et the highest quality print from ALL the

latest printers. (Inc Epson 440/740 etc.)

Order: TP7 C39.99 OXYRON PATCHER The essential pationer for all 040 and 060 accelerator owners.

Order: OXYPATCHER New Price E14.99

CHOOSE 1 CD FREE WHEN YOU SPEND 530

SOFTWARE EXPLOSION Volumes 1, 2 or 3

More than a game.

screen. This is to encourage them to beat this score with

Full CyberGraphX, P96 & AHI. AGA Supported with fast new

New Rendering System Faster Gameplay.

LIFE SIM LIFE

Support for custom speed

FOUNDATION DC







Enquiries: 0 1793 514188 Fax: 0 1793 514187 Catalogue Requests: 0906 553 1900 9:30am - 5:30pm

Gasteiner

TEL:0181 345 6000 FAX 0181 345 6868

6239

email sales@gasteiner.com



Ep

Ep Ep



son 460	299	2-1/2" 81
son 660	£115	2-1/2" 1.4
son 760	£159	2-1/2" 3.2
son 750	£177	3-1/2" 3.2
son 800	£132	3-1/2" 4.2
son 860	£207	3-1/2" 4.5
son 900	£142	3-1/2" 9.0
son 1200	£299	cdr 4*4*1
son 1200	£299	YAMAHA
son 1520	£319	ZIP 100
son 3000	£1289	ZIP 250
		1477 00

994

599

£69

-1/2" 810mb IDE HDD	£69
-1/2" 1.4 GIG IDE HDD	£79
-1/2" 3.2 GIG IDE HDD	£99
1/2" 3.2 GIG IDE HDD	£79
1/2" 4.2 GIG IDE HDD	289
1/2" 4.5 GIG SCSI HDD	£149
1/2" 9.0 GIG SCSI HDD	£349
dr 4*4*16 CDR £26	5
AMAHA 4*4*16	£269
IP 100	£75
IP 250	£125

Epson	G
Epson	C
Epson	•
Epson	0
Epson	G
Encon	0
Epson	C
F	

7000	£147
7000USB	£129
7000PHOTO	£210
9500	£259
9600	£429
12000	£1315
LMSCAN 200	£190

JAZZ 2GIG

Needs cables & software

CD-ROMS	
PANASONIC PC FLOPPY	
DRIVE	£12
CD-ROMSBARE	
36 IDE	£23
48 IDE	£30

MB	29
MB	£26
6MB	£49
MB	26
MB	£12
6MB	£20
2MB	€44

GENERIC 56K EX

PACE 56K EXT

USB 56K

	CONTRIBET
Gasteiner 14"	£75
Gasteiner 15"	£82

Gasteiner 14"	£75
Gasteiner 15"	£82
Gasteiner 17"	£150
Gasteiner 19"	£299
all monitor are with 3 year	rs warranty

33MHZ

ALFA-DATA MEGA MOUSE-E

WATCH TV ON YOUR VGA MONITOR. JUST CONNECT YOUR MONITOR THROUGH **OUR EXTERNAL BOX** FOR FULL SCREEN TV. **INCLUDES REMOTE** CONTROL+BATTERIES+ ALL CABLES

AMIGA SCART CABLE

£5.99

OFFICIAL AMIGA

MOUSE 400DPho

ScanMagic external with Flicker Fixer

Quickshot joystick Quickshot joypad www.gasteiner.com

£9.99

Premier suppliers of AMIGA and related hardware & software products

Issue 131

Engulf your senses with the senstional FurnRu

trailer, discover an easy way to program and some different ways to keep time with our CD. Or enjoy our usual mixed disks filled with mad games and handy tools to make your life easier



18 STABILI

24 PDAs

atest in Amiga-compatible digital assistants so you needn't



14 OS 3.5

70 MAILBAG

82 FREE READER ADS 85 USER GROUPS

86 JUST THE FAOS

0	What you should be as	king for in your k	tter to Father Chri	EWS stmas.
2	Is it a winner or	just a flat-spinne	r? Oliver Roberts t	L GP els all.

Rithrough Wasted Dreams with ease plus all our usual tips.

A lovely mix of home-baked games for you to digest.

A great new package to get you into

Simon Goodwin investigates which is the best buy in switch units

. . . . COMPLETE BEGINNERS GUIDE TO THE SHELL PRACTICAL JAVASCRIPT Create an exciting and inviting website with Neil Bothwick

Nick Veitch makes life easy by automating HTML coding. PROGRAM PERFECTION
On your hard hat and prepare for some serious construction work.

Plug in NSM and get more play out of OctaMED's SoundStudio.

Dave Cusick takes a peek into the curious world of the webcam





IBM recently announced that it would make its PowerPC Open Platform (POP) design freely available. Manufacturers may produce motherboards based on this design without paying a license fee to IBM.

This is obviously a move by IBM to push the PPC as a platform for Linux, but it could also be good news for Amiga owners.

A RETROSPECTIVE

The PowerPC alliance was formed in 1991 between Apple, IBM and Motorola to produce a RISC-based series of microprocessors as an alternative to Intel CPUs in the desktop. But with the exception of Apple's Macintosh line and the now discontinued BeBox, nobody has yet succeeded in pushing the PPC in this market.

There have been several attempts to create a hardware standard for PPC machines. The first was PReP (PowerPC Reference Platform), penned jointly by IBM and Motorola and which evolved into CHRP (pronounced "chirp", Common Hardware Reference Platform) when Apple joined the party. The CHRP standard was designed to run MacOS, as well as flavours of UNIX, but to do so required the MacOS boot ROMs. So as part of the deal, Apple stipulated that they had to validate any CHRP designs before manufacture. The clone makers moved in and started producing faster and



SPECIFICATION

ATX form factor motherboard PPC 740 or 750 processor 33MHz PCI bus (3 slots) 133MHz AGP slot 4 DIMM slots (100MHz SDRAM, Max 1GB) 10/100 baseT Ethernet Ultra DMA/33




cheaper machines than Apple could. Apple were losing money fast, so killed off their licensing policy and effectively killed the CHRP standard too.

LINUX PPC?

IBM's surprise move to "open source" the POP design ties in with their current Linux strategy, a strategy that could be interpreted as IBM trying to claw back market share in a industry that it created but is now

dominated by Microsoft and Intel. After all, one reason for the failure of the PPC in the desktop market is the lack of a strong operating system. The momentum and development behind Linux at the moment is such that it could soon emerge as a viable alternative to Windows on the desktop. If it does and the PPC is seen as a major Linux platform. IBM could score well.

Although there are many different Linux distributions at the moment, distributions





re's the bit where I usually talk about Christ this issue, but I ain't gonna, you can't make me. I'm not en going to talk about my high

admittedly off-topic, holiday in Japan. Instead, as is my remit, shall talk about some of the things going on in the Amiga world, in a biting and ad, as is my remit, I ic manner. First on my hitlist for this issue just has to be this Phoe We haven't covered it in Format for one main reason - I'm 99 per cent re it won't produce any results. In essence it see ns to be a reva ite ICOA, and has already generated reams and reams of talk (when ted out) with little action. It's not necessarily their fault, but how can you take any organisation seriously, or more to the point, how can anyone outside the

Amiga market, take any organisation seriously that has a nboy? What sort of a name is that? What kind of respect do you think it'll engender from "serious" businessmen? Second on my list for today is IWin. What really was the point? Get the Amiga folk all excited about new machines, talk up a storm on the website and then only have three people to your "press conference"? The thing I don't understand is what IWin had to gain with all this. Was it a bet, or a prank, or do they really have products to offer (that last one was a trick option). Last and least, are the people who reckon they aren't going to buy OS3.5. Get with the plan Stan. If you don't buy it don't come whining to us when the latest software doesn't work on your machine. Its cost is less than 2p a day since you last had the opportunity to upgrade your OS, so get real and get OS3.5. Ho, ho, ho, merry Christmas. 0

for PPC platforms are few and far between LinuxPPC.org produce a version of RedHat for the PPC, as do newcomers, YellowDog. Debian's PPC distribution has not yet reached a stable status. It's a rather catch 22 situation, Linux is not yet popular on PPC because of the lack of hardware: PPC is not popular for the lack of an operating system. The announcement of POP could break the stalemate. The design is inexpensive as it uses off-the-shelf components. A modern G3 motherboard potentially offers more MIPs per pound than the aging x86 designs that form the basis for most Linux boxes.

WHAT'S IN IT FOR US?

Amiga users reading all this may think, so what? Well, a contributing reason for the current doldrums in the Amiga market is the lack of new hardware. There have been various announcements to build Amiga clones, but these have generally been too short-sighted. Why build a machine powered by a MC68000 series processor when it would be cheaper and easier to build a PPC one?

To be fair, a lack of a port of AmigaOS or at least an Amiga-like OS - on the PPC platform has held back the migration to this processor. However, a G3- or G4-powered machine could run 68k Amiga software faster than a native machine. Haage & Partner's WarpOS is hardware independent so could run on any new hardware with ease. Throw in their 68k emulator and you have an instant new Amiga, but an Amiga with a fast AGP graphics card, DMA-33 IDE access and USB. Or, if you don't like WarpOS, you can try phase 5's solution. Or ONX. Or Linux.

Several manufacturers have already picked up on the POP design. Prophet Systems intend to sell their own version, possibly upgraded with an ATA/66 disk interface, Firewire and PCI audio. Total Impact, on the other hand, have reworked the design to support the new G4 processor. Its TotalMP technology will allow for a multiprocessing machine with up to 13 G4 processors internally. More information and a

schematic and bill of materials for the POP motherboard design is available from

ree the Amiga that onen-sourcing AmigaOS is desirable or

A new campaign has been set up to persuade Amiga, Inc. to release AmigaOS under an Open Source Licence. The Campaign to Open Source AmigaOS (COSA), set up in early October, has already been in contact with Amiga president, Tom Schimdt, to put forward the case for open access to the AmigaOS source code.



on) Fleery is backing ope

Vence (About)

thinks it's a bad

sourcing but Holge

Amiga. Inc. themselves clearly have no interest in the classic AmigaOS, so outting the source code into the public domain would not affect their current strategy. COSA further believe that an open-source AmigaOS could leverage some of the momentum that has led to the meteoric rise of Linux. Also, the OS would be free to be ported to other hardware platforms and so potentially appeal to more users, boosting the ever-shrinking Amiga market. Here. COSA could enlist the help of other projects attempting to migrate the OS to new hardware, such as the portable Amiga-

compatible system, AROS. COSA have the backing of several big names, including Open Source advocate Eric Psymond, who consulted for Netscane on the Mozilla project. Closer to home, COSA has the support of ex-Amiga employee Fleecy Moss, now a partner in Amino, Many Amiga developers are

Not all in the Amiga community believe

Greg Perry

five years has been released. However, the against an open-source AmigaOS in any decisions. sympathetic to the cause, such as GPSoft's

made

time, just when the first update to the OS in OS3.5 developers. Haage & Partner, are not principle. But surely Amiga, Inc. will want to gauge sales of the new OS before making More information on the Campaign to

indeed, possible, AmigaOS guru, Olaf

unworkable due to copyright and patent

issues. A free AmigaOS would not be able to

"Workbench" or "AmigaGuide". This would

cause problems in the naming of vital OS

libraries, Also, an open source AmigaOS

would not be able to include components

such as ARexx, the Agfa font engine and

fonts or CrossDOS. Nordic Global's Holger Kruse, the developer of Miami, claims that

open-sourcing AmigaOS would be a recipe

for disaster. Two of the strengths of the OS

are its modularity and its forwards- and

broken if modifications could be freely

backwards-compatibility, which would be

More to the point, a move to Open

Source would seem unlikely at the current

that Commodore licensed from third parties

components like the names of shared

Barthel, has said that it would be

use trademark names like "Amiga"

Open Source AmigaOS can be found at http://www.savetheamiga.org.uk/.

Amiga OS3.5



several sources, the sales figures for the first batch of Amiga OS3.5 sales are looking pretty good. Haage & Partner pressed five thousand copies of the new operating system, but dealers in the UK are now having to wait for a second batch to be pressed to fulfill their orders for the Workbench upgrade. It's just a start however, since the profit and loss sheet that Haage & Partner worked out indicated a nimum of 20,000 sales for the project to continue. If you haven't bought your upgrade yet, then Amiga Format urges you to do so, with the promise of more and more OS3.5-only software destined for our CD in ning months. Continued overl

The Millennium is coming...

Leaving aside questions of whether the third millennium starts next year or the year after, Nova Design have put together a very tasty package, called Millennium, for the Video Toaster/Video Flyer people in the states.

It still seems like a conspiracy that we don't have either in the UK, but there's no sign of Chris Carter, Lance Henriksen or even Oliver Stone, so I guess it was just one of those things. Still, for our NTSC-using readers, here's the lowdown on Nova Design's new package for your Amilias:

Design's new package for your Amiga: Afflernium is not merely a single package. It is a collection of software, scripts, effects, fonts, backgrounds, and other content designed to update your Video Toaster and Fyer dramatically. Afflennium was designed to be the largest, most comprehensive, upgrade you could put on your system. Afflennium is for the Toaster powers a well as the Fiber name.

■ Wipe Studio – You may be familiar with the 'tite' version – but this is the complete package! Use it to create your own wipes and effects for the Touster and Flyer. ■ RenderFX – Upgraded for Millennium, this package allows you to render your FlyerClip sequences down to a new FlyerClip. You can then layer more video. CC, and effects for a far more impressive

Flyer Utilities – Includes utilities for converting Toaster wipes between 3.x and 4.x formats, Undeleting FlyerClips, Timecoding and much more.

ProMix - Also upgraded for Millennium, this package provides audio tools to let you add audio to video, import/export audio formats, add audio to FlyerClips and animations, and more.

■ Fast Frames – Allows you to 'Toasterize' your Video Flyer by pre-recording CG sequences, Framestore montages, and create flying CG effects and more.

Fast Fuel – Adds video deck control to the Tosater/Flyer interface for automatic clip recording.

Electric Scene Knife – This can save you literally hours of work. The Knife can take a FlyerClip and automatically find the different scenes within it, mark them, and even offer to cut them into separate FlyerClips for you.

three CD-ROMs filled with wipes, effects, fonts, backgrounds, software as well as a full colour catalogue

■ Flyer Backup – A script based system that can backup your actual FlyerClips to a bard drive or to removable media. ■ CGPlot - The famous CG AReax scripts that automate many time consuming CG tasks.
■ Tosster Wigns and Effects - There are hundreds of these and most are available for both Tosster 3.x and 4.x so both Tosster and Flyer owners can use them. These include wedding wipes, fire wipes, basic animated wipes, cool soft gradient wipes, and fully

rotoscoped motion matte wipes.

MegFX – Special wipe effects designed for the Flyer user to simulate solit-screen

effects.

Backgrounds – Hundreds of full colour, professionally drawn, backgrounds for you to use in your CG pages or in ToasterPaint.

Full motion backgrounds – FlyerCips of animated scenes, fire, and more. You can use these with your Flyer for CG backgrounds as rowalty-free stock

footage. There are many other features of

hase 5 delay on G4 cards

as delay on the delayer of their new Ge Stated Proconference could, be the pool of most in spirit body that they line as AGP pert when they do arrive early next year. Basically, the Motorels MPC107 system controller, which provides the to show PC1 and memory controller for the new bounds; is being held up of Motorels in colmoming that place is sour PC1 and memory flowers, are write the place is see usualing news flowers, are write the place is see usualing news (MPC107 if it is more of the processing point and deliver the controller in quantity before the rail of the processing point and deliver the controller in Conventor a shareous of the ray of a conception to the

irst the bad news: phase 5 have said that there'll be

phase 5 or a late investigating another objectives of different company, one which any privade for the conlinear control of the control of the control of the conlactions required but with the evaluation of this days and the re-design of the bord or to late in the concent the societies will be delayed into noticy are anyway, place 5 also say that they have recorded enough orders of the LTW SCEI and first SCEI inconsider and the second of the control of the control of the benever; the late 1004 and EEE 1370 EFF control production of the bord of the control of the conpleted by the control of th

indy unlikely before the end of the year. However, stating what's happening.

The new G4 Generation:

BLIZZARD G4 CYBERSTORM G

ago

AF31 February 1992



Cover feature: Secrets revealed! The experts show you how great games are made – a collection of interviews with famous name developers, and guides to using AMOS and the like to build your own games.

On the disks: One disk with a demo of Knightmare and various well-known utilities including John Veldthuis' Virus Checker and Nick Wilson's Systafo.

News: The three millionth Amiga gets sold, and more than one million Amigas are sold in the UK, GVP reveal that they will have add-one for their excellent Series il hard drive controller for the A500 including the Vortex ATOnce PC emulstor card, Easy AMOS is announced and the SSA (Society of Software Authors) bands together.

■ Prices: A Citizen 120D+ (a mono 9-pin dot matrix printer) would set you back £134.99 from

Technomania

Games reviewed included: Another World (US Gold) 82%, Oh Not More Lemmings (Psygnosis) 82%, Knightmare (Mindscape) 85%, SmashTV (Ocean) 61%, Space 1859 (Empire) 55%, Barbarian II (Psygnosis) 73%, AirBus A320 (Thillica) 73%

■ Serious products reviewed: Last issue was a good one for classic games and this one was good for classic offware and hardware: DCTV (Digital Creations) 90%, DCTVPalert (Digital Creations - comes with DCTV) 95%, Real 3D 1.4 (Activa) 95%, Charts & Graph (ASD) 65%, Visionary (Aegis) 65%

Notes: Video Plus+ is advertised for the first time (it cost £60 as a separate remote and not many magazines had the programming codes).

■ Pages: 228 ■ Cost: £2.95

...no really?

surface of all the tools and content that are included to make your Toaster and Flyer more productive for you. Millennium also includes hundreds of new ARexx commands for scripting, programmer's manuals for the ProMix and RenderEX tools and more

The package will include three CD-ROMs filled with wipes, effects, fonts, backgrounds, software and more-full printed documentation, a video tape



DOM: a video tane and a colour catalogue in born!

Toaster/Fiver directly, you can call 1-800-462-4369 Monday-Friday or fax (804) 282-3768. You can also find information and screenshots, on Newtek's website and Nova Design, Inc.'s websites at

overview of the package and a

comprehensive colour catalogue of other Toaster/Flyer products. Millennium should be available now. Suggested resale price is only

\$349.95. For more information or to

order Milleonium for the Amiga

http://www.newtek.com and http://www.novadesign.com.

Product News...Product News...Product

OS3.5-I think you'll know by now that the upgrade from OS3.1 to 3.5 is out now and you can read the review of the final release starting on page 14.

STFax 4 Demo-If you can't wait for its inclusion on our next CD you'll be able to download the demo of this fine package from Aminet right now. samba 2.0.5a.lha -Olaf Barthel has released an Amiga-native (that is, not needing IXemul) version

of Samba, the defacto standard for linking multiple machines of different platforms together. ArtEffect 3.0.11 update-You can download this free update to ArtEffect from

Digital Almanac II - Everyone who saw the original version waxed lyrical about just how good it was and version II is now available from Schatztruhe and your local dealer.

APDF 1.3- is now available and can read the encrypted PDFs supplied with OS3.5. You can find the URL on nade 16

Product News...Product News...Product News...Product

wo years of RC5-

been participating for two years in the Distributed Net/RC5-64 challenge. During the first two years of the effort we managed to reach a ranking of fifth overall out of over 8.000 teams with a total of 200,000 participants. There are now over 2,000 people participating under the Amiga team, accounting for about 1.1 per cent of all the work done (or 110 million blocks of 2²⁸ keys).

During this period, 14 per cent of the keyspace has been searched, progressing 2.5 times faster in the second year than the first. At current growth rate the correct key will be found within the next two years. whereas this was previously thought to take a century or more, clearly showing how good encryption and the free availability thereof is important to security and privacy on the Internet and elsewhere

The Amiga RC5 Team effort focuses on bringing exposure to the Amiga and the community spirit and strives to achieve this by ranking high in distributed computing projects such as the RC5 and DES challenges, using otherwise idle computing power only.

With your help, we hope to increase our momentum and show the world the Amiga is not dead, in spite of a total lack of support from parent companies over the



past five years. There is still plenty to come, with the recent release of AmigaOS 3.5, and uncoming G3 and G4 accelerators and peripherals. A G4/AltiVec-optimised client could be as much as four times faster MHz for MHz as current code, and only a few hundred people upgrading would propel us into the top three if not higher (over 660 Amigas participating in the effort are already PowerPC equipped). Also, work on an improved/faster 68K client is still progressing.

Everyone is cordially invited to join, with any kind of machine, though one Amiga at least is appreciated. For a full explanation of what the effort is about, where we are heading, how to participate and everything from statistics to member listings, please visit the Amiga RC5 Team effort homepage at The Amiga RC5 Team effort is also

providing a mailing list as a forum for the discussion on the above topics and the effort in general. ----

Help the Ami Team reach the top three in the RCS challenge.

□ | Vital Horgan

going to



computing, but it on't be headed by Amiga, Mayb I shouldn't say it within these pages, but that's what I believe now. It looks to me as if Amiga are all at sea, drifting dangerously close to their own little Rermuda

Take new CEO Tom Schmidt's mments in last issue's news pages: "why not have Amiga running on every type of device imaginable, on top of every other OS out there?" Do me a favour! I'll tell you why not, because it would be rubbish! That would be like building a new top floor on a derelict house. If the Amiga operating environment is going to be the computer equivalent of plastic stone cladding, I want nothing to do with it.

Every time I use a 'cutting edge' PC or Mac (which is most days) I'm repeatedly baffled as to how they manage to stall, fall asleep, crash and act so stupid when they're powered by superfast PIII and G4 CPUs, backed up with all manner of high spec interfaces and cards. I'm sure we all feel the same, and we can't be the only ones. That's why I'm sure that someone, somewhere, is going to realise that we really do need a new dawn for desktop computing, and just like in the early days of the original Amiga project, they'll get the cash and expertise to make it happen sooner or later.

The trouble is, I just can't see that coming from Amiga, not after the way things have gone recently. It doesn't take much reading between the lines to realise that desktop computers are not what turns them on. I say let them get on with it. Let them make a fancy 'skin' for Windows that turns it into an idiot-proof TV/Internet box. Good luck to

Meanwhile, there must be some big IT developer willing to take a chance on re-writing the rulebook. I don't care who that is. so long as it happens (preferably within my lifetime).

Tony Horgan



Continued overleaf ⇒

* The New Sound Revolution

ant to boom, crash and blast your way through games at a deafening 300 Watts? Then the new Screenbeat Sound Station from Logic 3 is for you, It's fully compatible with your trusty

Amiga and its 300 Watts sub woofer and twin satellite speakers give a new dimension to classic games such as Super Silly Skidmarks!

There's variable volume control. variable bass control, an acoustically



your your Walkman, Discman, Mini Disc MP3 Player or anything else you can think of. This is a system that has to be heard to be believed. Available in Stylish iMac Blueberry or classic Purple at an SRP of \$49.99

landscape/portrait pivot functions and you've got

available soon. For more information visit their

website at http://www.viewsonic.com/europe or

The estimated street price for the ViewSonic VP151 is £1,149 excluding VAT. The VP181 will be

yourself a whole new way of viewing.

Canon are rumoured to have

astrated a wireless version of the Firewire interface that operates at Mb/s. Firewire, the trademark name or the IEEE 1394 serial standard ntly works at 400Mb/s on cable, and is currently used for connecting video nent and fast hard disks. The new wireless version, which transmits via GHz-band radio, could give Firewire

credibility as a networking standard HE NC IS BACK

Database giant Oracle have resurrected eir failed Network Computer subsic to build budget-price Internet ma The new network computer will use an 86 processor, have 64MB of RAM, run rnet software. Whether it will prove any more successful than Orcale's

on profit-making Linux ven bian are to release a con on of their Linux dist with the backing of SGI, VA Linux ns and O'Reilly Associat ill ship on CD-only for \$19.95, while O'Reilly will publish a book on ng the system with CDs included for \$39.95. Uniquely, Debian say that all profits of this venture will

the Linux operating system and ship with revious attempt to displace the PC on the desktop remains to be seen.

go to the charity Software in the Public Interest, of which Debian is a

ewSonic

and VP181 ViewPanels. These are its first 15" and 18" flat panels to incorporate digital, analogue and video inputs, allowing digitally equipped users to experience greater flexibility. It

also means that you can plug in a DVD player or video camera and have a film playing in a small window on your computer monitor or on the whole screen - depending if you're supposed to be working or not! ViewSonic's European Marketing

Manager, Bharat Kumar, says "Both models give consumers the confidence to invest in a panel knowing that it will not be superseded by digital displays." A total of five inputs are available on se VP181 and VP151 including two

digital inputs, two analogue (sync on green compatible) inputs and one video input. The flat panels also support worldwide video standards including NTSC. Pal and Secam. Add to this the two integrated stereo speakers and the swivel, tilt, height-adjustment and

freephone 0800 833 648.

and those of you neighbours, with a

ti.media sneaker

"Sabrina Online Year 2: The Sequel" is

now available to advance order through Diamond will be available to buy in comic

shops by lanuary 2000, So. don't miss out, get down to your local

comic store now and pester them to get you a copy.

a second series. Now I can afford to buy trousers too

EWAY-AOL PC-box shifter, Gateway, and Internet

Service Provider, AOL, have teamed up to tackle the information appliance market. The deal means that Gateway will bundle AOL ftware with all their PCs and AOL will become the default ISP for teway customers. AOL will take over tion of Gateway's own service,

ay.net. Also under the terms of the iance, Gateway are to build portable et devices and set-top box support the "AOL anywhere" strategy. 5

GATEWAY2000

AMÉ CD LABELS D labels have never been so exciting. No, honest. NEATO, a

CD labelling, packaging and presentation company have created these eye-catching, metallic gold and silver CD els to give your work a hi-tech, professional appearance. The labels are suitable for printing with virtually any laser nter and ensure crisp, high-de-sults that would be achieved b ition images to simi ed by screen printing a disc but at a far cheaper price - £14.50 for a pack of 100 or £35.95 for 300 due VAT



NEATO have tested the labels to ensure they stay stuck and don't cause damage to your discs no matter how often you use them. And if you've run out of CD-ROMs to put labels on you can buy those online too at:



Adventurer's Lair

charted lands, visit weird and wonderful places d interesting people....

r's Lair... If you dare.....



Features 10 full Graphic Adventure and RPG games: Legend of the Elves, Federation: - Space Adventure, Blood Fest, 7 Realms, Lost On Parrot Island, Dungeon Hero, King Maker, Mad House, Total Species & Legends of Lothian. Also features a huge database of solutions

and walk-through's for hundreds of Amiga Adventure games.





After many month's of political unrest, the skyboulevard, seat of government of the aphastra-system, has been destroyed by the crew of the Whale. ... 20 years later

... the crew is forced to stay alive in the corrupt world of the 25th century after spending their money on leisure and fun.

A science fiction, role-playing, strategic trading adventure.

Whales Voyage 2 offers a lot of excitement which surpasses any other same in this style. From the beginning the player gets directly involved into the highly detailed story which evolves into a whole new and exciting way of game-play



The story so far.



Whales Voyage 2 includes an dance of high quality sound effects, music, stunning



Includes three main parts:

-The role-playing game, where a party of four people move through cities or large towns etc, in the whole galaxy.

-Part two is a complex trading simulation where the player is forced to make money to afford the equipment of the Whale and the crew

-Finally the game contains strategic space-battles where the player has to fight against pirate ships and other enemies.



AMIGA cd-rom

ORDER BOTH



08700 110013 Enquiries: 0 1793 514188 Fax: 0 1793 514187 Catalogue Requests: 0906 553 1900

Epic Marketing: BSS House - Area50, Cheney Manor, Swindon, SN2 2PJ, UK

9:30am - 5:30pm

CREDIT CARD ORDERS WELCOME

Subscription Order Form

Please choose your method of payment 1. Direct Debit (UK only) SAVE UP TO 44% ON 12 ISSUES 1.2.3 or 4

estruction to your Bank or Building Society to pay Direct Debits. Originator's Identification Number 9 3 0 7 6 3 Please send this form to address shown

Bank/Building Society Address 2. Name(s) of 3. Branch sort code from the top right-hand corner of you 4 Rank or Building Society 5. Instruction to your Bank or Building Society

Ref No (Office use only).

		DD & CD	DD & CD
UK (Direct Debit)		£24.95	£39.95
UK (Cheque/Credit	Card)	£24.95	£39.95
Europe (including E	ire & N.America)*	£29.95	£49.95
Rest of the World*		£34.95	£56.95
*ARMAIL		Please indicate	CD DD
2. Cheque (payable	to Future Publishing Ltd. Sterli	ng cheques drawn on a UK	account)
3.□ Visa	☐ MasterCard		
✓ Switch	Issue No/Valid date		

12 issues

UK readers: return this coupon to AMIGA FORMAT Magazine. Subscriptions. Future Publishing Ltd. Freepost BS6900, Somerton, Somerset, TA11 68R

Overseas readers: return (postage payable) to AMIGA FORMAT Magazine Subscriptions,

Future Publishing Ltd. Cary Court. Somerton. Somerset. UK. TA11 6TB. Back Issues order here

___as shown on the Back Issues page. (£1 postage in Europe, £2 for the rest of the world per issue).

ORDER HOTLINE 01458 271102

OUOTE ORDER No.AMFP131



Missed AF? Don't miss out completely, order now while stocks last...



Issue 130

We bring you the gospel according to Amiga where all the truths. fabrications and quirky facts about your machine will be revealed.

On the CD AFCD46

Countdown to satisfaction with T-zerØ, PerfectPaint, iBrowse 2 demo, gallery pictures, game previews and more.

ATTACK

in case any problems arise and eradicate viruses with a new killer Save your circuit boards in the screwy game of Fuzzy Logic and fight in the fast and furious WormWars.

On the DD's

Let SnoopDOS watch over your system

BABYSITTER



CD CODE









Issue 125

ISK CODE Issue 127

> Treat yourself to a back issue of Amiga Format. It costs just £7 for a back issue complete with

coverdisks or CD (Burepean orders - add £1 per issue for postage. Rest of the World - add £2 per issue for postage)



12 issues or up to 31% on 6 Issues

Issues sell out fast in the shops so make sure you never miss an issue

Enjoy the benefits of a subscription

world's best Amiga

special offers!

- Every issue delivered to your home. Free delivery in the UK.
- Full price protection for the duration of your subscription.

LINES OPEN 8AM - 8PM, MONDAY - FRIDAY

ORDER NOW ON: +44 01458 271102



orked. It now has the lity to step backwards

in an installation and to play sounds or show nictures (as shown wi u install OS3.5).

he last operating system upgrade the Amiga had was OS3.1, officially released in 1994. Since then, various noises have been made about doing a new version, but have come to naught. AROS have been working on a portable replacement for Workbench that can be



Two years in the making, five years in the waiting, OS3.5 is finally here. We review the release version...

people will want to install. Instead of complaining to the authors of these third-party packages about the fact that their software no longer works with OS3.5, it's only natural that people should assume that

Before we go any further, yes, it is worth your while buying OS3.5. In the same way that Amiga Format (and the Amiga world at large) no longer supports.
Workbench 1.3, there will come a time

AMIGA paste in string gadgets using RAmiga-c a

NEW STUFF!



INSTALLATION TROUBLESHOOTING

Although Haage & Partner have tried to think of everything when it comes to installing OS3.5 on your hard drive you need to bear in mind some things:

Don't just overwrite your existing boot partition if it can be helped. Make another bootable partition onto which you can install OS3 5 and move stuff over to it as you find it works.

Once you have a fresh, clean partition of more than 20MB (not the 10MB it suggests in the documentation). do the OS3.1 install. After this immediately do the CD-ROM driver installation from the OS3.5 Installer, Do

this before the OS3.5 pre-installation or you might have difficulty in reading the CD-ROM drive when the machine reboots. If you already have CD software you prefer or require, because of your hardware, make sure this is installed to the drive you are installing OS3.5 to.



witch to a screenmode that has mo



Once you've installed OS3.1 on your fresh partition you can double-click on the OS3 5 icon. This is what you should see.



Once you've completed the CD-ROM installation you can then do the OS3.5 pre-install. The machine will reboot once you've completed it.

You'll be rebooted into OS3.5 (if you have more than one boot partition on your hard drive, make sure you boot from the one you've installed OS3.5 onto by holding down both mouse buttons as soon as the machine resets).

If the CD-ROM drive installation has gone okay, you should still be able to see the AmigaOS CD. If not, you'll have to resort to copying whatever worked from your Workbench 3.x installation onto your 3.5 partition using the shell.

Once you've got the CD-ROM drive working, do the OS3.5 main installation. This will copy over all the files you should need and update the icons.

On the CD, you'll find the current version of Picasso96 and CyberGraphX 3, along with a tool that will convert all your by now uely MagicWR icons into the new OS3.5 icon format (while leaving the original MWB icons there for use under older versions of the OS) Your Newtons are displayable under OS3.5 by default. The tool you need to use to change the icons is called

AmigaOS3.5:Contribution/Converter-Scripts/Icon-Tools/ConvertMagicWBIcons

Remember you'll have a completely fresh installation of Workbench. Although the time and date shouldn't have changed, don't be surprised at the fact that you have an

American keymap, or that your screenmode only has four colours. Expect to spend a couple of hours getting your OS3.5 setup up to the standard you had before. Things like Rexxmast will need to be started in your User-Startup again, and you'll almost certainly need to re-install MUI.



w with a active, the Shell wind will take that directory as its current directory





AmigaOS 3.5 Manual 3 Welcome

A violate of the Angel Land or the Land or the Michael State of Land or the Company of the Angel Land or the Land of the Land Poblemis des effective de frades a singa par ces cursa coras coras cospecte una de Palemanicalista est Tais propera proble Tarine, fo espeja, curs sus sell'especto de la rada del par de esse Tim cestifica de cursas a de othere Visitables on reality or enlarge and as to sensor advance or in Milestria sur mily uner-frankly set filodols, bet i e des extremely prompte. The Virollouch black file obversage of the integral ability millions, a rice convertiblemelous program formalismostly. By objet skaling on a love, recurse orbital between program of the rice of the rice, at it. More object programs as of the rice of two or the rice, but rice, but they are all owns the formalism ability to the file of the rice of t Using This Manual

This manual correlates associated destructions and reference materials for using that Andigo Windowski, Plant have used an Andigo Select, the the cetter material to became the light with the gastered experience of many Andigo and the Windowski content. One, you wash the Seals, the becames a manural or an admission to AE Time on a desagle inside with the Andigo on Lower to make the region for manufacture. open I. Below You Start

and so on. Not only that, but buying way of keeping the Amiga alive. Future revisions of Workbench depend absolutely on sales of OS3.5, so a poor showing of sales of OS3.5 will mean the end of OS

always been against piracy, but this really is the lowest of the low, and if you can prove without a doubt that someone you know has downloaded (or uploaded) and is using

age. While it might not be very interesting if you already use YAM, it es make use of the w email library provided with OS3.5.

SPOT THE DIFFERENCE When you get OS3.5 installed onto your machine, the first thing you notice is that not much has changed, especially if you were already used to colourful Newtoans the immediately visible in Workbench for a good reason – it was already very nice to use. However, there are plenty of neat little WB that really need further examination. Also present are plenty of things we

Continued overleaf ⇒

PROBLEM PATCHES?

Newlcons should still work under OS3.5, even though you'll no longer need to use the Newlcon patch program or the newicon.library. You can (and probably should) convert your Newlcons to OS3.5-style icons, which will make them faster to display under OS3.5. If you run DOpus or Scalos you'll still need the newicon, library in the libs: directory,

FUEL GAUGE: Make sure you turn off any other fuel gauge patches you have which may interfere with OS3.5's. If you don't like the fuel gauge at all, you can use the WBC commodity included on the OS3.5 distribution CD to turn it off (AmigaOS3.5:Contribution/Commodities/WBC) and turn on other

options. like Fast RAM-only Workbench for graphics card users.

SETPATCH According to Amiga, there are problems with some Amiga 3000 models and 4-way IDE adaptors. In this case you should extend the call of the SetPatch to:

C:SetPatch OUIET SKIPROMUPDATE "scsi.device" If you still have problems to start QS 3.5 please regame the file

"DEVS:AmigaOS ROM update". Thus the replacement modules are omitted altogether. If you're using LoadV43Module or NSDPatch in your startupsequence you should not include them in a new OS3.5 startup-sequence, since Setpatch takes care of all the functionality they

FASTIPREFS: If you are using the program FastIPrefs then you should replace this with IPrefs. The new version of IPrefs that comes with OS3.5 supports new features that OS3.1 does not. It also supports some of the options of FastiPrefs and eliminates some known bugs, like not being able to turn off borders around icons.

NO GLOWICONS AFTER INSTALLATION: If the Glowicons are not displayed after installation this is because of an error of your file system. There is a updated version of SmartFileSystem that fixes this. But with the current version of PFS3 the tool that replaces the icons (Mergelcons) will not find any files to replace. In this case you have to replace them manually or wait for the update. Alternatively, if you are running a low-colour Workbench, say four colours, they won't appear either.

MCP/MCX: Most of the patches in these packages still work, with the obvious exception of ones that patch things that are obviously changed in OS3.5, like the fuel gauges. As always, be careful with the patches and build up from scratch if you encounter a lot of problems.

BIRDIE: Birdie works fine under OS3.5, but seems to stop Workbench from refreshing itself.

KINGCON: KingCON installs fine, but completely replaces all the functionality of the new shell, as you'd expect. MAGICMENU/HAPPYENV/OXYPATCHER: All seem to work fine.

	Workhene	h 56% full, 8	am fre 🖭 🖘
1	7		= /SB Expansion
1	- (3)	- 830	- 3
	Utilities	devs	WBStartup
	Tools	Storage	MUI

PDFs tiles have been made with a tool which means that they can't be read on an

If you don't have the to dictated in an icon's default tool setting. Workbench now asks you if you wish to open the file with another tool.

03 Utilities Storage Tools Expansion

so you can have a standard four-colour image and a colourful "glowicon" in the same

OS3.5 85% full, MM free, 89Mi B Dave

System

Prefe

problems re-installing either once you've installed QS3.5?



provide.



stage there are problems with DOpus and Scalos, but they are cosmetic problems tha are only to be expected. Since the icon.library API has been updated, you can




that allow you to tell Workbench not to use any Chip memory like the

anywhere, but Haage & Partner have bundled it in with the OS, which can't be bad thing. So, what do you get? Well, the items included aren't necessarily

AmigaMail. AmigaMail is the first application to use the new aml.library, which provides services for any email

only dealing with POP3 mail, it would be an



use the keyboard to get windows, selecting icons and executing them.

AMIGA"

dows. You can now

around Workbench

Workbench 3.1. As for re-installing, we

the minimum system requirements now include 4MB Fast RAM, a hard drive and a CD-ROM drive, it pretty much means that you could get your Internet software from

EditPad, presumably put in so you can avoid the

shell. You may use it instead of Ed from now

NEW STUFF!



. 100 \ N 0 < 1 38 4 IconEdit has been completely

and long-overdue addition. Better yet you

Naw Sturi



The Printer prefs have been co

easier matter to update the library to handle

Workbench's libraries will no doubt be a support phone line and email address for OS3.5 will be obvious in a few months time but even now it's well worth upgrading,

Ben Vost



things, like tools to convert icons to the ne

ndard and an exam of WB's ARexx port.

NEW STUTE

Stop your Amiga from becoming

Rescue your Amiga from corruption and crashes with our emergency first-aid course

fter many articles on souping-up your Amiss, we owe you a feature on making it more stable. The theme is avoiding crashes, not optimising performance. As you upgrade, programs or entire systems may stop working. I shall explain why, and what you can do about it.

Some Amigas are very stable, others crash almost as often as Macs and PCs. The difference can be analysed and changed. with good tools and knowledge of the right

CLASSIFICATION

Before you can fix a fault you must understand it. In Datalink, almost 20 years ago. I observed that there are basically two error messages, "Bad Device" and "Probable User Error". Tandy opted for three, "What?", "How?" and "Sorry?" UNIX is generally considered terse for retaining only the last character of those three, the

question mark Little has changed, except these days you're less likely to receive any message. Graphical User Interfaces try to avoid saying anything, resorting to Gurus - notices that something awful has affected one or all the things you're doing - and, at worst.

spontaneous lock-ups and resets Much of my advice deals with software patches and settings, but they're no good if your hardware is liable to spontaneously self-destruct. The key word is spontaneous Hardware problems happen regardless of what programs you're running

- are v

If your machine crashes just a Shell or quiet Workbench, you've got 'hardware problems. The Amiga OS is well-tested. reliable firmware, assuming you or some malignant program haven't messed with the system files. Without a consistently write protected set of system disks, you can only guess. Viruses are rarer than cockups, but

connectors or being pushed too hard

MIII Showhoards identifies all Zorro cards working in your system

If you suspect a hardware fault, create a 'clean' Workbench partition from original floppies and boot from that. If that does not crash when using just the standard system

	Extransitue				own coard		
r. Maruf	acturer	Prode	act		ID's	Size	10
Phase 5 Digital Products		icts Cybe	CyberSCSVB8zzard 1220		\$2,140,8	OC 84K	и
8SC			ace III		\$082C.4		
Individ	ual Computers odore (West Ch	ester) A 40	ha IDE / Catwo	rasel	\$1212,8		-
redeDay.	\$0000 1840 \$00FA0000	StotAddr Stotsize	\$00EA \$0001	10000	Product	\$12	***

es, your problem is likely to be caused

run, this is the section for you. The programs in use shouldn't matter, although if a drive fault is suspected it's worth setting up a big copy operation. Chugging away at

drives also tests the power supply me effectively than silent running. The four classic hardware proble overheating, insufficient power, loose connectors and pushing too hard. It's best to start by checking the first two because they're the most obvious.

BALANCE OF POWER
A standard A1200 power supply
accommodates one extra drive and trapde
memory. Any significant extra load on like
12 volt rail means you'll need a stronger
supply. The A500 one is more generous. y. The A500 one is more generous, sate for a 3.5° hard drive and any 681



drive setup and spin delay j





The main Arniga power cables supply +5 volts for digital logic, and +12V for older drives and interfaces. CDs and larger hard drives usually still need +12V but modern floppies and small hard drives manage on +5 volts alone

If either of these voltages drop by 10 per cent or more, the system is likely to fail. PowerPCs and graphics cards are particularly sensitive to voltage, and may need direct connections to ensure power gets through from a beefed-up supply

You can check the main power rails with a voltmeter at the floppy connector, but the voltage may sag more at crucial places in the circuit, like daughterboards. It's dangerous to poke around with the power on, so don't try this unless you know which pins you need to test and can access them easily

Serial and audio ports use minus 12V as well as the plus 12V supply to derive symmetrical signals. If sound is recognisable but grossly distorted, perhaps with serial port problems, but otherwise a

machine works, check the 7905 regulator in the -12V supply on a big box Amiga, or the middle pin on domestic Amigas - rated at a tenth of an amp - for -12V

Continued overleaf →

AMIGA FORMAT CHRISTMAS 1999 19



→ If your big-box computer crashes at bootup, the initial load might be swamping your power supply. This can even affect tower systems; one work-around is to delay spinning up drives with software or jumpe settings. Big drives can apply a delay based on their SCSI ID, or can be told not to spin up until accessed - this makes initialisation slower but safer.

THERMAL OVERLOAD Overheating should be obvious, but it's

amazing how hot components made for speed can safely get; certainly hotter than you'd like to touch, even momentarily, with bare skin. Chips can run at temperatures un to 100° Celsius, though their lifetime is reduced. I've never heard of an Earthbound computer that runs too cool.

Diagnosing overheating involves two

The most erratic systems have hardware faults, but software causes most instability. The more programs you run, the more bugs

you'll find. It's often more important to know about bugs than to fix them. About half of all

fixes introduce a new problem that you're not told about – and which may be worse, when you get around to comparing it.

components of your software are patible. Run Workbench files made for



Okay suggesting damage - and Last Alert tells you

a system that gets increasingly crash-prone the cause of a the longer you run it. Such problems are crash when you noticeably worse in warm weather. next reboot Ventilation cures overheating, so

consider raising your fanless computer off the carpet, or moving cables or other components to prevent congestion in a big. Amiga. Ensure airflow around the power supply case as well as the computer. You need not drill holes. Sinclair-style, if the ones Commodore provided are unblocked, but might find it prudent to leave desktop system trapdoors open.

symptoms -

apparent heat

somewhere or

In extremes you can run any Amiga without its case. This minimises overheating risks but could be fatal if something conductive drops into a crucial place. This

If the crash was during startup, hold bott mouse buttons through reset and select 'boot with no startup sequence'. Rename hacks and extensions therein. Reintroduce these cautiously, until you find the one causing the problem.

After a software failure alert it is safer to reset your machine rather than continuing because bad code might have corrupted other programs



priority juggling can persuade an otherwise incompatible collection to co-operate.

Extra ECHO and

DEADLOCKS

If you can still move the mouse pointer, but windows are not being updated, a time-critical task is sapping your CPU power. The culprit is probably a device driver waiting for

is de rigeur for Simon and Richard, but a dangerous pose unless you enjoy fiddling with hardware. Nucle computers interfere with AM radio systems nearby, signalling their activity to gurus but annoying others.

PLAYING IT COOL

The standard way to cool a computer is to waft air around with a fan, but if the wind does not pass the thing that's getting hot, the effort is wasted. Whether they blow or suck. Amiga fans fill the power supply with dust - best left alone, in that kilovolt environment - and whistle through the floopy ports.

Fans are noisy and collect dirt. They're essential in big systems but best avoided if you can make convection - the tendency of warm air to rise - create the flow for you. Heatsinks, metal blocks that carry heat away from parts that use power, extend the life of any chip that gets hot to the touch as long as there's airflow around them. The metal case of a big Amiga is an important heatsink in its own right. Drives and boards in cramped places benefit from heatsinks. but they are of marginal benefit compared with airflow

To track and eliminate deadlocks, move mount files from your Devs to Storage drawer, then mount them individually by clicking on the WB3 icons, or issuing W commands on old Amigas, to work out which

interface, drive or cable problem.

WAITVAL SYS: at the beginning of vour startup-sequence prevents a host of revalidate the system partition after a reset. This is likely if a prior crash occurred while it was updating system files.

GURU REPORTS lotorola processors detect nonsensical structions and trigger an 'exception' whic roduces a Guru or 'Software Failure' alert,

and fail because they lack Workbench command or an ICONX script, and these crashes will disappear. '80000008' indicates a coprocessor exception, common

processor has encountered a daft instruction, usually because it's jumped out of the real program or something has overwritten that code. Such corruption is

your Kickstart, rather than a hodge-pod your hussiant, rainer man a norge-probe from other versions. Match libraries; weird problems are likely if you mix RTG components or versions of IXEMUL and IXNET. To check the version of a file, type VERSION <file> FULL, where <file> is

collects major system bug-fixes in one installing just what your system needs. Typ SetPatch in a shell to see the version, and what it fixed

LOCKS AND CRASHES

Unstable Amigas may lock up, ignoring all input, or spontaneously reset. It's not easy to reset an Amiga in software; resets are normally caused by system bugs, so you should suspect hardware, processor libraries and patches. Your hardware might not be in a consistent state after such involuntary resets, so it's wise to pow down and reboot from scratch to ens everything starts from a clean slate

Offset -50-ounknown 11b. Offset -54-execPrivate4 Offset -282-AddTask Offset -280-ReaTask Offset -580-EasyDeguistar Offset





TIGHT SOCKETS

Loose connectors are the commonest cause of intermittent problems, so major A600, A1200 and A4000 parts are soldered directly to the motherboard. rather than socketed as on earlier Amigas It is cheaper to swap parts on an A500 or A3000, and a good way to diagnose blown components, but many faults on old machines may be relieved by cleaning chip legs and sockets with isopropanol, then plugging them back in properly.

The Amiga trapdoor ports and Zorro 3 processor socket carry the most critical signals. These big connectors are less than positive to trim costs, and you're lucky to find a board so well-engineered that it works first time after replacement.

Make sure it's plugged in straight and all the way. Try again if you get a solid coloured screen when you power up, indication a synchronisation problem. caused by a loose connector, total incompatibility or a blown motherboard, in order of probability and preference.

DRIVE CONNECTIONS SCSI faults are rare if all lines are actively terminated at both ends of the chain. Sub standard drives are unreliable unless you disable HDToolbox 'reselection'. If any drive does not appear, check that each unit

on a cable has an unique ID number IDE master and slave combinations are not standardised, requiring specific jumper information for all your drives. Type the

MEMORY PROTECTION

Thomas 'Thor' Richter's brilliant Guardian Angel software uncovers loads of hidden bu in sloppy programs and patches. This is the latest in a host of tools that can detect badlytrograms and data are interchangeable mory. This is a great strength of the 2/Yon Neumann computer architecture but also the root of most bugs. If a program puts data in the wrong place anything could happen later, and it may be hard to connect the perpetrator with the result.

UNIX and latterly Windows and Mac 'virtual memory', swapping programs and data to and from temporary disk space. This arch a system list that has been swappe t during an AmigaOS 'critical region'. If u run out of space, use an application system-wide afterthought, or preferably get more real memory.

ENFORCEMENTS

Number	88888883 (8 digi	t number)
Subsystem General Specific	CPU exception Unknown Addressing error	HE
About		Quit

Software Failure. Press left House button to continue. Guru Meditation #888888825,888888888

The original instability report. for Gurus only

part number into a web search engine to locate drive specifications. Test drives individually if a combination fails. Limit the MaxTransfer size to 0xFE00 unless you know your IDE drive can handle more

The external plugs on the Amiga are liable to mechanical and consequently electrical faults. You can lock up or reset the machine from almost any of them! Serial hardware faults suggest cable or -12V supply problems, or too high a baud rate. If you fail to plug Zorro cards in properly the

intelligent bus Bleelerfreis Lill controller usually CI + I C ++5200 [C 2040 [ignores them completely. Hone (F Even) Odd) Harb) Overheating boards are present from cold but disappear Save | Use |

Reduce band rates handshaking to avoid serial

after a reset. If a machine is really flaky, unplugeverything you can and test a bare system If this crashes, you need a new motherboard, or chip swaps on A3000 or earlier systems. Replace the add-ons. checking as you go. This is tedious as you have to power down between each change and the next.

PUSHING TOO HARD This tools could refer to determinedly inserting 23-way plugs in 25-way sockets. or IDC connectors upside down, but I'm more concerned about a live fast, die young' mentality. If you run everything in your system at its limit, you court trouble



me of 0009c790; alicc, length 0000000e c> released length 00000008 0095790; bear Length 00958300 (")() Name: AMOS

dress, so they end up fiddling around memory. Enforcers block writes to the sitive area, and return a relatively safe

This fashion-victim status is the enemy of stability antly described as 'living on the (b)leeding edge. The Amiga architecture is so open-ended that it's important to compare risks and benefits, unless you enjoy farming for its own sake.

If you overclock your processor, pile on gadgets regardless of power limits, use the top scan and baud rates, squeeze extra tracks and sectors out of your drives, run cables as far as possible in tight spaces. and insist on testing 'Beta' software, you will have problems. You may enjoy fixing them, and the benefit might outweigh the

cost, but your system's stability will suffer Every time you try something new, you run the risk of losing something you already have. Most stable computers are set up and left alone, with nothing more than backups and a little file housekeeping to disturb the applications. I dedicate one machine for tests and another to serious

Whenever you add or remove a card. utility or DOSdriver, keep a mental note of what you've done. That knowledge will enable you to restore a stable system after a failure, when millions of other tweaks will make no significant difference

Nothing lasts forever, Mechanical components like mice, keyboards and disk drives deteriorate steadily over the years, but most survive until something traumatic happens to them. As soon as they become flakey, set another - it will only set worse. and could stop working completely at any time. There's scant difference between 0 and 100 per cent in digital systems, and anything that moves or gets hot eventually succumbs to mechanical failure

themselves falling off the end of nullterminated lists

NIPPON RAW FISH Low-level debugging tools, from Kickstarf's built-in WACK upwards, send results directly sense if a bug has clobbered the whole system, but if you don't happen to have a 9600 baud serial terminal kicking around Sushi, by Commodore's Carolyn Scheppner Sashimi is the latest flavour, well worth

mory management tools on our CD work nout hardware assistance: Munawall is the classic of this genre, and works best in conjunction with an enforcer

IMUNGWALL Mungwall puts characteristic hexadecimal

patterns in places programs should not touch: values like \$C0DEDBAD at zero,

Continued overleaf →

STABILITY

SABADCAFE in unused space SDEADFOOD in space res uninitialised, and SDEADBEEF in memory that has been deallocated. Watch out for these giveaways in Enforcer reports.

Mungwall also allocates and marke extra space at each end of an

allocation, so it can detect programmers narrowly miss the intended space. If you find such problems, save the

Alert Teek: \$08101A88 Alert Name: ACRU DivZero ne. Alert: Divide by were Sport Free: Herebarro/COL

rision by zero is

рру

Alert Number: | \$80000005 the programmers. Distrust such applications, especially if they write values willy-nilly. About | Last elect | Quit

Tools like MemWatch and MemMeter hlight programs that 'creep', allocating mory that they never release. This is another common Amiga programming error, for want of the

h' to ac

creen eventually causes crashes STACK CHECKS

Every AmigaOS task has a 'stack' memory area, reserved for temporary results. If a

ne amount of stack space a task gets ds on how it is started. Workbench icon info includes a 'stack' parameter. Every task needs space for its registers while

are usually me to be data, or

corrupted code

Sperating System and Libraries 9 1905-1907 Amigs International In-

(V42.5) has already been installed. Patch list MCAD Support Code Leaded DOS Desport Code Leaded Dos Det Advanced Graphics Modes WIRST Computer (better Page Lock or (befree N. Hell made Code (befree N. Hell made Code (befree N. Hell made Code (before) (bed)

few kilobytes of

demand more, to cope with recursion and variable allocation inside their blocks.

We've collected and manage stacks on AFCD47. Tools can dynamically report the amount of stack space a task is using, making it obvious when an

overflow has occurred and a crash is impending. You can add stack space to a running program but it's safer to quit and start again with more.

Program failed (error #888888885) Hait for disk activity to finish

Reboot 1 ing with Kickstart 2, the option to suspend tasks that would

KNOWN PROBLEM PROCRAMS

Risking howls of protest, this box categorises programs known to cause stability problems. I'm not saving you should not use these - the list includes some irreplaceable. even unavoidable programs - but you should be wary about them.

MCP, hacks and patches

Aminet and compilations like MCP abound with patches that modify system routines to fix bues or add functions. This reconfigurability is both a strength and weakness of the Amiga. Some are innocuous, others dangerous, and layered patches often yield unexpected and unwanted results

Hacks may introduce new burs, for instance the original WritePixel8 chunky graphics routine is slow and corrupts its input; patches are faster but go awry if two programs try to use them at once! Angela Schmidt's Kiskometer monitors system patches, warning of programs that compete, patching the same function for different purposes.

IXemul and UNIX ports

UNIX programs may be quickly converted by linking them with IXemul, a UNIX emulation library, But UNIX systems expand task stacks automatically, whereas AmigaOS requires you to set a safe maximum. SnoopDOS detects programs that call IXemul and StackWatch indicates whether they're staying within safe bounds.

Magic User Interface

MUI makes heavy demands on graphics memory, and can crash Amigas when that runs out. To avoid this, limit screen sizes and colour depth, share screens between applications or buy a graphics card. MUI's mass of options and plug-ins makes testing particularly difficult. Be wary about 'updating' MUI custom classes and configuration tweaks. You might find a ClassAct or GadTools program that does the same job more safely and economically, if less prettily.

Naive BASICs

BASIC is a great program language for beginners, but inspires dangerously naive coding, among compiler and interpreter writers as well as users. AMOS and Blitz BASIC run-time systems have bugs which risk crashes, especially on expanded systems. Not all programs are affected, but it's wise to run an enforcer to detect those that are.

The Crunch

Floopy disks made it fashionable to compress programs to reduce the size of the executable file: PowerPacker and Imploder were useful ways to source a quart into pint pot. However these blur the vital distinction between data and program, and were often written without proper regard for CPU caches.

If a program pauses and sometimes crashes when started, it may be badly packed. Try invoking it with your processor cache disabled, using the CPU NOCACHE shell command. You should be able to restore full speed with CPU CACHE, after unpacking. Run the file through a late version of Implader or PowerPacker, extract the original and re-pack it safely. For optimal stability, avoid packers; they introduce avoidable risks and fragment memory.

Kickstart ROM

There are few serious bugs in Kickstart, but screen-swaps between modes at different scan rates can cause lockups. Kickstart 3.1 is a lot safer than earlier versions, but still not perfect, so be cautious when mixing modes. The general problem with AmigaOS is that it is lean and mean. It doesn't waste much time checking its parameters, so if programs pass it nonsense, weird things result. Richard Körber's PatchWork guards against these errors.

68060s and PPCs

Commodore never tested AmigaOS on any processor after the 68040, so you're exploring relatively uncharted territory with later chips. The latest fixes are on the CD. PowerUp, WarpUp, OXYpatcher and 68060 library try to make these fully compatible, but all bring problems as well as cures. PPC programs often interact badly - if you try to use more than one PPC application at a time, you're living dangerously.

FixGetMsg stops 68060s toggling interrupts faster than they can get a message through to the system. NoBypass is an AF-exclusive cure for a race condition when the 68060 tries to run two instructions simultaneously. It's far less costly than disabling Superscalar execution, the previous 'fix' for this problem.

Programs like CentreQuest, NewEdit and Amiga E tasks relocate their stacks without telling the system what they've done, so snoopers show a fixed, negative space. The StackSnoop drawer includes Thor's fix for a bug in the AmigaOS console device

To discourage stack overflows, add the

often wasted, but preferal Simon Goodwin

S:Shell-startup file. This allocates 60K more

stack space for every command - that's often wasted, but preferable to a crash if

If you've got a PC as well, WE'VE GOT IT COVERED!



The world's best-selling PC leisure magazine.



PC games magazine.



The essential guide for anyone who wants to make the most of their PC.



Everything you and your family need to know about your PC.



The authority in personal computing.



30 Monmouth St, Bath BA1 2BW Telephone 01225 442244 Fax 01225 446019 WWW: http://www.futurenet.co.uk

Portable There's no Amiga laptop, there's no Amiga palmtop, but there are alternatives, as we discover...

Ithough we don't have our own laptop, leaving aside Simon Archer's valiant attempt at making an A600 portable, there are a number of non-Amiga products that can be used in conjunction with your Amiga to give you

computing power on the road. Obviously, you could rush out and gear yourself up with a ninja PC or Mac laptop, but it doesn't really suit the Amiga personality too well, being big, bulky and demanding on power

expensive). A better

bet for most Amiga users would be to try one of the PDAs that can be used with your Amiga. You don't really want to get bogged down with trying to move around Windows or the Mac OS, when you're really an Amiga

they will fit inside a jacket pocket and you can add software to them

owner, so these little machines are ideal because the applications and operating systems are simple to use and fairly transparent (mainly because they are intended for complete computing novices). Although the Psions are more technical

machines, even having a programming language available, they are still easy to use. The other factor that makes them

attractive as an adjunct for your Amiga is their portability. Even the largest, heaviest machine - the 5mx - is small enough to fit in an inside jacket pocket, and weighs little more than a copy of the Rough Guide to ooh, let's say, Japan. The smallest - the Palm IIIx - is teeny enough to fit in your jeans pocket, which makes it eminently portable in my book, and is rugged enough to sit in there with no trouble.

One of the main benefits of these PDAs over older, static PDAs is the fact that you can add software to them. Third party software installation on the Psion isn't as easy as for the Palm; although you'll often get archives that have. SIS files in them.

WRITING TEST

To test how fast you could write on the three palmtops, I decided to copy out the first paragraph of text in this feature on each of them. To be fair, I did start with the Palm IIIx. followed by the Psion 3mx then the 5mx, which could account for the speeding up of the times as I got more familiar with the text. As a control, I looked at how long it took me to write out in Turbotext on my Amiga as well, which was a little over four minutes. The two Psion's are intended for use on a flat surface as well as in the hand (and are better at it, as the test figures prove), so I did the test twice for them, once cradling the machine in both hands and mainly using my thumbs to write, the other on my desk using as many fingers as I could fit on the keyboards.



AMIGA SOFTWARE

I've concentrated on the Palm Pilot and the Psion machines because you can get software for your Amiga for them. The software for the Psions is called AmigaNCP and is a filesystem to allow you to mount your Psion on your Amiga's Workbench. When in action you see nothing more dramatic than a new drive icon on your screen which you can double-click on to get access to the drive (and ROM) of the Psion. Moving files to and fro is easy and the software allows for third party serial cards as well

Torchia, it replicates the built-in applications and allows you to synchronise files between your desktop machine and the PDA. This means that you can update the address book on your Amiga and when you next "hotsync" the Palm, it will check to see where the latest version of the address book files are and either copy them to the Palm, or from it. Doing this synchronisation

as your Amiea's built-in serial port. Spitfire for the Palm is a lot more involved. Written by Ralph





provides an excellent solution.



also means that you always have a reasonably current backup of what's on yo Palm, so you don't have to worry about losing all battery power and your data. At the moment, Soitfire is only at v0.23, and can be somewhat unstable, but

installed, often a fraught process. Likewise downloading software for the Psion isn't as friendly as for the Palm - although there are websites that offer a graphical view of

the software along with something of a description, it's nothing like the quality of the websites you can find Palm software on. Continued overleaf ⇒

bundles of files that need to be band-

(these are Psion installation files, you

on them on the Psion), some are just

simply copy them across and double click

he 3mx is the only one of the three PDAs I tried that doesn't have a stylus, or indeed a touch-sensitive screen. This makes things a little more awkward if you wish to select a bit of text, or jump to the third application rather than the second, but is par for the course for this palmtop which is the least satisfactory of the bunch. It has the same high-class applications as the Psion 5mx, albeit cut down somewhat and can also record speech, but with only 2MB onboard (although more can be added to all these

machines), there isn't a lot of space for many more third party programs, or for datafiles. While I never felt in danger of exceeding the storage space on the Palm, I

got a couple of warnings while trying to install software on the Psion. The flexibility of being able to add more RAM is nice, but hardly makes up for it in what is already an expensive bit of kit. The version of EPOS for the 3 isn't as good as that for the 5 either, meaning that you get the additional trouble of having to deal with the OS. Both the Psion 5 and 3 have their own proprietary format for files, which makes them more awkward than the Pilot for transferring data to and from your Amiga.



Installing software on the Palm is simplicity itself since the Amiga software Soitfire takes care of it while you are

with real applications which make it an invaluable, if bulky, tool for someone who's on the road a lot hotsyncing the PDA and your Amiga. Also, since the Palm series are all pretty much compatible with each other, you don't have the conflicts that can arise with the Psion series which will sometimes run differing and incompatible versions of EPOC on different medis.

Overall the three machines offer different functionality. The Palm is the most portable, although it probably has the weakest suite of software built-in of the three. However, it has a wider range of third-party utilities and games that are extremely easy to download and iristall. The Polion 5mx is a real computer with real applications, which might just tip it over the end in terms of what's acceptable as a portable replacement for your Amiga. Having said that, its functionality means that it will be an invaluable if builts vool for

PSION

he biggest machine of the three is more of a computer, test of a POA. It's test of a POA. It's can be a POA. It's computer, test of a POA. It's want to use all the bades and took but a bit inconvenient if you just need a screwdriver or a bottle opened. Rather than being called a POA, or palmot, the Poin of Smx of the POA. POA. It's the point of the POA. POA. It's the point of the POA. POA. It's the point of the POA. POA. POA. It's took are also far more developed than on the other machines, with the

note pad actually a word processor able to change typefaces, for size and styles and differing justification and enhodded objects along with a spelling checker and thesaurus (and thairs just the word processor). It also comes with a pretty impressive spreadsheet, flut-file database, contact book and agenda. It has 16HB of Hold built-in which allows you to use it as a voice note machine (simply speak into one end of the Psion), but you wouldn't wont to fance doubled") record a speech with it.

In use the Smx is nice enough and comes with a solic rewardriver-like stylus, but the keyboard is insubstantial and hard to use, although it's much faster to type on than the 3mx's. The voice note feature is a nice touch and the 16MB RAM is enough to allow it to be useful.



it's not so technically competent as the 5mx, its integration into the Amiga environment is seamless and the fact that

not so technically competent as the 5mx, but its integration into the Amiga environment is seamless

Soitfire offers converters to export the data from any of the applications built into the Palm as plain ASCII text means that it's more easily integrated into other Amiga applications. The quality of the included software isn't as good as the Psions, but the sheer quantity of third-party stuff makes up for that

Ren Vost

0





Zorro 4 - £119.95 alon - or just £199.95 including an EZTower-Z4



MK 4 FZ-Tower here with Amiga & PC **EZPC-Tower System**



BMONISMON SYGA monitor switcher for AGA & GFx card inputs



EYETECH

Evetech Group Ltd The Old Bank, 12 West Green, Stokesley, North Yorkshire. TS9 5BB, UK Tel: 07000-4-AMIGA 07000-426-442 +44 (0)1642-713-185

Fax: +44(0)1642-713-634 email: sales@eyetech.co.uk www.eyetech.co.uk



Welcome to our new look Product Guide. As we carry over 500 Amiga lines in stock at any one time it is impossible to list everything here. If you would like to receive a comprehensive product & price listing of Amiga products and accessories, including our latest specials, please send a large stamped addressed envelope, or visit our website at www.evetech.co.uk/AINDEX

GRAPHIC CARD SWITCHING AT A KEYSTROKEL A brand new \$4000 keyboard adapter (to fit the \$1700 or \$4000) allows you

to use a single keystroke to toggle your monitor between the Amiga's AA chiaset output (via a scandoubler/flickerfixer) and your graphics card output (or BVision) using a single keystroke. The adapter works in conjunction with either the MKI or MK2 BMON/SMON

range of video switches from Evetech, replacing the existing manual topple switch connection

By default the blank key (which is next to 'return' on international keyboards) is used to toggle the display, but a jumper option allows the F10 key to be used instead. The adapter fully supports all multiple press key strokes and has a microprocessor-controlled reset circuit for proper detection/execution of the 'ctrl-Amiga-Amiga' keystroke combination. The E7Key SF A/B is priced at just £29.95, or £59.95 complete with A4000 keyboard (international model).

Amiga Product Guide INTERFACES AND ADAPTERS: EZ-KEY, DIV TOWER COMPONENTS ADDT CTV Mk 7 Amiga/PC k/h adot -> \$1700 khd direct connect ADDT CTVD WEG Nk7 Amiga/PC k/h->41700 dir connect +Win95 khd

ADPT-FISE-A EZKey-SE Amiga Sp DIN k/b adapter for A1200/A600 ADPLETS A/K Fixer-SF Amira + An. > So adors + \$40000 kbd hundle ADPLETASE.P EIKey-SE PC So DIN k/b adapter for A1200/A600 ADPT-EIKSE-P/K EIKey-SE PC k/b adapter for A1200/A400 + Win95 kbd 2.5"/44way->3.5"/40w+4w adpt & 2.5->3.5 mg bracket ADPT.HD.2/3 3.5" Zin/SvQuest/F00/HD brkt/pl ->5" bay ADPT.WD.375

ADPT-KBD-SP6P Amira/PC k/b adapter Sp din-F -> 6p m/6-M ADPT-KBD-6PSP Amiga/PC kbd adapter 6p mindin-f -> Spd-M INTERFACES AND ADAPTERS: ALZOD ETHERNET, SCSI ADPT-PCM-ETH-C PCMCIA ethernet card inc. motherboard (C_RESET fix

ADPT-PCH-ETH-H Hydra PCMCIA ethernet card with Amiga drives inc. fix CARLIPTAKED freezed naisted nais/\$145 for Gras Aftern CARLETH.3M Ethernet Coax + 2 x terminator 3 metres

ADPT-SCS_CSOR Classic Sourcel PCMCIA SCSI i/I SONEM INTERFACESA ADAPTERS: FLICKERFLYERS, GENLOCKS, WIDEO, DIGITISERS

VGA ADAPTERS, MONITOR SWITCHES, MONITOR LEADS ADPT-VGA-8MON/F SVGA Monitor Switcher-Ellipses/CVision & EZNGA INFF2 ADPT-VGs-8MON/V SVGA Muniter Switcher-Billision/CVvion & ISsRD In/Ex SD/FF ADPT-VGA-8MON/A M/Sync Manitar Switcher - BVision/Clinian & 73n RGB sacket ADPT-VGA-SMON/F SVGA Hon Switch - Aces/Picasso ISpHD Gis & EZVGA INFF2 ADPT-VGA-SMON/V SVGA Mon Switch - Aten/Pic'o ISpHD & ISpHD In/Ex SD/FF ADPT-VGA-SMON/A M/Sync MonSwitch - Atro/Pic's 15pRD & 23p RGB socket

ADPT-VGA-AMON Auto Amiga/CV64-3D m/sync monitor switch ADPT-NGA_M25D EZ-VGA-Mk2 compact external s/doubler PLL u/gradable E2-VGA-Plus compact external SD+FF 23F-15F PLL ADPT. NGA. SDIEG ADPT-VGA-M25D to PLFF upgrade ADST. NCA. INCO. EZ-VGA internal A1200 s/doubler non-upgradable

ADST. NCA. INCO. EZ-VGA internal A1200 s/doubler for use with BMON ADPT-WGA-INFF2 E2-VGA internal A1200 SD+FF BMON compatible ADDITION OF THE EZ-VGA-SE scandoubler+flickerfiner 23F-15F Xtal ADDITION LEWISON VGA 15aHD-M -> 23eD-M Amina RGR adapter ADOT WEATHER Amiga 23pD-F -> 15pHD-F WGA adapter

ADPT-VGA-BUE Amiga 23eD-F -> ISoND-F buffered advancer for \$4000 INTERFACES AND ADAPTERS: A1200 SOUND CARDS & SOFTWARE INT.410.P112.0T Prohode 1700 for \$1700 DT console nelso NT.410.P117.TW

Prelude1200 for Tower w/ribbon cble/audio 1/0 brkz, CD i/f INT.AUD.PL73 Prelude Zorroll 16-bit full duplex sound card ACW.CHP.CO Samplitude Opus 16 channel, virtual projects, FFT filtering ASW-SMP-LE nolitude-LE 4 channel, virtual proje es. FFT filtering INTERFACES & ADAPTERS - IDE/ATAPI & SOFTWARE

INT. LYLETCIM Mk4 4-dev but IDE i/I w/AIPU w/AI200 CDROM s/w INT. I N. CYCDAY Mk4 4-dev buf IDE i/I w/3e40, 2e44 13cm cabs CD s/w Mk4 4-dev bul IDE i/I w/3x40, 2x44 cabs, EZIDE INT-121-E2CDSE Economy 4-dev had IDF i/f w/\$1700 CDROM s/w Econ 4-dev buf IDE i/f w/3x40, 2x44 13cm cabs, CD s/w INT-121-EXCESS/C

INT-121-520055705 Econ 4-dev buf IDE i/f w/3x40, 2x44cabs, EZIDE INT-4KI-CD4 4-device FIDE i/V for A4000 w/CDROM c/w DVR-F7IDE EIDE/ATAP1 HD/CDROM/ZIP/LS120/SyQst drvs

DVR.EZIDE.CII P/x upgrade to EZIDE from competitive product 14 00 DV9.ETIDE.CD EIDE/ATAPI enhancer/CDROM Software Bundle Price 9.95 INTERFACES & ADAPTERS-SERIAL PARALLEL FLOPPY, CLOCK PORT EXPANDERS INT-SER-PTIR Portlunier Mk2 - 460KB hi-speed serial i/l for A1200 19.65 Portjun Mk2 purchased with CamControl s/w or KBPlus 20.88

INT. I 21. PTIR. SP INTARRIAGIA IORSix 135 . I SMbos serial ill for \$1700 1085ix 12P - EPP par, port supports Mustek scanners INT. SER. PTPI PortPlus Mk2-2x 46088 ser + 1x80008 par i/f INT-1081-22 IOBix ZZ - 4x1.5Mbps ser + 1x EPP par port Zorroll INT 1001 7709 Ix EPP par port espan for INT-IOBL-22 (to 4xx+2xP) 10 00 INT-CLX-EXP ClockUp 4-way clock port expander for A1200 19.95 INT COD DGS Interface for sod Sony FDD for DFO 880KB 0.45 CARLES & CARLE ADAPTERS: SERIAL MODEM SCSL PRINTER DB35-M -> DB25-F RS232 extn cab 2m for modem 740 6.95

DB25-M -> DB25-F RS232 extn cab 0.5m for modern CAR.SER.EYSOC Mult modem cable w/ D9F & D2SF at each end 2m CAR.SER.MILION 0.00 CAR. SER. MILLEM Null modem cable w/ D9F & D2SF at each end Sm 14.00 CAR CCR WILLIAM Mult madem cable of DEC 8 DOCC as each and 10m 10.00 28.95 ADPLICUSD/SECE Contranics SDn-F to Contranics SDn-F (for Squirrel) 14.00 38.95 m. M.02tes) or M.2CR0 sides 1232 302/02C.232-843 9.95 CAB-SCS-25D/25D SCSI cable DB25M to DB25M mac type Im 9.95 48.95 CAR-CCS-SDC/SDC SCSI cable CentrSDM to CentrSDM In-0.05 24 95 CAB-SCS-SBH/SDC SCSI-2 cable S0h/aDM to CentrS0M Im for PPC 10 00 24.00 CAB-SCS-SQH/2SD SCSI-2 cable SQh/aDM to 250-M Im for PPC 10.00 11 00 CAR DER CITE Bidirectional printer cable all pins connected 0.00 5.95 CABLES & CABLE ADAPTERS: VGA. KEYBOARD, SWITCHBOXES 101

7.95

9 95

0.01

12.05

12.95

9.01

9 95

14 99

5.00

0.00

5.00

0.00

9.99

9.99

19.99

9 99

14 66

19.99

4.99

6.95

4.95

4.95

0.00

89.95

179.95

59.95

99,95

0.00

40 00

74.95

84.95

14.95

6.00

34.95

CABLES SCART CABLES (SEE ALSO BMON, SMON VGA SWITCHERS ABOVE) 5.95 Sp DIN M - Sp DIN F k/b ex cable 1.2m CARLERO, ME CARLYCALNE 15p DM-HD - 15p DF-HD VGA ext cable 2m CAB-VGA-MM ISo DM-HD - ISo DM-HD VGA cable 2m 79.05 Amira como video (RCA) + 2xAudio so SCERT ADDT. SCAD. CMD 179.95 ADDT SCAP DCD Amiga 23a+2xRCA to RGB TV SCART + audio CABLES: HD. CDROM. FLOPPY, CLOCK PORT DATA, A1200 HD POWER 6.95 CAB-PD-40F44F 2.5" (44F) to 3.5" (40F) data cab adapt for A1200 30cm 9.05 CAR.PD.28 Power salister floory drive to hard drive + floory CAR.PD. SOC 44 to 40way 3.5" HD data & pwr cabs - A1200

CA822-2W-10C 22way-F x2 A1200 clock port cable 10cm o/a 39.95 CAR34.3W.50C 34way-F x2 F00 ribbon cable for tower 50cm 44.95 CARAS 2W-26C 40 way IDE cable 2 connector 20cm CARAD DW IM 40Way IDE/HD/CD cable 3 connector Im o/a len C4840-3W-60C 40w-f x3 HD/CD/IDF cable 20+40=60cm n/a 49 91 C4840.000 AI 200 IDE skt adptr 40F-40M with migs ISon CAB40-CUST Custom cable 3x40way IDE up to 1.5m C4844.7W.13C 44war (2.5" HD) cable 2 corrector. 13cm n/a CARAGESWENCE 44way (2.5" HO) 7+17cm,3 connector,24cm e/a CABSO-CUST Custom cable 50way SCSI 60cm w/4 x Cent or IDC con'trs CABLES: HD. CDROM, FLOPPY POWER SPLITTERS-TOWER SYSTEMS

CARPW-IW-IF Power converter cab HD-M -> FD-F CABPW-2W-IHIF HD/FD power splitter HD-M-> IxHD-F/IxFD-F C0 0C FDD power splitter 4pH->2xFD-F CLEPW. YW. 25 HD/CD power splitter 4p-M -> 2x 4a-F 15cm CLEPW.7W.7H 14.95 ISDN TERM ADAPTERS, 56K MODEMS & NET ACCESS BUNDLES METLICA One time setup/support/unlimited usage/no ongoing net 12.45 16.95 access charge (8845 call charges only) with 25MB web

space, 10 email addresses, free with any modern NET-EYE-1 128Kbps ISDN T/A + NET-ISP as above NETLEYE.3 178K ISBN T/A Netroppert + NFTLISP 129.95 56Nb fax/voice modem + NET-ISP as above 149.95 MET.EYE.S 189 95 MET.FYF.T 56Kb fax/vaice mdm, Netconnect + NET-ISP 149.95 MET.REE Internet Reference Book by D. Winder, free with above MET.MC Nacconnect reference CDROM SYSTEMS INCLUDING EZ-TOWER & MT/DT BUNDLES

CDPlus-SE system 32 speed with CDROM s/w 48.95 CD-DT/MT-24X CDPlus Desktop/Minitower 24 x with CDROM s/w 18.95 CD-DT/MT-32X CDPlus Desktop/Ministever 32 x with CDROM s/w 104.95 ADDITATION OF STREET CDPlus-SE A1200/CD audio mixr/adapter CA844-CD-13C 44way (2.5" HD) cable purch with CD/HD (3cm 12.95 (024.0125 Bare 24 speed CDROM mechanism for two/A4k 24 95 Bare 12 speed ATAPI CDROM mechanism for twe/A4k

CDPlus-SE system 24 speed with CDROM s/w

NEW! Turboprint v.7.05. - £38.95; CHRISTMAS Dimage V Digital Camera - £259.95: Elbox 32-bit IDE Flyer - £49.95; Scandoubler/Flickerfixer & 240w speakers SPECIALS ... with FREE Colour Monitor - £124.90; EZ-Gen Genlock - £49.95; 7-slot Z4

40.00

28.95 CD-SE-24X

38.95 CD-SE-32X

UK Bank/BS cheques, Visa*, Mastercard*, Switch, Delta, Connect, Solo, Electron. Postal/Money orders accepted. (* 3% clearance charge applies to all credit card orders). Due to space limitations some of the specs given are indicative only - please ring/write for further details. Please check prices, specification and availability before ordering. If ordering by post, please provide a daytime telephone number. Goods are not supplied on a trial basis. A1200 items are tested with

COWRITER/REWRITER SYSTEMS INC. F7-TOWER & MT/DT RIINDLES FAN-LP CPU cooling fan for towered A1200 accelerators 12v . .. CDRW-BARE-2216 EZReWriter Mechanism (no MakeCD) FEO 19 URPlus Infrared leveloard (PC output) 20.00 120 00 CDRW-IN-2216 EZReWriter 2x2x16 w/MakeCD for A4k.lwr FED 19/A KBPlus Infrared keyboard with EZKey SE/P Interface 59.95 F7RaWritar, G. autaenal TvTv14 w/Hobal VED 11386 Renjacement \$1700 b/h w/ribben cable 24.95 CDRW-PL-2216 EZReWriter-Gold external 2x2x16 w/MakeCD FED 14556 A4000 keyboard with 5-pin DIN plus 24.95 hose available with faster 4.2.8 mechanism for 620 extra KED.WINSS Windows 95 keyboard with 5-oin AT DIN plus 12.00 COR-COSE-UG EZCD-SE+40+44way cabs + CDROMs/w w/CDR 20.00 MOLWE Amiga Mouse 4.00 CON-COMA-IIG PRT. RAW, FILL EZCDMk4+40+44way cabs + FZIDF s/w w/FDR Fuitzu portable thermal printer w/ribbon & PSU 29.95 PRT-B&W-FUI-RIB Replacement thermal transfer ribbon for PRT-B&W-FUI CDB. DSV. 10 Recordable CD media (WORM) 650MR v10 19 91 4 00 PRT-B&W-FUI-BAT NICD rechargeable battery for PRT-B&W-FUI CDRW-DSK Single (Orewritable disk &SOMR 14.95 DVR-MCD-TAO-P MakeCD TAO (P) Amiga CD rec s/w w/ATAPI PRT-B&W-FUL-PPR 100ft x 8.5" Thermal paper for PRT-B&W-FUL 4.00 0011 100 100w PSU for Amiga (fit your old lead w/instrns,connect); 79.95 ETTOWERTA SYSTEMS 74 RUSROARD EXPANSIONS . 7 CARD SLOTS DCII 386 200w PSI for Amiga (fit your old lead winester cannect's) 39.05 CASE BYTA DE 9011 228 RTU EZfower-24 230W PSU, EZKey, FD cab/fo 99.95 200/250w replacement PSU for MT/DT/FT CASE-RT24-PL24 RTU ETTwr-24 230W, PC kbd adot, FD cab/fo, 24 slots PSIL41200 A1200 23W PSU (original) 90 days warranty 19 9 100 00 ADPT.74 24 adapter for A1200 SuZ2, 2x24, 2xclock ports SPK-ADWLINT 149 00 5.25" Bay Internal mounting 60W PMPO speakers/amp CRW SARRA 240W PMPO speakers w/ PSU 3.5mm iack, AC mains PSU 24.95 24 adapter as above - until 30/11 CASE-FT-MARING EZ-Tower upgrade from PC to A4000 k/b (time of nurch) SPK-ADDIA ADDW PMPD Af (major roles w/ robustaler 20.66 EZTOWER SYSTEMS, MINITOWER/DESKTOP CASES & ACCESSORIES ACCELERATORS: POWERPC G4 ACCELERATORS CASS.FT.ATII.P135 Reade-built EZIwr w/250W FZRev. FD cab Blizzard G4 & Cybervision NG - lowest prices - advance orders are being taken now! CASS MT ... Minifower case with 200W+ only for HD/CDROM 19.99 ADPT-PWFD-PPC 2nd A1200 m/bd powerfeed for PPC acc : PSU to PPC fan 14.00 CHES ST MARING EZ-Tower upgrade from PC to A4000 k/b (time of purch) 70.00 ACCELERATORS: APOLLO 680XX CHEE ST ENNT Apollo '060 HMU 75HHz A1200 acc (lim avail) F7-Tower conversion kit . No Pf Tower ADPT-AUD-F7TW EZTwr audio mixer/adapter for A1200/CDROM ACC DAD A Apollo 'DAD MMIL/FPII AAMH; A1200 arr (lim avail) 349.65 14.95 ADPT-SCS1-EZTW EZTwr SCS1 adot 30cm ZxCentSQE, IxiDCSQF ACC-040-50 Apollo '060 MMU/FPU 50MHz Al 200 acc (lim avail) 764 95 14.00 9eDM->9eD6 SurfSquirrel EZTer serial extn cable 50cm CAR.SER.SSC ACC-040-40 Apollo '040 HMU/FPU 40MHz Al 200 accel 184 95 SVG4 MONITORS, RECILIRE SD AND/OR FE TO LISE ALL AMIGA MODES ACC-040-40-SE Applie 1840 HMIL/FPII 48MHr A1700 accel (76% ofc) 164 95 MOV. 15. 78 15" die SVGA 0.280P 1024x768@60Hr 119.95 400,040,78 Apollo '040 MMU/FPU 28MHz Al 200 accel MON-17-27 17" dir SVGA 0.2709 1280x1024@60Hr ACC-030-40-15 Apollo 1030 HMU/FPU 40MHz Al 200 accel | simm skt 199.95 CO 61 17" SVGA 160MHz,0.25DP,1600x1280@75Hz Diamondoron Anolio 1010 MMU/FPU 40MHz 2 simm skt MON. 17, 35 399.05 400,030,40,20 107.4740.5587 Apollo 1230/40/60 2nd simm socket & fitt 20.00 DIGITAL CAMERAS AND AMIGA DIGITAL CAMERA SOFTWARE MEMORY: SIMMS, ZIP RAM, FPU'S-PLEASE RING FOR LATEST PRICES Minolta Dimare-V digicam w/assa case 2MR card CamCtrol HEH.33HD.73D 72 pin 32MB 32 hir simm 60ms for Amira (+610 for 1-sided) CAH-MIN-DHV-SH2 2HB Smartmedia card for Minolta Dimage-V digital camera 14.95 MEM. 14MD 730 72 pin 16MB 37 bit simm 60ns for Amira CAM-MIN-DMV-B40 40 x AA alkaline cells for Minolta Dimage-V digital camera 72 pin 8MB 32 bit simm 60ns for Amiga CamControl s/w for Casio, Fuji, Kodak, Minolta, Olympus 20 00 in 4MR 37 his sim 9 91 APPLICATION SOFTWARE & DRIVERS WB DISKS, KICKSTART ROMS, MANUALS, ETC. CYC.WR30.DG Amiga WB3.0 disksa5 + Eyetech HD install ACW.IFE4 ImageFX v4 CAC'MEST'DO Amina Warkharch 3.1 disks of (w/ HD inst) 14.95 ASW, IFEA, PRO Powerstation PPC modules for IFX4 CAC'RCS I "BOW A1200 Kickstart 3.1 ROM chips (2 chips) ASW-IFX4-UG2/4 ImageFX 4 upgrade from IFX v2x A1200 K/s 3.1 ROMs & WB3.1 dskx6 (no manuals) ASW-IFX4-UG3/4 ImageFX 4 upgrade from IFX v3s CAC'MBSC'UP Amiga Workbench 3.5 O/S with free internet connect 24.05 ASW-WE Fire 68k/PF 3.180%s,W83.1,appln_s/w, manuals ASW-HH400 Scala MM400 on CD EZPC-TOWER & SIAMESE SYSTEMS & COMPONENTS ASW-MM400-UG Scala MM400 on CD with u/g from MM300 E207.51E.7E1 EZPC Sides RTG2, lentry level system 599.95 29 95 DUD TODO? TurboPrint 7.x Amiga printer driver (English) £797, USE CE I EZPC Silvs #TG2.5 system Hame Studio Edition 20 000 58.95 ETOC DUE CE TurboPrint 6.x to 7.x upgrade (send 186 disk with order) 19.95 EZPC Sőys RTG2.5 system Digital Video Edition on & effects Amiga s/ware EZPC-XUS-CET EIPC Söys NTG2.5 system - ultimate Amiga expansion 1999 91 AMIGA SCANNERS & SOFTWARE ADAPTERS EZPC-AMP-CET Al 200 Hagic Pack/24s/3.2G8/etc EZPC-Tower upgrade. 200 05 SCN-FBA4-BDL3 UMAX SCSI A4FB 12205 scanner & PScope, ArtEffects EZPC-SLE-CF1-UG EZPC Silvs RTG2.1entry level u/g (no EZTWR/kb/adot) 499.95 SCN_FRA4_RDI3 UMBX SCSI AMFB 6105 scanner & PScope, ArtEffects PCW,W9X/CC Windows 9x & Lotus SmartSuite bundle ScanOuix4 + | driver (Eason/HP/Artec/Mustek) CFC.GIA.FTH Siamese Sestem2.5 w/PC, Amiga ethernet 199 00 DVR.SO4.II ScanQuix4 + 1 driver (UMAX) CFC.GIA.R75 Siamese System software RTG v2.5 DM8-204-INC ScanQuix3 to SQ4 upgrade (trade-in & receipt rend) 79.05 CFC_G(A_B2) Siamese serial s/w KIG v2.1 (ref'ble agest v2.5) 10 00 099.990 PhotoScope UMAX-SCSI Amira Scanner Driver 50.05 SYS-TCP-MIA Miami TCP/IP stack for Amiga (reg'n fee paid) 24 00 ADPT-SO3-PAR CD32, SX32 & ACCESSORIES 5Q3 adapter Epson scanner ->parallel port cable 9.05 CENT. MET SX32 Mk2 Ram/Clock/FPU expander for CD32 149.00 HARD & FLOPPY DRIVE CORON 15120 & 71P MECH & CASES \$332-P40EC SX32 Pro 030FC/40MHz Acc/Ram/Clk/FPII to 64MH 199.99 A1700 MAGIC PACKS, ACCESSORIES AND UPGRADE BUNDLES FDD-ITL-1700 Replacement A1200/600 int FOO 880KB 74 65 FOD-ITL-BARE Bare 1.44/880 Sony FDD for tower (needs EZDFD/Carwsl) AMP-STR-FOO Al 200 Starter Masic nack FDD yers /w s/w 10 65 AMP-STR-HD2 FDB.ITL.D/C/I Twr int 8808h FDO(Sons/EZDFO/cab bundle) A1200 Starter Magic pack w/170 HD, E2CD i/f, skt & s/w 748 99 FDD-ITL-D/I AMU-STH2-COUG 24 x CDROM upgrade for AMP-STR-HD2 w/PSU Twr ind 8808b FDD (Seny/EZDF0) No cable 24.95 59.99 21MB 2.5" hard drive 90 days warranty AMU-PRO-LS120 LS120 120/1.44/0.72MB drive ug w/PRO-PK3 HD2.21 74 99 HD2-120 170M3 2.5" hard drive 49.95 AMTLE FDD Magic Pack in EXTower 100 00 HD2-260 260M3 2.5" hard drive AMT.PLA EZTower PS/4, 24xCD, 3.2, 030/40, HMU, FPU, 8mb 549.99 HD2-3.2 3.268 slim 2.5"drive 9mm high (2 fit in sed A1208) AMT.PCA.YI.S EITower PS/48LS, 3.2, 040/28, 240w speakers 440 00 3.268 I"x3.5" IDE drive for tower AMT-SE EZTower-SE.32x.3.2.LS120.040/28.16mb.EZVGA.15*mon.240w 999.99 HD3-43 4.3G8 1"x3.5" IDE drive for tower AMT.CE.YEC ETTowerSE-XLS. as AMT-SE w/17"mon Prell 2TW.CDRW.600w 1799.99 17.2GB drive for EZPC system or IDE Flyer TOOLS, TEST EQUIPMENT, MOTHERBOARDS & WORKSHOP SERVICES HD3-L5120 Panasonic LS120 Floppy/Optical 1.4/120MB PT-MBD-1200 Replacement A1200 m/b w/VID & RST fixes (no ROMs) 179.99 3-pack of 120MB (nominal) LS120 carts HD3-LS120-CT3 10 65 A1200 to E2-Tower fitting - A1200 + floppy drive C4R44.CD.13C FIT-F7-XTRA 7.50 44way (2.5" HD) cable purchased with CD/HD 13cm 4.00 Fitting/testing per customer-supplied periph into Eltwe REP-AM-28/104 A1200 m/b rev 28 or 104 manfact'g bus timing fault fix CASS.JIP Metal slim case-FDO/IDEZip/SyQuest/LS120 9.95 30 00 External 3.5" HD case no psu REP-AM-PCHRST CASE, ND, ECON 10 60 A1200 motherboard CC_RESET manfacturing fault fix 10.00 KEYBOARDS, MICE, PSU'S, PRINTERS, MISC. HARDWARE REP.AM.VID A1200 m/b VGA-modes video tearing manfact'g fault fix 30.00 FAN-60MM Cooling fan for A1200 60x60x25mm 5/12v 14.95 Discount for more than I fix carried out at one time on motherboards





F7ReWriter 2x2x16 from £139.95



FTVGA Scandoubler/Flickerfixers from £48.95



UMAX 610S A4 SCSI Flatbed Scanner, with Photoscope, ArtEffect £149.95: 12205 - £169.95



EYETECH

UK Next Day from Despatch Insured Delivery Charges

Software/Cables, EZCD UF = £3.00: 2.5" Drives Accelitors, Manuals = £7.00: 3.5" Drives, FDDs, PSUs, SX32 = £9.00; CDPlus, Minitower, Desktop = £11.00; EZTW, EZPC, Monitors alone = £15.00, Tower systems with monitors = £23.00 Worldwide in 2-7 days on receipt of faxed order & payment details





EZTower & Z4 board - £199.95; CDReWriter 2x2x16 bare mechanism for towers - £139.95; Umax 1220S A4 Scanner w/ Photoshop & ArtEffect - £169.95; Umax 610S Bundle - £149.95; Eyeline Direct Newsletter £6 UK & EC - £12 W/W; Engraved AMIGA 5.25" Faceplate - £4.95 a Rev 1.D.1 motherboard - other boards may need modification. Items subject to mechanical wear & tear (eg keyboards) are limited to 90 days warranty on those components. E.&O.E. All prices include VAT at 17.5%. Orders sent cutside the EC do not incur VAT - divide the prices shown by 1.175 to arrive at ex-VAT prices. All goods are offered subject to availability and our standard terms & conditions, copies available upon request.

month for Amiga gaming! Here we

ted, Virtual Grand Prix is a quality title, as you can see

Il, bad though. Santa's sack

ould still be bulging in time

Whale's Voyage 2 looks as though it could offer heaps of

good people at Alive Mediasoft assure me that there are plenty of games on

e way, including the long awaited Putty Squad. Best of all, there's news afoot of a new project by clickBOOM, and can you remember the last time they released a duff Most of the games in our Previews pages may not be that close to completion, but

t seems to me that there's

plenty of innovation and dedication still being applied to the Amiga games market.

dumps, don't be silly chumps.

ust purse you're lips and whistle, that's the thing. Look on the bright side, folks!

n-depth gaming, and the

reviews

There are a lot of exciting projects in development at the moment and we kick off with three very different games from Pagan Software

WORK IN PROGRESS



I think that I've done rather o many jokes about big ons recently, don't you?

here's not a creat deal of detail strategic combat game at the moment as it's still in its early days of production. What we do know is that you'll be needing a PPC and a graphics card to cope with the real-time 3D graphics engine. Given this, it should be lightning fast and look truly glorious. At least three different perspectives will be on offer, with a top-down birds eye view, a Tomb Raider style over the shoulde option and your good old Doom type first person perspective. These screen shots don't give away a lot, but bear with us for more news





perspective RPG is looking to be a real corker with an innovative sound system, along with 256 colour graphics and an average of 400 frames of animation for each character in the game. You'd think that you'd need a really high-spec Amiga to run this sort of game, but you'd be wrong. According to Pagan, as long as you've got at least IB of fast RAM the game will run really well, even on an '030 AGA Amiga.

released more details. The top-down

ince we last looked at this game. Pagan have

They've invented a sound system called Full Sensual Gaming which will utilise a combination of CD Audio and in game effects to

simulate surround sound via a standard stereo output. The general upshot of all this is that you'll be able to hear whereabouts enemies are, and use the sounds to track them. Splendid. If you consider that Pagan have developed this system in tandem with a custom graphics routine, you can start to understand how much hard work and imagination is going into this game. The gameplay looks promising too, being largely non-linear, and containing sub-plots. Pagan have promis

to have for our next issue

us a work in progress report which we hope

Paul Cavanagh 30 Previews ou don't even have to make the

effort to turn the page, it's all right here for you.

32 Virtual G.P. If tweaking tuning ratios and balancing tyres is your thing.

34 GameBusters

Wasted Dreams giving you grief? Fear no more! Part one of our walkthrough has arrived.

36 Reader Games

oh goody, it's your Christ ifts to us and the other read



e's another PPC game that Pagan have got in development. It's not clear whether the screen shots are from cut-scenes or the game proper, but a graphics card-equipped PPC is more than capable of generating these kind of graphics, and seeing as the game is touted as "a complete real-time 3D game", let's just keep our fingers crossed shall we? The game will be combat-based, rather than strategic, and you'll be able to get into scraps in space. and on terra firma. There's a fairly good plot-line for the game that has distinct

overtones of the second Aliens film.



For such an hostile place, sp. can look so pretty

characters in the plot, and it would be good if they could be developed in the game. If you'd like to know more about Scavengers or Pagan Software in general, you could visit their website at

http://www.pagan-games.com. All three games previewed are due for 2000 but Pagan say that Dafel: Bloodline should be the first one off the presses so make sure you save some of that

Christmas money





Don't they look splendid? Let's hope that you'll be able to actually fly them soon.

Payback

have been responsible great Public Domain titles in the past including Frontal Assault and 6-Tris.

featured in Amiga Format. Now they are planning their first commercial release with Pavback. The game looks very much like Grand Theft Auto, which began life on the Amiga before DMA Design decided to release it on the

PlayStation and PC. Payback will hopefully go some way to redressing that injustice, featuring four different cities loads of different vehicles including cars, trucks, tanks, boats, buses and more. As with Dafel, a 3D sound technique is promised that simulates the doppler effect and sounds that fade as they get further away While



Surely not.



cities and loads of different tanks, boats, buses and more

Payback features four different vehicles including cars, trucks. these screen shots don't represent cutting edge graphics, it should be remembered that GTA's success was down to gameplay (and reputation) rather than graphics. Besides, if the game sells well and Anex can get their hands on a PPC and graphics card, they'll support those systems, so graphically enhanced versions should become available. A

Christmas release is scheduled and copy as soon as possible. If you're after more detail check out Apex's

website at http://www.apex-designs.net. Paul Cavanagh

rent Amiga game champions clickBOOM are working on a new roject called Euroburn. You'll find a er trailer on the CD, but don't expect to arn too much about the game. It's a sequel to AF Gold winner Napalm, and will be sold as a standalone package, rather than an update. Go

for the latest o, although they're not giving much away, and check out our CD pages for more piccies You learn next to nothing from the trailer, but cares? It looks incredible. Oooh, I'm so excited





Get in a high speed, tyre-burning, flat-spinning race with VGP

aolo Cattani's Virtual GP (VGP) has been a long time coming. and I'm sure many of you have eagerly been awaiting its arrival. And since pretty much everyone knows how much I like F1, it's probably no surprise that I was asked to help with VGP or that AF would ask me to review it.

VGP is a simulation based on the 1998 F1 season, featuring authentic renditions of the 16 circuits that were used that year, and all 11 championship teams (including the 22 drivers) including life-like representations of the

VIRTUAL GP MAILING LIST

A group of VGP fans have already assembled on a mailing list dedicated to discussion of all aspects of VGP. To join the list, either go to http://www.egroups.com/group/virtua/go/ or send a blank e-mail to virtualop-subscribe@egroups.com



(Left) Your home in the VGP world - the VirtualPits

doesn't take a genius to work out who they are, and you can change them if you wish. The same applies to the sponsor names on the billboards and cars, but you only really notice

dissimilar to the kind found in

you like crashing into walls. Certainly the imaginary names don't really detract START YOUR ENGINES Upon loading the game, you are greeted



The all familiar F1 timing caption.

session you're presented with a detailed overhead map of the circuit, which and the recommended gear that you should use at various positions. It also shows basic statistics, like the circuit length, number of race laps, fuel used per lap, maximum speed and car setup introduction and some tips, spoken in true (Martin) Brundlesque style, which is

around your "VirtualPits", where you can actiust the game options, the car setup and, of course, you can get in the car to start driving. By default, you have to drive a Ferrari, which is not surprising with the author being Italian. However, you can change this by editing a configuration files using a text editor. The car defaults to mouse control, but you can also use a normal (digital) joystick or some kind of analogue device (lovstick steering wheel, etc). I found it best to begin with a digital joystick, although using a mouse or analog device allows far more control over the car. Additionally, there are various settings which allow you to customise

You're automatically given a Ferrari to drive which is not surprising as

the author is Italian but you can change this if you want

car liveries. However, it's not an officially FIA licensed game, which is understandable (would have cost big bucks). This means that the drivers and teams have craftily been renamed, but it





Dark?

A GP wouldn't be a out crashes, and VGP is no

One glaring inaccuracy is the 3D car model - it's not what I would describe as a modern worry too much about that, as it's the game itself that counts.

Starting a new game, you're given the option of racing in either a full 16 race championship season or a single race on weekend consists of a free practice session, a qualifying session (limited to 12 laps, as in real life), a race warm-up session and the race itself. Refore each

NERVOUS?

It's hard to describe exactly what it's like to drive a real F1 car, and the same is true with VGP. The handling of a modern F1 car is inherently very nervous. As an example, at low speeds F1 cars have to rely more on mechanical grip instead of the downforce which is generated at high speeds. Therefore, it is easy for the rear of the car to "step out", if you put down too much power too soon, especially when exiting a slow corner. With practice it is possible to correct slides by applying opposite lock before you lose control. VGP's physics model allows this to be mimicked beautifully.









how much control you have over the car.

SETTING UP THE CAR

Virtual GP offers lots of car setup parameters which affect the way the car handles, feels and performs. These include the basic variables like two compound front/rear wing settings, gear ratios and fuel load. These are just the tip of the iceberg, because you also have control of many chassis settings, including wheel camber, suspension, anti-roll hars and brake balance The suspension settings almost require a whole separate review. Briefly, in addition to altering the spring rates for the front and rear wheels, there are four separate parameters for shock/damper adjustment, per wheel! As far as I'm concerned, this is a good thing, but it may not interest everybody. Most importantly, the car



HANDLING

Generally speaking, the "physics

model" implemented in a F1 game

influences how accurately the simulation

of a real F1 car is conveyed. Put simply

so your car will react to changes in the same way as a real F1 car would unlike some console F1 games that I could mention Needless to say, the number of setup permutations adds a lot of depth to the game.

Your team will tell

you when you need

to nit for new tyres

and/or fuel.

g-force, tyre wear, amount of skidding. brake and accelerator reactions. All of which can be viewed as graphs back in the pits, which can be analysed in order to make your car setup better

ATMOSPHERE Graphically, VGP sets a relatively high standard using a texture-mapped 3D engine - a marked improvement on previous Amiga games of this type, even though it only uses a 64 colour display. The graphics are not up to the standard of console F1 games - it would be unrealistic to expect that and frankly it doesn't matter as the atmosphere generated due to the emphasis on realism is more important. If I have one gripe, it is the rather cartoony looking cars. This style doesn't really fit with the rest of the game. It's may be an attempt to introduce a fun element into what is a serious simulation, but I'd rather the cars looked more realistic. Have no fear though - Paolo has promised to release

some more detailed looking car objects. Sound-wise, simply envisage the booming crashes, and throw in lots of speech for extra effect. The in-game speech (essentially a pits-to-car radio). allows your team to contact you if they

need to. Sadly, the information can be quite vaque at times. The manual comprises of a single text

file on the CD, some of which is repeated on the CD point and more content and insight into car setup would not have gone amiss. Having said that, the manual

does cover most aspects of the game, and it's definitely worth reading.



Cockpit view of the

the physics model affects the way your car reacts to your input (the joystick) and to its surroundings (the track, obstacles, other cars, etc). In many existing F1 games, the physics model is over simplified, resulting in cars that do not handle in exactly the same way as real F1 cars. VGP is not one of those - its physics model and car dynamics are actually very realistic. Fascinatingly, VGP considers each wheel independently in all calculations, which helps ensure that the car reacts in an authentic manner.

Chances are you will be unable to stay on track for a single lap when you first play VGP, but help is at hand. A number of help options allow the computer to take on some of your work cars fake downforce and best line help. A real F1 driver learns to understand which adjustments the car requires in order for him to get the best out of it. This is where the car setup comes in (see boxout), but you may wonder how on earth you work out how to set the car up for your driving style. Fortunately, VGP provides a sophisticated telemetry system to assist you. Over the duration of a lap, it will record your speed, rpm,

TECH SPECS

VGP is relatively system friendly - you can even set it up not to disable multitasking. At minimum it requires an 030, a CD-ROM drive and 4MB of fast RAM. Such a system is able to run VGP smoothly at Low Res (320x256). With a faster machine (040/060), you'll be able to take advantage of the High Res version (320x512). To see the animation sequences, you will need a 16x speed CD-ROM drive, or you could copy the whole CD to your hard disk if you have a spare 520MB. The animations are stored in HAMS format, so you'll need AGA to see it (ie, a A1200 or A4000). The game itself was designed to get the best out of the AGA chipset, but it will also run on a graphics card, thankfully. You may need to use third party mode promotion software (for example, ModePro) to force VGP to use your graphics card.



and wear, while you're driving

THE FINAL LAP I would be lying if I said that VGP was perfect. It's obvious that a lot of effort has been put on implementing a realistic physics model, but at the expense of the quality of other areas of the game. Perhaps the most important being the front-end - while the menu system does its job, it can be very annoying to navigate and it's not very intuitive. More specifically, it's hard to tell whether certain options are enabled or not. And then there's the young Essex lady's voice that somewhat pointlessly informs you which menu you're looking at when a decent tune in the background would have sufficed. Furthermore, there's no wet weather simulation, the speeds are measured in km/h (no mph option) and there is some dodgy pronunciation These minor oversights do take the shine

off what is otherwise a good product. VGP should certainly not be viewed as MicroProse F1 Grand Prix with better graphics - VGP offers a pleasantly different driving experience to any diehard F1GP player. Admittedly, VGP will not appeal to everyone - a certain level of patience is required while you learn how to get the best out of the car but keep practising and you'll soon experience the immense satisfaction of mastering an F1 car. A must buy for dedicated F1 simulation fans.

Oliver Roberts

LIED BY: Epic Marketing ICE: £20.00 REQUIREMENTS: 030, 4Mb fast n, CD-ROM drive, AGA and

Pros and Cons

r.To

- the 1998 season
- Potentially very addictive

In our review a few issues back, you may have noted what a tricky little swine Wasted Dreams can be at times. This should help...

asted Dreams

et's start with a counte of general hints. Firstly, don't let your pride get the better of you. If you're outnumbered, or are taking a bit of a hammering from the bad guys, run away, You may be able to return and nick off your bad guys one by one, rather than taking hits from all sides. Once you know where the enemy is, you can look around to find the best place to fire from. If you find yourself running low on ammunition. avoid groups of aliens and pick off the ones who are on their own, and you may

You should now he by the cave. You

could try and rescue the alien's

friend now, but the priority is to

find the shield recharge point



Helping this alier

who is in a 'coma

starts off the quest

You're not going to get very far without a gun, so pick it up from the spaceship, along with a couple of other bits and bobs. Go to your right and get your first taste of combat - there are three aliens here to dispatch. If you take loads of hits, you may as well

just restart the game. In fact, it wouldn't he a had idea to practice your shooting skills here, and keep restarting until you get pretty sharp - it's a long way before you'll be able to boost your shields, so there's little point in saving the game with badly depleted energy. Once you've had a bit of practice, get rid of the aliens (examine a dead one if you like) and carry on to the right until you find an injured alien. Use the first aid kit on this alien. Eventually he'll give you a laser cutter and ask you to help his friend who

was last seen in a cave. Go back past the spaceship, and then up. Be careful, there are aliens about up here. Follow

Don't forget to pick up a

Walkthrough

Complete



the river up and right and dispatch two more oneen 'conficies'. You should now be by the cave. You could try and rescue the alien's friend now but the priority is to find the shield recharge point as soon as possible. It's a bit of a long slog, but we'll get there in the end.

Pick up the pickaxe to the right of the cave's entrance before going down and right. Keep heading right until you a spaceship. Talk to him and exchange your navigation device for a supply card. Return to the river. Find the dip in the river bank and press the fire button to start swimming. When you reach the other side, go up, shooting aliens on the way to reach a mining area. Be careful. the area where the men are working is protected by a forcefield that you should

get lucky and be able to collect any ammo they might drop. Always conserve your ammunition - although you can use your fists, you won't last long doing so. Finally, while this solution has been played out on the single player game, it'll work just as well with the two player option. Right, that's that sorted then. Let's

K. Tropman has got a couple of questions about this excellent adventure game:

get on with the game.



I can't find the staff that the wizards want me to own before they'll teach me magic. A If you flatter the wizards enough before saying that you'd like to be a wizard

yourself, they should give you a staff. Mind you, you have to get a mummy's bandage to use with it before it becomes much use to you

How do I defeat the witch to get her broomstick.

First of all you need to help out the talking tree. Purchase some white spirit from the er, and use it on the pink mark on the talking tree. The tree will teach you some magic words. Go to the witch's house, take the broom and you'll start the challenge with her. When she turns into a dragon, turn yourself into a mouse and escape through the mousehole. Just don't try getting the brooms to clean up for you

Miss D. Hunt from Kent has a few questions about this spooky game

O How do I get past the vampire in the house? You need to open the skylight. You'd

A You need to open use says agreed think it'd be simple, wouldn't you? But no you need to smash it using a tuning fork. You'll find the fork under the pillow in the room where the Succubus is: If you're stuck on how to get past her, just use a courage spell before you enter the room. If you use the tuning fork as soon as you get to the top of the attic stairs, you shouldn't have any more problems from the vamnine





not attempt to cross at this point You should go to the left of this area and pick up some red minerals.

IDENTIFY YOURSELF

Go left to find two men working on large machines You can speak to the man on on the hole in the large machine. It will explode, and you'll have to defend yourself against the two men who will attack you. Go back to the mining area. right, and shoot the three aliens who are attacking the area where the forcefield was. Go through the middle entrance and speak to both the men in this area. One will give you a book and an ID card. Go back to where you blew up the machine and try the ID card in the door at the top of the screen. It won't work, so go back to the mining area and talk to one of the men again. He'll now give you a door card which you can use. The energy recharge unit is on the top right of this room. Go straight up to it and use it. You can use this recharge point as many times as you like so from now on come back here every time that your shields get low.



et from?

How do I get the key out of the fish tank without losing an arm? If it's the telekinesis spell, where do I get the

A as it happens, no, you don't use that spell, but the magnet is in the boom box in the typing pool. What you need to do is poison the fish in the tank. You'll find a poison recipe stuck in between the pages of a book in the library. You will need the mad scientist to help you mix up the potion. He'll only help you if you disguise yourself to look like his assistant. To do this you need a picture of his assistant that you can find in the script that the corpse in the lavender room has. When you've got the potion, use it on the shank of meat that is in the

How do you get past the wizard in the caves? You'll want to look like a wizard, and he A might help you. Again, use a photo in the dead writer's script. If you can't work out how to get hold of the script, fire ice darts at the corpse's wight. When you've seen the photographs you can complete your disquise in the make-up room and the costume room. With the wizard, you have to tell him that you've had food poisoning.



Now we can set about rescuince that alien's friend. Go back to the river, swim back over and enter the cave. Be warned, there are loads of aliens in this cave - but you can

of the passageway

where you will find a

recharge your shields now can't you? Take the second path on the left and follow it to the end. Use the laser cutter. on the nower source. Go back up the passageway, go down and then left. Shoot the guard and proceed to the end



good alien. Harrawie. You will need to use your laser cutter on the power source in this room to release him Talk to Harrawie



and then follow him. A battle will ensue Afterwards, Harrawie will make a bridge before teleporting. When he disappears pick up the metal stick that he drops. Cross over the bridge and examine the bushes on the other side, and then shoot







them to reveal a door. Use Harrawie's stick on the door to open it. Enter this room and pick up an empty can and a hox. Return to the river and fill the can up at the riverbank. Go back into the cave and take the top path on the left. Watch out for the mines, keep going left until you reach the fire. Use the can of water on the fire, proceed left and get rid of the aliens. In the room you come to you will find some gunpowder which you can put into your empty box. If you now pick up the detonator you can make a bomb. Swim back across the river and head

back to the shield generator, and use it if necessary. Use the computer terminal on the bottom left, and then examine the top door. Speak to the man sitting on the desk and show him the ID card when he asks for it. You will now be able to go through the top door and enter the military complex. We'll explore what goes on inside the complex next issue.

Paul Cavanagh



SEND US YOUR TIPS & OUERIES!

advice for any Amiga games? We'd especially like some for the newer ones on the market. Or, if you've got a query about a game, give us a brief explanation of it, where you're stuck, then drop us a line and we might be able to answer it in Helping Hands. Please don't send us SAEs though as we'll just steal the stamps.

Send all tips and questions to:

HELPING HANDS - Amiga Format - 30 Monmouth Street - Bath - BA1 2BW

A muick delve into the nosthag reveals more of your interesting and varied

our games continue to surprise me with their variety and innovation. It seems to me that every issue there's a great mixture of games from various genres. I love the feeling of not knowing what's in that liffy had - there are never any screenshots. and rarely a description of the game, so it's like Christmas every month. It's encouraging to see so many of you being creative. Keep them coming!



on this game, which is challenging and interesting. It differs from the classic frogger game in respect of the fact that the frog has food to eat in the form of slugs, spiders and flies. The more food you eat, the more points you get. There is also a bonus system that depends on how many creepy-crawlies your frog gobbles up. You start with a bonus that decreases each time you move, but if you eat a certain amount of food the bonus multiplies. This is a fairly novel idea and can add a certain amount of strategy to the gameplay as in order to make points you need to eat as many snacks as possible while keeping your movement to a minimum. In other respects it's very

READER WARRANT

When you're sending in your submissions make sure you also give us:

1. An address where you can be contacted.

2. Details of the language used to create the game. 3. A recent photo of yourself.

The address to send your stuff into is: STREET - BATH - BA1 2BW

Everything included on the AFCD must have a reader warrant with it. Just cut it out of this page or photocopy it, sign it and send it in to us with your game and a photograph of yourself. A last reminder: if you don't include this warrant we simply won't be able to put your game on the CD - that means you won't be able to have it

judged by other readers. In respect of all material which forms my reader contribution to Future Publishing's Amiga Format,

I haveby wayrant that: 1. The material is original and does not infringe any other

material or rights; 2. The material does not contain any material

which is defamatory, obscene or indecent and is exempt from classification under the Video Recordings

3. That there are no legal claims against the material provided;

4. That I have full power and authority to provide this material to Future Publishing.

Signature:

similar to standard frogger I really am getting worried about my fondness for all this freezy. First Superfree, and now this, Twitch, Gribbet. floating logs on

rivers and cars on roads to new version and lists the improvements he hopes to implement. I normally use this avoid. You couldn't really have a frogger game without them. space to suggest how a game may be and I like the way that it can be developed, but it's obvious that Rik has a real challenge to cross the already thought about it, so I'll be quiet. I rivers in this version, where

was also very impressed that he was fast to timing is vital, and there are send me a new version of the game which included a previously missing library file. only a few opportunities to get it right. There's an easy to use Good stuff Rik, keep it up. level editor

to use Correct bob: | lily ped to use Current tile: field Current drawing mode: single

Correct towel being edited:

e's the simple to use level editor. It might

included so that if

you finish all the

levels, you can

make your own.

Bonus. Another

thing that I liked is

the fact that Rik is

obviously positive

he's working on a

about his

states in the readme file that



Target

his is the first game that Andrew it's incredibly simple. But it's a good example of where you should start out in programming. Everyone has to start somewhere and Andrew has mastered collision detection, setting up mouse control, some basic graphics and some great sound samples. All you have cursor. If you miss 50 targets, the game is over and if you hit 200 you have won. It's that simple When I first played it I thought it was completely impossible. and then I remembered to take the accelerator card out of the Amiga! Then I found that there was very little challenge

in the game but, as I say, it's a good



Target - simple name, simple game.



example of where you can start from in samples Andrew it shows your sense of humour, and I liked the idea that America are the aggressors. Keep that you come up with.

If you'd like some ideas on how this particular game could be improved, my suggestions would include changing the you progress a level. Or how about

developing a lives system. where the targets shoot you if they are left on the screen for too long? Also, it's not very clear how you score points in this game, so how about having an icon that pons up only occasionally that is worth bonus points? It would be meat if you could develop the game so that the icons moved about on the screen after

they've appeared first a few ideas. Most don't worry too much about your spelling. I'm pretty sure that my spelling was awful when I was 14 too

Codebit Mason short

cursor down and

tephen Hailey has provided us with this fun maze game. I really like the story, the idea that Tunnel Runners are these highly respected professionals, and hence the player is desperate to become one. The idea of the game is presented to you by a mentor called Delissia, who briefs you on the levels that you are about to enter. The user interface is really quite professional looking with

options to redefine the controls, turn the music off. enter passwords, etc. The menus can be navigated either with the mouse or keyboard, which I think is a nice touch. The game itself can be pretty confusing, with the mazes looking very samey, but I think that's the point. The bad guys are pretty stupid and are easy to defeat as long as you're quick, although, this is also acknowledged in the documentation. If Stephen wanted to develop the game he could add different wall textures and bad guys, and make it so that the enemies needed more than one shot in order to be





killed. As it stands this is a nice little game that runs well, and I hope that Stephen does do a bit more work on it, because it's got plenty of scope.



nterstell

strategy game. The objective is to be the only player who has fleets and planets remaining. At the beginning of a game, each player has a one planet of their colour, and must attempt to capture neutral fleets (these are white, but turn to a player's colour when captured). When a player has some fleets and planets of their own. they can concentrate on capturing or destroying other players' fleets. The game is turn based and each player gets one turn for each planet that is in their control. The game can only be



Rah? Soft? Well I wouldn't want to be the one to tell Mr Nesbitt that.

are to move fire a weapon rotate and end a turn. Planets and fleets are captured by having your fleet pointing to the rear or side of your opponent's. If you have two fleets pointing directly at each other, there will be no change, and a fleet can be changed to neutral if there is an equal number of fleets from different sides pointing at it. This all sounds very confusing at first, but you'll get the hang of it when you play the game. It's quite a challenging game, and can become

quite involved. especially if you play with more than two players. The game is very simple in terms of graphics and sound, but

nple move can start off

compelling. Get a couple of mates over and give it a bash

Paul Cavanagh

SEND US YOUR READER GAMES

These pages are for you! It's a great place to show other Amiga owners what you're capable of, and if we really like what you send us, we'll send you the lovely sum of £50. Nice! So send your reader games to:



Since Christmas has been cancelled this year the only presents you'll be getting are those that can be found in the Public Domain so read on

ne of the things that put the Commodore 64 head and shoulders above its 8-bit competitors was its fantastic sound synthesis. While the Spectrum could only make feeble beens, the C64's SID (Sound Interface Device) featured three voices with configurable

waveforms, envelopes and filters. Creating music with the SID was an art form. Composers such as Rob Hubbard and Martin Galway achieved legendary status writing soundtracks for games of the day, tracks that compared favourably with "real" music

Today's nostaleia craze for anything 8-bit, means that you can listen to C64 music with an emulator. But it seems rather excessive to emulate the entire hardware of a C64, just to listen to some tunes. Sid4Amiga provides a more elegant solution.

At a simple level Sid4Amiga is a player for SID tracks, similar to the hordes of SoundTracker players available for the Amiga. However, SID tracks are not just musical data, they contain the programs that do the actual playing. Hence, Sid4Amiza emulates not just the SID chip, but a 6510 CPU and the CIA timer chips as well. This is necessary to reproduce anything close to the original sound, but it requires a lot of processor power to do so. Luckily, a PPC (WarpOS) version of the player is available.

Sid4Amiga has two main components, the player itself and a separate GUI. The player itself can only be called from a shell and can output tracks to AHI or to a WAV sample. The GUI, which requires MUI, provides a more comfortable environment for your listening pleasure. It has the usual CD-like controls for playing songs, easy configuring of preferences and the creation of songlists. The only annoying thing about the GUI is that it is not real-time, that is, the effects lag noticeably behind the causes when twiddling with the controls.

The most crucial aspect of a program like this is how good it sounds. Thankfully, the answe is damn impressive. My memory is not so good



The nostalgia of 8-bit se

that I can remember exactly what these tracks sounded like on the original machine, but I'm sure Sid4Amiga comes fairly close. You have to play around with the settings to get the best quality: set the output quality to DAT (the highest), turn on stereo sound with surround panning, enable filter emulation, and so on. Of course, the higher fidelity the sound generation the more

CPU power required. And a 16-bit soundcard and some beefy speakers are a definite must. The package comes with some soundtracks for you to try out, but I felt the ultimate test would be one of my faves, the theme from Firebird's Arcade Classics, so I had a trawl of the web (have a look at

t/wazzaw/HVSC/). This Rob Hubbard number is a hard rock classic with a wonderfully dirty guitar sound. I wasn't disappointed. A tear almost came to my eye as I sat back listening to my Amiga belching out those gloriously fuzzy power chords. I guess this is package for those that

remember those halcyon 8-bit days. Everybody else will probably say, what is that awful noise? But, hey, that's their loss,

hould you ever work on a computer magazine, you'll quickly realize that one essential tool is a screen grabber. I reached the conclusion very early in my career as an Amiga journalist that the best grabber for

SGrah.



How does that grab you Snapshotting with SGrab

I take SGrab for granted so much that I was surprised by all the features in this latest version. I'm sure the old one that I was using previously didn't even have a GUI. But since I have never actually read the manual. I couldn't swear on it. I simply had it tied to a hotkey with MCP and it always worked well enough for me.

You see, the reason that SGrab gets used so much has nothing do with its interface. Its simply because it copes the best with all the varieties of different Amiga screenmodes, Native, CyberGraphX or Picasso96, single- or double-buffered - it matters not. If it's a proper OS screen, SGrab can snap it.

SGraft can function as a commodity. Hit the configured hotkey combination and up pops the GUI. This displays a list of all screens and windows currently open on your system. Simply click the screen or window you wish to snap, select the output file and click the grab button. The GUI itself will disappear during grabbing. You can elect to mark out an area of the chosen screen to grab, Images can be saved as an IFF, JPEG or any V45-supported writeable datatype format or can be pasted to the system clipboard. All these operations are accessible from the shell and the program also features an ARexx port.

SGrab is an accomplished piece of programming. My only criticism is that when grabbing windows it should first activate the selected window and bring it to the front of the screen.



OpenURL and YAM in perfect harmony

he Amiga has a huge array of different Internet software and, luckily, through the magic of ARex these can be made to integrate with each other. But typically, each package needs to be configured differently and you may even have to write your own ARexx scripts to get them to talk to each other. OpenURL is a suite of programs to make

OpenURL allows you to select and configure default packages to launch when following different URL types. For example, Luse YAM for email and Voyager for browsing, so when I click a mailto: link in V. I want it to send a message to YAM to open a new mail with the specified address. Conversely, if I'm reading a mail in YAM with an http: or ftp: link, when I double-click this link I want the corresponding site to opened in Voyager. This is no

problem with OpenURL.

The OpenURL preferences editor allows you to select your preferred browser and mail applications. Support for all the main packages - such as V. Browse, AWeb, Microdat and YAM - is provided and can used straight from the box. For any other software you just have to tell it how to find the executable, the name of its ARexx port and how to send the commands.

Next you have to set up the Internet packages themselves, that is, if they do not already directly support the openurl.library. It is just a question of telling them to run the OpenURL shell command with the necessary arguments.

OpenURL can make your Internet environment a more fluid to place to live. It cuts down on your workload by providing a common interface which can be shared and that you only have to learn once. It'll be even more useful when more packages support it directly; many Vapor products already do. Documentation for building OpenURL support into your own application is shipped with the archive.

OpenURL is a neat concept. Quite why nobody thought of it before is beyond me.



ring of Internet software easy.

UI, the Magic User Interface, may have its faults, but it is popular for good reason. Not only do interfaces built with MUI look great, but the range of plug-in extra gadgets for it means

it's immensely powerful This new MIII class, the SpeedRar gadget, allows you to add configurable button strips to your applications. If you don't already know what I mean, then take a look at the navigation buttons in Voyager3. The user can choose how the buttons look. whether they have images or text or both. whether they have borders and whether an individual button becomes highlighted when the mouse pointer is positioned over it.

If you have already downloaded the V3 pre-release than you will already have this class installed on your system. However, what's new here is all the necessary documentation and compiler stuff to enable you to include SpeedBar strips in your own programs. There's also a quick but rather ugly demo to show off its capabilities.



rt off by the rather ugly and uni



hen Commodore released OS3.0, one of the features they added was 'NewLook Menus': gone were the horrible black menus of the previous release and in were nice, crisp, white ones. But while two-colour menus are fine for low depth screens, when you have more colours to play with they are just a tad boring. Here MagicMenu comes to the rescue.

MagicMenu allows you to take complete control over how the pull-down menus appear on your Amiga. It performs this feat in a not entirely system-legal manner, but MagicMenu has proved itself very stable over the last few years. With MagicMenu you can change the pens used to render menus, give menus a XEN-like 3D effect and add

drop shadows. It also allows pop-up menus. Normally, holding down the right button somewhere on the screen will just reveal the active window's menu titles in the screen's title bar. A menu can be pulled down by positioning the pointer over the desired title. With pop-up menus, rightclicking outside of the menu bar will pop up a menu containing the menu titles at that position . This saves you all the effort of moving the pointer up to the top of the screen

Another useful feature is that menus can be operated simply with user-definable keyboard shortcuts. With the default settings, menus can be activated by pressing the right Alt and Amiga keys together. The left and right cursors keys can then be



This new release of MagicMenu is a beta and as such hasn't made it to the Aminet yet: it's available only from the author's web page. Improvements on the previous version are largely to increase stability. One neat new feature, which looks great but is probably of limited usefulness, is translucent menus. The menu background colour can be made partly transparent so that the area over which the menu pons up is visible through the menu. This only works on high-colour or true-colours screens,

I've been using MagicMenu for ages and I would find it hard to live without it, if only for the keyboard activation of menus. It is one of those commodities whose functionality, if the OS3.5 team had had more time, would have been an invaluable addition to the new OS release.

Continued overleaf ⇒



migaOS3.5 has barely hit the streets and there is already software which takes advantages of its new features being uploaded to the Aminet. One such is RAWBInfo.

This program replaces the usual WB3.5 icon information requester with a better-looking and more useable Reaction, based one. It's not a back however. The workbench library has included a function to open the info requester from any orneram since version 3.0. This function can be patched in a perfectly legal manner just like any other library function.

The RAWBInfo requester has features reminiscent of the old SwazInfo program and makes good use of drag and drop. Drop an icon on the Tool Types section of the requester and the Tool Types from that icon will be copied; drop one on the Default Tool and that will be copied; drop an icon elsewhere in the window and a new requester will

RAWBlafo gives a boost to a perhaps overlooked aspect of the OS3.5 desktop. Hopefully, this program is just the beginning of a flood of new software development for the Amiga, sparked off by





the first 10 elements. Selecting any other element does not tell you that you must buy the full version, it either displays empty tables or error messages. The search function doesn't work nor does the help and there is no documentation to speak of, either.

Such sloppily produced software will not encourage users to buy the full version, so the author is really doing himself a disservice. Give this a miss and stick to the paper tables.

ids all over world, when

persuading their parents

to buy them a computer,

always play up its educational

been of some use to chemistry

implemented that I doubt it.

interactive version of one of

those dry and dusty chemical

Table on screen. You can then

non un windows giving

electron shells, and so on

select any of the elements and

information on who discovered

the element and when, its atomic mass, isotopes,

atomic and ionic radii, melting and boiling points.

designed and it

contains far ton many bugs

error PTOF is chacawara, this damo version's database only has entries for emation Icor info improved for WB3.5 with

occasionally throwing un a fatal run-time

students, but it's been so poorly

of Flements. It is meant to be an

data books. It presents you with a

graphical version of the Periodic

PTOE stands for Period Table

potential. "Yeah, it'll help me with my homework", they say. Well,

this poplication PTOF might have

display it on a window on your Workbench screen. It has

loads of options including, for all us Luddites, the ability to display local time and GMT and even has an alarm clock. One problem with the

facilities for cooing with Daylight Savings Time, but various ingenious Amiga users have devised programs to work around this shortcoming, ABeat can use the facilities of many of these - in fact it is crucial that ABeat

Amiga is that is has no built-in

knows the local time and zone to be able to work out what the current Beat Time is. By comparing the value that ABeat displays on my machine and the Beat Time on Swatch's home page, it would seem that it does work. However, it doesn't know the difference between GMT and local time. At the time of writing we are still in British Summer Time, but ABeat fails to take account of the difference. Every other program on my system, the ones that care about what time

it is anyway, can work out GMT correctly.

beat The latest internet fad is decimalised time. Join in with AReat

Apart from this one blip, ABeat does its job

adequately. Whether it'll ever be anything more than a novelty remains to be seen.

Richard Drummond





be opened giving details on that object.

hose Swiss chaos have some funny ideas:

Beat Time is a new, decimalised, global time

over the world. The rationale is that it makes it easier

synchronise activities. You don't need to know what

The day is divided into 1,000 beats and the

Swatch). Beat Time starts at @000 in what we would

Now this may all sound rather alien, contrived

ABeat is a program for Amiga owners who do

call midnight Central European Time. By a process of arithmetic, a single Beat works out at about 1

even - but that's the whole point. It forces you to

think about time in a completely different manner.

Europe managed to resist Napoleon's attempts to

Whether it will ever catch on is another matter.

decimalise time: can we withstand Swatch's?

not wish to get left behind in this temporal

revolution. It is a simple clock utility which will

calculate and display the current time in Beats and

the local time is for a friend or colleague to arrange

system. The current time in Beats is the same all

for people in different conventional time zones to

Time - or Swatch Beat Time

a virtual meeting: Beat Time is Beat Time

meridian for measuring Beat Time is Biel.

Switzerland (funnily enough, the home town of

cuckoo clocks, vodelling and now Internet

minute 26 seconds





Inkiet

Paper

Brilliant Colours, Dense Black, Superb Output CARTRIDGES REFILL INKS

69,99055,99

69.99(65.96

BRITISH MADE! GUARANTEED! BEST VALUE IN UK! Compatible Cartridges

Enson Printers

Starter Kit: £2.50 DISCOUNT PACKS

Selectafont

Dept AF, 25 Askew Drive Spencers Wood, Reading, Berks, RG7 1HG

Tel: 0118 988 5643 Fax: 0118 988 5644

Styles Cel 440/640/740 Styles Cel \$60/200 Stylus Col 900 Stylus Photo/700/750 £10 99/75 99 Canon Printers (Col/Blk)

£6,99/£2,99 612,99(67.99 B130/20 (3c) Large

Established in 1992 we have a proven record of quality service and quality We could buy in cheaper cartridges

SO NEITHER DO YOU

White Knight Technology

Tel: 01920 822 321



We also supply: Digitisers, Memory Ethernet, Genlocks

The new G3/G4 Generation: CYBERSTORM G3/G4 BLIZZARD G3

NEW - G3/G4 Accelerators for A1200T's Blizzard G3/G4 300MHz, 1Mb cache Blizzard G3/G4 400MHz, 1Mb cache

NEW - G3/G4 Accelerator for A3/4000/T Blizzard G3/G4 400MHz, 1Mb cache NEW - Graphics Card for G3/G4 Accelerators CyberVisionNG 32Mb, 128Bit, 3D, MiniPCI

NEW - Options for G3/G4 Accelerators Ultra-2-Wide SCSI - Int. 68pin active term.

Ultra SCSI - Internal 50pin connection Ultra DMA - IDE, 66MHz, 2 ports, 4 devices FireWire / i Link / 1394 - 2 x 400Mbps ports Phase5 G3/G4 Specifications

PowerPC G3 (PPC750) based accelerator board for Amiga systematical systems of the control of the 1Mb backside cache and ZIF socketed processor. Takes up to 1Gb SDRAM in two banks, using DIMM's. Has two MiniPCI slots, one PCI expansion slot and two 12 Mbit USB ports onboard plus 2Mb FlashROM and 68K Emulation



233MHz with 040/25 233MHz with 060/50 £ 699 Call for current availability

€ 495

€ 665

£ 145

£ 120 65

65

£ 85

CyberVision PPC £145

with 060/50MHz £ 469.95 with 040/40MHz £ 359.95

Tower Conversions

A Atéo Concepts

A4000 (10 Bays, 230W) only £ 159

A1200 (8 Bays, 230W) from £ 135





AteoBus



Hard Drives 3.5 4 3Gh IDF IIIto DMA

£ 95 8.4Gh IDE UDMA for OS3 5 £ 125 4.5Gb SCSI (Wide/Narrow) £ 185 Drives available up to 50Gb - Call

D CD-R CD-RW 48 Speed C/Labs ATAPL £ 49 40 Speed Toshiba SCSL £ 95 20/4/2 SCSLCD ReWriter £ 219 16/4/4 SCSI CD ReWriter £ 235

Monitors - SVGA 15" Unbranded, 3 year warranty £ 129 17" Unbranded, 3 year warranty £ 199

Note: Graphics card or scandoubler rec Please Visit Our Website http://welcome.to/white-knight www.whiteknight.ukf.net Email: amiga@whiteknight.ukf.net

WE ACCEPT THESE CARDS Please Call Us First To Verify Price & Availability Before Posting Any Order

nimum Order Value £50 + P&F Errors & Omissions Excepted , 05 October 55

serious

VetConnect 3

Active's new net suite falls just short of a Gold rating, but is well worth your money anyway. Why? Read on...

grate by a news the week for a write that is week for a write that) in the feet that OT is the feet that OT is the feet that OT is the week for a write week for its the week, has tasted that it if the equations of intention in flow equations of intention in the course find extension in the course find extension in the course for a second extension in the course of the

electrices in any former can be stocked by them, or it feast effects. Part of the problem arises because of the fact that many of the aforementioned that the same can be seen to see the far many feathers to take in quantity. However, now that CII have decided to ofter those products where distribution it should make their than the take it consists and the seen of the car it consists and the seen in the case of the carry them in their adverts and the far that the case of the carry that the case of the case of the carry that the case of the case of the case of the that for you to buy them.

that we should get a better influx of products next issue than we've had this, but in any case, those of you with a hankering for Windows 95 filenames on PCOs, or the ability to read Mac disks, network your machine or convert and read CDs should no longer have an excuse for not doing these things on your Amiga...

Ben Vo<u>st</u>

42 NetConnect3

Richard Drummond gets net with this Internet suite from

46 The *MON Family

48 PFS3

w drive, or slow filing syste hard Drummond puts a elacement for FFS to the test



pe? I

s one of Ben's email taglines proclaims, "an Amiga on the Internet is Ike a fish in water". This is a truism and is due partly to the Amiga's efficient operating system and partly to the wealth of great software available for the machine. Of all the developer's of Internet applications

Genesis comes with a wizard so that the novice Internet user doesn't have to bother fiddling with all the options and can get online without a fuss

> for the Amiga, the name that stands out is Vapor. For several years Active Technologies have been bundling an integrated suite of Vapor programs under the NetConnect name. The latest version, NetConnect3,

INSTALLATION

I expect most NetConnectZ owners will be upgrading from NetConnectZ installation poses a problem, however, since you cannot simply update your existing installation. NetConnectZ makes a new directory for Isleff. The reason for this is simplicity and it does save many potential headsches, but it means more work. Two can import your old Voygor, KimorDot and Amore work. Two can import your old Voygor, KimorDot and Amore Work Two Amore and Connect Inspired and with the settings. Excepting, right down to General Istell, will have to be re-configured.

contains improved versions of old favouri and three completely new packages.

GENESIS

A TCP/IP stack forms the backbone of any computer's communication with the Intermet. It is the conduit through which information flows between your machine and the rest of the world. The stack provided in NetConnect3 is AmiTCP.

Originally, this package had a

reputation for being difficult to set up, but this is no longer true. With NetCompet2. Active introduced Genesis – a Besible MUL-based interface for using and configuring the AmiTCP stack. The novice to the internet doesn't want to have to bother plying about with the besildering array of options that Genesis provides, so the package is also supplied with a visural to set it up for you. The Genesis Wixard on get up on online quickly and without fus in less

than a dozen mouse-clicks.
Genesis has many advanced features.
It's multi-user capability allows the creation
of separate password-protected account,
once which the root user has control,
including the times at which they are
allowed to connect. The head of the
house-hold can cuttail the children's surfing
activities and stop them running up a peak-



GETTING ONLINE IN SIX EASY STEPS

Abort

ng up your Internet connection is painless with the Genesis Wizard



-Back | Newto | STEP 1



check | Nexts |



STED 5





nt. Most ISPs these days use the PPP protocol and do not require a login script for mode connections, so you can accept the defaults here, too.

STEP1. Select the device driver and unit number for the serial port that your modem is connected to and your modem type. Typically the serial port will be the built-in Amiga one and you simply accept the default serial device, but if you have an add-on serial card, such as the IOBlix, you should consult the manual to find out the driver name

for your modem. If your modem is one of the

STEP2: Select the initialisation and dial commands

rate phone bill, for instance. Genesis's cost reporting section keeps track of who was online when and can automatically calculate. their share of the phone charges

It doesn't stop there. Genesis supports multiple interfaces. That is, you can be connected to several networks at the same time. One interface might be through your modem to your Internet provider, another might be an Ethernet link to other computers in your house. The Genesis Wizard can set up a Ethernet link just as readily as a modem or ISDN adaptor and the documentation contains a detailed section on how to create your own LAN. Genesis also allows you to hook up to the Internet via a SOCKS server, that is, share a local machine's Internet connection.

supported devices, these will already be set correctly and you can just accept the default STEP3: Enter your account ID, password and the

phone number of your ISP. You will get these details from your provider when you sign up for an account.

STEP4: Choose the protocol to connect to your



CONTACT MANAGER

If Genesis is the backbone of NetConnect3, then Contact Manager is its heart. It is not only a powerful address book for email addresses, websites, FTP sites, IRC and telnet servers, but is also the launching pad for the other components of the NetConnect suite.

Integration is the key to Contact Manager, It directly supports Genesis' multi-user capability: each account gets a separate database. And it knows how to communicate with the vast majority of Amiga Internet and communications software, not just Vapor products. Select a friend from the list of users, pop up a menu and you can launch your chosen email package and compose a new mail to them. fire up your browser to view their website, send then a fax or dial their phone number (with the built-in dialer).

Several of the Vapor packages - mFTP, Voyager3 and MicroDot-II in particular take this integration further by internalising Contact Manager. This means they directly

STEP 5: You are ready to try to connect. Hit the dial button and the Wizard will dial up your ISP and work out the rest of the details it needs automatically.

STEP 6: There is no step 6. You are done.

use the relevant database. For other packages. Contact Manger can be made to automatically update its database by importing an external address book or hotlist whenever changes are made to it.

Configuration of Contact Manger can be tricky. The version that is shipped with NetConnect3 is set up to use the main Vapor applications, but several key ARexx scripts are missing. It's probably a good idea when you get online to download the latest version of Contact Manager from Vapor's website and install it over the top of your existing one.

VOYAGER 3

The core of your Internet activity will probably be conducted with a web browser and NetConnect3's browser is Voyager 3. This package has been a long time coming and is still only a pre-release version, but, boy, is it nice.

The new feature that Amiga owners have been clamouring for is JavaScript, the scripting language currently in vogue for jazzing up web pages. As this is becoming more and more prevalent on the web, the previous, JavaScript-less Voyager was becoming a bit restrictive. The JavaScript implementation in Voyager is not yet perfect, this is a pre-release after all, but this is at the top of the to-do list for the next update. Currently, it tends to spew out a lot of JavaScript errors when browsing, However, if you turn off the error-reporting function in the preferences, it copes with



they can be easily changed with GenesisPrefs





the vast majority of pages that use lavaScript and a lot better than iBrowse?

Voyager3 has improved plug-in support and ships with a Shockwave player

for flash movies. Amiga hardware is not

cope well providing you have a fast

processor and graphics card. A PPC

of dual processor machines, but is not

noticeably faster than the 060 version.

really up to the task, but the player does

version of the player is supplied for owners

Another aspect that has had a lot of

how the author's intended them to look and

The interface to Voyager is now much

work is Voyager's HTML layout engine. The

result is that more pages than before look

that table-layout is much, much faster.

coloured links are now handled correctly.

improved, too. There's the new navigation

buttons, the cute but not very practical

re-ordered more sensibly. Also new is a

cookie browser, which can be used to view

the preferences sections have been

tear-off strips; the pull-down menus and

Previously unsupported features like

for that matter

ove) The new word manag and cookie (Left) The table layout in Voyage proved, but it etill note new com and remove the settings that some websites store locally on your machine, and a password manager.

Voyager now handles local files and directories better, supporting drag and drop from the Workbeach. Offline browsing is easier with an offline mode where the browser will always fetch pages from the Cache instead of querying a remote server

Few would now doubt that Vovager 3 is the king of Amiga browsers and it keeps getting better with each undate.

MICRODOTAL MicroDot-II is the combined email and

news client. It directly supports Genesis's multi-user accounts, so you never need to worry about other members of the family getting access to your mail. Each account has an individual address book courtesy of

Contact Manager, Before you do anything, you'll need to configure your account. You need to fill in your email address, your real name and the

greatly improved with new navigation buttons and the cute, but not very practical, tear-off strips



its pedestrian interface, MicroDot is a capable news

It's annoving that you may only have access to one email box via one account. Many people have more than one email address these days, but you can set up extra

addresses

MicroDot has most of the features that you would expect. It handles filtering of mails to multiple folders, supports multiple email signatures, email attachments, PGP

> encryption, and AmFTP. Your e is up. Make vay for the all

so on It doesn't support remote filters to avoid you wasting your online time downloading spam nor does it have a news killfile, but there is a mail download manager with which you can manually check your email box and delete anything you don't wish to download.

MicroDot is a very capable package. but I still prefer using YAM for mail. However, MicroDat does score over YAM in several areas. The former's interface is not so well designed and is noticeably slower than YAM's, but MicroDof's threading of mails is a big plus and the combination of mail and news in one package makes sense.

MFTP-II

The FTP client in NetConnect was AmFTP. This was showing its ages and has been retired to be replaced by a new package, mFTP-II. This, it must be said, is a vast improvement.

On loading mFTP-II you are presented with a hotlist of currently defined FTP sites. This is either a private list or mFTP-II can directly use Contact Manager. New sites can be added and configured with a powerful array of options. Like AmFTP. mFTP-II has a special ADT mode for Aminet sites, which automatically shows recently uploaded files and can perform searches. Unlike AmFTP, though, a great feature of mFTP-II is its asynchronous operation. You can connect to as many sites as you wish. simultaneously, even different directories. on the same site. This means you can transfer files between FTP sites without having to store them temporarily on your machine first.

When you connect to an FTP site, you are presented with the contents of the current directory in a list window. This has browser-like navigation buttons along the top and the list can be sorted by name, size, date or (for Aminet sites) directory. Dual-list windows are also possible. showing a local directory on your hard drive as well as the FTP site. Alternatively, a local directory can be displayed in its own window. Either option means that transfer between the two is simply a matter of drag. and drop. Files can be viewed with an appropriate viewing according to their MIME type using MIMEPrefs's settings.

TEETHING TROUBLES

The NetConnect3 was rushed through for releases and this, alas, shows in some areas. Voyager3 and MetalWeb are still pre-release versions, the otherwise excellent and detailed documentation is incomplete and there are a few bugs. People have been reporting difficulties getting Voyager3 to work at all, not something I encountered. Some of the MUI classes are new and still not entirely bue-free.

None of these problems are insurmountable but do detract from the excellent production quality of this CD. If you are having trouble with any of the packages in NetConnect3, the best answer is to download the latest version from Vapor's website and install it over the top. Also check that your MUI custom classes are up-to-date. These can also be retrieved from the Vapor site or from the Aminet.



UPDATES

Vapor are incredibly prolific when it comes to updating their software, so you'll want to get new versions of the individual packages as and when they come out. You will be automatically otified when new releases are ready when you go online and you

will be given the option to fetch them there and then Previously, Vapor produced two versions of each package: a shareware version and a NetConnect version. The NetConnect keyfile wouldn't work with the shareware version, so NetConn users had to wait for their own update, which generally appeared much later. This is no longer the case, and NetConnect3 users can easily download the latest version from Vapor's website, happy in the knowledge that their keyfile unlocks the full features of each program.



AMIRC

AmIRC is the best known and mostly widely used of Amiga IRC clients and rightly so. IRC. Internet Relay Chat, is a system

where users jacked into the net can communicate in real-time in special forums or channels. You can send messages publicly to everyone on the same channel or privately and exchange files. IRC has evolved its own culture and language and so can be a bit bewildering to the newcomer, but once you learn the customs and which IRC servers to avoid, it can be lots of fun.

The latest version AmIRC 3.0 is not hugely different from the previous release. The GUI has been given a facelift in the new Vapor style, but otherwise looks familiar in design and features. It still has the powerful plug-in system for customisation, the easy-to-use multi-window GUI

METALWEB

Another brand new package in NetConnect3 is MetalWEB 4, a graphical web authoring tool. This is an update from the previous version 3, which was buggy and difficult to use. Thankfully, the program has been completely redesigned.

MetalWEB has a two-window approach. The HTML source code is displayed in one window, the laid out page in another. You can add HTML objects by selecting the relevant tool bar button and edit their styles in pop up windows. You can also directly modify the source code. It handles all the major HTML elements, such as images, tables, frames, forms and imagemaps. The program makes heavy use of context-sensitive pop-up menus to allow the simple arrangement of your page.

Meta/WFR claims that it can be used with no HTML knowledge. To some degree this is true, but to get the best out of the package some grasp of the language is necessary. While die-hard HTML users might claim that all you need to create a web page is a text editor, the advantage of MetalWEB is that you can quickly see how the changes to a page take place. You no longer have to edit the source, save it and then load it into a browser. The HTML that MetalWFR generates is a lot less efficient than what you would create by hand, but its a great tool for initially putting together a site; once you've got the overall look you want, the HTML code can then be tweaked

by hand. AMCHAT

AmChat is an instant messaging client which uses Mirabilis's ICQ system. There are already several unofficial ICO clients for the Amiga, all of dubious legality, but since its such a handy service most Amiga users are content to ignore this and just get on with using them.

AmChat is the best-looking of all the Amiga ICO-alikes, boasting a pretty and well-laid out interface with pop-up menus. It is definitely a lot easier to use and lesscluttered than, for instance, StrICO, You cannot register a new ICO account with AmChat, however, so if you don't already have one then you'll have to download StrICQ or use a Mac or PC to do so. It also lacks many of StrICO more advanced features like paging.

a fantastic collection of software that will serve just about all your Internet needs but it doesn't feel complete



AmChat refused to nect for me at all. It does look

I could not get AmChat to work at all. I filled in my UIN details and selected an ICQ server, but the program stubbornly refuses to connect. As yet, there is no documentation for the package and no support page on Vapor's website. It is yet

early days in AmChaf's lifetime, so I'm sure its shortcomings will be addressed in the next release. AND THERE'S MORE

The other two packages in NetConnect3 will be used less, if at all, by the average Internet user, NetInfo-II provides

or FTP servers or whatever. You can trace the route to a host and it will report the details of each node between you and it and how long each hop takes. It can also report all the services that a host provides and finger users to show who is logged in and where. NetInfo-II has a much prettier interface than its previous incarnation, but doesn't have the full range of features.

information on Internet hosts, whether web

AmTelnet provides a remote terminal to some host via the telnet protocol. This service is not generally needed much these days, except for maybe MUD, but it's a handy piece of software to have around when things go wrong. For example, you can telnet into your email server, issue mail commands directly and directly read the responses. If your email client is failing to connect, such a method will give you a greater insight into what the problem is.

I really wanted to give NetConnect3 an AF Gold medal award. It is a fantastic collection of software that will serve just about all your Internet needs. The multiuser capability and the tight integration of all the packages adds even more value to the whole. Voysger 3. mFTP-II and MetaWEB are simply the best software in their respective categories. Contact Manager is unique, well-designed and immensely practical. However, NC3 falls short of perfection. The superlative Vapor production values have been allowed to slide and some bugs and mistakes to creen in. This is not so damning as it might have been, since the NetConnect3 user can get the latest updates from Vapor when they become available. But as it stands, NetConnect3 doesn't feel complete.

Nevertheless, NetConnect3 is still a collection of some of the best Amiga Internet software around at an incredibly attractive price. If you are thinking of buying yourself an early Christmas present, then this should be it.

Richard Drummond

SUPPLIER: Active Technology AVAILABLE FROM: Eyete 01642 713185 PRICE: £49.95

0

ros and Cons

- Multiuser Capacities

 integration of package

 Great value for money
- Easy to use for the novice powerful for a master
- Rushed production means a few bugs have yet to be fixed



The smoon family We sift a bewildering variety of monitor and key switchers from Eye

Mon, SMon, BMon, CMon and XMon are switch units for people who want to use several video outputs on a single monitor. Keyboard proliferation is also addressed, so you can switch one PC keyboard between your Amiga and Windows or Linux at the same time.

adaptor that can send an F10 code to the Amiga CIA: it works whatever the main Amiga processor is doing

This makes good sense if you own a true multi-sync monitor, capable of handling any scan rate, and wish to put all your displays on that. If you've got a good monitor on a PC or Mac, and a scan-doubler or flicker-fixer to boost the Amiga's TV output to monitor rates. XMon lets you share that monitor between both machines. You might own a graphics card without

access to that as well as Amiga native graphics. It might be a phase 5 or Ateo card, a vintage GVP Spectrum, or a second computer: another Amiga, CD12, PC or ISA card accessed through a Zorro bridgeboard, for example.

Evetech vowed to integrate switching better with the Amiea than passive switch boxes and signal-degrading adaptors. They made XMon, a switcher to select between two analogue video signals at any scan rate the computers can make and the monitor can handle, KMon, a 5-pin DIN keyboard diverter, and a dozen other cables and controllers to tie things together neatly.

KEY CHOICES

Eyetech's greatest innovation are EZ-Switches, for Amiga models from A600 onwards. These control monitor switching by snooping for keyboard signals. The ideal arrangement uses the unassigned blank key next to Return on International Amiga keyboards. This key is only needed for

it has no effect.

FZ-Switch sits on too of the CIA chin and monitors the signals from the Amiga keyboard control microprocessor, or add-on adaptors that plug in upstream. When they spot the control signal - the blank key, or F10, selected by a jumper they toggle the state of a two-wire control output to XMon

EZ-Switch suits any keyboard or PC adaptor that can send an F10 code to the Amiga CIA, including those from MicroniK and RBM. It works whatever the main Amiga processor is doing.

MANUAL SHIFT

The manual alternative is a toggle switch and light mounted on a plastic front panel for a 5.25" CD-ROM drive bay. This switch controls XMon regardless of your keyboard arrangements, deriving power from a through-nort hard drive DC connector.

The manual switch can also toggle a keyboard at the same time as the monitor.



XMON VARIATIONS

The first and last letters indicate the intended application and connections for a particular XMon switcher. These are the prices for versions with a manual switch panel:

£39.95	BMon/F			
£44.95	BMon/V	BMon/A	CMon/F	SMon/F

EZ-Switch costs £29.95 alone, or £19.95 as a replacement for the switch panel when you buy an XMon at the same time. An extra £10 gets you EZ-Key-Sw/A, which adds an A4000T keyboard input and feeds data into the CIA, as well as snooping for F10 or the blank key for XMon. As a neat side-effect, the original keyboard remains usable at the same time as the A4000 one

convenient for educators and comedy-writing team A further £5 buys a trailing toggle switch, that reconfigures EZ-Key between F10 and the blank key at any time. Thus users with no blank key can momentarily get a raw F10 through to a PC or Amiga program that needs F10 for its own purposes, without inadvertent video switching. It's up to you to find a hole in which to mount this switch.

Three suffix letters indicate the type of Amiga video input. /F stands for internal flicker-fixer, BMon/F is the cheapest option, as one of the cables comes with the BlizzardVision or CyberVision PPC. You get the XMon unit, front panel switch, and a lead to a DCE internal flicker-fixer or scan-doubler, currently championed by Evetech and Power.

The /V models come with a male 15-way SVGA high-density D lead, matching external flicker-fixers, or hybrids that fit on the Lisa chip and the 23-way Amiga video output. You could also use this with the output from the A3000's integrated flicker-fixer.

The /A suffix indicates a standard 23-way female Amiga D connector, requiring a true multisync monitor like a Microvitec or Commodore 1960 to enable all the Amiga modes as well as graphics card ones.

to control KMon. This suits Siamese Amiga/PC set-ups, when the panel switch is your only option; EZ-Switch snooping could not detect the keypress to switch back, once the input stream was diverted to the IBM.

KMon has a 5 pin DIN keyboard input socket you screw to the back of a tower.





correctly shown o

and a 5-pin DIN output plug for the other computer, typically a PC or an A2000. A second keyboard output IDC header can go to another DIN plug, or the Elbox A1200 adaptor. A flying lead forwards the switching signal from XMon.

VIDEO SWITCHES

XMon is the generic name for Evetech's video switch hoy. This has a 15-nin. high-density SVGA monitor output on the back and two sets of 10 video input pins on the other side. Between these, two pairs of pins carry control signals in and optionally out to KMon.

The analogue colour and digital sync signals are switched by three telecom relays. There's a slight blink, depending on your monitor, similar to NTSC/PAL switching when you press Space at Commodore's early startup menu. The only other components inside the plastic box. which resembles a serial port adaptor, are a couple of resistors and a red light next to the SVGA port, which goes out when the

Amiga native input is active. Eyetech fit XMon on a custom panel on their towers, which obscures the light, and in a card bracket with the light protruding through a D-type cutout next to the SVGA socket. They also offer the box as a loose item, though you'll want to fix it somehow to protect the push-fit input connectors.

BMONIC POSSESSION

BMon is the configuration custom-made for BlizzardVision and CyberVision PPC. It uses the 10-way cable supplied with those cards to feed the SVGA side of the XMon switch. There are three BMon variants, depending on the cable you need for Amiga native graphics.

CMon suits internal video from a Zorro Amiga with CyberVision 64/3D. Again three versions are suffixed to distinguish the Amiga input format. SMon units offer generic switching between Amiga and SVGA signals. Evetech's packages and

SUPPLIER: Evetech 01642 713 185. E: £39.95 to £84.90, d

Pros and Cons

ses through AGA modes

le for all SVGA

DICT: Turns SVGA

pricing depend on the number and complexity of the cables you need, as explained in the box

INTEGRATION

Your Amiga set-up may inspire other possibilities, Super-High Res mode gives the best PAL and NTSC video titles, but flicker-fixers corrupt it, skipping alternate nixels making it hard to see what you're doing. You could use SMon, with a custom cable or SVGA adaptor for the raw Amiga output, to view Super-High Res captions accurately on a multisync monitor, and switch to the flicker-fixer to make normal

High Res interface easier on your eyes. You'll need another adaptor to switch between two Amigas, as the wiring of the inputs on the two sides of XMon differs. The right is set up for SVGA signals, while the left uses the alternative Amies arrangement introduced by phase 5 then mimicked in DCE's best-selling internal flicker-fixers, XMon expects to switch between these two 'standards'. If in doubt, call Evetech.

So far I've assumed that your graphics card does not have internal switching, but SMon can pass through modes like Super72 and HiGfx, which digital converters cannot. Or you could use SMon and KMon if you're happy with the Picasso IV 15kHz flicker-fixer vet also want a PC to share the same monitor and keyboard. You'll still need two mice...

Over the last month I've tested XMon and EZ-VGA, Eyetech's flicker-fixer, with a Z4 as well as a desktop A1200. The combination works well with a graphics card because of the neat integration of keyboard, video switch and flicker-fixer. As graphics cards become cheaper, more popular and more available to A1200 users. XMon and its family have a bright future, although the ideal set-up is rather expensive if you include all the switching options.

Simon Goodwin

RICE: £19.95

(Ta

UPPLIER: Evetech 01642 713 185.

Pros and Cons

a/PC keyboard

Professional -

A file system is your personal security guard when it comes to safekeeping your files and retrieving them quickly but will PFS3 make the grade?

ome parts of a computer's operating system you want to be able to take for granted. Its filing system is just such a part. All that matters is that it manages the storage and retrieval of files to and from disk quickly and securely. Unfortunately, the filing system which Commodore shipped with AmigaOS from Workbeach 1.3, the optimistically-entitled Fast File System (FFS). raises sufficient problems to be not easily

A solution to the defects of FFS is to try an alternative. like GREED's Professional File System (PES). PES has existed in various guises since 1993, but only became a fully-supported, commercial product last year when re-incarnated as PFS2. PFS3 is the latest version and comes with some useful new features.

PFS3 is distributed on CD, upon which you get the filing system itself, support tools detailed documentation and as a rather dubious bonus, Kang Fu, GREED's contribution to the Amiga game market.

Installation of PFS3 is performed in two stages: first, the file system and tools are copied to your boot partition with the installer script provided; second, to actually format a partition with PFS3, you must use a tool such as HDToolBox to configure that partition and install PES3 on the RDB of the disk. Upgrading a partition from PFS3 is a



to resurrect a wick-formatted ---

simple matter, just requiring the file system to be updated. Converting an FFS partition to PFS3 is more involved: the partition must be reformatted and the contents restored

a file is deleted it gets moved to a

attempt to correct the situation. This can take several minutes for large partitions and might not even be able to effect a cure - a repair tool such as DiskSalv or a full restore, providing you have a backup, might be your only recourse.

All PFS3 operations, on the other hand, are atomic. A PFS disk moves only from valid state to valid state. If a write operation is interrupted, then the disk will remain in its previous valid state. The changes resulting from any write access are committed only when the operation is complete.

Revalidation is never required. PFS3 is also safer than FFS because deleted files can be easily recovered. When a file is deleted it gets moved to a special, hidden directory in the disk's root called deldir. To undo the deletion, just copy the file back again. A new feature with PFS3 is that the size of .deldir may be configured by

the user. The other obvious advantage of PFS over FES is speed. GREED claims a

performance boost of up to 500 per cent. This is actually a modest claim: PFS can actually accelerate your disk access even further. You tend to notice the benefits most when several tasks are accessing the same drive simultaneously or with directories with many files. For example, if you make a PFS3 partition for your web browser's cache or

WHAT'S NEW

LONG FILENAMES PFS3 now supports filename lengths up to the AmigasDOS maximum of 108 characters.

LARGER DELETE DIRECTORY: User configurable number of entries (up to 993) in .deldir.

HDINSTTOOLS-Oliver Kastl's free HDToolBox replacement is supplied with the

PFSDOCTOR: Repair tool for PFS volumes.

package.

PESFORMAT: A new command which can do full formatting of large drives and can set filename length and .deldir size. Italian version.

special, hidden directory in the disk's root where it can easily be recovered from a backup.

Several flavours of PFS are supplied. There are normal and so-called direct SCSI versions, the latter of which should be used on partitions located after the 4GB barrier on a disk. Multiuser versions of each are also provided. These are supposed to work with the multiuser.library system and give UNIX-like access privileges on files, but, as in PFS2, they are broken and unusable.

SECURITY AND SPEED

What benefits does PFS3 offer, then? Well, the standard FFS is severely lacking when it comes to the safety of your data. One problem is invalidation. If your machine crashes while writing to an FFS partition, the partition will become invalid and hence unusable. Next time you boot your machine. the built-in revalidator will kick in and

BENCHMARKS

Here we come to the point where the reviewer performs s utterly contrived tests to provide some guide to relative performance. The tests (shown right) were conducted with a 4.6GB Maxtor IDE hard drive connected to an A4000's internal ATA interface. A partition on this drive was formatted in turn with FFS. PFS3 and SFS, each time with the same block size (512 bytes) and number of cache buffers (300). For each file system, a set of 1400 files (the contents of my overflowing email inbox), ranging in size from 400 bytes to 2.6MB and totalling 25MB, was first copied from one directory to another within the partition. renamed to another directory and then deleted.

The results clearly show how inadequate FFS's performance really is: in the copy test PFS3 was over seven times faster, SFS more than four. It is doubtful that you would see such a marked difference in everyday circumstances, but PFS3 is notably quicker than EEC

for storing your incoming email folder, the increase in speed is very obvious.

GOING TO PIECES

Security is not the only issue with FFS. there's fragmentation too. A fragmented file is one which is split over non-sequential blocks on a disk. This slows down disk access, because the drive may have to perform a slow seek operation to a non-local block in the middle of reading a file. FFS is prone to fragmentation, but at least there are several tools that one can use to periodically optimise FFS disks, to juzzle around the disk blocks comprising each file

PFS3, however, has no such tools. PFS does support live optimisation. That is, an optimiser can run in the background. defragmenting files as necessary and vet still allow normal disk access. No such optimiser has yet been released, despite long-standing promises. PFS3 does try a lot harder than FFS to keep files unfragmented when writing, though, In fact, providing the disk is not too full, a file on a PFS volume can be defragmented simply by copying it. A dedicated and automated optimisation utility would still be a valuable addition.

PFS has another measure to combat fragmentation: rollover files. A rollover file is one that has had a maximum size set. When the file becomes larger than this size, it is truncated from the beginning. A typical application is for log files, a record of events that some applications produce. Log files are appended to regularly and can

Filesystem test results in seconds

	COPY	RENAME	DELETE
FFS	254.72	103.04	7,74
PFS3	35,04	4.16	2.64
SFS	54.36	5.32	8.46



te of the sc. Can you

grow indefinitely unless manually deleted. By making such a file a rollover file, it will cause no further fragmentation once it has reached its maximum size.

THE BAD STUFF

After reading all these wonderful things about PFS3, there are some things you should know before dashing out and buying a copy. Incompatibility is the first. Although, the majority of software will be

structure of a disk could fail with PFS3 and incompatibility with other operating systems may be an issue

unable to tell any difference between PFS3

and FFS, software that examines the internal structure of a disk will most likely fail. This includes things like repair tools and optimisers. Backup software should cause no problems. Incompatibility with other operating systems may also be an issue. For example, if you have Linux installed on your Amiga, your PFS partitions

The second problem is security. PFS3 is sold as a secure filing system and, to be fair, it is damn near bombproof. But as a user of PES2 for over a year. I know from personal experience that it does go wrong occasionally. And the difference between FFS and PFS is that when PFS fails it does so in such a spectacular way that

will not be accessible from Linux.

reformatting the offending partition is the only solution. It remains to be seen whether PFSDoctor can help in such

Users who are still using FFS on all their partitions must be mad. PFS3 is safer and faster, and, if used wisely, can make your Amiga a much more productive environment. PFS3 is good, but, for what it offers, the price is rather steep, especially for an upgrade from PFS2.

Richard Drummond

SUPPLIER: Ramjam Cons Ltd. TEL. +44 (0)118 036 5940 ICE: £40; upgrade from PFS2 £27.00 (both prices inc. P&P)

ros and Co

DOCTOR IN THE HOUSE?

One of the criticisms of earlier releases of PFS was that there were no repair tools. The Amiga user's friend, DiskSafv, is not compatible with PFS disks, so there was really nothing you could do when a PFS partition failed, other than restore from a backup. Of course, PFS hardly ever fails, so this is not so great a problem. A new addition to PFS3 is PFSDoctor. This program is

supposed to be able to repair damaged PFS disks. Whether it does or not is another question. It is virtually impossible to deliberate corrupt a PFS partition, so I had nothing realistic to test it on. I did try quick formatting a PFS partition and then attempting a rescue with PFSDoctor, but to no avail. In contrast, if this were an FFS partition, then DiskSalv could resurrect it easily.



pench

Grij arti Email: amformat@futurenet.co.uk, putting Workbench in the subject line, or write to: Workbench · Amiga Format · 30 Monmouth Street · Bath · Somerset · BA1 2BW.

REAL SPEED

I have been an Amiga user for 10 years. My computer is an A1200 030/40 with 16MB RAM. I have recently purchased a Pace 56K modem with the NetConnect 2 package. When browsing. Voyager states an access speed of about 3000 bos. This seems strange as I have a Hypercom1 board installed - is this because my system is only using an 030? Will a faster processor speed up Internet access?

N Ryan Herts

Alas, that sounds about right for any dialup HTML connection, regardless of computer. When you're receiving large blocks of plain text from a local server things like Usenet news and simple email transfers benefit from modem data compression, pushing peak transfers up towards 10K per second, but web access stops and starts as the connection is renegotiated for every file, so 3,000 bytes per second is a typical rate - you won't get much more over an analogue line, especially as HTML involves a lot of

two-way negotiation. Analogue modems transfer at less than a quarter the speed of floppy disks - and an Internet connection runs at the speed of the slowest link in the chain. Your ISP. Browser, and the intermediate Internet computers all limit speed. If you have a 56K modem and a buffered serial port, ideally set at 115200 baud or higher, the bottleneck is almost certainly upstream of vour Amiga.

The 56K rate is the best possible - in fact no '56K' modem quite sustains 56 kilobaud on compressed data, and the limit when sending information down a good line to your ISP remains 33,600 baud. A faster processor will speed up things like IPEG decoding and table formatting, but not vour telephone line.

PARALLEL SCANNING Maybe I'm just not paying attention but nobody seems to have noticed scanners exist! A friend of mine can give me a Primax Colorado D600 flatbed scanner for £30 - I want it/one, but don't know if I can just out it in front of my printer in the parallel port like PCers do - and then there's the software

I have a A1200 with 68030 accelerator and FPU, 32 meg RAM. internal hard disk, external modern and CD player and black and white printer (access to colour). Can I scan on what I've got or are we talking upgrades/add-ons? Does PPaint7 or Pagestream cope with scans? Where do I start? - Help!

Mel Howarth via email

My Amiga manual states that the Amiga can take Centronics Parallel scanners. Does this mean I can buy any parallel scanner in Dixons/Currys, etc. and plug & cacult is a more play? What software do I need?

Bill Power

Co Armagh.

Bill Power Co Armagh

You can use parallel port scanners on an Amiga, but you'll need a hardware adaptor and the results arrive very slowly. SCSI scanners are more standard, much faster, and do not tie up the computer while they're working. Parallel port scanners suffer from a lack of standards in the hardware and software interface - like a lot of PC products, they promise far more than they deliver. Just try using the printer, or the rest of the PC, while you're waiting for the scanner and you'll soon realise that parallel port scanners are priced like toys for good reasons!

Scanning is time-consuming at the best of times, and pushing it through four lines

IT'S BILL AGAIN

I bought a PC laplink parallel cable and tried linking my two A1200s using both ParNet and ProNet without any success. How do I do this?

fast as

ems get. Alas

ParNet and ProNet need a ParNet cable, as the documentation explains. A PC Laplink cable won't work because only four lines input AND output. MicroniK make and sell ParNet cables, if you

are available lor input to a PC. The Amiga uses all eight lines for don't wish to make your own. I got one at the Cologne '98 show, and Epic advertise them in AF every month.



designed to deliver printer status from a slow eight-bit port - which is the cheapo PC 'solution' - and is tortuous to say the least. You can bodge this to work on an Amiga by borrowing a line from another port, like the PD parallel Zip drivers, but the

The parallel port on IOBlix and Hypercom Zorro IO cards use PC chips so they work directly with PC peripherals -ScanOuix supports Enson parallel scanners via these ports, although SCSI is a much better option on an Amiga. ScanQuix integrates well with PPaint and Pagestream. and is the dominant professional Amiga scanning package.

We've put more than a dozen scanner drivers on the AFCD, supporting products from Agfa, Artek, Canon, Epson, HP. Microtek, Mustek, but not explicitly Primax. though BetaScan 2.15 claims to support 'virtually any' scanner. The vast majority of these are SCSI scanners, because if you're going to the trouble of writing a scanner driver you want one that is more than a toy I suggest you get a SCSI interface first, then check out the software, and only then choose your hardware.

A600 AND 68010

I have recently acquired a book called 'Amiga Tricks and Tins' which has given me an idea on how to get my A600 working 10 to 16 per cent faster. In the section on hardware backs it mentions replacing the 68000 processor with a 68010 processor, and I was wondering if this was possible on the A600 as well, being aware that even if it is I would have to mount it in a socket, but that if it is a direct replacement then why didn't Commodore use this in the A600 anyway? Please don't just say that I should get an A1200, as I already have an A4000,



eedback

ugust "Workbench" column, Sean Eaton writes that he is unable to purchase a replac is that he is unable to purchase or parties or battery for his Apollo A1240. I had the same lem with mine. The Australian supplier that has ace folded told us that the batteries were

The "button" battery on the A1240 and A1260 rds is actually a 3.6V NiCd rechargeable. Similar es are commonly available to replace the teries found on many PC (Yuk!) motherboards as shown in the picture.

This is how I fixed my card and those of my friends. Firstly remove the button battery (carefully) from the Apollo board. Fortunately the positive and egative terminals are clearly marked on the Apollo pard. Take careful note of which is which

Using a pair of long nose pliers, bend the ative terminal of the new battery so that it sits sh against the board when the positive terminal is firmly in the positive hole. Refer to the diagram if his sounds vague. Remove the battery. Using a this sould's region. Remove the cartery owing a Stanley or Exacto knife (or similar) gently scrape away the insulation, leaving exposed copper where the negative terminal of the battery contacts the board. Solder the positive terminal of the battery in the hole, and solder the negative terminal to the exposed copper area on the Apollo board. You ould now find that the clock is once again





rted If you're less on

own clock port IO card long before the naccial cuch at about you hardware skills, you may be better off paying Evetech in the UK or Individual Computers in Germany to change the battery; both firms are experienced in Apollo repairs.

excellent advice. ugh not for the faint-hearted. Leslie is

an Amiga expert who

ned and made his

INDIGO REDEEMED
In reply to David Leavy's letter in your No 1999 issue, Indigo is a proper ISP, and they do unofficially support the Amiga. I use Indigo from my Amiga, and I have no problem using the built in serial port driver, and setup for PF

nally I used AmiTCP. I currently use Miami-DX 0.9k. Miamilnit will set up for dialling into Indigo with no problems. Indigo Support are also inings with no proteins, intogs support are also kind enough to recognise the Amiga, and know a little bit about it. They only seem to know about Miami, though, as the only time I phoned them up they asked me if I was using Miami, or another TCP/IP stack. They can help if you have problem Gary Burke

Thanks Gary. It sounds like David should try to open his account with the Mismi demo, and perhaps support from Indigo, and then try NetConnect once he's got the account set up. I'm still keen to hear from anyone using NetConnect with Indigo – it sounds like it should be possible, but might need slight tweaks for that specific ISP

CANON CONFUSION

nse to Bill Power's letter in your November issue (AF129), concerning half-width printouts on a Canon BJC 250, I to have experienced this problem, ng both Canon Studio and Turbo lem Bill is having is not to do with the printer drivers, but with the printer itself. The BJC's on-

board configuration gets confused.

I found I could cure the problem n by resetting the printer back to its factory defaults, either using the setup program provided with the Canon Studio s how Leslie fits the repla

software or by switching off the printer, waiting 10 to 15 seconds, then pressing and holding down the power button until you hear 10 beeps, before releasing the power button.

Mike Mayben

KAL FINOSCOPE RE I have been reading for the past few months about the 'Kaleidoscopic Problems' that seem to be getting some folks down. This is because the chip RAM becomes exhausted, causing a crash.

The cure is to go into Voyager's Prefs, and turn the Image Cache off. This function should only be used if you have a graphics card. If this is left on and you don't have a graphics card you will not ce much; images will re-load faster, until the RAM gets full, then a crash will happen. This lains why you can then go back to a page after ting and it will work okay, when the chip RAM is free from clutter. Also if you have too much going on at once, the RAM gets full and the same crash

With the Image Cache turned off the RAM does not store up all the old images, so the chip RAM stays cleaner for longer. Graphics card users do no suffer from this problem much as they do not have the restrictions of two meg chip RAM

I agree that many programs crash when they run out of chip RAM, and this is a particular problem with MUI applications like IBrowse and Voyager. ver image corruption, rather than crass a sign of the AGA hardware fault I've discussed in previous columns. Your advice may help Voyager users, and IBrowse can minimise problems by limiting cache sizes, directing images to fast RAM (see example Prefs) and disabling external image decoders which gobble chip RAM.



4600 Jeremy Spring If you're willing to unsolder a 64-pin

New Zealand

chip, you can indeed put a 68010 in an A600. You might be able to measure a speed boost on a few programs, if you use a stopwatch. You're far more likely to get Guru 80000008 reports (Privilege violation) on programs that used to run okay. Try it by all means, but be careful when attacking that precious motherboard, and use a socket so you can put the original 68000 back later.



The A600 is indeed a cool gadget, but a 68010 won't improve it much. This chip optimises certain pairs of instructions so that the second one. which repeats the first, does not need to be executed every time round a loop. It does speed up a few programs, but not as much as rewriting the program to 'unroll' the loop, so few properly-optimised programs gain

any benefit Commodore didn't use the 68010 because the 68000 is

Amiga doesn't include say ne in half, unfortunately. cheaper, almost as fast, and more compatible. The 68010 works differently in Supervisor mode - to fix a problem with early 68K virtual memory systems - and this upsets programs like Transformer, CPE, Commodore's BBC Micro emulator, and many games and demos. However, Fix68010 and the PATCH option in TUDE can program amund this

The 68010 was the third chip in the 68000 family. Programs written for either 68000 or 68020 will run OK on a 68010. though typically at the speed of the former rather than the latter. There's lots of MC68010 information and patchers on this issue's CD.

Continued overleaf ⇒

D

HUNK PROBLEM

I have an A600 with 2 Mb of chip RAM, a 1MB POPMOR card formation as set Man of 120MB 100 problem is which problem is which of dispussion of the companion of t

Glyn Astill via email

The error message means that the program file is corrupt. Programs are loaded in 'hunka' and checked as they're stored in memory. That does indeed sound like a MaxTransfer problem, as games transferred to disk often use relatively large hunks, and small programs load without running up asainst the MaxTransfer limit of PC hard disks.

The lary fix is to upgrade to Kickstart 3.1, which never tries to read more than a PC-sized segment in one go, at negligible cost in performance given the other limitations of IDE. The MaxTransfer problem connes about because IDE drives were made for PCs which are incapable of transferring large blocks of data in one go. The Amiga has no such limitation, so it exposes

poorly-tested code in the drive firmware when more than 64K - one late! segment - or 128K - the primitive drive buffer size is stored or requested.

To limit the maximum size of transfers from any size of transfers from any Amiga hard disk partition, you must run HDToolbox, in the \$75:Tools drawer. Select the drive, then press the 'Partition drive' button. Click on the partition you want to restrict, then select the 'Chanue.' button

under the heading File System. Alter the 'Max transfer' value to 0xFE00, so transfers are limited to 127 half K blocks at a time. Press Enter then select

Press Enter then select

OK, and repeat this
procedure for each
partition on the disk, then
select Save Changes on the
first screen before you quit HOtoolbox. You'll

Territoria Fries | Barrier | Barrier

First you run HDtoolbe

And the state of t

On tracker its bottom

Fast file Statum (A)

Interest that have a large and a

select Save Changes on the first screen before you quit HDtoolbox. You'll because the Amiga transferred them to the disk probably need to rejustably the program files – just okay, does not mean they've been correctly stored.

SECONDHAND BLUES

I've bought a secondhand Amiga A1200 a few months ago, with 10 meg inside, two extra floppy offrees, and Kickstart v3.0.1 am also (just) on the Internet. I wanted to load a compacted program from a floppy that also had other programs on it, fit was a free covertisk) and in order to make it run I had to delete certain programs of the disks so the chosen program had room to work. Then to make the disk and boot I had

to delete the s/startup-sequence. When I typed this command tino the shell window, my hard drive light flickered. Not the floopps, Fearing the worst, I removed the floopps and re-booted. What came on screen was a big window welcoming me to the AmigiDos operating system, and a figure 1 on the next line.

I know how to edit the s/startupsequence and re-install it, I just need to know what to type! I've thought about ringing other Amiga users, but there seems to be no way of viewing this information (is there?) I can't do anything other than play games at the moment.

Phill Addison via email

Run DiskSah's 'undelete' from a bootable floopy. This only works if you've not already written the space where the startup was stored. Failing that, restore from your books, What? No backspy! Well, you're asking for trouble, but I'm benevolent. Restore from your original system disks. What? No system disks? Dought an Arings without system disks? Dought an Arings without system disks? Doub! Buy a set from Epic or other advertisers, and consider upgarding to a devertisers, and consider upgarding to a

current system (3.1 or preferably 3.5) at the same time. Then make a bootable floppy with DiskSalv on it!

The put a generic Workbench statupsequences for Köststatt 13, 20, 30 and 3.1 on the CD. for those of you who might have lest or irretireably scannible of word put originals, to general, before doing things that might annuals a partition through finger trouble, type this command in a shell. LOCK WB. ON. This docks the partition (WB: in this codes the partition of WB: in this codes the partition of CHB. in the code is the partition of the code of changed. When you're feeling recibles again, or need to change that partition, type LOCK WB. OFF.

GLITCHES

I have a 1200 rev 2B, OS3.0, Apollo 1240/25 (with big fan), 12x speed CD-ROM and 16MB fast memory. I originally had an A1200 rev 1D4 and it worked fine until it went dead for some unknown reason so I brought a second

hand 1200, my current one. It worked

now games such as Frontier and Settlers randomly crash when the 1240 is Installed, graphical garbage appears on Workbench and programs running on WB. This would not be such a problem, but when it appears in PFairf it becomes part of the image and can't be undone and ruins the image. It all works line when the 1240 is not installed.

Mark Chestham

That could be a hardware or software problem. Eyetech can fix (Tb4 and 28 A7200 creat boards to cornect maginal string leaks that might otherwise clobber and a stream of the control of t

Eyetech charge less if your board has already been 'lixed', but the check still costs money, so it's worth considering other possibilities. It may be that your power supply is running at or beyond its limit - AT200s and their supplies

do not leave much margin for expansion, and 40 d accelerators are the greediest 68K types. Try removing the RAM, or using a different SIMM, in case three marginal part. It does sound as if your machine is failing to keep sometimes, but this sort of erratile behaviour may be dependent on power, temperature or connectors as well as the polivious commonents.





Finally, not all programs run on 68040s. Some - mostly games - modify their own code but don't call the system cache control routines, which are in all Amies ROMs since Kickstart 2. The caches in a 68020 and 68030 are so puny that this might not matter, but it's essential on a 68040, 68060 or PPC. You can turn off the caches with the command CPU NOCACHE If this doesn't work hoost from floggy rather than HD - this invokes Commodore bodges that boost compatibility with dim programs, and avoids mutually incompatible 'improvements' in your startup. Failing that, there's a iumper on the Apollo 1240 that disables all the add-on board

NOISY WORKBENCH

features

Is there a program for Workhench 3.0 that will attach sounds to icons when you open

Mark Locandro

You can change the default blink and been with the Workbench Sound preference, but to add several sounds you need extra software. There are several programs that attach sounds to Workbench actions. Maxxon Magic is one such, published commercially: Noisesome is freeware which announces mouse buttons, keypresses and disk changes.

The generic way to add sound to a particular icon is to replace the original icon with one that uses IconX to run a script. This can call Play16 or some such utility before starting the original program with a second command. You can extend this idea to do anything - switch display modes, disable drives or toggle CPU features besides noise-making.

Let's say you've got a program called OW with a tool icon, OW.info. To make the file OW.8SVX play every time you start the program from Workbeach, use IconEdit to create a project icon called, for the sake of argument, OW2.info. You need to change the type from Tool - where the .info file has the same name as the program - to Project. where the program can have any name, depending on the icon configuration.

Select INFO for that icon, and change the Tooltyne to C-ICONX. This mas the script with the corresponding name, but without the .info suffix, when you click on the icon. Now put PLAY16 OW.8SVX on the first line of a new text file OW2, and OW, to run the original tool, on the next line. You'll need a text editor like ED, Notenad or Emacs to create the file. Click on the OW2 icon to play the sound then run the program. Voila!

HP 420C DRIVER Hi, could you tell me where I can get a driver to run a Hewlett Packard 420c on an Amiga 500+? I have spoken to HP but they only provide Windows drivers.

Vic Edgson via email

MOUSE HICCUPS

I'm having some trouble when trying to move icons around the Workbench screen and moving opened windows. When moving icons I try to drag them but the pointer freezes and the icon reverts back to its old position When moving or resizing windows it becomes very jumpy instead of a smooth movement.

Suffolk

Hell

You need a new mouse, or might need to clean the old one, though it sounds as if you've got a switch broken. Clean it, or get a replacement mouse, and try that. Check the cable, plug and socket before you bin the old one. If the new mouse is just as bad, and works fine on another Amiga, there may be a fault on Paula or the CIA-A chips. These can be swapped for testing on an eighties Amiga or A3000, but A600 and AGA systems have surface-mounted chips. which require specialist repair or replacement.

I'd try Peter Hutchiason's DM00 driver, or other Desklet antings Most Desklets support a superset of the Desklet 500 or 500C commande but watch out for oose that don't support the HP PCL command set, and are hard-wined for Windows, Turboprint publishers warn the Desklet are 710, 720 and 820. These don't even work with WinUAE, although Cloanto are toving with my idea that they should include a Workbench driver for the Windows API... Basically, don't buy printers from firms that don't support Arnigas. There are still plenty that do.

NETWORKING

I have an A1200 and an A600 and I want to network them. I have built the serial link cable and connected the two machines. I have been able to play Uropa2's hover war game and that worked fine. I've also run Term on both machines and been able to talk to my sister in the other room and send files back and forth but I want to use the SerNet software.

When I installed it, the network icons appeared on both machines so I thought I had it working until I accessed the drive on the other Amiga and it crashed. I discovered that SerNet needs another program called DNet. In AF103 in the Amiga.net section Dave Cusick did a feature on these sorts of network, he said he found SerNet but then discovered he needed "Matt Dillon's ageing DNet software". After reading

that I then searched every CD and disk I have but the only things I could find relating to DNet were a few ARexx scripts

Get your Am talking to each other with ProNet and



which was of no help. As I am not on the Internet I can't get hold of DNet I need to use a serial network. I have tried ProNet but I don't like it and my parallel port is used by a printer so I can't use ParNet. Any ideas? Robert Pearson

DNet was written many moons ago, primarily to link Amigas and SUN Unix workstations. I've out the distribution and sources files on the AFCD, in the Workbench/DNET drawer, I'm surprised you don't like ProNet - it's the only networking solution still being actively developed for new I/O cards, apart from fast Ethernet drivers, and it works pretty well, There is also a ParNet-compatible driver for bsc Multiface cards

Given the limited expansion ports on your systems. I'd use ParNet between the motherboard ports and print through a IOBlix or Hypercom parallel interface on the clock port. That would be a lot faster than a serial link hetween two Paula chins, though some networked games only work with the simplest serial link. If you're really eager for speed, you could use a couple of PCMCIA Ethernet cards and run TCP/IP and CNET. DEVICE on both machines, for a transfers at hundreds of K per second.

Simon Goodwin

subject "Workbench".

GOT A QUERY?

Send email to with the

Send letters to the usual AF address and make sure you put "Workbench" on the Include details about your machi uch as what processor and how muc

Do your best to describe your problem Make sure it wouldn't be easier to

contact the dealer you bought the item from and ask them. Be concise!

Creative

ur never-ending quest here
at Amige Formus, to
compower our reader into
getting the most out of their
machines, continued lest time with
an introduction to Workbench. We
follow that up this issue with an
introduction to the shell, a much
under-valued weapon in the

Amiga's arsenal.

The word 'shell' strikes fear nto the hearts of novices, but this seed not be the case. It's not lifficult to learn and once learned an open up new avenues of sower and flexibility in your daily tunigo use. So, shell-phobics reproviders relay read our

experiment.

Remember to write in if the is some area of Amiga use that you want to see given the Beginners Guide treatment.

Richard Drummond

54 Beginners Guide

Richard Drummond leads you gently into the world of command-line interfaces.

58 Practical JavaScript
Improve your website's visual

appeal with Rollover images.
Neil Bothwick shows you how.
60 Useful ARexx

Nick Veitch takes the grind out of web authoring by getting ARexx to do the work.

62 Program Perfection
Richard Drummond goes Into
GUI-building mode and starts
assembling an interface.

64 Synth Studies

Tony Horgan expands OctaMED

SoundStudio's abilities with
some handy plug-ins.

66 Banging the Metal Sprites, those all-purpose graphical overlays, come under Simon Goodwin's scrutiny.

68 Amiga.net

Nothing on the box? Then take a look at webcams with Dave Cusick's guide.

The complete beginners guide to..

Are you dazzled by DOS and confounded by the command line? Take heart with this tutorial

ften when I reply to readers' queries that the essiest way to solve some problem is via the shell, they give a startled gasp as if I had just announced I was Aleister Crowley. But no black magic is required to use the shell, no strange or arcane rituals. It is simply a text-based way



Launching the Shell icon in your Workbench's System drawer is the easiest way to open a shell window. of controlling your Amiga that is frequently more direct and more powerful than doing things graphically.

The shell gets its name from the fact that it acts as a shell or wrapper around AmigaDOS, the part of the Amiga's

BEING ARGUMENTATIVE

The syntax of all standard shell commands and many other programs follows a standard format and is described by an argument template. You can make a command display its template by entering the command with a single question mark as a parameter.

A template is a comma-separated list of all the argument names. Each name can be followed by one or more modifiers specifying the type of that argument. Modifiers always begin with a slash and can be one of the following:

/S: SWITCH. This argument corresponds to an on-off value. If specified it will be turned on, otherwise it is off.

/K; KETWORD. This argument must be preceded by the keyword name. For example, if the template is "Name/K", then unless "Name~string>" or "Name string>" appears in the command line, Name will not be used.

/N: NUMBER. This argument is a decimal number.

/T: TOGGLE. This is like a switch, but specifying this argument will causes the value to "toggle".

/A: REQUIRED. This argument must be specified or the command will fail.

 $/\ensuremath{\mathrm{F}}_{\!\!\!1}$ REST OF LINE. The remainder of the line is taken as the value of this argument.

 $\ensuremath{\mbox{/M}}\xspace$: MULTIPLE STRINGS. This means the argument will take any number of strings.

operating system responsible for managing files and processes. Like the Workbench, it is just a program you run on your machine the same as any other. And, like the Workbench desktop, if you don't like the standard one, you can use an alternative.

The shell's purpose is to run programs. Some of these programs might perform tasks like copying, renaming or deleting files, but they are just programs. Another name for the shell is the CLI or Command Line Interface and this describes precisely what if does. It interprets lines of text commands — fed to it and runs the corresponding programs.

PRISING OPEN A SHELL How, then, do you communicate with the shell, send it commands to run? Well, there are several ways. The usual method is via an interactive window called a shell window. A shell window makes use of the

Amiga's console device. This emulates a classic ANSI terminal. Commands are entered a line at a time via the keyboard and can be edited with certain key combinations (see box). A command line is accepted for processing when the Return key is hit. Any responses are displayed in the same

Another way to run shell commands is via the Execute Command option in the Workbench menu. This allows a single command line to be entered in a string gadget. If the command prints any output, Workbench will open a console window to display this.

The AmigaDOS command NewShell starts a new shell session in a new console window. You run this command via the Execute Command function described above, but the easiest way of opening a shell window is with the Workbench icon.



device with KingCON. This provides new editing controls, filename completion and drag "drop from the Workbench. It is supplied on our coverdisc every issue in the +System+/Tools drawer.



SHELL OPTIONS

The command NewShell and the Workbench Shell icon understand similar parameters. For the icon, these can be specified by modifying its 100 Types with Workbench's Icon information window. The first option is WINDOW and describes the size and style of the console window that the shell opens and has the format

CON:<left>/<top>/<width>/<height>/<title>/<options>

CON: refers to the fact that it uses the console device.
<left> and <top> specify the position of the window
ewidth and <begint</pre>

Aviatin and Aneignth in size etitles the message that is displayed in its title. <options can be any of a number of options, the only one of use for shell windows being CLOSE which adds a close gadget to the window.

The FROM parameter specifies a script file that the shell executes on opening and usually performs some kind of initialisation.

Open the System drawer on your Workbench disk and double-click on the icon called Shell. A new window will open, displaying a message something like

New shell process 15 15.Workbench3.1:>

and a solid cursor. The right angle bracket and the cursor means that the shel is walting for you to enter a command. The 17% Northerch 5.71 is known as the prompt and gets printed every time the shell wants input. The number 18 here refers to the current shelfs process number – although you will probably have a different number. The Armags is a multitasking computer, so you can open as many shell windows as you like. A new shell process get as sadinged an unused

window The 'Workbench3.1:' in the prompt denotes the current directory, in this case the system disk. Every shell (in fact every process) running on your Amiga has its own current directory. This is the place in your Amiga's file system that is being focused upon by that shell, Files in the current directory can be addressed without specifying a full path to the file. For example suppose there is a directory on your RAM disk called 'documents' and a file there called 'work txt'. Normally to access this file you would have to specify a full path, that is, 'RAM:documents/work.txt', (Note that a full path must begin with a volume name: here it is 'RAM:'. Volumes are always signified by a colon being appended to the volume's name. The

Execute a File

Command: NewShell



Workbench by default, but on this issue's coverdisc.

forward slash is used to separate a directory name from the contents of that directory, whether it is a file or a further directory.) You can make the directory "RAM-documents" the current one with the command "CD" by entering:

CD RAM: documents

and pressing return. If this directory actually exists, the prompt would change to

15.Ram Disk:documents>

to reflect this. The file 'work.txt' could then be accessed just by its filename alone. You

The Amiga is a multitasking computer so you can open as many shell windows as you like; each one will be assigned an unused process number

The Shell icon's Tool Types provide a means of altering the size of the default shell by just entering the directory or volume name alone. So, typing just

can also perform a CD command implicitly

would have the same effect.



TAKE COMMAND

Perhaps the most useful shell command is 'List'. Its purpose is to print the contents of a directory, If you simply enter

T.5.0

in a shell and press return, the contents of the current directory will be printed in the window. You can view other directories by specifying the name of the directory after the command name itself. For example

List SYS:Tools/Commodities

will allow what's in the commodities drawer of your Workforch olds. The "SNS-Tools/Commodities" part of the above rise is known as an argument or parameter and this is the general format for all shell commands. If you wish to specify arguments for a particular command than argument or particular command manners an argument is separated from the command name and arguments from other command name and arguments from other than the command name and arguments from other than the name must be supplied in double quotes:

List "Ran Disk:"

There is an important point to clear up here before we go any interfix: In the above command we accessed the EAM disk with the publ *Ram Disk*, while carrier on we used just RAM. They both actually refer to the same object. This is because every volume has both a dovice rame and a bled identifying. It or interact, the rame of the device controlling the first floppy of the controlling the first floppy of the controlling the rame beginning to added They controlled to you Ample Sadd College. In the controlling the first floppy of the controlled to you Ample Sadd College. In the controlling the first floppy of the controlled to you Ample Sadd College. Sadd College Sadd College. Sadd College Sadd College. Sadd College Sadd College. Sadd College.

The parameters that a command understands is dependent on the command itself and they do not always have to be file paths. A parameter that modifies the behaviour of a command is known as a switch. For example, normally the List command displays information on the type or size and modification date for each object in a directory, but if the switch QUIC's is specified it displays only object numers. For example,

List SYS:Tools/Commodities QUICK

In most cases it does not matter in what order the switches occur in. Entering 'List QUICK SYS: Tools/Commodities' would work just as well.

101

Cancel

There are many more shell commands than we have space to discuss here, but the commonly used commands are largely selfexplanatory. Copy copies files or directories, Delete removes them, Rename changes their names. Any command can be made to display its syntax (see Being argumentative).

Continued overleaf ⇒

For quick, one-line shell commands, you can use the Workbench Execute Command function.

Enter Command and its Arguments:

FOLLOW THE PATH

Previously, I said that the shell just runs programs. So when you enter the command "List" in a shell, it executes a program called "List". How then does the shell know where to find that program? As well as having a current directory, every shell has what is known as a

As well as having a current directory, every shell has what is known as a command path. This is a list of places on your Amiga's filesystem that the shell will look for commands. You can show this list with the Path command. The entries in this list are displayed in the order in which they get searched. The command path is set up when your machine boots up and depends how your

The standard shell has a number of commands that are built in, commands that do not need to be loaded from disk: CD is one of them



History command supplied on the coverdisc. This allows you to display the contents of the history buffer and reexecute entries by number.

example, if you type:

then the program List will be loaded and stored permanently in memory. The next inney our set the list command, it will not need to be loaded from disk. Only certain types of a command can be made reading in this way, so-called re-entrant programs, so the programs can be considered with the commands. Other programs can be forced to be made resident by supplying the Resident command with the switch FORCE. but this is not a zool died surless

you know what you are doing

STREAMS
All processes that run on your Arrigap have an input and an output stream — devices or files where that process each data from and writes any results to by default. When you call a program from a shelf wandow, these streams will be that same console window, that is, input comes from the keyboard and output gest displayed in the window. If a program uses these default streams, you can force it to use a file or streams, you can force it to use a file or

device instead. This is called redirection.
The right angle-bracket is used to redirect the output of a command, the left angle-bracket the input. For example:

List RAM: >listing

would list the contents of the RAM disk to a file in the current directory called 'listing'

Keyboard controls

The standard console device provides a rich set of editing facilities for manipulating the input line.

ANY "PRINTABLE" CHARACTER: Inserts the character at the current cursor position and moves the cursor and any characters to the right of it one place to the right.

BACKSPACE: Deletes the character to the left of the cursor and shifts the cursor and the rest of the line one place to the left.

DELETE: Deletes the character under the cursor and moves all the characters to the right of the cursor one place to the left.

CONTROL-U: Deletes all the characters on the input line to the left.

of the cursor.

CONTROL-K: Deletes all characters from the the current cursor

position to the end of the input line and puts them in the yank buffer (not the same as the system clipboard). CONTROL-Y: Inserts the contents of the yank buffer at the current

cursor position.

CONTROL-W: Deletes characters to the left of the cursor position up to the start of the word that the cursor is over.

CONTROL-8 OR CONTROL-X: Deletes the entire input line.

RIGHT ARROW: Moves the cursor one position to the right.

LEFT ARROW: Moves the cursor one position to the left.

SHIFT-RIGHT ARROW OR CONTROL-Z: Moves the cursor to the end

SHIFT-LEFT ARROW OR CONTROL-A: Moves the cursor to the beginning of the line.

RETURN OR CONTROL-M: Terminates the current input line and adds it to the history buffer if it is not identical to the previous line in the buffer.

UP ARROW: Deletes the current input line and replaces it with contents of the previous line in the history buffer.

DOWN ARROW: Deletes the current input line and replaces it with contents of the next line in the history buffer.

LEFT MOUSE BUTTON: If you left-click somewhere on the input line, the cursor will move to that position when you release the button. If you left-click anywhere in the console window and drag with the mouse then text will be selected (highlighted).

RIGHT AMIGA-C: Copies selected text to the system clipboard.

RIGHT AMIGA-V: Inserts text from the system clipboard at the current cursor position. system is configured, but it will always contain at least two entries. The first is always the current directory and the last is always 'C:'. This last looks like the name of a disk, but is actually what is known as a lo

An assign is a kind of place holder or shorthand for a file path. Instead of having to specify a long file path, you can use the short logical device name instead. Various assigns are set up by default and one of these is Cr. This typically points to a directory on your boot disk called C, the place where shelf commands are usually

So when you enter the command 'List', the shell searches in the current directory for a program called 'List. 'It it's not there, it goes through every other directory specified in the command path and looks in each one. It it doesn't find it in any of these it it checks in 'C,' on successfully finding the program, it loads and executes it and passes any parameters you may have supplied. 'You can convince yourself of the existence of the program List by viewing

If you did look at the C: directory, then you find note: there is no file called 'CD'. What happens when you use this command? Well, the standard shell has a number of commands that are built in, commands that do not need to be loaded from disk; CD is one of them. A shell searches this internal list of commands:

the contents of the C: directory

before searching the command path. You can get a list of these built-in commands by using Resident.

The Resident command can also be

of the line.





MCP, you can set up the NewShell command to be executed when your preferred key combination is pressed

(You can append to an existing file by using a double bracket '>>') This file could then be viewed by:

Type listing

or it could even be printed with:

Type listing >PRT:

Not many shell commands actually use the default input stream, so in most cases this is not particularly useful. It is, however, possible to connect the output of one program to the input of another with a special device called PIPE:. This allows one command to work directly with the output of another without having to store intermediary results in a temporary file.

For example, suppose you wish to view the contents of a directory which is too long to fit on the screen. You can nine the output of the List command to the standard text viewer. More, and view the contents at your leisure. Foter-

Run List C: >PIPE:

and then

Or you could produce an alphabetically sorted list of a directory's contents with the

Run List SYS: WBStartup NOHEAD >PIPE: and then

Sort PIPE: *

The Sort command takes the names of an input file and an output file. The asterisk as an output file makes it print the output in the current console window



The Status command will show a list of currently running shell in

PATTERN MATCHING

Most shell commands, when they expect a file path as an argument, can accept a file pattern instead. Instead of processing a single file, the command will process all files which match that pattern. The syntax for expressing patterns is complex to explain but quite easy to use. A pattern may contain the following elements:

- Matches a single character.
- Matches the following expression 0 or more times.
- Matches any one of the items separated by "C
 - Negates the following expression.
- Character class: matches any of the characters in the class
- Character class: matches any of the characters not in the class.
 - Character range (only within character classes).

Example Action

I slipped in a new concept in the two pipe

examples. This is the command Run. Run.

Delete all file in current directory Delete #?

List SYS: - (#7.info) List all file in SYS: not ending in "Jinfo"

Copy dir/fa-cxl?? RAM: Copy all files in dir with three letter names beginning with a, c or x to RAM:

mechanism

MULTITASKING

creates a new process in which to execute a program. It takes one argument: the rest of the line is assumed to be the command

until somebody else empties it so it is necessary to use the Run command

> It was necessary to use Run above because, if the pipe's buffer becomes full, the program doing the writing will halt until somebody else empties it. When the shell executes a command, we have to wait for that command to complete before we can enter any new commande. So, in this example, our shell window would freeze us out. When we execute a command with Run, however, since this is done in a new process, we don't have to wait and can carry on with our shell session The Run command prints the new

process number in our

shell window. For example, with the first pipe example, when I entered 'Run List C: *PTPR-' it displays '(CLI 8)' denoting that List is being executed in process number 8 You can check this by using the Status command, which shows a list of all currently executing



function to cut down on the required. It

amount of twoins provides a simple string substitution

processes. In this case, one of the entries will be 'Process 8: Loaded as command: List' When the contents of the PIPE: have been emotied, this new process will terminate.

Commands Run from a shell window share that window as their default input and output streams. This can cause problems. The new process might try to write to the window while we are entering a command, creating confusion. Also, we cannot close the window until all processes that are using it have terminated. A solution, if the program you intend to run doesn't require input and output from a console, is to redirect both streams to the NIL: device. For instance, suppose you wished to

format a floppy disk. The format command doesn't require any keyboard input, but it normally prints progress information to its output. By executing the command as:

Run >NIL: <NIL: Format DRIVE DF0: NAME Empty

we stop it interfering with our shell window and can get on with our shell session while it formats the disk.

Richard Drummond 0

Illuigh Discover how to add informative visuals to your

ne of the most popular uses of JavaScript is to provide greater visual feedback to users as they navigate web pages. The normal behaviour of a browser when you move the mouse over a link is to display the URL of that link in the status bar. While this may show the user where the link goes, it says little about what they'll find when they go there. A link like this one is much more informative:

-A HPRP-"links heml" onMouseOver="window.status='See anywhere' return true" onMouseGut="window.status="":retu rn true">links page¶

and using rollover images enhances the feedback given to users

This introduces two new HTML attributes onMouseOver and onMouseOut. These are known as event handlers (see the table for a full list). An event handler specifies an action to execute when a particular event occurs for that HTML object. In this case the actions are self-explanatory, they are called as the mouse moves over and away from the link, Each handler is executing two statements, separated by a semi-colon, the equivalent of a two line script. The first changes the contents of the status property of the window. This is the text displayed in the browser's status bar

Instead of the bar displaying the complete URL of the link's page, it now shows a description of the page. The onMouseOut event clears the status bar, otherwise the text would stay there until the mouse was moved over another link. The final statement in any event handler should return a success code. In this case it's a simple "return true" statement, but later we'll see how a script can cause the browser to react differently depending on the result returned

The entire event specification is enclosed in double quotes, which means we have to use single quotes for any quoted strings within it. Since the single quote character is also used for apostrophes, be

ided the sign in the listings to show where you Return

Chapter 2: Rollover images Chapter 6: Compatibility
If you've missed any tatorials in this series, call our back issue hotline on 01450 2711

careful of traps like:

onMonseOver-"window status-"The World's best link page': return

This will do strange things to a browser as it tries to interpret "s best link page" as part of the command. The solution is to "escape" the quote character with a backslash:

onMouseOver="window.status='The World\'s best link page'; return

ROLLOVER IMAGES

Another way of enhancing the feedback given to a user is through rollover images. These use the onMouseOver event to replace a link's image with a different one

estiritis [Vapor | Anige Web | Anige Org | SASG | Vehoo | Atla Vota | marin lex a 1000 SOTUME • B.FFC97 pwrs.rsg · ASSOLACES Busst score And follow the on sprace prompts to broken and here is help and lable of all alages, just all on the the help button or green the MLP bay on your

The second button in the navigation menu has changed colour, as the mouse is over it. A description of the contents of the link are displayed in the status har at the bottom of the window

and reload the original with onMouseOut. Here is a basic example:

<A HREF-"stuff.html"

onMouseOver="document button arc= 'button1.gif';return true"

onMouseOut="document.button.src=' button0.gif';return true" >< IMG SRC="button0.gif" NAME="button" WIDTH=...>

Since HTML regards spaces, line feeds and tabs as the same, we can solit the tag over several lines to make it more readable. The browser treats it the same as if it were all on one line. Although we are working with an image here, the event handlers still belong to the link in the <A> tag. The ING tag gives the object its unselected image. It also gives the object a name. The name is used by the onMouseOver event. This follows the hierarchical naming of JavaScript objects the object is a part of the document, so it is referred to as document .button. The image's source is contained in the object's src property, referred to by

document button, src. If you change the contents of an image object's src property. the new image will be loaded and displayed. The onMouseOut event restores the previous imagery as the user moves away from the button

You don't have to give each image a name. The array document . image can be used to refer to each image on the page, in the order they appear. This may be useful when dynamically creating pages (covered in part four). For most purposes, naming your images and other HTML elements makes your code much clearer and easier to work with. You may have noticed the phrase "loaded and displayed". The first time the



EVENT HANDLERS

JavaScript has several event handlers for various types of HTML object. Here is a list of them and the objects they work with.

HANDLER	OBJECTS	EXECUTED WHEN
onLoad	<body>, </body>	The file, HTML or image completes loading
onUnload	<80DY>	The file is unloaded, i.e. replaced by another
onMouseOver	<a>, <area/>	The mouse moves over the object
onMouseOut	<a>, <area/>	The mouse is moved away from the object
onClick	<a>, <area/>, <input/>	The user clicks the mouse on the object
		(buttons, checkboxes and radio buttons)
onSubmit	<form></form>	The user clicks the Submit button of a form
onReset	<form></form>	The user clicks the Reset button of a form
onFocus	<body>, <input/></body>	The browser window containing this object becomes active
onBlur	<body>, <input/></body>	Focus is switched to a different window
onAbort	⊲MG>	The user aborted the download of the image
onError	⊲MG>	An error occurred when downloading the image (you may only either onError or onAbort)
onChange	INPUT> (Text, FileUpload and Select),	The content of a text input field is changed, or a change is made t selection of an item in a SELECT object.

user moves the mouse over the button, the new image has to be downloaded. This won't seem a problem when you are testing the page on your hard disk, but once it's being accessed via a modern, the delay in loading will be significant. It's only a delay the first time, after then the image is in the browser's cache and will be loaded almost instantly. What we need is a way to preload the images into the browser's cache as soon as the page loads

The onLoad event is perfect for this. Used as an attribute of the «BODY» tag, this event is executed as soon as the page has finished loading. We don't want to preload the images before then if the page has six buttons, that's 12 images to load, which will slow downloading of the page itself. It's best to wait until the page is loaded. This function can be included in the <HEAD> section of the page and called as follows

<script type="text/javascript"</pre> language="javascript1.1">9 <!- hide script from non-JavaScript browsers¶ // Preload button images

function PreloadImages()%

ImageNames = new Array('home','aboutme','myamiga,'mydog','links','sof ImagePath = 'images/'; // the path to the

images must end with a "/" StdExt = '0.gif':1 SelExt = '1.gif';% TempImage - new Image; 1 for (var i = 0; i < ImageNames.length;i++)

TempImage.src = ImagePath + ImageNames[i] + StdExt; 1

TempImage.src - ImagePath + ImageNames[i] + SelExt;%

11 -29 </script>1

<body bgcolor="white" onLoad="PreloadImages();return</pre>

This introduces a few new ideas, so we'll work through it. The first few lines declare the script and define the function PreloadInages. The first line of the function sets up an array containing the names of the images. This is more elegant than individually loading each image and makes adapting the script to handle more

and more informative - a site that visitors will want to return to

> images a simple matter of adding their names to the array. The next three lines give the path to the images and the names of the standard and highlighted images. In this case, the convention is to call the standard image for the home button "homeo.gif", the selected image "home1.gif" and so on. I won't state the obvious by telling you that both images should be the same size.

Next we define an image object, this won't actually be displayed, but setting its src property to the name of a file causes that file to be loaded, and thus stored in the

browser cache. We loop through the array using the "for" statement. The brackets contain three items. separated by semi-colons, to specify how the loop should behave. The syntax is similar to that used in C. The first item initialises an index variable and is executed once, before entering the loop. The second is a test; as long as this is true the loop is executed. ImageNames.length is a property of our array. returning the number of items in the array. JavaScript arrays are numbered from item 0, so with our array of six items, this is true for values of i up to 5, the last

element in our array. The third element of the "for" statement is executed after each loop, to increment the index variable: "i++" is equivalent to "i = i + 1" The statements to be executed by the loop are in braces ({)),

The two lines between the braces do the actual work. When applied to strings, the + operator concatenates them. The first time around the loop, i is 0. ImageNames [0] is 'home' and the first line

becomes

TernImage arc -'images/home0.gif':

By assigning the image file to the src property of this image object, we force the browser to load it, even though it doesn't display it. This means the image is now in the browser's cache, immediately available the next time it's called for.

That's it. To use this script in your page. you only need to change the first three lines of the function. There is one important point to consider. You are making your visitors download all of the button images for your page at once. Don't use so many that you overload their connection, and share the same images between the various pages on your site. If you overuse this, you'll discourage people from coming back, Careful use of onMouseOver can make your pages more attractive and more informative. This is the type of

site that visitors return to. Finally, we can combine rollover images and status messages like this

<A HREF="stuff.html" onMouseOver="window.status='Retur

page';document.button.src='button 1.gif';return true" onMouseOut="window.status='';docu ment.button.src='button0.gif';ret

urn true" ><ING SRC="button0.gif" NAME="button" WIDTH=...>

Neil Bothwick



This site also uses rollover images, Instead of changing the colour or design, the second image is offset by several pixels. The but as the mouse passes over it.

Find hand-coding a hassle? Then follow in the footsteps of the laziest Amiga owner on Earth, and get your computer to generate web pages for you

s you may remember from the tutorial last issue, I said that our next project was to begin building HTML pages, HTML coding is all well and good. and I'm sure loads of people really like typing in all the magic symbols and complicated tags. I'm not one of those

DI ANNING

If you are getting more confident about writing ARexx scripts, voc may not think it is necessary to plan out this latest project, but it is. The projects we have attempted up until now have been fairly simple, and pretty linear. This project is also fairly linear, but has several parts, which must be done in the right order if it is to work properly.

Now, don't worry, I'm not going to advocate anything so ridiculous as a flowchart or anything. That would be a little over the top, and often creates more confusion if you don't make them very detailed. But that doesn't mean we can't do a little bit of

One useful thing I have found when writing ARexx programs is to actually plan out the comment lines first, in your normal programming word processor (CEP is still my favourite for writing C code with, but Turbotext is really good for ARexx). You'll be surprised at how easy and useful this is. Just using comment lines, describe the processes involved in making the program. You'll probably find that when you start, you'll need to add extra things in between the steps you've already written, or move whole sections about. While everything still consists of comment lines, it is still pretty easy to do this

Here is how my plan of this project looked when I started:

/* Automatic HTML pages */

/* Assign directory names to stem variable */

/* create contents html */

/* start loop for each directory*/

/* read files in directory */ /* assign filenames to stem variable */

/*disregard thumbnail files*/ /* Calculate no of pages required */ /*loop to create page */

/*Loop for rows */ /* Loop for columns */ /* Write HTML for

cell*/

/* end column loop */ /* End Row loop */

/* End page loop*/ /* Write Banner.HTML*/

/* End loop */

Chapter 8: Project 1 - thumbnail generator

Chapter 9: Adding a GUI Chapter 10: Automatic HTML generator part 1

Chapter 11: Automatic HTML generator part 2

Chapter 12: Debugging techniques

Chapter 13: Arexx in OS3.5

people, and I'm sure many of you could do without hand-coding dozens of pages. I mean, come on, that's what we have computers for isn't it?

I really chose to do this project because I have a large collection of, er, comics, I'm always forgetting which ones I have, or which artist did what cover and so on (I won't bore you with the details). My idea was to make a nice interactive HTML based directory of all the front covers of all the comics I own. Aside from taking about three years to scan them all in. I reckon it would take me several weeks just to generate the HTML code for all the thumbnail galleries, so I decided to spend a few days writing a program to do it for me. ARexx is the natural choice, because it is so delightfully easy to deal with files and text strings, which is what

The great thing about this project is that, even if you don't have a bad memory and a large comic collection, this sort of thing is useful for all sorts. What about a nice HTML interface for all your holiday

pictures, or clipart or whatever? Also, once you get the basic hang of it. you could adapt ARexx to update your web home pages for you. Anyway, for the purposes of my comic collection. I have a whole load of directories, full of images With the excellent thumbnail generator we wrote in issue 128. I have created thumbnails for them. Now what we need is a script that will generate HTML pages to

show them all, with links to the original. I've thought about this for a while and have decided that my web pages will consist of three frames. The top banner space will





currently in, the side panel will include a contents list of all the directories we have pages for and the main window will obviously show the thumbnails. The too banner will also have to provide links to any other pages I need to create. The easiest way to do this is to actually create two pages with two frames, because this lets you easily update the banner and thumbnail frames simultaneously. See Figure 1 (to the right) for more detail.

So, our program will have to generate a banner document and a thumbnail document for each directory. But hang on a minute, what if there are loads of images in a directory. The picture part of the page will take hours to load, and we'll have to scroll around to see anything. So, instead, we'll set a maximum size. Fach page will contain a table, with five columns and four rows of images. Obviously you can change these values depending on the size of your thumbnails, or the size of your workbench screen. If there are more than 20, we'll have to create a second page. The banner can include links to all the pages to make navigation easier.

The important thing here is that we plan in advance. The boxout on planning will show you how I develop my more complicated ARexx scripts! But we also have to think about the planning of our web pages. In order to generate the right files in the right place, we need to know exactly where everything should go, and if you don't sketch it out on a piece of paper or something, you'll probably get very confused. I have included an example directory tree here (see the boxout on the right) to show you how things should work.

EXAMPLE DIRECTORY TREE

suit your needs, as they make little difference to the ARexx code.


This is an example of how your directory tree will look, in the root directory. Index, HTML is the main web page to open, but it doesn't contain much data, just the setup info for the frame. It calls Side. HTML, which we will generate from the directory names, and Content . HTML. Content . HTML merely divided this frame into two again, and uses Banner, HTML for the too half, and Welcome, HTML for the bottom half. These latter two files can contain anything you like - text, graphics, animated flaming logos. These are the bits that will actually change. Clicking on a link in the side frame will cause the right two frames to change. It will do this by opening Index. HTML in the respective directory and loading in the first page of thumbnails and the Banner. HTML file from there. The banner will contain links to further thumbnail files if there are any, in the example there are only three images and their associated thumbnails (prefixed with "TN_"), but if there were 25, there would be a pics2. HTML file too. It may seem a little overly complicated but it is actually pretty simple. It's made a bit mor complicated by the roundabout way we get two frames to change at once, but hey - it works! I have provided the

listings for Index. HTML and Content. HTML so you can see how the frames work. Feel free to adjust them to

Index HTML content HTML Side . HTML Banner. HTML Welcome HTML

Banney DTMT pical HTML cover1.ipq cover2.ipg cover3.jpg TN coverl.jpg TN cover2.ipg

TN cover3.jpg to salit the display



I'm sorry there wasn't really enough time/space to include all of the ARexx code we are going to use, but it is more important that you understand what is going to happen first. Perhaps you could think of ways to adapt the scripts we have made previously to do the job?

Anyway, in part two, next issue, we will have all the code you can handle. It should be on the CD, along with the HTML files, and if you are lucky, a sample of my comic collection! See you then.

Nick Veitch

-ITML Listings

These are the two files which set up the frames. Frames are really handy for this sort of project, but you could achieve the same sort of functionality with tables. It would make the ARexx script a little more complicated though, as you'd have to add the index information to every single page!

of paper or something to start with.

you are likely to get very confused

and make time-consuming errors!

INDEX.HTML

<frame src-side.HTML name="side">

<frame src=content.HTML name="content" > </html>

CONTENT.HTML

<frameset rows="100.*">

<frame src-banner.HTML name-"banner"> <frame src=welcome.HTML name="pics" >

</frameset>

</html>



This is what your finished web pages will look like. The colour scheme is a bit unpleasant isn't it, but I'll show you how to define all those nice touches when we le at the code next issue. At least you can see that it does actually work!



Program Un tipe Boopsi, Gul and more strange-sounding acronyms in this next part of our programming project

For clarity, we've

the listings to

ed to enter a

show where you

added the 1 sign in

e actually began writing some code for the AFMore project last time by implementing some abstract datatypes to hold an internal representation of a text file. Now that it is done, we can think about rendering the text into a window.

As I said earlier, the AfMore's graphical interface will be built with BOOPSI, the Basic Object Oriented Programming System for Intuition. BODPSI allows us to construct our interface in a highly modular manner. However, the shandard set of BOOPSI classes is rather primitive, so we will need to baild upon these for our project, buddly, extensibility is one of BOOPSI's key

In BOOPSI, communication is performed by sending the object a message telling it which method you wish to invoke

It should be noted that a complete guide to BOOPSI would fill the majority of this magazine, so I refer the reader to Chapter 12 of the Libraries Reference Manual. Hopefully, the source code and documentation supplied on this issue's coverdisc will be largely self-explanatory.

GET THE MESSAGE?

Intuition provides a set of functions and data structures which allow us to manipulate BOOPSI classes and objects in an object oriented way from non-OO languages like C. To recap on the object-oriented

THE CLASS SYSTEM

BOOPSI classes can either be private or public. Public classes are identified by name and are available for use to any program; private classes are accessed via a pointer and are local to the program that creates them.

The Intrition function take-Class () is the one that allows us to build cutton BOSY classes. It takes either a pointer to the private class or the name of the public class that we want the new class to be a descender of and a pointer to our new classes; diaparther. This dispatcher is the function that is called when Intitiations sends a reasegue to an object of our class. If we wish to add now behaviour to over parent class, the dispatcher can perform some processing in response to overridden or new methods. Any other method can be passed on to the parent class for handling.

Chapter 4 Source Code Management
Chapter 5 Error Handling
Chapter 6 Bottoms Up?
Chapter 7: Building the GUI part 1
Chapter 8 Building the GUI part 2
Chapter 8 English Service Service

Make sure you don't miss a tutorial in this series. Call our subs hotline on 01458 271

philosophy, communication with an object is permitted only vis one of its member functions or methods. In BOOPSI this is performed by sending the object a message (nothing do with an Exec message), telling it which method you wish to invoke. The basic definition of a message is:

typedef struct {1 ULCNG methodID;1

The item method to to be invoked. This message definition is rather like a virtual base class in C++. Real messages override the basic definition depending on the type of the corresponding method. For example, OM, NEW and OM, SET methods have the following method structure:

struct opSet {¶

ULONG MethodID;¶

struct TagItem *ops_AttrList;¶

struct GadgetInfo *ops Ginfo;¶

pairs to modify.

In the case of the OM_NEW method, ops_AttrList points to a list of initial attribute/value pairs for the object; for OM_SET it points to a list of attribute/value

Now, the building block for all BOOPSI classes is the root class. Certain methods are defined for this root class and hence, by inheritance, for all other BOOPSI classes.

OM_NEW: This method tells a class to create a new instance of itself. A class receives this method when a client calls the NewDeject () function on that class. The message contains a list of initial values for the new object's attributes.

OM_DISPOSE: This instructs an object to delete itself. A client sends this message by calling the DisposeObject () function.

OM_SET: This method tells an object to set one or more of its attributes and is invoked by a client with the SetAttra() call. The object receives a message containing a list of attributes to modify and their new values.

OM_GET: This method informs an object to return the value of one of its attributes. A client sends this message by a GetMethod () Call.

OM_UPDATE: This method tells an object to update one or more of its attributes. It is not called by the client of an object, but its used by BOOPSI objects to notify transitory changes to each other. The message structure is similar to OM_SET messages with the addition of a flag to discern between interim and final update messages.

OM_NOTIFY: This method is again not used by a client but rather by an object to notify other objects about a change in the state of one or more of its attributes. A child object will generally not handle this method itself but pass the message to its parent. Children of the root class may override

any of these methods or define new methods. A client must use the DoMethod() call to invoke any of these new methods.

GADGETS AND GIZMOS

One descendant of the root class is the gadget class. This is where things begin to get interesting. The root class implements the mechanics of the BOOPSI system, but objects of root type don't do anything useful. Objects of gadget type, however, are



wish to become active for example a window size and accepts commands to DOES IT WORK? simple boolean gadget. scroll the displayed text. For just now we will keen things simple, but later on we will Convincing yourself of the robustness of your GUI code is never GM HANDLEINPUT: Once a gadget is also add selecting of text via the mouse an easy matter. The primary input of a GUI element is some input active. Intuition will send it input events: (which can then be sent to the system event from the user, the primary output some visual change to the mouse-clicks, key presses, timer events, clinboard) and searching of text. element. Because of this interactive behaviour, GUI elements are etc. The gadget can examine these events, The TextView gadget is a direct child of difficult to test. When testing a BOOPSI class it is a good idea to the gadget class and overrides all decide which ones it log all invoked methods and attribute changes to a console or file. wants to respond to the standard gadget methods This log can then be examined to confirm that the class is and modify its state above. It has a number of ROOT responding correctly to messages and updating its state in the (and its imagery) extra attributes determining desired manner. The Amiga increases the problem because of the accordingly. the textual contents of the rich variety of display environments that a GUI object can live within. Don't assume everybody else's screenmode or font is the CADGET IMAGE same as yours. equivalent to traditional Intuition gadgets. They may be added to a window, be manipulated by custom gadgets fit into BUTTON PROP GROUP the user and can communicate with each other and the client program. The basic gadget class has attributes which describe the physical AF BUTTON SCROLL TEXTVIEW position of a gadget within a window and defines a number of new methods. Standard class

AFMore class

gadget to draw itself. It can be invoked by a number of causes: when a gadget is first added to a window, when the gadget's window is resized, when Intuition refreshes the window after layer damage or explicitly as a result of a power had () call from a client.

GM RENDER: This method tells a

GM HITTEST: When a user mouse-clicks anywhere in a window. Intuition searches the list of eadeets attached to the window to see if any have been hit. If the click falls within a BOOPSI gadget's bounds, this method is called. If a custom gadget has a non-rectangular shape it can check the coordinates provided in the message to see if it really was hit.

GM_GOACTIVE: If a gadget responded to a hit test positively. Intuition will ask the gadget if it wants to be active by invoking this method. An active gadget is one that gets input from the user, for example, a selected string gadget or a proportional gadget when the user picks up its knob with the mouse. Some gadgets may not

Perhaps the most interesting attribute defined for the gadget class is ICA Target. This points to a gadget's target object When a gadget receives a OM_NOTIFY message (signifying that some attribute has changed), it sends an OM_UPDATE message to this target. The target may be

GM GOINACTIVE: This method tells a

gadget that it is no longer the active gadget.

another gadget or list of gadgets (see the RKM on interconnection classes). It is also possible to specify an Intuition window as a target, which results in an IDCMP IDCMPUPDATE message being sent to the window's message port. It is by

these mechanisms that we can interconnect gadgets and allow them to update each other without any involvement from the client program.

The rendering of text in AFMore's main window is

watching begin writing some code for the APBUTE project last time watching begins and the control of the file. Now that it is come, we can think about a last file and the control of the file. Now that it is come, we can think about at last extended the control of the control achieved by a custom gadget called the TextView gadget which fills the interior of the window. This gadget is responsible for the rendering of as much of the specified text as will fit within the current window size, adapts to changes in the

gadget, the current display position, the font to be used for rendering the text and so on. It adds new methods to allow scrolling of the text. For example, calling the TVM LineUp method will scroll the text page up one line. See the documentation on the coverdisc for more details.

Contains

→ Inherits

The other most prominent gardgets in AFMore's main window are the scroll gadgets in the right and bottom borders These are interconnected with the TextView gadget so that manipulating either scroll gadget causes the displayed text to scroll correspondingly and vice-versa. The scroll gadget is actually a compound gadget consisting of a proportional gadget and two button gadgets with arrow-shaped images.

The standard button gadget has a couple of shortcomings if used in our scroll gadget. It continues to broadcast update messages even when the mouse is no longer over the gadget itself and it repeats broadcasting too quickly after its initial selection. When a user clicks the gadget once, multiple messages are sent. This makes fine control of the gadget difficult. The button gadget used in our compound scroll gadget inherits the behaviour of the standard button gadget and subtly redefines it. This new AFButton gadget becomes deselected when the mouse pointer is moved away and, when selected, will send an initial update message followed by a delay before repeatedly sending messages. The implementations. documentation and test code for the above

three custom classes are on the coverdisc. Next issue we tackle the window class.

the message?

**BODY:

Intuition provides a set of functions and data structures which allow us to manipulate BOOPSI classes and objects in an object oriented way from non-OO languages like C. To recap on the object-oriented

Amplify SoundStudio's capabilities with Note Sequence Manipulation and enjoy a whole new era of sound

ans of OctaMED SoundStudio have been teased with promises of a v2.0 release for some time now. It is going ahead, but for now the most up to date release is v1.03c (now freeware, available from Aminet and the OctaMED website) However, things are looking up thanks to a third-party plug-in system called NSM.

plug-ins if they want to: they work by also launch external programs

NSM (Note Sequence Manipulation) offers a way to add all kinds of new features. to SoundStudio, but it is a bit more complicated to use than its 'plug-in' tag would suggest. However, it does mean that you can bolster your basic SoundStudio with additions such as powerful sample filtering (including resonant filtering). improved echo algorithms, text annotations for all tracks, better MIDI control and plenty

I'm still using OctaMED 4, mainly

because I can get around it more

quickly than in later versions. I don't

really want to change. Can I still use

No. You must have what is

(1.03c). Go on, upgrade anyway, it's

find features you never knew were there, and you'll get used to it soon

free, you'll probably find some handy

I've got a Triple Play Plus 48

channel MIDI interface lying

Funny you should ask, yes there is!

How do I go about writing my own

Assuming you can program in C,

read the autodocs that come in the

It's called MIDI send and it also

adds some extra MIDI output features

around somewhere. I don't suppose

there's an NSM plug-in to take

advantage of it?

to SoundStudio.

NSM plug-ins?

currently the very latest version

NCM

enough.

SoundStudio's sample editor can be upgraded wit these plug-ins. This reconant filter effect to those

pter 4: Conversion and file exchange tools Chapter 5: OctaMED SoundStudio plug-ins Chapter 6: Miscellaneous tools and toy: of quick solutions for transposing and rearranging tracks and instruments with a

pter 2: MIDI patch editors

single keystroke All of this has stemmed from the

existing ARexx features of SoundStudio. which allow scripts to be called which can then work within the SoundStudio system. Kietil Matheussen came up with the idea for NSM after investigating the possibilities of ARexx plug-ins. The trouble with ARexx is that it's pretty slow, so complex ARexx plugins could take ages to do a relatively simple job. For example, processing samples could take a few minutes. Kietil wanted to write his own plug-ins in C instead of ARexx, and so NSM was created as a kind of bridge system to make this possible. The original idea was to write algorithmic composing programs (hence the name), but now it has been out to wide range of other uses.

define shortcuts for your own ARexx scripts or those written by other users. This is how plug-ins work with ARmox. NSM plug-ins work by exploiting SoundStudio's ability to

also launch external programs. Once the system and some plug-ins have been installed (have a good read of the documentation, and read it all again if it doesn't seem to work), you should be able to try things out. Because the NSM plug-ins are little programs in themselves, you could bypass the recommended keyboard shortcut route and simply run them from RAM: nsm/ where they should be after you boot up. This isn't recommended, but if you know that, at least you've got a better idea of what's going on behind the scenes should you need to get your hands dirty when things go wrong. Look at the How it Works box for a quick guide to setting it up.

PICK OF THE POPS Rather than go through the whole lot, I thought it would be more useful if I introduced you to some of my favourites. what they can do and how they work (or don't, if you've not installed everything properly).

First up is Resonance. It was originally made as an ARexx plug-in by D Krupicz, but was remade in C by Kjetil. It processes the current ranged portion of a sample with an analogue-style resonant filter, although as it stands it doesn't seem to be much good for longer samples. However, it does a nice job, and now it's much faster than it was in ARexx format. You get a nice little GUI to work with too, so it's very easy to use.

Another of my favourites is also a kind of filter. Actually it's lots of types of filter. This one is by Claude Heiland-allen (anyone can write their own NSM plug-ins if they feel the urge). Unfortunately this one works more like a Shell command rather than having its own slider-filled window. However, cha_filter, as it's called, is very powerful, with the ability to process your

United for the Hiff system by Kjetti E. Helbesson 1993.

ton Fine	Cant Inat	Brist A	trans	F117
Display: 2011	ALCOHOLD DE	the college allo	1000	Con [28113
A STATE	frequency freq. and deter			HITTHINGS
Elec Bissis	com pat to	Catgatate		[1884] X-2.
	Citosp tosp	Paint Distarti	Care Pa	Name O Billiply
tonete Editor		TOTAL TORSES	A tay tart fro	
hite contact	GALL LA	little	ni . Ada	se the: 15582

Steinberg Re-Cycle

(by a long chalk), but the Stanley d speed up the ess of

SHORTCUTS

NSM takes advantage of SoundStudio's Keyboard Shortcuts menu option. This is a very powerful part of SoundStudio, as it not only allows you to redefine the main keyboard shortcuts, but it also gives you access to stacks of automated tasks in the form of internal ARexx-type scripts. Furthermore, you can use this section to



INTERNET RESOURCES

As ever, the net proves a valuable source of software and advice. You should find all the necessary software on the CD, but check the NSM homepage for updates and further information m/ Also check out the OctaMED website, from where you'll find instructions on how to

join the extremely helpful OctaMED mailing list:



The Tracknam

dow plug-in

ring you to

ch sounds are

adds a sorely needed feature to

ake notes of

used in which

instruments with lots of scientific-sounding filters, with bandpass, lowpass, highpass, resonator and bandstop options among many others. To get the most from this one you'll need to set up a number of different keyboard shortcuts, each calling the cha filter plug-in with a different set of arguments. For example, you could set up one to remove low frequency hum, another to roll-off high pitched interference, one to 'enhance' your samples by boosting top and bottom frequencies, and so on

For example, here's one to boost low

frequencies:

nsm: cha_filter from 1 to 2 resonator bandpass frequency 200

and here's one to remove low frequencies:

nsmicha filter from 1 to 2 butterworth bilinear order 4 highpass frequency 200

> Then there's the endearingly named Stanley, I guess Stanley gets its name from the brand of knife that's a staple of any good toolbox, since this plug-in is used to chop up a sample and arrange the pieces into the following instrument slots. This is handy if, like me, you find yourself

constantly chopping up breakbeats into smaller hits and having to manually set up new instruments for the different parts. With Stanley, you just mark a few points on the sample and tell it to go to work.

BEST OF THE REST Others to watch out for include

AutoTempo. I should admit that I've not yet got this one to work, but it should take a sample, such as a drum loop, and automatically adjust the instrument's finetune and transpose settings so that it will loop perfectly at the current tempo

setting when played at note C-3.

Another one that sounds very interesting but has so far refused to play ball is MIDI record. As you might have guessed, this is designed to record certain. MIDI information (as you specify) from your MIDI device into the tracker window. For example, you could record the modulation or resonance knob-twiddlines into your sequence, later to be replayed automatically.

A WORD OF WARNING In the event that you have a go at this and nothing seems to happen. I would urge you to take a deep breath, read everything

again, and keep trying, as it is worth it, Not only should you make sure you've got the main NSM system setup properly, but also check any documentation that comes with the plug-ins, as these often have special requirements of their own

An automated installer for the NSM system is planned, which will make things a bit simpler, although it looks as though we'll probably still have to do a lot of the setting up ourselves. As Kietil points out, he's only doing this in his soare time anyway, and has spent over 500 hours on the project so far, so maybe it's not too much to ask us to spend a short time tinkering with start-up scripts and archives.

Tony Horgan



HOW IT WORKS

All NSM pluz-ins are actually executable programs which remotely control SoundStudio. Once you've installed the NSM system according to the documentation, you should find that you've got a load of files in a folder called 'nsm' in your RAM: disk. These programs are the plug-ins. Assuming you've already got this far, this is how to put them into use.



a V1.03



this plug-in, and define th





th Program. In the Cor " followed by the file

et until it read





Click Save and OK in the file re



Banging the Metal

The tricks and secrets of AGA sprites revealed

verlays are basic display components, from mouse pointers to game characters, so Amigas have special hardware to superimpose extra images, known as 'sprites', upon playfields. Sprites were devised for game elements like missiles and *Pacman ghosts*, and since used for pointers, siebs and socre overlays.

Sprites boost the smoothness and efficiency of Amiga systems. Windows

pointers lag and jump because they are not

REGISTERS			
Collision indications	CLXDAT	SOOE	
not used (not yet, anywa	Bit 15		
sprite 4 or 5 hit sprite 6 c	Bit 14		

	Bit 14	sprite 4 or 5 hit sprite 6 or 7
	Bit 13	sprite 2 or 3 hit sprite 6 or 7
	Bit 12	sprite 2 or 3 hit sprite 4 or 5
	Bit 11	sprite 0 or 1 hit sprite 6 or 7
	Bit 10	sprite 0 or 1 hit sprite 4 or 5
	Bit 9	sprite 0 or 1 hit sprite 2 or 3
	Bits 5-8	sprite pair hit playfield 2
	Bits 1-4	sprite pair hit playfield 1
	Bit 0	selected playfield bits collide
\$098	CLXCON	Collision control
	Bits 12-15	detect sprite pair collisions
	Bits 6-11	enable plane 1-6 comparisons
	Bits 0-5	plane 1-6 collision bit pattern
\$104	BPLCON2	Bitplane control
	Bits 0-6	sprite/playfield priority
\$120	SPROPT	sprite 0 data start address
\$124	SPR1PT	sprite 1 data start address
\$13C	SPR7PT	sprite 7 data start address
\$140	SPROPOS	Sprite 0 X & Y start co-ordinates
	Bits 8-15	bits 0 to 7 of VSTART vertical start
	Bits 0-7	most significant bits of HSTART edge
\$142	SPROCTL	Sprite 0 position and control bits
	Bits 8-15	bits 0 to 7 of VSTOP vertical limit
	Bit 7	attach odd sprite to previous even one
	Bits 3-6	unused in OCS (original chip set)
	Bit 2	ninth bit of vertical VSTART position
	Bit 1	ninth bit of sprite VSTOP line number
	Bit 0	HSTART odd or even in Low Res pixels
\$144	SPRODATA	sprite 0 image data, low plane
\$146	SPRODATB	sprite 0 image data, high plane
\$148	SPR1POS	sprite 1 registers, like sprite 0

sprite 7 registers, like sprites 0-6

0 | Contents: | D | P |
Chapter 9: Multifold applications of the Amiga Blitter

Chapter 10: Sprites in OCS, ECS and AGA modes
Chapter 11: Programming your MMU directly

apter 12: Hardware extras in each Amiga version apter 13: Revealing a new set of graphics modes

Chapter 14: Copper and Blitter in perfect harmony
If you've missed any tutorials in this series, call our back issue hotline on 01458 271102.

updated every display field. Macintosh pointers blink and program windows are updated slowly if the pointer overlaps them, as MacOS repeatedly merges the images at every update.

OCS and ECS Amigas have eight sprite DMA channels. Each fetches two planes of 16-bit data at the start of every scan line. Individual sprites can be up to 16 pixels wide, or you can group them together to

move a bigger pattern across the screen. 'Attached' pairs of sprites deliver four bits of data instead of two for each pixel, allowing 15 colours, rather than three. One combination of bits allows' transparency', for sprites with an irregular outline or window holes revealing the background, ideal for cross-hairs and alignment marks.

SPRITE ENGINES

Each spite has four word registers, primare by DMA transfers from a chip RAM pitch by DMA transfers from a chip RAM pitch address at the start of every display field. This address points at two control works copied to the first two registers, which set the position and size of the spite, followed by the spite graphic pattern. The example displays a 16 by polest spiret at score. 120 in Low Res video co-ordinates. Set Coolur registers to black, red and yellow in that order for a German flag – blue, white and blue for Aregaria— or whatever.

The Copper can reload the control registers to re-use sprites on lower lines, rejeat them on a line, or reset the data for a different image later in the same scan line! Sprite re-use is potent but complex in assembly code; Blitz and AMOS get close enough to the metal for most purposes.

COLLISION DETECTION

The Amiga hardware detects 'collisions' between images on the screen as it combines sprites and playfields. When bitplanes and sprites collide, bits are set in register CLXDAT. CLXCON lets you indicate which sprites and bitplanes are to be tested. If a bitplane is selected for collision



Our AMOS sprite demo bounces balls o

r AMOS sprite de y background.

detection, the value of the corresponding bit of the display is compared with a low-order bit from CLXCON.

If these bits match, a 'colision' is indicated when a sprite passes over that pattern. You can also detect collisions between playelified, At least one plane must be selected for collision detection, or playided an appear in front of or behind the other, with four pairs of sprites, in according order, undemensth, on top, or anywhere between them, depending on register BYLCNEX/EV/MEXP appe. 2099. Collision detection groups sprites likewise to Palette Choice allow sprites and was only a played to passes and the playing and

Patient choices andw sprites to pass over certain colours but be blocked by others, making it easy to implement walls, windows, doors and mirrors. Collision detection uses the non-transparent part of the sprite, so it's pixel-perfect, unlike checks for intersecting rectangles common on games for lesser computers.

FLAG SPRITE

EXAMPLE Low byte of Vertical Start: 120

High byte of Horizontal Start: 100 Low byte of Vertical Limit: 129 Control byte (see SPROCTL): 0 First stripe words: -1,0,-1,0,-1,0,-1 Second stripe words: 0,-1,0,-1,0,-1 Third stripe words: -1,-1,-1,-1,-1

\$178 SPR7POS



AGA SPRITE REGISTER ENHANCEMENTS

\$10E	CLXCON2	Extended collision control		
	Bit 7	set enables collision tests against bitplane 8		
	Bit 6	set enables collision tests against bitplane		
	Bit 1	state of bit in bitplane 8 that signals collision		
	Bit 0	state of bit in bitplane 7 that signals collision		

S106 RPICONS %xxxxxxxx1x = Bit 1 %01xxxxxx = AGA

Sprite resolution and border enables AGA sprites in the borde %00xxxxxx = ECS default (140ns/70ns Super-High Rres) Low Res (140 ns per pixel) High Res (70 ns per pixel)

4610xxxxxx = AGA Super-High Res (35 ns per pixel) %11xxxxxx = AGA \$108 BPLCON4 Even and odd sprite palette bank %0001xxxx = Too 4 palette bits for sprites 0, 2, 4, 6

%xxxx0001 = Top 4 palette bits for sprites 1, 3, 5, 7 e14. CDD-CTI AGA sprite control extension Rit 6 most significant bit of vertical VSTART Bit 5 most significant (tenth) bit of VSTOP Bit 4 HSTART odd or even in High Res pixels Rit 3 HSTART finest control: 35 ns delay

\$1FC FMODE Bits 2 and 3 set sprite fetch mode

AGA EXTENSIONS

AGA sprites can be double or quadruple width, and in any resolution, independent of the rest of the display. Eight AGA sprite channels can make a three colour image 512 pixels wide, or 15 colours across 256 nixels, equivalent to a third playfield, for colourful parallax.

Bit 1 of custom chip register BPLCON3 lets sprites appear in the border. where they'd normally be blanked. The Silicon Studio miver uses a tall border sprite for tabs down the left-hand side of the screen, soaking up the wide left margin AGA otherwise leaves on multisync screens while it's handling other DMA channels. VGA monitors expect lines twice as often. making the marginal overhead otherwise conspicuous in DBL modes.

ECS sprites are fixed at Low Res. 140 ns. ner nixel halved in Productivity and Super-High Res modes, AGA defaults likewise, but BPLCON3 bits 6 and 7 offer 140, 70 or 35 ns (Super-High Res) resolutions. Resolutions affect sprites globally, but the Cooper can change these for successive screen slices.

Sprites in AMOS BASIC

Rem Amiga Format Bouncing Sprite demo adapted by SNG from ULTIMATE AMOS Screen Open 0.320.200.32.Lowres : Load Iff "EscherDrops.ilbm" Flash Off Ours Off . Hide On . Load "NESBALL ARK" . Mait 10

RATE-5 : BALLS-8 : For I=17 To 31 : Read P : Colour I,P : Next I Data SFFF. SDDD. SAAA. 2. SFFO. SDDO. SAAO. 3. SFOO. SDOO. SAGO. 4. SFOF, SDOD. SAGA

BASE=235 : LEFT=130 : RIGHT=420 : Dim SP(BALLS-1,4) : X=0 : Y=1 : W=2 : Por C=0 To BALLS-1 + SP(C,W)=Rnd(RATE)+1 + SP(C,H)=Rnd(RATE)+1 : Next C

Beneat . Por C-0 To BALLE-1

SP(C,H) = SP(C,H) + 1 : SP(C,X) = SP(C,X) + SP(C,W) : SP(C,Y) = SP(C,Y) + SP(C,H)If SD(C Y) SASE Then SD(C Y) BASE + SD(C H) - SD(C H) | Rem Bounce Do If SP(C, X) > RIGHT Then SP(C, W) = -Rnd(RATE) -1 : SP(C, H) = Rnd(RATE*2) +1 If SP(C,X)<LEPT Then SP(C,W)=Rnd(RATE)+1 : SP(C,H)=Rnd(RATE*3)+1

Sprite C+1,SP(C,X),SP(C,Y),1 : Next C : Wait Vol Until Fire(0)+Fire(1) : Rem Press Fire or Left mouse button to stop

AGA sorites allow 32- and 64-bit fetch-modes. Chanter seven revealed how FMODE bits 0 and 1 allow twice or four times as much playfield data to be accessed. Rits 2 and 3 do the same for

AGA sprites, giving widths up to 64 pixels. Like bitplanes, sprite data must be 32or 64-bit aligned for fast AGA fetches. The

initial sprite control words are duplicated so required values are always available to the AGA logic, 16-bit sprites used two words, C1 and C2. but

if sprites are 32-bits wide, they must start with C1, C2, C2, 0, followed by 32-bit data for each sorite plane

64-bit sorites start with eight control data words: C1, C2, C2, 0, C2, 0, 0, 0. Duplication ensures that C2 remains available when extra data is being fetched.

MORE COLOURS

This mixer GUI by

Mark Knight uses

are and a border sprite to

24-bit copper

AGA on a VGA

strines, two

on Jenkins and

Old Amiga sprites used the second half of the palette, registers 17 to 31, but AGA ones can he switched between 16 banks of 16 colours Odd and even sprites have their own four bit controls in BPLCON4, accessing two distinct sets of colours. The default %00001 uses the

same registers as ECS. AGA sprites can collide with an extra couple of bitplanes, so a new collision detection register CLXCON2 was added. automatically cleared when you update the old CLXCON register. Setting the top 4 bits of CLXCON then bits 1 and 7 in CLXCON2 checks all sprites against collisions with

background colours 128 to 255. **NEXT ISSUE**

Our Millennial chapter delves into hardware memory management. Commodore never released guidelines on programming Amiga MMUs making it a black art, confined to those with the hardware manual for their specific processor variant. I'll explain the principles, and how Thor's mmu.library enables powerful, portable memory management code on any suitably equipped Amiga.

15

Simon Goodwin

ECS games like EA's Risky Woods build a complete playfield by tessellating sprites in the background

Data for up to eight sprites is fetched matically at the start of each scan line. Timing Chart

COPPER, BLITTER OR CPU

D

Amiga.met

This issue's whirlwind tour of the Internet takes a look at some of the bizarre devices that people have decided to connect to it

Ithough the Internet was first conceived in the '60s by the US Defence Department's Advanced Research Projects Agency, it was during the '80s and early '90s that it underwent its most significant shaping – principally by

While today there are probably around an atotal of more than 200 million unique hosts on the interned, as a total of more than 200 million people probably connected to the network, back in 1980 there were only about 200 hosts, and in 1990 perhaps 300,000. During the 30s, Internet growth came about largely because more and more academic institutions were getting connected to the network. Now students being students (generally having plenty of intelligence, a sense of hamour and too much time on their hands), it's

In the early '80s Computer Science students at Carnegie-Mellon University decided to wire their Coke machine up to the Internet

notion of having a network to which they could attach their PCs inspired many to experiment. They realised that with a little effort they ould connect all finds of devices to the litternet, either directly or through their computer. So It was that in the computer So leaves to the little many 80%, the students in the Computer Science department at Carnego-Mellon University decided to wire their Coke machine up to the Internet. The advantages of doing this were immenses – they cold from the size of the size of the Internet.


probably not altogether surprising that the

useful tool if you're a big webcam fan.

HONOURABLE MENTIONS

One of the nice things about writing, Amigazane is that I'm constantly being mustled by Amiga such swaring to draw eny contentify being mustled by Amiga such swaring to draw eny attention to new things and, quite often, wondering if I could give a plug to their efforts in the pages of A. Amiga Rashin is not that cortainly discreves a plug, It contains plenty of reference material and links on a variety of Amiga-related topics, and although it's still very much in its infancy, it has the potential to errow into a really useful resource. The URL is

http://www.thexcript.demon.co.uk/amiga/index.htm. Also worth a mention is thAOUGht, the Amiga Online User Group, which is a support group for those who can't get along to a local user group, or perhaps don't have one near them. The group meets at 10pm each night on the #Amigazone channel on the DALnet IRC network.



CONTACT POINT

You can contact me with your comments, questions and suggestions at dawe@cusick.co.uk or through my website at http://www.cusick.co.uk.



machines too and allow access to these stations via the web If you want to view real-time readings from weather stations in California or, more interestingly, in Antarctica, then you can do so quite easily. It's a little bit different from looking at Yahoo's weather forecasts, at any rate. Probably the most common

device people

save themselves walking a few yards down the corridor only to discover that the cars in the machine were warm, or that worse still the machine was all out of cans. Indeed, it's hard to think why nobody thought of such a marvellously useful application for the

Internet much sooner.

Other beverage-vending devices have since been connected to the Internet, including a multitude of other Cobe machines across the United States and around the world, and the Trojan Room Coffee Machine here in the UK. But vending machines certainly aren't the wackest devices people have decided to connect to the Internet and OHIX consultant from control to the Comment of the Comm

connect to the Intermet is a webcam. Webcams pointing at interesting places can act as virtual windows on the world, and sites which provide links to a multitude links to sufficient cameras can make fascinating destinations to sufficient cameras can make fascinating destinations to surf. to For instance, the Random Camera site has a large database of sites you can jump to and even lets you can jump to all even lets you can jump to the world at large. The most famous example of this is probably (renificant).

Back in 1996, Jenni, a 23-year old Economics student turned web designer, chose to share bits of her life (and, indeed, her body) with the world at large once every 15 minutes. Not long afterwards, she realised that if the cameras covered every facet of her life – whether things took place alone or with other people, in the living.





tennicum marrible the most famous underson site in the world



room or bedroom – she could charge people to view more regularly updated people to view more regularly updated snapshots, Jenni's now temous and. I should imagine, financially quite comfortable. If the popularity of Jennicam and other webcam sites is anything tog for by, there's something that many folk find strangely computise about observing the leves of others. If might well be the consistently down lin the TV ratings.

You can watch all sorts of lives unfold, I you want to see students sitting around in a house in Sheffield, you can, by pointing your browser at the Student House site. Alternatively there's the FluckSom site which is a webcam with a difference; you can control the remote-controlled trucks that you're looking at. If you want to hunt through a huge number of webcams in



Find out what the weather's like at

the south pole. In



Students never do anything - here's the proof

ore fun than Tonka trucks at the

search of something fascinating, there's a fairly lengthy list at the Webcams site. If you regularly visit webcam sites you might want to break out of the conflines of your web browser and use a specially designed program to view images. Using a

specialist viewing program has a number of advantages, not least of which is the fact that you can specify times for the software to reload the webcam picture rather than having to click the reload button in your browser. You can also save images to your hard disk so that you can view them again at your leisure. WebVision 2.0. available from the comm/tcp directory of Aminet, is worth a look if you fancy something like this. There are also alternatives such as CamWatch and SouMaster 2000 (cryntically named DC-Spy14.lha on Aminet, although I can assure you the DC is nothing to do with me). A few Amiga owners operate their own webcams. and there's nothing to stop you connecting

a webcam to your machine and making the

The second secon

images it produces available through your personal website.

personial website. Sorpits are available that allow you to upload images to your home page via FTP whenever you're limite, they automate the process, so you can be suring or chaiting and your carriers on the persolically uploading fresh pictures for the world to see Scripts usual or Qearmeebarn, again from Aminet, can do this — this particular scripts designed for folks who veg or so black and white Connection (Quickern, Hyo a script which lets you candid use StyCarn, a script which lets you employ a video carriers as a webcam.

Dave Cusick



WEBSITES OF INTEREST

Carnegie-Mellon University Coke Machine - http://www.cs.cmu.edu/-coke/ Trojan Room Coffee Machine - http://www.cl.cam.ac.uk/coffee/coffee.html

Internet-accessible Coke machines - http://www-cse.ucsd.edu/users/bsy/coke.html
Paul's Hottub - http://bamiurio.com/cni.hin/hottub

Paul's Hottub - http://hamjudo.com/cgi-bin/hottub Weather in California - http://ipmml.cse.ucsc.edu/reinas/instrument-tour/

Weather in Antarctica - http://www.antidy.gov.auxicience/atmos/aws/weather.html
Random Camera - http://www.xmission.com/--bill/randcamera.html

Jennicam - http://www.jennicam.org Student house - http://student-house.areti.co.uk TruckCam - http://www2.seiz.ch/red2wd/

WebCams - http://www.webcams.org SpyCams - http://www.spy-cams.com Connecting a Connectic Camera to your Amiga - http://www.iol15.com/smouse/info.htm





minim

Send your letters to: Letters in Title Amiga Format • 30 Monmouth Street • Bath • Somerset • BA1 2BW or email: amformat@futurenet.co.uk putting 'Mailbag' in the subject line

WHERE'VE YOU BEEN?!

It seems to me that the reason why we haven't seen many killer software nackages for PPC is because the boards are too expensive, thus not many people are buying them. To solve the problem slightly, would it be effective for phase 5 to release a PPC board without a 68K Processor on board? Instead of the 68K processor perhaps emulation in software form could be developed to run a 68K processor.

I realise that this operation would probably be painstakingly slow if the entire OS had to be emulated however 1 don't see any reason why a PPC OS could be developed with 68K emulation for other software. I know that OS 3.5 will have greater PPC support in the form of WarpOS. but this is not full PPC support and still requires the 68K processor.

TELEGRAMS ARE BACK!

DEAR AMIGA FORMAT YOU ASKED FOR FEEDBACK ON YOUR NEW TUTORIAL STOP YOU ASKED US TO KEEP OUR LETTERS SHORT STOP ANSWER BRILLIANT STOP AT LAST SOMETHING WE CAN ALL LOOK FORWARD TO AND

KEEP UP THE GOOD WORK R.L NETTLETON, SUFFOLK

I'M GLAD YOU LIKE THE NEW TUTORIALS, WE HAVE SEVERAL MORE ON THE GO STOP

SPARE US

Long, looong letters with numerous points. Keep it concise! Emails that don't make any sense Illegible handwriting Opestions asking why Amiga aren't advertising on ITV yet Technical questions which should be addressed to Workbench

Couldn't ONX develop their new OS to run entirely on PPC with 68K emulation integrated in the OS? This would undoubtedly reduce the price of the accelerator boards meaning that more and more people would be able to afford them. perhaps meaning we would see a greater line of PPC software in the future. Also, if the new G4 accelerators were developed this way surely there would not be much

difference in the speed through emulation? As a last point: Don't you see Jim Collas' departure from Amiga as a bad indication for the future? I do. however still try and be optimistic.

Cheers for a great mag. Dave Pearce via email

Wow! I guess you haven't wasted any time visiting the phase 5 website or anything? G4 accelerators will still be expensive, since the chip itself is expensive, but perhaps when their 68k

SEND US

Your news Opinions on software you're using Your comments on these letters Views about the mag Ideas for future issues al questions you want answered (not technical ones - that's what Workbench is for!)

cards **GOOD NEWS**

Regarding Mr Nettleton's letter (AF128) and his problems with Alive Mediasoft, I purchased a CD from Alive at WoA and found them to be both friendly and helpful even giving away freebies with every purchase! Hopefully his problem was just a

emulation is working properly it would be

reduced 603e or 604e- hased accelerator

worth phase 5's while to produce cost-

'glitch' as you put it. lust so he doesn't lose faith in the Amiga community I have a tale about Amiga dealers. I purchased Cannon Fodder (CD1) version) from Forematt computing, also at WoA. I asked if it would run okay on my 1200 with CD-ROM and was told that if I had CD¹² emulation it should work but when I tried to run it I required actual CD10 hardware, A bit disappointed, I rang. Forematt to see if I could exchange my CD for a floppy and was told I could do if I paid

the difference but they also told me that if I

"Third person"



RC_Tech just channel.

R(_Tech: uh ... RC_Tech! Hi.

Brinal: Hello.



W AMIGA TOO EXPENSIVE? Dear AF. Now that Gateway have decided not to make the new Amiga this is good news. If you look at companies like Microsoft and Apple for example, Apple will not licence other companies to make Apple computers, which gives them a limited exposure. Microsoft have a better advantage, they only focus on their operating system allowing other companies to make super Computers and 3D graphic cards. The PC industry is huge with loads of exciting products being developed to run on Microsoft's OS, hopefully Gateway and Amiga can use this same technique to bring the Amiga into the

front line of computer technology. Although it would be great for Amiga to make a next generation Amiga computer, it would cost them more money and time to develop anything which could compete with what is available on the market today. I hope that all Amiga users will embrace their decision and

support them in this challenge to keep our computer alive. now we will see what the Amiga computer can do and I look forward to Amiga Format's review on each new machine that arrives. Good Luck Amiga Inc. & Gateway. Froi Ismael

eismael@netscape.net

That is certainly a point that hasn't been considered by many people and I hope you're right Erol

received Amiga Format then I would find an

installer for the game on one of the cover CDs. Sure enough there was one listed on

AFCD23 which worked a treat. So, instead

of taking more money from me I was given

purchased a bigger hard drive from Select

Software (2.1GB) and I was told that if I

sent my old 260MB hard drive to them

they would partition the new drive and

for a mere £3. So there are other good

reliable companies out there.

copy all of the data form my old hard drive

some useful advice! Also I have just



The Napalm game patch makes this fun-filled name even more playable

asked the same questions? I feel by getting a better understanding and beloing us to solve some of the things we have problems with it will help us all progress faster. Due to where I live my main source of information is your magazine. One question I would like answered what happened to the Napalm game patch that you mentioned several issues

ago - was it ever released? I sent my registration card to clickBOOM and have also sent a letter enquiring what happened to the game patch but have not received a reply. One more comment, How about

getting some livelier icons for the CD as I find those black balls very dull and boring. Thanks for a great magazine Chris Ball

Cornwall The game patch was released, but is only

available to registered users, so we couldn't out it on our CD. However, if you sent in your registration card, you're entitled to it. I take it you don't have Internet access? It may be hard to set if you don't. I'm afraid. As for the icons on our CD, look out for AFCD50 for which we have a new look planned.

DIRATE CD?

I've just received issue 129 of your great mag and was appalled by the review on page 28 'Gremlin Collection'. What a complete insult to all your readers. For

Continued overleaf ⇒

WHERE'S DIGITA?

Shock Horror. I telephoned Digita for technical support vesterday (October 11th 1999) only the second time in eight years but discovered they have ditched Wordworth Surely we are not to be still further disadvantaged? I am happy to cough up £30 to £40 every 18 months as my word processor is honed to perfection. Is it possible that the developers will take on the work independently? Could Power Computing buy the license and continue development? HELP, I am stuck with a rather quirky version 7. I am desperate to upgrade and I had hoped for a new release this Christmas along with some hardware. If Digita have

M / Hawley via email MORE ON TUTORIALS

abandoned us it

does look like

software is

Thanks for the new tutorials, although I-am going to dry up not an absolute beginner I also do not all together. profess to be an expert either, I'm My Amiga is somewhere inbetween. I found them to be used daily for very helpful, well explained and easy to understand; excellent. How about putting them on the CD so that we could print the ones we want and then gradually build up

H 20 mm

five hours preparing documents. I have years of files. I am reluctant to change but is this the point where I must bite the bullet? I invested £800 on new hardware last year at Power. But I am beginning to feel very disadvantaged especially when I look at what I can do at school on PC's!!! Your Thoughts? AF is a true lifeline for those of us who bought into the Amiga lifestyle and philosophy, keep up the good work. I remain pitifully ignorant about the way the machine works and I do not have the time to learn. So keep those basic tutorials coming... I need them! Regards.

It's hard for Digita to justify continued development in the Amiga market when not enough people buy their products, sad but true. However, some good things are promised for Amiga Writer 2, although the first version was very lacklustre, and perhaps that will solve your dilemma, although it would need to be able to import all your Wordworth documents to be

fred_vintner@thelodge.prestel.co.uk

worthwhile to you. out reference book and save you being Sabrina Online by Eucle Schwarts 01999 "Silly BlackRabbit, that trick's not for kids!" Tabitha, stopmaking I am NOT paying that kid the five bucks. Bunnyiman? ings up and go I met on the play your video likes you! He seems i games or bunny omething



years we've all been told not to pirate software or buy it from dodgy market traders only to be presented with a full two page colour write up on the latest shovelware CD-ROM supplied by Epic Marketing, It's a total disgrace, come on guys don't give this type of product column space in your mag. To add insult to injury in the same issue on page 92 you have printed an interview with Sir Chris Wiles asking for loval Amiga users not to pirate software!! I've had software stolen and shovelled onto CD-ROMs in the past, it's not big and it's not clever.

Epic's CD isn't shovelware. It has a frontend to allow you to play games from the CD. or copy them onto floppy, and a lot of effort has gone into the compilation of the CD. However, the fact that the only versions of the games on the CD that were available to Epic were pirated ones isn't good, and perhaps Epic should have thought more about restricting the selection to the ones that aren't obviously pirated and reducing the price of the CD. What do you think?

phil.wilkinson@eidosnet.co.uk

RALLYING CALL

Forget Amiga Inc. Long Live Amiga. Don't worry fellow Amigans, the MCC was not a true Amiga anyway. It had a great looking case design but the closest it came to being an Amiga was the name printed on the top. Let Amiga Inc. focus on their doomed business plan of developing net software for high tech kettles and toasters, we don't need them. The BoXeR is nearly here. A true 100 per cent compatible Amiga with optional PowerPC processor support. It has industry standard expansion slots enabling the use of the world's best and cheapest sound and graphic cards etc. This is the Amiga NG that we all want. Rally behind this machine gentlemen and the future of the Amiga computer can once again

THE PROPERTY. TRUE PLUG AND PLAY

Last week, I passed my local computer shop (once an Amiga outlet, now just PC) and noticed cheap secondhand SVGA monitors for sale. After 10 years of using my TV I decided it was time to upgrade. Naturally, I asked for a demonstration. and the assistant offered to connect it to the PC he had running. After 15 mins of trawling through the settings, calling in the help of two colleagues, four resets and two crashes (this is no exaggeration), a picture finally appeared. "Er, would you like me to write down the procedure for setting up the

monitor?" he asked me. "Oh no" I replied smugly, "I'm using an Amiga - I really can just plug it in and play!" By the time I left, the whole shop was discussing their fond memories of the Amiga, most people had owned one at

some point and a couple were using emulators on their PCs. After the years of promises, previews and presentations, but no production, it is difficult not to be sceptical about a new Amiga ever appearing, but this episode showed me that if anyone can do it, there is an enormous wealth of people willing to be on its side. Keep up the good work.

N Elliott I hope you did manage to simply plug in the monitor and get it to work. Some of those VGA monitors really are twitchy when

Remember Amiga Inc., without the community behind you, you're worth nothing.

RATS LEAVING A FLOATING SHIP? Hi. Since the announcement from Amiga that they will no longer be

ian@amigan.freeserve.co.uk

making the MCC, there has been a lot of people saving "Oh, that's it then, I'm getting rid of my Amiga". This doesn't make much sense to me. I figured that the remaining Amiga userbase was made up of those who used the machine because they still liked it. Why would anyone just use the Amiga because the MCC was on the horizon, especially when it was no more an

Amiga than a PC running UAE! Personally, I

use an Amiga because it does absolutely everything I need in a way I like. Why do you have to "leave" the Amiga just to get a

Peter Gordon

PC/Mac/Linux box/whatever? ALTERNATIVE PRIZES

Hey Hey. I have been an avid reader for Amiga Format for many years and have enjoyed its many changes and additions. one of which is the £50 reader prize. Although a great addition instead of giving £50 to the reader, why not register some shareware for the reader instead. Not only will this reduce (some) piracy, but will also help the Amiga and would motivate developers to make continual updates to their software. With piracy being a huge issue on the Amiga, registering shareware for those readers may help the current situation Also, out of curiosity, would it be

possible to put older commercial games onto the coverdisks/CD. Such games as Speedball 1/2, Last Ninia, Giana Sisters any LucasArts adventure, etc. Such games are very addictive and fun and may increase sales of the magazine, attracting customers that may have left the Amiga. Please remember these are only

suggestions and do not have to be fulfilled. I am just trying to help the Amiga. Thanks for your time.

"Chann" <skeezv@death-star.com>

Anyone who wins a reader prize from Amiga Format can always spend it on anything they like, including shareware registrations, commercial software or hardware, or even a subscription to our fair magazine. To force a reader to accept registration of a particular piece of software would be counter-productive. As for old games, we've tried (with F1GP and UFO) Enemy Unknown), but they cost a lot of money for no particular benefit, so it's

unlikely we'll run more, sorry,

PLUG TIME Dear Amiga Format, A while ago I was surfing the net I came across a great email service which had all the features of Hotmail & more! I thought I would tell you because Lexoect Amiga users are a bit reluctant to use the Microsoft based email service Hotmail, I'm using this service right now! As you can see my address is @europe.com but you don't have to choose that one. There are so many more addresses to choose from when you sign up (for free!). To sign up just simply go to http://www.mail.com-

P. Almond robbiealmond@europe.com

EURO'LL NUTS!

A few issues ago you said that we were going to get a font with a Euro symbol in it, presumably on the cover CD, perhaps you could tell us where to find it? In any case one font may not suit our requirements, so

LIKE THE CINEMA

Will the

BoXeR boost the

flagging spirit of

the Amiga market?

Amiga version of the excellent program Cinema4D, but I can't be ly one who has thought of what could come from this. ity is, at heart, creative. Because of is, I feel that a licence could be obtained for Amiga

ers to, not necessarily follow the version orms, but at least cont ich has happened on the Amiga scene since the rsion was released: PowerPC boards have becor pread. GFX cards are spreading with th the average amount of memory has risen. Failing a licence, how about negotiating for the source code? A

erPC version of the raytracer would be (sniff!) iful. So Amiga users and developers, help me, and the rest of the com munity, to rally to the cause, and get what was (and still is) the best back up to speed... No

der, no retreat. Paul Laycock

od luck to you in your quest for an updated Cinema 4D.



why not do a tutorial on inserting the Euro symbol into any font, using the version of Typesmith that we got on AFCD87?

Speaking of fonts I notice you have changed most of the text in the magazine to a sans serif style of foot, which makes the text a little harder to read, but being the loval subscriber that I am I'll just have to nio down the Opticians before the next

When we send a letter in to the "Mailbag" and "Workbench" pages why not print our email addresses like they do in the Daily Telegraph's Connect Supplement, then others would be in a position to back-up the answers that you or Simon give? This shouldn't be a problem as our email addresses

already appear in Reader Ads. Regards. Michael Badger afletters@badger.org.uk

The fants with euro symbols are on our CD. surprisingly enough in the fonts directory. lust copy them across to your fonts drawer and run FixFonts. To get a euro symbol in one of them hit the alt-y combination. Using a bit of software from AF87 may be going back a bit far for some people, but I'm willing to run a tutorial if enqueh neonle want it

IMAGEFX REVIEW

LET-DOWN Hello AF, I'd just like to let you know I'm completely disappointed by your review of ImageFX 4.0 (AF 129). If Mr Vost had spent some more time to read the manuals he would have seen that THERE IS a magic wand tool in ImageFX. You just select the flood mask tool. You can even set the tolerance through the bucket-tool threshold settings... What's more he said that ImageFX has not updated its interface. Since version 3.0 the whole GUI met a major overhaul and, although I'm used to the likes of DPaint and Photoshop, it has a light learning curve in my opinion. You want menus? Why? You don't

PD DRYING UP?

Hi Ben, Great mag... just a few points to make about the current miggy situation

Amiga really need to get their arse(s) in gear. With so many U-turns recently, it is easy to understand people leaving the platform, I almost left myself, but then I thought, bey! I'm not just gonna line Bill Gates'

pockets with more dollar bills I love PD, the PD market is one of the reasons I chose the Amiga. But, the market is dangerously close to drying up. So, all you PD lovers out there, please register shareware, even if you register only one

title, it will (possibly) make the author think twice about that shiny new Wintel box. Keep up the good work

Matt King

I know this probably won't help you at all Matt, still being at school and all, but I'm convinced that if more Amies shareware authors made their wares easier to buy online with a credit card they'd get far more registrations, leading to more development, and so on. I recently bought a Palm Pilot (based on the feature in this issue) and the shareware available for it is great. Best of all, you can buy any of it you like over the net with a credit or debit card and you'll set the registration key in your email client within min Right now, the best example of this that the Amiga can offer is the exemplary Vapor website which does much the same for Voyager, Genesis and so on, or the Nordic Global site for Miami, but these are only two examples, and only for net software. Shareware authors! Make your software easier to register!

13198@oakham.rutland.sch.uk

like buttons or what? I think it saves a lot of hassle this way. I agree that it's a bit awloward to open a filerequester for some of the newest plugins and I agree that the software has still bugs left in it, but 69%?!? And since when was a small bug like the constantly active appearing windows considered a cardinal GUI sin? Confusing ves. but cardinal? And, unless I live in another world, lens flares, fire and lightning ARE some of the effects that will be used all the time! As for the incomplete animation features I have to agree up to a point, but then again it's just the beginning. Nova has proved that any glitches found will be fixed with patches. Now wouldn't it be nice (and considering that it's the last Amiga killer application along with PageStream) to rate a program after you have worked with it for a

RKI



decent amount of time? No offense meant!

GAME PERFECTION

Hi, The feature you are doing at the moment on program perfection is good but I was wondering if you could possibly do a feature on how to program a game using Blitz Basic. I got the program to program so I could send a game into readers game as I believe that it is one of the best parts of the magazine as it shows what the Amiga and its users are capable of. So if it is possible, please could you do a re-run on the tutorials? Keep up the good work.

The official word

from the Vatican is hat it is a sin to

Rich's tutorial is designed to be generic, so you can apply his principles in any programming language. A tutorial specific to games programming in Blitz might be a touch too specific, but, again, if enough people want it, we'll do it.

I've worked with ImageFX since version 1, and since I've been reviewing it (version 2.6) I've been giving it increasingly lower scores because of the fact that it has been getting more and more awkward to use for a newcomer, while the new effects have become more and more marginal. A better approach would have been to overhaul the interface again, but bring it up to date, rather than simply add the animation facilities to the program. If you look at our scoring policy at the back of the magazine, you'll see why I had to give it the score I did, rather than a higher one. I know about the ImageFX version of the magic wand, but it still remains that I couldn't do what I wanted with it. I look forward to every new version of ImageFX with baited breath, but

I'm afraid I couldn't have justified the £75 upgrade fee if I'd had to pay it myself.

NOT ON THE STREET

With all the talk about new Amiga machines appearing in the near future I was somewhat disappointed when visiting my local Electronic Boutique to find their shelves had been cleared of Amiga software.

Obviously this is due to poor sales and the fact that the Amiga has become somewhat of a dinosaur in High Street outlets. Another point is local supermarkets. that used to sell Amiga Format ie Asda and Sainsburys no longer stock the mag on their shelves, fortunately WHSmiths still do.

I think the point I am trying to make is that if Amiga are going to sell the new machine it will have to be heavily advertised and well marketed to convince retail outlets that this a viable proposition and the hardware and software back up will be of the highest quality. If this is not the case but just a half bearted affair I feel a wonderful era may be coming to an end.

The Amiga has been a credit to the computing world and a survivor due to its community of followers, so hopefully their loyalty will be rewarded by the new machine being backed to the hilt by its parent companies. What does Amiga Format feel about this subject?

Brian McLead brianmac@cableinet.co.uk

The wonderful era you mention won't ever come to an end as long as you use the machine actively, regardless of what some High Street chains do or don't stock. If EB are getting rid of their limited Amiga range it's probably because they aren't buying the right stock from the right company. As anyone who reads AF knows, there's a much wider range of games available for the Amiga than has ever been stocked in Electronics Boutique, but because they'll only buy from one supplier who has a stock of old Microprose games, they'll never see the light of day in a High Street shop. However, there's little point EB trying to get these new games if no-one buys them.



The Ga

Another selection of your original artwork adds colour to the pages of AF...













1st Green Demon

Claddagh by Vivian McAlexander

Vivian once sent me a three dellar bill. and her sense of humour is evident in her troll pictures on the CD, while her Claddagh picture is nicely detailed



Cups by Ragnar Fyri

Ragnar wants to make a computer version of the shell game, but since he doesn't program, has decided to start with the graphics. If anyone can help him out I'm sure he'd appreciate it, as he'd appreciate a faster processor since this image took more than 13 hours to render on his mere 020!



If you'd like to enter your work (and it should be only your work!) for the Gallery section on the CD and the pages in Amiga Format, read the Reader Submissions advice on the CD (you can find it in various places) or simply make use of the form that can be found on the CD pages of this issue.



bob by Andy Kinsella

A welcome return to the Gallery pages for Mr Kinsella, but not in 3D. A choonsmith asked him for a CD cover, so he knocked up this little number in DrawStudio rather than his trademark Imagine



Eclipse by Michael Morley

Inspired by the event on the August 19th Michael decided to put an Amiga twist on it and go for that boing ball look. However, it would have looked better if you'd drawn the ball at the same resolution as the rest of the image Michael, and I'd get that CD-ROM drive now instead of waiting for another machine...



Inspired by the work of local artist Trevor Grimshaw, Paul created these moody picts in a mixture of DPaint, PPaint and Photogenics. Although they are dark, the texture is wonderfully like really heavy laid paper.



AlienTwister by Roy Burton

Roy's work in Cinema 4D is really getting there. His twister is a bit more work to make it look more natural (try deforming it somewhat like you did the letters in one of your other pict but overall it's great.



You get the beer and I'll rack 'om up by Steve Hargreaves

Steve's picture is a dimensional accurate pool table in his local and althors Steve's happy with his baize texture I'd say it needs a little more work

sher that baize isn't reflective Steve and I think that you image would look a little more realistic but other than that it's another good

Just in case you get snowed in this Christmas, we've packed our coverdisc with loads of goodies to keep vou entertained until Spring

BACK TO BASICS

Back in the '80s, every home computer came with the BASIC programming language built-in. It was expected. And every Tom. Dick or Harriet learned to write programs for their 8-bit micro using this language. This was expected, too: if you knew about computers, you knew BASIC. In these enlightened days of multimedia and graphical interfaces, nobody can be bothered with writing their own software and so the language has fallen out of favour. This is a shame, because, despite its faults, BASIC remains an accessible way for the novice to get to grips with programming. Even if Amigas were still being built

today, they haven't included BASIC since Workbench 1.3 was around. Commodore quite rightly dropped the atrocious implementation of BASIC that they shipped previously with their machines. Unfortunately, it's replacement, ARexx, while being infinitely more powerful and flexible than your average BASIC was considered to require more specialist knowledge. The question, then, is how is the beginner supposed to learn to program their Amiga

WHAT'S NEW

new update to AFCDFind, the indispensable tool for searching your back catalogue of Amiga Format coverdiscs, graces this issue. The latest addition allows greater control over which CDs are searched. If you select Custom as the search target with the cycle gadget, then you may select, in the list to the left, which of the CDs you want to include in the search



Diving headlong into C takes some courage and many of the third-party versions of BASIC still in existence for the Amiga leave a lot to be desired.

Pure BASIC is a new version of the BASIC programming language for the Amiga. It is simple to learn because it is based on traditional BASIC implementations, but has many advanced features for the more experienced programmer. It supports the Amiga operating system in a fully legal manner. Pure BASIC is a BASIC compiler; traditional versions of the language are interpreted. The difference is that an interpreted language is converted into instructions that a computer understands line-by-line as the program is running. A compiled program is converted in one go into machine language before execution

FIRST STEPS

The demo of Pure BASIC provided on the coverdisc may be used directly from the CD, but it is a better idea to install it on your hard disk. This is a simple matter of copying the entire drawer over to wherever you want it to live

At the moment, the compiler does not have a graphical interface: it must be used from the shell. Newcomers to the shell should first turn to our tutorial on page 54. The program needs an assign made to its drawer before use and the drawer added to the system path. This can be performed with a script provided. For example, if you installed the package to a drive called DHO:, then open up a shell window and enter-

CD DNO:

and then

You are now ready to go.

As a simple example, we are going to create the program given in Listing. It just prints the squares of the numbers one to



ram in action.

, Print squares NPrint("number\tsquare") For I = 1 TO 10 Print(" ") PrintNum(I) Print(*\t *) PrintNum(I * I) NPrint("") Next END





REGISTRATION

This is a demo version of Pure BASIC only and has a number of restrictions. Firstly, the size of a source file is limited to 2,000 lines. Also, the only external modules that are usable are the taglist, wbstartup, misc, linked list, window and screen libraries Details about how to obtain the full version of Pure BASIC are supplied on the coverdisc

10. Fairly pointless, but you have to start somewhere. Pure BASIC programs or source code are just plain text files. They can be created with your favourite text editor or even the standard AmigaOS editor, ED. First go to the directory where you want to make the program, for example.

CD PAM

Then, use ED to enter the program, ED can be called with-

ED table.pb

Now enter the listing as displayed in the box and then select Save and then Ouit in ED. You will be taken back to the shell window

This source code must now be compiled into the executable program. This can be performed with the line:

PureBasic table nb TO table exe

Here, table pb is the name of the source file, while table, exe is the name of the program to generate. You can run this program to test it by just entering its name

into a shell:

Unless you know

don't know who

you are... SetDST.

when you are, you



More example programs are supplied on the coverdisc with the Pure BASIC although many of these will not work with the restricted demo version of the compiler. Further information can be found in the documentation provided.

ABOUT TIME

s-/WR/SetDST-1.7

If you have your Amiga connected to the Internet, you should make sure it knows the correct time to avoid temporal confusion. This is not actually as simple as it sounds because AmigaOS lacks the facilities to do the job fully. But never fear, Amiga Format provides you with two complementary tools to get you in sync with the rest of the world: SetDST and TimeLord

An Amiga's battery-backed clock is generally set to whatever the local time is. This is fine if your machine isn't networked or is only connected to other local machines. The Internet is a global phenomenon, however; computers jacked into the net synchronise by UTC or Coordinated Universal Time, the Anglo-phobes equivalent of Greenwich Mean Time. For your Amiga to join in

Continued overleaf ⇒

EUROBURN

ers clickBOOM and pla ing to reprise the cess of their hit Napalm with its sequel EuroBurn. The exact ure of the game is yet unknown as clickBOOM are being isly secretive of their new baby. As a teaser they have given ga Format a movie trailer of the game, and by the looks of it, other smasher. As their last few releases have shown, clickBOOM have a keen eye for detail and production quality. Keep the webpage under close scrutiny for the











tradicts the adage that size ain't everything

his issue's winner of the prize for the best reader contribution is Paul Frith for his program Count, a simple yet elegant utility for telling you the real size of objects on disk. Count puts an Appleon onto your desktop. Dropping an icon on this will pop up a window informing you of the actual size of the corresponding file or directory (by actual size I mean the amount of space it takes up on disk). For volumes and drawers, Count will recurse through any nested drawers and calculate the size of the entire contents. Count is uncomplicated and well-executed, Great work, Paul, Enjoy your £50,

Rored of your old icons? Then try new improved Sad laster icons



format, so you'll need the Newtons system installed to view these icons. The icon images also borrow visually from Matt Chaput's Glowicons (as used in OS3.5) and the complete set comes in various styles. Bruno's work will allow users to bring a bit more individuality to their desktoos. This and Bruno's obviously excellent taste in music ("Sometimes. even jesters cry...") almost tipped the reader prize in his direction.

Keep those contributions coming, everybody



properly, it has to be able to work out UTC from the current local time. To do this it needs to know what time zone it's located in and if Daylight Saving Time (DST) is in effect.

SetDST can calculate whether Davlight Savings Time is in effect or not from the current local time and time zone and can adjust your system clock and various other settings accordingly. Installation of SetDST is performed simply with the script provided. Before you launch the program, however, you should first make sure that your clock is set to the correct local time and tell it the time zone that you're in via the ZONE Tool Types (for instance, GB for those that live

There are many different standards in use to calculate UTC by the various

third-party applications that need to know it - usually a particular environment variable. SetDST can set most commonly used variables for you automatically: TZONE, TZ and YAM TZ. This last, for example, is used by YAM and ensures that all your emails get the correct date and time stamp.



Take control of

If you install SetDST to your WBStartUp drawer it will check and update its settings each time you boot your machine. It also features a daemon mode which you can enable by setting the

clock with Internet time servers

BACKGROUND Tool Type. It will then run in the background and periodically re-check its settings. This ensures that your DST settings are always correct even if you leave your machine up and running for days at a time.

Once your computer knows when and where it's located, the other problem is

making sure its clock keeps the right time; hattery backed-clocks are prope to losing it. Rather than having to periodically reset the clock yourself, if your machine is connected to the Internet, the program TimeLord can

do the work for you. TimeLord has nothing to do with occupants of the planet Gallifrey, but in fact synchronises your computer's clock with Internet time servers - remote computers whose job it is to always know the correct time. Again, TimeLord can run in the background as a daemon and can be set to check your clock periodically with the server. To be able to do its job. TimeLord needs to know the local time zone and DST setting, so it is crucial to run it in conjunction with a program like SetDST.

EASY HTML As computer languages go HTML, the HyperText MarkUp Language, used for laying out web pages, must rank at the bottom of the pile in terms of elegance. All the more reason to get your computer to help out when creating your website. Two programs which can make life easier are tablePlug and mapPlug which provided

point-and-click interfaces for the creation of

in the UK).





outers are labour saving, right? Let mapPlug handle those tedious image maps. two of the trickier elements in HTML tables

and image maps, respectively Tables are probably familiar to you already and are a powerful device not just

to be used for ordering data but for controlling the layout of your pages, Image maos, however, are less common but can he visually attractive if used properly. An image map allows you to place an image on your page and select regions of this image to be clickable links. It is a finicky orocess to get right, so a package such as mapPlug

is a real boon. Both programs are shareware with a fee of S10 each. Details on how to register are included in the documentation.

VAIN EXPANSION

Marcel Beck's YAM is possibly the most popular email client for the Amiga. The fact that it is free is partly the reason for this.

File retrieval? With an email package? What will they think of next?

Not only is it an immensely nowerful and yet friendly piece of software in its own right but ingenious people have found ways to extend its functionality

One such add-on nack is this VAM Expansion. It makes of a little-known senect of the Aminet its mailing list. If you subscribe to this list. you will be sent regular mails listing all the latest unloads to the Aminet YAM Expansion can parse these mails and allow

you to batch-retrieve the new unloads of your choice - either by ftp-mail or in conjunction with AmFTP - with a straightforward MUI-hased interface. Richard Drummond 1.73



DISCLAIMER

This AFCD has been thoroughly scanned and tested at all stages of production. We recommend that you always run a virus checker on ANY software before running it. Future Publishing Limited cannot accept any responsibility for disruption damage and/or loss to your data or your computer system which may occur while using this disc, the programs or the data on it. Ensure that you have up-to-date backups of data contained on your hard drives before running any new software. If you do not accent these conditions, do not use this disc

DISC NOT WORKING? If your AFCD is defective, please return it to the address below. Please make sure you have followed our installation procedures correctly to ensure that there is no physical problem. Please send us the AFCD along with a description of the fault (not forgetting your name and address). A new working version should be returned to you within 28 days. The return address

for faulty discs is: TIR DIC . LINIT E . TRIANGLE **BUSINESS PARK • PENTREBACH •**

MERTHYR TYDFIL • CF48 4YB ur AFCD should only need replacing if the CD itself cannot be read. If you're experiencing problems with an individual cation, phone our technical support line

This is open between the hours of 2pm and Spm every Tuesday. Tel: 01225 442244 Fax: 01225 732341 Email: amformat@futurenet.co.uk

(Please remember to put "Coverdisc" in the subject line.) Please note that the beloline staff

provide assistance with technical problems directly related to the CD and nnot provide training on the software or hardware in general.



Your address

You can either send it to us on floppies, Zip disks or CDs (we do take other media formats too). If you are going to send us a multiple floppy backup of your work, please use the version of ABackup we supply on the CD in the +System+/Tools/Disk Tools drawer. We'll return any Zios you send us, so don't worry about getting your disks back. If you have any further queries about

how to send your software in then consult the Submissions Advice on the CD (in Start Here! or in the ReaderStuff or +System+/Info drawers).

A contact number or email address

Your signature:

pect of all material which forms my reader contribution to Future Publishing's Amiga Format I hereby warrant that: (1) the material is original and does not infringe any other material or rights (2) the material does not contain any material which is defamatory, obscene or indecent and is exempt from

Please tell us:

classification under the Video Recordings Act 1984;
(3) that there are no legal claims against the material provided;
(4) that I have full power and authority to provide this material to Future Publishing.



Serious Disk When you've created floppy backups and checked your system is up to date there's even more to be discovered.

EVENIMORE

Formflore is a nice to oloning text senser that has been designed to look good on your Workborksh. Rather has be pat stander owners and the look good on your Workborksh. Rather has the bog standerd commands that are normally associated with the her weepige text level, Fernédere comes armed with a barrage of additional features that word probably state up the whole page if latted including a scrolling window, an Appletion, an appletion, complete for its sensitivity, it supports complete for its sensitivity, it supports and obsolutes its latter failing to search the comments in the failing to search and allows you to send the currently looked text startable into our formedite based doors.

EvenMore requires Kickstart 3.0 and the requotos library (supplied). Installation is just a matter of copying the requotos library to your LIBS: directory, copying its complete directory to your hard disk and setting up its preferences file. To further enhance its Teatures, EvenMore will make full use of both the asl, library and XPK libraries.

Evenmore's main window. Just look at all those feature icons and the text file information window!

Xoper is a handy self-contained tool that should be on everyone's system as it requires nothing special to run and doesn't require any installation

you need to know which system fonts are used by the programs or windows you currently have open? Enter the word "Fonts" in Xoper's dialogue box and hit return and all will be revealed. To run Xoper, you simply need to doubtle click on its icon. Xoper will open its scalable window detailing the current tasks, processes and a whole host of

other information relating to your Amiga as well as a full list of all of Xoper's commands.

At only 31 k in size, Xoper should find a place on everyone's system. It's a really handy self-contained filled tool that requires northing special to run. It doesn't require any installation and you should be able to use it on any Arriga with at least Kickstart 1.2 (does anyone still use this?) and at least 512K of RAM. Mo problems should be encountered runing Xoper on any Amiga with 68020, 68030, 68040 and 68060 processors filted.

Errol Madoo



Xoper's main interface window. It's just a shame about the WR1.3-looking scrollbar

XOPER

This is a great little freeware system monitor to display various system lists. For example, it can display all running tasks along with their cpu-usage. Xoper does not only display a list of all tasks but it can show other system lists from Exec, DOS or Intuition as well as the port list, available windows and screens or DOS-devices. Do

VERSCHECK

This program is so good that it has found a permanent position on the Amiga Format coverdisc CD-ROM. In its simplest terms it is a collection of sub programs that will scan your system and on completion, will inform you of which of your system files are outdated or have een superseded with newer versions These checks include a full scan of all your system libraries, devices, datatypes, handlers and even MUI associated files Be warned! this is a very complex program and I would recommend that you read the supplied documentation oroughly before attempting to use or install the program.

FLOPPY FLUX 1.2

If you have looked of old domo disks, PD disks or even magaine disks that you don't use much but would like to be a backed of lippy. Hen my be the pregram for your II you have hid has a lot of the expect, Rippy Rin relations you to quickly store the contents of your old Rippoises as POMC disk magase. Two can even compress these data mages to sure some passes queed you have the quicked IIX missiled. Two can even compress these properties of the properties of

Floopy Flar requires a hard drive, OS 3.0 - slong with a least a 68020 CPU. Installation is simply a matter of copying the supplied gibpout library to your system. SIBS: directory and running the main program. As a Faced on most make the floopy flar also allows you to compress the floopy disk images that are stored on your hard doth this is accomplished using the FIX system floopy flar in the floor of the size of the floopy flar in the flar is size of the floory flar in the flar is size of the flar in the

FloppyFlux is at work creating a dis

or oll





Games 🕦

When you've finished nuking the world in various ways you

REVENGE AGA

If you think of Lemmings, then Worms, then a shoot em-up and then combine all that with a timer you'll come pretty close to what Revenge AGA is all about. The object of the game here is quite simply to kill everything that

moves. Little men (victims) run all round the screen and you can use any of the 10 weapons you have at your disposal to totally annihilate them. The 10 different weapons deserve a special mention as they are both effective and in most cases very humorous as well. Electric Shock, for example displays a rain cloud above your selected victim and on pressing the LMB a bolt of lightning fries him and Fireball sets your victim alight, causing them to run around blindly, engulfed in flames. To add a little telespice to the game you can also replace the games' normal victims with various Teletubbies and Soice Girls should you be so inclined ... eh oh!



particularly when man can pick the speed of your

The Revenue ontions screen allows you to set the victim speed, the chat time, the ground type and also the game mode: either Maximum Mayhem, where you shoot all the victims or Sequential Slaughter, where you need to shoot the victims in a specific order. Revenze should run on any AGA Amiga and it requires no installation or assigns so you can just copy its directory straight to your

SPOTIT Sootlt is a game based on the

hard disk.



Snot The Difference puzzles that can normally be found in newspapers and magazines. It features nine different pictures which can be

to totally annihilate them

GALLOWZ







Even if the differences are easy to spot, at least the pictures are novel.

This is a nice Amiga version of the age old game of Hangman. The puter selects a word or phrase and using letter buttons on the left hand side of the window, it's your job to guess what has been chosen. Should you choose a letter which isn't part of the answer. the little guy in the middle of the window will be one step closer to death. You're only allowed to make 11 mistakes as one wrong answer after that results in the end for your little friend. You score points each time you get a letter right and if a

letter appears more than once you'll score more points. Get the puzzle right without making a mistake and you get a whopping 1000 point bonus. Each mistake you do make will reduce the nus. Your mission is to score as many points as possible. Two film related datafiles are supplied, along with four football related files. An editor will be released soon to allow you to create your own datafiles. Gallowz should

work on any Amiga.



selected from the main options screen. You will then see two pictures that look the same but the one on the right is incomplete compared to the one on the left. To play, simply move the mouse pointer over an area of the right picture which looks different and press the left mouse button. If you click on a difference then you score a hit and 25 points. If you click on anything else you will get a miss. You must score 10 hits to win. If you get five misses then you

lose. Once you find a difference a small box will appear over it so you don't pick it again. So, there you are thinking that once Errol Madoo

MINES Mines, a game based on Minesweeper, looks great and runs happily in its own Workbench window. The object of the game is to locate all the mines in the minefield as quickly as possible. To do this you uncover the squares on the

game board that do not contain mines and you mark the squares that do contain mines. The trick is determining which squares are which If you uncover all the squares without mines, you win, if you uncover a mine instead of marking it, you don't!

The game comes supplied with some basic sound effects and you can also add your own if you wish. If you find that the default "beginner" mode is a little too easy you could always right-click on the smiley face, select custom and enter some larger numbers in the width and height gadgets, not forgetting to add loads of mines as well!



you have played all nine pictures you must be finished. Well you're wrong, each time you choose a picture the game will select from 11 sets of 10 differences meaning that every time you select a picture the differences will be unique. Spottt should run on all Amigas with at least 1MB of RAM.

DISK NOT WORKING? We take every care to test the coverdisk software, but Future Publishing cannot accept any

responsibility for any damage occurring during its use. If your disk is faulty, send it back with 2x26p stamps and an SAE to:

B PLC + UNIT 5 + TRIANGLE BUSINESS PARK If there is a manufacturing error then the stamps will be returned with a replacement disk.



Buy, sell and exchange your Amiga hardware and software in the best free ads pages around

FOR SALE

each. All boxed originals with manuals, Also Atari STFM internal disk drive. Reasonable offers. Email 13198@oakham.rutland.sch.uk for details.

A1200, 10MB, 68030 accelerator card plus FPU, 80MB hard disk OS 3.1 ROMs and disks and a couple of games. £200 ono. Buyer pays shipping. Email for details palaste@cc.helsinki.fj.

DPaint V, Time of Reckoning, AGA Toolkit, Gloc Deluxe £5 each or £15 for all of them. Email

A2000HD GVP controller card, SMB RAM, accelerator, Philips monitor, boxed games and software £200. Microvitee multisyne £100, scan doubler with flicker fixer for A1200 £50. © 01773 765738 (Detros.)

CD^{III} plus SX-1, 120MB hard disk, floppy drive, 6MB, mouse, joystick, games and utilities, £85 ono. Buyer pays postage. T Chris 01904 652020 after 5pm or email rooney@qlab.xwinternet.co.uk.

Squirrel SCSI interface, boxed, manuals, softwar £40. XL 1.76MB external floppy drive, handy for use with PC disks, boxed, manuals, software, £40.
Anthony 01925 480751.

☼ Gunship 2000 (Amiga CD-ROM) original, £8.
Also Dragon-Ninja, Stunt Car Racer; Pit Fighter, £10 the lot.

⋣ John 0141 5780043 (Glasgow) or email

internal profile for the profile for

☼ Amiga 1200 power tower, 68040/40MHz, 2.5GB hard disk, 18MB RAM, Cstwessel 2 with HD Roppy drive, 16 speed CD, 14* MicroVite multisyne monitor. Cannon Bubblejet BJ20. Loads of garnes, magazine CDx/Roppies, £400 non. Will not split. Manchester area. Email jorheibs/busys/screening.net.

MusicXv2 and/or Notatorv 2 boxed with manuals all in absolutely mint condition, £20. A1200 midli interface, boxed £5. CamControl Fuji digital cameras i/f download software, manual and adaptor, £15. \$\pi\$ 01606. \$50614 (Cheshire) Amiga 1200 in power tower with Apollo 1260/50 and 16MB fast RAM, 500MB hard disk, 32x CD-ROM, full Powerflyer (support up to four IDE drives), scandoubler, 14" monitor, speakers, lots of software, £450 or good offer considered. Email Adam Stevens, ste8adam17.freeserve.co.uk.

Amiga 1500, KB, 1084S plus second 1500, KB, 1084S (monitor needs attention). Will consider splitting but best offer for lot also gets loads of productivity, adventure and platform games (all boxed). Email charge in supposed from fall on the

 Amiga branded M1438S monitor with screen filter, offers?
 Dave 01904 624637 or email

250M8 hard disk 2.5", over £90 software, installed Workbench 3. Fits A1200, £45 ono. All in perfect working order – selling due to upgrade. 201282 698012.

DBlizzard 1230/50 with FPU and 8MB, £50. Canon BJ10ex printer (plus driver), £50, A500 PSU, £5, Microrik Scandoubler (internal A1200), £40. = 9973 806641 or email

☼ Lots of Amiga mags and CDs. Complete set of CDs from CU Amiga and Format up to start of the year plus lots of other CDs and floppies. Offers?

★ Mick 01992 711204 (evenings).

A1200 tower 040/28MHz Apollo 16MB, \$50MB hard disk, 4x CD-ROM, mode, Amiga keyboard, Amiga mouse, 1084s monitor, NetConnect 2, Turbo Print 6, manuals, mazazines, CDs. Sell at £20.

2 01427 891975 or email carls

☼ 32x SCSI internal CD-ROM, £30. 2x W SCSI internal SCSI CDWROM, £100. Surf Squirrel, £65. 3.5° 500MB hard disk, £25. Buyer pays P&P or collects. ₩ Mark 01458 445051 (before 11am)

WANTED

⊙ I need a copy of Worms disk one as mine is corrupt. No copies of pirate versions thanks. ∞ Oii 07788 985565.

☼ Rombo Vidi Amiga 12 digitiser. Also PC emulator disk for transferring images captured by Amiga onto PC. Newcastle/Northumberland area. Will pay cash, £40.
₱ Eric 01670 787435.

© Eric 01670 787435.

☼ Turbo, Outrun, Europa, Alien Pong Trilogy, Galag.

offers to part with either or both? Write with offers please to: Paul. 1 Park Terrace, Whitby, North Yorkshire. YO21 1PN.

Desperately wanted – Elvira the arcade game by Flair Software. Also BAT by UBI Soft, Will pay for games and postage. Write to Les Taylor, Corraneena, Kilconnell, Ballinasloe, Co. Galway, Eire.

Desperately in need of Workbench 3.0 installer and a working copy of Workbench 3.0 as both are bust. # 01507 443774.

 Manual for Leisure Suit Larry 2 or codes and disk one for Puggsy as mine is corrupt. I have loads of games that you may want in exchange. Also, does anyone know how to open the doors on X-II level 10? Please let me know. ■ Nell Pearson 0161 7643818 or email neil@pearson.1tol.org.

1 am looking for a very old and rare Amiga game called The Sentinel. Does anybody know where I could get it or does anybody have it? I also want the very first cover CD from CU Amiga and a copy of the Easy Amos install disks. Will pay for any of these. Email

☼ Can anybody please help me? I recently bought a copy of Beneath A Steel Sky from a car boot sale but disk 11 was missing, I would be grateful if anyone could help me to aquire a copy of the disk. Email brianmac@cableinet.co.uk or

Brian 0151 4747398.



5 512KB 68K Mac ROM wanted for ShapeShfiter or Fusion. Could someone please belo me out? R Scott 76 Scawfell Avenue, Workington, Cumbria, CA14 3ID.

D I desperately need information on how to make games in Assembler, Contact John L at 14 Almond Avenue, Kidderminster, Worcs, DY11 SPU.

Wanted, Citadel by Black Legend for an ASOO. Originals only please. If possible = 01733 700339 after 5om please.

Desperately needed - a copy of Gods to replace deceased disks. Original disks only. No manual needed. Will pay reasonable price plus postage. Write to Chris Modrey, Elounda, 72053, Crete, Greece,

PERSONAL

Also see the AmiraAngels document on our CD.

C Reliable Amies 1200 user would like to swan software with other reliable Amiga users, 100 per cent reply. Please send software list to Mr Pestridge, Flat 1, 37 Jefferson Road, Sheerness, Kent, ME12 2PU.

Amiga Energy - the Amiga fanzine from the producers of The Final Frontier. For more information visit http://www.infinitefrontiers.mcmail.com/. Send. £2.75 cheque/postal order to "Infinite Frontiers". PO box 8966. Great Barr, Birmingham, B43 5ST.

Cyberton - The Undernet, Visit my website for great links to Amiga and sci-fi sites: http://www.cyberton.u-net.com/.

Amiga Games Totaled - a unique games cheat page with codes, tips, trainers and even action replay codes. Need a cheat, then try me http://www.miggybyte.freeserve.co.uk/totaled.

The Website, HTML and FTP help given for beginners to get you started in designing and uploading web pages. Contact webhelp@badger.org.uk or see my site at http://www.badger.org.uk/webhelp.

5 If you are a member of, or know about a user group in Norway which needs a member, please email me, Farald, at wwwat@online.no, Thanks.

1 am an Amiga artist/musician wanting to do graphics or music for your PD, shareware or games. Highly proficient with Octamed. Soundstudio and Deluxe Paint, Both AGA and standard Amiga formats. □ Vivian 001 505 835 2841 (New Mexico)

Any Amiga users new to the Internet who want some free links/gallerys and downloads to get them going can go to my site at: g251273 freeserve co.uk or

email me (Paul) at: pol@g251273.freeserve.co.uk.

O Any Amiga magazines or disk magazines require another contributor? I have knowledge of A1200 and other Amigas. Will work for free, Article previously published in Amiga Format. ■ Ross Whiteford 01738 850732.

Do you want Worms DC levels, but don't have a CD-ROM? Simply send a disk and 50p to: Mick Galvin. 84 St Cuthbert's Cres, Albrighton, Nr Wolverhampton WV7 3HW

Does anyone have an interest in towers for A1200s for approx AUS\$300 plus postage? If anyone has an A400 they don't want, working or not, send it to us - we'll pay for postage. Can anyone get us pictures of A1200 Zorro boards so we can see how they fit? Please reply to either outback@primus.com.au or

BRSes

To Alpha Zone RRS, over 10,000 files, online CD-ROMs, 56,000bos and free email. # 01788 551719 after 10om.

@ Bobbs. # 01243 371644, online 24 hours. Based in Hampshire, south east, host for Powernet, Loads of files. home of BullRPG, The best Amiga Lord clone. Speeds up

Co Skull Monkey BBS, Lincoln, Online 24 hours. ■ 01522 887933. Friendly sysop. Email nkey freeserve co.uk - keeping the Amiga alive.

D Want to chat about anything and everything with people all over the globe? Then join Fluffynet - the fluffiest Fido-style RRS mail network!

■ Total Eclipse BBS, +44 (0) 870 740 1817 or visit http://www.fluffynet.n3.net for information on how to join. Hubs and nodes available. Anyone welcome!

Alpha Zone BBS, over 10,000 files, online CD-ROMs. 56.000bos and free email. w 01788 551719 after 10nm

To Arachnoids BBS, Leicestershire Online 24hrs. ■ 01509 551006 Friendly Sysop over 10,000 files online. No ratios everything free. Ninia@Arachnoids.freeserve.co.uk

Ouest RRS. Wakefield. West Yorkshire's largest BBS with over 30,000 files online, including the latest 7 Aminet CD-ROMs. Online weekdays. 6om-6am and weekends, 2pm-6am. # 01924 250388.

Tribal Mirage BBS, Online 24 hours, Runn Xenolink v2.8, Amiga Sysop with over 15 years of Amiga experience. 20,000+ files online. File requester. Amiga support given. Hertfordshire. # 01992 410215. email sysop@tmbbs.freeserve.co.uk,

© Total Foliose RRS. # +44 (0) 1983 522428, 24 hours. 33.6K, home of Liquid Software Design and MAX's Prosupport.

The Forum! BBS online 24 hours, Kilmarnock, Scotland, Over 35 members, 2,000+ files available. including games, pictures, utilities, etc. Sysop: Jamie Maguire. Run by a software development student. # 01563 540863, 36K.

D Elevate BBS, Hants, online 24 hours. # 01329 319028

3 Bedlam BBS, Leicester, online 24 hours. ■ 01162 787773.

Tentertainment BBS, Wigan, online 24 hours. # 01942 221375.

Trost Free BBS.

2 01484 327196 (Slaithewaite, W. Yorks).

D Bill's BBS. Cumbria, online 24 hours (mail only hetween 2 30am and 3 30am) # 01229 434393 or 0870 7878615, Sysop: Bill Clark, Visit http://cumbria.cib.net.email

hillshhs@cornernub.com.or bill.clark@ukonline.co.uk, Supports Fidonet, Loads of free files, games, doors, etc. Unlimited downloads.

Todiac RRS, Hants, Online 11am-7nm 7 days a week. # 01243 373596. Sysop: Destiny Co. Sysop: Axl. Running Maxs Pro v2.11, Hellnet. Lots of files.

On The Oche BBS, Waterlooville, online 24 hours.

₩ 01705 648791.

Monolight RRS Redford, poline 6pm-8am. 24 hours at weekends. # 01234 212752. Syson- John Marchant, Fmail gnome@enterprise.net Official Transamiga Support BBS, unlimited downloads, friendly sysop with excellent knowledge. Aminet online. Run by an experienced Amiga programmer who will

TX Zone BBS, supporting the Amiga for over two 6pm-1am, modem callers only (33.6K).

USER GROUPS

help you out for free.

Trench speaking Amiga club. PD disks, help, buy sell, advice. Also specialists in 8-bit emulation. Please write to BP 120, 4000 Liege 1, Belgium, Please, no PC!

To Amies Club International members receive a bi-monthly magazine disk and PD prgram plus helpline.

Recently relocated from London, Falloden Way to Dover, the Gateway to Europe. Established 1989.

robroy@catdtp.freeserve.co.uk.

To Are there any Amiea users in Cornwall interest in starting a user group in the Helston/Falmouth area? If so, email frank@massin.freeserve.co.uk or

p 01326 573596 and ask for Frank.

Amiga North Thames meet on the first Sunday of the month at St Mary Magdalene Vestry, Windmill Hill, Enfield, 1-5pm. Software/hardware problem solving, demos, news and Amiga games.

Mike 0956 867223 weekends or email

New user group being set up called TAG (Total Amiga Group). Initially in the Somerset area. ₽ Phil 01458 832981.

Are there any Amiga users in Birmingham who want to set up a user group?

NPAUG is a new Amiga user group based on the

net. We offer a free monthly magazine and tech support over the web, If you are interested in joining, visit our website: http://members.aol.com/npaug/home.html or email me: npaug@aol.com.

Then The Are you Welsh, live in Wales or love Wales? Then join Cymru Amiga User Group. Visit us on http://bounce.to/caug or email dark.lords@deathsdoor.com to join.

Continued overleaf

Need a new IRC chat channel? Come to #PoweredByAmiga on ARCNET for fun and informative chat about Amigas and otherwise. Visit our URI at http://www2.prestel.co.uk/amigaw/PBA/, We mostly

D UAUG est. 1986 (non-profit making), 40 page magazine. Free cover disk. 20,000 free PD titles. digitizing, scanning, helplines, support for all Amiga users. Free gift upon joining. Send SAE for details to: The Editor, 13 Rodney Close, Rugby CV22 7HI.

meet at weekends about midday.

To South West Amies Group. (SWAG) meets every 1st Thursday of the month, 8:30pm at the Lamb & Flag (Harvesters), Cribbs Causeway, Bristol, SWAG intends to get Amiga users together, provide info and support, promote the Amiga and have a laugh. Contact Andy Mills: Swag@wharne.u-net.com.

S Amiga Support Association. We offer help, advice and a friendly chat. Monthly meetings, tutorials and a fact file are all available, Join our mailing list on the net Amiga SA-Subscribe@egroups.com or contact Phil: Snood@ukonline.co.uk or ≈ 01703 464256

The Huddersfield Amiga User Group (HAUG) meet on the first and third Wednesday of every month at The Commercial Inn. Market Street, Padduck, Huddersfield from 7.30pm onwards. # Geoff (01484) 322101 email geoff@geemil.demon.co.uk or visit http://websites.ntl.com/~paul.4/index.html.

Telbrigg Amiga Group meets weekly near Cromer. We are a group for novice and expert users. For more information # 01263 511705 or 824382. Deal Amiga Club welcomes all old hands and newcomers alike, whatever your ability. Admission £1 under 16's 50n Annual membership is now free. Also if you've bought some bits and don't know how to put them together then bring them along and let us help # 01304 367992 or email superhighwayman@hotmail.com

Dennine Amiga Club. Free worldwide helpline supporting all models. Non-profit making club. Not a business. We help with free advice:

Workhench, the Manchester Amiga user group. We meet on the first Thursday of each month at 7.00pm and offer general Amiga chat. # 0161 839 8970. Also, check out our website at: http://www.workbench.freeserve.co.uk

Alternatively, emailmail@workbench.freeserve.co.uk.

D West Lancs User Group, Sundays, 1pm-4pm at St. Thomas School Hall, Highgate Rd, Upholland. # 01695 623865, email ralph@twiss.u-net.com, Help and advice, novices and experts welcome.

To Is there anybody in the Northamptonshire area interested in starting up a new user group? Please contact me: w 01536 724309 or email nsthomas@ukonline.co.uk

To Want the latest reviews, news, interviews, articles? then visit the NFW AIO website at http://www.aio.co.uk, or visit #amos on ircnet, Saturday 9pm-midnight.

SEAL meets twice monthly at Northlands Park Community Centre, Basildon, Essex, We offer help, tutorials and presentations plus scanning, printing and email. Contact Mick Sutton, 20 Roding Way, Wickford, Essex. # 01268 761429 (6-9pm). Email seal@thunder.u-net.com or visit our website. http://seal.amiga.tm.

O Northern Ireland user group welcomes new members. Emerald Amiga Users meets regularly in Strabane. Please contact Charles Barr.

The Medway and Maidstone Amiga collective. Meets monthly. Advice at all levels. Experts and beginners wanted. # Dave 0961 809466, Support your local

O Join a new email club for Klondike, a Reko Productions game. Cardset creators and cardset collectors. Amiga and PC. Fmail kenin@reko karon co uk (make friends)

user groups!

S NAC Nottingham Amiga Club New club starting soon. New/old users welcome! From A500 to A4000. Hints and tips on all software, games and hardware. W Mark 0115 9566485 weekends only!

(7) New Amiga cound and demn association seeks input, contacts and support to form a user group based around the Amiga music and demo scene. Interested? # Dave 01243 864596 or 0961 985925

To Interested in Internet Relay Chat? Why not visit #Amigazone on Dalnet? We are a friendly bunch and meet at 10pm every day. Visit our website at: Coventry and Warwick Commodore Computer Club (CWCCC) meets once a month on the first

Wednesday at Farlsdon Methodist Church, Coventry For more information email Luke Stowe luke.stowe@ukonline.co.uk or visit http://ukonline.co.uk/luke.stowe/cwccc/index.html. To Great Yarmouth user group. Anyone interested in

joining this user group please contact John # 01493 722422 Amiga free helpline see AFCD44: readers stuff/ Terry Green or = 01709 814296 for free help.

The editor reserves the right to refuse or amend ads. We accept no responsibility for typographical errors or losses arising Use one space for each word. Only the words in this section will be printed. from the use of this service. Trade ads, including PD advertising, will not be accepted. ILLEGIBLE ADS WILL BE FILED IN OUR BIN!

ADVERTISE IN AMIGA FORMAT... FOR FREE

Address: (not for publication)...... Please tick to show required heading:

For Sale Wanted Personal BBSes Return to: Reader Ads • Amiga Format • 30 Monmouth Street •

Bath • BA1 2BW. You can email amformat@futurenet.co.uk, putting 'Reader Ads' in the subject line. Unfortunately we cannot guarantee insertion in a particular issue. I have read and understood the conditions for the inclusion of my ad Signature:





Discover how Deal Amiga Club

is making a stand within a

PC-dominant world

computer "technofair" in

orientated, from software to peripherals.

operation on his sinuses, and his Amiga

can always be found offering help and

advice on all things Amiga, and plugging

with one exception. John Worthington, this

Centre. All of the stalls there are PC

month fresh out of hospital from an

nce every six weeks there is a

Canterbury's Kingsmead Leisure

)@a | Amiga Club

resence at a predominantly PC orientated show always turns heads Most people remember the Amiga. many of them having owned one at some point and are surprised to see it still going strong, John says that most neonle who see his machine come back two or three times during the show to see if it really is an Amiga, or whether the ubiquitous Microsoft logo will make an appearance at some point. Most people are amazed at what the Amiga is capable of, having only really experienced



explained that looking for advice on how to expand or

modify their Amiga. Most of the time they are able to pick up the pieces they need at the fair and even perform the modifications then and there with help from members of the Deal Amiga club. Whilst I was there I spotted a replacement power supply for my 4000T which I picked up at the bargain

John's dedication to the Amiga and the Deal Amiga group is quite extraordinary. As I mentioned earlier he came out of hospital less than three days ago and, although he was in some pain and occasionally had trouble talking, he had no intention of missing the technolair. He's been running the Deal Amiga Club for the past six years and has only ever missed two meetings. In the last six months he has increased the

meetings from once a week to twice weekly. Like many Amiga clubs, Deal has suffered quite heavily recently with many members migrating over to the PC. In an attempt to cater for these people. John started the Deal PC Zone. Initially Amiga and PC meetings were separate, however John now holds two meetings a week, on Monday and Friday, to allow as many people as possible to attend, be it PC or Amiga. Yearly membership to either club is free, however there is a £1 entrance fee to each meeting. As well as the usual club events, John offers a bring-and-buy service for any members looking to sell unwanted gear, Additionally John is an independent advisor for Dorling Kindsley which produces a wide range of educational software. Although not available for the Amiga, John is able to advise

members which software is usable on the Amiga, either directly, or via emulation such as ShapeShifter

Whilst the Deal Amiga Club might not he the higgest or most prominent Amiga User Group in the country it is certainly a testimony to one man's dedication. I would heartily recommend a visit to anyone in the neighbourhood. John's enthusiasm tends to rub off, and it's certainly given me incentive to go home and have a damn good tinker with my machine.



all looking for computer bargins.

times during the course of the show to see if it really is an Amiga





iga Club stand at

Although all of the other stalls at the show are PC orientated, a large proportion of them sell general peripherals and consumables that any Amiga owner can use as well, quite often at a very attractive price. During my visit, John took me on a tour of the fair, which while modest in size, contained a wide range of goods. John



HOW TO GET THERE

Monday and Friday 7pm - 11pm St John's Ambulance Hall, Mill Hill, Deal, Kent (not Bank Holidays) John Worthington 01304 367992 or email:

Kingsmead Leisure Centre, Canterbury Sunday November 28th.







Two of the you iga at a meeting

Just the Substitute of the sub

They say that parents often influence their children's lives but Alan's son was using the family's Amiga first

■ Now clid you first got involved with the Amige?

Well, it was family thing really, When Will (my ron) was nine he had out grown the Spectrum - so I asked the manager of our software section at work what to buy, he said the ASDO so that was it. Later on we got an ASDO with a massive 20MB hard drive instead, Bot apart from this I was just a cascal observer. In misted, Bot apart from this I was just a cascal observer, and will necessary mind Amigas were still tops — we used proper character-based UNIX Boxest at work coaine 215,000 as Top.

Then, around 1993, we were doing some consultancy at work for a transport company. Their big problem was how to get their seleamen to give consistent presentations on complicated issues. Then almost by accident I saw a multimedia demo running on Will's A600. This really was the business. How could Commodore hide all this capability away from the business world?

note at this capheloly waity from the bountess world: In billiotrocatespt the And-Sow and the right into the Change of the billiotrocatespt the And-Sow and the right into the Change of the wast folded - a was eet all-out getting some internal expertises, becoming a registered commodered evelopers, buildings cratifications with software tools suppliers (like Optonica) and gengine up to sell and outport this new corporate percentation tool. Then Commodere were the self-and the company was gaing in event a applicant amount of manays in company was gaing in event a spelf-and amount of manays in the retail market is as holding operation to keep our apporting the retail market is as holding operation to keep our apporting

■ How did the EZTower come about?

they say, is history.

There were a number of factors I suppose. Firstly, we had got to the stage where a lot of our customers had either got or wanted more hard drives, CD-ROMs, Zips, LS120s than could reasonably be accommodated on most people's desktops.

Secondly, Steve Jones had just released his Ethernet Sämses system, making it easy to network the Amiga and PC providing most of the functionality of a Zorro-expanded Amiga, at a fraction of the cost. However, most people, including ourselves, simply didn't have the spar real estate for two computers on our desktop. Two, in one box, under the desk was a much more attractive proposition.

And finally, one of our customers and your readers, lan Aisblitt, came to ask us to sort out a home-brewed tower that someone – armed only with a large hammer and cold chisel – had tried to build for him.

The result was the EXTower – simple-mough just to slot you Amiga in on its own, and flexible enough to add a networked PC motherboard within the same box. It has been a very successful product for us – particularly in its EXPC format. You may be forced to use a PC for business or docacional reasons, but at least with an EXPC fower you have an Amiga to use when the PC bit crashes.



■ What are you working on at the moment? The other side of the Eyetech

business – which is involved with installing industrial data collection, tracking and control systems – has always required us to produce specialist interfaces and we are continuing to use this expertise on the Amiga side too.

We brought A1200 users the first buffered interface back in 1996 and we've just introduced a keyboard activated monitor switch interface. Several more interface designs are currently in the pipeline.

We're also using the basic A1200 more and more in industrial and use and applications. We manufacture a 19" rack housing for an A1200 motherboard (and accessories) and a diskless boot adaptor to allow you to run an A1200 from CD-R00 molt, Both of these are finding extensive use in the information kiosk and entertainment/presentation sectors, and could be supported to the support of the support

■ What's the one peripheral which is indispensable? An PCMCIA Ethernet card (with the CC_RESET fix of course) is the single most important device for integrating the Amiga with other business applications and other Amigas. We use lots of them.

Who is your Amiga hero? What, apart from you Ben...?

We gat seriously into this business just as Commodore were bowing out of a Carl Speak with any abstrity about 19 yilliner and the other legends. However my hat goes off to all those individuals, far cleverer than I, who have continued to pash the eight-year old design of the A1200 further than was every decranced about when Commodored edesigned it. But the gay who has brought all the eight register into a coherent, well Anniest. A true here to indeed, and the commodore designed it. But the gay who has brought all the eight register into a coherent, well Anniest. A true here to indeed.

■ What would you like to have invented?

The problem with inventions is before they've been invented you've no idea what they are, and afterwards they are usually too obvious for words. But what would I like to see developed that we do not have the time or skills to do ourselves is a record locking relational distabase.

What's the point in having a real-time multitasking computer if there's no means of different tasks being able to share data on a real-time basis? I'm sure its not difficult to implement for those who know what they're doing – the underlying OS supports it. Just get it in to SBses I/ for TWIST someone – please!

amiga format

hen Ben Vost gave birth to the original amiga format bulletin, a monthly round-up of the features in the next issue of AF, nobody could have forseen what ramifications the yet-to-beeditor's actions would have

For the first time in the history of AF. people could find out what was guaranteed to be in the next issue, rather than the vague promises that often appeared on the "Next Month" pages in the magazine. promises that, though no fault of the AF staff, could not always be kept. The afb allowed the staff (usually Ben) to apologise for missing features, and to sing the praises of new features and new products. And also, handily, allowed them to plug the new magazine. Hurrah!

However, for some people, this was not enough. They wanted to discuss the magazine, the Amiga, ISPs and the radiation poisoning of those who choose to holiday in Japan. So, the esteemed Mr Vost did not rest on his laurels (possibly because he has a nice comfortable chair instead. and chairs are far superior to laurels), and visited eGroups to create Son Of afb, the all-new afb

In its early days, the afb was a quiet discussion board, sending and receiving a handful of emails each day, largely on-topic. As word of the new list spread, new members joined, bringing the list to today's bloated proportions of around eight hundred subscribers

The afb remains to this day a mostly on-topic discussion of all that is relevant to the magazine and the computing world at large. Occasionally, this can become a little monotonous, so thankfully occasional off-topic posts arrive: it might be people

GETTING ON AFB:

You can subscribe to the alb by going to the following website and signing up:

If you just want news on when the next issue of Amiga Format will be out, we offer that at:

It's worth joining both lists since they each offer unique things and the announce list usually only has one email every four weeks.

Rumours, witty remarks, Amiga help and news are just some of the reasons to join afb but if you want a second opinion...

talking about their love for cats, or members of alls solinter groups plugging their respective lists (afb Movie for film chat, and afb-OT for off-topic wibble).

Imagine the list as being like a block of flats with the subscribers as the residents-In the penthouse you'll find Ben Vost. Richard "Evil" Drummond and Neil Bothwick chatting with authority on new developments. On the first floor, long term resident Matt Sealey will be getting crotchety with his new neighbours, insisting that he is right on any subject, and that everyone else is completely wrong, even if there is conclusive evidence to the contrary. Then there are the residents who keep themselves to themselves, checking their mailboxes for new mail daily, but choosing never to respond, through a lack of knowledge, time, or even shyness,

The afb. despite its size, still accepts new members with open arms; the more people who come in, the more opinions we get, and the better the discussions become And don't worry if you can't afford to be online too much every day; the list only allows 200 posts to be made each day. which wouldn't take more than five minutes to download, staying within the minimum

call charge. lustify your email accounts, and sign up to the afb today. You won't regret it, and if you do, you can just as easily uneubecribe

Daniel Thornton

Daniel Thornton of expressive, irreverent and co "The Wibble" volunteered to give us his take on afb for this issu You can find his website at http://www.thewibble.co.uk

RULES AND REGS:

Based on the fact that people complain about a lack of regulation on the list. we've decided to introduce some hard and fast rules. Expect these to change as time goes by, although some will stay fixed:

All polls must have dates. For an example of this, look at existing polls before starting one of your own. Also, unless absolutely necessary, choose a closed or anonymous poll - the named one takes up far too much space.

Make sure you quote sensibly, don't include the greeting or signature from the previous mail, etc.

Pay attention to and keep all mails with MANAGE at the start of the subject line

Keen the subject live. Make sure that it applies to the mail you are sending, or change it to something more appropriate.

There are no content restrictions on afb, although swearing is frowned upon, but please don't include attachments unless previously agreed.

Any URLs posted should have the "http://" part to enable people to simply double-click on them to launch their browsers.



FREE INTERNET FOR LIFE

Gratis

100% UK Local Call Coverage Software on the cover CD Free software for Windows,

Mac and Amiga Platforms

Sign up by going to: http://www.abelgratis.co.uk

Tel: 0906 680 4444 Fax: 0906 557 4444 Email: sales@abelgratis.co.uk

Site of the Month: http://www.isp-pdg.co.uk

GOLD CREST DD

0906 918 4283



Help & Advice on Anything Amiga News & Informatio All the latest Amiga News Release Schedule Week by week schedule Fax Back Service Catalogues, Lists, Buyer's Guide

Catalogue Requests Request catalogues for most advertises in this map One phone call can get you most companies catalogues Cals cost \$1 per minute

A \$2 Software Voucher is sent with all contributes in



ad Half Price Summer Sale with FUTURE PD 2.5" Hard Drivest 2.1Gig - £79 540Mb - £39 rices include cables, workbench & £100+ software installed FREE, P&P - add £5

SECOND HAND AMIGA CENTRE

MOBILE: 0797 191 0405 indv@shac15 freeserve.co.uk A1200's FROM £79.99, MONITORS FROM £71.00 EXTERNAL DISK DRIVES MEMORY EXPANSIONS PRINTERS, SCANNERS, ETC

INCLUDES FREE MAINLAND DELIVERY SEND S A E EOR LATES SEND S.A.E. POR LATEST
HARDWARE & SOFTWARE LIST TO:
SHAC, DEPT AF,
76 HILLRISE AVENUE, BINSTEAD, RYDE,
ISLE OF WIGHT PO33 3UL

HARDWARE ITEMS AND A1200 SETUPS PURCHASED
MAIL ORDER ONLY e make all cheques payable to A.I. Bro

CLASSIC **AMIGA**

11 Deansgate, Radcliffe, Manchester PD Disks, Games, CD's, CD32 Hard Drives, Accelerators. CD Drives. Modems and more Phone for a free catalogue disk 0161 723 1638

www.classic22.freeserve.co.uk





m waitin

VOUR G









d docs cd











01793 33 02 33



mulate it









Production Editor: Clare Marfield Art Editor: Colin Nightingale Staff Writer: Richard Drummond

Contributors: Simon Goodwin, Dave Cusick. Tony Horgan, Errol Madoo, Nick Veitch, Paul magh, Neil Bothwick, Chris Livermore CD Compilers: EMComputergraphic 01255 431389

Assistant Publisher: Paul Pettengale Group Publisher: Jon Bickley

Overseas Licensing enquiries: Chris Power Fax: +44 (0) 1225 446019, chris power@futurenet.co.uk Group ad manager: Simon Moss Ad Manager: Simon Williams Senior Sales Executive: Adam Portingale Senior Sales Executive: Adam Portingale Marketing: Georgina Sanders Production Manager: Charlotte Brock Production Co-ordinator: Emily Moss Print Services: Rebecca Stables Ad Design Supervisor: Sarah Orchard Ad Design Supervisor: Sarah Orchard Ad Designer: Sheu: Kulie Ho Group Production Assistant: Lorraine Ford

Colour Scanning & Imagesetting: Jon Moore, Mark Gover, Matthew Rogers, Jason Hudson Circulation: Jason Comber (Intl.), Regina Erak(UK). Circulation: Jason Comber (Intl.), Regina Erak(UK) Colour Originators: Phoenix Repro Printed in the UK by GSM and Southern Print.

outh St. Bath. Som

rset BA1 2BW 01225 442244 01458 271102 01225 822510 ns (see p.12)

YOUR MAIL WILL NOT BE READ)

if you have a feature idea, a review, a reader request or you want to be in the Amiga Angels list, send an email to be noteful-meet on six, with "Features". "Reader Review", "Reader accordingly, if you don't have remail, a letter to the AF address with headings is also fine. If you want to speak to us about a technical problem, we have a reader call day on Tuesdays. Call us on (10235 442244 (10am-1-pm.2pm-5pm).

Future Publishing Ltd is part of The Future Network plc which hasoffices in Bath, London, Milan, Munich, New York, Paris and San Franci

AF'S REVIEW POLICY

is very simple. Amiga Format is written by the

WHAT OUR REVIEW SCORES MEAN notch. They are hard to find any fault AF Gold award

These are excellent products that 70-79% A very good product with a few flaws

60-69% Above average products which need improvement to get a better score 50,59% Average products get average scores

40.49%

30-39% Needs a lot of work for a good score 20-29% Something fatally wrong

Below average and needs a fair bit of

20% All contributions submitted to Amiga Format are accepted on the basis of a non-exclusive worldwide license to on the basis of a non-exclusive worldwide license to publish or license others to do so unless otherwise agree in advance in writing. © Future Publishing Limited 1999.

A B C Audit Bureau of Circulations, 13,264

Next Issue

Welcome in a new century with your favourite Amiga magazine



January issue on sale Monday December 13th 1999 RESERVE OR DELIVER YOUR COPY

millennium at home

Just you, me and a

copy of Amiga

It is possible to reserve a copy of Amiga Format at almost all newsagents, including branches of John Menzies or WHSmith. Simply fill in the form here and hand it to your newsagent - it's easy and there's no obligation. If you still have trouble, phone 01225 442244 and ask for the Circulation Dept, who should be able to inform you of a stockist in your area

future issues may be subject to change - no guarantee is implied or intended

AMIGA

Of course, that

seems like a

wonderful

idea my lov



SPECIAL OFFER - ONLY 669 95

new cd-rewritable drives 4 v 4 v 20 CDRW ATAPI CD-Rewritable Int

4 x 4 x 20 CDRW ATAPI CD-Rewritable Ext.

(All the above external hundles include: case, rables Away IDE interface with IDE fix 97 fully registered MakeCD, 5 x CDR discs and 1 x CDRW Disc) new allegro cdfs software

. The first Amina file system to support UDF (the

· Access to: ISO 9660 level 1, 2 and 3, Joliet

(Windows95/98 long name) level 1, 2 and 3

. Supports direct audio grabbing from standard

EIDE'99 and Powerflyer - available soon

For non-gold edition users Allegro works with

Fast Serial port, upto 460,800 bits per second

A4000/A1200 advanced floppy drive controller, can

To use PC floppy drive as replacement of DFO £19.95

use most PC floppy drives

Amiga 400DPI Mouse & Mat

New 4 way joystick adaptor

Boing Mouse Mat only

CD32 Joypad

Boing Mouse & Round Mouse Mat

PC Floppy Disk Drive

RockRidge (with Amiga Extensions), CDDA, UDF

TwinBox with 4 x 4 x 20 CDRW ATAPI CD-Recordable and 3.2GB IDE Hard Drive Boy of 10 CDR discs

The fastest Amiga CD File System.

 Supports Amiga protection bits Supports Multisession . Supports SCSI and ATAPI devices (CD-ROM, CD-R,

CD-RW, DVD)

Allegro CDFS only

32 char, buffer

audio CDs

Box of E CDBM dises

£89.95

£149.95

The new UltraSlim ATAPI CD-ROM drive, complete with 4 way buffered interface and EIDE '99, Allegro CDFS, PSU, Audio In /Out and cables

£219.95

£329.95

£14.95

£20.05

£10

£35.95

£49.95

£9.95

60.05

£4.95

amazing hard drive deals

Plug and play hard drive. Includes cable and is already partitioned. ... All HDis speed with a 2vr warranty*

2.5" 160MB IDE including IDE cable	£49.95
2.5" 810MB IDE including IDE cable	£69.95
2.5" 3.2GB* IDE including IDE cable	£129.95
2.5" 4.8GB* IDE including IDE cable	£196.95
2.5" 6.4GB* IDE including IDE cable	£209.95
2.5" 10GB* IDE including IDE cable	£319.95

3.5" hard drives	
3.5" 3.2GB* IDE including IDE cable	
and install disk	£99.9
3.5" 8.4GB* IDE including IDE cable	
and install disk	£149.9
3.5" 13GB* IDE including IDE cable	
and install disk	£199.9

Hard drives bigger than 4GB are supported auto on www.amina.de). Please note that cables included £12.95



Zip 100MB external SCSI including Amiga Zip tools & cable (requires Squirrel or any SCSI interface) £139.95 Zin 100MR internal ATAPI including 4 way buffered int. EIDE 99 software. IDE cable and 1 cartridge f99 95

Zip cartridge (100MB) NEW Zip 250MB External SCSI inc. cartridge £189.95 NEW Zip cartridge (250MB) £19.95





buffered i/f, EIDE 99 software, IDE cable and 1cartrido

£00 05 LS120 120MB Internal ATAPI (bare unit only) £69.95 LS120 120MB External ATAPI including 4 way buffered i/f, EIDE 99 software, IDE cable and 1 cartridge







A500/A600/A1200 Internal Drive A2000 Internal Drive PC Floppy Disk Drive PC880E External for all Amiga models

2.5" 160MB IDE including IDE cable	£49.
2.5" 810MB IDE including IDE cable	£69.
2.5" 3.2GB* IDE including IDE cable	£129.
2.5" 4.8GB* IDE including IDE cable	£196.
2.5" 6.4GB* IDE including IDE cable	£209.
2.5" 10GB* IDE including IDE cable	£319.
O 3.5" hard drives	

3.5" hard drives	
3.5" 3.2GB* IDE including IDE cable and install disk	£99.95
3.5" 8.4GB* IDE including IDE cable and install disk	£149.95
3.5" 13GB* IDE including IDE cable and install disk	£199.95

cally by the PowerFlyer or by IDEfix 97 using the patch provided (an updated FileSystem is available with 3.5" HD have standard 40pin headers. If you need to connect a 3.5" HD directly to the A1200 motherboard, you will need a 44 high density (2.5") to 40 standard (3.5") IDE 'stack cable'





Zip 100MB internal ATAPI (bare unit only) £12.95





LS120 120MB Internal ATAPI including 4 way

£120 05 LS120 cartridge

£34.95

£39.95

£60.95



XL 1.76MB External for all Amiga models

XL 1.76MB Internal for A4000 Squirrel PCMCIA - suitable for any scsi-device £39.95

6x Internal ATAPI CD-ROM (bare unit)	£29.95
6x External ATAPI CD-ROM	£65.95
36x Internal ATAPI CD-ROM (bare unit)	£45.95
36x External ATAPI CD-ROM	£79.95
40x Internal ATAPI CD-ROM (bare unit)	£54.95
40x External ATAPI CD-ROM	£89.95
(External drives include Buffered Interface,	EIDE '99

32x Internal SCSI CD-ROM (bare) 32x External SCSI CD-ROM

(External includes cables, Squirrel SCSI interface with software and 2 CD titles) Socket-Raise

for clockport Fits underneath the PowerFlyer. 65 95

Power-Fiver, 4-way enhanced IDE/ATAPI controller. Supports the latest PIO-3 and PIO-4 faster modes,

Autoboot from Zip and LS-120, UDMA - 11MB/sec CDFS software, PowerFlyer Gold Edition **NEW A4000 POWER FLYER**

GOLD EDITION new a4000 powerflyer gold edition

- . Enhanced IDE/ATAPI controller for ZORRO III bus Amigas
- The first Amiga 3000/4000 F-IDE/ATAPI controller supporting PIO-3 and PIO-4 modes (for up to 16 6MB/sec) and faster Litral IDMA modes
- . The transfer is several times faster than any currently available ZORRO II IDE/ATAPI controller
- · Fully autoconfig ZORRO III card Autoboot from any removable media (ZIP, LS120) · FastATA'99 - Highly sophisticated supporting
- Includes Allegro CDFS the fastest Amiga CD file
- system, supports video DVD format

On the A4000 two devices canbe attached to a standard IDE controller, and another four to the A4000 Power Flyer. More than one A4000 Power Flyer can be installed at the time. After it has been switched on, the Amiga can boot from any of the Hard Drives connected either to the Power Flyer or to the Standard IDE

A4000 PowerFlyer Gold Edition £70.05

For all Zorro bus Amigas Zorro IDE controller unto

controller

4 IDE/ATAPI devices, supports LS120, Zip, Syquest and any removable media. Includes special version of IDFfix97. A1200 clock port £49.95

new image fx and aladdin

Amigas most powerful image software - from £29.95

Original A1200 replacement keyboard (int.) Original A1200 replacement power supply

£9.95 £14.95 69.95

£55.95

Multimedia presentation software

new scala mm400

a 1200 power tower

Power Tower Bare Power Tower 1 Power Tower plus A1200 motherboard, mo PC keyboard and FDD £319.95

Power Tower A1200 motherboard mouse PC keyboard, Typhoon Lite 68030, 8MB of RAM. 3.2GB Hard Disk. 4-way IDE buffered interface EIDE 99 software and FDD £499.95

Power Tower 3 Power Tower A1200 motherhoard mouse PC keyboard, Typhoon Lite 68030, 16MB of RAM.

32x CD-ROM, 3.2GB Hard Disk, 4-Way IDF huffered interface. FIDE 99 and EDD £570.05

Power Tower plus A1200 motherboard, mouse, PC keyboard, FDD, 68030 40MHz, 40MHz FPU, 32MB of RAM 32x IDF CD-ROM drive, internal ATAPI 100MR Zip drive and 1 cartridge, 3.2GB Hard Disk, internal Scan Doubler inc. Flicker Fixer, 15" SVGA monitor. 4-Way IDE buffered interface inc. EIDE 99 and external audio port with speakers

new a4000 power tower

New tower case for the A4000 includes: 7-slot Zorro IIIII hus hoard 2 video slots 5 PC-ISA slots 230 watt PSU, 3 x 5.25" external bays, 2 x 3.5" external bays and 6 x 3.5" internal havs



74 the ultimate hus board for Zorro II boards inc: Five Zorro II slots . One video slot aligned with the first Zorro slot for all major graphics cards . Option Video slot enabler for users of card with scan doubler or flick fixer . Four A1200 style clock ports · Connector for rest cable · Jumpers to activate double speed transfers on the first two slots . Floppy drive power lead connector for CVPPC users Two extra fast Z4 slots for future ultra fast cards Pass through and compatibility jumpers for all major accelerator cards.

The Z4 board (for A1200 Power Tower) Video Slot Enables £24.95 Z4 inc. Apollo 68040 28MHz accelerator £199 95 Z4 inc. Blizzard 1240 40MHz accelerator £239.95 Twister Mk2 Fast Serial Interface

Too many accessories to list - please call for you

Power SCSI adaptor, internal to external SCSI adaptor (external DB-25 pin female connector, internal 50 pin header, internal DB-25 pin male

new amiga 1200 motherboards A1200 motherboard with ROMs

£125.95

For more technical details checkout our web-site -A4000 Tower now available!



Amiga, 3.1 OS, 2MB, 68020 CPU and AGA chipset. Sofware includes: Datastore 1.1, Photogenic 1.2SE, Personal Paint 6.4. Organiser 1.1. Pinball Mania and Whizz

Amiga Magic Pack as above plus 160MB HD £100.05



A1200 desktop universal keyboard int.

Original PC keyboard only* requires keyboard interface Secondary Port **Primary Port** £14.95

POWER

TOWER

















new mk3 4way buffered int./IDEFix 97

2.5" HD port

on rear

Away buffered Int & FIDE'99 Gold Edition #29.95 . Includes cable to connect to the motherboard

. Supports all IDE and ATAPI removable devices

. Includes Allegro CDFS - the fastest Amiga CD file

- . Supports all IDE and ATAPI removable devices Autoboot from ZIP and LS-120

4 IDE/EIDE/ATAPI devices support

system, supports video DVD format

MK3 4way buffered Int. & IDEFix 97 software £19.95



internet www.powerc.com email sales@powerc.demon.co.uk

Unit 82a, Singer Way, Woburn Road Ind Estate, Kempston MK42 7PU delivery 2-3 days £5 next day £8 saturday £15 northern ireland £15 monitor/tower £8 (u.k. mainland only)







SPECIAL OFFERS WHILST STOCKS LAST

EXTERNAL SCSI HARD DRIVES

14" COLOUR AMIGA MONITORS WITH SWIVEL STANDS £69.95

CD32 WITH POWER SUPPLY £79.95

including 030 accelerator + 8mb RAM £149.95

TRACK BALLS ONLY £19.95

NEW Z4 BOARD FROM APOLLO £124.95

ALL REPAIR PRICES INCLUDE LABOUR, PARTS & VAT • 3 MONTHS PARTS & LABOUR WARRANTY • 94 HOUR TURN AROUND ON MOST COMPUTERS INCLUDES ICE AVAILABLE APOLLO

FULL DIAGNOSTIC, SERVICE & S						
MONITORS	SCANNERS	S	FIXED R	EPAIR	CHARG	ES
14" DIGITAL SVGA£89.00 15" DIGITAL SVGA£119.95 17" DIGITAL SVGA£189.95 3 YEARS ON SITE WARRANTY	UMAX FLATBED SCANNER plus SOFTWARE		A500, A500+ A600 £39.95	A1200 £49.95		00
SCANDOUBLER FLIC Internal£49.95 External£49.95 External£49.95		3	A500 TO 1MB	£13.95 /	PGRADES 1500+ TO 2MB£ 1600 TO 2MB£	19.9
INTERNAL EL ORDA	DRIVER S	6			Upgradeable to 8MB)	. 7.7

INTERNAL FLOPPY DRIVES A500 / A500+ / A600 / A1200 / A2000 ..£24.95 These drives work as High Density in A1900

NEW GENLOCK li Res Graphic Card....£249.00 for all Amigas . 20 043 INTERNAL EXTERNAL CD-RO CD-ROM DRIVES Please ring for latest prices

Catweasel Mk 2 ... 4xSCSI CD-ROM£99.95 4xSCSI + 520MB SCSI HDD£169.95 RE-WRITEABLE DRIVES 4XSCSI + 1Gig SCSI HDD£189.95 4XSCSI + 4.3Gig SCSI HDD£249.95

IDE FIX, BUDDHA

Buddha Flash IDE Controller

A1200 Motherboards

without ROMS.....£99.00

with ROMS£125.00

Amiga 3.1

Operating System

3.1 ROMs for A1200 ...£24.95

3.1 ROMs + Disks + Manuals

for A1900£39.95

4 Way Buffered Interface +IDE Fix

SIMMS MEMORY £0.05 RMR 16MB 30MB Discount available when bought with accelerators

ACCELERATORS 1930/40

1240/28 1040/40

1040/50 1960/66 659.05

£959.95

EPOA

AMIGA COMPUTERS & TOWER CASES for A1200 & A4000

INTERNAL 44X IDE£49.95

A1200 + 120Mb HD£179.95 A1200 + 340Mb HD£199.95 A1900 + 790Mb HD ... £939 95 A1900 + 810Mb HD 1200 + 810Mb HD£249.95
TOWER + Mouse + PC Keyboard£129.95 TOWER + A1200 Motherboard + Mouse + PC Keyboard + TOWER as above + Typhoon Accelerator 68030/40

with 8Mb + Buffered Interface + IDE Fix£499.95 (Please add extra £49.95 to include 44x IDE CD-ROM Drive)
RBM A4000 Towers available from stock. 49000 and A4000 co

FREE FITTING

into Tower all items bought from Analogic

3.1 ROMs for A4000 ...£29.95 A1200 HEAVY DUTY Power Supply.....£39.95

External SCSI CD-ROMs + SCSI Hard Disk Drives come in one award winning case Adaptor £14 95

£99.95 £189.95

699.00

£49.00

£49.00

es include cable, software & screws for fitting software if bought separately ...£9.95

Please call for any Amiga Hardware not listed in this ad

TRADE IN YOUR AMIGA FOR A PC Low price PCs available for Internet/Email WE BUY DEAD OR ALIVE A1200, A2000, A3000, A4000

Amiga OS 3.5 upgrade...£34.95 ROM 3.1 + OS 3.5 upgrade...£54.50

Including all cables plus ibrowse software, eb plus one month free with Demoi 6139.95

stemal ATARI 7in Drive + IDF Ax nternal ATARI Zip Drive xternal 950 mb SCSI Zip Drive in Cartridge 100 mb ip Cartiridge 250 mb CHIPS • SPARES • ACCESSORIES (Please ring for chips/spares/accessories not listed here)

£19.00 PCMCIA V Adaptor£19.95 50 pin male to male Centronic Lead£14.95 PC Keyboard. A500/A500+ Keyboards £19.95 Amiga Mouse + Mat ...£14.95 50 pin female to male Centronic Lead ...£14.95 Original A4000 Keyboard £39.95 A600/A1200 Keyboards£19.95 Amiga SCART Lead£14.95 Amiga Monitor Leads£14.95 80 watt Speaker A500/A600/A1200 Power Supply ..£24.95 Parallel Printer Lead£9.95 Sqirrel Interface £39.95 900 watt Speaker£19.95 A1500/A4000 PSU£POA Surf Squirrel ... A590 Replacement Modulator £89.95 Standard 3 Way IDE Cable COMPONENT SPARES: We are the largest distributor and retailer of Amiga spares in the UK

Open Mon-Fri 8.00am-5.30pm, Sat 9.00am-5.00pm ANALOG Analogic Computers (UK) Ltd Fax: 0181 541 4671 email: Sales@analogic.co.uk ANALOGIC Unit 8, Ashway Centre, Elm Crescent,

LOGIC Kingston-upon-Thames, Surrey KT2 6HH * All prices include YAT * All prices & specifications subject to change without notice * Fixed charge for repair does not include disk drive/keyboard * We reserve the right to refuse any repair * FAP charges 13.50 by Royal Mail or £ 7.05 for counter * Please allow 5 working days for chaque clearance * All selectings are only as per our terms and conditions, copy available on request. * Fleese into for letter by rices.

