

Biochemical Pharmacology

Biochemical Pharmacology 63 (2002) 2229-2261

Subject index Volume 63

ACAT

Intracellular mechanisms mediating the inhibition of apoB-containing lipoprotein synthesis and secretion in HepG2 cells by avasimibe (CI-1011), a novel acyl-coenzyme A: cholesterol acyltransferase (ACAT) inhibitor, 349

Acetoacetyl-CoA synthetase

Effects of streptozotocin-induced diabetes on acetoacetyl-CoA synthetase activity in rats, 1851

Acetylcholine

Biochemical and pharmacological characterization of the venom of the black scorpion *Heterometrus spinifer*, 49

Acetyl-CoA carboxylase

Effects of 5-iodotubercidin on hepatic fatty acid metabolism mediated by the inhibition of acetyl-CoA carboxylase, 1997

Acetylleucine chloromethyl ketone

Degradation of glyceraldehyde-3-phosphate dehydrogenase induced by acetylleucine chloromethyl ketone in U937 cells, 1857

N^8 -Acetylspermidine

Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

N^8 -Acetylspermidine deacetylase

Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

Acronycine

Induction of apoptosis in HL-60 leukemia and B16 melanoma cells by the acronycine derivative S23906-1, 1443

Actin-binding protein 280

Association of dopamine D₃ receptors with actin-binding protein 280 (ABP-280), 859

Acutiaporberine

Apoptosis of a human non-small cell lung cancer (NSCLC) cell line, PLA-801, induced by acutiaporberine, a novel bisalkaloid derived from *Thalictrum acutifolium* (Hand.-Mazz.) Boivin, 1389

Acyl-CoA:estradiol acyltransferase

Effect of clofibrate administration on the esterification and deesterification of steroid hormones by liver and extrahepatic tissues in rats, 985

Adenosine

Tissue levels of S-adenosylhomocysteine in the rat kidney: effects of ischemia and homocysteine, 809

Apoptosis induced by extracellular ATP in the mouse neuroblastoma cell line N1E-115: studies on involvement of P2 receptors and adenosine, 1119

Adenosine A₃ receptor

Binding thermodynamics at the human A_3 adenosine receptor, 157 Adenosine receptor

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

S-Adenosylhomocysteine

Tissue levels of S-adenosylhomocysteine in the rat kidney: effects of ischemia and homocysteine, 809

S-Adenosylmethionine

Tissue levels of S-adenosylhomocysteine in the rat kidney: effects of ischemia and homocysteine, 809

Adenylyl cyclase

Molecular cloning and pharmacological characterization of bovine calcitonin receptor-like receptor from bovine aortic endothelial cells, 1949

Adipocyte differentiation

Effects of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (p-p'-DDT) on 3T3-L1 and 3T3-F442A adipocyte differentiation, 997

β-Adrenergie

Modulation of the β -adrenergic receptor system of vascular smooth muscle cells *in vitro* and *in vivo* by chronically elevated endothelin-1 levels, 1361

β-Adrenergic agonist

Effects of Ca²⁺ channel blockers on amiloride-sensitive Na⁺ permeable channels and Na⁺ transport in fetal rat alveolar type II epithelium, 1547

Adrenomedullin

Inhibitory effect of adrenomedullin on basal and tumour necrosis factor alpha-stimulated endothelin-1 synthesis in bovine aortic endothelial cells is independent of cyclic AMP, 149

Molecular cloning and pharmacological characterization of bovine calcitonin receptor-like receptor from bovine aortic endothelial cells, 1949

Aequorin

Analysis of C-terminally substituted tachykinin-like peptide agonists by means of aequorin-based luminescent assays for human and insect neurokinin receptors, 1675

Aflatoxin B₁

Investigations on the effects of oltipraz on the nucleotide excision repair in the liver, 745

Agonist

Analysis of C-terminally substituted tachykinin-like peptide agonists by means of aequorin-based luminescent assays for human and insect neurokinin receptors, 1675

Agonist-antagonist discrimination

Binding thermodynamics at the human A_3 adenosine receptor, 157 Ah receptor

Coordinate regulation of UDP-glucuronosyltransferase UGT1A6 induction by 3-methylcholanthrene and multidrug resistance protein MRP2 expression by dexamethasone in primary rat hepatocytes, 2137

AIDS

Metal-organic compounds: a new approach for drug discovery. N1-(4-methyl-2-pyridyl)-2,3,6-trimethoxybenzamide copper(II) complex as an inhibitor of human immunodeficiency virus 1 protease, 1863

Akt

Mechanisms of apoptosis by the tyrphostin AG957 in hematopoietic cells, 689

Albumin

Effect of protein-bound uraemic toxins on the thermodynamic characteristics of human albumin, 1287

Alcoholic liver disease

Effect of malondialdehyde-acetaldehyde-protein adducts on the protein kinase C-dependent secretion of urokinase-type plasminogen activator in hepatic stellate cells, 553

Alcoholism

Tetrahydroisoquinoline derivatives of enkephalins: synthesis and properties, 1893

Alkaloid sanguinarine

The alkaloid sanguinarine is effective against multidrug resistance in human cervical cells *via* bimodal cell death, 1415

Alkylating agents

Stem cell toxicity of oxazaphosphorine metabolites in comparison to their antileukemic activity, 1337

Interaction of mammalian O^6 -alkylguanine-DNA alkyltransferases with O^6 -benzylguanine, 1431

Alkylguanine alkyltransferase

Biochemical changes associated with a multidrug-resistant phenotype of a human glioma cell line with temozolomide-acquired resistance, 1219

Alkyltransferase

Interaction of mammalian O^6 -alkylguanine-DNA alkyltransferases with O^6 -benzylguanine, 1431

Alloxan

Sensitivity of HaCat keratinocytes to diabetogenic toxins, 171

Alzheimer's disease

Alzheimer's disease and oxygen radicals: new insights, 563

Amine

Phentermine inhibition of recombinant human liver monoamine oxidases A and B, 865

3-Aminobenzamide

Modulation of pyridyl cyanoguanidine (CHS 828) induced cytotoxicity by 3-aminobenzamide in U-937 GTB cells, 1491

5-Aminoisoquinolinone

Effects of 5-aminoisoquinolinone, a water-soluble, potent inhibitor of the activity of poly (ADP-ribose) polymerase, in a rodent model of lung injury, 293

Aminopeptidase N

A doxorubicin—CNGRC-peptide conjugate with prodrug properties, 897 2-Aminopurine

Lack of association between CYP2A5 induction and apoptosis in mouse primary hepatocytes, 429

AMP

Effects of 5-iodotubercidin on hepatic fatty acid metabolism mediated by the inhibition of acetyl-CoA carboxylase, 1997

Amphibian

Structure–activity studies of bufokinin, substance P and their C-terminal fragments at bufokinin receptors in the small intestine of the cane toad, *Bufo marinus*, 217

Amyloid

Alzheimer's disease and oxygen radicals: new insights, 563

Amytal

Effect of the new matrix metalloproteinase inhibitor RO-28-2653 on mitochondrial function, 725

Angiotensin AT₁ receptor

Distinct binding properties of the AT₁ receptor antagonist [³H]candesartan to intact cells and membrane preparations, 1273

Angiotensin-(1-7)

Enhancement of phosphatidylcholine biosynthesis by angiotensin-(1–7) in the rat renal cortex, 507

Anorectics

Phentermine inhibition of recombinant human liver monoamine oxidases A and B, 865

Anoxia

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia, 2055

Antagonist

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

Anthelminti

A glutamate-gated chloride channel subunit from *Haemonchus contortus*: Expression in a mammalian cell line, ligand binding, and modulation of anthelmintic binding by glutamate, 1061

Anthracenedione

Characterization of anthracenediones and their photoaffinity analogs, 1143

Anthracycline

Characterization of anthracenediones and their photoaffinity analogs, 1143

Anthracyclines

Matrix and serine protease expression during leukemic cell differentiation induced by aclacinomycin and all-trans-retinoic acid, 179

Anti-apoptotic proteins

Biochemical changes associated with a multidrug-resistant phenotype of a human glioma cell line with temozolomide-acquired resistance, 1219

Antiblastic drugs

Bleomycin genotoxicity and amifostine (WR-2721) cell protection in normal leukocytes vs. K562 tumoral cells, 967

Antibodies

Pharmacological approaches to prion research, 1383

Anticancer drug

Induction of apoptosis in HL-60 leukemia and B16 melanoma cells by the acronycine derivative S23906-1, 1443

Anticonvulsant

Evidence for the involvement of L-citrulline but not nitric oxide in the proconvulsant action of the precursor L-arginine on picrotoxin-induced convulsions in rats, 2019

Antidepressants

Neuronal cell death induced by antidepressants: lack of correlation with Egr-1, NF- κ B and extracellular signal-regulated protein kinase activation. 1507

Antifolate resistance

Multiple mechanisms of resistance to methotrexate and novel antifolates in human CCRF-CEM leukemia cells and their implications for folate homeostasis. 105

Antileukemic activity

Stem cell toxicity of oxazaphosphorine metabolites in comparison to their antileukemic activity, 1337

Antimicrobial

Antimicrobial effect of resveratrol on dermatophytes and bacterial pathogens of the skin, 99

Antimicrotubule agents

Involvement of microtubules and mitochondria in the antagonism of arsenic trioxide on paclitaxel-induced apoptosis, 1831

Antioxidant

The involvement of L- γ -glutamyl-L-cysteinyl-glycine (glutathione/GSH) in the mechanism of redox signaling mediating MAPK^{p38}-dependent regulation of pro-inflammatory cytokine production, 305

Cytoprotective role of taurine in a renal epithelial cell culture model,

Dose-dependent cysteine-mediated protection of insulin-producing cells from damage by hydrogen peroxide, 1297

Modulation of apoptosis and improved redox metabolism with the use of a new antioxidant formula, 1305

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Antioxidant enzymes

The distribution of copper, zinc- and manganese-superoxide dismutase, and glutathione peroxidase messenger ribonucleic acid in rat basal ganglia, 1159

Antiprotease

Metal-organic compounds: a new approach for drug discovery. N1-(4-methyl-2-pyridyl)-2,3,6-trimethoxybenzamide copper(II) complex as an inhibitor of human immunodeficiency virus 1 protease, 1863

Antisense

Reversal of cisplatin resistance in human ovarian cancer cell lines by a *c-jun* antisense oligodeoxynucleotide (ISIS 10582): evidence for the role of transcription factor overexpression in determining resistant phenotype, 1699

Antisense oligodeoxynucleotide

Sequence and chemistry requirements for a novel aptameric oligonucleotide inhibitor of EGF receptor tyrosine kinase activity, 2187

Antitumor agent

Inhibition of tubulin polymerization by vitilevuamide, a bicyclic marine peptide, at a site distinct from colchicine, the vinca alkaloids, and dolastatin 10, 707

Antitumor drug

Apoptosis of a human non-small cell lung cancer (NSCLC) cell line, PLA-801, induced by acutiaporberine, a novel bisalkaloid derived from *Thalictrum acutifolium* (Hand.-Mazz.) Boivin, 1389

AP-1

Activation of transcription factors by drugs inducing oxidative stress in rat liver, 139

APAH

Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

Apical and basolateral transport

Influence of *t*-butylhydroquinone and β -naphthoflavone on formation and transport of 4-methylumbelliferone glucuronide in Caco-2/TC-7 cell monolayers, 123

Apical uptake

Uptake of ³H-1-methyl-4-phenylpyridinium (³H-MPP⁺) by human intestinal Caco-2 cells is regulated by phosphorylation/dephosphorylation mechanisms. 1565

Δ PO-1

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

Apolipoprotein B

Intracellular mechanisms mediating the inhibition of apoB-containing lipoprotein synthesis and secretion in HepG2 cells by avasimibe (CI-1011), a novel acyl-coenzyme A: cholesterol acyltransferase (ACAT) inhibitor, 349

Apoptosis

Induction of apoptosis by diallyl disulfide through activation of caspase-3 in human leukemia HL-60 cells, 41

Sensitivity of HaCat keratinocytes to diabetogenic toxins, 171

Wogonin and fisetin induce apoptosis in human promyeloleukemic cells, accompanied by a decrease of reactive oxygen species, and activation of caspase 3 and Ca²⁺-dependent endonuclease, 225

Selective inhibition of the activities of both eukaryotic DNA polymerases and DNA topoisomerases by elenic acid, 399

Actions of derivatives of dehydroaltenusin, a new mammalian DNA polymerase α -specific inhibitor, 421

Lack of association between CYP2A5 induction and apoptosis in mouse primary hepatocytes, 429

In vitro induction of apoptosis vs. necrosis by widely used preservatives: 2-phenoxyethanol, a mixture of isothiazolinones, imidazolidinyl urea and 1,2-pentanediol, 437

Activation of protein kinase C for protection of cells against apoptosis induced by the immunosuppressor prodigiosin, 463

Modulation of apoptosis by mitochondrial uncouplers: apoptosis-delaying features despite intrinsic cytotoxicity, 471

Monoamine neurotoxins-induced apoptosis in lymphocytes by a common oxidative stress mechanism: involvement of hydrogen peroxide (H_2O_2), caspase-3, and nuclear factor kappa-B (NF- κ B), p53, c-Jun transcription factors, 677

Mechanisms of apoptosis by the tyrphostin AG957 in hematopoietic cells, 689

Variation in the kinetics of caspase-3 activation, Bcl-2 phosphorylation and apoptotic morphology in unselected human ovarian cancer cell lines as a response to docetaxel, 733

Fas/CD95-mediated apoptosis in human glioblastoma cells: a target for sensitisation to topoisomerase I inhibitors, 881

Jolkinolide B induces neuroendocrine differentiation of human prostate LNCaP cancer cell line, 951

GTP-binding proteins in cell survival and demise: the emerging picture in the pancreatic β -cell, 1027

Bcl-2 family-mediated apoptotic effects of 3,3'-diindolylmethane (DIM) in human breast cancer cells, 1085

Apoptosis induced by extracellular ATP in the mouse neuroblastoma cell line N1E-115: studies on involvement of P2 receptors and adenosine. 1119

Modulation of apoptosis and improved redox metabolism with the use of a new antioxidant formula, 1305

Apoptosis of a human non-small cell lung cancer (NSCLC) cell line, PLA-801, induced by acutiaporberine, a novel bisalkaloid derived from *Thalictrum acutifolium* (Hand.-Mazz.) Boivin, 1389

The alkaloid sanguinarine is effective against multidrug resistance in human cervical cells *via* bimodal cell death, 1415

Induction of apoptosis in HL-60 leukemia and B16 melanoma cells by the acronycine derivative S23906-1, 1443

Modulation of pyridyl cyanoguanidine (CHS 828) induced cytotoxicity by 3-aminobenzamide in U-937 GTB cells, 1491

Down-modulation of $Bcl-X_L$, release of cytochrome c and sequential activation of caspases during honokiol-induced apoptosis in human squamous lung cancer CH27 cells, 1641

Involvement of microtubules and mitochondria in the antagonism of arsenic trioxide on paclitaxel-induced apoptosis, 1831

Characterization of F-actin depolymerization as a major toxic event induced by pectenotoxin-6 in neuroblastoma cells, 1979

Aptamer

Sequence and chemistry requirements for a novel aptameric oligonucleotide inhibitor of EGF receptor tyrosine kinase activity, 2187

Arachidonate

Inhibition of inducible prostaglandin E_2 synthase by 15-deoxy- $\Delta^{12,14}$ -prostaglandin J_2 and polyunsaturated fatty acids, 1183

Arachidonic acid

Protein kinase $C\alpha$ -dependent increase in Ca^{2+} -independent phospholipase A_2 in membranes and arachidonic acid liberation in zymosan-stimulated macrophage-like P388D₁ cells, 1969

Arginase I and II

Induction of arginase II in livers of bile duct-ligated rats, 1043 Arginine metabolism

Induction of arginase II in livers of bile duct-ligated rats, 1043

Arsenic trioxide

Involvement of microtubules and mitochondria in the antagonism of arsenic trioxide on paclitaxel-induced apoptosis, 1831

Aryl hydrocarbon receptor

Serum withdrawal leads to reduced aryl hydrocarbon receptor expression and loss of cytochrome P4501A inducibility in PLHC-1 cells, 1405

ASBT

Dapsone-induced cholestasis and impairment of bile salt output in the rat 1553

Ascorbic acid

Protection by ascorbic acid from denaturation and release of cytochrome c, alteration of mitochondrial membrane potential and activation of multiple caspases induced by H_2O_2 , in human leukemia cells, 1325

ASK1

Role of redox status on the activation of mitogen-activated protein kinase cascades by NSAIDs, 163

Asthma

Comparison of inhibition of ovalbumin-induced bronchoconstriction in guinea pigs and *in vitro* inhibition of tumor necrosis factor- α formation with phosphodiesterase 4 (PDE4) selective inhibitors, 1527

Pharmacological differences among CysLT₁ receptor antagonists with respect to LTC₄ and LTD₄ in human lung parenchyma, 1537

Astrocyte

Role of redox status on the activation of mitogen-activated protein kinase cascades by NSAIDs, 163

Atherogenesis

Vanadyl as a catalyst of human lipoprotein oxidation, 375

Atherosclerosis

Inhibition of rat lipoprotein oxidation after tetradecylthioacetic acid feeding, 1127

HOE 402 lowers serum cholesterol levels by reducing VLDL-lipid production, and not by induction of the LDL receptor, and reduces atherosclerosis in wild-type and LDL receptor-deficient mice, 1755

ATP

Apoptosis induced by extracellular ATP in the mouse neuroblastoma cell line N1E-115: studies on involvement of P2 receptors and adenosine, 1119

Modulation of pyridyl cyanoguanidine (CHS 828) induced cytotoxicity by 3-aminobenzamide in U-937 GTB cells, 1491

ATP/ADP ratio

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia, 2055

ATRA

Matrix and serine protease expression during leukemic cell differentiation induced by aclacinomycin and all-trans-retinoic acid, 179

Atrial natriuretic peptide

Effect of isatin on nitric oxide-stimulated soluble guanylate cyclase from human platelets, 763

Atypical paclitaxel resistance

Overexpression of sorcin, a calcium-binding protein, induces a low level of paclitaxel resistance in human ovarian and breast cancer cells, 1149 Aurintricarboxylic acid

Modulation of apoptosis by mitochondrial uncouplers: apoptosis-delaying features despite intrinsic cytotoxicity, 471

Autoschizis

Autoschizis: a novel cell death, 1773

Avasimibe

Intracellular mechanisms mediating the inhibition of apoB-containing lipoprotein synthesis and secretion in HepG2 cells by avasimibe (CI-1011), a novel acyl-coenzyme A: cholesterol acyltransferase (ACAT) inhibitor, 349

B22

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

Bacillus Calmette-Guérin

The signalling pathway for BCG-induced interleukin-6 production in human bladder cancer cells, 273

BAD

Mechanisms of apoptosis by the tyrphostin AG957 in hematopoietic cells, 689

Rad

Down-modulation of $Bcl-X_L$, release of cytochrome c and sequential activation of caspases during honokiol-induced apoptosis in human squamous lung cancer CH27 cells, 1641

Basal ganglia

The distribution of copper, zinc- and manganese-superoxide dismutase, and glutathione peroxidase messenger ribonucleic acid in rat basal ganglia, 1159

Bax

Wogonin and fisetin induce apoptosis in human promyeloleukemic cells, accompanied by a decrease of reactive oxygen species, and activation of caspase 3 and Ca²⁺-dependent endonuclease, 225

Variation in the kinetics of caspase-3 activation, Bcl-2 phosphorylation and apoptotic morphology in unselected human ovarian cancer cell lines as a response to docetaxel, 733

Bcl-2 family-mediated apoptotic effects of 3,3'-diindolylmethane (DIM) in human breast cancer cells, 1085

Bcl-2

Variation in the kinetics of caspase-3 activation, Bcl-2 phosphorylation and apoptotic morphology in unselected human ovarian cancer cell lines as a response to docetaxel, 733

Bcl-2 family-mediated apoptotic effects of 3,3'-diindolylmethane (DIM) in human breast cancer cells, 1085

Bcl-X_L

Down-modulation of Bcl- X_L , release of cytochrome c and sequential activation of caspases during honokiol-induced apoptosis in human squamous lung cancer CH27 cells, 1641

BCNU

The polymorphic human glutathione transferase T1-1, the most efficient glutathione transferase in the denitrosation and inactivation of the anticancer drug 1,3-bis(2-chloroethyl)-1-nitrosourea, 191

In vitro pharmacokinetics and pharmacodynamics of 1,3-bis(2-chloroethyl)-1-nitrosourea (BCNU), 1209

 O^6 -Benzylguanine

Interaction of mammalian O^6 -alkylguanine-DNA alkyltransferases with O^6 -benzylguanine, 1431

Berberine

Involvement of p38 mitogen-activated protein kinase in the induction of interleukin-12 p40 production in mouse macrophages by berberine, a benzodioxoloquinolizine alkaloid, 1901

Bicalutamide

The effects of natural ligands of hormone receptors and their antagonists on telomerase activity in the androgen sensitive prostatic cancer cell line LNCaP. 1177

Bile salt metabolism

Dapsone-induced cholestasis and impairment of bile salt output in the rat. 1553

Bile salt pool

Dapsone-induced cholestasis and impairment of bile salt output in the rat, 1553

Bile salt secretion

Dapsone-induced cholestasis and impairment of bile salt output in the rat. 1553

Bilirubin degradation

Bilirubin and uroporphyrinogen oxidation by induced cytochrome P4501A and cytochrome P4502B. Role of polyhalogenated biphenyls of different configuration, 615

Binding thermodynamics

Binding thermodynamics at the human A_3 adenosine receptor, 157 Effect of protein-bound uraemic toxins on the thermodynamic characteristics of human albumin, 1287

Biosynthesis

Increased rate of glutathione synthesis from cystine in drug-resistant MCF-7 cells, 843

Blood pressure

Associations between human liver and kidney cadmium content and immunochemically detected CYP4A11 apoprotein, 693

Structural refinement of inhibitors of urea-based soluble epoxide hydrolases. 1599

BM 208

In vitro and in vivo effects of new insulin releasing agents, 515 BM 225

In vitro and in vivo effects of new insulin releasing agents, 515

Protective effect of boldine on dopamine-induced membrane permeability transition in brain mitochondria and viability loss in PC12 cells, 495

Bone resorption

Effects of a selective cyclooxygenase-2 inhibitor, celecoxib, on bone resorption and osteoclastogenesis *in vitro*, 523

Bovine calcitonin receptor-like receptor

Molecular cloning and pharmacological characterization of bovine calcitonin receptor-like receptor from bovine aortic endothelial cells, 1949

Bradykinin B₁ receptor

Effects of dexamethasone and protein kinase C inhibitors on the induction of bradykinin B_1 mRNA and the bradykinin B_1 receptor-mediated contractile response in isolated rat ileum, 2043

Brain mitochondria

Protective effect of boldine on dopamine-induced membrane permeability transition in brain mitochondria and viability loss in PC12 cells,

Breast cancer

Increased rate of glutathione synthesis from cystine in drug-resistant MCF-7 cells, 843

Bcl-2 family-mediated apoptotic effects of 3,3'-diindolylmethane (DIM) in human breast cancer cells, 1085

Breast carcinoma cells

Overexpression of sorcin, a calcium-binding protein, induces a low level of paclitaxel resistance in human ovarian and breast cancer cells, 1149 Bronchoconstriction

Comparison of inhibition of ovalbumin-induced bronchoconstriction in guinea pigs and *in vitro* inhibition of tumor necrosis factor- α formation with phosphodiesterase 4 (PDE4) selective inhibitors, 1527

t-Butylhydroquinone

Influence of *t*-butylhydroquinone and β -naphthoflavone on formation and transport of 4-methylumbelliferone glucuronide in Caco-2/TC-7 cell monolayers, 123

C-1311

Intercalation of imidazoacridinones to DNA and its relevance to cytotoxic and antitumor activity, 1653

C6 rat glioma cells

Inhibition of cyclooxygenase and prostaglandin E_2 synthesis by γ -mangostin, a xanthone derivative in mangosteen, in C6 rat glioma cells, 73

C/EBPa

Effects of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (p,p'-DDT) on 3T3-L1 and 3T3-F442A adipocyte differentiation, 997

Ca^{2+}

The effect of methylglyoxal-bis(guanylhydrazone) on mitochondrial Ca^{2+} fluxes, 247

Ca²⁺ oscillations

Role of mitochondria in Ca^{2+} oscillations and shape of Ca^{2+} signals in pancreatic acinar cells, 283

Ca²⁺/calmodulin-mediated pathways

Uptake of ³H-1-methyl-4-phenylpyridinium (³H-MPP⁺) by human intestinal Caco-2 cells is regulated by phosphorylation/dephosphorylation mechanisms, 1565

Ca²⁺-independent phospholipase A₂

Protein kinase $C\alpha$ -dependent increase in Ca^{2+} -independent phospholipase A_2 in membranes and arachidonic acid liberation in zymosan-stimulated macrophage-like P388D₁ cells, 1969

Caco-2 cells

Fluorescein uptake by a monocarboxylic acid transporter in human intestinal Caco-2 cells, 81

Caco-2/TC-7 cells

Influence of *t*-butylhydroquinone and β -naphthoflavone on formation and transport of 4-methylumbelliferone glucuronide in Caco-2/TC-7 cell monolayers, 123

Cadmium

Associations between human liver and kidney cadmium content and immunochemically detected CYP4A11 apoprotein, 693

Caffeine

Differences in caffeine and paraxanthine metabolism between human and murine CYP1A2, 2159

Calcitonin gene-related peptide

Molecular cloning and pharmacological characterization of bovine calcitonin receptor-like receptor from bovine aortic endothelial cells, 1949

Calcitonin receptor-like receptor

Inhibitory effect of adrenomedullin on basal and tumour necrosis factor alpha-stimulated endothelin-1 synthesis in bovine aortic endothelial cells is independent of cyclic AMP, 149

Calcium

Alterations in cellular Ca²⁺ and free iron pool by sulfur amino acid deprivation: the role of ferritin light chain down-regulation in prooxidant production, 647

Analysis of C-terminally substituted tachykinin-like peptide agonists by means of aequorin-based luminescent assays for human and insect neurokinin receptors, 1675

Differential regulation of Ca²⁺-dependent Cl⁻ currents by FP prostanoid receptor isoforms in *Xenopus* oocytes, 1797

Calcium independent

Overexpression of sorcin, a calcium-binding protein, induces a low level of paclitaxel resistance in human ovarian and breast cancer cells, 1149

Calcium mobilization

Regulatory effects of deoxycholic acid, a component of the antiinflammatory traditional Chinese medicine Niuhuang, on human leukocyte response to chemoattractants, 533

Calorimetry

The modulation of the DNA-damaging effect of polycyclic aromatic agents by xanthines. Part I. Reduction of cytostatic effects of quinacrine mustard by caffeine, 625

The modulation by xanthines of the DNA-damaging effect of polycyclic aromatic agents. Part II. The stacking complexes of caffeine with doxorubicin and mitoxantrone, 635

Calpain

Ritonavir inhibition of calcium-activated neutral proteases, 1481

Calphostin C

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

Effects of dexamethasone and protein kinase C inhibitors on the induction of bradykinin B_1 mRNA and the bradykinin B_1 receptor-mediated contractile response in isolated rat ileum, 2043

Calvaria

Effects of a selective cyclooxygenase-2 inhibitor, celecoxib, on bone resorption and osteoclastogenesis *in vitro*, 523

cAM

The signalling pathway for BCG-induced interleukin-6 production in human bladder cancer cells, 273

7-Benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine, a potent inhibitor of cAMP-specific phosphodiesterase, enhancing nuclear protein binding to the CRE consensus sequence in human tumour cells, 659

Intracellular localization of 7-benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine in membrane structures impeding the inhibition of cytosolic cyclic AMP-specific phosphodiesterase, 669

A critical role for a tyrosine residue in the cannabinoid receptors for ligand recognition, 2121

cAMP responsive element

7-Benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine, a potent inhibitor of cAMP-specific phosphodiesterase, enhancing nuclear protein binding to the CRE consensus sequence in human tumour cells, 659

Cancer

Is inhibition of cyclooxygenase required for the anti-tumorigenic effects of nonsteroidal, anti-inflammatory drugs (NSAIDs)? *In vitro* versus *in vivo* results and the relevance for the prevention and treatment of cancer, 343

Activation of protein kinase C for protection of cells against apoptosis induced by the immunosuppressor prodigiosin, 463

Drug-resistant human lung cancer cells are more sensitive to selenium cytotoxicity. Effects on thioredoxin reductase and glutathione reductase, 1875

Candesartan

Distinct binding properties of the AT₁ receptor antagonist [³H]candesartan to intact cells and membrane preparations, 1273

Cannabinoid receptor

A critical role for a tyrosine residue in the cannabinoid receptors for ligand recognition, 2121

Ca2+-inactivated current

Hydrogen peroxide-induced current in *Xenopus* oocytes: current characteristics similar to those induced by the removal of extracellular calcium, 569

Capacitative Ca2+ influx

Role of mitochondria in Ca^{2+} oscillations and shape of Ca^{2+} signals in pancreatic acinar cells, 283

Carbohydrate metabolism

Carbohydrate responsive element-binding protein (ChREBP): a key regulator of glucose metabolism and fat storage, 2075

Carbonyl scavenger

Identification of $\alpha\textsc{-dicarbonyl}$ scavengers for cellular protection against carbonyl stress, 361

Carboxylesterase

Thenoyltrifluoroacetone, a potent inhibitor of carboxylesterase activity, 751

3-Carboxy-4-methyl-5-propyl-2-furanpropanoic acid

Effect of protein-bound uraemic toxins on the thermodynamic characteristics of human albumin, 1287

Cardiac function

Mitochondrial gene expression and ventricular fibrillation in ischemic/reperfused nondiabetic and diabetic myocardium, 543

Cardiovascular risk

Selective cyclooxygenase-2 (COX-2) inhibitors and potential risk of cardiovascular events, 817

Carnitine

Modulation of apoptosis and improved redox metabolism with the use of a new antioxidant formula, 1305

Carnitine palmitoyltransferase I

Effects of 5-iodotubercidin on hepatic fatty acid metabolism mediated by the inhibition of acetyl-CoA carboxylase, 1997

Carrageenan-induced pleurisy

Protective effects of Celecoxib on lung injury and red blood cells modification induced by carrageenan in the rat, 785

Caspase-3

Induction of apoptosis by diallyl disulfide through activation of caspase-3 in human leukemia HL-60 cells, 41

Wogonin and fisetin induce apoptosis in human promyeloleukemic cells, accompanied by a decrease of reactive oxygen species, and activation of caspase 3 and Ca²⁺-dependent endonuclease, 225

In vitro induction of apoptosis vs. necrosis by widely used preservatives: 2-phenoxyethanol, a mixture of isothiazolinones, imidazolidinyl urea and 1,2-pentanediol, 437

Monoamine neurotoxins-induced apoptosis in lymphocytes by a common oxidative stress mechanism: involvement of hydrogen peroxide (H_2O_2) , caspase-3, and nuclear factor kappa-B (NF- κ B), p53, c-Jun transcription factors, 677

Variation in the kinetics of caspase-3 activation, Bcl-2 phosphorylation and apoptotic morphology in unselected human ovarian cancer cell lines as a response to docetaxel, 733

The alkaloid sanguinarine is effective against multidrug resistance in human cervical cells *via* bimodal cell death, 1415

Caspase

A selective plasmin inhibitor, *trans*-aminomethylcyclohexanecarbonyl-L-(*O*-picolyl)tyrosine-octylamide (YO-2), induces thymocyte apoptosis, 1315

Protection by ascorbic acid from denaturation and release of cytochrome c, alteration of mitochondrial membrane potential and activation of multiple caspases induced by $\rm H_2O_2$, in human leukemia cells, 1325 Induction of apoptosis in HL-60 leukemia and B16 melanoma cells by the acronycine derivative S23906-1, 1443

Down-modulation of Bcl- X_L , release of cytochrome c and sequential activation of caspases during honokiol-induced apoptosis in human squamous lung cancer CH27 cells, 1641

Catalase

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Catalytic topoisomerase inhibitor

Inhibition of nucleotide excision repair and sensitisation of cells to DNA cross-linking anticancer drugs by F 11782, a novel fluorinated epipodophylloid, 251

Catecholamine oxidation

Cytoprotective role of taurine in a renal epithelial cell culture model, 1051

Catecholamine synthesis

Stimulation of catecholamine biosynthesis *via* the protein kinase C pathway by endothelin-1 in PC12 rat pheochromocytoma cells, 977

Catecholamines

Protective effect of boldine on dopamine-induced membrane permeability transition in brain mitochondria and viability loss in PC12 cells, 495

CCRF-CEM cells

Reduced DNA ligase activity in etoposide resistant human lymphatic leukaemia CEM cells, 259

CD95

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

CD13

A doxorubicin–CNGRC-peptide conjugate with prodrug properties, 897 CD4^+ lymphocytes

 κ -Opioid receptor agonist inhibition of HIV-1 envelope glycoproteinmediated membrane fusion and CXCR4 expression on CD4 $^+$ lymphocytes, 1037

cDNA-expression system

Substrate specificity for rat cytochrome P450 (CYP) isoforms: screening with cDNA-expressed systems of the rat, 889

Celecoxib

Effects of a selective cyclooxygenase-2 inhibitor, celecoxib, on bone resorption and osteoclastogenesis *in vitro*, 523

Protective effects of Celecoxib on lung injury and red blood cells modification induced by carrageenan in the rat, 785

Selective cyclooxygenase-2 (COX-2) inhibitors and potential risk of cardiovascular events, 817

Cell adhesion

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

Cell cycle

In vitro pharmacokinetics and pharmacodynamics of 1,3-bis(2-chloroethyl)-1-nitrosourea (BCNU), 1209

Induction of apoptosis in HL-60 leukemia and B16 melanoma cells by the acronycine derivative S23906-1, 1443

Cell death

In vitro pharmacokinetics and pharmacodynamics of 1,3-bis(2-chloroethyl)-1-nitrosourea (BCNU), 1209

Dose-dependent cysteine-mediated protection of insulin-producing cells from damage by hydrogen peroxide, 1297

Autoschizis: a novel cell death, 1773

Cell detachment

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

Cell growth

Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

Cell invasion

Matrix and serine protease expression during leukemic cell differentiation induced by aclacinomycin and all-*trans*-retinoic acid, 179

Cell migration

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

Cell monolayers

Influence of *t*-butylhydroquinone and β -naphthoflavone on formation and transport of 4-methylumbelliferone glucuronide in Caco-2/TC-7 cell monolayers, 123

Cell proliferation

Differential regulation of multidrug resistance-associated protein 2 (MRP2) and cytochromes P450 2B1/2 and 3A1/2 in phenobarbital-treated hepatocytes, 333

Actions of derivatives of dehydroaltenusin, a new mammalian DNA polymerase α -specific inhibitor, 421

Cellular free Ca2+

Inhibition of superoxide anion generation by YC-1 in rat neutrophils through cyclic GMP-dependent and -independent mechanisms, 577

Cellular pharmacokinetics

Influence of isomerisation on the growth inhibitory effects and cellular activity of 13-cis and all-trans retinoic acid in neuroblastoma cells, 207

Cellular uptake

Intracellular localization of 7-benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine in membrane structures impeding the inhibition of cytosolic cyclic AMP-specific phosphodiesterase, 669

Cerebrum

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

Cervical cancer

Increase of the resistance of human cervical carcinoma cells to cisplatin by inhibition of the MEK to ERK signaling pathway partly via enhancement of anticancer drug-induced NF κ B activation, 1423

CF3 fibroblasts

Identification of α -dicarbonyl scavengers for cellular protection against carbonyl stress, 361

cGMP

Pharmacological characterization of the ATP-dependent low $K_{\rm m}$ guanosine 3',5'-cyclic monophosphate (cGMP) transporter in human erythrocytes, 945

C3H/10T¹/₂ cell

Thiourea toxicity in mouse $C3H/10T\frac{1}{2}$ cells expressing human flavin-dependent monooxygenase 3, 1941

Chelerythrine

Modulation of apoptosis by mitochondrial uncouplers: apoptosis-delaying features despite intrinsic cytotoxicity, 471

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

Chemical kinetics

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

Chemiluminescence

Sensitization of human neutrophil defense activities through activation of platelet-activating factor receptors by ginkgolide B, a bioactive component of the *Ginkgo biloba* extract EGB 761, 1241

Chemokine receptor antagonists

Chemokines as novel therapeutic targets in inflammatory diseases, 1191

Chemokine receptors

Chemokines as novel therapeutic targets in inflammatory diseases, 1191

Chemokine/chemoattractant

Regulatory effects of deoxycholic acid, a component of the antiinflammatory traditional Chinese medicine Niuhuang, on human leukocyte response to chemoattractants, 533

Chemokines

Chemokines as novel therapeutic targets in inflammatory diseases,

Chemoprevention

Investigations on the effects of oltipraz on the nucleotide excision repair in the liver. 745

Induction of glutathione-S-transferase mRNA levels by chemopreventive selenocysteine Se-conjugates, 1843

Chemoprotection

Bleomycin genotoxicity and amifostine (WR-2721) cell protection in normal leukocytes vs. K562 tumoral cells, 967

BGP-15 — a novel poly(ADP-ribose) polymerase inhibitor — protects against nephrotoxicity of cisplatin without compromising its antitumor activity, 1099

Chemotaxis

Regulatory effects of deoxycholic acid, a component of the antiinflammatory traditional Chinese medicine Niuhuang, on human leukocyte response to chemoattractants, 533

Chemotherapy

Activation of protein kinase C for protection of cells against apoptosis induced by the immunosuppressor prodigiosin, 463

Bleomycin genotoxicity and amifostine (WR-2721) cell protection in normal leukocytes vs. K562 tumoral cells, 967

Chickens

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

Chlorambucil

Homologous recombinational repair vis-à-vis chlorambucil resistance in chronic lymphocytic leukemia, 1585

Chloride channe

Differential regulation of Ca²⁺-dependent Cl⁻ currents by FP prostanoid receptor isoforms in *Xenopus* oocytes, 1797

Chloroacetaldehyde

Stem cell toxicity of oxazaphosphorine metabolites in comparison to their antileukemic activity, 1337

Chloroquine

Differential effects of 4-aminoquinoline-containing antimalarial drugs on hemoglobin digestion in *Plasmodium falciparum*-infected erythrocytes, 393

Novel phenothiazine antimalarials: synthesis, antimalarial activity, and inhibition of the formation of β -haematin, 833

Chlorpromazine

Novel phenothiazine antimalarials: synthesis, antimalarial activity, and inhibition of the formation of β -haematin, 833

CHO cell

Distinct binding properties of the AT₁ receptor antagonist [³H]candesartan to intact cells and membrane preparations, 1273

Dopamine D_2 receptor-induced COX-2-mediated production of prostaglandin E_2 in D_2 -transfected Chinese hamster ovary cells without simultaneous administration of a Ca^{2+} -mobilizing agent, 2151

Cholecystokinin

Leptin, gut, and food intake, 1579

Cholestasis

Dapsone-induced cholestasis and impairment of bile salt output in the rat, 1553

Cholesterol

Characterization of selective estrogen receptor modulator (SERM) activity in two triarylethylene oxybutyric acids, 1517

Elevated uptake of low density lipoprotein by drug resistant human leukemic cell lines, 2169

Cholesteryl ester

Intracellular mechanisms mediating the inhibition of apoB-containing lipoprotein synthesis and secretion in HepG2 cells by avasimibe (CI-1011), a novel acyl-coenzyme A: cholesterol acyltransferase (ACAT) inhibitor, 349

Cholestyramine

Effects of streptozotocin-induced diabetes on acetoacetyl-CoA synthetase activity in rats, 1851

Chromatin condensation

A selective plasmin inhibitor, *trans*-aminomethylcyclohexanecarbonyl-L-(*O*-picolyl)tyrosine-octylamide (YO-2), induces thymocyte apoptosis, 1315

Chronic lymphocytic leukemia

Homologous recombinational repair vis-à-vis chlorambucil resistance in chronic lymphocytic leukemia, 1585

CHS 828

Modulation of pyridyl cyanoguanidine (CHS 828) induced cytotoxicity by 3-aminobenzamide in U-937 GTB cells, 1491

Circular muscle

Structure-activity relationship of neurokinin A(4-10) at the human tachykinin NK_2 receptor: the effect of amino acid substitutions on receptor affinity and function, 2181

Cisplatii

Investigations on the effects of oltipraz on the nucleotide excision repair in the liver, 745

BGP-15 — a novel poly(ADP-ribose) polymerase inhibitor — protects against nephrotoxicity of cisplatin without compromising its antitumor activity, 1099

JM216-, JM118-, and cisplatin-induced cytotoxicity in relation to platinum-DNA adduct formation, glutathione levels and p53 status

in human tumour cell lines with different sensitivities to cisplatin,

13-Cis-retinoic acid

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

9-Cis-retinoic acid

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

c-Jun

Reversal of cisplatin resistance in human ovarian cancer cell lines by a cjun antisense oligodeoxynucleotide (ISIS 10582): evidence for the role of transcription factor overexpression in determining resistant phenotype, 1699

Cl channel blocker

Hydrogen peroxide-induced current in *Xenopus* oocytes: current characteristics similar to those induced by the removal of extracellular calcium, 569

Cleavable complex

Formation and longevity of idarubicin-induced DNA topoisomerase II cleavable complexes in K562 human leukaemia cells, 1807

Clofibric acid

Clofibric acid down-regulation of metallothionein IIA in HepG2 human hepatoma cells, 237

c-myc

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

c-myc

Induction of G_2/M arrest and inhibition of *c-myc* and *p53* transcription by WP631 in Jurkat T lymphocytes, 1251

Cocaine

DNA sequence of butyrylcholinesterase from the rat: expression of the protein and characterization of the properties of rat butyrylcholinesterase, 2101

Coenzyme Q₁₀

Modulation of apoptosis and improved redox metabolism with the use of a new antioxidant formula, 1305

Coimmunoprecipitation

Bcl-2 family-mediated apoptotic effects of 3,3'-diindolylmethane (DIM) in human breast cancer cells, 1085

Collagen

Inhibition of hepatic stellate cell collagen synthesis by N-(methylamino)isobutyric acid, 697

Comet assay

Bleomycin genotoxicity and amifostine (WR-2721) cell protection in normal leukocytes vs. K562 tumoral cells, 967

Competitive inhibition

Inhibition of cyclooxygenase and prostaglandin E_2 synthesis by γ -mangostin, a xanthone derivative in mangosteen, in C6 rat glioma cells, 73

Complement

Effects of 5-aminoisoquinolinone, a water-soluble, potent inhibitor of the activity of poly (ADP-ribose) polymerase, in a rodent model of lung injury, 293

Complex I

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function, 1259

Complex IV

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells. 1009

Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function, 1259

Confocal microscopy

Intracellular localization of 7-benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine in membrane structures impeding the inhibition of cytosolic cyclic AMP-specific phosphodiesterase, 669

Congenital jaundice

Bilirubin and uroporphyrinogen oxidation by induced cytochrome P4501A and cytochrome P4502B. Role of polyhalogenated biphenyls of different configuration, 615

Connexin4:

(-)-Epicatechin effects in rat liver epithelial cells: stimulation of gap junctional communication and counteraction of its loss due to the tumor promoter 12-*O*-tetradecanoylphorbol-13-acetate, 2145

Copper complexes

Metal-organic compounds: a new approach for drug discovery. N1-(4-methyl-2-pyridyl)-2,3,6-trimethoxybenzamide copper(II) complex as an inhibitor of human immunodeficiency virus 1 protease, 1863

Coumarin

Lack of association between CYP2A5 induction and apoptosis in mouse primary hepatocytes, 429

COX-1

Is inhibition of cyclooxygenase required for the anti-tumorigenic effects of nonsteroidal, anti-inflammatory drugs (NSAIDs)? *In vitro* versus *in vivo* results and the relevance for the prevention and treatment of cancer, 343

COX-2

Is inhibition of cyclooxygenase required for the anti-tumorigenic effects of nonsteroidal, anti-inflammatory drugs (NSAIDs)? *In vitro* versus *in vivo* results and the relevance for the prevention and treatment of cancer, 343

COX

Dopamine D_2 receptor-induced COX-2-mediated production of prostaglandin E_2 in D_2 -transfected Chinese hamster ovary cells without simultaneous administration of a Ca²⁺-mobilizing agent, 2151

COX I

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

COX-2 inhibitors

Selective cyclooxygenase-2 (COX-2) inhibitors and potential risk of cardiovascular events, 817

COX IV

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

CRABP II

Influence of isomerisation on the growth inhibitory effects and cellular activity of 13-cis and all-trans retinoic acid in neuroblastoma cells, 207

Crotoxin

Inhibition of crotoxin phospholipase A₂ activity by manoalide associated with inactivation of crotoxin toxicity and dissociation of the heterodimeric neurotoxic complex, 755

Crystal structure

Intercalation of imidazoacridinones to DNA and its relevance to cytotoxic and antitumor activity, 1653

C-terminus

Role of the C-terminus and the long cytoplasmic loop in reduced folate carrier expression and function, 1717

Curcumin

Basal levels and patterns of anticancer drug-induced activation of nuclear factor- κB (NF- κB), and its attenuation by tamoxifen, dexamethasone, and curcumin in carcinoma cells, 1709

CXCR4

 κ -Opioid receptor agonist inhibition of HIV-1 envelope glycoproteinmediated membrane fusion and CXCR4 expression on CD4 $^+$ lymphocytes, 1037

Cyclic AMP

Inhibitory effect of adrenomedullin on basal and tumour necrosis factor alpha-stimulated endothelin-1 synthesis in bovine aortic endothelial cells is independent of cyclic AMP, 149

Dual coupling of MT_1 and MT_2 melatonin receptors to cyclic AMP and phosphoinositide signal transduction cascades and their regulation following melatonin exposure, 587

Cyclic AMP metabolism

Regulation of cyclic AMP in rat pulmonary microvascular endothelial cells by rolipram-sensitive cyclic AMP phosphodiesterase (PDE4), 797

Cyclic GMP

Inhibition of superoxide anion generation by YC-1 in rat neutrophils through cyclic GMP-dependent and -independent mechanisms, 577

Cyclic nucleotide

Characterisation of cyclic nucleotide phosphodiesterase isoforms in the media layer of the main pulmonary artery, 1763

Cyclic nucleotide phosphodiesterase

Regulation of cyclic AMP in rat pulmonary microvascular endothelial cells by rolipram-sensitive cyclic AMP phosphodiesterase (PDE4), 797

Cyclooxygenase

Inhibition of cyclooxygenase and prostaglandin E_2 synthesis by γ -mangostin, a xanthone derivative in mangosteen, in C6 rat glioma cells, 73

Is inhibition of cyclooxygenase required for the anti-tumorigenic effects of nonsteroidal, anti-inflammatory drugs (NSAIDs)? *In vitro* versus *in vivo* results and the relevance for the prevention and treatment of cancer, 343

Cyclooxygenase-2 inhibitor

Effects of a selective cyclooxygenase-2 inhibitor, celecoxib, on bone resorption and osteoclastogenesis *in vitro*, 523

8-Cyclopentyl-1,3-dipropylxanthine

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia, 2055

Cyclosporin A

Modulation of *mdr1a* and *CYP3A* gene expression in the intestine and liver as possible cause of changes in the cyclosporin. A disposition kinetics by dexamethasone, 777

CYP

Lack of association between CYP2A5 induction and apoptosis in mouse primary hepatocytes, 429

Substrate specificity for rat cytochrome P450 (CYP) isoforms: screening with cDNA-expressed systems of the rat, 889

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

CYP1A1

Bilirubin and uroporphyrinogen oxidation by induced cytochrome P4501A and cytochrome P4502B. Role of polyhalogenated biphenyls of different configuration, 615

CYP3A2

Modulation of *mdr1a* and *CYP3A* gene expression in the intestine and liver as possible cause of changes in the cyclosporin. A disposition kinetics by dexamethasone, 777

CYP3A4

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

CYP3A7

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

CYP1A2

Differences in caffeine and paraxanthine metabolism between human and murine CYP1A2, 2159

CYP2B

Bilirubin and uroporphyrinogen oxidation by induced cytochrome P4501A and cytochrome P4502B. Role of polyhalogenated biphenyls of different configuration, 615

CYP2E

Sexual dimorphic expression of mouse hepatic CYP2B: alterations during development or after hypophysectomy, 2037

CYP2C8

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

CYP2C9

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids. 933

Cysteine

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Dose-dependent cysteine-mediated protection of insulin-producing cells from damage by hydrogen peroxide, 1297

Cysteinyl-leukotriene

Pharmacological differences among CysLT₁ receptor antagonists with respect to LTC₄ and LTD₄ in human lung parenchyma, 1537

Cytochrome a

Protection by ascorbic acid from denaturation and release of cytochrome c, alteration of mitochondrial membrane potential and activation of multiple caspases induced by H_2O_2 , in human leukemia cells, 1325 Down-modulation of Bcl- X_L , release of cytochrome c and sequential activation of caspases during honokiol-induced apoptosis in human squamous lung cancer CH27 cells, 1641

Involvement of microtubules and mitochondria in the antagonism of arsenic trioxide on paclitaxel-induced apoptosis, 1831

Cytochrome c oxidase

Alterations in the expression of cytochrome c oxidase subunits in doxorubicin-resistant leukemia K562 cells, 823

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

Cytochrome P450

Differential regulation of multidrug resistance-associated protein 2 (MRP2) and cytochromes P450 2B1/2 and 3A1/2 in phenobarbital-treated hepatocytes, 333

Lack of association between CYP2A5 induction and apoptosis in mouse primary hepatocytes, 429

Associations between human liver and kidney cadmium content and immunochemically detected CYP4A11 apoprotein, 693

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Cytochrome P450 2D6

Reduced (±)-3,4-methylenedioxymethamphetamine ("Ecstasy") metabolism with cytochrome P450 2D6 inhibitors and pharmacogenetic variants *in vitro*, 2111

Cytochrome P4501A

Serum withdrawal leads to reduced aryl hydrocarbon receptor expression and loss of cytochrome P4501A inducibility in PLHC-1 cells, 1405 Cytochrome P450s

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

Cytofluorimetric analysis

In vitro induction of apoptosis vs. necrosis by widely used preservatives: 2-phenoxyethanol, a mixture of isothiazolinones, imidazolidinyl urea and 1,2-pentanediol, 437

Cytokines

The involvement of L-γ-glutamyl-L-cysteinyl-glycine (glutathione/GSH) in the mechanism of redox signaling mediating MAPK^{p38}-dependent regulation of pro-inflammatory cytokine production, 305

Cytoplasmic loop

Role of the C-terminus and the long cytoplasmic loop in reduced folate carrier expression and function, 1717

Cytoprotection

Cytoprotective role of taurine in a renal epithelial cell culture model, 1051

Cytoskeletal poison

Inhibition of tubulin polymerization by vitilevuamide, a bicyclic marine peptide, at a site distinct from colchicine, the vinca alkaloids, and dolastatin 10, 707

Cytoso

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Cytosolic calcium concentration

Desensitization of insulin secretion, 1921

Cytotoxic drugs

Pharmacological characterization of the ATP-dependent low $K_{\rm m}$ guanosine 3',5'-cyclic monophosphate (cGMP) transporter in human erythrocytes, 945

Cytotoxicity

Sensitivity of HaCat keratinocytes to diabetogenic toxins, 171

Influence of isomerisation on the growth inhibitory effects and cellular activity of 13-cis and all-trans retinoic acid in neuroblastoma cells, 207

Selective inhibition of the activities of both eukaryotic DNA polymerases and DNA topoisomerases by elenic acid, 399

Actions of derivatives of dehydroaltenusin, a new mammalian DNA polymerase α-specific inhibitor, 421

Cytoprotective role of taurine in a renal epithelial cell culture model, 1051

Thiourea toxicity in mouse $C3H/10T\frac{1}{2}$ cells expressing human flavin-dependent monooxygenase 3, 1941

Characterization of F-actin depolymerization as a major toxic event induced by pectenotoxin-6 in neuroblastoma cells, 1979

Dapsone

Dapsone-induced cholestasis and impairment of bile salt output in the rat, 1553

Daunorubicin

Preferential efflux by P-glycoprotein, but not MRP1, of compounds containing a free electron donor amine, 1471

DC-TA-46

7-Benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine, a potent inhibitor of cAMP-specific phosphodiesterase, enhancing nuclear protein binding to the CRE consensus sequence in human tumour cells, 659 Intracellular localization of 7-benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine in membrane structures impeding the inhibition of cytosolic cyclic AMP-specific phosphodiesterase, 669

α-D-Deoxyribose

Pathways for α -D-ribose utilization for nucleobase salvage and 5-fluorouracil activation in rat brain, 117

p,p'-DDT

Effects of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (p,p'-DDT) on 3T3-L1 and 3T3-F442A adipocyte differentiation, 997

De novo synthesis

Enhancement of phosphatidylcholine biosynthesis by angiotensin-(1–7) in the rat renal cortex, 507

DEA/NO

Regulation of microsomal and cytosolic glutathione S-transferase activities by S-nitrosylation, 1397

Deesterification of steroid fatty acid esters

Effect of clofibrate administration on the esterification and deesterification of steroid hormones by liver and extrahepatic tissues in rats, 985 Degradation

Intracellular mechanisms mediating the inhibition of apoB-containing lipoprotein synthesis and secretion in HepG2 cells by avasimibe (CI-1011), a novel acyl-coenzyme A: cholesterol acyltransferase (ACAT) inhibitor, 349

Dehydroaltenusin

Actions of derivatives of dehydroaltenusin, a new mammalian DNA polymerase α -specific inhibitor, 421

Deletion

Role of the C-terminus and the long cytoplasmic loop in reduced folate carrier expression and function, 1717

Dendrimers

Pharmacological approaches to prion research, 1383

Dendrites

Modulation of dendritic release of dopamine by metabotropic glutamate receptors in rat substantia nigra, 1343

Denitrosation

The polymorphic human glutathione transferase T1-1, the most efficient glutathione transferase in the denitrosation and inactivation of the anticancer drug 1,3-bis(2-chloroethyl)-1-nitrosourea, 191

Deoxycholic acid (DCA)

Regulatory effects of deoxycholic acid, a component of the antiinflammatory traditional Chinese medicine Niuhuang, on human leukocyte response to chemoattractants, 533

Deoxycytidine deaminase

Modifications of deoxycytidine kinase and deaminase activities by docosahexaenoic acid in normal and transformed rat fibroblasts, 717

Deoxycytidine kinase

Modifications of deoxycytidine kinase and deaminase activities by docosahexaenoic acid in normal and transformed rat fibroblasts, 717

15-Deoxy-prostaglandin J₂

Inhibition of inducible prostaglandin E_2 synthase by 15-deoxy- $\Delta^{12,14}$ -prostaglandin I_2 and polyunsaturated fatty acids, 1183

Dermatophytes

Antimicrobial effect of resveratrol on dermatophytes and bacterial pathogens of the skin, 99

des-Arg⁹-Bradykinin

Effects of dexamethasone and protein kinase C inhibitors on the induction of bradykinin B_1 mRNA and the bradykinin B_1 receptor-mediated contractile response in isolated rat ileum, 2043

Desensitization

Desensitization of insulin secretion, 1921

Development

Physiological factors affecting the expression of FMO1 and FMO3 in the rat liver and kidney, 1453

Sexual dimorphic expression of mouse hepatic CYP2B: alterations during development or after hypophysectomy, 2037

Developmental regulation

Developmental regulation of flavin-containing monooxygenase form 1 in the liver and kidney of fetal and neonatal rabbits, 1353

Developmental toxicity

Relative importance of maternal and embryonic microsomal epoxide hydrolase in 7,12-dimethylbenz[a]anthracene-induced developmental toxicity, 1077

Dexamethasone

Modulation of *mdr1a* and *CYP3A* gene expression in the intestine and liver as possible cause of changes in the cyclosporin. A disposition kinetics by dexamethasone, 777

A GAL4-based yeast three-hybrid system for the identification of small molecule-target protein interactions, 1619

Effects of dexamethasone and protein kinase C inhibitors on the induction of bradykinin B_1 mRNA and the bradykinin B_1 receptor-mediated contractile response in isolated rat ileum, 2043

Coordinate regulation of UDP-glucuronosyltransferase UGT1A6 induction by 3-methylcholanthrene and multidrug resistance protein MRP2 expression by dexamethasone in primary rat hepatocytes, 2137

DFP

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

DHA

Modifications of deoxycytidine kinase and deaminase activities by docosahexaenoic acid in normal and transformed rat fibroblasts, 717

Diabetes

Troglitazone does not protect rat pancreatic β cells against free fatty acid-induced cytotoxicity, 1281

Inhibition of gluconeogenesis by vanadium and metformin in kidney-cortex tubules isolated from control and diabetic rabbits, 1371

Effects of streptozotocin-induced diabetes on acetoacetyl-CoA synthetase activity in rats, 1851

Diabetes mellitus

Vanadyl as a catalyst of human lipoprotein oxidation, 375

GTP-binding proteins in cell survival and demise: the emerging picture in the pancreatic β -cell, 1027

Diallyl disulfide

α-Dicarbonyl compounds

Identification of α -dicarbonyl scavengers for cellular protection against carbonyl stress, 361

Dietary indole

Bcl-2 family-mediated apoptotic effects of 3,3'-diindolylmethane (DIM) in human breast cancer cells, 1085

Differentiation

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

Regulation of phospholipase C activation by the number of H_2 receptors during Ca^{2+} -induced differentiation of mouse keratinocytes, 1785

Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

Dihydrotestosterone

The effects of natural ligands of hormone receptors and their antagonists on telomerase activity in the androgen sensitive prostatic cancer cell line LNCaP, 1177

5,6-Dihydroxytryptamine

Monoamine neurotoxins-induced apoptosis in lymphocytes by a common oxidative stress mechanism: involvement of hydrogen peroxide (H_2O_2) , caspase-3, and nuclear factor kappa-B (NF- κ B), p53, c-Jun transcription factors, 677

5,7-Dihydroxytryptamine

Monoamine neurotoxins-induced apoptosis in lymphocytes by a common oxidative stress mechanism: involvement of hydrogen peroxide (H_2O_2) , caspase-3, and nuclear factor kappa-B (NF- κ B), p53, c-Jun transcription factors, 677

Dimerumic acid

Dimerumic acid as an antioxidant from the mold, *Monascus anka*: the inhibition mechanisms against lipid peroxidation and hemeprotein-mediated oxidation, 1019

7,12-Dimethylbenz[a]anthracene

Relative importance of maternal and embryonic microsomal epoxide hydrolase in 7,12-dimethylbenz[a]anthracene-induced developmental toxicity, 1077

2,4-Dinitrophenol

Effect of the new matrix metalloproteinase inhibitor RO-28-2653 on mitochondrial function, 725

Dinitrosyl dithiolato iron complex

In vivo nitric oxide transfer of a physiological NO carrier, dinitrosyl dithiolato iron complex, to target complex, 485

Dissociation

Distinct binding properties of the AT₁ receptor antagonist [³H]candesartan to intact cells and membrane preparations, 1273

Distribution

The distribution of copper, zinc- and manganese-superoxide dismutase, and glutathione peroxidase messenger ribonucleic acid in rat basal ganglia, 1159

DNA binding

Induction of G_2/M arrest and inhibition of *c-myc* and *p53* transcription by WP631 in Jurkat T lymphocytes, 1251

DNA cross-linking agent

Inhibition of nucleotide excision repair and sensitisation of cells to DNA cross-linking anticancer drugs by F 11782, a novel fluorinated epipodophylloid, 251

DNA damage

Reduction of acute photodamage in skin by topical application of a novel PARP inhibitor, 921

Bleomycin genotoxicity and amifostine (WR-2721) cell protection in normal leukocytes vs. K562 tumoral cells, 967

DNA damaging agents

Fas/CD95-mediated apoptosis in human glioblastoma cells: a target for sensitisation to topoisomerase I inhibitors, 881

DNA fragmentation

A selective plasmin inhibitor, *trans*-aminomethylcyclohexanecarbonyl-L-(*O*-picolyl)tyrosine-octylamide (YO-2), induces thymocyte apoptosis, 1315

DNA intercalation

Intercalation of imidazoacridinones to DNA and its relevance to cytotoxic and antitumor activity, 1653

DNA interstrand cross-links

In vitro pharmacokinetics and pharmacodynamics of 1,3-bis(2-chloroethyl)-1-nitrosourea (BCNU), 1209

DNA ligase (EC 6.5.1.1)

Reduced DNA ligase activity in etoposide resistant human lymphatic leukaemia CEM cells, 259

DNA polymerase

Selective inhibition of the activities of both eukaryotic DNA polymerases and DNA topoisomerases by elenic acid, 399

DNA polymerase α

Actions of derivatives of dehydroaltenusin, a new mammalian DNA polymerase α -specific inhibitor, 421

DNA repair

Interaction of mammalian O^6 -alkylguanine-DNA alkyltransferases with O^6 -benzylguanine, 1431

Homologous recombinational repair vis-à-vis chlorambucil resistance in chronic lymphocytic leukemia, 1585

DNA replication

Actions of derivatives of dehydroaltenusin, a new mammalian DNA polymerase α -specific inhibitor, 421

DNA topoisomerase

Selective inhibition of the activities of both eukaryotic DNA polymerases and DNA topoisomerases by elenic acid, 399

DNA topoisomerase II

Formation and longevity of idarubicin-induced DNA topoisomerase II cleavable complexes in K562 human leukaemia cells, 1807

DNIC

In vivo nitric oxide transfer of a physiological NO carrier, dinitrosyl dithiolato iron complex, to target complex, 485

Docetaxel

Variation in the kinetics of caspase-3 activation, Bcl-2 phosphorylation and apoptotic morphology in unselected human ovarian cancer cell lines as a response to docetaxel, 733

Dog UGT1A6

Tissue-specific regulation of canine intestinal and hepatic phenol and morphine UDP-glucuronosyltransferases by β -naphthoflavone in comparison with humans, 1683

Dopamine

Association of dopamine D₃ receptors with actin-binding protein 280

Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

Dopamine D_2 receptor-induced COX-2-mediated production of prostaglandin E_2 in D_2 -transfected Chinese hamster ovary cells without simultaneous administration of a Ca^{2+} -mobilizing agent, 2151

Dopamine D2 receptors

Dopamine D_2 receptor-induced COX-2-mediated production of prostaglandin E_2 in D_2 -transfected Chinese hamster ovary cells without simultaneous administration of a Ca^{2+} -mobilizing agent, 2151

Dopamine release

Modulation of dendritic release of dopamine by metabotropic glutamate receptors in rat substantia nigra, 1343

Dopamine transporter

A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse, 89

Selective dopaminergic neurotoxicity of isoquinoline derivatives related to Parkinson's disease: studies using heterologous expression systems of the dopamine transporter, 909

Mitochondrial toxin inhibition of [³H]dopamine uptake into rat striatal synaptosomes, 1499

Doxorubicin

A doxorubicin—CNGRC-peptide conjugate with prodrug properties, 897 Drug-resistant human lung cancer cells are more sensitive to selenium cytotoxicity. Effects on thioredoxin reductase and glutathione reductase, 1875

Doxorubicin (adriamycin)

Alterations in the expression of cytochrome c oxidase subunits in doxorubicin-resistant leukemia K562 cells, 823

Doxorubicin-peptide conjugate

A doxorubicin–CNGRC-peptide conjugate with prodrug properties, 897 p-Penicillamine

Identification of $\alpha\textsc{-}\textsc{dicarbonyl}$ scavengers for cellular protection against carbonyl stress, 361

α-p-Ribose

Pathways for α -p-ribose utilization for nucleobase salvage and 5-fluorouracil activation in rat brain, 117

Drug clearance

Enhanced clearance of topoisomerase I inhibitors from human colon cancer cells by glucuronidation, 607

Drug combination

Inhibition of nucleotide excision repair and sensitisation of cells to DNA cross-linking anticancer drugs by F 11782, a novel fluorinated epipodophylloid, 251

Involvement of microtubules and mitochondria in the antagonism of arsenic trioxide on paclitaxel-induced apoptosis, 1831

Drug interactions

Reduced (±)-3,4-methylenedioxymethamphetamine ("Ecstasy") metabolism with cytochrome P450 2D6 inhibitors and pharmacogenetic variants *in vitro*, 2111

Drug metabolism

Substrate specificity for rat cytochrome P450 (CYP) isoforms: screening with cDNA-expressed systems of the rat, 889

Reduced (\pm) -3,4-methylenedioxymethamphetamine ("Ecstasy") metabolism with cytochrome P450 2D6 inhibitors and pharmacogenetic variants *in vitro*, 2111

Drug resistance

The polymorphic human glutathione transferase T1-1, the most efficient glutathione transferase in the denitrosation and inactivation of the anticancer drug 1,3-bis(2-chloroethyl)-1-nitrosourea, 191

Reduced DNA ligase activity in etoposide resistant human lymphatic leukaemia CEM cells, 259

Novel phenothiazine antimalarials: synthesis, antimalarial activity, and inhibition of the formation of β -haematin, 833

Increased rate of glutathione synthesis from cystine in drug-resistant MCF-7 cells, 843

Increase of the resistance of human cervical carcinoma cells to cisplatin by inhibition of the MEK to ERK signaling pathway partly via enhancement of anticancer drug-induced NF κ B activation, 1423

Interaction of mammalian O^6 -alkylguanine-DNA alkyltransferases with O^6 -benzylguanine, 1431

Homologous recombinational repair vis-à-vis chlorambucil resistance in chronic lymphocytic leukemia, 1585

Reversal of cisplatin resistance in human ovarian cancer cell lines by a c-jun antisense oligodeoxynucleotide (ISIS 10582): evidence for the role of transcription factor overexpression in determining resistant phenotype, 1699 Basal levels and patterns of anticancer drug-induced activation of nuclear factor- κB (NF- κB), and its attenuation by tamoxifen, dexamethasone, and curcumin in carcinoma cells, 1709

Drug-resistant human lung cancer cells are more sensitive to selenium cytotoxicity. Effects on thioredoxin reductase and glutathione reductase, 1875

Drug transport

Differential regulation of multidrug resistance-associated protein 2 (MRP2) and cytochromes P450 2B1/2 and 3A1/2 in phenobarbital-treated hepatocytes, 333

Drug uptake

Enhanced clearance of topoisomerase I inhibitors from human colon cancer cells by glucuronidation, 607

Drug-metabolizing enzymes

Developmental regulation of flavin-containing monooxygenase form 1 in the liver and kidney of fetal and neonatal rabbits, 1353

Ecto-nucleotidases

Apoptosis induced by extracellular ATP in the mouse neuroblastoma cell line N1E-115: studies on involvement of P2 receptors and adenosine, 1119

Edema

Purification and characterization of a phospholipase A₂ isoenzyme isolated from *Lachesis muta* snake venom, 1589

Egr-1

Neuronal cell death induced by antidepressants: lack of correlation with Egr-1, NF-κB and extracellular signal-regulated protein kinase activation, 1507

Electron spin resonance (ESR)

Dimerumic acid as an antioxidant from the mold, *Monascus anka*: the inhibition mechanisms against lipid peroxidation and hemeprotein-mediated oxidation, 1019

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Electrophile response element

Glutamate–cysteine ligase modifier subunit: mouse *Gclm* gene structure and regulation by agents that cause oxidative stress, 1739

Electrospray ionization-mass spectrometry/mass spectrometry

Biochemical and pharmacological characterization of the venom of the black scorpion *Heterometrus spinifer*, 49

Elenic acid

Selective inhibition of the activities of both eukaryotic DNA polymerases and DNA topoisomerases by elenic acid, 399

Embryo

Relative importance of maternal and embryonic microsomal epoxide hydrolase in 7,12-dimethylbenz[a]anthracene-induced developmental toxicity, 1077

Embryo fibroblast

Relative importance of maternal and embryonic microsomal epoxide hydrolase in 7,12-dimethylbenz[a]anthracene-induced developmental toxicity, 1077

Endonuclease

Wogonin and fisetin induce apoptosis in human promyeloleukemic cells, accompanied by a decrease of reactive oxygen species, and activation of caspase 3 and Ca²⁺-dependent endonuclease, 225

Endoplasmatic reticulum

Intracellular localization of 7-benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine in membrane structures impeding the inhibition of cytosolic cyclic AMP-specific phosphodiesterase, 669

Endothelial cell permeability

Regulation of cyclic AMP in rat pulmonary microvascular endothelial cells by rolipram-sensitive cyclic AMP phosphodiesterase (PDE4), 707

Endothelial cells

Identification of the phospholipase A_2 isoforms that contribute to arachidonic acid release in hypoxic endothelial cells: limits of phospholipase A_2 inhibitors, 321

Lack of involvement of extracellular signal-regulated kinase (ERK) in the agonist-induced endothelial nitric oxide synthesis, 1137

Endothelial nitric oxide synthase

Lack of involvement of extracellular signal-regulated kinase (ERK) in the agonist-induced endothelial nitric oxide synthesis, 1137

Endothelin-1

Inhibitory effect of adrenomedullin on basal and tumour necrosis factor alpha-stimulated endothelin-1 synthesis in bovine aortic endothelial cells is independent of cyclic AMP, 149

Modulation of the β -adrenergic receptor system of vascular smooth muscle cells *in vitro* and *in vivo* by chronically elevated endothelin-1 levels, 1361

Endothelins (ETs)

Stimulation of catecholamine biosynthesis via the protein kinase C pathway by endothelin-1 in PC12 rat pheochromocytoma cells, 977

Energy charge

Tissue levels of S-adenosylhomocysteine in the rat kidney: effects of ischemia and homocysteine, 809

Enhancement

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Enkephalins

Tetrahydroisoquinoline derivatives of enkephalins: synthesis and properties, 1893

Enthalpy-entropy compensation

Binding thermodynamics at the human A_3 adenosine receptor, 157

Entry inhibitor

The influence of charge clustering on the anti-HIV-1 activity and *in vivo* distribution of negatively charged albumins, 1663

Enzyme inhibitor

Selective inhibition of the activities of both eukaryotic DNA polymerases and DNA topoisomerases by elenic acid, 399

Actions of derivatives of dehydroaltenusin, a new mammalian DNA polymerase α-specific inhibitor, 421

Enzyme inhibitors

Ritonavir inhibition of calcium-activated neutral proteases, 1481

(-)-Epicatechin

(-)-Epicatechin effects in rat liver epithelial cells: stimulation of gap junctional communication and counteraction of its loss due to the tumor promoter 12-*O*-tetradecanoylphorbol-13-acetate, 2145

Epigallocatechin gallate

Structure–activity relationships for inhibition of human 5α -reductases by polyphenols, 1165

Epoxide hydrolase

Structural refinement of inhibitors of urea-based soluble epoxide hydrolases, 1599

EPR spectroscopy

In vivo nitric oxide transfer of a physiological NO carrier, dinitrosyl dithiolato iron complex, to target complex, 485

ERK

Increase of the resistance of human cervical carcinoma cells to cisplatin by inhibition of the MEK to ERK signaling pathway partly via enhancement of anticancer drug-induced NF κ B activation, 1423

ESR

ESR analysis of spin adducts of alkoxyl and lipid-derived radicals with the spin trap Trazon, 1465

17β-Estradiol

The effects of natural ligands of hormone receptors and their antagonists on telomerase activity in the androgen sensitive prostatic cancer cell line LNCaP, 1177

Estrogen receptor

Characterization of selective estrogen receptor modulator (SERM) activity in two triarylethylene oxybutyric acids, 1517

Ethanol

Resistance of HepG2 cells against the adverse effects of ethanol related to neutral lipid and phospholipid metabolism, 1485

Etoposide

Reduced DNA ligase activity in etoposide resistant human lymphatic leukaemia CEM cells, 259

Evolution

Analysis of C-terminally substituted tachykinin-like peptide agonists by means of aequorin-based luminescent assays for human and insect neurokinin receptors, 1675

Exendin-4

Exendin-4 increases insulin sensitivity via a PI-3-kinase-dependent mechanism: contrasting effects of GLP-1, 993

Expression

Induction of UDP-glucuronosyltransferase 1A8 mRNA by 3-methyl-cholanthene in rat hepatoma cells, 767

Modulation of *mdr1a* and *CYP3A* gene expression in the intestine and liver as possible cause of changes in the cyclosporin A disposition kinetics by dexamethasone, 777

Physiological factors affecting the expression of FMO1 and FMO3 in the rat liver and kidney, 1453

Sexual dimorphic expression of mouse hepatic CYP2B: alterations during development or after hypophysectomy, 2037

Extracellular signal-regulated kinase

Lack of involvement of extracellular signal-regulated kinase (ERK) in the agonist-induced endothelial nitric oxide synthesis, 1137

Neuronal cell death induced by antidepressants: lack of correlation with Egr-1, NF- κ B and extracellular signal-regulated protein kinase activation. 1507

F 11782

Inhibition of nucleotide excision repair and sensitisation of cells to DNA cross-linking anticancer drugs by F 11782, a novel fluorinated epipodophylloid, 251

Facilitative transporter

Role of the C-terminus and the long cytoplasmic loop in reduced folate carrier expression and function, 1717

F-actir

Characterization of F-actin depolymerization as a major toxic event induced by pectenotoxin-6 in neuroblastoma cells, 1979

Fas/CD95

Fas/CD95-mediated apoptosis in human glioblastoma cells: a target for sensitisation to topoisomerase I inhibitors, 881

Fatty acid

Associations between human liver and kidney cadmium content and immunochemically detected CYP4A11 apoprotein, 693

Inhibition of rat lipoprotein oxidation after tetradecylthioacetic acid feeding, 1127

Fatty acid esters of steroid hormones

Effect of clofibrate administration on the esterification and deesterification of steroid hormones by liver and extrahepatic tissues in rats, 985

Fatty acid metabolism

Effects of 5-iodotubercidin on hepatic fatty acid metabolism mediated by the inhibition of acetyl-CoA carboxylase, 1997

FCCI

Modulation of apoptosis by mitochondrial uncouplers: apoptosis-delaying features despite intrinsic cytotoxicity, 471

Ferritin light chain

Alterations in cellular Ca²⁺ and free iron pool by sulfur amino acid deprivation: the role of ferritin light chain down-regulation in prooxidant production, 647

Ferrylmyoglobin

Dimerumic acid as an antioxidant from the mold, *Monascus anka*: the inhibition mechanisms against lipid peroxidation and hemeprotein-mediated oxidation, 1019

Fetal/neonatal development

Developmental regulation of flavin-containing monooxygenase form 1 in the liver and kidney of fetal and neonatal rabbits, 1353

Fibroblast

Modifications of deoxycytidine kinase and deaminase activities by docosahexaenoic acid in normal and transformed rat fibroblasts, 717

FK506

A GAL4-based yeast three-hybrid system for the identification of small molecule-target protein interactions, 1619

Flavin-containing monooxygenase

Developmental regulation of flavin-containing monooxygenase form 1 in the liver and kidney of fetal and neonatal rabbits, 1353

Physiological factors affecting the expression of FMO1 and FMO3 in the rat liver and kidney, 1453

Flavobacterium heparinum lyases

Human neutrophil migration *in vitro* induced by secretory phospholipases A_2 : a role for cell surface glycosaminoglycans, 65

Flavonoids

Wogonin and fisetin induce apoptosis in human promyeloleukemic cells, accompanied by a decrease of reactive oxygen species, and activation of caspase 3 and Ca²⁺-dependent endonuclease, 225

Structure–activity relationships for inhibition of human 5α -reductases by polyphenols, 1165

(-)-Epicatechin effects in rat liver epithelial cells: stimulation of gap junctional communication and counteraction of its loss due to the tumor promoter 12-*O*-tetradecanoylphorbol-13-acetate, 2145

Flow cytometry

The modulation of the DNA-damaging effect of polycyclic aromatic agents by xanthines. Part I. Reduction of cytostatic effects of quinacrine mustard by caffeine, 625

Fluorescein

Fluorescein uptake by a monocarboxylic acid transporter in human intestinal Caco-2 cells, 81

5-Fluoroindole-3-acetic acid

5-Fluoroindole-3-acetic acid: a prodrug activated by a peroxidase with potential for use in targeted cancer therapy, 265

5-Fluorouracil activation

Pathways for α -D-ribose utilization for nucleobase salvage and 5-fluorouracil activation in rat brain, 117

FMO1

Developmental regulation of flavin-containing monooxygenase form 1 in the liver and kidney of fetal and neonatal rabbits, 1353

Folate homeostasis

Multiple mechanisms of resistance to methotrexate and novel antifolates in human CCRF-CEM leukemia cells and their implications for folate homeostasis. 105

Folylpolyglutamate synthetase

Multiple mechanisms of resistance to methotrexate and novel antifolates in human CCRF-CEM leukemia cells and their implications for folate homeostasis. 105

Food intake

Leptin, gut, and food intake, 1579

N-Formyl-methionyl-leucyl-phenylalanine

Human neutrophil migration *in vitro* induced by secretory phospholipases A₂: a role for cell surface glycosaminoglycans, 65

Free fatty acids

Troglitazone does not protect rat pancreatic β cells against free fatty acid-induced cytotoxicity, 1281

Free radicals

Protection by ascorbic acid from denaturation and release of cytochrome c, alteration of mitochondrial membrane potential and activation of multiple caspases induced by $\rm H_2O_2$, in human leukemia cells, 1325

ESR analysis of spin adducts of alkoxyl and lipid-derived radicals with the spin trap Trazon, 1465

Functionalized dextrans

Interaction of specifically chemically modified dextrans with transforming growth factor β 1: potentiation of its biological activity, 129

G₂ phase

Induction of G_2/M arrest and inhibition of *c-myc* and *p53* transcription by WP631 in Jurkat T lymphocytes, 1251

G protein-coupled receptor

Association of dopamine D₃ receptors with actin-binding protein 280 (ABP-280), 859

GABA

Effects of the antidepressant/antipanic drug phenelzine and its putative metabolite phenylethylidenehydrazine on extracellular γ -aminobutyric acid levels in the striatum, 57

G-actin

Characterization of F-actin depolymerization as a major toxic event induced by pectenotoxin-6 in neuroblastoma cells, 1979

GAL4

A GAL4-based yeast three-hybrid system for the identification of small molecule–target protein interactions, 1619

Galanin

Leptin, gut, and food intake, 1579

Gap junctional communication

(-)-Epicatechin effects in rat liver epithelial cells: stimulation of gap junctional communication and counteraction of its loss due to the tumor promoter 12-*O*-tetradecanoylphorbol-13-acetate, 2145

Garlic

Induction of apoptosis by diallyl disulfide through activation of caspase-3 in human leukemia HL-60 cells, 41

Gastrointestinal tract

Leptin, gut, and food intake, 1579

Gel shift assay

Interaction of specifically chemically modified dextrans with transforming growth factor $\beta1$: potentiation of its biological activity, 129

Gene and protein expression

Induction of arginase II in livers of bile duct-ligated rats, 1043

Gene expression

Activation of transcription factors by drugs inducing oxidative stress in rat liver, 139

Clofibric acid down-regulation of metallothionein IIA in HepG2 human hepatoma cells, 237

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

Gene knockout mice

Relative importance of maternal and embryonic microsomal epoxide hydrolase in 7,12-dimethylbenz[a]anthracene-induced developmental toxicity, 1077

Genistein

(-)-Epicatechin effects in rat liver epithelial cells: stimulation of gap junctional communication and counteraction of its loss due to the tumor promoter 12-*O*-tetradecanoylphorbol-13-acetate, 2145

Geometrical selectivity

Reverse geometrical selectivity in glucuronidation and sulfation of *cis*and *trans*-4-hydroxytamoxifens by human liver UDP-glucuronosyltransferases and sulfotransferases, 1817

GLP-1

Exendin-4 increases insulin sensitivity via a PI-3-kinase-dependent mechanism: contrasting effects of GLP-1, 993

Glucocorticoid receptor

A GAL4-based yeast three-hybrid system for the identification of small molecule–target protein interactions, 1619

Gluconeogenesis

Inhibition of gluconeogenesis by vanadium and metformin in kidney-cortex tubules isolated from control and diabetic rabbits, 1371

Glucose signaling

Carbohydrate responsive element-binding protein (ChREBP): a key regulator of glucose metabolism and fat storage, 2075

Glucuronidase

Verapamil decreases glucuronidase activity in the gut, 1575

Glucuronidation

Enhanced clearance of topoisomerase I inhibitors from human colon cancer cells by glucuronidation, 607

Glutamate

A glutamate-gated chloride channel subunit from *Haemonchus contortus*: Expression in a mammalian cell line, ligand binding, and modulation of anthelmintic binding by glutamate, 1061

Modulation of dendritic release of dopamine by metabotropic glutamate receptors in rat substantia nigra, 1343

Glutamate-cysteine ligase

Glutamate-cysteine ligase modifier subunit: mouse *Gclm* gene structure and regulation by agents that cause oxidative stress, 1739

Glutathione

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Increased rate of glutathione synthesis from cystine in drug-resistant MCF-7 cells, 843

Glutamate–cysteine ligase modifier subunit: mouse *Gclm* gene structure and regulation by agents that cause oxidative stress, 1739

JM216-, JM118-, and cisplatin-induced cytotoxicity in relation to platinum-DNA adduct formation, glutathione levels and p53 status in human tumour cell lines with different sensitivities to cisplatin, 1989

Glutathione reductase

Drug-resistant human lung cancer cells are more sensitive to selenium cytotoxicity. Effects on thioredoxin reductase and glutathione reductase, 1875

Glutathione transferase

The polymorphic human glutathione transferase T1-1, the most efficient glutathione transferase in the denitrosation and inactivation of the anticancer drug 1,3-bis(2-chloroethyl)-1-nitrosourea, 191

Glutathione S-transferases

Induction of glutathione-S-transferase mRNA levels by chemopreventive selenocysteine Se-conjugates, 1843

Comparative expression of two alpha class glutathione *S*-transferases in human adult and prenatal liver tissues, 2025

Glycaemia

In vitro and in vivo effects of new insulin releasing agents, 515 Glycation

Identification of α -dicarbonyl scavengers for cellular protection against carbonyl stress, 361

Glyceraldehyde-3-phosphate dehydrogenase

Degradation of glyceraldehyde-3-phosphate dehydrogenase induced by acetylleucine chloromethyl ketone in U937 cells, 1857

Go6976

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

GPIIb/IIIa

Platelet α -granule secretion and its modification by SC-57101A, a GPIIb/IIIa antagonist, 1911

G-protein:

GTP-binding proteins in cell survival and demise: the emerging picture in the pancreatic β -cell, 1027

The direct stimulation of Gi proteins by neuropeptide Y (NPY) in the rat left ventricle, 2063

Identification and characterization of a novel protein histidine kinase in the islet β cell: evidence for its regulation by mastoparan, an activator of G-proteins and insulin secretion, 2091

α -Granule

Platelet α -granule secretion and its modification by SC-57101A, a GPIIb/IIIa antagonist, 1911

Green tea

Attenuation of 6-hydroxydopamine (6-OHDA)-induced nuclear factor-kappaB (NF-κB) activation and cell death by tea extracts in neuronal cultures, 21

Green tea catechins

Structure–activity relationships for inhibition of human 5α -reductases by polyphenols, 1165

Growth arrest

Jolkinolide B induces neuroendocrine differentiation of human prostate LNCaP cancer cell line, 951

Growth inhibitors

Cell-impermeant pyridinium derivatives of psoralens as inhibitors of keratinocyte growth, $31\,$

Guanylate cyclase

Effect of isatin on nitric oxide-stimulated soluble guanylate cyclase from human platelets, 763

Guinea pig

Comparison of inhibition of ovalbumin-induced bronchoconstriction in guinea pigs and *in vitro* inhibition of tumor necrosis factor- α formation with phosphodiesterase 4 (PDE4) selective inhibitors, 1527

Н7

Effects of dexamethasone and protein kinase C inhibitors on the induction of bradykinin B_1 mRNA and the bradykinin B_1 receptor-mediated contractile response in isolated rat ileum, 2043

HaCat keratinocytes

Sensitivity of HaCat keratinocytes to diabetogenic toxins, 171 Identification of α -dicarbonyl scavengers for cellular protection against carbonyl stress, 361

Haem

Novel phenothiazine antimalarials: synthesis, antimalarial activity, and inhibition of the formation of β -haematin, 833

Heart

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia. 2055

Heart metabolism

The direct stimulation of Gi proteins by neuropeptide Y (NPY) in the rat left ventricle, 2063

Heparin

The influence of charge clustering on the anti-HIV-1 activity and *in vivo* distribution of negatively charged albumins, 1663

Hepatic steatosis

Toxicological consequences of altered peroxisome proliferator-activated receptor γ (PPAR γ) expression in the liver: insights from models of obesity and type 2 diabetes, 1

Hepatic stellate cells

Effect of malondialdehyde-acetaldehyde-protein adducts on the protein kinase C-dependent secretion of urokinase-type plasminogen activator in hepatic stellate cells, 553

Inhibition of hepatic stellate cell collagen synthesis by N-(methylamino)isobutyric acid, 697

Hepatocyte

Differential regulation of multidrug resistance-associated protein 2 (MRP2) and cytochromes P450 2B1/2 and 3A1/2 in phenobarbital-treated hepatocytes, 333

Effects of 5-iodotubercidin on hepatic fatty acid metabolism mediated by the inhibition of acetyl-CoA carboxylase, 1997

Coordinate regulation of UDP-glucuronosyltransferase UGT1A6 induction by 3-methylcholanthrene and multidrug resistance protein MRP2 expression by dexamethasone in primary rat hepatocytes, 2137

Hepatocytes

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Inhibition of gluconeogenesis by vanadium and metformin in kidneycortex tubules isolated from control and diabetic rabbits, 1371

HepG2 cells

Resistance of HepG2 cells against the adverse effects of ethanol related to neutral lipid and phospholipid metabolism, 1485

Heterometrus spinifer

Biochemical and pharmacological characterization of the venom of the black scorpion *Heterometrus spinifer*, 49

HIF-

Activation of transcription factors by drugs inducing oxidative stress in rat liver. 139

Hippuric acid

Effect of protein-bound uraemic toxins on the thermodynamic characteristics of human albumin, 1287

Histamine receptors

Regulation of phospholipase C activation by the number of H_2 receptors during Ca^{2+} -induced differentiation of mouse keratinocytes, 1785

Histidine phosphorylation

Identification and characterization of a novel protein histidine kinase in the islet β cell: evidence for its regulation by mastoparan, an activator of G-proteins and insulin secretion, 2091

HIV-

 $\kappa\textsc{-}\mbox{Opioid}$ receptor agonist inhibition of HIV-1 envelope glycoprotein-mediated membrane fusion and CXCR4 expression on CD4 $^+$ lymphocytes, 1037

HIV

The influence of charge clustering on the anti-HIV-1 activity and *in vivo* distribution of negatively charged albumins, 1663

HIV protease

Ritonavir inhibition of calcium-activated neutral proteases, 1481 HIV-1 protease

Metal-organic compounds: a new approach for drug discovery. N1-(4-methyl-2-pyridyl)-2,3,6-trimethoxybenzamide copper(II) complex as an inhibitor of human immunodeficiency virus 1 protease, 1863

HL-60

In vitro induction of apoptosis vs. necrosis by widely used preservatives: 2-phenoxyethanol, a mixture of isothiazolinones, imidazolidinyl urea and 1,2-pentanediol, 437

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

HL-60 cel

Induction of apoptosis by diallyl disulfide through activation of caspase-3 in human leukemia HL-60 cells, 41

H_2O_2

Hydrogen peroxide-induced current in *Xenopus* oocytes: current characteristics similar to those induced by the removal of extracellular calcium, 569

HOE 402

HOE 402 lowers serum cholesterol levels by reducing VLDL-lipid production, and not by induction of the LDL receptor, and reduces atherosclerosis in wild-type and LDL receptor-deficient mice, 1755

Homocysteine

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Tissue levels of S-adenosylhomocysteine in the rat kidney: effects of ischemia and homocysteine, 809

Homologous recombinational repair

Homologous recombinational repair vis-à-vis chlorambucil resistance in chronic lymphocytic leukemia, 1585

Honokiol

Down-modulation of Bcl- X_L , release of cytochrome c and sequential activation of caspases during honokiol-induced apoptosis in human squamous lung cancer CH27 cells, 1641

Horseradish peroxidase

5-Fluoroindole-3-acetic acid: a prodrug activated by a peroxidase with potential for use in targeted cancer therapy, 265

Lipid peroxidation induced by indomethacin with horseradish peroxidase and hydrogen peroxide: involvement of indomethacin radicals, 2069

HPLC

Effects of the antidepressant/antipanic drug phenelzine and its putative metabolite phenylethylidenehydrazine on extracellular γ -aminobutyric acid levels in the striatum, 57

huFMO 1

Thiourea toxicity in mouse C3H/10T $\frac{1}{2}$ cells expressing human flavin-dependent monooxygenase 3, 1941

huFMO 3

Thiourea toxicity in mouse C3H/10T½ cells expressing human flavindependent monooxygenase 3, 1941

Humar

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Human autopsy

Associations between human liver and kidney cadmium content and immunochemically detected CYP4A11 apoprotein, 693

Human bladder cancer cells

The signalling pathway for BCG-induced interleukin-6 production in human bladder cancer cells, 273

Human colon

Structure-activity relationship of neurokinin A(4-10) at the human tachykinin NK_2 receptor: the effect of amino acid substitutions on receptor affinity and function, 2181

Human colon cancer cells

Enhanced clearance of topoisomerase I inhibitors from human colon cancer cells by glucuronidation, 607

Human glioblastoma

Fas/CD95-mediated apoptosis in human glioblastoma cells: a target for sensitisation to topoisomerase I inhibitors, 881

Human hepatoma cells

Clofibric acid down-regulation of metallothionein IIA in HepG2 human hepatoma cells, 237

Human leukocyte

Regulatory effects of deoxycholic acid, a component of the antiinflammatory traditional Chinese medicine Niuhuang, on human leukocyte response to chemoattractants, 533

Human liver cytosol

Reverse geometrical selectivity in glucuronidation and sulfation of *cis*and *trans*-4-hydroxytamoxifens by human liver UDP-glucuronosyltransferases and sulfotransferases, 1817

Human liver microsomes

Reverse geometrical selectivity in glucuronidation and sulfation of *cis*and *trans*-4-hydroxytamoxifens by human liver UDP-glucuronosyltransferases and sulfotransferases, 1817

Human lung parenchyma

Pharmacological differences among CysLT₁ receptor antagonists with respect to LTC₄ and LTD₄ in human lung parenchyma, 1537

Human MAO A

Phentermine inhibition of recombinant human liver monoamine oxidases A and B, 865

Human MAO B

Phentermine inhibition of recombinant human liver monoamine oxidases A and B, 865

Human ovarian

Overexpression of sorcin, a calcium-binding protein, induces a low level of paclitaxel resistance in human ovarian and breast cancer cells, 1149

Human ovarian cancer cells

Variation in the kinetics of caspase-3 activation, Bcl-2 phosphorylation and apoptotic morphology in unselected human ovarian cancer cell lines as a response to docetaxel, 733

Huntington's disease

Mitochondrial toxin inhibition of [³H]dopamine uptake into rat striatal synaptosomes, 1499

Hydrogen peroxide

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

4-Hydroxy-cyclophosphamide

Stem cell toxicity of oxazaphosphorine metabolites in comparison to their antileukemic activity, 1337

6-hydroxydopamine

Attenuation of 6-hydroxydopamine (6-OHDA)-induced nuclear factor-kappaB (NF- κ B) activation and cell death by tea extracts in neuronal cultures. 21

Monoamine neurotoxins-induced apoptosis in lymphocytes by a common oxidative stress mechanism: involvement of hydrogen peroxide (H_2O_2), caspase-3, and nuclear factor kappa-B (NF- κ B), p53, c-Jun transcription factors, 677

4-Hydroxy-ifosfamide

Stem cell toxicity of oxazaphosphorine metabolites in comparison to their antileukemic activity, 1337

7-Hydroxy-4-methylcoumarin

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

4-Hydroxynonenal

Comparative expression of two alpha class glutathione S-transferases in human adult and prenatal liver tissues, 2025

4-Hydroxytamoxifen

Reverse geometrical selectivity in glucuronidation and sulfation of *cis*and *trans*-4-hydroxytamoxifens by human liver UDP-glucuronosyltransferases and sulfotransferases, 1817

Hypertension

Associations between human liver and kidney cadmium content and immunochemically detected CYP4A11 apoprotein, 693

Hypophysectomy

Sexual dimorphic expression of mouse hepatic CYP2B: alterations during development or after hypophysectomy, 2037

Hypotension

Characterization of the mechanism underlying stonustoxin-mediated relaxant response in the rat aorta *in vitro*, 1113

Hypoxia

Identification of the phospholipase A_2 isoforms that contribute to arachidonic acid release in hypoxic endothelial cells: limits of phospholipase A_2 inhibitors, 321

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

Idarubicin

Formation and longevity of idarubicin-induced DNA topoisomerase II cleavable complexes in K562 human leukaemia cells, 1807

Imidazoacridinones

Intercalation of imidazoacridinones to DNA and its relevance to cytotoxic and antitumor activity, 1653

Imidazolines

Desensitization of insulin secretion, 1921

Immune response

Structural refinement of inhibitors of urea-based soluble epoxide hydrolases. 1599

Immunohistochemistry

UDP-glucuronosyltransferase activity, expression and cellular localization in human placenta at term, 409

Immunomodulation

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Immunopharmacology

The involvement of L- γ -glutamyl-L-cysteinyl-glycine (glutathione/GSH) in the mechanism of redox signaling mediating MAPK^{p38}-dependent regulation of pro-inflammatory cytokine production, 305

Immunosuppression

Reduction of acute photodamage in skin by topical application of a novel PARP inhibitor, 921

In vivo microdialysis

Effects of the antidepressant/antipanic drug phenelzine and its putative metabolite phenylethylidenehydrazine on extracellular γ -aminobutyric acid levels in the striatum, 57

Inactivation

Inhibition of crotoxin phospholipase A_2 activity by manoalide associated with inactivation of crotoxin toxicity and dissociation of the heterodimeric neurotoxic complex, 755

Individual variability

Bleomycin genotoxicity and amifostine (WR-2721) cell protection in normal leukocytes vs. K562 tumoral cells, 967

Indole-3-acetic acid

5-Fluoroindole-3-acetic acid: a prodrug activated by a peroxidase with potential for use in targeted cancer therapy, 265

Indolequinone

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

Indomethacin

Lipid peroxidation induced by indomethacin with horseradish peroxidase and hydrogen peroxide: involvement of indomethacin radicals, 2069

Indoxyl sulphate

Effect of protein-bound uraemic toxins on the thermodynamic characteristics of human albumin, 1287

Inducible nitric oxide synthase

Effects of sanguiin H-6, a component of Sanguisorbae Radix, on lipopolysaccharide-stimulated nitric oxide production, 853

Inhibition of lipopolysaccharide-stimulated nitric oxide production in RAW 264.7 macrophages by a synthetic carbazole, LCY-2-CHO, 1961

Induction

Induction of UDP-glucuronosyltransferase 1A8 mRNA by 3-methyl-cholanthene in rat hepatoma cells, 767

Induction of estradiol esterification

Effect of clofibrate administration on the esterification and deesterification of steroid hormones by liver and extrahepatic tissues in rats, 985 Induction of testosterone esterification

Effect of clofibrate administration on the esterification and deesterification of steroid hormones by liver and extrahepatic tissues in rats, 985

Inflammation

Inhibition of inducible prostaglandin E_2 synthase by 15-deoxy- $\Delta^{12,14}$ -prostaglandin J_2 and polyunsaturated fatty acids, 1183

Chemokines as novel therapeutic targets in inflammatory diseases, 1191

Inflammatory diseases

Chemokines as novel therapeutic targets in inflammatory diseases, 1191 Inhibition

Metal-organic compounds: a new approach for drug discovery. N1-(4-methyl-2-pyridyl)-2,3,6-trimethoxybenzamide copper(II) complex as an inhibitor of human immunodeficiency virus 1 protease, 1863

Inhibition of glycolysis

Anti-cancer action of 4-iodo-3-nitrobenzamide in combination with buthionine sulfoximine: inactivation of poly(ADP-ribose) polymerase and tumor glycolysis and the appearance of a poly(ADP-ribose) polymerase protease, 455

Inhibitor

Inhibition of type 1 protein phosphatase activity by activation of β -adrenoceptors in ventricular myocardium, 1069

Insulin release

In vitro and in vivo effects of new insulin releasing agents, 515 Insulin secretion

Desensitization of insulin secretion, 1921

Identification and characterization of a novel protein histidine kinase in the islet β cell: evidence for its regulation by mastoparan, an activator of G-proteins and insulin secretion, 2091

Insulin sensitivity

Exendin-4 increases insulin sensitivity via a PI-3-kinase-dependent mechanism: contrasting effects of GLP-1, 993

Interaction

Interaction of specifically chemically modified dextrans with transforming growth factor $\beta1\colon$ potentiation of its biological activity, 129

Verapamil decreases glucuronidase activity in the gut, 1575

Intercellular adhesion molecule-1

Inhibitory effect of adrenomedullin on basal and tumour necrosis factor alpha-stimulated endothelin-1 synthesis in bovine aortic endothelial cells is independent of cyclic AMP, 149

Interferon-γ

Selective inhibition of STAT3 phosphorylation by sodium salicylate in cardiac fibroblasts, 1197

Interleukin-6

The signalling pathway for BCG-induced interleukin-6 production in human bladder cancer cells, 273

Interleukin-12

Involvement of p38 mitogen-activated protein kinase in the induction of interleukin-12 p40 production in mouse macrophages by berberine, a benzodioxoloquinolizine alkaloid, 1901

Intestinal absorption

Fluorescein uptake by a monocarboxylic acid transporter in human intestinal Caco-2 cells, 81

Intestinal pharmacokinetics

Verapamil decreases glucuronidase activity in the gut, 1575

Intestine

Structure–activity studies of bufokinin, substance P and their C-terminal fragments at bufokinin receptors in the small intestine of the cane toad, *Bufo marinus*, 217

4-Iodo-3-nitrobenzamide reduction

Anti-cancer action of 4-iodo-3-nitrobenzamide in combination with buthionine sulfoximine: inactivation of poly(ADP-ribose) polymerase and tumor glycolysis and the appearance of a poly(ADP-ribose) polymerase protease. 455

Iodotubercidin

Effects of 5-iodotubercidin on hepatic fatty acid metabolism mediated by the inhibition of acetyl-CoA carboxylase, 1997

Ion channe

A glutamate-gated chloride channel subunit from *Haemonchus contortus*: Expression in a mammalian cell line, ligand binding, and modulation of anthelmintic binding by glutamate, 1061

Iron

Attenuation of 6-hydroxydopamine (6-OHDA)-induced nuclear factor-kappaB (NF- κ B) activation and cell death by tea extracts in neuronal cultures, 21

Iron dithiocarbamate complex

In vivo nitric oxide transfer of a physiological NO carrier, dinitrosyl dithiolato iron complex, to target complex, 485

Isatin

Effect of isatin on nitric oxide-stimulated soluble guanylate cyclase from human platelets, 763

Ischemia

Mitochondrial gene expression and ventricular fibrillation in ischemic/reperfused nondiabetic and diabetic myocardium, 543

ISIS 10582

Reversal of cisplatin resistance in human ovarian cancer cell lines by a cjun antisense oligodeoxynucleotide (ISIS 10582): evidence for the role of transcription factor overexpression in determining resistant phenotype, 1699

Islets of Langerhans

Troglitazone does not protect rat pancreatic β cells against free fatty acid-induced cytotoxicity, 1281

3-Isobutyl-1-methylxanthine

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia, 2055

Isoeicosanoids

Alzheimer's disease and oxygen radicals: new insights, 563

Isolated heart

Mitochondrial gene expression and ventricular fibrillation in ischemic/reperfused nondiabetic and diabetic myocardium, 543

Isomerisation

Influence of isomerisation on the growth inhibitory effects and cellular activity of 13-cis and all-trans retinoic acid in neuroblastoma cells, 207

Isoproterenol

Inhibition of type 1 protein phosphatase activity by activation of β -adrenoceptors in ventricular myocardium, 1069

Isoquinoline derivatives

Selective dopaminergic neurotoxicity of isoquinoline derivatives related to Parkinson's disease: studies using heterologous expression systems of the dopamine transporter, 909

Ivermectin

A glutamate-gated chloride channel subunit from *Haemonchus contortus*: Expression in a mammalian cell line, ligand binding, and modulation of anthelmintic binding by glutamate, 1061

JM118

JM216-, JM118-, and cisplatin-induced cytotoxicity in relation to platinum-DNA adduct formation, glutathione levels and p53 status in human tumour cell lines with different sensitivities to cisplatin, 1989

JM216-, JM118-, and cisplatin-induced cytotoxicity in relation to platinum-DNA adduct formation, glutathione levels and p53 status in human tumour cell lines with different sensitivities to cisplatin, 1989

Jolkinolide B induces neuroendocrine differentiation of human prostate LNCaP cancer cell line, 951

Jurkat cells

Jolkinolide B

Induction of G_2/M arrest and inhibition of *c-myc* and *p53* transcription by WP631 in Jurkat T lymphocytes, 1251

K562 cells

Formation and longevity of idarubicin-induced DNA topoisomerase II cleavable complexes in K562 human leukaemia cells, 1807

K+ channel

Characterization of the mechanism underlying stonustoxin-mediated relaxant response in the rat aorta in vitro, 1113

K_{ATP} channels

Desensitization of insulin secretion, 1921

Keratinocytes

Regulation of phospholipase C activation by the number of H_2 receptors during Ca^{2+} -induced differentiation of mouse keratinocytes, 1785 Mechanisms of growth inhibition in keratinocytes by mercurio-substituted 4',5'-dihydropsoralens, 2001

Ketone body

Effects of streptozotocin-induced diabetes on acetoacetyl-CoA synthetase activity in rats, 1851

Kidney

Physiological factors affecting the expression of FMO1 and FMO3 in the rat liver and kidney, 1453

L6 myotube

Exendin-4 increases insulin sensitivity via a PI-3-kinase-dependent mechanism: contrasting effects of GLP-1, 993

Lachesis muta venom

Purification and characterization of a phospholipase A_2 isoenzyme isolated from *Lachesis muta* snake venom, 1589

L-Arginine

Evidence for the involvement of L-citrulline but not nitric oxide in the proconvulsant action of the precursor L-arginine on picrotoxin-induced convulsions in rats, 2019

L-Citrulline

Evidence for the involvement of L-citrulline but not nitric oxide in the proconvulsant action of the precursor L-arginine on picrotoxin-induced convulsions in rats, 2019

LCY-2-CHO

Inhibition of lipopolysaccharide-stimulated nitric oxide production in RAW 264.7 macrophages by a synthetic carbazole, LCY-2-CHO, 1961

LDL receptor

HOE 402 lowers serum cholesterol levels by reducing VLDL-lipid production, and not by induction of the LDL receptor, and reduces atherosclerosis in wild-type and LDL receptor-deficient mice, 1755

LDL receptor knock-out mice

HOE 402 lowers serum cholesterol levels by reducing VLDL-lipid production, and not by induction of the LDL receptor, and reduces atherosclerosis in wild-type and LDL receptor-deficient mice, 1755

LDL-clearance

HOE 402 lowers serum cholesterol levels by reducing VLDL-lipid production, and not by induction of the LDL receptor, and reduces atherosclerosis in wild-type and LDL receptor-deficient mice, 1755

Leptin

Leptin, gut, and food intake, 1579

Leukaemia

Reduced DNA ligase activity in etoposide resistant human lymphatic leukaemia CEM cells, 259

Formation and longevity of idarubicin-induced DNA topoisomerase II cleavable complexes in K562 human leukaemia cells, 1807

Leukemia

Matrix and serine protease expression during leukemic cell differentiation induced by aclacinomycin and all-*trans*-retinoic acid, 179

Mechanisms of apoptosis by the tyrphostin AG957 in hematopoietic cells 689

Elevated uptake of low density lipoprotein by drug resistant human leukemic cell lines, 2169

Leukocytes

Chemokines as novel the rapeutic targets in inflammatory diseases, 1191 eukotriene ${\bf B}_4$

Human neutrophil migration *in vitro* induced by secretory phospholipases A₂: a role for cell surface glycosaminoglycans, 65

Ligand-receptor binding

Regulatory effects of deoxycholic acid, a component of the antiinflammatory traditional Chinese medicine Niuhuang, on human leukocyte response to chemoattractants, 533

Light absorption spectroscopy

The modulation of the DNA-damaging effect of polycyclic aromatic agents by xanthines. Part I. Reduction of cytostatic effects of quinacrine mustard by caffeine, 625

The modulation by xanthines of the DNA-damaging effect of polycyclic aromatic agents. Part II. The stacking complexes of caffeine with doxorubicin and mitoxantrone, 635

Linoleic acid hydroperoxide

ESR analysis of spin adducts of alkoxyl and lipid-derived radicals with the spin trap Trazon, 1465

Lipid metabolism

Resistance of HepG2 cells against the adverse effects of ethanol related to neutral lipid and phospholipid metabolism, 1485

Lipid peroxidation

Dimerumic acid as an antioxidant from the mold, *Monascus anka*: the inhibition mechanisms against lipid peroxidation and hemeprotein-mediated oxidation, 1019

ESR analysis of spin adducts of alkoxyl and lipid-derived radicals with the spin trap Trazon, 1465

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Lipid peroxidation induced by indomethacin with horseradish peroxidase and hydrogen peroxide: involvement of indomethacin radicals, 2069

Lipogenesis

Carbohydrate responsive element-binding protein (ChREBP): a key regulator of glucose metabolism and fat storage, 2075

Lipoperoxidation

Vanadyl as a catalyst of human lipoprotein oxidation, 375

Lipophilicity

Recognition forces involved in mitochondrial binding to a lowaffinity trimetazidine binding site related to anti-ischemic activity, 1691

Lipopolysaccharide

Involvement of p38 mitogen-activated protein kinase in the induction of interleukin-12 p40 production in mouse macrophages by berberine, a benzodioxoloquinolizine alkaloid, 1901

Lipoprotein oxidation

Vanadyl as a catalyst of human lipoprotein oxidation, 375

Inhibition of rat lipoprotein oxidation after tetradecylthioacetic acid feeding, 1127

Lipoproteins

Intracellular mechanisms mediating the inhibition of apoB-containing lipoprotein synthesis and secretion in HepG2 cells by avasimibe (CI-1011), a novel acyl-coenzyme A: cholesterol acyltransferase (ACAT) inhibitor, 349

Liposomes

Recognition forces involved in mitochondrial binding to a low-affinity trimetazidine binding site related to anti-ischemic activity, 1691

Lipotoxicity

Troglitazone does not protect rat pancreatic β cells against free fatty acid-induced cytotoxicity, $1281\,$

Live

Toxicological consequences of altered peroxisome proliferator-activated receptor γ (PPAR $\gamma)$ expression in the liver: insights from models of obesity and type 2 diabetes, 1

Activation of transcription factors by drugs inducing oxidative stress in rat liver, 139

Intracellular mechanisms mediating the inhibition of apoB-containing lipoprotein synthesis and secretion in HepG2 cells by avasimibe (CI-1011), a novel acyl-coenzyme A: cholesterol acyltransferase (ACAT) inhibitor, 349

Investigations on the effects of oltipraz on the nucleotide excision repair in the liver, 745

Chronic ethanol administration decreases the ligand binding properties and the cellular content of the mannose 6-phosphate/insulin-like growth factor II receptor in rat hepatocytes, 1229

Physiological factors affecting the expression of FMO1 and FMO3 in the rat liver and kidney, 1453

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Liver and intestine

Tissue-specific regulation of canine intestinal and hepatic phenol and morphine UDP-glucuronosyltransferases by β -naphthoflavone in comparison with humans, 1683

Liver cirrhosis

Induction of arginase II in livers of bile duct-ligated rats, 1043

Liver fibrosis

Inhibition of hepatic stellate cell collagen synthesis by N-(methylamino)isobutyric acid, 697

LM-1484

Pharmacological differences among CysLT₁ receptor antagonists with respect to LTC₄ and LTD₄ in human lung parenchyma, 1537

LM-150

Pharmacological differences among CysLT₁ receptor antagonists with respect to LTC₄ and LTD₄ in human lung parenchyma, 1537

L-NAME

Evidence for the involvement of L-citrulline but not nitric oxide in the proconvulsant action of the precursor L-arginine on picrotoxin-induced convulsions in rats. 2019

LNCaP

The effects of natural ligands of hormone receptors and their antagonists on telomerase activity in the androgen sensitive prostatic cancer cell line LNCaP. 1177

Lobeline

A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse, 89

Losarta

Enhancement of phosphatidylcholine biosynthesis by angiotensin-(1-7) in the rat renal cortex, 507

Low carbohydrate diet

Chronic ethanol administration decreases the ligand binding properties and the cellular content of the mannose 6-phosphate/insulin-like growth factor II receptor in rat hepatocytes, 1229

Low density lipoprotein

Elevated uptake of low density lipoprotein by drug resistant human leukemic cell lines, 2169

L-type Ca2+ current

Inhibitory effect of the plant-extract osthole on L-type calcium current in NG108-15 neuronal cells, 199

Luciferase reporter construct

Interaction of specifically chemically modified dextrans with transforming growth factor $\beta 1$: potentiation of its biological activity, 129

β-Lyase

Induction of glutathione-S-transferase mRNA levels by chemopreventive selenocysteine Se-conjugates, 1843

Lymphocyte

Modulation of apoptosis and improved redox metabolism with the use of a new antioxidant formula, 1305

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Lysophosphatidylcholine

Purification and characterization of a phospholipase A_2 isoenzyme isolated from *Lachesis muta* snake venom, 1589

Lysosome

Chronic ethanol administration decreases the ligand binding properties and the cellular content of the mannose 6-phosphate/insulin-like growth factor II receptor in rat hepatocytes, 1229

MAA adducts

Effect of malondialdehyde-acetaldehyde-protein adducts on the protein kinase C-dependent secretion of urokinase-type plasminogen activator in hepatic stellate cells, 553

Macrophag

Effects of sanguiin H-6, a component of Sanguisorbae Radix, on lipopolysaccharide-stimulated nitric oxide production, 853

Involvement of p38 mitogen-activated protein kinase in the induction of interleukin-12 p40 production in mouse macrophages by berberine, a benzodioxoloquinolizine alkaloid, 1901

Protein kinase $C\alpha$ -dependent increase in Ca^{2+} -independent phospholipase A_2 in membranes and arachidonic acid liberation in zymosan-stimulated macrophage-like P388D₁ cells, 1969

Malaria

Differential effects of 4-aminoquinoline-containing antimalarial drugs on hemoglobin digestion in *Plasmodium falciparum*-infected erythrocytes, 393

Novel phenothiazine antimalarials: synthesis, antimalarial activity, and inhibition of the formation of β -haematin, 833

Malonate

Mitochondrial toxin inhibition of [³H]dopamine uptake into rat striatal synaptosomes, 1499

γ-Mangostin

Inhibition of cyclooxygenase and prostaglandin E₂ synthesis by γ-mangostin, a xanthone derivative in mangosteen, in C6 rat glioma cells, 73

Manoalide

Inhibition of crotoxin phospholipase A_2 activity by manoalide associated with inactivation of crotoxin toxicity and dissociation of the heterodimeric neurotoxic complex, 755

MAP kinases

Role of redox status on the activation of mitogen-activated protein kinase cascades by NSAIDs, 163

MAPEC

Inhibition of inducible prostaglandin E_2 synthase by 15-deoxy- $\Delta^{12,14}$ -prostaglandin J_2 and polyunsaturated fatty acids, 1183

Marine natural product

Inhibition of tubulin polymerization by vitilevuamide, a bicyclic marine peptide, at a site distinct from colchicine, the vinca alkaloids, and dolastatin 10, 707

Mastoparan

Identification and characterization of a novel protein histidine kinase in the islet β cell: evidence for its regulation by mastoparan, an activator of G-proteins and insulin secretion, 2091

Matrix metalloproteinases

Effect of the new matrix metalloproteinase inhibitor RO-28-2653 on mitochondrial function, 725

MCF-7 breast tumour cells

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

Mcl-1

Wogonin and fisetin induce apoptosis in human promyeloleukemic cells, accompanied by a decrease of reactive oxygen species, and activation of caspase 3 and Ca²⁺-dependent endonuclease, 225

mdr1a

Modulation of *mdr1a* and *CYP3A* gene expression in the intestine and liver as possible cause of changes in the cyclosporin. A disposition kinetics by dexamethasone, 777

Medicinal herb

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Mefloquine

Differential effects of 4-aminoquinoline-containing antimalarial drugs on hemoglobin digestion in *Plasmodium falciparum*-infected erythrocytes, 393

MEL

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

Melanin

Tetrahydroisoquinoline derivatives of enkephalins: synthesis and properties, 1893

Melatonin

Dual coupling of MT_1 and MT_2 melatonin receptors to cyclic AMP and phosphoinositide signal transduction cascades and their regulation following melatonin exposure, 587

Membrane potential

Inhibitory effect of the plant-extract osthole on L-type calcium current in NG108-15 neuronal cells, 199

Membrane ruffling

Involvement of phosphatidylinositol-3-kinase in membrane ruffling induced by P-glycoprotein substrates in multidrug-resistant carcinoma cells 959

Membrane transporters

Biochemical changes associated with a multidrug-resistant phenotype of a human glioma cell line with temozolomide-acquired resistance, 1219

Membranes

Distinct binding properties of the AT₁ receptor antagonist [³H]candesartan to intact cells and membrane preparations, 1273

Menadione

Autoschizis: a novel cell death, 1773

Metabolism

Increased rate of glutathione synthesis from cystine in drug-resistant MCF-7 cells, 843

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

Verapamil decreases glucuronidase activity in the gut, 1575

Metabotropic

Modulation of dendritic release of dopamine by metabotropic glutamate receptors in rat substantia nigra, 1343

Metallothionein

Clofibric acid down-regulation of metallothionein IIA in HepG2 human hepatoma cells, 237

Metal-organic complexes

Metal-organic compounds: a new approach for drug discovery. N1-(4-methyl-2-pyridyl)-2,3,6-trimethoxybenzamide copper(II) complex as an inhibitor of human immunodeficiency virus 1 protease, 1863

Metformin

Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function, 1259

Inhibition of gluconeogenesis by vanadium and metformin in kidney-cortex tubules isolated from control and diabetic rabbits, 1371

Methamphetamine

A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse, 89

Methionine dependence

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Methionine synthase

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Methotrexate

A GAL4-based yeast three-hybrid system for the identification of small molecule-target protein interactions, 1619

Role of the C-terminus and the long cytoplasmic loop in reduced folate carrier expression and function, 1717

N⁶-methyladenosine

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

N-(Methylamino)isobutyric acid

Inhibition of hepatic stellate cell collagen synthesis by N-(methylamino)isobutyric acid, 697

Methylation potential

Tissue levels of S-adenosylhomocysteine in the rat kidney: effects of ischemia and homocysteine, 809

(\pm) -3,4-Methylenedioxymethamphetamine

Reduced (±)-3,4-methylenedioxymethamphetamine ("Ecstasy") metabolism with cytochrome P450 2D6 inhibitors and pharmacogenetic variants *in vitro*, 2111

3-Methylene-2-oxindole

5-Fluoroindole-3-acetic acid: a prodrug activated by a peroxidase with potential for use in targeted cancer therapy, 265

[3-Methyl-histidine²]TRH

Pharmacologically distinct binding sites in rat brain for [³H]thyrotropin-releasing hormone (TRH) and [³H][3-methyl-histidine²]TRH, 2197

1-Methyl-4-pyridinium (MPP⁺)

Selective dopaminergic neurotoxicity of isoquinoline derivatives related to Parkinson's disease: studies using heterologous expression systems of the dopamine transporter, 909

4-Methylumbelliferone glucuronide

Influence of *t*-butylhydroquinone and β -naphthoflavone on formation and transport of 4-methylumbelliferone glucuronide in Caco-2/TC-7 cell monolayers, 123

MGBG

The effect of methylglyoxal-bis(guanylhydrazone) on mitochondrial Ca²⁺ fluxes, 247

Mice

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Microcalorimetry

Toward RNase inhibitors: thermodynamics of 2'-CMP/RNase-A binding in multi-ion buffer, 1937

Microsomal epoxide hydrolase

Relative importance of maternal and embryonic microsomal epoxide hydrolase in 7,12-dimethylbenz[a]anthracene-induced developmental toxicity, 1077

Microsomal glutathione S-transferase

Regulation of microsomal and cytosolic glutathione S-transferase activities by S-nitrosylation, 1397

Microsomes

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Differences in caffeine and paraxanthine metabolism between human and murine CYP1A2, 2159

Mitochondria

The effect of methylglyoxal-bis(guanylhydrazone) on mitochondrial Ca^{2+} fluxes, 247

Role of mitochondria in ${\rm Ca^{2+}}$ oscillations and shape of ${\rm Ca^{2+}}$ signals in pancreatic acinar cells, 283

Alterations in the expression of cytochrome c oxidase subunits in doxorubicin-resistant leukemia K562 cells, 823

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

Induction of apoptosis in HL-60 leukemia and B16 melanoma cells by the acronycine derivative S23906-1, 1443

Recognition forces involved in mitochondrial binding to a low-affinity trimetazidine binding site related to anti-ischemic activity, 1691

Comparative expression of two alpha class glutathione S-transferases in human adult and prenatal liver tissues, 2025

Mitochondrial complex II

Thenoyltrifluoroacetone, a potent inhibitor of carboxylesterase activity, 751

Mitochondrial function

Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function, 1259

Mitochondrial gene expression

Mitochondrial gene expression and ventricular fibrillation in ischemic/reperfused nondiabetic and diabetic myocardium, 543

Mitochondrial uncouplers

Modulation of apoptosis by mitochondrial uncouplers: apoptosis-delaying features despite intrinsic cytotoxicity, 471

MMP

Matrix and serine protease expression during leukemic cell differentiation induced by aclacinomycin and all-*trans*-retinoic acid, 179

Mode of action

Differential effects of 4-aminoquinoline-containing antimalarial drugs on hemoglobin digestion in *Plasmodium falciparum*-infected erythrocytes, 393

Molecular model

A critical role for a tyrosine residue in the cannabinoid receptors for ligand recognition, 2121

Molecular modeling

The modulation of the DNA-damaging effect of polycyclic aromatic agents by xanthines. Part I. Reduction of cytostatic effects of quinacrine mustard by caffeine, 625

The modulation by xanthines of the DNA-damaging effect of polycyclic aromatic agents. Part II. The stacking complexes of caffeine with doxorubicin and mitoxantrone, 635

MOLT-4

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

Monascus anka

Dimerumic acid as an antioxidant from the mold, *Monascus anka*: the inhibition mechanisms against lipid peroxidation and hemeprotein-mediated oxidation, 1019

Monocarboxylic acid transporter

Fluorescein uptake by a monocarboxylic acid transporter in human intestinal Caco-2 cells, $81\,$

Monte Carlo/Stochastic Dynamics

A critical role for a tyrosine residue in the cannabinoid receptors for ligand recognition, 2121

Montelukast

Pharmacological differences among CysLT₁ receptor antagonists with respect to LTC₄ and LTD₄ in human lung parenchyma, 1537

Morphine glucuronidation

Tissue-specific regulation of canine intestinal and hepatic phenol and morphine UDP-glucuronosyltransferases by β -naphthoflavone in comparison with humans, 1683

Morphine-6-β-glucuronide

Verapamil decreases glucuronidase activity in the gut, 1575

Mouse Gclm gene regulation

Glutamate-cysteine ligase modifier subunit: mouse *Gclm* gene structure and regulation by agents that cause oxidative stress, 1739

Moxidectin

A glutamate-gated chloride channel subunit from *Haemonchus contortus*: Expression in a mammalian cell line, ligand binding, and modulation of anthelmintic binding by glutamate, 1061

m-RNA

The distribution of copper, zinc- and manganese-superoxide dismutase, and glutathione peroxidase messenger ribonucleic acid in rat basal ganglia, 1159

Induction of glutathione-S-transferase mRNA levels by chemopreventive selenocysteine Se-conjugates, 1843

MRP3

Influence of *t*-butylhydroquinone and β -naphthoflavone on formation and transport of 4-methylumbelliferone glucuronide in Caco-2/TC-7 cell monolayers, 123

MRP1

Preferential efflux by P-glycoprotein, but not MRP1, of compounds containing a free electron donor amine, 1471

MRP2

Coordinate regulation of UDP-glucuronosyltransferase UGT1A6 induction by 3-methylcholanthrene and multidrug resistance protein MRP2 expression by dexamethasone in primary rat hepatocytes, 2137

MT₁ melatonin receptor

Dual coupling of MT_1 and MT_2 melatonin receptors to cyclic AMP and phosphoinositide signal transduction cascades and their regulation following melatonin exposure, 587

MT₂ melatonin receptor

Dual coupling of MT_1 and MT_2 melatonin receptors to cyclic AMP and phosphoinositide signal transduction cascades and their regulation following melatonin exposure, 587

Multidrug resistance

Alterations in the expression of cytochrome *c* oxidase subunits in doxorubicin-resistant leukemia K562 cells, 823

Involvement of phosphatidylinositol-3-kinase in membrane ruffling induced by P-glycoprotein substrates in multidrug-resistant carcinoma cells, 959

Characterization of anthracenediones and their photoaffinity analogs, 1143

Preferential efflux by P-glycoprotein, but not MRP1, of compounds containing a free electron donor amine, 1471

Elevated uptake of low density lipoprotein by drug resistant human leukemic cell lines, 2169

Multidrug resistance-associated protein 2

Differential regulation of multidrug resistance-associated protein 2 (MRP2) and cytochromes P450 2B1/2 and 3A1/2 in phenobarbital-treated hepatocytes, 333

Multidrug-resistant cervical cells

The alkaloid sanguinarine is effective against multidrug resistance in human cervical cells via bimodal cell death, 1415

Muscarinic acetylcholine receptor

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

Mutation

A critical role for a tyrosine residue in the cannabinoid receptors for ligand recognition, 2121

Myocyte

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia, 2055

Myotoxicity

Purification and characterization of a phospholipase A₂ isoenzyme isolated from *Lachesis muta* snake venom, 1589

NAD^{+}

Modulation of apoptosis by mitochondrial uncouplers: apoptosis-delaying features despite intrinsic cytotoxicity, 471

NADH-ubiquinone oxidoreductase

Differentiation-dependent repression of c-myc, B22, COX II and COX IV genes in murine erythroleukemia (MEL) cells, 1009

NADPH: cytochrome P450 reductase

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

β-Naphthoflavone

Influence of *t*-butylhydroquinone and β -naphthoflavone on formation and transport of 4-methylumbelliferone glucuronide in Caco-2/TC-7 cell monolayers, 123

Tissue-specific regulation of canine intestinal and hepatic phenol and morphine UDP-glucuronosyltransferases by β -naphthoflavone in comparison with humans, 1683

Necrosis

Sensitivity of HaCat keratinocytes to diabetogenic toxins, 171 *In vitro* induction of apoptosis vs. necrosis by widely used preservatives: 2-phenoxyethanol, a mixture of isothiazolinones, imidazolidinyl urea and 1,2-pentanediol, 437

Nephrotoxicity

BGP-15 — a novel poly(ADP-ribose) polymerase inhibitor — protects against nephrotoxicity of cisplatin without compromising its antitumor activity, 1099

Neuroblastoma

Influence of isomerisation on the growth inhibitory effects and cellular activity of 13-cis and all-trans retinoic acid in neuroblastoma cells, 207 Characterization of F-actin depolymerization as a major toxic event induced by pectenotoxin-6 in neuroblastoma cells, 1979

Neuroendocrine differentiation

Jolkinolide B induces neuroendocrine differentiation of human prostate LNCaP cancer cell line, 951

Neurokinin A

Structure-activity relationship of neurokinin A(4-10) at the human tachykinin NK_2 receptor: the effect of amino acid substitutions on receptor affinity and function, 2181

Neuronal cell death

Neuronal cell death induced by antidepressants: lack of correlation with Egr-1, NF- κ B and extracellular signal-regulated protein kinase activation, 1507

Neuropeptide

Analysis of C-terminally substituted tachykinin-like peptide agonists by means of aequorin-based luminescent assays for human and insect neurokinin receptors, 1675

Neurotoxin

Selective dopaminergic neurotoxicity of isoquinoline derivatives related to Parkinson's disease: studies using heterologous expression systems of the dopamine transporter, 909

Neurotransmitter receptor

A glutamate-gated chloride channel subunit from *Haemonchus contortus*: Expression in a mammalian cell line, ligand binding, and modulation of anthelmintic binding by glutamate, 1061

Neutrophi

Inhibition of superoxide anion generation by YC-1 in rat neutrophils through cyclic GMP-dependent and -independent mechanisms, 577 Neutrophil chemotaxis

Human neutrophil migration *in vitro* induced by secretory phospholipases A₂: a role for cell surface glycosaminoglycans, 65

NF-κB

Increase of the resistance of human cervical carcinoma cells to cisplatin by inhibition of the MEK to ERK signaling pathway partly via enhancement of anticancer drug-induced NF κ B activation, 1423

Neuronal cell death induced by antidepressants: lack of correlation with Egr-1, NF-κB and extracellular signal-regulated protein kinase activation. 1507

Basal levels and patterns of anticancer drug-induced activation of nuclear factor- κB (NF- κB), and its attenuation by tamoxifen, dexamethasone, and curcumin in carcinoma cells, 1709

Inhibition of lipopolysaccharide-stimulated nitric oxide production in RAW 264.7 macrophages by a synthetic carbazole, LCY-2-CHO, 1961

NF-H

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

NF-L

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

NF-M

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

NG105-18 cells

Inhibitory effect of the plant-extract osthole on L-type calcium current in NG108-15 neuronal cells, 199

Ni^{2+}

Effects of Ca²⁺ channel blockers on amiloride-sensitive Na⁺ permeable channels and Na⁺ transport in fetal rat alveolar type II epithelium, 1547 cotine

A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse, 89

Nifedipine

Effects of Ca^{2+} channel blockers on amiloride-sensitive Na^+ permeable channels and Na^+ transport in fetal rat alveolar type II epithelium, 1547 Nitric oxide

In vivo nitric oxide transfer of a physiological NO carrier, dinitrosyl dithiolato iron complex, to target complex, 485

Effect of isatin on nitric oxide-stimulated soluble guanylate cyclase from human platelets, 763

Effects of sanguiin H-6, a component of Sanguisorbae Radix, on lipopolysaccharide-stimulated nitric oxide production, 853

Induction of arginase II in livers of bile duct-ligated rats, 1043

Characterization of the mechanism underlying stonustoxin-mediated relaxant response in the rat aorta in vitro, 1113

Lack of involvement of extracellular signal-regulated kinase (ERK) in the agonist-induced endothelial nitric oxide synthesis, 1137

Inhibition of lipopolysaccharide-stimulated nitric oxide production in RAW 264.7 macrophages by a synthetic carbazole, LCY-2-CHO, 1961

Nitrogen mustards

Homologous recombinational repair vis-à-vis chlorambucil resistance in chronic lymphocytic leukemia, 1585

3-Nitropropionic acid

Mitochondrial toxin inhibition of [³H]dopamine uptake into rat striatal synaptosomes, 1499

S-Nitrosoglutathione

Regulation of microsomal and cytosolic glutathione S-transferase activities by S-nitrosylation, 1397

S-Nitrosylation

Regulation of microsomal and cytosolic glutathione S-transferase activities by S-nitrosylation, 1397

Nitroxide radical

Dimerumic acid as an antioxidant from the mold, *Monascus anka*: the inhibition mechanisms against lipid peroxidation and hemeprotein-mediated oxidation, 1019

NK₂ receptor

Structure-activity relationship of neurokinin A(4–10) at the human tachykinin NK₂ receptor: the effect of amino acid substitutions on receptor affinity and function, 2181

NO

Evidence for the involvement of L-citrulline but not nitric oxide in the proconvulsant action of the precursor L-arginine on picrotoxin-induced convulsions in rats, 2019

Non-peptide antagonist

Distinct binding properties of the AT₁ receptor antagonist [³H]candesartan to intact cells and membrane preparations, 1273

Nonselective cation channel

Effects of Ca^{2+} channel blockers on amiloride-sensitive Na^+ permeable channels and Na^+ transport in fetal rat alveolar type II epithelium, 1547

Nonsteroidal anti-inflammatory drug

Selective inhibition of STAT3 phosphorylation by sodium salicylate in cardiac fibroblasts, 1197

Lipid peroxidation induced by indomethacin with horseradish peroxidase and hydrogen peroxide: involvement of indomethacin radicals, 2069

Norepinephrine

Biochemical and pharmacological characterization of the venom of the black scorpion *Heterometrus spinifer*, 49

Northern analysis

Comparative expression of two alpha class glutathione *S*-transferases in human adult and prenatal liver tissues, 2025

NRF2

Glutamate–cysteine ligase modifier subunit: mouse Gclm gene structure and regulation by agents that cause oxidative stress, 1739

NSAIDs

Role of redox status on the activation of mitogen-activated protein kinase cascades by NSAIDs, 163

Is inhibition of cyclooxygenase required for the anti-tumorigenic effects of nonsteroidal, anti-inflammatory drugs (NSAIDs)? *In vitro* versus *in vivo* results and the relevance for the prevention and treatment of cancer, 343

NSCLC

Apoptosis of a human non-small cell lung cancer (NSCLC) cell line, PLA-801, induced by acutiaporberine, a novel bisalkaloid derived from *Thalictrum acutifolium* (Hand.-Mazz.) Boivin, 1389

NU/ICRF 505

Enhanced clearance of topoisomerase I inhibitors from human colon cancer cells by glucuronidation, 607

Nuclear factor-κB

Attenuation of 6-hydroxydopamine (6-OHDA)-induced nuclear factor-kappaB (NF- κ B) activation and cell death by tea extracts in neuronal cultures. 21

Nuclear protein binding

7-Benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine, a potent inhibitor of cAMP-specific phosphodiesterase, enhancing nuclear protein binding to the CRE consensus sequence in human tumour cells, 659

Nucleoside diphosphate kinase

Identification and characterization of a novel protein histidine kinase in the islet β cell: evidence for its regulation by mastoparan, an activator of G-proteins and insulin secretion, 2091

Nucleotide excision repair

Inhibition of nucleotide excision repair and sensitisation of cells to DNA cross-linking anticancer drugs by F 11782, a novel fluorinated epipodophylloid, 251

Investigations on the effects of oltipraz on the nucleotide excision repair in the liver, 745

Nucleus tractus solitarius

Leptin, gut, and food intake, 1579

Null mice

Differences in caffeine and paraxanthine metabolism between human and murine CYP1A2, 2159

OB Protein

Leptin, gut, and food intake, 1579

Oltipraz

Investigations on the effects of oltipraz on the nucleotide excision repair in the liver, 745

Oncosis

The alkaloid sanguinarine is effective against multidrug resistance in human cervical cells *via* bimodal cell death, 1415

OPIDN

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

κ-Opioid receptor

 $\kappa\textsc{-}\textsc{Opioid}$ receptor agonist inhibition of HIV-1 envelope glycoprotein-mediated membrane fusion and CXCR4 expression on CD4 $^+$ lymphocytes, 1037

Opioid receptors

Tetrahydroisoquinoline derivatives of enkephalins: synthesis and properties, 1893

Orbofiban

Platelet α -granule secretion and its modification by SC-57101A, a GPIIb/IIIa antagonist, 1911

Organic cations

Uptake of 3 H-1-methyl-4-phenylpyridinium (3 H-MPP $^+$) by human intestinal Caco-2 cells is regulated by phosphorylation/dephosphorylation mechanisms, 1565

Osteocalcin

Characterization of selective estrogen receptor modulator (SERM) activity in two triarylethylene oxybutyric acids, 1517

Osteoclastogenesis

Effects of a selective cyclooxygenase-2 inhibitor, celecoxib, on bone resorption and osteoclastogenesis *in vitro*, 523

Osthol

Inhibitory effect of the plant-extract osthole on L-type calcium current in NG108-15 neuronal cells, 199

Ovarian cancer

Reversal of cisplatin resistance in human ovarian cancer cell lines by a c-jun antisense oligodeoxynucleotide (ISIS 10582): evidence for the role of transcription factor overexpression in determining resistant phenotype, 1699

Oxidative Stress

Attenuation of 6-hydroxydopamine (6-OHDA)-induced nuclear factor-kappaB (NF- κ B) activation and cell death by tea extracts in neuronal cultures, 21

Activation of transcription factors by drugs inducing oxidative stress in rat liver. 139

Role of redox status on the activation of mitogen-activated protein kinase cascades by NSAIDs, 163

Vanadyl as a catalyst of human lipoprotein oxidation, 375

Alzheimer's disease and oxygen radicals: new insights, 563

Alterations in cellular Ca²⁺ and free iron pool by sulfur amino acid deprivation: the role of ferritin light chain down-regulation in prooxidant production, 647

The distribution of copper, zinc- and manganese-superoxide dismutase, and glutathione peroxidase messenger ribonucleic acid in rat basal ganglia, 1159

Dose-dependent cysteine-mediated protection of insulin-producing cells from damage by hydrogen peroxide, 1297

Glutamate-cysteine ligase modifier subunit: mouse Gclm gene structure and regulation by agents that cause oxidative stress, 1739

Oxygen free radicals

Alzheimer's disease and oxygen radicals: new insights, 563

Oxygen radicals

Effects of 5-aminoisoquinolinone, a water-soluble, potent inhibitor of the activity of poly (ADP-ribose) polymerase, in a rodent model of lung injury, 293

p53

Biochemical changes associated with a multidrug-resistant phenotype of a human glioma cell line with temozolomide-acquired resistance, 1219

JM216-, JM118-, and cisplatin-induced cytotoxicity in relation to platinum-DNA adduct formation, glutathione levels and p53 status in human tumour cell lines with different sensitivities to cisplatin, 1989

p53

Induction of G_2/M arrest and inhibition of *c-myc* and *p53* transcription by WP631 in Jurkat T lymphocytes, 1251

Expression of p53-family members and associated target molecules in breast cancer cell lines in response to vincristine treatment, 1609

p63

Expression of p53-family members and associated target molecules in breast cancer cell lines in response to vincristine treatment, 1609

p73

Expression of p53-family members and associated target molecules in breast cancer cell lines in response to vincristine treatment, 1609

p38 MAPK

The involvement of L- γ -glutamyl-L-cysteinyl-glycine (glutathione/GSH) in the mechanism of redox signaling mediating MAPK^{p38}-dependent regulation of pro-inflammatory cytokine production, 305 Involvement of p38 mitogen-activated protein kinase in the induction of interleukin-12 p40 production in mouse macrophages by berberine, a benzodioxoloquinolizine alkaloid, 1901

P2 receptors

Apoptosis induced by extracellular ATP in the mouse neuroblastoma cell line N1E-115: studies on involvement of P2 receptors and adenosine, 1119

Paf antagonist

Sensitization of human neutrophil defense activities through activation of platelet-activating factor receptors by ginkgolide B, a bioactive component of the *Ginkgo biloba* extract EGB 761, 1241

Pancreas

Role of mitochondria in Ca^{2+} oscillations and shape of Ca^{2+} signals in pancreatic acinar cells, 283

Pancreatic β cell

In vitro and in vivo effects of new insulin releasing agents, 515 GTP-binding proteins in cell survival and demise: the emerging picture in the pancreatic β -cell, 1027

Troglitazone does not protect rat pancreatic β cells against free fatty acid-induced cytotoxicity, 1281

Dose-dependent cysteine-mediated protection of insulin-producing cells from damage by hydrogen peroxide, 1297

Identification and characterization of a novel protein histidine kinase in the islet β cell: evidence for its regulation by mastoparan, an activator of G-proteins and insulin secretion, 2091

Pancreatic islets

Desensitization of insulin secretion, 1921

Paraxanthine

Differences in caffeine and paraxanthine metabolism between human and murine CYP1A2, 2159

Parkinson's disease

Attenuation of 6-hydroxydopamine (6-OHDA)-induced nuclear factor-kappaB (NF- κ B) activation and cell death by tea extracts in neuronal cultures 21

Selective dopaminergic neurotoxicity of isoquinoline derivatives related to Parkinson's disease: studies using heterologous expression systems of the dopamine transporter, 909

The distribution of copper, zinc- and manganese-superoxide dismutase, and glutathione peroxidase messenger ribonucleic acid in rat basal ganglia, 1159

Tetrahydroisoquinoline derivatives of enkephalins: synthesis and properties, 1893

PARP

Wogonin and fisetin induce apoptosis in human promyeloleukemic cells, accompanied by a decrease of reactive oxygen species, and activation of caspase 3 and Ca²⁺-dependent endonuclease, 225

Modulation of pyridyl cyanoguanidine (CHS 828) induced cytotoxicity by 3-aminobenzamide in U-937 GTB cells, 1491

PARP-inhibitor

Reduction of acute photodamage in skin by topical application of a novel PARP inhibitor, 921

Partial agonist

Sensitization of human neutrophil defense activities through activation of platelet-activating factor receptors by ginkgolide B, a bioactive component of the *Ginkgo biloba* extract EGB 761, 1241

Pathogenesi

Dose-dependent cysteine-mediated protection of insulin-producing cells from damage by hydrogen peroxide, 1297

Pathophysiology

The involvement of L-γ-glutamyl-L-cysteinyl-glycine (glutathione/GSH) in the mechanism of redox signaling mediating MAPK^{p38}-dependent regulation of pro-inflammatory cytokine production, 305

PC12

Stimulation of catecholamine biosynthesis *via* the protein kinase C pathway by endothelin-1 in PC12 rat pheochromocytoma cells, 977

PC12 cells

Protective effect of boldine on dopamine-induced membrane permeability transition in brain mitochondria and viability loss in PC12 cells, 495

Ritonavir inhibition of calcium-activated neutral proteases, 1481 Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

PD98059

Increase of the resistance of human cervical carcinoma cells to cisplatin by inhibition of the MEK to ERK signaling pathway partly *via* enhancement of anticancer drug-induced NFκB activation, 1423

Pectenotoxin-6

Characterization of F-actin depolymerization as a major toxic event induced by pectenotoxin-6 in neuroblastoma cells, 1979

Periporta

Chronic ethanol administration decreases the ligand binding properties and the cellular content of the mannose 6-phosphate/insulin-like growth factor II receptor in rat hepatocytes, 1229

Perivenular

Chronic ethanol administration decreases the ligand binding properties and the cellular content of the mannose 6-phosphate/insulin-like growth factor II receptor in rat hepatocytes, 1229

Permeability transition

Recognition forces involved in mitochondrial binding to a low-affinity trimetazidine binding site related to anti-ischemic activity, 1691

Peroxidase

5-Fluoroindole-3-acetic acid: a prodrug activated by a peroxidase with potential for use in targeted cancer therapy, 265

Peroxisome proliferator

Clofibric acid down-regulation of metallothionein IIA in HepG2 human hepatoma cells, $237\,$

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Peroxisome proliferator-activated receptor γ (PPAR γ)

Toxicological consequences of altered peroxisome proliferator-activated receptor γ (PPAR γ) expression in the liver: insights from models of obesity and type 2 diabetes, 1

PGE2

Inhibition of cyclooxygenase and prostaglandin E_2 synthesis by γ -mangostin, a xanthone derivative in mangosteen, in C6 rat glioma cells, 73

Is inhibition of cyclooxygenase required for the anti-tumorigenic effects of nonsteroidal, anti-inflammatory drugs (NSAIDs)? *In vitro* versus *in vivo* results and the relevance for the prevention and treatment of cancer, 343

Dopamine D_2 receptor-induced COX-2-mediated production of prostaglandin E_2 in D_2 -transfected Chinese hamster ovary cells without simultaneous administration of a Ca^{2+} -mobilizing agent, 2151

PGE synthase

Inhibition of inducible prostaglandin E_2 synthase by 15-deoxy- $\Delta^{12,14}$ -prostaglandin J_2 and polyunsaturated fatty acids, 1183

$PGF_{2\alpha}$

Differential regulation of Ca²⁺-dependent Cl⁻ currents by FP prostanoid receptor isoforms in *Xenopus* oocytes, 1797

P-glycoprotein

Modulation of *mdr1a* and *CYP3A* gene expression in the intestine and liver as possible cause of changes in the cyclosporin. A disposition kinetics by dexamethasone, 777

Involvement of phosphatidylinositol-3-kinase in membrane ruffling induced by P-glycoprotein substrates in multidrug-resistant carcinoma cells, 959

Characterization of anthracenediones and their photoaffinity analogs, 1143

Preferential efflux by P-glycoprotein, but not MRP1, of compounds containing a free electron donor amine, 1471

Elevated uptake of low density lipoprotein by drug resistant human leukemic cell lines, 2169

P-glycoprotein substrate

Involvement of phosphatidylinositol-3-kinase in membrane ruffling induced by P-glycoprotein substrates in multidrug-resistant carcinoma cells, 959

Pharmacodynamics

In vitro pharmacokinetics and pharmacodynamics of 1,3-bis(2-chloroethyl)-1-nitrosourea (BCNU), 1209

Pharmacogenetics

Reduced (±)-3,4-methylenedioxymethamphetamine ("Ecstasy") metabolism with cytochrome P450 2D6 inhibitors and pharmacogenetic variants *in vitro*, 2111

Pharmacokinetics

Modulation of *mdr1a* and *CYP3A* gene expression in the intestine and liver as possible cause of changes in the cyclosporin. A disposition kinetics by dexamethasone, 777

In vitro pharmacokinetics and pharmacodynamics of 1,3-bis(2-chloroethyl)-1-nitrosourea (BCNU), 1209

Reduced (±)-3,4-methylenedioxymethamphetamine ("Ecstasy") metabolism with cytochrome P450 2D6 inhibitors and pharmacogenetic variants *in vitro*, 2111

Pharmacology

Pharmacological approaches to prion research, 1383

Phenelzine

Effects of the antidepressant/antipanic drug phenelzine and its putative metabolite phenylethylidenehydrazine on extracellular γ -aminobutyric acid levels in the striatum, 57

Phenobarbital

Differential regulation of multidrug resistance-associated protein 2 (MRP2) and cytochromes P450 2B1/2 and 3A1/2 in phenobarbital-treated hepatocytes, 333

Phenothiazine

Novel phenothiazine antimalarials: synthesis, antimalarial activity, and inhibition of the formation of β -haematin, 833

Phentermine

Phentermine inhibition of recombinant human liver monoamine oxidases A and B, 865

Phenylethylidenehydrazine

Effects of the antidepressant/antipanic drug phenelzine and its putative metabolite phenylethylidenehydrazine on extracellular γ -aminobutyric acid levels in the striatum, 57

Phenytoir

Identification of catalase in human livers as a factor that enhances phenytoin dihydroxy metabolite formation by human liver microsomes, 2081

Phorbol ester

Activation of protein kinase C for protection of cells against apoptosis induced by the immunosuppressor prodigiosin, 463

(-)-Epicatechin effects in rat liver epithelial cells: stimulation of gap junctional communication and counteraction of its loss due to the tumor promoter 12-*O*-tetradecanoylphorbol-13-acetate, 2145

Phosphatidylcholine

Enhancement of phosphatidylcholine biosynthesis by angiotensin-(1-7) in the rat renal cortex, 507

Phosphatidylinositol-3-kinase

Involvement of phosphatidylinositol-3-kinase in membrane ruffling induced by P-glycoprotein substrates in multidrug-resistant carcinoma cells, 959

Phosphodiesterase

7-Benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine, a potent inhibitor of cAMP-specific phosphodiesterase, enhancing nuclear protein binding to the CRE consensus sequence in human tumour cells, 659 Intracellular localization of 7-benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine in membrane structures impeding the inhibition of cytosolic cyclic AMP-specific phosphodiesterase, 669

Characterisation of cyclic nucleotide phosphodiesterase isoforms in the media layer of the main pulmonary artery, 1763

Phosphodiesterase 4

Comparison of inhibition of ovalbumin-induced bronchoconstriction in guinea pigs and $in\ vitro$ inhibition of tumor necrosis factor- α formation with phosphodiesterase 4 (PDE4) selective inhibitors, 1527

Phosphodiesterase inhibitors

Pharmacological characterization of the ATP-dependent low $K_{\rm m}$ guanosine 3',5'-cyclic monophosphate (cGMP) transporter in human erythrocytes, 945

Phosphodiesterease inhibitors

Regulation of cyclic AMP in rat pulmonary microvascular endothelial cells by rolipram-sensitive cyclic AMP phosphodiesterase (PDE4), 797 Phosphoinositide hydrolysis

Dual coupling of MT_1 and MT_2 melatonin receptors to cyclic AMP and phosphoinositide signal transduction cascades and their regulation following melatonin exposure, 587

Phospholamban

Inhibition of type 1 protein phosphatase activity by activation of β -adrenoceptors in ventricular myocardium, 1069

Phospholipase A₂

Human neutrophil migration *in vitro* induced by secretory phospholipases A₂: a role for cell surface glycosaminoglycans, 65

Identification of the phospholipase A_2 isoforms that contribute to arachidonic acid release in hypoxic endothelial cells: limits of phospholipase A_2 inhibitors, 321

Phospholipase C

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

Regulation of phospholipase C activation by the number of H₂ receptors during Ca²⁺-induced differentiation of mouse keratinocytes, 1785

Phospholipase D

Inhibition of superoxide anion generation by YC-1 in rat neutrophils through cyclic GMP-dependent and -independent mechanisms, 577 Sensitization of human neutrophil defense activities through activation of platelet-activating factor receptors by ginkgolide B, a bioactive component of the *Ginkgo biloba* extract EGB 761, 1241

Phosphorothioate

Sequence and chemistry requirements for a novel aptameric oligonucleotide inhibitor of EGF receptor tyrosine kinase activity, 2187

Phosphorylation

Lack of involvement of extracellular signal-regulated kinase (ERK) in the agonist-induced endothelial nitric oxide synthesis, 1137

Phosphorylation reactivation

DNA sequence of butyrylcholinesterase from the rat: expression of the protein and characterization of the properties of rat butyrylcholinesterase, 2101

Photoaffinity labeling

Characterization of anthracenediones and their photoaffinity analogs, 1143

Photochemotherapy

Cell-impermeant pyridinium derivatives of psoralens as inhibitors of keratinocyte growth, 31

Mechanisms of growth inhibition in keratinocytes by mercurio-substituted 4',5'-dihydropsoralens, 2001

Photodamage

Reduction of acute photodamage in skin by topical application of a novel PARP inhibitor, 921

Photoprotection

Reduction of acute photodamage in skin by topical application of a novel PARP inhibitor, 921

Picrotoxin

Evidence for the involvement of L-citrulline but not nitric oxide in the proconvulsant action of the precursor L-arginine on picrotoxin-induced convulsions in rats, 2019

PKA

7-Benzylamino-6-chloro-2-piperazino-4-pyrrolidino-pteridine, a potent inhibitor of cAMP-specific phosphodiesterase, enhancing nuclear protein binding to the CRE consensus sequence in human tumour cells, 659

PKC

Effect of malondialdehyde-acetaldehyde-protein adducts on the protein kinase C-dependent secretion of urokinase-type plasminogen activator in hepatic stellate cells, 553

Stimulation of catecholamine biosynthesis *via* the protein kinase C pathway by endothelin-1 in PC12 rat pheochromocytoma cells, 977

PLA₂ inhibitors

Identification of the phospholipase A_2 isoforms that contribute to arachidonic acid release in hypoxic endothelial cells: limits of phospholipase A_2 inhibitors, 321

Placenta

UDP-glucuronosyltransferase activity, expression and cellular localization in human placenta at term, $409\,$

Placental metabolism

UDP-glucuronosyltransferase activity, expression and cellular localization in human placenta at term, 409

Plasmin inhibitor

A selective plasmin inhibitor, *trans*-aminomethylcyclohexanecarbonyl-L-(*O*-picolyl)tyrosine-octylamide (YO-2), induces thymocyte apoptosis, 1315

Plasmodium falciparum

Differential effects of 4-aminoquinoline-containing antimalarial drugs on hemoglobin digestion in *Plasmodium falciparum*-infected erythrocytes, 393

Platelet

Effect of isatin on nitric oxide-stimulated soluble guanylate cyclase from human platelets, 763

Platelet α -granule secretion and its modification by SC-57101A, a GPIIb/IIIa antagonist, 1911

Platelet aggregation

Purification and characterization of a phospholipase A_2 isoenzyme isolated from *Lachesis muta* snake venom, 1589

Platelet-activating factor

Human neutrophil migration *in vitro* induced by secretory phospholipases A₂: a role for cell surface glycosaminoglycans, 65

Pleurisy

Effects of 5-aminoisoquinolinone, a water-soluble, potent inhibitor of the activity of poly (ADP-ribose) polymerase, in a rodent model of lung injury, 293

PLHC-1 cells

Serum withdrawal leads to reduced aryl hydrocarbon receptor expression and loss of cytochrome P4501A inducibility in PLHC-1 cells, 1405

PMSF

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

Poly (ADP-ribose) synthetase

Effects of 5-aminoisoquinolinone, a water-soluble, potent inhibitor of the activity of poly (ADP-ribose) polymerase, in a rodent model of lung injury, 293

Poly(ADP-ribose) polymerase

p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-IB-MECA, 871

BGP-15 — a novel poly(ADP-ribose) polymerase inhibitor — protects against nephrotoxicity of cisplatin without compromising its antitumor activity, 1099

Poly(ADP-ribose) polymerase protease induction

Anti-cancer action of 4-iodo-3-nitrobenzamide in combination with buthionine sulfoximine: inactivation of poly(ADP-ribose) polymerase and tumor glycolysis and the appearance of a poly(ADP-ribose) polymerase protease, 455

Poly-ADP-ribosylation

Reduction of acute photodamage in skin by topical application of a novel PARP inhibitor, 921

Polyamine

Differentiation of PC12 cells induced by N^8 -acetylspermidine and by N^8 -acetylspermidine deacetylase inhibition, 2011

Polyanions

The influence of charge clustering on the anti-HIV-1 activity and *in vivo* distribution of negatively charged albumins, 1663

Polyglutamylation

Multiple mechanisms of resistance to methotrexate and novel antifolates in human CCRF-CEM leukemia cells and their implications for folate homeostasis, 105

Polyhalogenated biphenyls

Bilirubin and uroporphyrinogen oxidation by induced cytochrome P4501A and cytochrome P4502B. Role of polyhalogenated biphenyls of different configuration, 615

Polymorphonuclear neutrophils

Protective effects of Celecoxib on lung injury and red blood cells modification induced by carrageenan in the rat, 785

Polyphenols

Structure–activity relationships for inhibition of human 5α -reductases by polyphenols, 1165

Polyploidy

Induction of G_2/M arrest and inhibition of c-myc and p53 transcription by WP631 in Jurkat T lymphocytes, 1251

Potassium currents

A critical role for a tyrosine residue in the cannabinoid receptors for ligand recognition, 2121

PPAR

Clofibric acid down-regulation of metallothionein IIA in HepG2 human hepatoma cells, 237

PPAR√

Effects of 1,1,1-trichloro-2,2-bis(*p*-chlorophenyl)-ethane (*p,p'*-DDT) on 3T3-L1 and 3T3-F442A adipocyte differentiation, 997

PPAR

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Pravastatin

Effects of streptozotocin-induced diabetes on acetoacetyl-CoA synthetase activity in rats, 1851

Prenatal liver

Comparative expression of two alpha class glutathione *S*-transferases in human adult and prenatal liver tissues, 2025

Preservatives

In vitro induction of apoptosis vs. necrosis by widely used preservatives: 2-phenoxyethanol, a mixture of isothiazolinones, imidazolidinyl urea and 1,2-pentanediol, 437

Primary rat hepatocyte

Induction of glutathione-S-transferase mRNA levels by chemopreventive selenocysteine Se-conjugates, 1843

Prion

Pharmacological approaches to prion research, 1383

Pro-apoptotic proteins

Biochemical changes associated with a multidrug-resistant phenotype of a human glioma cell line with temozolomide-acquired resistance, 1219

Probe

Substrate specificity for rat cytochrome P450 (CYP) isoforms: screening with cDNA-expressed systems of the rat, 889

Proconvulsant

Evidence for the involvement of L-citrulline but not nitric oxide in the proconvulsant action of the precursor L-arginine on picrotoxin-induced convulsions in rats, 2019

Prodigiosin

Activation of protein kinase C for protection of cells against apoptosis induced by the immunosuppressor prodigiosin, 463

Prodrug

5-Fluoroindole-3-acetic acid: a prodrug activated by a peroxidase with potential for use in targeted cancer therapy, 265

A doxorubicin-CNGRC-peptide conjugate with prodrug properties, 897

Promoter analysis

Glutamate–cysteine ligase modifier subunit: mouse *Gclm* gene structure and regulation by agents that cause oxidative stress, 1739

Prostaglandin

Identification of the phospholipase A_2 isoforms that contribute to arachidonic acid release in hypoxic endothelial cells: limits of phospholipase A_2 inhibitors, 321

Effects of a selective cyclooxygenase-2 inhibitor, celecoxib, on bone resorption and osteoclastogenesis *in vitro*, 523

Selective cyclooxygenase-2 (COX-2) inhibitors and potential risk of cardiovascular events, 817

Inhibition of inducible prostaglandin E_2 synthase by 15-deoxy- $\Delta^{12,14}$ -prostaglandin J_2 and polyunsaturated fatty acids, 1183

Differential regulation of Ca²⁺-dependent Cl⁻ currents by FP prostanoid receptor isoforms in *Xenopus* oocytes, 1797

Prostanoids

Is inhibition of cyclooxygenase required for the anti-tumorigenic effects of nonsteroidal, anti-inflammatory drugs (NSAIDs)? *In vitro* versus *in vivo* results and the relevance for the prevention and treatment of cancer, 343

Prostate cancer

Structure–activity relationships for inhibition of human 5α -reductases by polyphenols, 1165

Prostate cancer cell lines

Jolkinolide B induces neuroendocrine differentiation of human prostate LNCaP cancer cell line, 951

Protection

Protective effect of boldine on dopamine-induced membrane permeability transition in brain mitochondria and viability loss in PC12 cells,

Protein interaction

Association of dopamine D₃ receptors with actin-binding protein 280 (ABP-280), 859

Protein kinase A

Uptake of 3 H-1-methyl-4-phenylpyridinium (3 H-MPP $^+$) by human intestinal Caco-2 cells is regulated by phosphorylation/dephosphorylation mechanisms, 1565

Protein kinase C

Activation of protein kinase C for protection of cells against apoptosis induced by the immunosuppressor prodigiosin, 463

Uptake of ³H-1-methyl-4-phenylpyridinium (³H-MPP⁺) by human intestinal Caco-2 cells is regulated by phosphorylation/dephosphorylation mechanisms, 1565

Protein kinase $C\alpha$ -dependent increase in Ca^{2+} -independent phospholipase A_2 in membranes and arachidonic acid liberation in zymosan-stimulated macrophage-like P388D₁ cells, 1969

Protein kinase C isoforms

Involvement of the muscarinic acetylcholine receptor in inhibition of cell migration, 597

Protein phosphatase

Inhibition of type 1 protein phosphatase activity by activation of β -adrenoceptors in ventricular myocardium, 1069

Protein phosphatase 2A

Carbohydrate responsive element-binding protein (ChREBP): a key regulator of glucose metabolism and fat storage, 2075

Protein phosphorylation

Selective inhibition of STAT3 phosphorylation by sodium salicylate in cardiac fibroblasts, 1197

Prothrombotic effects

Selective cyclooxygenase-2 (COX-2) inhibitors and potential risk of cardiovascular events, 817

Pseudomonas aeruginosa

Antimicrobial effect of resveratrol on dermatophytes and bacterial pathogens of the skin, 99

Psoralen receptor

Cell-impermeant pyridinium derivatives of psoralens as inhibitors of keratinocyte growth, 31

Psoralen

Cell-impermeant pyridinium derivatives of psoralens as inhibitors of keratinocyte growth, 31

Mechanisms of growth inhibition in keratinocytes by mercurio-substituted 4',5'-dihydropsoralens, 2001

Psychostimulants

A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse, 89

Pt-DNA adducts

JM216-, JM118-, and cisplatin-induced cytotoxicity in relation to platinum-DNA adduct formation, glutathione levels and p53 status in human tumour cell lines with different sensitivities to cisplatin, 1989

Pulse radiolysis

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

Purification of phospholipase A2

Purification and characterization of a phospholipase A_2 isoenzyme isolated from *Lachesis muta* snake venom, 1589

Purine salvage

Pathways for α -D-ribose utilization for nucleobase salvage and 5-fluorouracil activation in rat brain, 117

Purines

Pharmacological characterization of the ATP-dependent low $K_{\rm m}$ guanosine 3',5'-cyclic monophosphate (cGMP) transporter in human erythrocytes, 945

PUVA

Cell-impermeant pyridinium derivatives of psoralens as inhibitors of keratinocyte growth, 31

Mechanisms of growth inhibition in keratinocytes by mercurio-substituted 4',5'-dihydropsoralens, 2001

Pyrimidine salvage

Pathways for α -D-ribose utilization for nucleobase salvage and 5-fluorouracil activation in rat brain, 117

qPCF

Comparison of inhibition of ovalbumin-induced bronchoconstriction in guinea pigs and in vitro inhibition of tumor necrosis factor- α formation with phosphodiesterase 4 (PDE4) selective inhibitors, 1527

OSAR

Structure–activity studies of bufokinin, substance P and their C-terminal fragments at bufokinin receptors in the small intestine of the cane toad, *Bufo marinus*, 217

Quinolones

Differences in caffeine and paraxanthine metabolism between human and murine CYP1A2, 2159

Radioligand binding

Molecular cloning and pharmacological characterization of bovine calcitonin receptor-like receptor from bovine aortic endothelial cells, 1949

Structure-activity relationship of neurokinin A(4-10) at the human tachykinin NK_2 receptor: the effect of amino acid substitutions on receptor affinity and function, 2181

Raloxifene

Characterization of selective estrogen receptor modulator (SERM) activity in two triarylethylene oxybutyric acids, 1517

RAR-B

Influence of isomerisation on the growth inhibitory effects and cellular activity of 13-cis and all-trans retinoic acid in neuroblastoma cells, 207

Ra

Substrate specificity for rat cytochrome P450 (CYP) isoforms: screening with cDNA-expressed systems of the rat, 889

Modulation of the β -adrenergic receptor system of vascular smooth muscle cells *in vitro* and *in vivo* by chronically elevated endothelin-1 levels, 1361

Physiological factors affecting the expression of FMO1 and FMO3 in the rat liver and kidney, 1453

Verapamil decreases glucuronidase activity in the gut, 1575

Rat brain

Pathways for α -D-ribose utilization for nucleobase salvage and 5-fluorouracil activation in rat brain, 117

Rat heart mitochondria

Effect of the new matrix metalloproteinase inhibitor RO-28-2653 on mitochondrial function, 725

Rat ileum

Effects of dexamethasone and protein kinase C inhibitors on the induction of bradykinin B_1 mRNA and the bradykinin B_1 receptor-mediated contractile response in isolated rat ileum, 2043

Rat lipoproteins

Inhibition of rat lipoprotein oxidation after tetradecylthioacetic acid feeding, 1127

Rat UGT1A6

Coordinate regulation of UDP-glucuronosyltransferase UGT1A6 induction by 3-methylcholanthrene and multidrug resistance protein MRP2 expression by dexamethasone in primary rat hepatocytes, 2137

RAW 264.7

Inhibition of lipopolysaccharide-stimulated nitric oxide production in RAW 264.7 macrophages by a synthetic carbazole, LCY-2-CHO, 1961 Reactive oxygen intermediates

Induction of apoptosis by diallyl disulfide through activation of caspase-3 in human leukemia HL-60 cells, 41

Reactive oxygen species

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Receptor

Analysis of C-terminally substituted tachykinin-like peptide agonists by means of aequorin-based luminescent assays for human and insect neurokinin receptors, 1675

Receptor activity modifying protein

Molecular cloning and pharmacological characterization of bovine calcitonin receptor-like receptor from bovine aortic endothelial cells, 1949

Receptor expression

Serum withdrawal leads to reduced aryl hydrocarbon receptor expression and loss of cytochrome P4501A inducibility in PLHC-1 cells, 1405

Receptor modeling

Serum withdrawal leads to reduced aryl hydrocarbon receptor expression and loss of cytochrome P4501A inducibility in PLHC-1 cells, 1405

Receptor subtypes

Association of dopamine D₃ receptors with actin-binding protein 280 (ABP-280), 859

Receptor tyrosine kinase inhibitor

Sequence and chemistry requirements for a novel aptameric oligonucleotide inhibitor of EGF receptor tyrosine kinase activity, 2187

Receptors

Modulation of dendritic release of dopamine by metabotropic glutamate receptors in rat substantia nigra, 1343

Modulation of the β -adrenergic receptor system of vascular smooth muscle cells *in vitro* and *in vivo* by chronically elevated endothelin-1 levels, 1361

Recognition forces

Recognition forces involved in mitochondrial binding to a low-affinity trimetazidine binding site related to anti-ischemic activity, 1691

Redox

The involvement of L- γ -glutamyl-L-cysteinyl-glycine (glutathione/ GSH) in the mechanism of redox signaling mediating MAPK^{p38}-dependent regulation of pro-inflammatory cytokine production, 305

Reduced folate carrier

Multiple mechanisms of resistance to methotrexate and novel antifolates in human CCRF-CEM leukemia cells and their implications for folate homeostasis, 105

Role of the C-terminus and the long cytoplasmic loop in reduced folate carrier expression and function, 1717

5α-Reductase

Structure-activity relationships for inhibition of human 5α -reductases by polyphenols, 1165

Reduction

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

Renal cell culture model

Cytoprotective role of taurine in a renal epithelial cell culture model, 1051

Renal cortex

Enhancement of phosphatidylcholine biosynthesis by angiotensin-(1-7) in the rat renal cortex, 507

Renal tubules

Inhibition of gluconeogenesis by vanadium and metformin in kidneycortex tubules isolated from control and diabetic rabbits, 1371

Reperfusion

Mitochondrial gene expression and ventricular fibrillation in ischemic/reperfused nondiabetic and diabetic myocardium, 543

Resveratro

Antimicrobial effect of resveratrol on dermatophytes and bacterial pathogens of the skin, 99

Reticuline

Selective dopaminergic neurotoxicity of isoquinoline derivatives related to Parkinson's disease: studies using heterologous expression systems of the dopamine transporter, 909

Retinoic acid

Influence of isomerisation on the growth inhibitory effects and cellular activity of 13-cis and all-trans retinoic acid in neuroblastoma cells, 207 Retinoic acid 4-oxidation

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids. 933

Retinoids

Human cytochrome P450s involved in the metabolism of 9-cis- and 13-cis-retinoic acids, 933

Reversal potential

Hydrogen peroxide-induced current in *Xenopus* oocytes: current characteristics similar to those induced by the removal of extracellular calcium, 569

Ritonavir

Ritonavir inhibition of calcium-activated neutral proteases, 1481

Toward RNase inhibitors: thermodynamics of 2'-CMP/RNase-A binding in multi-ion buffer, 1937

RO-28-2653

Effect of the new matrix metalloproteinase inhibitor RO-28-2653 on mitochondrial function, 725

Rofecoxib

Selective cyclooxygenase-2 (COX-2) inhibitors and potential risk of cardiovascular events, 817

Rolipram

Regulation of cyclic AMP in rat pulmonary microvascular endothelial cells by rolipram-sensitive cyclic AMP phosphodiesterase (PDE4), 797

Ros

Role of redox status on the activation of mitogen-activated protein kinase cascades by NSAIDs, 163

Rotenone

Mitochondrial toxin inhibition of [³H]dopamine uptake into rat striatal synaptosomes, 1499

S23906-1

Induction of apoptosis in HL-60 leukemia and B16 melanoma cells by the acronycine derivative S23906-1, 1443

Salicylate

Fluorescein uptake by a monocarboxylic acid transporter in human intestinal Caco-2 cells, 81

Sanguiin H-6

Effects of sanguiin H-6, a component of Sanguisorbae Radix, on lipopolysaccharide-stimulated nitric oxide production, 853

Sanguisorbae Radix

Effects of sanguiin H-6, a component of Sanguisorbae Radix, on lipopolysaccharide-stimulated nitric oxide production, 853

SC-57101A

Platelet α -granule secretion and its modification by SC-57101A, a GPIIb/IIIa antagonist, 1911

Scorpion venom

Biochemical and pharmacological characterization of the venom of the black scorpion *Heterometrus spinifer*, 49

Second messengers

The direct stimulation of Gi proteins by neuropeptide Y (NPY) in the rat left ventricle, 2063

Secretion

Platelet α -granule secretion and its modification by SC-57101A, a GPIIb/IIIa antagonist, 1911

Selective tumor necrosis

Anti-cancer action of 4-iodo-3-nitrobenzamide in combination with buthionine sulfoximine: inactivation of poly(ADP-ribose) polymerase and tumor glycolysis and the appearance of a poly(ADP-ribose) polymerase protease, 455

Selenium

Induction of glutathione-S-transferase mRNA levels by chemopreventive selenocysteine Se-conjugates, 1843

Drug-resistant human lung cancer cells are more sensitive to selenium cytotoxicity. Effects on thioredoxin reductase and glutathione reductase, 1875

Semiquinone radical

Modifying rates of reductive elimination of leaving groups from indolequinone prodrugs: a key factor in controlling hypoxia-selective drug release, 1629

Serine protease

Matrix and serine protease expression during leukemic cell differentiation induced by aclacinomycin and all-*trans*-retinoic acid, 179

Degradation of glyceraldehyde-3-phosphate dehydrogenase induced by acetylleucine chloromethyl ketone in U937 cells, 1857

SERM

Characterization of selective estrogen receptor modulator (SERM) activity in two triarylethylene oxybutyric acids, 1517

Sex hormones

Sexual dimorphic expression of mouse hepatic CYP2B: alterations during development or after hypophysectomy, 2037

Sexual dimorphism

Sexual dimorphic expression of mouse hepatic CYP2B: alterations during development or after hypophysectomy, 2037

Side effec

BGP-15 — a novel poly(ADP-ribose) polymerase inhibitor — protects against nephrotoxicity of cisplatin without compromising its antitumor activity, 1099

Signal transducer and activator of transcription

Selective inhibition of STAT3 phosphorylation by sodium salicylate in cardiac fibroblasts, 1197

Signal transduction

Regulation of cyclic AMP in rat pulmonary microvascular endothelial cells by rolipram-sensitive cyclic AMP phosphodiesterase (PDE4), 797 Involvement of phosphatidylinositol-3-kinase in membrane ruffling induced by P-glycoprotein substrates in multidrug-resistant carcinoma cells, 959

Modulation of the β -adrenergic receptor system of vascular smooth muscle cells *in vitro* and *in vivo* by chronically elevated endothelin-1 levels, 1361

Regulation of phospholipase C activation by the number of H_2 receptors during Ca^{2+} -induced differentiation of mouse keratinocytes, 1785

The direct stimulation of Gi proteins by neuropeptide Y (NPY) in the rat left ventricle, 2063

Signaling

Association of dopamine D₃ receptors with actin-binding protein 280 (ABP-280), 859

Single channel current

Effects of Ca²⁺ channel blockers on amiloride-sensitive Na⁺ permeable channels and Na⁺ transport in fetal rat alveolar type II epithelium, 1547 Smooth muscle

Modulation of the β -adrenergic receptor system of vascular smooth muscle cells *in vitro* and *in vivo* by chronically elevated endothelin-1 levels. 1361

Characterisation of cyclic nucleotide phosphodiesterase isoforms in the media layer of the main pulmonary artery, 1763

Smooth muscle relaxation

Lack of involvement of extracellular signal-regulated kinase (ERK) in the agonist-induced endothelial nitric oxide synthesis, 1137

SN-3

Enhanced clearance of topoisomerase I inhibitors from human colon cancer cells by glucuronidation, 607

Solubility

Structural refinement of inhibitors of urea-based soluble epoxide hydrolases. 1599

Sorcin overexpression

Overexpression of sorcin, a calcium-binding protein, induces a low level of paclitaxel resistance in human ovarian and breast cancer cells, 1149

Sphingosine-1-phosphate

Neuronal cell death induced by antidepressants: lack of correlation with Egr-1, NF- κ B and extracellular signal-regulated protein kinase activation, 1507

Spin traps

ESR analysis of spin adducts of alkoxyl and lipid-derived radicals with the spin trap Trazon, 1465

Spinal cord

Protein levels of neurofilament subunits in the hen central nervous system following prevention and potentiation of diisopropyl phosphorofluoridate (DFP)-induced delayed neurotoxicity, 11

sPLA₂ neurotoxin

Inhibition of crotoxin phospholipase A_2 activity by manoalide associated with inactivation of crotoxin toxicity and dissociation of the heterodimeric neurotoxic complex, 755

Spleen

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Splenocyte

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Stable isotope

Increased rate of glutathione synthesis from cystine in drug-resistant MCF-7 cells, 843

Stacking interactions

The modulation of the DNA-damaging effect of polycyclic aromatic agents by xanthines. Part I. Reduction of cytostatic effects of quinacrine mustard by caffeine, 625

The modulation by xanthines of the DNA-damaging effect of polycyclic aromatic agents. Part II. The stacking complexes of caffeine with doxorubicin and mitoxantrone, 635

Staphylococcus aureus

Antimicrobial effect of resveratrol on dermatophytes and bacterial pathogens of the skin, 99

Steady-state kinetics

DNA sequence of butyrylcholinesterase from the rat: expression of the protein and characterization of the properties of rat butyrylcholinesterase, 2101

Stem cell toxicity

Stem cell toxicity of oxazaphosphorine metabolites in comparison to their antileukemic activity, 1337

Steroid

Pharmacological characterization of the ATP-dependent low $K_{\rm m}$ guanosine 3',5'-cyclic monophosphate (cGMP) transporter in human erythrocytes, 945

Basal levels and patterns of anticancer drug-induced activation of nuclear factor- κB (NF- κB), and its attenuation by tamoxifen, dexamethasone, and curcumin in carcinoma cells, 1709

Stonustoxin

Characterization of the mechanism underlying stonustoxin-mediated relaxant response in the rat aorta *in vitro*, 1113

Streptozotocin

Sensitivity of HaCat keratinocytes to diabetogenic toxins, 171 Effects of streptozotocin-induced diabetes on acetoacetyl-CoA synthetase activity in rats, 1851

Stress

Effect of isatin on nitric oxide-stimulated soluble guanylate cyclase from human platelets, 763

Striatur

Effects of the antidepressant/antipanic drug phenelzine and its putative metabolite phenylethylidenehydrazine on extracellular γ -aminobutyric acid levels in the striatum, 57

Mitochondrial toxin inhibition of $[^3H]$ dopamine uptake into rat striatal synaptosomes, 1499

Structure

The influence of charge clustering on the anti-HIV-1 activity and *in vivo* distribution of negatively charged albumins, 1663

Structure-activity

Structure–activity studies of bufokinin, substance P and their C-terminal fragments at bufokinin receptors in the small intestine of the cane toad, *Bufo marinus*, 217

Structure-activity relationship of neurokinin A(4–10) at the human tachykinin NK₂ receptor: the effect of amino acid substitutions on receptor affinity and function, 2181

Structure-activity relationship

Structural refinement of inhibitors of urea-based soluble epoxide hydrolases. 1599

Intercalation of imidazoacridinones to DNA and its relevance to cytotoxic and antitumor activity, 1653

Subcellular fractionation

Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function, 1259

Subcellular fractions

Characterisation of cyclic nucleotide phosphodiesterase isoforms in the media layer of the main pulmonary artery, 1763

Substance P

Structure–activity studies of bufokinin, substance P and their C-terminal fragments at bufokinin receptors in the small intestine of the cane toad, *Bufo marinus*, 217

Substance P receptor

Characterization of the mechanism underlying stonustoxin-mediated relaxant response in the rat aorta *in vitro*, 1113

Substrate specificity

Substrate specificity for rat cytochrome P450 (CYP) isoforms: screening with cDNA-expressed systems of the rat, 889

Suc-HSA

The influence of charge clustering on the anti-HIV-1 activity and *in vivo* distribution of negatively charged albumins, 1663

Sulfonylureas

Desensitization of insulin secretion, 1921

Sulfotransferase

Reverse geometrical selectivity in glucuronidation and sulfation of *cis*and *trans*-4-hydroxytamoxifens by human liver UDP-glucuronosyltransferases and sulfotransferases, 1817

Sulfur amino acids

Alterations in cellular Ca²⁺ and free iron pool by sulfur amino acid deprivation: the role of ferritin light chain down-regulation in prooxidant production, 647

Superoxide anion

Inhibition of superoxide anion generation by YC-1 in rat neutrophils through cyclic GMP-dependent and -independent mechanisms, 577

Surface plasmon resonance

Inhibition of crotoxin phospholipase A_2 activity by manoalide associated with inactivation of crotoxin toxicity and dissociation of the heterodimeric neurotoxic complex, 755

Synthesis and metabolism of steroid esters

Effect of clofibrate administration on the esterification and deesterification of steroid hormones by liver and extrahepatic tissues in rats, 985

T helper

Involvement of p38 mitogen-activated protein kinase in the induction of interleukin-12 p40 production in mouse macrophages by berberine, a benzodioxoloquinolizine alkaloid, 1901

Tachykinin receptors

Structure–activity studies of bufokinin, substance P and their C-terminal fragments at bufokinin receptors in the small intestine of the cane toad, *Bufo marinus*, 217

3T3-adipocytes

Exendin-4 increases insulin sensitivity via a PI-3-kinase-dependent mechanism: contrasting effects of GLP-1, 993

Tamoxife

The effects of natural ligands of hormone receptors and their antagonists on telomerase activity in the androgen sensitive prostatic cancer cell line LNCaP, 1177

Characterization of selective estrogen receptor modulator (SERM) activity in two triarylethylene oxybutyric acids, 1517

Basal levels and patterns of anticancer drug-induced activation of nuclear factor- κB (NF- κB), and its attenuation by tamoxifen, dexamethasone, and curcumin in carcinoma cells, 1709

TARDIS

Formation and longevity of idarubicin-induced DNA topoisomerase II cleavable complexes in K562 human leukaemia cells, 1807

Taurin

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Cytoprotective role of taurine in a renal epithelial cell culture model, 1051

Taxol

Fas/CD95-mediated apoptosis in human glioblastoma cells: a target for sensitisation to topoisomerase I inhibitors, 881

TCDD

Serum withdrawal leads to reduced aryl hydrocarbon receptor expression and loss of cytochrome P4501A inducibility in PLHC-1 cells, 1405

TCM

Apoptosis of a human non-small cell lung cancer (NSCLC) cell line, PLA-801, induced by acutiaporberine, a novel bisalkaloid derived from *Thalictrum acutifolium* (Hand.-Mazz.) Boivin, 1389

Telomerase

The effects of natural ligands of hormone receptors and their antagonists on telomerase activity in the androgen sensitive prostatic cancer cell line LNCaP 1177

tert-Butylhydroquinone

Glutamate-cysteine ligase modifier subunit: mouse *Gclm* gene structure and regulation by agents that cause oxidative stress, 1739

Tetradecylthioacetic acid

Inhibition of rat lipoprotein oxidation after tetradecylthioacetic acid feeding, 1127

Tetrahydroisoguinolines

Tetrahydroisoquinoline derivatives of enkephalins: synthesis and properties, 1893

Tetrapyrrole

Pharmacological approaches to prion research, 1383

3T3-F442A

Effects of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (p,p'-DDT) on 3T3-L1 and 3T3-F442A adipocyte differentiation, 997

TGF_β1

Interaction of specifically chemically modified dextrans with transforming growth factor $\beta1$: potentiation of its biological activity, 129

Thalictrum acutifolium

Apoptosis of a human non-small cell lung cancer (NSCLC) cell line, PLA-801, induced by acutiaporberine, a novel bisalkaloid derived from *Thalictrum acutifolium* (Hand.-Mazz.) Boivin, 1389

Thenoyltrifluoroacetone

Thenoyltrifluoroacetone, a potent inhibitor of carboxylesterase activity, 751

Thermodynamics

The modulation of the DNA-damaging effect of polycyclic aromatic agents by xanthines. Part I. Reduction of cytostatic effects of quinacrine mustard by caffeine. 625

The modulation by xanthines of the DNA-damaging effect of polycyclic aromatic agents. Part II. The stacking complexes of caffeine with doxorubicin and mitoxantrone, 635

Toward RNase inhibitors: thermodynamics of 2'-CMP/RNase-A binding in multi-ion buffer, 1937

Thia fatty acid analogues

Inhibition of rat lipoprotein oxidation after tetradecylthioacetic acid feeding, 1127

Thiazolidinediones

Toxicological consequences of altered peroxisome proliferator-activated receptor γ (PPAR γ) expression in the liver: insights from models of obesity and type 2 diabetes, 1

Troglitazone does not protect rat pancreatic β cells against free fatty acid-induced cytotoxicity, 1281

Thioredoxin reductase

Drug-resistant human lung cancer cells are more sensitive to selenium cytotoxicity. Effects on thioredoxin reductase and glutathione reductase, 1875

Thiourea

Thiourea toxicity in mouse $C3H/10T_2^{1/2}$ cells expressing human flavin-dependent monooxygenase 3, 1941

Thonningia sanguinea

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Thonningianin A

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Thymidylate synthase

Multiple mechanisms of resistance to methotrexate and novel antifolates in human CCRF-CEM leukemia cells and their implications for folate homeostasis, 105

Thymocyte

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Thymocyte apoptosis

A selective plasmin inhibitor, *trans*-aminomethylcyclohexanecarbonyl-L-(*O*-picolyl)tyrosine-octylamide (YO-2), induces thymocyte apoptosis, 1315

Thymus

Involvement of the peroxisome proliferator-activated receptor alpha in the immunomodulation caused by peroxisome proliferators in mice, 1885

Thyrotropin-releasing hormone (TRH)

Pharmacologically distinct binding sites in rat brain for [³H]thyrotropinreleasing hormone (TRH) and [³H][3-methyl-histidine²]TRH, 2197

3T3-L1

Effects of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (p,p'-DDT) on 3T3-L1 and 3T3-F442A adipocyte differentiation, 997

TNF

Comparison of inhibition of ovalbumin-induced bronchoconstriction in guinea pigs and *in vitro* inhibition of tumor necrosis factor- α formation with phosphodiesterase 4 (PDE4) selective inhibitors, 1527

Topoisomerase I inhibitors

Fas/CD95-mediated apoptosis in human glioblastoma cells: a target for sensitisation to topoisomerase I inhibitors, 881

Topoisomerase II (EC 5.99.1.3)

Reduced DNA ligase activity in etoposide resistant human lymphatic leukaemia CEM cells, 259

TPA

Basal levels and patterns of anticancer drug-induced activation of nuclear factor- κB (NF- κB), and its attenuation by tamoxifen, dexamethasone, and curcumin in carcinoma cells, 1709

Transcription

Induction of UDP-glucuronosyltransferase 1A8 mRNA by 3-methyl-cholanthene in rat hepatoma cells, 767

Transcription factor

Activation of transcription factors by drugs inducing oxidative stress in rat liver, 139

Monoamine neurotoxins-induced apoptosis in lymphocytes by a common oxidative stress mechanism: involvement of hydrogen peroxide (H_2O_2) , caspase-3, and nuclear factor kappa-B (NF- κ B), p53, c-Jun transcription factors, 677

Carbohydrate responsive element-binding protein (ChREBP): a key regulator of glucose metabolism and fat storage, 2075

Transformed cell

Modifications of deoxycytidine kinase and deaminase activities by docosahexaenoic acid in normal and transformed rat fibroblasts, 717

Transgenic animals

Alzheimer's disease and oxygen radicals: new insights, 563

Transnitrosylation

In vivo nitric oxide transfer of a physiological NO carrier, dinitrosyl dithiolato iron complex, to target complex, 485

Transport

Pharmacological characterization of the ATP-dependent low $K_{\rm m}$ guanosine 3',5'-cyclic monophosphate (cGMP) transporter in human erythrocytes, 945

Trazon

ESR analysis of spin adducts of alkoxyl and lipid-derived radicals with the spin trap Trazon, 1465

TRH analogues

Pharmacologically distinct binding sites in rat brain for [³H]thyrotropinreleasing hormone (TRH) and [³H][3-methyl-histidine²]TRH, 2197

TRH radioligand binding

Pharmacologically distinct binding sites in rat brain for [³H]thyrotropin-releasing hormone (TRH) and [³H][3-methyl-histidine²]TRH, 2197

TRH receptors

Pharmacologically distinct binding sites in rat brain for [³H]thyrotropinreleasing hormone (TRH) and [³H][3-methyl-histidine²]TRH, 2197

TRH-degrading ectoenzyme (TRH-DE)

Pharmacologically distinct binding sites in rat brain for [³H]thyrotropinreleasing hormone (TRH) and [³H][3-methyl-histidine²]TRH, 2197

Trichophyton sp

Antimicrobial effect of resveratrol on dermatophytes and bacterial pathogens of the skin, 99

Tricyclic

Pharmacological approaches to prion research, 1383

Trimetazidine

Recognition forces involved in mitochondrial binding to a low-affinity trimetazidine binding site related to anti-ischemic activity, 1691

Triton X-100

DNA sequence of butyrylcholinesterase from the rat: expression of the protein and characterization of the properties of rat butyrylcholinesterase, 2101

Troglitazone

Toxicological consequences of altered peroxisome proliferator-activated receptor γ (PPAR γ) expression in the liver: insights from models of obesity and type 2 diabetes, 1

Troglitazone does not protect rat pancreatic β cells against free fatty acid-induced cytotoxicity, 1281

Tubulin

Involvement of microtubules and mitochondria in the antagonism of arsenic trioxide on paclitaxel-induced apoptosis, 1831

Tubulin inhibitor

Inhibition of tubulin polymerization by vitilevuamide, a bicyclic marine peptide, at a site distinct from colchicine, the vinca alkaloids, and dolastatin 10, 707

Tumor vasculature

A doxorubicin-CNGRC-peptide conjugate with prodrug properties, 897

Tumour cell

Methionine synthase activity and sulphur amino acid levels in the rat liver tumour cells HTC and Phi-1, 381

Tumour necrosis factor alpha

Inhibitory effect of adrenomedullin on basal and tumour necrosis factor alpha-stimulated endothelin-1 synthesis in bovine aortic endothelial cells is independent of cyclic AMP, 149

Type 2 diabetes mellitus (T2DM)

Toxicological consequences of altered peroxisome proliferator-activated receptor γ (PPAR $\gamma)$ expression in the liver: insights from models of obesity and type 2 diabetes, 1

Tyrosine hydroxylase (TH)

Stimulation of catecholamine biosynthesis *via* the protein kinase C pathway by endothelin-1 in PC12 rat pheochromocytoma cells, 977

Tyrphostins

Mechanisms of apoptosis by the tyrphostin AG957 in hematopoietic cells, 689

U937 cells

Degradation of glyceraldehyde-3-phosphate dehydrogenase induced by acetylleucine chloromethyl ketone in U937 cells, 1857

U-937 GTE

Modulation of pyridyl cyanoguanidine (CHS 828) induced cytotoxicity by 3-aminobenzamide in U-937 GTB cells, 1491

U50,488

 κ -Opioid receptor agonist inhibition of HIV-1 envelope glycoproteinmediated membrane fusion and CXCR4 expression on CD4 $^+$ lymphocytes, 1037

UDP-glucuronosyltransferase

UDP-glucuronosyltransferase activity, expression and cellular localization in human placenta at term, 409

Tissue-specific regulation of canine intestinal and hepatic phenol and morphine UDP-glucuronosyltransferases by β -naphthoflavone in comparison with humans, 1683

Reverse geometrical selectivity in glucuronidation and sulfation of *cis*and *trans*-4-hydroxytamoxifens by human liver UDP-glucuronosyltransferases and sulfotransferases, 1817

UGT activity

Tissue-specific regulation of canine intestinal and hepatic phenol and morphine UDP-glucuronosyltransferases by β -naphthoflavone in comparison with humans, 1683

UGT gene expression

UDP-glucuronosyltransferase activity, expression and cellular localization in human placenta at term, 409

UGT1A8

Induction of UDP-glucuronosyltransferase 1A8 mRNA by 3-methyl-cholanthene in rat hepatoma cells, 767

UGT2B

UDP-glucuronosyltransferase activity, expression and cellular localization in human placenta at term, 409

Ultraviolet light

Cell-impermeant pyridinium derivatives of psoralens as inhibitors of keratinocyte growth, 31

Uraemic toxin

Effect of protein-bound uraemic toxins on the thermodynamic characteristics of human albumin, 1287

Urea inhibitors

Structural refinement of inhibitors of urea-based soluble epoxide hydrolases, 1599

Urokinase-type plasminogen activator

Effect of malondialdehyde–acetaldehyde–protein adducts on the protein kinase C-dependent secretion of urokinase-type plasminogen activator in hepatic stellate cells, 553

Uroporphyrinogen oxidation

Bilirubin and uroporphyrinogen oxidation by induced cytochrome P4501A and cytochrome P4502B. Role of polyhalogenated biphenyls of different configuration, 615

UVA light

Mechanisms of growth inhibition in keratinocytes by mercurio-substituted 4',5'-dihydropsoralens, 2001

Vanadium

Vanadyl as a catalyst of human lipoprotein oxidation, 375 Inhibition of gluconeogenesis by vanadium and metformin in kidneycortex tubules isolated from control and diabetic rabbits, 1371

Vascular tone

Characterisation of cyclic nucleotide phosphodiesterase isoforms in the

media layer of the main pulmonary artery, 1763

Vasoactive metabolites

Associations between human liver and kidney cadmium content and immunochemically detected CYP4A11 apoprotein, 693

Ventricles

Inhibition of type 1 protein phosphatase activity by activation of β -adrenoceptors in ventricular myocardium, 1069

Ventricular fibrillation

Mitochondrial gene expression and ventricular fibrillation in ischemic/reperfused nondiabetic and diabetic myocardium, 543

Verapamil

Effects of Ca²⁺ channel blockers on amiloride-sensitive Na⁺ permeable channels and Na⁺ transport in fetal rat alveolar type II epithelium, 1547

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia, 2055

Vesicular monoamine transporter

A novel mechanism of action and potential use for lobeline as a treatment for psychostimulant abuse, 89

Vincristine

Expression of p53-family members and associated target molecules in breast cancer cell lines in response to vincristine treatment, 1609

Vitamin C

Autoschizis: a novel cell death, 1773

Vitamin E

Modulation of apoptosis and improved redox metabolism with the use of a new antioxidant formula, 1305

Vitamin K₃

Autoschizis: a novel cell death, 1773

Vitilevuamide

Inhibition of tubulin polymerization by vitilevuamide, a bicyclic marine peptide, at a site distinct from colchicine, the vinca alkaloids, and dolastatin 10, 707

VLDL-production

HOE 402 lowers serum cholesterol levels by reducing VLDL-lipid production, and not by induction of the LDL receptor, and reduces atherosclerosis in wild-type and LDL receptor-deficient mice, 1755

Voltage-clamping

Hydrogen peroxide-induced current in *Xenopus* oocytes: current characteristics similar to those induced by the removal of extracellular calcium, 569

Xanthine oxidase

Antioxidant properties of Thonningianin A, isolated from the African medicinal herb, *Thonningia sanguinea*, 1725

Xenopus

Differential regulation of Ca²⁺-dependent Cl⁻ currents by FP prostanoid receptor isoforms in *Xenopus* oocytes, 1797

Xenopus laevis oocyte

Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function, 1259

Xenopus oocyte

Hydrogen peroxide-induced current in *Xenopus* oocytes: current characteristics similar to those induced by the removal of extracellular calcium, 569

Xylulose 5-phosphate

Carbohydrate responsive element-binding protein (ChREBP): a key regulator of glucose metabolism and fat storage, 2075

YC-1

Inhibition of superoxide anion generation by YC-1 in rat neutrophils through cyclic GMP-dependent and -independent mechanisms, 577

Yeast three-hybrid

A GAL4-based yeast three-hybrid system for the identification of small molecule-target protein interactions, 1619

YO-2

A selective plasmin inhibitor, *trans*-aminomethylcyclohexanecarbonyl-L-(*O*-picolyl)tyrosine-octylamide (YO-2), induces thymocyte apoptosis, 1315

Zaprinast

3-Isobutyl-1-methylxanthine (IBMX) sensitizes cardiac myocytes to anoxia, 2055

Zymosan-activated plasma

Effects of 5-aminoisoquinolinone, a water-soluble, potent inhibitor of the activity of poly (ADP-ribose) polymerase, in a rodent model of lung injury, 293