

Subject index Volume 65

Accumulation

Cellular uptake of a catechol iron chelator and chloroquine into *Plasmodium falciparum* infected erythrocytes, 1351

Acetoacetate

Expression of acetoacetyl-CoA synthetase, a novel cytosolic ketone body-utilizing enzyme, in human brain, 989

Acetoacetyl-CoA synthetase

Expression of acetoacetyl-CoA synthetase, a novel cytosolic ketone body-utilizing enzyme, in human brain, 989

Acetylcholine

Cooperative enhancement of insulinotropic action of GLP-1 by acetylcholine uncovers paradoxical inhibitory effect of beta cell muscarinic receptor activation on adenylate cyclase activity, 283

Acetylcholinesterase

Sarin (nerve agent GB)-induced differential expression of mRNA coding for the acetylcholinesterase gene in the rat central nervous system, 2041

Acetylcholinesterase inhibitors

β -Amyloid aggregation induced by human acetylcholinesterase: inhibition studies, 407

Acetyl-CoA carboxylase

Involvement of nitric oxide/cyclic GMP signaling pathway in the regulation of fatty acid metabolism in rat hepatocytes, 807

N-Acetylcysteine

Activation of deoxycytidine kinase by UV-C-irradiation in chronic lymphocytic leukemia B-lymphocytes, 573
Heme oxygenase-1 induction and regulation in unstimulated mouse peritoneal macrophages, 905

Acetylsalicylic acid (ASA)

Effect of metamizol on promyelocytic and terminally differentiated granulocytic cells. Comparative analysis with acetylsalicylic acid and diclofenac, 209

Actin disassembling

Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels, 1151

Activation

Characterization of the molecular interactions of interleukin-8 (CXCL8), growth related oncogen α (CXCL1) and a non-peptide antagonist (SB 225002) with the human CXCR2, 813

Acute exposure

Sarin (nerve agent GB)-induced differential expression of mRNA coding for the acetylcholinesterase gene in the rat central nervous system, 2041

Adenosine

Use of the A_{2A} adenosine receptor as a physiological immunosuppressor and to engineer inflammation *in vivo*, 493

Analysis of A2a receptor-deficient mice reveals no significant compensatory increases in the expression of A2b, A1, and A3 adenosine receptors in lymphoid organs, 2081

Adenosine receptor

Peptide G protein agonists from a phage display library, 961
Differential allosteric modulation by amiloride analogues of agonist and antagonist binding at A₁ and A₃ adenosine receptors, 525

Rabbit chronic ileitis leads to up-regulation of adenosine A1/A3 gene products, oxidative stress, and immune modulation, 1529

Analysis of A2a receptor-deficient mice reveals no significant compensatory increases in the expression of A2b, A1, and A3 adenosine receptors in lymphoid organs, 2081

S-adenosylmethionine

Effect of acute betaine administration on hepatic metabolism of S-amino acids in rats and mice, 1565

Adenylyl cyclase

Comparison of the pharmacological antagonism of M₂ and M₃ muscarinic receptors expressed in isolation and in combination, 1227

Adipocyte

Diminished production of nitric oxide synthase cofactor tetrahydrobiopterin by rosiglitazone in adipocytes, 593

Intracellular signal transduction modulating expression of plasminogen activator inhibitor-1 in adipocytes, 1907

Adipocyte differentiation

Differential effects of YM440 a hypoglycemic agent on binding to a peroxisome proliferator-activated receptor γ and its transactivation, 795

Adjuvant-arthritis

LAAE-14, a new *in vitro* inhibitor of intracellular calcium mobilization, modulates acute and chronic inflammation, 1539

Adrenal cortex

Transcriptional suppression of the adrenal cortical peripheral-type benzodiazepine receptor gene and inhibition of steroid synthesis by ginkgolide B, 717

Adrenal medullary cells

Inhibition of the norepinephrine transporter function in cultured bovine adrenal medullary cells by bisphenol A, 2049

Adrenergic

Adrenergic receptors in the bovine mammary artery, 1747

β -Adrenergic receptor

Altered lymphocyte catecholamine reactivity in mice subjected to chronic mild stress, 15

AEBS

Insulin and estrogen receptor ligand influence the FGF-2 activities in MCF-7 breast cancer cells, 629

Affinity

Affinity of cyamemazine, an anxiolytic antipsychotic drug, for human recombinant dopamine vs. serotonin receptor subtypes, 435

African American

Effect of genotype on steady-state *CYP1A1* gene expression in human peripheral lymphocytes, 441

Agonist binding

Interaction of the D_{2short} dopamine receptor with G proteins: analysis of receptor/G protein selectivity, 1139

Ah receptor

p23 enhances the formation of the aryl hydrocarbon receptor–DNA complex, 941

AIDS

Thyroxine-derivatives of lipopeptides: bifunctional dimerization inhibitors of human immunodeficiency virus-1 protease, 1097

- Ajulemic acid
Suppression of human monocyte interleukin-1 β production by ajulemic acid, a nonpsychoactive cannabinoid, 649
- Akt
Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339
- Akt/PKB
Relevance of mitogen activated protein kinase (MAPK) and phosphatidylinositol-3-kinase/protein kinase B (PI3K/PKB) pathways to induction of apoptosis by curcumin in breast cells, 361
- Akt/protein kinase B
Decrease of the inflammatory response and induction of the Akt/protein kinase B pathway by poly-(ADP-ribose) polymerase 1 inhibitor in endotoxin-induced septic shock, 1373
- Aldosterone
Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207
- Alimta
Decreased expression of the reduced folate carrier and folypolyglutamate synthetase is the basis for acquired resistance to the pemetrexed antifolate (LY231514) in an L1210 murine leukemia cell line, 1163
- Allopurinol
Indomethacin-induced free radical-mediated changes in the intestinal brush border membranes, 683
- Allosteric modulation
Differential allosteric modulation by amiloride analogues of agonist and antagonist binding at A₁ and A₃ adenosine receptors, 525
- Alzheimer's disease
 β -Amyloid aggregation induced by human acetylcholinesterase: inhibition studies, 407
Statin effects on cholesterol micro-domains in brain plasma membranes, 843
- Amiloride
Differential allosteric modulation by amiloride analogues of agonist and antagonist binding at A₁ and A₃ adenosine receptors, 525
Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207
- N*²-(4-Amino-4-deoxypteroyl)-*N*⁶-hemipthaloyl-L-ornithine (PT523) and analogs
Further studies on the interaction of nonpolyglutamatable aminopterin analogs with dihydrofolate reductase and the reduced folate carrier as determinants of *in vitro* antitumor activity, 1427
- 5-Aminolevulinic acid
Uroporphyrin accumulation in hepatoma cells expressing human or mouse CYP1A2: relation to the role of CYP1A2 in human porphyria cutanea tarda, 545
- Amiodarone
Concentration dependent mitochondrial effect of amiodarone, 1115
- cAMP
Evaluation of β -adrenergic receptor subtypes in the human prostate cancer cell line-LNCaP, 1489
- Amperometry
An amperometric biosensor with human CYP3A4 as a novel drug screening tool, 1817
- β -Amyloid (1–40)
 β -Amyloid aggregation induced by human acetylcholinesterase: inhibition studies, 407
- Amyloidosis
Multidisciplinary utilization of dimethyl sulfoxide: pharmacological, cellular, and molecular aspects, 1035
- Anaphylaxis
Endogenous nitric oxide does not modulate mesenteric mast cell degranulation in rats, 2073
- Androgen receptor
Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303
- Angiogenesis
Oversulfation of fucoidan enhances its anti-angiogenic and antitumor activities, 173
Anthrax toxin receptor proteins, 309
- Angiotensin
Down-regulation of bradykinin B₂-receptor mRNA in the heart in pressure-overload cardiac hypertrophy in the rat, 1017
- Angiotensin II
Effects of angiotensin II on vascular endothelial cells: formation of receptor-mediated reactive nitrogen species, 1189
A two-state model of antagonist-AT₁ receptor interaction: further support by binding studies at low temperature, 1339
Interaction of dimercaptosuccinic acid (DMSA) with angiotensin II on calcium mobilization in vascular smooth muscle cells, 1741
- Annonaceous acetogenin
Bullatacin, a potent antitumor Annonaceous acetogenin, induces apoptosis through a reduction of intracellular cAMP and cGMP levels in human hepatoma 2.2.15 cells, 319
- ANP
Inhibition of leptin release by atrial natriuretic peptide (ANP) in human adipocytes, 1883
- Antagonist
Small molecule antagonists of proteins, 1
Broad-spectrum chemokine inhibitors (BSCIs) and their anti-inflammatory effects *in vivo*, 1027
A two-state model of antagonist-AT₁ receptor interaction: further support by binding studies at low temperature, 1339
- Anthocyanins
Delphinidin inhibits endothelial cell proliferation and cell cycle progression through a transient activation of ERK-1/-2, 669
- Anthracyclines
Cytosolic β -glycosidases for activation of glycoside prodrugs of daunorubicin, 1875
- Anthrax toxin
Anthrax toxin receptor proteins, 309
- Anticoagulant
Discovery and characterization of a potent and selective non-amidine inhibitor of human factor Xa, 1407
- Anti-estrogen
Insulin and estrogen receptor ligand influence the FGF-2 activities in MCF-7 breast cancer cells, 629
- Anti-Fas Ab
An oxidative mechanism of interferon induced priming of the Fas pathway in Fanconi anemia cells, 833
- Antifolate
Potent inhibition of human folypolyglutamate synthetase by a phosphinic acid mimic of the tetrahedral reaction intermediate, 315
Decreased expression of the reduced folate carrier and folypolyglutamate synthetase is the basis for acquired resistance to the pemetrexed antifolate (LY231514) in an L1210 murine leukemia cell line, 1163
- Antifolate resistance
Decreased expression of the reduced folate carrier and folypolyglutamate synthetase is the basis for acquired resistance to the pemetrexed antifolate (LY231514) in an L1210 murine leukemia cell line, 1163
- Anti-HIV protein
High resolution X-ray structure of potent anti-HIV pokeweed antiviral protein-III, 1709
- Anti-inflammatory activity
The effect of sesquiterpene lactones on the release of human neutrophil elastase, 897
- Antimetabolites
Influence of p53 and p21^{WAF1} expression on sensitivity of cancer cells to cladribine, 121
- Antimicrotubule
Inhibition of microtubule polymerization by 3-bromopropionylamino benzoylurea (JIMB01), a new cancericidal tubulin ligand, 1691

Antioxidant

Sodium tanshinone IIA sulfonate mediates electron transfer reaction in rat heart mitochondria, 51

The antioxidant activity of caroverine, 59

Antioxidant and pro-oxidant properties of pyrroloquinoline quinone (PQQ): implications for its function in biological systems, 67

Inhibition of 15-lipoxygenases by flavonoids: structure–activity relations and mode of action, 773

A novel antioxidant, octyl caffeate, suppression of LPS/IFN- γ -induced inducible nitric oxide synthase gene expression in rat aortic smooth muscle cells, 1383

Rabbit chronic ileitis leads to up-regulation of adenosine A1/A3 gene products, oxidative stress, and immune modulation, 1529

Antiproteases

Thyroxine-derivatives of lipopeptides: bifunctional dimerization inhibitors of human immunodeficiency virus-1 protease, 1097

Antitoxin

Anthrax toxin receptor proteins, 309

 α 1-Antitrypsin

The fusion of IGF I with stromal cell-derived factor I or α 1 proteinase inhibitor alters their mitogenic or chemotactic activities while keeping their ability to inhibit HIV-1-gp120 binding, 2055

Antitumor

Antitumor effect of the cinnamaldehyde derivative CB403 through the arrest of cell cycle progression in the G₂/M phase, 1343

Antitumor activity

Cellular bases of the antitumor activity of a 7-substituted camptothecin in hormone-refractory human prostate carcinoma models, 1281

Antitumor drug

Plasma stability of two glycosyl indolocarbazole antitumor agents, 25

Recognition of DNA modified by antitumor cisplatin by “latent” and “active” protein p53, 1305

Antitumor quinones

Cytotoxicity and apoptosis of benzoquinones: redox cycling, cytochrome *c* release, and BAD protein expression, 1061

Aortic constriction

Down-regulation of bradykinin B₂-receptor mRNA in the heart in pressure-overload cardiac hypertrophy in the rat, 1017

Ap₄A

The involvement of diadenosine 5',5'''-P¹,P⁴-tetrphosphate in cell cycle arrest and regulation of apoptosis, 227

Apoptosis

Potent inhibitory effect of naturally occurring flavonoids quercetin and kaempferol on *in vitro* osteoclastic bone resorption, 35

Modulation by caspases of tumor necrosis factor-stimulated c-Jun N-terminal kinase activation but not nuclear factor- κ B signaling, 91

Evaluation of oxidative stress during apoptosis and necrosis caused by D-galactosamine in rat liver, 101

Influence of p53 and p21^{WAF1} expression on sensitivity of cancer cells to cladribine, 121

Pyridoxal isonicotinoyl hydrazone analogs induce apoptosis in hematopoietic cells due to their iron-chelating properties, 161

The involvement of diadenosine 5',5'''-P¹,P⁴-tetrphosphate in cell cycle arrest and regulation of apoptosis, 227

Bullatacin, a potent antitumor Annonaceous acetogenin, induces apoptosis through a reduction of intracellular cAMP and cGMP levels in human hepatoma 2.2.15 cells, 319

Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339

Apoptosis and TRAF-1 cleavage in Epstein-Barr virus-positive nasopharyngeal carcinoma cells treated with doxorubicin combined with a farnesyl-transferase inhibitor, 423

Apoptosis induction by the dual-action DNA- and protein-reactive antitumor drug irofulven is largely Bcl-2-independent, 503

Impaired receptor-mediated endocytosis by the asialoglycoprotein receptor in ethanol-fed mice: implications for studying the role of this receptor in alcoholic apoptosis, 535

Decoy receptor 3 (DcR3) is proteolytically processed to a metabolic fragment having differential activities against Fas ligand and LIGHT, 657

Osthole prevents anti-Fas antibody-induced hepatitis in mice by affecting the caspase-3-mediated apoptotic pathway, 677

Apoptotic cell death induction by F 11782 a novel dual catalytic inhibitor of topoisomerases I and II, 755

An oxidative mechanism of interferon induced priming of the Fas pathway in Fanconi anemia cells, 833

Corticotropin-releasing hormone (CRH) and immunotolerance of the fetus, 917

Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923

Cytotoxicity and apoptosis of benzoquinones: redox cycling, cytochrome *c* release, and BAD protein expression, 1061

Two-step formation of ¹H NMR visible mobile lipids during apoptosis of paclitaxel-treated K562 cells, 1271

Cellular bases of the antitumor activity of a 7-substituted camptothecin in hormone-refractory human prostate carcinoma models, 1281

Induction of apoptosis in estrogen dependent and independent breast cancer cells by the marine terpenoid dehydrothysiferol, 1451

N-Acetylcysteine enhances UV-mediated caspase-3 activation, fragmentation of E2F-4, and apoptosis in human C8161 melanoma: inhibition by ectopic Bcl-2 expression, 1593

Mechanisms involved in exogenous C2- and C6-ceramide-induced cancer cell toxicity, 1633

Inhibition of microtubule polymerization by 3-bromopropionylamino benzoylurea (JIMB01), a new cancericidal tubulin ligand, 1691

Non-caspase-mediated apoptosis contributes to the potent cytotoxicity of the enediyne antibiotic lidamycin toward human tumor cells, 1767

Enforced expression of the tumor suppressor p53 renders human leukemia cells (U937) more sensitive to 1- $[\beta$ -D-arabinofuranosyl]cytosine (ara-C)-induced apoptosis, 1997

Reduced concentrations of serum enhance the antiproliferative activity of retinoid-related molecules and accelerate the onset of apoptosis, 2021

Ara-C

Enforced expression of the tumor suppressor p53 renders human leukemia cells (U937) more sensitive to 1- $[\beta$ -D-arabinofuranosyl]cytosine (ara-C)-induced apoptosis, 1997

Arnt

p23 enhances the formation of the aryl hydrocarbon receptor–DNA complex, 941

Arvanil

Effect of arvanil (*N*-arachidonoyl-vanillyl-amine), a nonpungent anandamide–capsaicin hybrid, on ion currents in NG108-15 neuronal cells, 581

Aryl hydrocarbon receptor

Quantitative analysis of the Ah receptor/cytochrome P450 CYP1B1/CYP1A1 signalling pathway, 1663

Asialoglycoprotein receptor

Impaired receptor-mediated endocytosis by the asialoglycoprotein receptor in ethanol-fed mice: implications for studying the role of this receptor in alcoholic apoptosis, 535

Asialoglycoprotein receptor-deficient mouse

Impaired receptor-mediated endocytosis by the asialoglycoprotein receptor in ethanol-fed mice: implications for studying the role of this receptor in alcoholic apoptosis, 535

Astrocyte

U50,488 inhibits HIV-1 Tat-induced monocyte chemoattractant protein-1 (CCL2) production by human astrocytes, 9

Inflammation and inducible nitric oxide synthase have no effect on monoamine oxidase activity in glioma cells, 1719

AT₁ receptor

Peptide and nonpeptide antagonist interaction with constitutively active human AT₁ receptors, 1329

A two-state model of antagonist-AT₁ receptor interaction: further support by binding studies at low temperature, 1339

- ATR**
Anthrax toxin receptor proteins, 309
- Atrazine**
Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303
- Atrophy**
TNF- α induces apoptosis of parietal cells, 1755
- Baclofen**
Pharmacological characterisation of a cell line expressing GABA_{B1b} and GABA_{B2} receptor subunits, 1103
- Baculovirus**
The fusion of IGF I with stromal cell-derived factor I or α 1 proteinase inhibitor alters their mitogenic or chemotactic activities while keeping their ability to inhibit HIV-1-gp120 binding, 2055
- BAD protein**
Cytotoxicity and apoptosis of benzoquinones: redox cycling, cytochrome *c* release, and BAD protein expression, 1061
- BCECF**
Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes, 465
- Bcl-2**
The involvement of diadenosine 5',5'''- P^1 , P^4 -tetraphosphate in cell cycle arrest and regulation of apoptosis, 227
- Bcl-2 overexpression**
Apoptosis induction by the dual-action DNA- and protein-reactive antitumor drug irifolven is largely Bcl-2-independent, 503
- Benzothiophene-anthranilamide**
Discovery and characterization of a potent and selective non-amidine inhibitor of human factor Xa, 1407
- Beta cell**
Cooperative enhancement of insulinotropic action of GLP-1 by acetylcholine uncovers paradoxical inhibitory effect of beta cell muscarinic receptor activation on adenylate cyclase activity, 283
- bHLH**
Interaction of upstream stimulatory factor proteins with an E-box located within the human *CYP1A2* 5'-flanking gene contributes to basal transcriptional gene activation, 1087
- Bicarbonate**
The Cl⁻HCO₃⁻ exchanger slows the recovery of acute pH_i changes in rat mast cells, 389
- Bid**
Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339
- Bile acid glucosidation**
Glucosidation of hyodeoxycholic acid by UDP-glucuronosyltransferase 2B7, 417
- Binding**
Characterization of the molecular interactions of interleukin-8 (CXCL8), growth related oncogen α (CXCL1) and a non-peptide antagonist (SB 225002) with the human CXCR2, 813
- Bioreductive drugs**
Improved potency of the hypoxic cytotoxin tirapazamine by DNA-targeting, 1807
- Biosensor**
An amperometric biosensor with human CYP3A4 as a novel drug screening tool, 1817
- Bisphenol A**
Inhibition of the norepinephrine transporter function in cultured bovine adrenal medullary cells by bisphenol A, 2049
- Blasticidin**
The fusion of IGF I with stromal cell-derived factor I or α 1 proteinase inhibitor alters their mitogenic or chemotactic activities while keeping their ability to inhibit HIV-1-gp120 binding, 2055
- BMPs**
Daidzein enhances osteoblast growth that may be mediated by increased bone morphogenetic protein (BMP) production, 709
- Bombyxin**
The fusion of IGF I with stromal cell-derived factor I or α 1 proteinase inhibitor alters their mitogenic or chemotactic activities while keeping their ability to inhibit HIV-1-gp120 binding, 2055
- Bone resorption**
Potent inhibitory effect of naturally occurring flavonoids quercetin and kaempferol on *in vitro* osteoclastic bone resorption, 35
- Borneol**
Inhibition of acetylcholine-mediated effects by borneol, 83
- Bovine**
Adrenergic receptors in the bovine mammary artery, 1747
- Bovine adrenal chromaffin cells**
Inhibition of acetylcholine-mediated effects by borneol, 83
- Bradykinin receptor**
Down-regulation of bradykinin B₂-receptor mRNA in the heart in pressure-overload cardiac hypertrophy in the rat, 1017
- Brain**
Antioxidants significantly affect the formation of different classes of isoprostanes and neuroprostanes in rat cerebral synaptosomes, 611
Statin effects on cholesterol micro-domains in brain plasma membranes, 843
- BrdU incorporation**
Induction of apoptosis in estrogen dependent and independent breast cancer cells by the marine terpenoid dehydrothysiferol, 1451
- Breast cancer**
Insulin and estrogen receptor ligand influence the FGF-2 activities in MCF-7 breast cancer cells, 629
Induction of apoptosis in estrogen dependent and independent breast cancer cells by the marine terpenoid dehydrothysiferol, 1451
- Breast carcinoma MCF-7 cells**
Non-caspase-mediated apoptosis contributes to the potent cytotoxicity of the enediyne antibiotic lidamycin toward human tumor cells, 1767
- Breast cells**
Relevance of mitogen activated protein kinase (MAPK) and phosphatidylinositol-3-kinase/protein kinase B (PI3K/PKB) pathways to induction of apoptosis by curcumin in breast cells, 361
- Bromobenzene**
Toxicogenomics of bromobenzene hepatotoxicity: a combined transcriptomics and proteomics approach, 857
- Bromovinyldeoxyuridine (BVdU)**
Cellular transformation of the investigational new anticancer drug NB1011, a phosphoramidate of 5-(2-bromovinyl)-2'-deoxyuridine, results in modification of cellular proteins not DNA, 823
- Brown adipose tissue**
Expression profiles of three isoforms of inositol 1,4,5-trisphosphate receptor in brown adipose tissue of the rat, 995
- Bullatacin**
Bullatacin, a potent antitumor Annonaceous acetogenin, induces apoptosis through a reduction of intracellular cAMP and cGMP levels in human hepatoma 2.2.15 cells, 319
- β -Bungarotoxin**
Neuronal death signaling by β -bungarotoxin through the activation of the *N*-methyl-D-aspartate (NMDA) receptor and L-type calcium channel, 131
- C6**
Inflammation and inducible nitric oxide synthase have no effect on monoamine oxidase activity in glioma cells, 1719
- C6 glioma**
Molecular mechanisms for the activation of Ca²⁺-permeable nonselective cation channels by endothelin-1 in C6 glioma cells, 1435
- Ca²⁺**
Dual effect of ebselen on mitochondrial permeability transition, 1643
- Ca²⁺ channels**
ET_A receptor-mediated Ca²⁺ mobilisation in H9c2 cardiac cells, 783
- Ca²⁺-ATPase**
Assessment of sarcoplasmic reticulum Ca²⁺-uptake during the development of left ventricular hypertrophy, 933

- Ca²⁺-handling**
Modification of intracellular free calcium in cultured A10 vascular smooth muscle cells by exogenous phosphatidic acid, 2091
- Ca²⁺-uptake**
Assessment of sarcoplasmic reticulum Ca²⁺-uptake during the development of left ventricular hypertrophy, 933
- Caco-2 cells**
Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells, 1603
- Calcitonin gene-related peptide**
Role of nerve growth factor in the regulation of parotid cell differentiation induced by rat serum, 1507
- Calcium**
Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes, 465
- Calcium channels**
Dihydropyridines as inhibitors of capacitative calcium entry in leukemic HL-60 cells, 329
- Calcium mobilization**
Interaction of dimercaptosuccinic acid (DMSA) with angiotensin II on calcium mobilization in vascular smooth muscle cells, 1741
- Calcium overloading**
Neuronal death signaling by β -bungarotoxin through the activation of the *N*-methyl-D-aspartate (NMDA) receptor and L-type calcium channel, 131
- Calpain inhibitor**
Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911
- Calyculin A**
Activation of deoxycytidine kinase by gamma-irradiation and inactivation by hyperosmotic shock in human lymphocytes, 2031
- cAMP**
Altered lymphocyte catecholamine reactivity in mice subjected to chronic mild stress, 15
Yessotoxin, a novel phycotoxin, activates phosphodiesterase activity. Effect of yessotoxin on cAMP levels in human lymphocytes, 193
Cooperative enhancement of insulinotropic action of GLP-1 by acetylcholine uncovers paradoxical inhibitory effect of beta cell muscarinic receptor activation on adenylate cyclase activity, 283
Bullatacin, a potent antitumor Annonaceous acetogenin, induces apoptosis through a reduction of intracellular cAMP and cGMP levels in human hepatoma 2.2.15 cells, 319
Endothelium-dependent and -independent relaxation and VASP serines 157/239 phosphorylation by cyclic nucleotide-elevating vasodilators in rat aorta, 397
Investigation of the cellular mechanism of inhibition of formyl-methionyl-leucyl-phenylalanine-induced superoxide anion generation in rat neutrophils by 2-benzyloxybenzaldehyde, 1043
Pharmacological characterisation of a cell line expressing GABA_{B1b} and GABA_{B2} receptor subunits, 1103
Role of nerve growth factor in the regulation of parotid cell differentiation induced by rat serum, 1507
Long-term-desensitization of prostacyclin receptors is independent of the C-terminal tail, 1991
- Camptothecins**
Cellular bases of the antitumor activity of a 7-substituted camptothecin in hormone-refractory human prostate carcinoma models, 1281
- Cancer**
Cellular transformation of the investigational new anticancer drug NB1011, a phosphoramidate of 5-(2-bromovinyl)-2'-deoxyuridine, results in modification of cellular proteins not DNA, 823
- Cancer cells**
Mechanisms involved in exogenous C2- and C6-ceramide-induced cancer cell toxicity, 1633
- Cancer chemotherapy**
Cytosolic β -glycosidases for activation of glycoside prodrugs of daunorubicin, 1875
- Cancer immunotherapy**
Use of the A_{2A} adenosine receptor as a physiological immunosuppressor and to engineer inflammation *in vivo*, 493
- Cannabinoid**
Suppression of human monocyte interleukin-1 β production by ajulemic acid, a nonpsychoactive cannabinoid, 649
Novel selective and metabolically stable inhibitors of anandamide cellular uptake, 1473
Integrity of extracellular loop 1 of the human cannabinoid receptor 1 is critical for high-affinity binding of the ligand CP 55,940 but not SR 141716A, 1623
- Cannabinoid receptor**
Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB₂) receptor, 1077
Integrity of extracellular loop 1 of the human cannabinoid receptor 1 is critical for high-affinity binding of the ligand CP 55,940 but not SR 141716A, 1623
Expression of the murine CB₂ cannabinoid receptor using a recombinant Semliki Forest virus, 1931
- Capacitative calcium influx**
Dihydropyridines as inhibitors of capacitative calcium entry in leukemic HL-60 cells, 329
- Carbohydrate**
Plasma stability of two glycosyl indolocarbazole antitumor agents, 25
- Cardiomyocytes**
K-ATP channel independent effects of pinacidil on ATP production in isolated cardiomyocyte or pancreatic β -cell mitochondria, 1835
- Carnitine palmitoyltransferase I**
Involvement of nitric oxide/cyclic GMP signaling pathway in the regulation of fatty acid metabolism in rat hepatocytes, 807
- Caroverine**
The antioxidant activity of caroverine, 59
- Cartilage**
Effects of rhein on human articular chondrocytes in alginate beads, 377
- Caspase-3**
Evaluation of oxidative stress during apoptosis and necrosis caused by D-galactosamine in rat liver, 101
Osthole prevents anti-Fas antibody-induced hepatitis in mice by affecting the caspase-3-mediated apoptotic pathway, 677
- Caspase**
Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339
Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923
Mechanisms involved in exogenous C2- and C6-ceramide-induced cancer cell toxicity, 1633
Non-caspase-mediated apoptosis contributes to the potent cytotoxicity of the enediyne antibiotic lidamycin toward human tumor cells, 1767
- Caspase activation**
Structure activity analysis of the pro-apoptotic, antitumor effect of nitrostyrene adducts and related compounds, 603
- Caspase-3 substrates**
N-Acetylcysteine enhances UV-mediated caspase-3 activation, fragmentation of E2F-4, and apoptosis in human C8161 melanoma: inhibition by ectopic Bcl-2 expression, 1593
- Catalase**
Selection of insulin-producing rat insulinoma (RINm) cells with improved resistance to oxidative stress, 1797
- Catecholamines**
Altered lymphocyte catecholamine reactivity in mice subjected to chronic mild stress, 15
- Cathepsin G**
The inhibition of mast cell activation by neutrophil lactoferrin: uptake by mast cells and interaction with tryptase, chymase and cathepsin G, 1007
- Cation entry**
Characterization of maleimide-activated Ca²⁺ entry in neutrophils, 1923

- Caveolin-1
Delphinidin inhibits endothelial cell proliferation and cell cycle progression through a transient activation of ERK-1/-2, 669
- CB1
Integrity of extracellular loop 1 of the human cannabinoid receptor 1 is critical for high-affinity binding of the ligand CP 55,940 but not SR 141716A, 1623
- CB₂ receptor
Expression of the murine CB₂ cannabinoid receptor using a recombinant Semliki Forest virus, 1931
- CB₂ receptor expression
Expression of the murine CB₂ cannabinoid receptor using a recombinant Semliki Forest virus, 1931
- CB₂ receptor protein
Expression of the murine CB₂ cannabinoid receptor using a recombinant Semliki Forest virus, 1931
- C2C12
Beneficial effects of L-carnitine in myoblastic C2C12 cells. Interaction with zidovudine, 1483
- CCY1a
Investigation of the cellular mechanism of inhibition of formyl-methionyl-leucyl-phenylalanine-induced superoxide anion generation in rat neutrophils by 2-benzyloxybenzaldehyde, 1043
- CD69
Effect of sesquiterpene lactones on the expression of the activation marker CD69 and of IL-2 in T-lymphocytes in whole blood, 1551
- CDC25A
Resveratrol-induced G₂ arrest through the inhibition of CDK7 and p34^{CDC2} kinases in colon carcinoma HT29 cells, 1053
- CDK7
Resveratrol-induced G₂ arrest through the inhibition of CDK7 and p34^{CDC2} kinases in colon carcinoma HT29 cells, 1053
- cDNA expression array
Delivery of pharmacologically active dexamethasone into activated endothelial cells by dexamethasone-anti-E-selectin immunoconjugate, 1729
- cDNA microarray
Toxicogenomics of bromobenzene hepatotoxicity: a combined transcriptomics and proteomics approach, 857
- Cell culture
Taurine transporter in primary cultured neonatal rat heart cells: a comparison between cardiac myocytes and nonmyocytes, 1181
- Cell cycle
The involvement of diadenosine 5',5'''-P¹,P⁴-tetrphosphate in cell cycle arrest and regulation of apoptosis, 227
Relevance of mitogen activated protein kinase (MAPK) and phosphatidylinositol-3-kinase/protein kinase B (PI3K/PKB) pathways to induction of apoptosis by curcumin in breast cells, 361
Delphinidin inhibits endothelial cell proliferation and cell cycle progression through a transient activation of ERK-1/-2, 669
Multidisciplinary utilization of dimethyl sulfoxide: pharmacological, cellular, and molecular aspects, 1035
Resveratrol-induced G₂ arrest through the inhibition of CDK7 and p34^{CDC2} kinases in colon carcinoma HT29 cells, 1053
Antitumor effect of the cinnamaldehyde derivative CB403 through the arrest of cell cycle progression in the G₂/M phase, 1343
- Cell cycle distribution of apoptotic cells
Induction of apoptosis in estrogen dependent and independent breast cancer cells by the marine terpenoid dehydrothysiferol, 1451
- Cell death
Antioxidant and pro-oxidant properties of pyrroloquinoline quinone (PQQ): implications for its function in biological systems, 67
Influence of p53 and p21^{WAF1} expression on sensitivity of cancer cells to cladribine, 121
Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923
- Cell differentiation
Daidzein enhances osteoblast growth that may be mediated by increased bone morphogenetic protein (BMP) production, 709
Multidisciplinary utilization of dimethyl sulfoxide: pharmacological, cellular, and molecular aspects, 1035
- Cell viability
Daidzein enhances osteoblast growth that may be mediated by increased bone morphogenetic protein (BMP) production, 709
- Cell-free DCFH system
Evaluation of the probes 2',7'-dichlorofluorescein diacetate, luminol, and lucigenin as indicators of reactive species formation, 1575
- β -Cells
K-ATP channel independent effects of pinacidil on ATP production in isolated cardiomyocyte or pancreatic β -cell mitochondria, 1835
- Cellular free Ca²⁺
Investigation of the cellular mechanism of inhibition of formyl-methionyl-leucyl-phenylalanine-induced superoxide anion generation in rat neutrophils by 2-benzyloxybenzaldehyde, 1043
- CEM-SS
The involvement of diadenosine 5',5'''-P¹,P⁴-tetrphosphate in cell cycle arrest and regulation of apoptosis, 227
- Central nervous system
Mitochondrial uncoupling protein 2 in the central nervous system: neuromodulator and neuroprotector, 1917
Sarin (nerve agent GB)-induced differential expression of mRNA coding for the acetylcholinesterase gene in the rat central nervous system, 2041
- Centrally mediated
Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761
- Ceramide
Mechanisms involved in exogenous C2- and C6-ceramide-induced cancer cell toxicity, 1633
- Cerebellum
Modulation of [³H] TBOB binding to the rodent GABA_A receptor by simple disaccharides, 619
- c-fos*
Activation of the coactivator four-and-a-half-LIM-only protein FHL2 and the *c-fos* promoter through inhibition of protein phosphatase 2A, 1317
- cGMP
Bullatacin, a potent antitumor Annonaceous acetogenin, induces apoptosis through a reduction of intracellular cAMP and cGMP levels in human hepatoma 2.2.15 cells, 319
Endothelium-dependent and -independent relaxation and VASP serines 157/239 phosphorylation by cyclic nucleotide-elevating vasodilators in rat aorta, 397
- Charybdotoxin
Large-conductance K⁺ channel openers NS1619 and NS004 as inhibitors of mitochondrial function in glioma cells, 1827
- Chemokine
Broad-spectrum chemokine inhibitors (BSCIs) and their anti-inflammatory effects *in vivo*, 1027
- Chemoprevention
Oxathiolene oxides: a novel family of compounds that induce ferritin, glutathione S-transferase, and other proteins of the phase II response, 1261
- Chemotherapy
Apoptosis and TRAF-1 cleavage in Epstein-Barr virus-positive nasopharyngeal carcinoma cells treated with doxorubicin combined with a farnesyl-transferase inhibitor, 423
Cellular transformation of the investigational new anticancer drug NB1011, a phosphoramidate of 5-(2-bromovinyl)-2'-deoxyuridine, results in modification of cellular proteins not DNA, 823
Cellular uptake of a catechol iron chelator and chloroquine into *Plasmodium falciparum* infected erythrocytes, 1351
Inhibition of microtubule polymerization by 3-bromopropionylamino benzoylurea (JIMB01), a new cancericidal tubulin ligand, 1691

- 2-Chloro-2'-deoxyadenosine
Activation of deoxycytidine kinase by UV-C-irradiation in chronic lymphocytic leukemia B-lymphocytes, 573
- CHO cells
Melatonin differentially modulates the expression and function of the hMT₁ and hMT₂ melatonin receptors upon prolonged withdrawal, 731
Peptide and nonpeptide antagonist interaction with constitutively active human AT₁ receptors, 1329
A two-state model of antagonist-AT₁ receptor interaction: further support by binding studies at low temperature, 1339
- Cholecystokinin
Established theory of radiation-induced decay is not generalizable to Bolton-Hunter labeled peptides, 1515
- Cholesterol
Statin effects on cholesterol micro-domains in brain plasma membranes, 843
- Cholesteryl-hemisuccinate
Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339
- Chondrocytes
Effects of rhein on human articular chondrocytes in alginate beads, 377
- Chronic inflammation
Rabbit chronic ileitis leads to up-regulation of adenosine A₁/A₃ gene products, oxidative stress, and immune modulation, 1529
- Chronic mild stress
Altered lymphocyte catecholamine reactivity in mice subjected to chronic mild stress, 15
- Chronic pancreatitis
Inhibition of pancreatic stellate cell activation by the hydroxymethyl-glutaryl coenzyme A reductase inhibitor lovastatin, 1295
- Chymase
The inhibition of mast cell activation by neutrophil lactoferrin: uptake by mast cells and interaction with tryptase, chymase and cathepsin G, 1007
Polycationic peptides as inhibitors of mast cell serine proteases, 1171
- Cinnamaldehyde
Antitumor effect of the cinnamaldehyde derivative CB403 through the arrest of cell cycle progression in the G₂/M phase, 1343
- Circular dichroism
Probing the binding of the flavonoid, quercetin to human serum albumin by circular dichroism, electronic absorption spectroscopy and molecular modelling methods, 447
- Cisplatin
DNA repair mechanisms involved in gemcitabine cytotoxicity and in the interaction between gemcitabine and cisplatin, 275
Recognition of DNA modified by antitumor cisplatin by "latent" and "active" protein p53, 1305
- Cladribine
Influence of p53 and p21^{WAF1} expression on sensitivity of cancer cells to cladribine, 121
The effects of cladribine and fludarabine on DNA methylation in K562 cells, 219
Down-regulation of deoxycytidine kinase in human leukemic cell lines resistant to cladribine and clofarabine and increased ribonucleotide reductase activity contributes to fludarabine resistance, 237
- Clofarabine
Down-regulation of deoxycytidine kinase in human leukemic cell lines resistant to cladribine and clofarabine and increased ribonucleotide reductase activity contributes to fludarabine resistance, 237
- Coexpression
Comparison of the pharmacological antagonism of M₂ and M₃ muscarinic receptors expressed in isolation and in combination, 1227
- Collagen
Inhibition of the MEK/ERK pathway has no effect on agonist-induced aggregation of human platelets, 1243
- Constitutive mutant
Peptide and nonpeptide antagonist interaction with constitutively active human AT₁ receptors, 1329
- Constitutively active
Important amino acids for the function of the human MT₁ melatonin receptor, 1463
- COS1 cells
Long-term-desensitization of prostacyclin receptors is independent of the C-terminal tail, 1991
- Coumarin
Osthole prevents anti-Fas antibody-induced hepatitis in mice by affecting the caspase-3-mediated apoptotic pathway, 677
- Covalent binding
Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells, 1603
- CREB
Activation of the coactivator four-and-a-half-LIM-only protein FHL2 and the *c-fos* promoter through inhibition of protein phosphatase 2A, 1317
- CRH
Corticotropin-releasing hormone (CRH) and immunotolerance of the fetus, 917
- Cryopreservation
Multidisciplinary utilization of dimethyl sulfoxide: pharmacological, cellular, and molecular aspects, 1035
- Curcumin
Relevance of mitogen activated protein kinase (MAPK) and phosphatidylinositol-3-kinase/protein kinase B (PI3K/PKB) pathways to induction of apoptosis by curcumin in breast cells, 361
- CXCL1
Characterization of the molecular interactions of interleukin-8 (CXCL8), growth related oncogen α (CXCL1) and a non-peptide antagonist (SB 225002) with the human CXCR2, 813
- CXCL8
Characterization of the molecular interactions of interleukin-8 (CXCL8), growth related oncogen α (CXCL1) and a non-peptide antagonist (SB 225002) with the human CXCR2, 813
- CXCL12
The fusion of IGF I with stromal cell-derived factor I or α 1 proteinase inhibitor alters their mitogenic or chemotactic activities while keeping their ability to inhibit HIV-1-gp120 binding, 2055
- Cyamemazine
Affinity of cyamemazine, an anxiolytic antipsychotic drug, for human recombinant dopamine vs. serotonin receptor subtypes, 435
- Cyclic AMP
Differential allosteric modulation by amiloride analogues of agonist and antagonist binding at A₁ and A₃ adenosine receptors, 525
Comparison of the pharmacological antagonism of M₂ and M₃ muscarinic receptors expressed in isolation and in combination, 1227
N⁶-Substituted adenosine derivatives: selectivity, efficacy, and species differences at A₃ adenosine receptors, 1675
Analysis of A2a receptor-deficient mice reveals no significant compensatory increases in the expression of A2b, A1, and A3 adenosine receptors in lymphoid organs, 2081
- Cyclic GMP
Involvement of nitric oxide/cyclic GMP signaling pathway in the regulation of fatty acid metabolism in rat hepatocytes, 807
Inhibition of leptin release by atrial natriuretic peptide (ANP) in human adipocytes, 1883
- Cyclic voltammetry
An amperometric biosensor with human CYP3A4 as a novel drug screening tool, 1817
- Cyclin
Antitumor effect of the cinnamaldehyde derivative CB403 through the arrest of cell cycle progression in the G₂/M phase, 1343
- Cyclin D/CDK4
Induction of G1 phase arrest in MCF human breast cancer cells by pentagalloylglucose through the down-regulation of CDK4 and CDK2 activities and up-regulation of the CDK inhibitors p27^{Kip} and p21^{Cip}, 1777

Cyclin E/CDK2

Induction of G1 phase arrest in MCF human breast cancer cells by pentagalloylglucose through the down-regulation of CDK4 and CDK2 activities and up-regulation of the CDK inhibitors p27^{Kip} and p21^{Cip}, 1777

Cyclooxygenase

Advances in the pathophysiology of constitutive and inducible cyclooxygenases: two enzymes in the spotlight, 153

Novel anti-inflammatory actions of nobiletin, a citrus polymethoxy flavonoid, on human synovial fibroblasts and mouse macrophages, 2065

Cyclooxygenase-2

Regulation of cyclooxygenase-2 expression by iloprost in human vascular smooth muscle cells. Role of transcription factors CREB and ICER, 979

Cyclopiazonic acid

Characterization of maleimide-activated Ca²⁺ entry in neutrophils, 1923

CYP

Preclinical factors affecting the interindividual variability in the clearance of the investigational anti-cancer drug 5,6-dimethylxanthone-4-acetic acid, 1853

CYP24

Metabolism of 26,26,26,27,27,27-F₆-1 α ,25-dihydroxyvitamin D₃ by CYP24: species-based difference between humans and rats, 1957

CYP1A2

Uroporphyrin accumulation in hepatoma cells expressing human or mouse CYP1A2: relation to the role of CYP1A2 in human porphyria cutanea tarda, 545

Interaction of upstream stimulatory factor proteins with an E-box located within the human *CYP1A2* 5'-flanking gene contributes to basal transcriptional gene activation, 1087

Cyp2a5

Interplay between transcriptional and post-transcriptional regulation of *Cyp2a5* expression, 1653

CYP3A4

An amperometric biosensor with human CYP3A4 as a novel drug screening tool, 1817

CYP1B1

Quantitative analysis of the Ah receptor/cytochrome P450 CYP1B1/CYP1A1 signalling pathway, 1663

Cysteine

Effect of acute betaine administration on hepatic metabolism of *S*-amino acids in rats and mice, 1565

Cysteine *S*-conjugate β -lyases

Human mitochondrial and cytosolic branched-chain aminotransferases are cysteine *S*-conjugate β -lyases, but turnover leads to inactivation, 181

Cysteine *S*-conjugates

Human mitochondrial and cytosolic branched-chain aminotransferases are cysteine *S*-conjugate β -lyases, but turnover leads to inactivation, 181

Cytochrome *c*

Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339

Cytochrome *c* release

Cytotoxicity and apoptosis of benzoquinones: redox cycling, cytochrome *c* release, and BAD protein expression, 1061

Toxic effects of copper-based antineoplastic drugs (Casiopinas[®]) on mitochondrial functions, 1979

Cytochrome P450

Vitamin E activates gene expression via the pregnane X receptor, 269

Effect of genotype on steady-state *CYP1A1* gene expression in human peripheral lymphocytes, 441

Interaction of upstream stimulatory factor proteins with an E-box located within the human *CYP1A2* 5'-flanking gene contributes to basal transcriptional gene activation, 1087

Quantitative analysis of the Ah receptor/cytochrome P450 CYP1B1/CYP1A1 signalling pathway, 1663

An amperometric biosensor with human CYP3A4 as a novel drug screening tool, 1817

In vivo activation of the human *CYP3A4* promoter in mouse liver and regulation by pregnane X receptors, 1889

Metabolism of 26,26,26,27,27,27-F₆-1 α ,25-dihydroxyvitamin D₃ by CYP24: species-based difference between humans and rats, 1957

Cytokine

Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303

Effects of rhein on human articular chondrocytes in alginate beads, 377

Use of the A_{2A} adenosine receptor as a physiological immunosuppressor and to engineer inflammation *in vivo*, 493

Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923

In vitro effects of mangiferin on superoxide concentrations and expression of the inducible nitric oxide synthase, tumour necrosis factor- α and transforming growth factor- β genes, 1361

Delivery of pharmacologically active dexamethasone into activated endothelial cells by dexamethasone-anti-E-selectin immunoconjugate, 1729

TNF- α induces apoptosis of parietal cells, 1755

Cytokine receptors

Modulation by caspases of tumor necrosis factor-stimulated c-Jun N-terminal kinase activation but not nuclear factor- κ B signaling, 91

Cytoprotection

Activation of p53 by the cytoprotective aminothiols WR1065: DNA-damage-independent pathway and redox-dependent modulation of p53 DNA-binding activity, 1129

Cytosolic branched-chain aminotransferase

Human mitochondrial and cytosolic branched-chain aminotransferases are cysteine *S*-conjugate β -lyases, but turnover leads to inactivation, 181

Cytosolic calcium

Yessotoxin, a novel phycotoxin, activates phosphodiesterase activity. Effect of yessotoxin on cAMP levels in human lymphocytes, 193

Cytosolic β -glycosidase

Cytosolic β -glycosidases for activation of glycoside prodrugs of daunorubicin, 1875

Cytotoxicity

Cellular bases of the antitumor activity of a 7-substituted camptothecin in hormone-refractory human prostate carcinoma models, 1281

32D cells

The fusion of IGF I with stromal cell-derived factor I or α 1 proteinase inhibitor alters their mitogenic or chemotactic activities while keeping their ability to inhibit HIV-1-gp120 binding, 2055

D₂ dopamine receptor

Interaction of the D_{2short} dopamine receptor with G proteins: analysis of receptor/G protein selectivity, 1139

Daidzein

Daidzein enhances osteoblast growth that may be mediated by increased bone morphogenetic protein (BMP) production, 709

De novo fatty acid synthesis

Effects of dehydroepiandrosterone on oleic acid accumulation in rat liver, 1583

Decidualization

Corticotropin-releasing hormone (CRH) and immunotolerance of the fetus, 917

Decitabine

The effects of cladribine and fludarabine on DNA methylation in K562 cells, 219

Decoy receptor 3

Decoy receptor 3 (DcR3) is proteolytically processed to a metabolic fragment having differential activities against Fas ligand and LIGHT, 657

Deglycosylation

Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter, 1199

Dehydroepiandrosterone

Effects of dehydroepiandrosterone on oleic acid accumulation in rat liver, 1583

- Dehydrothysiferol (DT)
Induction of apoptosis in estrogen dependent and independent breast cancer cells by the marine terpenoid dehydrothysiferol, 1451
- Delayed rectifier K^+ current
Effect of arvanil (*N*-arachidonoyl-vanillyl-amine), a nonpungent anandamide–capsaicin hybrid, on ion currents in NG108-15 neuronal cells, 581
- Demyelination
Flavonoids inhibit myelin phagocytosis by macrophages; a structure–activity relationship study, 877
- Dendrimers
“Multivalent” saccharides: development of new approaches for inhibiting the effects of glycosphingolipid-binding pathogens, 699
- Deoxycytidine kinase
Down-regulation of deoxycytidine kinase in human leukemic cell lines resistant to cladribine and clofarabine and increased ribonucleotide reductase activity contributes to fludarabine resistance, 237
Selective activation of deoxycytidine kinase by thymidine-5'-thiosulphate and release by deoxycytidine in human lymphocytes, 563
Activation of deoxycytidine kinase by gamma-irradiation and inactivation by hyperosmotic shock in human lymphocytes, 2031
- Deoxynucleoside salvage
Selective activation of deoxycytidine kinase by thymidine-5'-thiosulphate and release by deoxycytidine in human lymphocytes, 563
- Dexamethasone
Delivery of pharmacologically active dexamethasone into activated endothelial cells by dexamethasone–anti-E-selectin immunoconjugate, 1729
- Diabetes
Selection of insulin-producing rat insulinoma (RINm) cells with improved resistance to oxidative stress, 1797
- Diabetic nephropathy
Effects of high glucose on cytokine-induced nerve growth factor (NGF) expression in rat renal mesangial cells, 293
- 2',7'-Dichlorofluorescein diacetate
Evaluation of the probes 2',7'-dichlorofluorescein diacetate, luminol, and lucigenin as indicators of reactive species formation, 1575
- DIDS
The $Cl^-HCO_3^-$ exchanger slows the recovery of acute pH_i changes in rat mast cells, 389
- Difference spectra
Monoamine oxidase A inhibitory potency and flavin perturbation are influenced by different aspects of pirlindole inhibitor structure, 1867
- Differential expression
Quantitative analysis of the Ah receptor/cytochrome P450 CYP1B1/CYP1A1 signalling pathway, 1663
- Differentiation
Resistance to phorbol 12-myristate 13-acetate-induced cell growth arrest in an HL60 cell line chronically exposed to a glutathione *S*-transferase π inhibitor, 1611
- Dihydrofolate reductase
Further studies on the interaction of nonpolyglutamatable aminopterin analogs with dihydrofolate reductase and the reduced folate carrier as determinants of *in vitro* antitumor activity, 1427
- Dihydroliipoic acid
Reactive oxygen species are involved in the stimulation of the mitochondrial permeability transition by dihydroliipoate, 43
- Dihydropyridines
Dihydropyridines as inhibitors of capacitative calcium entry in leukemic HL-60 cells, 329
- Dimercaptosuccinic acid
Interaction of dimercaptosuccinic acid (DMSA) with angiotensin II on calcium mobilization in vascular smooth muscle cells, 1741
- Dimerization inhibitors
Thyroxine-derivatives of lipopeptides: bifunctional dimerization inhibitors of human immunodeficiency virus-1 protease, 1097
- Dimethyl sulfoxide
Multidisciplinary utilization of dimethyl sulfoxide: pharmacological, cellular, and molecular aspects, 1035
- Dimethyl sulphoxide (DMSO)
Effect of metamizol on promyelocytic and terminally differentiated granulocytic cells. Comparative analysis with acetylsalicylic acid and diclofenac, 209
- N,N*-Dimethyl-D-erythro-sphingosine
Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes, 465
- DMXAA
Preclinical factors influencing the relative contributions of Phase I and II enzymes to the metabolism of the experimental anti-cancer drug 5,6-dimethylxanthene-4-acetic acid, 109
Preclinical factors affecting the interindividual variability in the clearance of the investigational anti-cancer drug 5,6-dimethylxanthene-4-acetic acid, 1853
- DNA and protein
Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells, 1603
- DNA cleavage
Non-caspase-mediated apoptosis contributes to the potent cytotoxicity of the enediyne antibiotic lidamycin toward human tumor cells, 1767
- DNA damage
Recognition of DNA modified by antitumor cisplatin by “latent” and “active” protein p53, 1305
Fast repair of deoxythymidine radical anions by two polyphenols: rutin and quercetin, 1967
- DNA damage pathway
Activation of p53 by the cytoprotective aminothiols WR1065: DNA-damage-independent pathway and redox-dependent modulation of p53 DNA-binding activity, 1129
- DNA fragmentation
Structure activity analysis of the pro-apoptotic, antitumor effect of nitrostyrene adducts and related compounds, 603
- DNA methylation
The effects of cladribine and fludarabine on DNA methylation in K562 cells, 219
- DNA polymerase
Effects of glycolipids from spinach on mammalian DNA polymerases, 259
- DNA repair
DNA repair mechanisms involved in gemcitabine cytotoxicity and in the interaction between gemcitabine and cisplatin, 275
Selective activation of deoxycytidine kinase by thymidine-5'-thiosulphate and release by deoxycytidine in human lymphocytes, 563
Activation of deoxycytidine kinase by UV-C-irradiation in chronic lymphocytic leukemia B-lymphocytes, 573
Activation of deoxycytidine kinase by gamma-irradiation and inactivation by hyperosmotic shock in human lymphocytes, 2031
- DNA-targeting
Improved potency of the hypoxic cytotoxin tirapazamine by DNA-targeting, 1807
- Dog UGT2B31
Cloning and characterisation of the first drug-metabolising canine UDP-glucuronosyltransferase of the 2B subfamily, 1251
- Doxorubicin
Apoptosis and TRAF-1 cleavage in Epstein-Barr virus-positive nasopharyngeal carcinoma cells treated with doxorubicin combined with a farnesyl-transferase inhibitor, 423
Deregulation of gene expression in fetal oocytes exposed to doxorubicin, 1701
- DRE
p23 enhances the formation of the aryl hydrocarbon receptor–DNA complex, 941
- Drug design
Small molecule antagonists of proteins, 1

- Drug interference
 - Vitamin E activates gene expression via the pregnane X receptor, 269
- Drug metabolism
 - The effect of valproic acid on drug and steroid glucuronidation by expressed human UDP-glucuronosyltransferases, 1441
 - In vivo* activation of the human *CYP3A4* promoter in mouse liver and regulation by pregnane X receptors, 1889
- Drug resistance
 - Influence of p53 and p21^{WAF1} expression on sensitivity of cancer cells to cladribine, 121
- Drug-induced apoptosis
 - Structure activity analysis of the pro-apoptotic, antitumor effect of nitrostyrene adducts and related compounds, 603
- Drug-targeting
 - Delivery of pharmacologically active dexamethasone into activated endothelial cells by dexamethasone-anti-E-selectin immunoconjugate, 1729
- dT radical anion
 - Fast repair of deoxythymidine radical anions by two polyphenols: rutin and quercetin, 1967
- Dual inhibitor
 - Apoptotic cell death induction by F 11782 a novel dual catalytic inhibitor of topoisomerases I and II, 755
 - Dual inhibition of topoisomerase I and tubulin polymerization by BPR0Y007, a novel cytotoxic agent, 2009
- E-box
 - Interaction of upstream stimulatory factor proteins with an E-box located within the human *CYP1A2* 5'-flanking gene contributes to basal transcriptional gene activation, 1087
- Ebselen
 - Dual effect of ebselen on mitochondrial permeability transition, 1643
- E2F-4 fragmentation
 - N*-Acetylcysteine enhances UV-mediated caspase-3 activation, fragmentation of E2F-4, and apoptosis in human C8161 melanoma: inhibition by ectopic Bcl-2 expression, 1593
- E2F-1 induction
 - N*-Acetylcysteine enhances UV-mediated caspase-3 activation, fragmentation of E2F-4, and apoptosis in human C8161 melanoma: inhibition by ectopic Bcl-2 expression, 1593
- Efflux
 - Human MDR1 polymorphism: G2677T/A and C3435T have no effect on MDR1 transport activities, 1843
- EGFR kinase activity
 - Effect of *in vivo* administered hexachlorobenzene on epidermal growth factor receptor levels, protein tyrosine kinase activity, and phosphotyrosine content in rat liver, 1495
- EGFR levels
 - Effect of *in vivo* administered hexachlorobenzene on epidermal growth factor receptor levels, protein tyrosine kinase activity, and phosphotyrosine content in rat liver, 1495
- Eicosanoid
 - Antioxidants significantly affect the formation of different classes of isoprostanes and neuroprostanes in rat cerebral synaptosomes, 611
- Electron spin resonance (ESR)
 - Sodium tanshinone IIA sulfonate mediates electron transfer reaction in rat heart mitochondria, 51
- Electron transfer
 - Fast repair of deoxythymidine radical anions by two polyphenols: rutin and quercetin, 1967
- Electrophile responsive element
 - Oxathiolene oxides: a novel family of compounds that induce ferritin, glutathione *S*-transferase, and other proteins of the phase II response, 1261
- Endocannabinoid
 - Novel selective and metabolically stable inhibitors of anandamide cellular uptake, 1473
- Endometrium
 - Corticotropin-releasing hormone (CRH) and immunotolerance of the fetus, 917
- Endothelial cell (human umbilical vein)
 - Oversulfation of fucoidan enhances its anti-angiogenic and antitumor activities, 173
- Endothelial cell proliferation
 - Delphinidin inhibits endothelial cell proliferation and cell cycle progression through a transient activation of ERK-1/-2, 669
- Endothelial cells
 - Delivery of pharmacologically active dexamethasone into activated endothelial cells by dexamethasone-anti-E-selectin immunoconjugate, 1729
- Endothelin
 - Molecular mechanisms for the activation of Ca²⁺-permeable nonselective cation channels by endothelin-1 in C6 glioma cells, 1435
- Endothelin receptors
 - ET_A receptor-mediated Ca²⁺ mobilisation in H9c2 cardiac cells, 783
- Endothelium
 - Endothelium-dependent and -independent relaxation and VASP serines 157/239 phosphorylation by cyclic nucleotide-elevating vasodilators in rat aorta, 397
 - Effects of angiotensin II on vascular endothelial cells: formation of receptor-mediated reactive nitrogen species, 1189
- Endotoxic shock
 - A novel antioxidant, octyl caffeate, suppression of LPS/IFN- γ -induced inducible nitric oxide synthase gene expression in rat aortic smooth muscle cells, 1383
- Energy expenditure
 - Expression profiles of three isoforms of inositol 1,4,5-trisphosphate receptor in brown adipose tissue of the rat, 995
- Engineering
 - Use of the A_{2A} adenosine receptor as a physiological immunosuppressor and to engineer inflammation *in vivo*, 493
- Enteric nervous system
 - Rabbit chronic ileitis leads to up-regulation of adenosine A₁/A₃ gene products, oxidative stress, and immune modulation, 1529
- Environmental estrogens
 - Inhibition of the norepinephrine transporter function in cultured bovine adrenal medullary cells by bisphenol A, 2049
- Enzyme activation
 - Activation of deoxycytidine kinase by gamma-irradiation and inactivation by hyperosmotic shock in human lymphocytes, 2031
- Enzyme inhibitor
 - Effects of glycolipids from spinach on mammalian DNA polymerases, 259
- Enzyme modulation
 - Selective activation of deoxycytidine kinase by thymidine-5'-thiosulphate and release by deoxycytidine in human lymphocytes, 563
- erg-Mediated current
 - Effect of arvanil (*N*-arachidonoyl-vanillyl-amine), a nonpungent anandamide-capsaicin hybrid, on ion currents in NG108-15 neuronal cells, 581
- ERK-1/-2
 - Delphinidin inhibits endothelial cell proliferation and cell cycle progression through a transient activation of ERK-1/-2, 669
- Erythrocytes
 - Iron and transition metal transport into erythrocytes mediated by nifedipine degradation products and related compounds, 1215
- Esculetin
 - Esculetin inhibits Ras-mediated cell proliferation and attenuates vascular restenosis following angioplasty in rats, 1897
- ESR
 - The antioxidant activity of caroverine, 59
- 17 β -Estradiol
 - Inhibition of the norepinephrine transporter function in cultured bovine adrenal medullary cells by bisphenol A, 2049

- Estrogen**
 Insulin and estrogen receptor ligand influence the FGF-2 activities in MCF-7 breast cancer cells, 629
 Daidzein enhances osteoblast growth that may be mediated by increased bone morphogenetic protein (BMP) production, 709
- Ethanol**
 Impaired receptor-mediated endocytosis by the asialoglycoprotein receptor in ethanol-fed mice: implications for studying the role of this receptor in alcoholic apoptosis, 535
- N-Ethylmaleimide**
 Characterization of maleimide-activated Ca^{2+} entry in neutrophils, 1923
- Extracellular loop**
 Integrity of extracellular loop 1 of the human cannabinoid receptor 1 is critical for high-affinity binding of the ligand CP 55,940 but not SR 141716A, 1623
- Extracellular signal-regulated kinase**
 Resistance to phorbol 12-myristate 13-acetate-induced cell growth arrest in an HL60 cell line chronically exposed to a glutathione S-transferase π inhibitor, 1611
- Eye**
 Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207
- F 11782**
 Apoptotic cell death induction by F 11782 a novel dual catalytic inhibitor of topoisomerases I and II, 755
- FAAH**
 Novel selective and metabolically stable inhibitors of anandamide cellular uptake, 1473
- Fanconi anemia**
 An oxidative mechanism of interferon induced priming of the Fas pathway in Fanconi anemia cells, 833
- Farnesyl-transferase inhibitors**
 Apoptosis and TRAF-1 cleavage in Epstein-Barr virus-positive nasopharyngeal carcinoma cells treated with doxorubicin combined with a farnesyl-transferase inhibitor, 423
- Fas**
 Osthole prevents anti-Fas antibody-induced hepatitis in mice by affecting the caspase-3-mediated apoptotic pathway, 677
- Fas ligand**
 Decoy receptor 3 (DcR3) is proteolytically processed to a metabolic fragment having differential activities against Fas ligand and LIGHT, 657
- FasL**
 Corticotropin-releasing hormone (CRH) and immunotolerance of the fetus, 917
- Fast repair**
 Fast repair of deoxythymidine radical anions by two polyphenols: rutin and quercetin, 1967
- Fatty acid metabolism**
 Involvement of nitric oxide/cyclic GMP signaling pathway in the regulation of fatty acid metabolism in rat hepatocytes, 807
- Fatty acid oxidation**
 Effects of dehydroepiandrosterone on oleic acid accumulation in rat liver, 1583
- Ferritin**
 Oxathiolene oxides: a novel family of compounds that induce ferritin, glutathione S-transferase, and other proteins of the phase II response, 1261
 Influence of parenteral iron preparations on non-transferrin bound iron uptake, the iron regulatory protein and the expression of ferritin and the divalent metal transporter DMT-1 in HepG2 human hepatoma cells, 1973
- Ferrous iron transporter**
 Influence of parenteral iron preparations on non-transferrin bound iron uptake, the iron regulatory protein and the expression of ferritin and the divalent metal transporter DMT-1 in HepG2 human hepatoma cells, 1973
- Fetal oocyte**
 Deregulation of gene expression in fetal oocytes exposed to doxorubicin, 1701
- FGF-2**
 Insulin and estrogen receptor ligand influence the FGF-2 activities in MCF-7 breast cancer cells, 629
- FHL2**
 Activation of the coactivator four-and-a-half-LIM-only protein FHL2 and the *c-fos* promoter through inhibition of protein phosphatase 2A, 1317
- Fibrillogenesis**
 β -Amyloid aggregation induced by human acetylcholinesterase: inhibition studies, 407
- Fibrinolysis**
 Intracellular signal transduction modulating expression of plasminogen activator inhibitor-1 in adipocytes, 1907
- Fibroblasts**
 Taurine transporter in primary cultured neonatal rat heart cells: a comparison between cardiac myocytes and nonmyocytes, 1181
- Fibrosis**
 Inhibition of pancreatic stellate cell activation by the hydroxymethylglutaryl coenzyme A reductase inhibitor lovastatin, 1295
- Flavin**
 Monoamine oxidase A inhibitory potency and flavin perturbation are influenced by different aspects of pirlindole inhibitor structure, 1867
- Flavones**
 Inhibition of 15-lipoxygenases by flavonoids: structure-activity relations and mode of action, 773
- Flavonoid**
 Potent inhibitory effect of naturally occurring flavonoids quercetin and kaempferol on *in vitro* osteoclastic bone resorption, 35
 Metabolism of quercetin-7- and quercetin-3-glucuronides by an *in vitro* hepatic model: the role of human β -glucuronidase, sulfotransferase, catechol-O-methyltransferase and multi-resistant protein 2 (MRP2) in flavonoid metabolism, 479
 Flavonoids inhibit myelin phagocytosis by macrophages; a structure-activity relationship study, 877
 Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter, 1199
 Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells, 1603
 Intracellular signal transduction modulating expression of plasminogen activator inhibitor-1 in adipocytes, 1907
- Flavonols**
 Inhibition of 15-lipoxygenases by flavonoids: structure-activity relations and mode of action, 773
- Flow cytometry**
 Effect of sesquiterpene lactones on the expression of the activation marker CD69 and of IL-2 in T-lymphocytes in whole blood, 1551
- Fludarabine**
 The effects of cladribine and fludarabine on DNA methylation in K562 cells, 219
 Down-regulation of deoxycytidine kinase in human leukemic cell lines resistant to cladribine and clofarabine and increased ribonucleotide reductase activity contributes to fludarabine resistance, 237
- Fluorescein**
 Kinetic analysis of fluorescein and dihydrofluorescein effluxes in tumour cells expressing the multidrug resistance protein, MRP1, 969
- Fluorescence imaging**
 Minimally modified phosphodiester antisense oligodeoxyribonucleotide directed against the multidrug resistance gene *mdr1*, 747
- Fluorescence resonance excitation transfer**
 Minimally modified phosphodiester antisense oligodeoxyribonucleotide directed against the multidrug resistance gene *mdr1*, 747
- Fluorometry**
 Interactions of peroxynitrite and other nitrating substances with human platelets: the role of glutathione and peroxynitrite permeability, 515

fMLP

The effect of sesquiterpene lactones on the release of human neutrophil elastase, 897

Folate homeostasis

The role of multidrug resistance proteins MRP1, MRP2 and MRP3 in cellular folate homeostasis, 765

Folic acid

The role of multidrug resistance proteins MRP1, MRP2 and MRP3 in cellular folate homeostasis, 765

Folypolyglutamate synthetase

Potent inhibition of human folypolyglutamate synthetase by a phosphinic acid mimic of the tetrahedral reaction intermediate, 315

Forebrain

Modulation of [³H] TBOB binding to the rodent GABA_A receptor by simple disaccharides, 619

Free radicals

Sodium tanshinone IIA sulfonate mediates electron transfer reaction in rat heart mitochondria, 51

Fucoidan

Oversulfation of fucoidan enhances its anti-angiogenic and antitumor activities, 173

Fura-2

Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes, 465

G1 phase

Induction of G1 phase arrest in MCF human breast cancer cells by pentagalloylglucose through the down-regulation of CDK4 and CDK2 activities and up-regulation of the CDK inhibitors p27^{Kip} and p21^{Cip}, 1777

G protein

Peptide G protein agonists from a phage display library, 961
Interaction of the D_{2short} dopamine receptor with G proteins: analysis of receptor/G protein selectivity, 1139

G protein-coupled receptor

Characterization of the molecular interactions of interleukin-8 (CXCL8), growth related oncogen α (CXCL1) and a non-peptide antagonist (SB 225002) with the human CXCR2, 813

Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923

Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB2) receptor, 1077

Important amino acids for the function of the human MT1 melatonin receptor, 1463

Long-term-desensitization of prostacyclin receptors is independent of the C-terminal tail, 1991

GABA

Pharmacological characterisation of a cell line expressing GABA_{B1b} and GABA_{B2} receptor subunits, 1103

GABA_A receptor

Modulation of [³H] TBOB binding to the rodent GABA_A receptor by simple disaccharides, 619

GABA_B receptor

Pharmacological characterisation of a cell line expressing GABA_{B1b} and GABA_{B2} receptor subunits, 1103

Galactosamine

Evaluation of oxidative stress during apoptosis and necrosis caused by D-galactosamine in rat liver, 101

Galactoside

Cytosolic β -glycosidases for activation of glycoside prodrugs of daunorubicin, 1875

Gangliosides

"Multivalent" saccharides: development of new approaches for inhibiting the effects of glycosphingolipid-binding pathogens, 699

Gel shift assay

p23 enhances the formation of the aryl hydrocarbon receptor-DNA complex, 941

Gemcitabine

DNA repair mechanisms involved in gemcitabine cytotoxicity and in the interaction between gemcitabine and cisplatin, 275

Gene expression

Taurine transporter in primary cultured neonatal rat heart cells: a comparison between cardiac myocytes and nonmyocytes, 1181

In vivo activation of the human *CYP3A4* promoter in mouse liver and regulation by pregnane X receptors, 1889

Gene induction

Effect of genotype on steady-state *CYP1A1* gene expression in human peripheral lymphocytes, 441

Gene regulation

Vitamin E activates gene expression via the pregnane X receptor, 269

Deregulation of gene expression in fetal oocytes exposed to doxorubicin, 1701

Gene transcription

Transcriptional suppression of the adrenal cortical peripheral-type benzodiazepine receptor gene and inhibition of steroid synthesis by ginkgolide B, 717

Genetic polymorphisms

Pharmacogenetics of human 3'-phosphoadenosine 5'-phosphosulfate synthetase 1 (PAPSS1): gene resequencing, sequence variation, and functional genomics, 1787

Genotype frequencies

Frequent co-occurrence of the TATA box mutation associated with Gilbert's syndrome (*UGT1A1**28) with other polymorphisms of the UDP-glucuronosyltransferase-1 locus (*UGT1A6**2 and *UGT1A7**3) in Caucasians and Egyptians, 1521

5GG

Induction of G1 phase arrest in MCF human breast cancer cells by pentagalloylglucose through the down-regulation of CDK4 and CDK2 activities and up-regulation of the CDK inhibitors p27^{Kip} and p21^{Cip}, 1777

Gilbert's syndrome

Frequent co-occurrence of the TATA box mutation associated with Gilbert's syndrome (*UGT1A1**28) with other polymorphisms of the UDP-glucuronosyltransferase-1 locus (*UGT1A6**2 and *UGT1A7**3) in Caucasians and Egyptians, 1521

Ginkgolide B

Transcriptional suppression of the adrenal cortical peripheral-type benzodiazepine receptor gene and inhibition of steroid synthesis by ginkgolide B, 717

20(S)-Ginsenoside Rg₃

Reversal of P-glycoprotein-mediated multidrug resistance by ginsenoside Rg₃, 75

Glioma cells

Large-conductance K⁺ channel openers NS1619 and NS004 as inhibitors of mitochondrial function in glioma cells, 1827

GLP-1

Cooperative enhancement of insulinotropic action of GLP-1 by acetylcholine uncovers paradoxical inhibitory effect of beta cell muscarinic receptor activation on adenylate cyclase activity, 283

Glucagon-like peptide

Established theory of radiation-induced decay is not generalizable to Bolton-Hunter labeled peptides, 1515

Glucocorticoid

Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303

Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207

Glucoside

Cytosolic β -glycosidases for activation of glycoside prodrugs of daunorubicin, 1875

 β -Glucuronidase

Metabolism of quercetin-7- and quercetin-3-glucuronides by an *in vitro* hepatic model: the role of human β -glucuronidase, sulfotransferase, catechol-O-methyltransferase and multi-resistant protein 2 (MRP2) in flavonoid metabolism, 479

Glucuronidation

Glucosidation of hyodeoxycholic acid by UDP-glucuronosyltransferase 2B7, 417

The effect of valproic acid on drug and steroid glucuronidation by expressed human UDP-glucuronosyltransferases, 1441

Glucuronides

Metabolism of quercetin-7- and quercetin-3-glucuronides by an *in vitro* hepatic model: the role of human β -glucuronidase, sulfotransferase, catechol-*O*-methyltransferase and multi-resistant protein 2 (MRP2) in flavonoid metabolism, 479

Glutathione

Interactions of peroxynitrite and other nitrating substances with human platelets: the role of glutathione and peroxynitrite permeability, 515

Protein glutathiolation in human blood, 741

Effect of acute betaine administration on hepatic metabolism of *S*-amino acids in rats and mice, 1565

Glutathione *S*-transferase

Oxathiolene oxides: a novel family of compounds that induce ferritin, glutathione *S*-transferase, and other proteins of the phase II response, 1261

Glutathione *S*-transferase π

Resistance to phorbol 12-myristate 13-acetate-induced cell growth arrest in an HL60 cell line chronically exposed to a glutathione *S*-transferase π inhibitor, 1611

Glycolipid

Effects of glycolipids from spinach on mammalian DNA polymerases, 259

Glycosphingolipid-binding pathogens

"Multivalent" saccharides: development of new approaches for inhibiting the effects of glycosphingolipid-binding pathogens, 699

Glycosphingolipids

"Multivalent" saccharides: development of new approaches for inhibiting the effects of glycosphingolipid-binding pathogens, 699

GPCR

*N*⁶-Substituted adenosine derivatives: selectivity, efficacy, and species differences at A₃ adenosine receptors, 1675

G-protein

Molecular mechanisms for the activation of Ca²⁺-permeable nonselective cation channels by endothelin-1 in C6 glioma cells, 1435

G-protein coupled receptor

Integrity of extracellular loop 1 of the human cannabinoid receptor 1 is critical for high-affinity binding of the ligand CP 55,940 but not SR 141716A, 1623

G-proteins

Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes, 465

Melatonin differentially modulates the expression and function of the hMT₁ and hMT₂ melatonin receptors upon prolonged withdrawal, 731

Granulocytes

Effect of metamizol on promyelocytic and terminally differentiated granulocytic cells. Comparative analysis with acetylsalicylic acid and diclofenac, 209

GSH

An oxidative mechanism of interferon induced priming of the Fas pathway in Fanconi anemia cells, 833

Guinea-pig cerebellum

Affinity of cyamemazine, an anxiolytic antipsychotic drug, for human recombinant dopamine vs. serotonin receptor subtypes, 435

H-89

Inhibition of leptin release by atrial natriuretic peptide (ANP) in human adipocytes, 1883

Hairpin

Minimally modified phosphodiester antisense oligodeoxyribonucleotide directed against the multidrug resistance gene *mdr1*, 747

Halogenated alkenes

Human mitochondrial and cytosolic branched-chain aminotransferases are cysteine *S*-conjugate β -lyases, but turnover leads to inactivation, 181

Haplotype

Pharmacogenetics of human 3'-phosphoadenosine 5'-phosphosulfate synthetase 1 (PAPSS1): gene resequencing, sequence variation, and functional genomics, 1787

Haplotype frequencies

Frequent co-occurrence of the TATA box mutation associated with Gilbert's syndrome (*UGT1A1**28) with other polymorphisms of the UDP-glucuronosyltransferase-1 locus (*UGT1A6**2 and *UGT1A7**3) in Caucasians and Egyptians, 1521

H9c2 cells

ET_A receptor-mediated Ca²⁺ mobilisation in H9c2 cardiac cells, 783

Heart

Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911

Helenalin A

Apoptosis induction by the dual-action DNA- and protein-reactive antitumor drug irifolven is largely Bcl-2-independent, 503

Heme oxygenase-1

Heme oxygenase-1 induction and regulation in unstimulated mouse peritoneal macrophages, 905

Hep G2 cells

Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells, 1603

Heparin

Polycationic peptides as inhibitors of mast cell serine proteases, 1171

Hepatitis

Osthole prevents anti-Fas antibody-induced hepatitis in mice by affecting the caspase-3-mediated apoptotic pathway, 677

Hepatocarcinoma

Inhibition of microtubule polymerization by 3-bromopropionylamino benzoylurea (JIMB01), a new cancericidal tubulin ligand, 1691

Hepatocyte

Involvement of nitric oxide/cyclic GMP signaling pathway in the regulation of fatty acid metabolism in rat hepatocytes, 807

Hepatoma 2.2.15 cells

Bullatacin, a potent antitumor Annonaceous acetogenin, induces apoptosis through a reduction of intracellular cAMP and cGMP levels in human hepatoma 2.2.15 cells, 319

Hepatoma BEL-7402 cells

Non-caspase-mediated apoptosis contributes to the potent cytotoxicity of the enediyne antibiotic lidamycin toward human tumor cells, 1767

Hepatoma cells

Influence of parenteral iron preparations on non-transferrin bound iron uptake, the iron regulatory protein and the expression of ferritin and the divalent metal transporter DMT-1 in HepG2 human hepatoma cells, 1973

Hepatotoxicity

Toxicogenomics of bromobenzene hepatotoxicity: a combined transcriptomics and proteomics approach, 857

HepG2

Interaction of upstream stimulatory factor proteins with an E-box located within the human *CYP1A2* 5'-flanking gene contributes to basal transcriptional gene activation, 1087

HepG2 cells

Metabolism of quercetin-7- and quercetin-3-glucuronides by an *in vitro* hepatic model: the role of human β -glucuronidase, sulfotransferase, catechol-*O*-methyltransferase and multi-resistant protein 2 (MRP2) in flavonoid metabolism, 479

Hexachlorobenzene

Effect of *in vivo* administered hexachlorobenzene on epidermal growth factor receptor levels, protein tyrosine kinase activity, and phosphotyrosine content in rat liver, 1495

Hexafluoro-1 α ,25-dihydroxyvitamin D₃

Metabolism of 26,26,26,27,27-F₆-1 α ,25-dihydroxyvitamin D₃ by CYP24: species-based difference between humans and rats, 1957

High-energy phosphates

Concentration dependent mitochondrial effect of amiodarone, 1115

Histamine

The inhibition of mast cell activation by neutrophil lactoferrin: uptake by mast cells and interaction with tryptase, chymase and cathepsin G, 1007

HIV-1 protease

Thyroxine-derivatives of lipopeptides: bifunctional dimerization inhibitors of human immunodeficiency virus-1 protease, 1097

HL60

The involvement of diadenosine 5',5'''- P^1 , P^4 -tetrphosphate in cell cycle arrest and regulation of apoptosis, 227

HL-60 cells

Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339

hnRNP A1

Interplay between transcriptional and post-transcriptional regulation of *Cyp2a5* expression, 1653

 H_2O_2

Activation of deoxycytidine kinase by UV-C-irradiation in chronic lymphocytic leukemia B-lymphocytes, 573

hsp90

p23 enhances the formation of the aryl hydrocarbon receptor-DNA complex, 941

Human

Modulation by caspases of tumor necrosis factor-stimulated c-Jun N-terminal kinase activation but not nuclear factor- κ B signaling, 91

Metabolism of quercetin-7- and quercetin-3-glucuronides by an *in vitro* hepatic model: the role of human β -glucuronidase, sulfotransferase, catechol-*O*-methyltransferase and multi-resistant protein 2 (MRP2) in flavonoid metabolism, 479

Expression of acetoacetyl-CoA synthetase, a novel cytosolic ketone body-utilizing enzyme, in human brain, 989

Human β -adrenergic receptors

Evaluation of β -adrenergic receptor subtypes in the human prostate cancer cell line-LNCaP, 1489

Human blood

Protein glutathiolation in human blood, 741

Human factor Xa

Discovery and characterization of a potent and selective non-amidine inhibitor of human factor Xa, 1407

Human neutrophil elastase release

The effect of sesquiterpene lactones on the release of human neutrophil elastase, 897

Human neutrophils

LAAE-14, a new *in vitro* inhibitor of intracellular calcium mobilization, modulates acute and chronic inflammation, 1539

Human recombinant acetylcholinesterase

β -Amyloid aggregation induced by human acetylcholinesterase: inhibition studies, 407

Human serum albumin

Probing the binding of the flavonoid, quercetin to human serum albumin by circular dichroism, electronic absorption spectroscopy and molecular modelling methods, 447

Human synovial fibroblasts

Novel anti-inflammatory actions of nobiletin, a citrus polymethoxy flavonoid, on human synovial fibroblasts and mouse macrophages, 2065

Hydrogen peroxide

Selection of insulin-producing rat insulinoma (RINm) cells with improved resistance to oxidative stress, 1797

5-Hydroxydecanoate

K-ATP channel independent effects of pinacidil on ATP production in isolated cardiomyocyte or pancreatic β -cell mitochondria, 1835

Hydroxyl radicals

Cytotoxicity and apoptosis of benzoquinones: redox cycling, cytochrome *c* release, and BAD protein expression, 1061

3-Hydroxy-3-methylglutaryl-CoA reductase

Expression of acetoacetyl-CoA synthetase, a novel cytosolic ketone body-utilizing enzyme, in human brain, 989

Hyperglycemia

Effects of high glucose on cytokine-induced nerve growth factor (NGF) expression in rat renal mesangial cells, 293

Hypoglycemic agents

Differential effects of YM440 a hypoglycemic agent on binding to a peroxisome proliferator-activated receptor γ and its transactivation, 795

Hypoxia

Improved potency of the hypoxic cytotoxin tirapazamine by DNA-targeting, 1807

Hypoxia-reoxygenation

Interactions of peroxynitrite and other nitrating substances with human platelets: the role of glutathione and peroxynitrite permeability, 515

 $[^3H]$ TBOB

Modulation of $[^3H]$ TBOB binding to the rodent GABA_A receptor by simple disaccharides, 619

IFN- γ

An oxidative mechanism of interferon induced priming of the Fas pathway in Fanconi anemia cells, 833

IL-1 β

Effects of high glucose on cytokine-induced nerve growth factor (NGF) expression in rat renal mesangial cells, 293

IL-2

Effect of sesquiterpene lactones on the expression of the activation marker CD69 and of IL-2 in T-lymphocytes in whole blood, 1551

Iloprost

Regulation of cyclooxygenase-2 expression by iloprost in human vascular smooth muscle cells. Role of transcription factors CREB and ICER, 979

Imaging

In vivo activation of the human *CYP3A4* promoter in mouse liver and regulation by pregnane X receptors, 1889

Immunosuppression

Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761

Implantation

Corticotropin-releasing hormone (CRH) and immunotolerance of the fetus, 917

In vitro

Apoptotic cell death induction by F 11782 a novel dual catalytic inhibitor of topoisomerases I and II, 755

In vivo

In vivo activation of the human *CYP3A4* promoter in mouse liver and regulation by pregnane X receptors, 1889

Indolocarbazole

Plasma stability of two glycosyl indolocarbazole antitumor agents, 25

Indomethacin

Indomethacin-induced free radical-mediated changes in the intestinal brush border membranes, 683

Induced chirality

Probing the binding of the flavonoid, quercetin to human serum albumin by circular dichroism, electronic absorption spectroscopy and molecular modelling methods, 447

Inducible nitric oxide synthase

Suppression of tumor necrosis factor- α and inducible nitric oxide synthase gene expression by THI 52, a new synthetic naphthyl-benzyl-lisoquinoline alkaloid, 457

Induction

Preclinical factors influencing the relative contributions of Phase I and II enzymes to the metabolism of the experimental anti-cancer drug 5,6-dimethylxanthene-4-acetic acid, 109

Inflammation

Modulation by caspases of tumor necrosis factor-stimulated c-Jun N-terminal kinase activation but not nuclear factor- κ B signaling, 91

Advances in the pathophysiology of constitutive and inducible cyclooxygenases: two enzymes in the spotlight, 153

- Use of the A_{2A} adenosine receptor as a physiological immunosuppressor and to engineer inflammation *in vivo*, 493
- Suppression of human monocyte interleukin-1 β production by ajulemic acid, a nonpsychoactive cannabinoid, 649
- Flavonoids inhibit myelin phagocytosis by macrophages; a structure-activity relationship study, 877
- Broad-spectrum chemokine inhibitors (BSCIs) and their anti-inflammatory effects *in vivo*, 1027
- Multidisciplinary utilization of dimethyl sulfoxide: pharmacological, cellular, and molecular aspects, 1035
- Inflammation and inducible nitric oxide synthase have no effect on monoamine oxidase activity in glioma cells, 1719
- Delivery of pharmacologically active dexamethasone into activated endothelial cells by dexamethasone-anti-E-selectin immunoconjugate, 1729
- Analysis of A_{2A} receptor-deficient mice reveals no significant compensatory increases in the expression of A_{2B}, A₁, and A₃ adenosine receptors in lymphoid organs, 2081
- Inhibition**
- Preclinical factors influencing the relative contributions of Phase I and II enzymes to the metabolism of the experimental anti-cancer drug 5,6-dimethylxanthene-4-acetic acid, 109
- The effect of valproic acid on drug and steroid glucuronidation by expressed human UDP-glucuronosyltransferases, 1441
- Preclinical factors affecting the interindividual variability in the clearance of the investigational anti-cancer drug 5,6-dimethylxanthene-4-acetic acid, 1853
- Inhibitor**
- Small molecule antagonists of proteins, 1
- Resistance to phorbol 12-myristate 13-acetate-induced cell growth arrest in an HL60 cell line chronically exposed to a glutathione S-transferase π inhibitor, 1611
- iNOS**
- A novel antioxidant, octyl caffeate, suppression of LPS/IFN- γ -induced inducible nitric oxide synthase gene expression in rat aortic smooth muscle cells, 1383
- Inositol trisphosphate**
- Dihydropyridines as inhibitors of capacitative calcium entry in leukemic HL-60 cells, 329
- Insulin**
- Cooperative enhancement of insulinotropic action of GLP-1 by acetylcholine uncovers paradoxical inhibitory effect of beta cell muscarinic receptor activation on adenylate cyclase activity, 283
- Insulin and estrogen receptor ligand influence the FGF-2 activities in MCF-7 breast cancer cells, 629
- Selection of insulin-producing rat insulinoma (RINm) cells with improved resistance to oxidative stress, 1797
- Inhibition of leptin release by atrial natriuretic peptide (ANP) in human adipocytes, 1883
- Insulin receptor**
- Development of insulin resistance and reversal by thiazolidinediones in C2C12 skeletal muscle cells, 249
- Insulin receptor substrate-1**
- Development of insulin resistance and reversal by thiazolidinediones in C2C12 skeletal muscle cells, 249
- Insulin resistance**
- Development of insulin resistance and reversal by thiazolidinediones in C2C12 skeletal muscle cells, 249
- Diminished production of nitric oxide synthase cofactor tetrahydrobiopterin by rosiglitazone in adipocytes, 593
- Insulin-producing cells**
- Selection of insulin-producing rat insulinoma (RINm) cells with improved resistance to oxidative stress, 1797
- Insurmountable**
- Peptide and nonpeptide antagonist interaction with constitutively active human AT₁ receptors, 1329
- A two-state model of antagonist-AT₁ receptor interaction: further support by binding studies at low temperature, 1339
- Interaction**
- DNA repair mechanisms involved in gemcitabine cytotoxicity and in the interaction between gemcitabine and cisplatin, 275
- The effect of valproic acid on drug and steroid glucuronidation by expressed human UDP-glucuronosyltransferases, 1441
- Interindividual variation**
- Preclinical factors affecting the interindividual variability in the clearance of the investigational anti-cancer drug 5,6-dimethylxanthene-4-acetic acid, 1853
- Interleukin-2**
- Yessotoxin, a novel phycotoxin, activates phosphodiesterase activity. Effect of yessotoxin on cAMP levels in human lymphocytes, 193
- Interleukin-1 β**
- Suppression of human monocyte interleukin-1 β production by ajulemic acid, a nonpsychoactive cannabinoid, 649
- Internalization**
- Long-term-desensitization of prostacyclin receptors is independent of the C-terminal tail, 1991
- Interplay**
- Interplay between transcriptional and post-transcriptional regulation of Cyp2a5 expression, 1653
- Intestinal absorption**
- Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter, 1199
- Intestinal brush border membrane**
- Indomethacin-induced free radical-mediated changes in the intestinal brush border membranes, 683
- Intracellular acidification**
- The Cl⁻HCO₃⁻ exchanger slows the recovery of acute pH_i changes in rat mast cells, 389
- Intracellular alkalinization**
- The Cl⁻HCO₃⁻ exchanger slows the recovery of acute pH_i changes in rat mast cells, 389
- Intracellular calcium**
- LAEE-14, a new *in vitro* inhibitor of intracellular calcium mobilization, modulates acute and chronic inflammation, 1539
- Intracellular free Ca²⁺**
- Characterization of maleimide-activated Ca²⁺ entry in neutrophils, 1923
- Intracellular pH**
- The Cl⁻HCO₃⁻ exchanger slows the recovery of acute pH_i changes in rat mast cells, 389
- Intracellular trypanothione scavengers**
- Trypanosoma cruzi*: effect and mode of action of nitroimidazole and nitrofur derivatives, 999
- Ion channels**
- Large-conductance K⁺ channel openers NS1619 and NS004 as inhibitors of mitochondrial function in glioma cells, 1827
- IP₃ receptor**
- ET_A receptor-mediated Ca²⁺ mobilization in H9c2 cardiac cells, 783
- Expression profiles of three isoforms of inositol 1,4,5-trisphosphate receptor in brown adipose tissue of the rat, 995
- Irofulven**
- Apoptosis induction by the dual-action DNA- and protein-reactive antitumor drug irofulven is largely Bcl-2-independent, 503
- Iron**
- The antioxidant activity of caroverine, 59
- Iron chelators**
- Pyridoxal isonicotinoyl hydrazone analogs induce apoptosis in hematopoietic cells due to their iron-chelating properties, 161
- Lipophilicity of analogs of pyridoxal isonicotinoyl hydrazone (PIH) determines the efflux of iron complexes and toxicity in K562 cells, 349
- Cellular uptake of a catechol iron chelator and chloroquine into *Plasmodium falciparum* infected erythrocytes, 1351
- Iron transport**
- Iron and transition metal transport into erythrocytes mediated by nifedipine degradation products and related compounds, 1215

- γ -Irradiation
 - Activation of deoxycytidine kinase by gamma-irradiation and inactivation by hyperosmotic shock in human lymphocytes, 2031
- Ischemia
 - Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911
- Isoprostane
 - Antioxidants significantly affect the formation of different classes of isoprostanes and neuroprostanes in rat cerebral synaptosomes, 611
- Isoproterenol
 - Endothelium-dependent and -independent relaxation and VASP serines 157/239 phosphorylation by cyclic nucleotide-elevating vasodilators in rat aorta, 397
- Isovelleral
 - Pharmacology of vanilloids at recombinant and endogenous rat vanilloid receptors, 143
- JIMB01
 - Inhibition of microtubule polymerization by 3-bromopropionylamino benzoylurea (JIMB01), a new cancericidal tubulin ligand, 1691
- JNK
 - Relevance of mitogen activated protein kinase (MAPK) and phosphatidylinositol-3-kinase/protein kinase B (PI3K/PKB) pathways to induction of apoptosis by curcumin in breast cells, 361
- Jurkat
 - Pyridoxal isonicotinoyl hydrazone analogs induce apoptosis in hematopoietic cells due to their iron-chelating properties, 161
- K562
 - Pyridoxal isonicotinoyl hydrazone analogs induce apoptosis in hematopoietic cells due to their iron-chelating properties, 161
- K562 cells
 - Two-step formation of ^1H NMR visible mobile lipids during apoptosis of paclitaxel-treated K562 cells, 1271
- K^+ -channel openers
 - Toxic effects of copper-based antineoplastic drugs (Casiopinas[®]) on mitochondrial functions, 1979
- Kaempferol
 - Potent inhibitory effect of naturally occurring flavonoids quercetin and kaempferol on *in vitro* osteoclastic bone resorption, 35
- Kallikrein
 - Down-regulation of bradykinin B_2 -receptor mRNA in the heart in pressure-overload cardiac hypertrophy in the rat, 1017
- K_{ATP} -channel
 - Inhibition of ATP-sensitive K^+ -channels by a sulfonylurea analogue with a phosphate group, 599
- Ketone body
 - Expression of acetoacetyl-CoA synthetase, a novel cytosolic ketone body-utilizing enzyme, in human brain, 989
- Kinetic parameters
 - Kinetic analysis of fluorescein and dihydrofluorescein effluxes in tumour cells expressing the multidrug resistance protein, MRP1, 969
- Kininogen
 - Down-regulation of bradykinin B_2 -receptor mRNA in the heart in pressure-overload cardiac hypertrophy in the rat, 1017
- Labile iron pool
 - Influence of parenteral iron preparations on non-transferrin bound iron uptake, the iron regulatory protein and the expression of ferritin and the divalent metal transporter DMT-1 in HepG2 human hepatoma cells, 1973
- Lactase phlorizin hydrolase (LPH)
 - Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter, 1199
- Lactose
 - Modulation of [^3H] TBOB binding to the rodent GABA_A receptor by simple disaccharides, 619
- Langendorff-perfused heart
 - Concentration dependent mitochondrial effect of amiodarone, 1115
- Latent p53
 - Recognition of DNA modified by antitumor cisplatin by "latent" and "active" protein p53, 1305
- L-Carnitine
 - Beneficial effects of L-carnitine in myoblastic C2C12 cells. Interaction with zidovudine, 1483
- Lead identification
 - Small molecule antagonists of proteins, 1
- Left ventricular hypertrophy
 - Down-regulation of bradykinin B_2 -receptor mRNA in the heart in pressure-overload cardiac hypertrophy in the rat, 1017
- Leptin
 - Inhibition of leptin release by atrial natriuretic peptide (ANP) in human adipocytes, 1883
- Leucovorin
 - The role of multidrug resistance proteins MRP1, MRP2 and MRP3 in cellular folate homeostasis, 765
- Leukemia
 - Enforced expression of the tumor suppressor p53 renders human leukemia cells (U937) more sensitive to 1- $[\beta\text{-D-arabinofuranosyl}]$ cytosine (ara-C)-induced apoptosis, 1997
- Lidamycin
 - Non-caspase-mediated apoptosis contributes to the potent cytotoxicity of the enediyne antibiotic lidamycin toward human tumor cells, 1767
- Lidocaine
 - Inhibition of acetylcholine-mediated effects by borneol, 83
- Ligand binding
 - Probing the binding of the flavonoid, quercetin to human serum albumin by circular dichroism, electronic absorption spectroscopy and molecular modelling methods, 447
 - Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB2) receptor, 1077
 - Integrity of extracellular loop 1 of the human cannabinoid receptor 1 is critical for high-affinity binding of the ligand CP 55,940 but not SR 141716A, 1623
- LIGHT
 - Decoy receptor 3 (DcR3) is proteolytically processed to a metabolic fragment having differential activities against Fas ligand and LIGHT, 657
- β -Linked sugars
 - Modulation of [^3H] TBOB binding to the rodent GABA_A receptor by simple disaccharides, 619
- Lipid
 - Antioxidants significantly affect the formation of different classes of isoprostanes and neuroprostanes in rat cerebral synaptosomes, 611
 - Statin effects on cholesterol micro-domains in brain plasma membranes, 843
- Lipid metabolism
 - Beneficial effects of L-carnitine in myoblastic C2C12 cells. Interaction with zidovudine, 1483
- Lipid peroxidation
 - The antioxidant activity of caroverine, 59
- Lipolysis
 - Inhibition of leptin release by atrial natriuretic peptide (ANP) in human adipocytes, 1883
- Lipopeptides
 - Thyroxine-derivatives of lipopeptides: bifunctional dimerization inhibitors of human immunodeficiency virus-1 protease, 1097
- Lipophilicity
 - Lipophilicity of analogs of pyridoxal isonicotinoyl hydrazone (PIH) determines the efflux of iron complexes and toxicity in K562 cells, 349
- Lipopolysaccharide
 - Decrease of the inflammatory response and induction of the Akt/protein kinase B pathway by poly-(ADP-ribose) polymerase 1 inhibitor in endotoxin-induced septic shock, 1373

- 15-Lipoxygenase
Inhibition of 15-lipoxygenases by flavonoids: structure–activity relations and mode of action, 773
- Liver
Ethanol consumption decreases the synthesis of the mannose 6-phosphate/insulin-like growth factor II receptor but does not decrease its messenger RNA, 637
Effects of dehydroepiandrosterone on oleic acid accumulation in rat liver, 1583
- LNCaP
Evaluation of β -adrenergic receptor subtypes in the human prostate cancer cell line-LNCaP, 1489
- Lovastatin
Inhibition of pancreatic stellate cell activation by the hydroxymethylglutaryl coenzyme A reductase inhibitor lovastatin, 1295
- Low carbohydrate diet
Ethanol consumption decreases the synthesis of the mannose 6-phosphate/insulin-like growth factor II receptor but does not decrease its messenger RNA, 637
- LPS
Suppression of tumor necrosis factor- α and inducible nitric oxide synthase gene expression by THI 52, a new synthetic naphthyl-benzylisoquinoline alkaloid, 457
- LPS/IFN- γ
A novel antioxidant, octyl caffeate, suppression of LPS/IFN- γ -induced inducible nitric oxide synthase gene expression in rat aortic smooth muscle cells, 1383
- L-type Ca^{2+} channel
Neuronal death signaling by β -bungarotoxin through the activation of the *N*-methyl-D-aspartate (NMDA) receptor and L-type calcium channel, 131
- L-type Ca^{2+} current
Effect of arvanil (*N*-arachidonoyl-vanillyl-amine), a nonpungent anandamide–capsaicin hybrid, on ion currents in NG108-15 neuronal cells, 581
- Luciferase
Evaluation of β -adrenergic receptor subtypes in the human prostate cancer cell line-LNCaP, 1489
In vivo activation of the human *CYP3A4* promoter in mouse liver and regulation by pregnane X receptors, 1889
- Lucigenin
Evaluation of the probes 2',7'-dichlorofluorescein diacetate, luminol, and lucigenin as indicators of reactive species formation, 1575
- Luminol
Evaluation of the probes 2',7'-dichlorofluorescein diacetate, luminol, and lucigenin as indicators of reactive species formation, 1575
- Luteolin
Inhibition of 15-lipoxygenases by flavonoids: structure–activity relations and mode of action, 773
- LV hypertrophy
Assessment of sarcoplasmic reticulum Ca^{2+} -uptake during the development of left ventricular hypertrophy, 933
- Lymphocyte
Yessotoxin, a novel phycotoxin, activates phosphodiesterase activity. Effect of yessotoxin on cAMP levels in human lymphocytes, 193
Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303
- Lymphocyte proliferation
Altered lymphocyte catecholamine reactivity in mice subjected to chronic mild stress, 15
- Macrophage
Flavonoids inhibit myelin phagocytosis by macrophages; a structure–activity relationship study, 877
Heme oxygenase-1 induction and regulation in unstimulated mouse peritoneal macrophages, 905
- Malaria
Cellular uptake of a catechol iron chelator and chloroquine into *Plasmodium falciparum* infected erythrocytes, 1351
- Mammary artery
Adrenergic receptors in the bovine mammary artery, 1747
- Mangiferin
In vitro effects of mangiferin on superoxide concentrations and expression of the inducible nitric oxide synthase, tumour necrosis factor- α and transforming growth factor- β genes, 1361
- MAP kinase
Relevance of mitogen activated protein kinase (MAPK) and phosphatidylinositol-3-kinase/protein kinase B (PI3K/PKB) pathways to induction of apoptosis by curcumin in breast cells, 361
Inhibition of the MEK/ERK pathway has no effect on agonist-induced aggregation of human platelets, 1243
Role of nerve growth factor in the regulation of parotid cell differentiation induced by rat serum, 1507
- MAPK
A novel antioxidant, octyl caffeate, suppression of LPS/IFN- γ -induced inducible nitric oxide synthase gene expression in rat aortic smooth muscle cells, 1383
- Marijuana
Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB2) receptor, 1077
- Marine anticancer compound
Induction of apoptosis in estrogen dependent and independent breast cancer cells by the marine terpenoid dehydrothysiferol, 1451
- Mast cell
The $\text{Cl}^-/\text{HCO}_3^-$ exchanger slows the recovery of acute pH_i changes in rat mast cells, 389
The inhibition of mast cell activation by neutrophil lactoferrin: uptake by mast cells and interaction with tryptase, chymase and cathepsin G, 1007
Polycationic peptides as inhibitors of mast cell serine proteases, 1171
- Mast cells
Endogenous nitric oxide does not modulate mesenteric mast cell degranulation in rats, 2073
- Matrix metalloproteinase-1
Novel anti-inflammatory actions of nobletin, a citrus polymethoxy flavonoid, on human synovial fibroblasts and mouse macrophages, 2065
- Matrix metalloproteinase-3
Novel anti-inflammatory actions of nobletin, a citrus polymethoxy flavonoid, on human synovial fibroblasts and mouse macrophages, 2065
- MCP-1
U50,488 inhibits HIV-1 Tat-induced monocyte chemoattractant protein-1 (CCL2) production by human astrocytes, 9
- MDR1
Human MDR1 polymorphism: G2677T/A and C3435T have no effect on MDR1 transport activities, 1843
- Mechanism of action
 β -Amyloid aggregation induced by human acetylcholinesterase: inhibition studies, 407
- Melanoma
Multidrug resistance correlates with overexpression of Muc4 but inversely with P-glycoprotein and multidrug resistance related protein in transfected human melanoma cells, 1419
- Melatonin receptor
Important amino acids for the function of the human MT1 melatonin receptor, 1463
- Membrane
Statin effects on cholesterol micro-domains in brain plasma membranes, 843
- Membrane permeability transition
Cholesteryl-hemisuccinate-induced apoptosis of promyelocytic leukemia HL-60 cells through a cyclosporin A-insensitive mechanism, 339
- Membrane potential
Dual effect of ebselen on mitochondrial permeability transition, 1643
Toxic effects of copper-based antineoplastic drugs (Casiopeinas[®]) on mitochondrial functions, 1979

- Membrane transport**
 Taurine transporter in primary cultured neonatal rat heart cells: a comparison between cardiac myocytes and nonmyocytes, 1181
- Mesangial cells**
 Effects of high glucose on cytokine-induced nerve growth factor (NGF) expression in rat renal mesangial cells, 293
- Messenger RNA**
 Ethanol consumption decreases the synthesis of the mannose 6-phosphate/insulin-like growth factor II receptor but does not decrease its messenger RNA, 637
- Metabolism**
 Preclinical factors influencing the relative contributions of Phase I and II enzymes to the metabolism of the experimental anti-cancer drug 5,6-dimethylxanthenone-4-acetic acid, 109
 Vitamin E activates gene expression via the pregnane X receptor, 269
 Metabolism of quercetin-7- and quercetin-3-glucuronides by an *in vitro* hepatic model: the role of human β -glucuronidase, sulfotransferase, catechol-*O*-methyltransferase and multi-resistant protein 2 (MRP2) in flavonoid metabolism, 479
- Metabolism of Vitamin D**
 Metabolism of 26,26,26,27,27,27-F₆-1 α ,25-dihydroxyvitamin D₃ by CYP24: species-based difference between humans and rats, 1957
- Metamizol**
 Effect of metamizol on promyelocytic and terminally differentiated granulocytic cells. Comparative analysis with acetylsalicylic acid and diclofenac, 209
- Metaxin**
 Deregulation of gene expression in fetal oocytes exposed to doxorubicin, 1701
- Methionine cycle**
 Effect of acute betaine administration on hepatic metabolism of *S*-amino acids in rats and mice, 1565
- Methotrexate**
 Potent inhibition of human folylpolyglutamate synthetase by a phosphinic acid mimic of the tetrahedral reaction intermediate, 315
- 4-Methylaminoantipyrine (MAA)**
 Effect of metamizol on promyelocytic and terminally differentiated granulocytic cells. Comparative analysis with acetylsalicylic acid and diclofenac, 209
- Methylnaltrexone**
 Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761
- MGDG (monogalactosyl diacylglycerol)**
 Effects of glycolipids from spinach on mammalian DNA polymerases, 259
- MGMG (monogalactosyl monoacylglycerol)**
 Effects of glycolipids from spinach on mammalian DNA polymerases, 259
- Midazolam**
 An amperometric biosensor with human CYP3A4 as a novel drug screening tool, 1817
- Migration**
 Broad-spectrum chemokine inhibitors (BSCIs) and their anti-inflammatory effects *in vivo*, 1027
- Mineralocorticoids**
 Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207
- Minimally modified antisense oligonucleotides**
 Minimally modified phosphodiester antisense oligodeoxyribonucleotide directed against the multidrug resistance gene *mdr1*, 747
- Mitochondria**
 Reactive oxygen species are involved in the stimulation of the mitochondrial permeability transition by dihydrolipoate, 43
 Sodium tanshinone IIA sulfonate mediates electron transfer reaction in rat heart mitochondria, 51
 Antioxidant and pro-oxidant properties of pyrroloquinoline quinone (PQQ): implications for its function in biological systems, 67
 Apoptosis induction by the dual-action DNA- and protein-reactive antitumor drug irofulven is largely Bcl-2-independent, 503
 Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911
 Concentration dependent mitochondrial effect of amiodarone, 1115
 Deregulation of gene expression in fetal oocytes exposed to doxorubicin, 1701
 Large-conductance K⁺ channel openers NS1619 and NS004 as inhibitors of mitochondrial function in glioma cells, 1827
 Mitochondrial uncoupling protein 2 in the central nervous system: neuromodulator and neuroprotector, 1917
- Mitochondrial ATP production**
 K-ATP channel independent effects of pinacidil on ATP production in isolated cardiomyocyte or pancreatic β -cell mitochondria, 1835
- Mitochondrial branched-chain aminotransferase**
 Human mitochondrial and cytosolic branched-chain aminotransferases are cysteine *S*-conjugate β -lyases, but turnover leads to inactivation, 181
- Mitochondrial dysfunction**
 Neuronal death signaling by β -bungarotoxin through the activation of the *N*-methyl-D-aspartate (NMDA) receptor and L-type calcium channel, 131
- Mitochondrial K-ATP channels**
 K-ATP channel independent effects of pinacidil on ATP production in isolated cardiomyocyte or pancreatic β -cell mitochondria, 1835
- Mitochondrial membrane permeability**
 Dual effect of ebselen on mitochondrial permeability transition, 1643
- Mobile lipids**
 Two-step formation of ¹H NMR visible mobile lipids during apoptosis of paclitaxel-treated K562 cells, 1271
- Mobilization of iron from cells**
 Lipophilicity of analogs of pyridoxal isonicotinoyl hydrazone (PIH) determines the efflux of iron complexes and toxicity in K562 cells, 349
- Molecular orbital calculations**
 Monoamine oxidase A inhibitory potency and flavin perturbation are influenced by different aspects of pirlindole inhibitor structure, 1867
- Monkey brain**
 Effects of zinc ion on type A monoamine oxidase in monkey brain mitochondria, 625
- Monoamine oxidase**
 Inflammation and inducible nitric oxide synthase have no effect on monoamine oxidase activity in glioma cells, 1719
 Monoamine oxidase A inhibitory potency and flavin perturbation are influenced by different aspects of pirlindole inhibitor structure, 1867
- Monocytes**
 Suppression of human monocyte interleukin-1 β production by ajulemic acid, a nonpsychoactive cannabinoid, 649
- Morphine**
 Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761
- Morphine glucuronidation**
 Cloning and characterisation of the first drug-metabolising canine UDP-glucuronosyltransferase of the 2B subfamily, 1251
- Mouse air pouch**
 Inhibition of the NF- κ B signaling pathway mediates the anti-inflammatory effects of petrosaspongiolide M, 887
- Mouse peritoneal macrophages**
 Inhibition of the NF- κ B signaling pathway mediates the anti-inflammatory effects of petrosaspongiolide M, 887
 LAEE-14, a new *in vitro* inhibitor of intracellular calcium mobilization, modulates acute and chronic inflammation, 1539
- MRI**
 Decrease of the inflammatory response and induction of the Akt/protein kinase B pathway by poly-(ADP-ribose) polymerase 1 inhibitor in endotoxin-induced septic shock, 1373
- mRNA**
 Effect of genotype on steady-state *CYP1A1* gene expression in human peripheral lymphocytes, 441
 Melatonin differentially modulates the expression and function of the hMT₁ and hMT₂ melatonin receptors upon prolonged withdrawal, 731

mRNA expression

Sarin (nerve agent GB)-induced differential expression of mRNA coding for the acetylcholinesterase gene in the rat central nervous system, 2041

mRNA levels

In vitro effects of mangiferin on superoxide concentrations and expression of the inducible nitric oxide synthase, tumour necrosis factor- α and transforming growth factor- β genes, 1361

mRNA stability

Interplay between transcriptional and post-transcriptional regulation of *Cyp2a5* expression, 1653

MRP

The role of multidrug resistance proteins MRP1, MRP2 and MRP3 in cellular folate homeostasis, 765

MRP1

Kinetic analysis of fluorescein and dihydrofluorescein effluxes in tumour cells expressing the multidrug resistance protein, MRP1, 969
Multidrug resistance correlates with overexpression of Muc4 but inversely with P-glycoprotein and multidrug resistance related protein in transfected human melanoma cells, 1419

MT₁ melatonin receptors

Melatonin differentially modulates the expression and function of the hMT₁ and hMT₂ melatonin receptors upon prolonged withdrawal, 731

Muc4

Multidrug resistance correlates with overexpression of Muc4 but inversely with P-glycoprotein and multidrug resistance related protein in transfected human melanoma cells, 1419

Multidrug resistance (MDR)

Reversal of P-glycoprotein-mediated multidrug resistance by ginsenoside Rg₃, 75

Minimally modified phosphodiester antisense oligodeoxynucleotide directed against the multidrug resistance gene *mdr1*, 747

The role of multidrug resistance proteins MRP1, MRP2 and MRP3 in cellular folate homeostasis, 765

Kinetic analysis of fluorescein and dihydrofluorescein effluxes in tumour cells expressing the multidrug resistance protein, MRP1, 969

Multidrug resistance correlates with overexpression of Muc4 but inversely with P-glycoprotein and multidrug resistance related protein in transfected human melanoma cells, 1419

Multidrug-resistance

Structure activity analysis of the pro-apoptotic, antitumor effect of nitrostyrene adducts and related compounds, 603

Multiple sclerosis

Flavonoids inhibit myelin phagocytosis by macrophages; a structure-activity relationship study, 877

Multi-targeted antifolate

Decreased expression of the reduced folate carrier and folypolyglutamate synthetase is the basis for acquired resistance to the pemetrexed antifolate (LY231514) in an L1210 murine leukemia cell line, 1163

Multivalent saccharides

"Multivalent" saccharides: development of new approaches for inhibiting the effects of glycosphingolipid-binding pathogens, 699

Murine CB₂ receptor

Expression of the murine CB₂ cannabinoid receptor using a recombinant Semliki Forest virus, 1931

Muscarinic receptor

Cooperative enhancement of insulinotropic action of GLP-1 by acetylcholine uncovers paradoxical inhibitory effect of beta cell muscarinic receptor activation on adenylate cyclase activity, 283

Muscarinic receptors

Comparison of the pharmacological antagonism of M₂ and M₃ muscarinic receptors expressed in isolation and in combination, 1227

Myc

Effect of 20-*epi*-1 α ,25-dihydroxyvitamin D₃ on the proliferation of human neuroblastoma: role of cell cycle regulators and the Myc-Id2 pathway, 1943

Myocytes

Taurine transporter in primary cultured neonatal rat heart cells: a comparison between cardiac myocytes and nonmyocytes, 1181

NAD(P)H:quinone oxidoreductase 1

Oxathiolene oxides: a novel family of compounds that induce ferritin, glutathione *S*-transferase, and other proteins of the phase II response, 1261

NADPH-cytochrome P450 oxidoreductase

Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators, 949

Naloxone

Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761

Naltrexone

Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761

Nasopharyngeal carcinoma

Apoptosis and TRAF-1 cleavage in Epstein-Barr virus-positive nasopharyngeal carcinoma cells treated with doxorubicin combined with a farnesyl-transferase inhibitor, 423

Necrosis

Evaluation of oxidative stress during apoptosis and necrosis caused by D-galactosamine in rat liver, 101

Nephrotoxicity

Modulatory effects of hormones, drugs, and toxic events on renal organic anion transport, 1393

Nerve growth factor

Role of nerve growth factor in the regulation of parotid cell differentiation induced by rat serum, 1507

Neuroblastoma

Effect of 20-*epi*-1 α ,25-dihydroxyvitamin D₃ on the proliferation of human neuroblastoma: role of cell cycle regulators and the Myc-Id2 pathway, 1943

Neurodegeneration

Mitochondrial uncoupling protein 2 in the central nervous system: neuromodulator and neuroprotector, 1917

Neurons

Mitochondrial uncoupling protein 2 in the central nervous system: neuromodulator and neuroprotector, 1917

Neuroprostate

Antioxidants significantly affect the formation of different classes of isoprostanes and neuroprostanes in rat cerebral synaptosomes, 611

Neurotoxicity

Neuronal death signaling by β -bungarotoxin through the activation of the *N*-methyl-D-aspartate (NMDA) receptor and L-type calcium channel, 131

Neurotransmission

Mitochondrial uncoupling protein 2 in the central nervous system: neuromodulator and neuroprotector, 1917

Neurotrophins

Effects of high glucose on cytokine-induced nerve growth factor (NGF) expression in rat renal mesangial cells, 293

Neutrophil

The inhibition of mast cell activation by neutrophil lactoferrin: uptake by mast cells and interaction with tryptase, chymase and cathepsin G, 1007

Neutrophil granulocytes

The effect of sesquiterpene lactones on the release of human neutrophil elastase, 897

Neutrophils

Evaluation of the probes 2',7'-dichlorofluorescein diacetate, luminol, and lucigenin as indicators of reactive species formation, 1575

Characterization of maleimide-activated Ca²⁺ entry in neutrophils, 1923

NFAT

Effect of sesquiterpene lactones on the expression of the activation marker CD69 and of IL-2 in T-lymphocytes in whole blood, 1551

NF- κ B

Suppression of tumor necrosis factor- α and inducible nitric oxide synthase gene expression by THI 52, a new synthetic naphthyl-benzylisoquinoline alkaloid, 457

Inhibition of the NF- κ B signaling pathway mediates the anti-inflammatory effects of petrosaspongiolide M, 887

Effect of sesquiterpene lactones on the expression of the activation marker CD69 and of IL-2 in T-lymphocytes in whole blood, 1551

Mechanisms involved in exogenous C2- and C6-ceramide-induced cancer cell toxicity, 1633

NG108-15 cells

Effect of arvanil (*N*-arachidonoyl-vanillyl-amine), a nonpungent anandamide-capsaicin hybrid, on ion currents in NG108-15 neuronal cells, 581

Nicotinic acetylcholine receptor

Inhibition of acetylcholine-mediated effects by borneol, 83

NIH 3T3

Activation of the coactivator four-and-a-half-LIM-only protein FHL2 and the *c-fos* promoter through inhibition of protein phosphatase 2A, 1317

Nitric oxide

Suppression of tumor necrosis factor- α and inducible nitric oxide synthase gene expression by THI 52, a new synthetic naphthyl-benzylisoquinoline alkaloid, 457

Diminished production of nitric oxide synthase cofactor tetrahydrobiopterin by rosiglitazone in adipocytes, 593

Indomethacin-induced free radical-mediated changes in the intestinal brush border membranes, 683

Involvement of nitric oxide/cyclic GMP signaling pathway in the regulation of fatty acid metabolism in rat hepatocytes, 807

Heme oxygenase-1 induction and regulation in unstimulated mouse peritoneal macrophages, 905

Effects of angiotensin II on vascular endothelial cells: formation of receptor-mediated reactive nitrogen species, 1189

In vitro effects of mangiferin on superoxide concentrations and expression of the inducible nitric oxide synthase, tumour necrosis factor- α and transforming growth factor- β genes, 1361

Inflammation and inducible nitric oxide synthase have no effect on monoamine oxidase activity in glioma cells, 1719

Endogenous nitric oxide does not modulate mesenteric mast cell degranulation in rats, 2073

Nitric oxide synthase

Heme oxygenase-1 induction and regulation in unstimulated mouse peritoneal macrophages, 905

Nitroglycerin

Interactions of peroxynitrite and other nitrating substances with human platelets: the role of glutathione and peroxynitrite permeability, 515

Nitroheterocycles

Trypanosoma cruzi: effect and mode of action of nitroimidazole and nitrofur derivatives, 999

Nitrosophenylpyridine derivative of nifedipine

Iron and transition metal transport into erythrocytes mediated by nifedipine degradation products and related compounds, 1215

Nitrostyrene derivatives

Structure activity analysis of the pro-apoptotic, antitumor effect of nitrostyrene adducts and related compounds, 603

3-Nitrotyrosine

Effects of angiotensin II on vascular endothelial cells: formation of receptor-mediated reactive nitrogen species, 1189

NMDA receptor

Neuronal death signaling by β -bungarotoxin through the activation of the *N*-methyl-D-aspartate (NMDA) receptor and L-type calcium channel, 131

Nobiletin

Novel anti-inflammatory actions of nobiletin, a citrus polymethoxy flavonoid, on human synovial fibroblasts and mouse macrophages, 2065

Nonpeptide antagonist

Peptide and nonpeptide antagonist interaction with constitutively active human AT₁ receptors, 1329

Nonselective cation channel

Molecular mechanisms for the activation of Ca²⁺-permeable nonselective cation channels by endothelin-1 in C6 glioma cells, 1435

Nonsteroidal anti-inflammatory drugs

Indomethacin-induced free radical-mediated changes in the intestinal brush border membranes, 683

Non-steroidal anti-inflammatory drugs (NSAIDs)

Effect of metamizol on promyelocytic and terminally differentiated granulocytic cells. Comparative analysis with acetylsalicylic acid and diclofenac, 209

Non-transferrin bound iron

Influence of parenteral iron preparations on non-transferrin bound iron uptake, the iron regulatory protein and the expression of ferritin and the divalent metal transporter DMT-1 in HepG2 human hepatoma cells, 1973

Norepinephrine transporter

Inhibition of the norepinephrine transporter function in cultured bovine adrenal medullary cells by bisphenol A, 2049

Norepinephrine uptake

Inhibition of the norepinephrine transporter function in cultured bovine adrenal medullary cells by bisphenol A, 2049

Northern analysis

Expression profiles of three isoforms of inositol 1,4,5-trisphosphate receptor in brown adipose tissue of the rat, 995

NQO1

Cytotoxicity and apoptosis of benzoquinones: redox cycling, cytochrome *c* release, and BAD protein expression, 1061

NSAIDs

Advances in the pathophysiology of constitutive and inducible cyclooxygenases: two enzymes in the spotlight, 153

Nuclear magnetic resonance spectroscopy

Two-step formation of ¹H NMR visible mobile lipids during apoptosis of paclitaxel-treated K562 cells, 1271

Nucleosides

N⁶-Substituted adenosine derivatives: selectivity, efficacy, and species differences at A₃ adenosine receptors, 1675

Nucleoside-5'-thiosulphates

Selective activation of deoxycytidine kinase by thymidine-5'-thiosulphate and release by deoxycytidine in human lymphocytes, 563

Nucleotide analog

Cellular transformation of the investigational new anticancer drug NB1011, a phosphoramidate of 5-(2-bromovinyl)-2'-deoxyuridine, results in modification of cellular proteins not DNA, 823

Nucleotide metabolism

Activation of deoxycytidine kinase by gamma-irradiation and inactivation by hyperosmotic shock in human lymphocytes, 2031

Nucleotide receptor

Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923

Nystatin technique

Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels, 1151

O₂ uptake

Toxic effects of copper-based antineoplastic drugs (Casiopinas[®]) on mitochondrial functions, 1979

Obesity

Intracellular signal transduction modulating expression of plasminogen activator inhibitor-1 in adipocytes, 1907

Octyl caffeate

A novel antioxidant, octyl caffeate, suppression of LPS/IFN- γ -induced inducible nitric oxide synthase gene expression in rat aortic smooth muscle cells, 1383

Oleic acid

Effects of dehydroepiandrosterone on oleic acid accumulation in rat liver, 1583

- Olvanil
Pharmacology of vanilloids at recombinant and endogenous rat vanilloid receptors, 143
- Opioid
Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761
- κ -Opioid receptor
U50,488 inhibits HIV-1 Tat-induced monocyte chemoattractant protein-1 (CCL2) production by human astrocytes, 9
- Osteoarthritis
Effects of rhein on human articular chondrocytes in alginate beads, 377
- Osteoblasts
Daidzein enhances osteoblast growth that may be mediated by increased bone morphogenetic protein (BMP) production, 709
- Osteoclasts
Potent inhibitory effect of naturally occurring flavonoids quercetin and kaempferol on *in vitro* osteoclastic bone resorption, 35
- Osthole
Osthole prevents anti-Fas antibody-induced hepatitis in mice by affecting the caspase-3-mediated apoptotic pathway, 677
- Oxidation
Antioxidants significantly affect the formation of different classes of isoprostanes and neuroprostanes in rat cerebral synaptosomes, 611
Dual effect of ebselen on mitochondrial permeability transition, 1643
- Oxidation–reduction
Activation of p53 by the cytoprotective aminothiols WR1065: DNA-damage-independent pathway and redox-dependent modulation of p53 DNA-binding activity, 1129
- Oxidative stress
Indomethacin-induced free radical-mediated changes in the intestinal brush border membranes, 683
Rabbit chronic ileitis leads to up-regulation of adenosine A1/A3 gene products, oxidative stress, and immune modulation, 1529
LAAE-14, a new *in vitro* inhibitor of intracellular calcium mobilization, modulates acute and chronic inflammation, 1539
- 2-Oxoglutarate dehydrogenase
Toxic effects of copper-based antineoplastic drugs (Casiopinas[®]) on mitochondrial functions, 1979
- Oxyntic mucosa
TNF- α induces apoptosis of parietal cells, 1755
- p23
p23 enhances the formation of the aryl hydrocarbon receptor–DNA complex, 941
- p53
Activation of p53 by the cytoprotective aminothiols WR1065: DNA-damage-independent pathway and redox-dependent modulation of p53 DNA-binding activity, 1129
Induction of G1 phase arrest in MCF human breast cancer cells by pentagalloylglucose through the down-regulation of CDK4 and CDK2 activities and up-regulation of the CDK inhibitors p27^{Kip} and p21^{Cip}, 1777
Enforced expression of the tumor suppressor p53 renders human leukemia cells (U937) more sensitive to 1- $[\beta$ -D-arabinofuranosyl]cytosine (ara-C)-induced apoptosis, 1997
- P388 leukaemia
Apoptotic cell death induction by F 11782 a novel dual catalytic inhibitor of topoisomerases I and II, 755
- ³¹P NMR
Concentration dependent mitochondrial effect of amiodarone, 1115
- Paclitaxel
Two-step formation of ¹H NMR visible mobile lipids during apoptosis of paclitaxel-treated K562 cells, 1271
- PAF
The effect of sesquiterpene lactones on the release of human neutrophil elastase, 897
- Panax ginseng*
Reversal of P-glycoprotein-mediated multidrug resistance by ginsenoside Rg₃, 75
- Pancreatic β -cell
Inhibition of ATP-sensitive K⁺-channels by a sulfonylurea analogue with a phosphate group, 599
- Pancreatic stellate cells
Inhibition of pancreatic stellate cell activation by the hydroxymethylglutaryl coenzyme A reductase inhibitor lovastatin, 1295
- PAPS synthetase (PAPSS)
Pharmacogenetics of human 3'-phosphoadenosine 5'-phosphosulfate synthetase 1 (PAPSS1): gene resequencing, sequence variation, and functional genomics, 1787
- Paracellular
Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels, 1151
- Parenteral iron
Influence of parenteral iron preparations on non-transferrin bound iron uptake, the iron regulatory protein and the expression of ferritin and the divalent metal transporter DMT-1 in HepG2 human hepatoma cells, 1973
- Parkinson's disease
Inflammation and inducible nitric oxide synthase have no effect on monoamine oxidase activity in glioma cells, 1719
- Parotid acinar cells
Role of nerve growth factor in the regulation of parotid cell differentiation induced by rat serum, 1507
- Patch-clamp
The voltage- and time-dependent blocking effect of trifluoperazine on T lymphocyte Kv1.3 channels, 551
- PBR gene promoter
Transcriptional suppression of the adrenal cortical peripheral-type benzodiazepine receptor gene and inhibition of steroid synthesis by ginkgolide B, 717
- p34^{CDC2}
Resveratrol-induced G₂ arrest through the inhibition of CDK7 and p34^{CDC2} kinases in colon carcinoma HT29 cells, 1053
- p21^{Cip}
Induction of G1 phase arrest in MCF human breast cancer cells by pentagalloylglucose through the down-regulation of CDK4 and CDK2 activities and up-regulation of the CDK inhibitors p27^{Kip} and p21^{Cip}, 1777
- p21^{Cip1}
Effect of 20-*epi*-1 α ,25-dihydroxyvitamin D₃ on the proliferation of human neuroblastoma: role of cell cycle regulators and the Myc–Id2 pathway, 1943
- Pemetrexed
Decreased expression of the reduced folate carrier and folypolyglutamate synthetase is the basis for acquired resistance to the pemetrexed antifolate (LY231514) in an L1210 murine leukemia cell line, 1163
- Peptide
Peptide G protein agonists from a phage display library, 961
- Peptide hormone
Established theory of radiation-induced decay is not generalizable to Bolton–Hunter labeled peptides, 1515
- Peripherally mediated
Opioid-induced immunosuppression: is it centrally mediated or peripherally mediated?, 1761
- Peripheral-type benzodiazepine receptor (PBR)
Transcriptional suppression of the adrenal cortical peripheral-type benzodiazepine receptor gene and inhibition of steroid synthesis by ginkgolide B, 717
- Peritoneal macrophages
In vitro effects of mangiferin on superoxide concentrations and expression of the inducible nitric oxide synthase, tumour necrosis factor- α and transforming growth factor- β genes, 1361
- Permeability
Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels, 1151

Permeability transition

Reactive oxygen species are involved in the stimulation of the mitochondrial permeability transition by dihydrolipoate, 43

Concentration dependent mitochondrial effect of amiodarone, 1115

Peroxidative metabolism

Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells, 1603

Peroxisome proliferator-activated receptor γ

Differential effects of YM440 a hypoglycemic agent on binding to a peroxisome proliferator-activated receptor γ and its transactivation, 795

Peroxisome proliferator-activated receptor α

Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators, 949

Peroxisome proliferators

Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators, 949

Peroxynitrite

Interactions of peroxynitrite and other nitrating substances with human platelets: the role of glutathione and peroxynitrite permeability, 515

Effects of angiotensin II on vascular endothelial cells: formation of receptor-mediated reactive nitrogen species, 1189

Pertussis toxin

Comparison of the pharmacological antagonism of M₂ and M₃ muscarinic receptors expressed in isolation and in combination, 1227

Petrosaspongionide M

Inhibition of the NF- κ B signaling pathway mediates the anti-inflammatory effects of petrosaspongionide M, 887

P-glycoprotein (Pgp)

Reversal of P-glycoprotein-mediated multidrug resistance by ginsenoside Rg₃, 75

Human MDR1 polymorphism: G2677T/A and C3435T have no effect on MDR1 transport activities, 1843

P-gp

Multidrug resistance correlates with overexpression of Muc4 but inversely with P-glycoprotein and multidrug resistance related protein in transfected human melanoma cells, 1419

Phage-display library

Peptide G protein agonists from a phage display library, 961

Pharmacogenetics

Pharmacogenetics of human 3'-phosphoadenosine 5'-phosphosulfate synthetase 1 (PAPSS1): gene resequencing, sequence variation, and functional genomics, 1787

Phenothiazines

The voltage- and time-dependent blocking effect of trifluoperazine on T lymphocyte Kv1.3 channels, 551

pHi tyrosine kinase

Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes, 465

Phorbol ester

Inhibition of the MEK/ERK pathway has no effect on agonist-induced aggregation of human platelets, 1243

Phorbol 12-myristate 13-acetate

Resistance to phorbol 12-myristate 13-acetate-induced cell growth arrest in an HL60 cell line chronically exposed to a glutathione S-transferase π inhibitor, 1611

Phosphapeptide inhibitor

Potent inhibition of human folylpolyglutamate synthetase by a phosphinic acid mimic of the tetrahedral reaction intermediate, 315

Phosphatase inhibitors

Structure activity analysis of the pro-apoptotic, antitumor effect of nitrostyrene adducts and related compounds, 603

Phosphatidic acid

Modification of intracellular free calcium in cultured A10 vascular smooth muscle cells by exogenous phosphatidic acid, 2091

Phosphatidylinositol 3-kinase

Development of insulin resistance and reversal by thiazolidinediones in C2C12 skeletal muscle cells, 249

Phosphinate

Potent inhibition of human folylpolyglutamate synthetase by a phosphinic acid mimic of the tetrahedral reaction intermediate, 315

3'-Phosphoadenosine 5'-phosphosulfate (PAPS)

Pharmacogenetics of human 3'-phosphoadenosine 5'-phosphosulfate synthetase 1 (PAPSS1): gene resequencing, sequence variation, and functional genomics, 1787

Phosphodiesterase

Yessotoxin, a novel phycotoxin, activates phosphodiesterase activity. Effect of yessotoxin on cAMP levels in human lymphocytes, 193

Phosphoinositide hydrolysis

Comparison of the pharmacological antagonism of M₂ and M₃ muscarinic receptors expressed in isolation and in combination, 1227

Phospholipase C

Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923

Phospholipase D

Investigation of the cellular mechanism of inhibition of formyl-methionyl-leucyl-phenylalanine-induced superoxide anion generation in rat neutrophils by 2-benzoyloxybenzaldehyde, 1043

Phosphotyrosine content

Effect of *in vivo* administered hexachlorobenzene on epidermal growth factor receptor levels, protein tyrosine kinase activity, and phosphotyrosine content in rat liver, 1495

PIH analogs

Lipophilicity of analogs of pyridoxal isonicotinoyl hydrazone (PIH) determines the efflux of iron complexes and toxicity in K562 cells, 349

Pinacidil

K-ATP channel independent effects of pinacidil on ATP production in isolated cardiomyocyte or pancreatic β -cell mitochondria, 1835

p27^{Kip}

Induction of G1 phase arrest in MCF human breast cancer cells by pentagalloylglucose through the down-regulation of CDK4 and CDK2 activities and up-regulation of the CDK inhibitors p27^{Kip} and p21^{Cip}, 1777

Plasma stability

Plasma stability of two glycosyl indolocarbazole antitumor agents, 25

Platelets

Interactions of peroxynitrite and other nitrating substances with human platelets: the role of glutathione and peroxynitrite permeability, 515

Inhibition of the MEK/ERK pathway has no effect on agonist-induced aggregation of human platelets, 1243

Pokeweed antiviral protein

High resolution X-ray structure of potent anti-HIV pokeweed antiviral protein-III, 1709

Poly-(ADP-ribose) polymerase

Decrease of the inflammatory response and induction of the Akt/protein kinase B pathway by poly-(ADP-ribose) polymerase 1 inhibitor in endotoxin-induced septic shock, 1373

Polyamines

Activation of p53 by the cytoprotective aminothiol WR1065: DNA-damage-independent pathway and redox-dependent modulation of p53 DNA-binding activity, 1129

Polycations

Polycationic peptides as inhibitors of mast cell serine proteases, 1171

Polyglutamylolation

The role of multidrug resistance proteins MRP1, MRP2 and MRP3 in cellular folate homeostasis, 765

Polymethoxy flavonoid

Novel anti-inflammatory actions of nobletin, a citrus polymethoxy flavonoid, on human synovial fibroblasts and mouse macrophages, 2065

Polymorphism

Effect of genotype on steady-state *CYP1A1* gene expression in human peripheral lymphocytes, 441

Human MDR1 polymorphism: G2677T/A and C3435T have no effect on MDR1 transport activities, 1843

- Polyphenol**
Fast repair of deoxythymidine radical anions by two polyphenols: rutin and quercetin, 1967
- Porphyria cutanea tarda**
Uroporphyrin accumulation in hepatoma cells expressing human or mouse CYP1A2: relation to the role of CYP1A2 in human porphyria cutanea tarda, 545
- Posttranscriptional regulation**
Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators, 949
- Potassium channel**
The voltage- and time-dependent blocking effect of trifluoperazine on T lymphocyte Kv1.3 channels, 551
- Potassium channel openers**
Large-conductance K⁺ channel openers NS1619 and NS004 as inhibitors of mitochondrial function in glioma cells, 1827
- Potassium conductance**
Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels, 1151
- PPAHV**
Pharmacology of vanilloids at recombinant and endogenous rat vanilloid receptors, 143
- PPAR**
Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303
- pRB**
Effect of 20-*epi*-1 α ,25-dihydroxyvitamin D₃ on the proliferation of human neuroblastoma: role of cell cycle regulators and the Myc-I δ 2 pathway, 1943
- Pregnane X receptor**
Vitamin E activates gene expression via the pregnane X receptor, 269
In vivo activation of the human CYP3A4 promoter in mouse liver and regulation by pregnane X receptors, 1889
- Prodrug**
Cytosolic β -glycosidases for activation of glycoside prodrugs of daunorubicin, 1875
- Proinflammatory cytokine**
Novel anti-inflammatory actions of nobiletin, a citrus polymethoxy flavonoid, on human synovial fibroblasts and mouse macrophages, 2065
- Proliferation**
Esculetin inhibits Ras-mediated cell proliferation and attenuates vascular restenosis following angioplasty in rats, 1897
- Pro-oxidant**
Antioxidant and pro-oxidant properties of pyrroloquinoline quinone (PQQ): implications for its function in biological systems, 67
- Prostacyclin**
Regulation of cyclooxygenase-2 expression by iloprost in human vascular smooth muscle cells. Role of transcription factors CREB and ICER, 979
Long-term-desensitization of prostacyclin receptors is independent of the C-terminal tail, 1991
- Prostaglandins**
Advances in the pathophysiology of constitutive and inducible cyclooxygenases: two enzymes in the spotlight, 153
- Prostate carcinoma**
Cellular bases of the antitumor activity of a 7-substituted camptothecin in hormone-refractory human prostate carcinoma models, 1281
- Protein damage**
Apoptosis induction by the dual-action DNA- and protein-reactive antitumor drug irifolven is largely Bcl-2-independent, 503
- Protein factors**
p23 enhances the formation of the aryl hydrocarbon receptor–DNA complex, 941
- Protein glutathiolation**
Protein glutathiolation in human blood, 741
- Protein kinase**
Endothelium-dependent and -independent relaxation and VASP serines 157/239 phosphorylation by cyclic nucleotide-elevating vasodilators in rat aorta, 397
Modulatory effects of hormones, drugs, and toxic events on renal organic anion transport, 1393
- Protein modification**
Cellular transformation of the investigational new anticancer drug NB1011, a phosphoramidate of 5-(2-bromovinyl)-2'-deoxyuridine, results in modification of cellular proteins not DNA, 823
- Protein p53**
Influence of p53 and p21^{WAF1} expression on sensitivity of cancer cells to cladribine, 121
- Protein thiolation**
Protein glutathiolation in human blood, 741
- Protein tyrosine kinase**
Effect of *in vivo* administered hexachlorobenzene on epidermal growth factor receptor levels, protein tyrosine kinase activity, and phosphotyrosine content in rat liver, 1495
- Protein–DNA interactions**
Recognition of DNA modified by antitumor cisplatin by “latent” and “active” protein p53, 1305
- Protein–protein interactions**
Small molecule antagonists of proteins, 1
- Proteomics**
Toxicogenomics of bromobenzene hepatotoxicity: a combined transcriptomics and proteomics approach, 857
- Pulse radiolysis**
Fast repair of deoxythymidine radical anions by two polyphenols: rutin and quercetin, 1967
- Purines**
*N*⁶-Substituted adenosine derivatives: selectivity, efficacy, and species differences at A₃ adenosine receptors, 1675
- Pyridine nucleotides**
Reactive oxygen species are involved in the stimulation of the mitochondrial permeability transition by dihydrolipoate, 43
- Pyridoxal isonicotinoyl hydrazone (PIH)**
Pyridoxal isonicotinoyl hydrazone analogs induce apoptosis in hematopoietic cells due to their iron-chelating properties, 161
Lipophilicity of analogs of pyridoxal isonicotinoyl hydrazone (PIH) determines the efflux of iron complexes and toxicity in K562 cells, 349
- Pyrimidines**
Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923
- Pyrroloquinoline quinone (PQQ)**
Antioxidant and pro-oxidant properties of pyrroloquinoline quinone (PQQ): implications for its function in biological systems, 67
- Quantitative real-time PCR**
Quantitative analysis of the Ah receptor/cytochrome P450 CYP1B1/CYP1A1 signalling pathway, 1663
- Quercetin**
Potent inhibitory effect of naturally occurring flavonoids quercetin and kaempferol on *in vitro* osteoclastic bone resorption, 35
Probing the binding of the flavonoid, quercetin to human serum albumin by circular dichroism, electronic absorption spectroscopy and molecular modelling methods, 447
Inhibition of 15-lipoxygenases by flavonoids: structure–activity relations and mode of action, 773
Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells, 1603
- Quercetin glucoside**
Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter, 1199

- Rabbit**
 Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911
- Rabbit ileitis**
 Rabbit chronic ileitis leads to up-regulation of adenosine *A1/A3* gene products, oxidative stress, and immune modulation, 1529
- Radioactive decay**
 Established theory of radiation-induced decay is not generalizable to Bolton–Hunter labeled peptides, 1515
- Radioligand**
 Established theory of radiation-induced decay is not generalizable to Bolton–Hunter labeled peptides, 1515
- Radioligand binding**
 Affinity of cyamemazine, an anxiolytic antipsychotic drug, for human recombinant dopamine vs. serotonin receptor subtypes, 435
 Pharmacological characterisation of a cell line expressing GABA_{B1b} and GABA_{B2} receptor subunits, 1103
- Ras**
 Inhibition of pancreatic stellate cell activation by the hydroxymethyl-glutaryl coenzyme A reductase inhibitor lovastatin, 1295
 Esculetin inhibits Ras-mediated cell proliferation and attenuates vascular restenosis following angioplasty in rats, 1897
- Rat**
In vitro effects of mangiferin on superoxide concentrations and expression of the inducible nitric oxide synthase, tumour necrosis factor- α and transforming growth factor- β genes, 1361
- Rat brain**
 Effects of zinc ion on type A monoamine oxidase in monkey brain mitochondria, 625
- Rat cerebral receptors**
 Affinity of cyamemazine, an anxiolytic antipsychotic drug, for human recombinant dopamine vs. serotonin receptor subtypes, 435
- Rat liver**
 Effect of *in vivo* administered hexachlorobenzene on epidermal growth factor receptor levels, protein tyrosine kinase activity, and phosphotyrosine content in rat liver, 1495
- Rat neutrophil**
 Investigation of the cellular mechanism of inhibition of formyl-methionyl-leucyl-phenylalanine-induced superoxide anion generation in rat neutrophils by 2-benzyloxybenzaldehyde, 1043
- Rat UGT2B1**
 Cloning and characterisation of the first drug-metabolising canine UDP-glucuronosyltransferase of the 2B subfamily, 1251
- Rat vascular smooth muscle cell**
 Interaction of dimercaptosuccinic acid (DMSA) with angiotensin II on calcium mobilization in vascular smooth muscle cells, 1741
- Reactive nitrogen species**
 Effects of angiotensin II on vascular endothelial cells: formation of receptor-mediated reactive nitrogen species, 1189
- Reactive oxygen species**
 Flavonoids inhibit myelin phagocytosis by macrophages; a structure–activity relationship study, 877
- Rebeccamycin**
 Plasma stability of two glycosyl indolocarbazole antitumor agents, 25
- Receptor**
 Anthrax toxin receptor proteins, 309
 Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207
 Novel selective and metabolically stable inhibitors of anandamide cellular uptake, 1473
 Established theory of radiation-induced decay is not generalizable to Bolton–Hunter labeled peptides, 1515
- Receptor binding**
 Differential allosteric modulation by amiloride analogues of agonist and antagonist binding at *A1* and *A3* adenosine receptors, 525
 Differential effects of YM440 a hypoglycemic agent on binding to a peroxisome proliferator-activated receptor γ and its transactivation, 795
- N*⁶-Substituted adenosine derivatives: selectivity, efficacy, and species differences at *A3* adenosine receptors, 1675
- Receptor desensitization**
 Long-term-desensitization of prostacyclin receptors is independent of the C-terminal tail, 1991
- Receptor ELISA**
 Important amino acids for the function of the human MT1 melatonin receptor, 1463
- Reporter gene assay**
 Evaluation of β -adrenergic receptor subtypes in the human prostate cancer cell line-LNCaP, 1489
- Receptor-mediated endocytosis**
 Impaired receptor-mediated endocytosis by the asialoglycoprotein receptor in ethanol-fed mice: implications for studying the role of this receptor in alcoholic apoptosis, 535
- Recombinant enzyme**
 Enzymatic characterization of recombinant mouse retinal dehydrogenase type 1, 1685
- Recombinant human receptors**
 Affinity of cyamemazine, an anxiolytic antipsychotic drug, for human recombinant dopamine vs. serotonin receptor subtypes, 435
- Redox cycling**
 Antioxidant and pro-oxidant properties of pyrroloquinoline quinone (PQQ): implications for its function in biological systems, 67
Trypanosoma cruzi: effect and mode of action of nitroimidazole and nitrofur derivatives, 999
 Cytotoxicity and apoptosis of benzoquinones: redox cycling, cytochrome *c* release, and BAD protein expression, 1061
- Reduced folate carrier**
 Further studies on the interaction of nonpolyglutamatable aminopterin analogs with dihydrofolate reductase and the reduced folate carrier as determinants of *in vitro* antitumor activity, 1427
- Reduction**
 Monoamine oxidase A inhibitory potency and flavin perturbation are influenced by different aspects of pirlindole inhibitor structure, 1867
- Reperfusion**
 Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911
- Resiniferatoxin**
 Pharmacology of vanilloids at recombinant and endogenous rat vanilloid receptors, 143
- Resistance**
 Resistance to phorbol 12-myristate 13-acetate-induced cell growth arrest in an HL60 cell line chronically exposed to a glutathione *S*-transferase π inhibitor, 1611
- Respiration**
 Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911
- Respiration inhibitors**
Trypanosoma cruzi: effect and mode of action of nitroimidazole and nitrofur derivatives, 999
- Respiratory chain**
 Sodium tanshinone IIA sulfonate mediates electron transfer reaction in rat heart mitochondria, 51
 Large-conductance K⁺ channel openers NS1619 and NS004 as inhibitors of mitochondrial function in glioma cells, 1827
- Restenosis**
 Esculetin inhibits Ras-mediated cell proliferation and attenuates vascular restenosis following angioplasty in rats, 1897
- Resveratrol**
 Resveratrol-induced G₂ arrest through the inhibition of CDK7 and p34^{CDC2} kinases in colon carcinoma HT29 cells, 1053
- Retinal**
 Enzymatic characterization of recombinant mouse retinal dehydrogenase type 1, 1685
- Retinal dehydrogenase**
 Enzymatic characterization of recombinant mouse retinal dehydrogenase type 1, 1685

- Retinoic acid**
Enzymatic characterization of recombinant mouse retinal dehydrogenase type 1, 1685
- Retinoic acid receptor- β**
Effect of 20-*epi*-1 α ,25-dihydroxyvitamin D₃ on the proliferation of human neuroblastoma: role of cell cycle regulators and the Myc-Id2 pathway, 1943
- Retinoid-related molecules**
Reduced concentrations of serum enhance the antiproliferative activity of retinoid-related molecules and accelerate the onset of apoptosis, 2021
- Retinoid-related orphan receptor**
Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303
- Rhein**
Effects of rhein on human articular chondrocytes in alginate beads, 377
- RhoA**
Inhibition of pancreatic stellate cell activation by the hydroxymethylglutaryl coenzyme A reductase inhibitor lovastatin, 1295
- Rhodamine 123**
Multidrug resistance correlates with overexpression of Muc4 but inversely with P-glycoprotein and multidrug resistance related protein in transfected human melanoma cells, 1419
- Rhodopsin-based model**
Important amino acids for the function of the human MT1 melatonin receptor, 1463
- Rho-kinase**
Intracellular signal transduction modulating expression of plasminogen activator inhibitor-1 in adipocytes, 1907
- Ribonucleotide reductase**
Down-regulation of deoxycytidine kinase in human leukemic cell lines resistant to cladribine and clofarabine and increased ribonucleotide reductase activity contributes to fludarabine resistance, 237
- Ribosome inactivation**
High resolution X-ray structure of potent anti-HIV pokeweed antiviral protein-III, 1709
- RNA-protein interaction**
Interplay between transcriptional and post-transcriptional regulation of *Cyp2a5* expression, 1653
- ROS**
An oxidative mechanism of interferon induced priming of the Fas pathway in Fanconi anemia cells, 833
- Rosiglitazone**
Diminished production of nitric oxide synthase cofactor tetrahydrobiopterin by rosiglitazone in adipocytes, 593
- RT-PCR**
Effect of genotype on steady-state *CYP1A1* gene expression in human peripheral lymphocytes, 441
Ethanol consumption decreases the synthesis of the mannose 6-phosphate/insulin-like growth factor II receptor but does not decrease its messenger RNA, 637
- RU486**
Inhibition of cytokine production by the herbicide atrazine. Search for nuclear receptor targets, 303
- Ryanodine receptors**
ET_A receptor-mediated Ca²⁺ mobilisation in H9c2 cardiac cells, 783
- Sarcoplasmic reticulum**
Assessment of sarcoplasmic reticulum Ca²⁺-uptake during the development of left ventricular hypertrophy, 933
Modification of intracellular free calcium in cultured A10 vascular smooth muscle cells by exogenous phosphatidic acid, 2091
- Sarin**
Sarin (nerve agent GB)-induced differential expression of mRNA coding for the acetylcholinesterase gene in the rat central nervous system, 2041
- SB 225002**
Characterization of the molecular interactions of interleukin-8 (CXCL8), growth related oncogen α (CXCL1) and a non-peptide antagonist (SB 225002) with the human CXCR2, 813
- Scutigerol**
Pharmacology of vanilloids at recombinant and endogenous rat vanilloid receptors, 143
- Selection**
Selection of insulin-producing rat insulinoma (RINm) cells with improved resistance to oxidative stress, 1797
- Selectivity**
Interaction of the D_{2short} dopamine receptor with G proteins: analysis of receptor/G protein selectivity, 1139
- Semliki Forest virus CB₂ receptor construct**
Expression of the murine CB₂ cannabinoid receptor using a recombinant Semliki Forest virus, 1931
- Septic shock**
Suppression of tumor necrosis factor- α and inducible nitric oxide synthase gene expression by THI 52, a new synthetic naphthyl-benzylisoquinoline alkaloid, 457
Decrease of the inflammatory response and induction of the Akt/protein kinase B pathway by poly-(ADP-ribose) polymerase 1 inhibitor in endotoxin-induced septic shock, 1373
- Serum**
Reduced concentrations of serum enhance the antiproliferative activity of retinoid-related molecules and accelerate the onset of apoptosis, 2021
- Sesquiterpene lactones**
The effect of sesquiterpene lactones on the release of human neutrophil elastase, 897
Effect of sesquiterpene lactones on the expression of the activation marker CD69 and of IL-2 in T-lymphocytes in whole blood, 1551
- Short circuit current**
Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels, 1151
- Siderophores**
Cellular uptake of a catechol iron chelator and chloroquine into *Plasmodium falciparum* infected erythrocytes, 1351
- Signal transduction**
Modulation by caspases of tumor necrosis factor-stimulated c-Jun N-terminal kinase activation but not nuclear factor- κ B signaling, 91
Peptide G protein agonists from a phage display library, 961
Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB2) receptor, 1077
- Site-directed mutagenesis**
Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB2) receptor, 1077
Important amino acids for the function of the human MT1 melatonin receptor, 1463
- Skeletal muscle**
Development of insulin resistance and reversal by thiazolidinediones in C2C12 skeletal muscle cells, 249
Beneficial effects of L-carnitine in myoblastic C2C12 cells. Interaction with zidovudine, 1483
- Skinned fibers**
Calpain inhibitor (BSF 409425) diminishes ischemia/reperfusion-induced damage of rabbit heart mitochondria, 911
- Smooth muscle cells**
Esculetin inhibits Ras-mediated cell proliferation and attenuates vascular restenosis following angioplasty in rats, 1897
- SN26955**
Improved potency of the hypoxic cytotoxin tirapazamine by DNA-targeting, 1807
- SNP**
Human MDR1 polymorphism: G2677T/A and C3435T have no effect on MDR1 transport activities, 1843
- Sodium channel**
Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207

- Sodium ions
Differential allosteric modulation by amiloride analogues of agonist and antagonist binding at A₁ and A₃ adenosine receptors, 525
- Sodium tanshinone IIA sulfonate (STS)
Sodium tanshinone IIA sulfonate mediates electron transfer reaction in rat heart mitochondria, 51
- Sodium-dependent glucose transporter 1 (SGLT1)
Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter, 1199
- Spasmolytic drug
The antioxidant activity of caroverine, 59
- Species-based difference
Metabolism of 26,26,26,27,27,27-F₆-1 α ,25-dihydroxyvitamin D₃ by CYP24: species-based difference between humans and rats, 1957
- Spinach
Effects of glycolipids from spinach on mammalian DNA polymerases, 259
- Spontaneously hypertensive rat
Endogenous nitric oxide does not modulate mesenteric mast cell degranulation in rats, 2073
- SR Ca²⁺-ATPase
Modification of intracellular free calcium in cultured A10 vascular smooth muscle cells by exogenous phosphatidic acid, 2091
- Statins
Statin effects on cholesterol micro-domains in brain plasma membranes, 843
- Steroid biosynthesis
Transcriptional suppression of the adrenal cortical peripheral-type benzodiazepine receptor gene and inhibition of steroid synthesis by ginkgolide B, 717
- Store-operated calcium channels
Dihydropyridines as inhibitors of capacitative calcium entry in leukemic HL-60 cells, 329
- Stress kinases
Reduced concentrations of serum enhance the antiproliferative activity of retinoid-related molecules and accelerate the onset of apoptosis, 2021
- Structure–activity relationship
Inhibition of ATP-sensitive K⁺-channels by a sulfonylurea analogue with a phosphate group, 599
N⁶-Substituted adenosine derivatives: selectivity, efficacy, and species differences at A₃ adenosine receptors, 1675
Monoamine oxidase A inhibitory potency and flavin perturbation are influenced by different aspects of pirlindole inhibitor structure, 1867
- Sulfate conjugation
Pharmacogenetics of human 3'-phosphoadenosine 5'-phosphosulfate synthetase 1 (PAPSS1): gene resequencing, sequence variation, and functional genomics, 1787
- Sulfation
Pharmacogenetics of human 3'-phosphoadenosine 5'-phosphosulfate synthetase 1 (PAPSS1): gene resequencing, sequence variation, and functional genomics, 1787
- Sulfonylurea analogue with a phosphate group
Inhibition of ATP-sensitive K⁺-channels by a sulfonylurea analogue with a phosphate group, 599
- Sulfonylurea receptor subtypes
Inhibition of ATP-sensitive K⁺-channels by a sulfonylurea analogue with a phosphate group, 599
- Sulfonylureas
Inhibition of ATP-sensitive K⁺-channels by a sulfonylurea analogue with a phosphate group, 599
- Superoxide anion
Reactive oxygen species are involved in the stimulation of the mitochondrial permeability transition by dihydrolipoate, 43
Investigation of the cellular mechanism of inhibition of formyl-methionyl-leucyl-phenylalanine-induced superoxide anion generation in rat neutrophils by 2-benzoyloxybenzaldehyde, 1043
In vitro effects of mangiferin on superoxide concentrations and expression of the inducible nitric oxide synthase, tumour necrosis factor- α and transforming growth factor- β genes, 1361
- Suramin
Activation of deoxycytidine kinase by UV-C-irradiation in chronic lymphocytic leukemia B-lymphocytes, 573
- Surmountable
Peptide and nonpeptide antagonist interaction with constitutively active human AT₁ receptors, 1329
- SV40 small t-antigen
Activation of the coactivator four-and-a-half-LIM-only protein FHL2 and the *c-fos* promoter through inhibition of protein phosphatase 2A, 1317
- Swelling
Toxic effects of copper-based antineoplastic drugs (Casiopinas[®]) on mitochondrial functions, 1979
[³⁵S]GTP γ S binding
Pharmacological characterisation of a cell line expressing GABA_{B1b} and GABA_{B2} receptor subunits, 1103
Interaction of the D_{2short} dopamine receptor with G proteins: analysis of receptor/G protein selectivity, 1139
- T lymphocyte
Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes, 465
The voltage- and time-dependent blocking effect of trifluoperazine on T lymphocyte Kv1.3 channels, 551
- Tat
U50,488 inhibits HIV-1 Tat-induced monocyte chemoattractant protein-1 (CCL2) production by human astrocytes, 9
- Taurine transporter
Taurine transporter in primary cultured neonatal rat heart cells: a comparison between cardiac myocytes and nonmyocytes, 1181
- TEM8
Anthrax toxin receptor proteins, 309
- Tetrahedral mimic
Potent inhibition of human folylpolyglutamate synthetase by a phosphinic acid mimic of the tetrahedral reaction intermediate, 315
- Tetrahydrobiopterin
Diminished production of nitric oxide synthase cofactor tetrahydrobiopterin by rosiglitazone in adipocytes, 593
- Therapy
Broad-spectrum chemokine inhibitors (BSCIs) and their anti-inflammatory effects *in vivo*, 1027
- Thiazolidinedione
Differential effects of YM440 a hypoglycemic agent on binding to a peroxisome proliferator-activated receptor γ and its transactivation, 795
- Thiazolidinediones
Development of insulin resistance and reversal by thiazolidinediones in C2C12 skeletal muscle cells, 249
Diminished production of nitric oxide synthase cofactor tetrahydrobiopterin by rosiglitazone in adipocytes, 593
- Thiol groups
Dual effect of ebselen on mitochondrial permeability transition, 1643
- Thiols depletion
Trypanosoma cruzi: effect and mode of action of nitroimidazole and nitrofurant derivatives, 999
- Thrombosis
Intracellular signal transduction modulating expression of plasminogen activator inhibitor-1 in adipocytes, 1907
- Thymidine kinase
Selective activation of deoxycytidine kinase by thymidine-5'-thiosulphate and release by deoxycytidine in human lymphocytes, 563
Activation of deoxycytidine kinase by UV-C-irradiation in chronic lymphocytic leukemia B-lymphocytes, 573
- Thymidylate synthase
Cellular transformation of the investigational new anticancer drug NB1011, a phosphoramidate of 5-(2-bromovinyl)-2'-deoxyuridine, results in modification of cellular proteins not DNA, 823

- Thyroxine**
Thyroxine-derivatives of lipopeptides: bifunctional dimerization inhibitors of human immunodeficiency virus-1 protease, 1097
- Tirapazamine**
Improved potency of the hypoxic cytotoxin tirapazamine by DNA-targeting, 1807
- Tissue damage**
Use of the A_{2A} adenosine receptor as a physiological immunosuppressor and to engineer inflammation *in vivo*, 493
- Tissue distribution**
Expression of acetoacetyl-CoA synthetase, a novel cytosolic ketone body-utilizing enzyme, in human brain, 989
- TNF- α**
Effects of high glucose on cytokine-induced nerve growth factor (NGF) expression in rat renal mesangial cells, 293
Suppression of tumor necrosis factor- α and inducible nitric oxide synthase gene expression by THI 52, a new synthetic naphthyl-benzyl-lisoquinoline alkaloid, 457
Inhibition of the NF- κ B signaling pathway mediates the anti-inflammatory effects of petrosaspongiolide M, 887
Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y₆, but not P2Y₄ nucleotide receptors, 923
LAAE-14, a new *in vitro* inhibitor of intracellular calcium mobilization, modulates acute and chronic inflammation, 1539
- TNF**
Decoy receptor 3 (DcR3) is proteolytically processed to a metabolic fragment having differential activities against Fas ligand and LIGHT, 657
- TNFR**
TNF- α induces apoptosis of parietal cells, 1755
- Topoisomerase I**
Dual inhibition of topoisomerase I and tubulin polymerization by BPR0Y007, a novel cytotoxic agent, 2009
- Topoisomerases**
Apoptotic cell death induction by F 11782 a novel dual catalytic inhibitor of topoisomerases I and II, 755
- Toxicity of iron chelators**
Lipophilicity of analogs of pyridoxal isonicotinoyl hydrazone (PIH) determines the efflux of iron complexes and toxicity in K562 cells, 349
- Toxicogenomics**
Toxicogenomics of bromobenzene hepatotoxicity: a combined transcriptomics and proteomics approach, 857
- TRAF-1**
Apoptosis and TRAF-1 cleavage in Epstein-Barr virus-positive nasopharyngeal carcinoma cells treated with doxorubicin combined with a farnesyl-transferase inhibitor, 423
- Transactivation**
Differential effects of YM440 a hypoglycemic agent on binding to a peroxisome proliferator-activated receptor γ and its transactivation, 795
- Transcription**
Interplay between transcriptional and post-transcriptional regulation of *Cyp2a5* expression, 1653
- Transcription factor**
Modulation by caspases of tumor necrosis factor-stimulated c-Jun N-terminal kinase activation but not nuclear factor- κ B signaling, 91
- Transcriptional regulation**
Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators, 949
- Transcriptomics**
Toxicogenomics of bromobenzene hepatotoxicity: a combined transcriptomics and proteomics approach, 857
- Transepithelial resistance**
Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels, 1151
- Transition metals**
Iron and transition metal transport into erythrocytes mediated by nifedipine degradation products and related compounds, 1215
- Transport**
Novel selective and metabolically stable inhibitors of anandamide cellular uptake, 1473
- Transport regulation**
Modulatory effects of hormones, drugs, and toxic events on renal organic anion transport, 1393
- Transporter**
Beneficial effects of L-carnitine in myoblastic C2C12 cells. Interaction with zidovudine, 1483
Human MDR1 polymorphism: G2677T/A and C3435T have no effect on MDR1 transport activities, 1843
- Transsulfuration pathway**
Effect of acute betaine administration on hepatic metabolism of S-amino acids in rats and mice, 1565
- Trifluoperazine**
The voltage- and time-dependent blocking effect of trifluoperazine on T lymphocyte Kv1.3 channels, 551
- Trk receptors**
Role of nerve growth factor in the regulation of parotid cell differentiation induced by rat serum, 1507
- Trypanosoma cruzi**
Trypanosoma cruzi: effect and mode of action of nitroimidazole and nitrofur derivatives, 999
- Tryptase**
The inhibition of mast cell activation by neutrophil lactoferrin: uptake by mast cells and interaction with tryptase, chymase and cathepsin G, 1007
Polycationic peptides as inhibitors of mast cell serine proteases, 1171
- Tubulin**
Dual inhibition of topoisomerase I and tubulin polymerization by BPR0Y007, a novel cytotoxic agent, 2009
- Tumor**
Improved potency of the hypoxic cytotoxin tirapazamine by DNA-targeting, 1807
- Tumor suppressor protein p53**
Recognition of DNA modified by antitumor cisplatin by "latent" and "active" protein p53, 1305
- TUNEL**
Impaired receptor-mediated endocytosis by the asialoglycoprotein receptor in ethanol-fed mice: implications for studying the role of this receptor in alcoholic apoptosis, 535
- Two-state model**
A two-state model of antagonist-AT₁ receptor interaction: further support by binding studies at low temperature, 1339
- Type A MAO**
Effects of zinc ion on type A monoamine oxidase in monkey brain mitochondria, 625
- Type A MAO inhibitor**
Effects of zinc ion on type A monoamine oxidase in monkey brain mitochondria, 625
- Type B MAO**
Effects of zinc ion on type A monoamine oxidase in monkey brain mitochondria, 625
- Tyrphostin**
Two-step formation of ¹H NMR visible mobile lipids during apoptosis of paclitaxel-treated K562 cells, 1271
- U0126**
Inhibition of the MEK/ERK pathway has no effect on agonist-induced aggregation of human platelets, 1243
- U50,488**
U50,488 inhibits HIV-1 Tat-induced monocyte chemoattractant protein-1 (CCL2) production by human astrocytes, 9
- Ubisemiquinone**
Reactive oxygen species are involved in the stimulation of the mitochondrial permeability transition by dihydrolipoate, 43

- UDP-glucuronosyltransferase
Cloning and characterisation of the first drug-metabolising canine UDP-glucuronosyltransferase of the 2B subfamily, 1251
- UDP-glucuronosyltransferase 2B7
Glucosidation of hyodeoxycholic acid by UDP-glucuronosyltransferase 2B7, 417
- UGT
Preclinical factors affecting the interindividual variability in the clearance of the investigational anti-cancer drug 5,6-dimethylxanthone-4-acetic acid, 1853
- UGT activity
Cloning and characterisation of the first drug-metabolising canine UDP-glucuronosyltransferase of the 2B subfamily, 1251
- UGT1 polymorphisms
Frequent co-occurrence of the TATA box mutation associated with Gilbert's syndrome (*UGT1A1**28) with other polymorphisms of the UDP-glucuronosyltransferase-1 locus (*UGT1A6**2 and *UGT1A7**3) in Caucasians and Egyptians, 1521
- UGT2B7
Cloning and characterisation of the first drug-metabolising canine UDP-glucuronosyltransferase of the 2B subfamily, 1251
- Uncoupling proteins
Mitochondrial uncoupling protein 2 in the central nervous system: neuromodulator and neuroprotector, 1917
- Uroporphyrin
Uroporphyrin accumulation in hepatoma cells expressing human or mouse CYP1A2: relation to the role of CYP1A2 in human porphyria cutanea tarda, 545
- Uroporphyrinogen oxidation
Uroporphyrin accumulation in hepatoma cells expressing human or mouse CYP1A2: relation to the role of CYP1A2 in human porphyria cutanea tarda, 545
- USF
Interaction of upstream stimulatory factor proteins with an E-box located within the human *CYP1A2* 5'-flanking gene contributes to basal transcriptional gene activation, 1087
- Valproic acid
The effect of valproic acid on drug and steroid glucuronidation by expressed human UDP-glucuronosyltransferases, 1441
- Vanilloid VR1 receptor
Pharmacology of vanilloids at recombinant and endogenous rat vanilloid receptors, 143
- Vascular endothelial growth factor
Oversulfation of fucoidan enhances its anti-angiogenic and antitumor activities, 173
- Vascular permeability
Endogenous nitric oxide does not modulate mesenteric mast cell degranulation in rats, 2073
- Vascular smooth muscle cell
Regulation of cyclooxygenase-2 expression by iloprost in human vascular smooth muscle cells. Role of transcription factors CREB and ICER, 979
Modification of intracellular free calcium in cultured A10 vascular smooth muscle cells by exogenous phosphatidic acid, 2091
- Vasoactive intestinal peptide
Role of nerve growth factor in the regulation of parotid cell differentiation induced by rat serum, 1507
- VASP
Endothelium-dependent and -independent relaxation and VASP serines 157/239 phosphorylation by cyclic nucleotide-elevating vasodilators in rat aorta, 397
- Verapamil
An amperometric biosensor with human CYP3A4 as a novel drug screening tool, 1817
- Vitamin C
Evaluation of oxidative stress during apoptosis and necrosis caused by D-galactosamine in rat liver, 101
- Vitamin D analog
Effect of 20-*epi*-1 α ,25-dihydroxyvitamin D₃ on the proliferation of human neuroblastoma: role of cell cycle regulators and the Myc-Id2 pathway, 1943
Metabolism of 26,26,26,27,27,27-F₆-1 α ,25-dihydroxyvitamin D₃ by CYP24: species-based difference between humans and rats, 1957
- Vitamin E
Evaluation of oxidative stress during apoptosis and necrosis caused by D-galactosamine in rat liver, 101
Vitamin E activates gene expression via the pregnane X receptor, 269
- VLDL secretion
Effects of dehydroepiandrosterone on oleic acid accumulation in rat liver, 1583
- VR1
Novel selective and metabolically stable inhibitors of anandamide cellular uptake, 1473
- Western analysis
Expression profiles of three isoforms of inositol 1,4,5-trisphosphate receptor in brown adipose tissue of the rat, 995
- Western blot
Minimally modified phosphodiester antisense oligodeoxyribonucleotide directed against the multidrug resistance gene *mdr1*, 747
- WR1065
Activation of p53 by the cytoprotective aminothiol WR1065: DNA-damage-independent pathway and redox-dependent modulation of p53 DNA-binding activity, 1129
- Xenobiotic responsive element
Oxathiolene oxides: a novel family of compounds that induce ferritin, glutathione S-transferase, and other proteins of the phase II response, 1261
- Xenobiotic transport
Modulatory effects of hormones, drugs, and toxic events on renal organic anion transport, 1393
- Xenografts
Cellular bases of the antitumor activity of a 7-substituted camptothecin in hormone-refractory human prostate carcinoma models, 1281
- X-ray structure
High resolution X-ray structure of potent anti-HIV pokeweed antiviral protein-III, 1709
- Yessotoxin
Yessotoxin, a novel phycotoxin, activates phosphodiesterase activity. Effect of yessotoxin on cAMP levels in human lymphocytes, 193
- Zidovudine
Beneficial effects of L-carnitine in myoblastic C2C12 cells. Interaction with zidovudine, 1483
- Zinc
Indomethacin-induced free radical-mediated changes in the intestinal brush border membranes, 683
- Zinc ion
Effects of zinc ion on type A monoamine oxidase in monkey brain mitochondria, 625
- ZK 91587
Receptor-mediated adrenocorticoid hormone signaling in ocular tissues, 1207
- Zymosan
Inhibition of the NF- κ B signaling pathway mediates the anti-inflammatory effects of petrosaspongiolide M, 887