

Subject index Volume 66

- A431 cells
 Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
- A_{2A} adenosine receptor ligands
 A_{2A} adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
- A_{2A} adenosine receptors
 A_{2A} adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
- Ab initio*
 Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
- ABC transporter
 Inhibition of ATP-sensitive K⁺ channels by substituted benzo[c]quinolizinium CFTR activators, 425
- ACE isoforms
 Species-specific splicing and expression of angiotensin converting enzyme, 1037
- Acetaminophen
 Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
- Acetylcholinesterase
 Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
- N-Acetylcysteine
 Inhibition of arterial contraction by dinitrosyl-iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by S-nitrosation, 2365
- Acetyl-L-carnitine
 Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
- ACHN
 Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
- Acid-base
 Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207
- Actin cytoskeleton
 Alternative pathways of ovarian apoptosis: death for life, 1355
- Actinic keratosis
 LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
- Activator protein-1
 Down-regulation of *c-jun* N-terminal kinase-activator protein-1 signalling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
- Acute leukemia
 Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
- Acute liver injury
 Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
- Acute promyelocytic leukemia
 The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
- Acute renal failure
 Targeting apoptosis in acute tubular injury, 1589
- Adducts
 Different mechanisms for γ -glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
- Adenosine
 Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapeutic drugs: taxol and vindesine, 739
 Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
- Adenosine A₃ receptors
 Alteration of A₃ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
- Adenosine binding sites
 Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the NAD⁺/NADH ratio of the enzyme, 2117
- Adenosine deaminase deficiency
 Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
- Adenylate cyclase
 Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- ADH/SDR
 Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
- Adhesion molecules
 Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
- Adipose tissue
 The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
- Adrenal chromaffin cell
In vitro inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
- Adrenal medullary cells
 Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
- β -Adrenoceptor
 Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- Adrenomedullin
 Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107

- Advanced glycosylation end products
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
- Agonist binding
Selective agonist binding of (*S*)-2-amino-3-(3-hydroxy-5-methyl-4-isoxazolyl)propionic acid (AMPA) and 2*S*-(2 α ,3 β ,4 β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413
- Ah receptor
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
- AIDS
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
- Airway epithelium
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
- Airway hyperresponsiveness
Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
- AKAP
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for Na⁺,K⁺-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
- Akt
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
- Akt kinase
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
- Alachlor
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
- L-Alanosine
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
- Albumin
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
- Albumin-derived peptide
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
- Alcohol
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
- Aldehyde-modified proteins
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
- Aldo-keto reductase
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
- ALEs
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
- ALIMTA
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
- Alkalosis
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
- Alkylating agent
Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
- All-*trans* retinoic acid
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
- Alpha 1 acid glycoprotein
Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec[®]) *in vitro* and *in vivo*, 1907
- Alveolar macrophage
Potentiation of tumor necrosis factor- α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
- Ambroxol
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
- Amiloride
H89, an inhibitor of protein kinase A (PKA), stimulates Na⁺ transport by translocating an epithelial Na⁺ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
- 9-Aminocamptothecin
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
- Aminoguanidine
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
- Amtripyline
Effects of cytochrome *b*₅ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
- AMP
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
- Amphimedine
The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
- β -Amyloid
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
- Anandamide
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
- Anaplerotic reactions
Anaplerotic reactions in tumour proliferation and apoptosis, 365
- Anethole
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
- Angiotensin II receptors
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
- Antagonist
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
P-selectin as a candidate target in atherosclerosis, 859
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107
- Anthracycline alcohol metabolite
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
- Anthracyclines
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977

- Antiapoptosis**
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
- Anticancer agent**
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
- Antifolate**
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
- Anti-inflammation**
Luteolin inhibits the nuclear factor- κ B transcriptional activity in Rat-1 fibroblasts, 955
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
Some anti-chronic inflammatory compounds are DNA polymerase λ -specific inhibitors, 1935
- Anti-inflammatory effects**
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
- Antimitotic**
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
- Antinociception**
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
- Antioxidant**
Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
- Antioxidant enzymes**
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
- Antioxidant responsive element**
Positive and negative regulation of prostaglandin E₂ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
- Antivirals**
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
- Anxiolytics**
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Naturally occurring 2'-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
- Aortic smooth muscle cells**
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and *c-fos* expression, 1853
- AP-1**
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
- AP24**
In the cut and thrust of apoptosis, serine proteases come of age, 1469
- L-AP4**
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- Aphidicolin**
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α -D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
- Apo-enzyme**
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the NAD⁺/NADH ratio of the enzyme, 2117
- Apoptosis**
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Investigation of anticancer mechanism of thiazazole-based compound in human non-small cell lung cancer A549 cells, 115
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
Anaplerotic reactions in tumour proliferation and apoptosis, 365
Chicken DT40 cells stably transfected with the rat P2X₇ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
Rutinoidate at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Decoy oligodeoxynucleotides targeting NF- κ B transcription factors: induction of apoptosis in human primary osteoclasts, 1189
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
Regulation of endoplasmic reticulum Ca²⁺ dynamics by proapoptotic BCL-2 family members, 1335
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
Peroxisome proliferator-activated receptor γ (PPAR γ) ligands as bifunctional regulators of cell proliferation, 1381
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Nuclear factor- κ B plays a central role in tumour necrosis factor-mediated liver disease, 1409
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
In the cut and thrust of apoptosis, serine proteases come of age, 1469
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493

- Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
- S-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
- A novel role of protein kinase C- δ in cell signaling triggered by glutathione depletion, 1521
- Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
- The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
- DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
- Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (β GBP), 1563
- Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
- Targeting apoptosis in acute tubular injury, 1589
- Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
- Na⁺, K⁺-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
- Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
- The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
- Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
- Connexins and apoptotic transformation, 1661
- Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
- Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
- Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
- LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
- Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
- A_{2A} adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
- Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
- Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
- In vitro* susceptibility of CD4⁺ and CD8⁺ T cell subsets to fludarabine, 2185
- Oleandrin suppresses activation of nuclear transcription factor- κ B and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
- Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
- Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
- Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
- Apoptosis regulation
- On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
- APP mutation
- Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
- APP processing
- Enhancement of proteolytic processing of the β -amyloid precursor protein by hyperforin, 2177
- APRIL
- TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
- 1-Arachidonoylglycerol
- Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
- 2-Arachidonoylglycerol
- Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
- Ara-G
- The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
- Argininosuccinate synthetase
- Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945
- Arnica*
- Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
- Aryl hydrocarbon receptor (AhR)
- Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
 - Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
- Ascorbate
- Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
- Ascorbic acid
- Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
- ASP-1 and -2
- In the cut and thrust of apoptosis, serine proteases come of age, 1469
- Asthma
- Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
- Astrocyte
- The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
- Astroglia
- Inhibition of indoleamine 2,3-dioxygenase activity in IFN- γ stimulated astroglia cells decreases intracellular NAD levels, 1033
- Atherosclerosis
- P-selectin as a candidate target in atherosclerosis, 859
 - Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
 - Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
 - Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069
- Atomic absorption
- Effects of Li⁺ transport and Li⁺ immobilization on Li⁺/Mg²⁺ competition in cells: implications for bipolar disorder, 1915
- Atorvastatin
- Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069
- ATP
- Chicken DT40 cells stably transfected with the rat P2X₇ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
 - Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
 - Differential agonist-induced regulation of human M₂ and M₃ muscarinic receptors, 2099

- ATPase- Na^+ , K^+
2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of Na^+ , K^+ -ATPase with an original mechanism of action, 2169
- ATP-sensitive potassium channel
Inhibition of ATP-sensitive K^+ channels by substituted benzo[c]quinoxalini-um CFTR activators, 425
- Autoantibody
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
- Autoimmune diseases
IL-18BP α :Fc cooperates with immunosuppressive drugs in human whole blood, 505
- Autoimmunity
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
- AW 464
Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
- Azido-adenosine
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the NAD^+/NADH ratio of the enzyme, 2117
- B lymphocyte
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
- BAK
Regulation of endoplasmic reticulum Ca^{2+} dynamics by proapoptotic BCL-2 family members, 1335
- Basic fibroblast growth factor
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
- BAX
Investigation of anticancer mechanism of thiazole-based compound in human non-small cell lung cancer A549 cells, 115
Regulation of endoplasmic reticulum Ca^{2+} dynamics by proapoptotic BCL-2 family members, 1335
- B-cell receptor
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
- BCL-2
Regulation of endoplasmic reticulum Ca^{2+} dynamics by proapoptotic BCL-2 family members, 1335
- bcl-2*
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
- Bcl-2
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
- Bcl2
Targeting apoptosis in acute tubular injury, 1589
- Bcl-2
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
- Bcl-2* gene expression
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
- Bcl-X_L
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Investigation of anticancer mechanism of thiazole-based compound in human non-small cell lung cancer A549 cells, 115
- Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
- Bcl-xL
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
- Bcr-Abl tyrosine kinase
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
- Bendamustine
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
- Benzodiazepine binding site
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
- Benzodiazepine receptor
Naturally occurring 2'-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
- Benzodiazepines
Naturally occurring 2'-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
- bFGF
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
- Bid
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
- Bile acids
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR⁻ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
- Bile salt export pump
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR⁻ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
- Bile salt-dependent bile flow
Preventive effect of silymarin against tauroolithocholate-induced cholestasis in the rat, 355
- Bile salt-independent bile flow
Preventive effect of silymarin against tauroolithocholate-induced cholestasis in the rat, 355
- Bilirubin
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
Bilirubin and S-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
- Bilirubin degradation
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
- Binaphthoquinone
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
- Binding assay
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
- Binding thermodynamics
Alteration of A₃ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
- Bioreduction
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199

- Biotransformation**
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
- Bisbenzylisoquinoline alkaloid**
Inhibition of Na^+ , K^+ -ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
- bis-Eugenol**
Preventive effect of bis-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
- BK_{Ca} channels**
Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on BK_{Ca} channel activity in cultured endothelial cells of human coronary artery, 2053
- Bleomycin**
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
- Blood-brain barrier**
Influence of tumor necrosis factor- α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
- Brain**
Inhibition of indoleamine 2,3-dioxygenase activity in IFN- γ stimulated astroglia cells decreases intracellular NAD levels, 1033
- Brain capillary endothelial cell**
Influence of tumor necrosis factor- α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
- Brain-derived neurotrophic factor**
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
- Bronchus**
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- L-Buthionine-S,R-sulphoximine**
A novel role of protein kinase C- δ in cell signaling triggered by glutathione depletion, 1521
- C-1311**
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
- C6 glioma cell**
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
- Ca²⁺**
Regulation of endoplasmic reticulum Ca²⁺ dynamics by proapoptotic BCL-2 family members, 1335
- Caco-2 cells**
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907
- Caffeic acid phenethyl ester**
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
- Calcitonin gene-related peptide**
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107
- Calcitonin-like receptor**
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107
- Calcium**
Apoptotic signal transduction pathways in diabetes, 1433
Differential agonist-induced regulation of human M₂ and M₃ muscarinic receptors, 2099
- Calcium channel**
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated K⁺ channels, 1861
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
- Calcium channel subunits**
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
- Calcium release**
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated K⁺ channels, 1861
- Calcium-dependent kinases**
The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
- Calpain**
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
- cAMP**
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin E₂, 801
H89, an inhibitor of protein kinase A (PKA), stimulates Na⁺ transport by translocating an epithelial Na⁺ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
Alternative pathways of ovarian apoptosis: death for life, 1355
- cAMP-PKA**
 β_2 -Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
- Camptothecin**
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
- Cancer**
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
- Cancer cells**
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
- Cancer prevention**
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
- Cancer therapy**
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (β GBP), 1563
- Cannabinoid receptors**
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
- Capacitative calcium influx**
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
- Capsaicin**
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
- Capsid assembly**
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
- Carbamazepine**
Search for a common mechanism of mood stabilizers, 179
- Carbon tetrachloride**
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
- Carbonate radical**
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
- Carbonyl reductase**
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989

- Carboplatin**
Different mechanisms for γ -glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
- Carboxy**
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
- Carcinogenesis**
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
- Cardiac glycoside**
2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of Na^+ , K^+ -ATPase with an original mechanism of action, 2169
- Cardiac hypertrophy**
Species-specific splicing and expression of angiotensin converting enzyme, 1037
- Cardiomyocytes *ex vivo***
DNA damage and expression of checkpoint genes *p21^{WAF1/CIP1}* and *14-3-3 σ* in taurine-deficient cardiomyocytes, 511
- Cardioprotection**
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
- Cardiotoxicity**
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
- Cardiovascular diseases**
Down-regulation of *c-jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
- Caspase**
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
 β_2 -Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
Chicken DT40 cells stably transfected with the rat P2X₇ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
Induction of apoptosis in human hepatoblastoma cells by tetradrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Genistein reduces NF- κ B in T lymphoma cells *via* a caspase-mediated cleavage of I κ B α , 1009
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
In the cut and thrust of apoptosis, serine proteases come of age, 1469
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
Targeting apoptosis in acute tubular injury, 1589
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
- Caspase-3**
Rutinoidate at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Novel roles for palmitoylation of Ras in IL-1 β -induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
- Caspase cascade**
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfunction in H9c2 cardiomyoblast cells, 1287
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
- Caspases 3, 8 and 9**
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
- Catecholamine secretion**
In vitro inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
- Catecholamine synthesis**
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
- Cathepsin B**
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
- Cathepsin G**
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
- CCAAT/enhancer binding protein (C/EBP)**
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
- L-CCG-I**
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- CCR2B**
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
- CD95 ligand**
Slowly getting a clue on CD95 ligand biology, 1417
- Cdk2**
Inhibition of MG-63 cell cycle progression by synthetic vitamin D₃ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
- Cdk5**
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
- cdks**
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
- Cell cycle**
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Inhibition of MG-63 cell cycle progression by synthetic vitamin D₃ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and *c-fos* expression, 1853
- Cell death**
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1

- Chicken DT40 cells stably transfected with the rat P2X₇ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
- Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
- DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
- Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
- Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
- β-Cell destruction**
- Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
- Cell proliferation**
- Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
- Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
- Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on BK_{Ca} channel activity in cultured endothelial cells of human coronary artery, 2053
- Cell regulation**
- The changing faces of glutathione, a cellular protagonist, 1499
- Cell signaling**
- Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
- Cell viability**
- A_{2A} adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
- Cell-cycle arrest**
- Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
- Cell-mediated cytotoxicity**
- Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
- Cellular cholesteryl esters**
- Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
- Cellular protection**
- Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
- Cellular respiration**
- Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
- Cellular uptake**
- Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907
- Central nervous system**
- Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
- Cepharanthine**
- Inhibition of Na⁺,K⁺-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
- Ceramide**
- Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
- Cerulein**
- Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
- Cervical carcinoma**
- Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
- Cetirizine**
- Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- c-fos**
- Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and c-fos expression, 1853
- CFTR**
- Inhibition of ATP-sensitive K⁺ channels by substituted benzo[c]quinoxalium CFTR activators, 425
- CGP-37157**
- Inhibition of plasmalemmal Na⁺/Ca²⁺ exchange by mitochondrial Na⁺/Ca²⁺ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3H)-one (CGP-37157) in cerebellar granule cells, 2409
- Chamissonolide**
- Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
- Checkpoint proteins**
- DNA damage and expression of checkpoint genes *p21^{WAF1/CIP1}* and *14-3-3 σ* in taurine-deficient cardiomyocytes, 511
- Chemical carcinogenesis**
- Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
- Chemically modified tetracyclines**
- Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
- Chemokine**
- Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
- Cloning and characterization of guinea pig interleukin-8 receptor, 1171
- Chemoprevention**
- Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
- Chemotaxis**
- Novel chemoattractant peptides for human leukocytes, 1841
- Chemotherapy**
- A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α, 623
- Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207
- The prodigiosins, proapoptotic drugs with anticancer properties, 1447
- Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021
- Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
- Chimera**
- Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- Chiral switch**
- Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- Chloroquine**
- Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
- Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
- Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
- Cholestasis**
- Preventive effect of silymarin against tauroolithocholate-induced cholestasis in the rat, 355

- Cholesterol**
 Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
 The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
- Cholesterol metabolism**
 Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
- Cholesterol oxidation**
 Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
- Cholestyramine**
 Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
- Cholinesterases**
 Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
- Chondrocyte**
 Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
- Chondrosarcoma**
 Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
- Chronic myelogenous leukaemia**
 Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
- Chronic myelogenous leukemia**
 Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec®) *in vitro* and *in vivo*, 1907
- Chymase**
 Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
 Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
- cis-Parinaric acid**
 Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
- Cisplatin**
 Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
 DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
 Different mechanisms for γ-glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
 Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
- c-jun**
 Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
- c-jun N-terminal kinase**
 Down-regulation of c-jun N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
- Cladribine**
 Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
- Cloning**
 Species-specific splicing and expression of angiotensin converting enzyme, 1037
 Cloning and characterization of guinea pig interleukin-8 receptor, 1171
- Clozapine**
 Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscline) for 5-HT_{2B} receptors in rat stomach fundus, 927
- c-Myc**
 The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
- Coactivator**
 Luteolin inhibits the nuclear factor-κB transcriptional activity in Rat-1 fibroblasts, 955
- Cocaine**
 Cocaine-protein targets in mouse liver, 105
- Cold preservation**
 Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
- Collagen**
 Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
 Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
- Collagen synthesis**
 Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
- Collagenase**
 Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
- Colon cancer**
 Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
 Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
- Colony-forming units**
 Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
- Colorectal cancer**
 Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
- Comet assay**
 DNA damage and expression of checkpoint genes *p21^{WAF1/CIP1}* and *14-3-3 σ* in taurine-deficient cardiomyocytes, 511
 Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
- Complement receptor**
 Characterisation of C5a receptor agonists from phage display libraries, 1833
- Computational modeling**
 Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
- Conjugated dienes**
 Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
- Connexin**
 Connexins and apoptotic transformation, 1661
- Constitutive activity**
 Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscline) for 5-HT_{2B} receptors in rat stomach fundus, 927
- Contractility**
 Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
- Co-regulation of CYPs and UGTs**
 Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691

Coronary artery endothelial cells

Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on BK_{Ca} channel activity in cultured endothelial cells of human coronary artery, 2053

Costimulation

Slowly getting a clue on CD95 ligand biology, 1417

Coumestan

2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of Na⁺,K⁺-ATPase with an original mechanism of action, 2169

Crystallization

Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485

csg

The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733

c-Src

Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231

Curcumin

Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475

Some anti-chronic inflammatory compounds are DNA polymerase λ -specific inhibitors, 1935

Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323

CXCL1

Cloning and characterization of guinea pig interleukin-8 receptor, 1171

CXCL8

Cloning and characterization of guinea pig interleukin-8 receptor, 1171

Cycleanine

Inhibition of Na⁺,K⁺-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379

Cyclic AMP

Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067

Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797

Alteration of A₃ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897

Cyclic GMP

Potential of tumor necrosis factor- α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149

YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263

Cyclic voltammetry

Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021

Cyclin

YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263

Cyclin A

Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571

Cyclin D1

Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93

Cyclin E

Inhibition of MG-63 cell cycle progression by synthetic vitamin D₃ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495

Cyclin-dependent kinase-1

Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321

Cyclins

Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291

Cyclooxygenase

Positive and negative regulation of prostaglandin E₂ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51

Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271

Cyclooxygenase-2

Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055

Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253

Peroxisome proliferator-activated receptor γ (PPAR γ) ligands as bifunctional regulators of cell proliferation, 1381

Cyclopentenone prostaglandins

Peroxisome proliferator-activated receptor γ (PPAR γ) ligands as bifunctional regulators of cell proliferation, 1381

CYP102

Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405

CYP1A1

Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405

CYP1A2

Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405

CYP2A13

Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245

CYP2A6

Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245

CYP1A1

Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313

CYP3A4

Effects of cytochrome *b*₅ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333

CYP3A5

Effects of cytochrome *b*₅ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333

CYP3A7

Effects of cytochrome *b*₅ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333

CYP1B1

Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313

Cytochrome *c*

Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725

Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595

Cytochrome *b*₅

Effects of cytochrome *b*₅ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333

Cytochrome *c* release

Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93

Cytochrome P450

Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091

- Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
- Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1- α (HNF1 α)-deficient mice, 2011
- Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
- Cytokines**
- Down-regulation of *c-jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
- Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
- Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
- Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
- Cytokines/autocrines**
- On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
- Cytoskeleton**
- Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
- Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
- Cytotoxic**
- Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
- Cytotoxicity**
- Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
- The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
- Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
- Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol trans-cellular permeability, 2193
- Daunorubicin**
- Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
- Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
- Daxx**
- Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
- Death effector domain**
- The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
- Death factor**
- Slowly getting a clue on CD95 ligand biology, 1417
- Death receptor**
- Targeting apoptosis in acute tubular injury, 1589
- Decomposition**
- Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
- 15-Deoxy- $\Delta^{12,14}$ -prostaglandin J₂
- Peroxisome proliferator-activated receptor γ (PPAR γ) ligands as bifunctional regulators of cell proliferation, 1381
- L-Deprenyl**
- L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
- Detoxication**
- The changing faces of glutathione, a cellular protagonist, 1499
- Dexamethasone**
- Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
- DFF45**
- Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
- Diamide**
- Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
- Dichloroacetate**
- Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
- Diclofenac**
- Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
- Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
- Dictyostatin-1**
- Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
- Dicumarol**
- The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
- Diet**
- Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
- Differentiation**
- Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
- Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
- Dihydrofluorescein**
- Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
- Dinitrosyl-iron complexes**
- Inhibition of arterial contraction by dinitrosyl-iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
- Diospyros morrisiana**
- Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
- Dioxin**
- On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
- Dipeptidyl peptidase I**
- Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
- Dipeptidyl peptidase IV**
- Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
- Distomer**
- Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- Dityrosine**
- Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
- Divalent metal transporter 1**
- Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
- DNA adducts**
- DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
- DNA catenation**
- The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
- DNA damage**
- DNA damage and expression of checkpoint genes *p21*^{WAF1/CIP1} and *14-3-3* σ in taurine-deficient cardiomyocytes, 511

- A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α , 623
- Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
- The prodigiosins, proapoptotic drugs with anticancer properties, 1447
- DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
- (-)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
- DNA fragmentation**
- Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
- DNA polymerase**
- Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α -D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
- DNA polymerase λ**
- Some anti-chronic inflammatory compounds are DNA polymerase λ -specific inhibitors, 1935
- DNA repair**
- Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
- DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
- DNA strand breaks**
- DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
- DNA topoisomerase**
- Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
- L-DOPA**
- Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
- Dopamine D₃ receptor**
- Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D₃-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
- Double base lesion**
- (-)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
- Doxorubicin**
- Involvement of nuclear transcription factor- κ B in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
- The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
- Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
- Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
- Drug accumulation**
- Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
- Drug metabolism**
- Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
- Drug metabolizing enzymes**
- Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691
- Drug potentiation**
- Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
- Drug resistance**
- Involvement of nuclear transcription factor- κ B in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
- Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
- Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
- Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
- Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (β GBP), 1563
- Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec[®]) *in vitro* and *in vivo*, 1907
- Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
- Drug targeting**
- The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
- Drug-drug interactions**
- Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- DT-diaphorase**
- Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
- Dyslipidemia**
- Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069
- EA.hy926 endothelial cells**
- Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
- Ecteinascidin-743**
- Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
- EGFR**
- Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
- EGFR-TKI**
- Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
- Ellagic acid**
- Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907
- ENaC**
- H89, an inhibitor of protein kinase A (PKA), stimulates Na⁺ transport by translocating an epithelial Na⁺ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
- Endomorphin-2**
- Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
- Endonucleases**
- Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
- Endoplasmic reticulum**
- Regulation of endoplasmic reticulum Ca²⁺ dynamics by proapoptotic BCL-2 family members, 1335
- Endothelial cells**
- YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263
- Endothelial receptors**
- P-selectin as a candidate target in atherosclerosis, 859
- Endothelin-1**
- A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589

- Energy
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
- Energy metabolism
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
- eNOS
Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945
- Environmental risk factor
Long-term exposure to β -hexachlorocyclohexane (β -HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
- Enzyme induction
Cocaine-protein targets in mouse liver, 105
- Enzyme inhibitor
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α -D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
Some anti-chronic inflammatory compounds are DNA polymerase λ -specific inhibitors, 1935
- Enzyme kinetics
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
- Enzyme-directed
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
- Epigallocatechin gallate
(-)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
- Epipodophyllotoxin
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α , 623
- EPPN derivatives
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
- EPR
The study of the quercetin action on human erythrocyte membranes, 605
- Equilibrium
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
- Equine
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- c-ErbB2 overexpression
Long-term exposure to β -hexachlorocyclohexane (β -HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
- ERK
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
- ESeroS-GS
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
- ESR
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
- ESR spin trapping
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
- Ethanol metabolism
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697
- Ethinylestradiol
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
- Etoposide
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
- Eugenol
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
- Eutomer
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- Excitotoxicity
Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877
- Experimental hepatic porphyria
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
- Expression profiling
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
- Extracellular matrix
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
- Extracellular signal-regulated kinase-1/2
Involvement of protein kinase C δ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
- F-actin
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
- FAK
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
- Falcpain-2
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
- Fangchinoline
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and *c-fos* expression, 1853
- Fas
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
- Fatty-acid synthase
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
- FAUC 329
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D₃-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
- Fenofibrate
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069

- Ferricyanide
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
- Ferritin
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
- Fetal thymic organ culture
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
- Fetus
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
- Fibroblast
Luteolin inhibits the nuclear factor- κ B transcriptional activity in Rat-1 fibroblasts, 955
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
- Fibrosis
Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
- FK506
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
- FK228
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
- Flavonoid
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
Naturally occurring 2'-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
- FLIPR
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- Fludarabine
In vitro susceptibility of CD4⁺ and CD8⁺ T cell subsets to fludarabine, 2185
- Fluorescence
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
Effects of Li⁺ transport and Li⁺ immobilization on Li⁺/Mg²⁺ competition in cells: implications for bipolar disorder, 1915
- Fluoxetine
Mechanism of block by fluoxetine of 5-hydroxytryptamine₃ (5-HT₃)-mediated currents in NCB-20 neuroblastoma cells, 2125
- Folate
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
- Folate metabolism
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
- Folylpolyglutamate synthetase
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
- Formyl peptide receptor like 1
Novel chemoattractant peptides for human leukocytes, 1841
- FR140423
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
- Free radicals
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
- Fucoidan
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases A₂, 1993
- Fusion protein
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
- G₂/M block
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
- Gadolinium chloride
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
- β galactoside binding protein
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (β GBP), 1563
- Gallated catechins
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
- Galloyl moiety
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
- Gastric mucosal epithelial cells
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
- Gastrointestinal barrier
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691
- β GBP
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (β GBP), 1563
- Gene expression
DNA damage and expression of checkpoint genes *p21^{WAF1/CIP1}* and *14-3-3 σ* in taurine-deficient cardiomyocytes, 511
P-selectin as a candidate target in atherosclerosis, 859
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1-alpha (HNF1 α)-deficient mice, 2011
- Gene knockout
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
- Gene transcription
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
- Genistein
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Genistein reduces NF- κ B in T lymphoma cells *via* a caspase-mediated cleavage of I κ B α , 1009
- Geranylgeranyl-PP
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133

- Germ cells
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
- Giant DNA fragmentation
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
- Ginkgo biloba* extract
Down-regulation of *c-jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
- Ginsenoside
In vitro inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
- Glibenclamide
Inhibition of ATP-sensitive K⁺ channels by substituted benzo[c]quinolizinium CFTR activators, 425
- Glioma
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
- Glivec
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
- γ -Globin transcription
Identification and characterization of mechanistically distinct inducers of γ -globin transcription, 1755
- Globin-switching
Identification and characterization of mechanistically distinct inducers of γ -globin transcription, 1755
- Glomerulosclerosis
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
- Glucose metabolism
Inhibition of prostaglandin D₂ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
- Glucose uptake
 α -Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
- Glucuronide
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
- Glutamate receptors
Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877
- γ -Glutamyltransferase
Different mechanisms for γ -glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
- Glutathione
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
The changing faces of glutathione, a cellular protagonist, 1499
A novel role of protein kinase C- δ in cell signaling triggered by glutathione depletion, 1521
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
- Glutathione transferases
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
- Glutathione-dependent enzymes
The changing faces of glutathione, a cellular protagonist, 1499
- Glycyrrhetic acid
Glycyrrhetic acid-induced permeability transition in rat liver mitochondria, 2375
- Gly-Phe diazomethyl ketone
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
- GPNT
Influence of tumor necrosis factor- α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
- G-protein
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
Differential agonist-induced regulation of human M₂ and M₃ muscarinic receptors, 2099
- G-protein coupled receptor
Cloning and characterization of guinea pig interleukin-8 receptor, 1171
- Granulocyte colony-stimulating factor
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
- Granulosa cell
Alternative pathways of ovarian apoptosis: death for life, 1355
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
- Granzyme B
Alternative pathways of ovarian apoptosis: death for life, 1355
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
- Green fluorescent protein
Connexins and apoptotic transformation, 1661
- GSH
Different mechanisms for γ -glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
- GSH depletion
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
- GSK-3
Search for a common mechanism of mood stabilizers, 179
- GSTP1-1
Induction of apoptosis by curcumin: mediation by glutathione S-transferase P1-1 inhibition, 1475
- Guanine nucleotides
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
- Guanosine
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
- Guinea pig
Cloning and characterization of guinea pig interleukin-8 receptor, 1171
- HBV core protein
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
- Heart
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
- HEK cells
Mutagenesis studies of the human MT₂ melatonin receptor, 315
- Heme
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
- Heme crystal
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
- Heme oxygenase-1
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821

- Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
- Hemozoin
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
- Heparin resistance
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
- Hepatic
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1- α (HNF1 α)-deficient mice, 2011
- Hepatic stellate cells (HSC)
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
- Hepatitis
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
- Hepatocyte growth factor
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
- Hepatocyte nuclear factor 1 α
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1- α (HNF1 α)-deficient mice, 2011
- Hepatocytes
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
- Hepatotoxicity
Cocaine-protein targets in mouse liver, 105
- HepG2
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
- Hesperetin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
- Hesperidin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
- Hexachlorobenzene
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
- β -Hexachlorocyclohexane (β -HCH)
Long-term exposure to β -hexachlorocyclohexane (β -HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
- HI-6
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
- Hierarchical cluster analysis
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
- Histone
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
- Histone deacetylase
Identification and characterization of mechanistically distinct inducers of γ -globin transcription, 1755
- Histone deacetylase inhibitor
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
- HIV
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
- HL-60 cells
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
- HMG-CoA reductase inhibitor
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
- Hormone-sensitive lipase
The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
- HSP70
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
- hsp 60
Cocaine-protein targets in mouse liver, 105
- HT-29
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
- 5-HT
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for 5-HT_{2B} receptors in rat stomach fundus, 927
- 5-HT₃-mediated currents
Mechanism of block by fluoxetine of 5-hydroxytryptamine₃ (5-HT₃)-mediated currents in NCB-20 neuroblastoma cells, 2125
- Human
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
- Human and rat UGT1A6
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
- Human cartilage
Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
- Human DNA topoisomerase I
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
- Human erythrocyte membranes
The study of the quercetin action on human erythrocyte membranes, 605
- Human fibroblast
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
- Human immunodeficiency virus
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
- Human liver
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
- Human neutrophils
Alteration of A₃ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
- Human osteoclasts
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
- Human reconstructed epidermis
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
- HUS
 β 2-Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
- Hybrid death
Na⁺, K⁺-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601

- 4-Hydroperoxycyclophosphamide
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
- 4-Hydroxydocosaheptaenoic acid
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
- 6-Hydroxydopamine
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
- 5-Hydroxyeicosatetraenoic acid
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
- Hydroxyl radical
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
- Hyperforin
Enhancement of proteolytic processing of the β -amyloid precursor protein by hyperforin, 2177
- Hyperuricemia
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
- Hypoxia
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
- Hypoxic cytotoxin
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
- [3H]-MRE 3008F20 binding
Alteration of A₃ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
- IAPs
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
- I κ B α
Genistein reduces NF- κ B in T lymphoma cells *via* a caspase-mediated cleavage of I κ B α , 1009
- ICAM-1
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
- ICI-182,780
Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on BK_{Ca} channel activity in cultured endothelial cells of human coronary artery, 2053
- ICYP
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- IDO
Inhibition of indoleamine 2,3-dioxygenase activity in IFN- γ stimulated astroglia cells decreases intracellular NAD levels, 1033
- IL-1 β
Novel roles for palmitoylation of Ras in IL-1 β -induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
- IL-6
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
- Imatinib mesylate
Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec[®]) *in vitro* and *in vivo*, 1907
- Imidazoacridinone antitumor agent
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
- Immune regulation
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
- Immunogold labeling
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
- Immunomodulation
Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
- Immunosuppressant
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
- Immunosuppressive agents
IL-18BP α :Fc cooperates with immunosuppressive drugs in human whole blood, 505
- In situ* hybridization
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
- Indinavir
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
- Indirubin
Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
- Indolequinone
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
- Indoles
Positive and negative regulation of prostaglandin E₂ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
- Indomethacin
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
- Inducible nitric oxide
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
- Inducible nitric oxide synthase
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
- Induction
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
- Induction of tubulin polymerization
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
- Inflammation
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
IL-18BP α :Fc cooperates with immunosuppressive drugs in human whole blood, 505
P-selectin as a candidate target in atherosclerosis, 859
Oleandrin suppresses activation of nuclear transcription factor- κ B and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
- Inflammatory bowel disease
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
- Inflammatory cytokine
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061

Inhibition

Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191

Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases A₂, 1993

The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039

Inhibitor

Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481

Inhibitors of matrix metalloproteinases

Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341

iNOS

The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83

Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437

iNOS inhibitor

Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945

Inositol phosphate signaling

Search for a common mechanism of mood stabilizers, 179

Inositol trisphosphate

Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251

Inotropic

2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of Na⁺,K⁺-ATPase with an original mechanism of action, 2169

Inotropism

Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157

Insulin

α -Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849

Insulin receptor

α -Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849

Insulin-dependent diabetes mellitus

Novel roles for palmitoylation of Ras in IL-1 β -induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681

Intercellular adhesion molecule

Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271

Intercellular communication

Connexins and apoptotic transformation, 1661

Interferon- γ

IL-18BP α :Fc cooperates with immunosuppressive drugs in human whole blood, 505

Interferon gamma

Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697

Interleukin-18

IL-18BP α :Fc cooperates with immunosuppressive drugs in human whole blood, 505

Interleukin-1

Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253

Apoptotic signal transduction pathways in diabetes, 1433

Interleukin-1 β

Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963

Intracellular pH

Enhancement of proteolytic processing of the β -amyloid precursor protein by hyperforin, 2177

Intracellular protein degradation

Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663

Intracellular signalling

Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877

Inverse agonism

Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for 5-HT_{2B} receptors in rat stomach fundus, 927

Ionotropic glutamate receptors

Selective agonist binding of (*S*)-2-amino-3-(3-hydroxy-5-methyl-4-oxazoly)propionic acid (AMPA) and 2*S*-(2 α ,3 β ,4 β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413

Iron

Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1

Iron binding

Iron-binding characteristics of neuromelanin of the human substantia nigra, 489

Iron ions

Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127

Irreversible binding

Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907

Irritation

LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885

Ischaemia-reperfusion

Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263

Ischemia

Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279

Ischemia-reperfusion injury

Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241

Islet brain-1

Apoptotic signal transduction pathways in diabetes, 1433

Islet β -cells

Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213

Isodiospyrin

Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981

JNK

The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459

JNK1

Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347

JNK

Apoptotic signal transduction pathways in diabetes, 1433

K⁺ efflux and uptake

Na⁺, K⁺-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601

- K⁺ homeostasis**
 Na⁺, K⁺-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
- K⁺-pNPPase**
 Inhibition of Na⁺,K⁺-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
- KB-R7943**
 Inhibition of plasmalemmal Na⁺/Ca²⁺ exchange by mitochondrial Na⁺/Ca²⁺ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3H)-one (CGP-37157) in cerebellar granule cells, 2409
- Keratinocytes**
 Pyrazolotriazopyrimidine derivatives sensitize melanoma cells to the chemotherapeutic drugs: taxol and vindesine, 739
- Ketoconazole**
 Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
- Kidney**
 Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
 Targeting apoptosis in acute tubular injury, 1589
- Kinase**
 Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
 Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
- Kinetics**
 Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
- Kir6.2**
 Inhibition of ATP-sensitive K⁺ channels by substituted benzo[c]quinolizinium CFTR activators, 425
- K-ras**
 Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
- Kupffer cells**
 Inhibition of prostaglandin D₂ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
 Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
- Kynurenine pathway**
 Inhibition of indoleamine 2,3-dioxygenase activity in IFN- γ stimulated astrogloma cells decreases intracellular NAD levels, 1033
- Lactonase**
 Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
- Lactone**
 Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
 Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
- Lactonization**
 Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
- Langendorff**
 Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
- Leishmania**
 Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
- Leukemia**
 Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
- Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
In vitro susceptibility of CD4⁺ and CD8⁺ T cell subsets to fludarabine, 2185
- Levocetirizine**
 Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- L-Glutamate**
 Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- Lidocaine**
 Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
- Ligand binding**
 Mutagenesis studies of the human MT₂ melatonin receptor, 315
- Lignoids**
 Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
- Linoleic acid hydroperoxide**
 Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
- Lipid peroxidation**
 Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
- α -Lipoic acid**
 α -Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
- Lipopolysaccharide**
 A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
 Luteolin inhibits the nuclear factor- κ B transcriptional activity in Rat-1 fibroblasts, 955
 Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
- Lipoprotein lipase**
 The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
- Lipoproteins**
 Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069
- Lipoxygenases**
 Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
- Lithium**
 Search for a common mechanism of mood stabilizers, 179
- Liver endothelial cells**
 Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
- Liver evasion**
 Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR⁻ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
- Liver failure**
 Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
- Liver fibrosis**
 The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
- Liver perfusion**
 Inhibition of prostaglandin D₂ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643

- Liver targeting
 - Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR⁻ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
- Long-term exposure
 - Long-term exposure to β -hexachlorocyclohexane (β -HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
- Lovastatin
 - Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
- LoVo
 - Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
- Low density lipoproteins (LDL)
 - Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
- Low-dose anticancer drugs
 - Involvement of nuclear transcription factor- κ B in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
- LPS
 - Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
 - Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
- L-SOP
 - Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- L-type channel
 - A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
- Lung
 - Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
 - Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- Lung cancer
 - Involvement of PKA and Sp1 in the induction of p27^{Kip1} by tamoxifen, 371
- Lung epithelial cells
 - Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
- Luteolin
 - Luteolin inhibits the nuclear factor- κ B transcriptional activity in Rat-1 fibroblasts, 955
- LY354740
 - Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- Lymphoblastoma
 - Effects of Li⁺ transport and Li⁺ immobilization on Li⁺/Mg²⁺ competition in cells: implications for bipolar disorder, 1915
- Lymphocyte
 - Chicken DT40 cells stably transfected with the rat P2X₇ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
- Lymphocyte proliferation
 - Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
- Lysine analog
 - Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
- MA-10 Leydig tumor cells
 - Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
- Mac-1
 - Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
- Macrophage
 - Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
 - Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
- Malaria
 - Potential of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
 - Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
- Male maturation
 - Species-specific splicing and expression of angiotensin converting enzyme, 1037
- Maleimide spin label
 - The study of the quercetin action on human erythrocyte membranes, 605
- Maleylacetoacetate isomerase
 - Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
- Mammalian two-hybrid system
 - Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
- Manganese
 - Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
- Manganism
 - Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
- Manic-depression
 - Search for a common mechanism of mood stabilizers, 179
- MAP kinase
 - The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
 - Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and *c-fos* expression, 1853
- MAPK
 - β_2 -Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
 - Apoptotic signal transduction pathways in diabetes, 1433
- Marine microalga
 - Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
- Marine pyridoacridine
 - The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
- Mast cell
 - Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
 - Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
- Matrix metalloproteinase
 - Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
 - Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
- MCF-7 breast cancer cells
 - Long-term exposure to β -hexachlorocyclohexane (β -HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831

- MCF-7 cells
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
- MCP-1
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
- Mechanism of enzymatic activation
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
- Meiosis
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
- Melanoma
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapeutic drugs: taxol and vindesine, 739
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
- Melatonin
Mutagenesis studies of the human MT₂ melatonin receptor, 315
- Menadione
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
- Metabolic activation
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
- Metabolic pathway
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
- Metabolism
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
- Metabolites of tryptophan pathway via serotonin
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
- Metabotropic glutamate receptor
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- Metal
(-)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
- Metal transport
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
- Metallothionein
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
- Metformin
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
- Methionine
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
- Methotrexate
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
- Methylene blue
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
- MHC antigens
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
- Microglia
Involvement of protein kinase C δ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
- Midazolam
Effects of cytochrome *b*₅ on drug oxidation activities of human cytochrome P450 (CYP) 3A5: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
- Middle cerebral artery
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
- Migration
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
- Minipig
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
- Mitochondrial membrane potential
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
- Misdirection
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
- Mitochondria
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
S-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
Glycylrhetic acid-induced permeability transition in rat liver mitochondria, 2375
Inhibition of plasmalemmal Na⁺/Ca²⁺ exchange by mitochondrial Na⁺/Ca²⁺ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
- Mitochondria permeability transition
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
- Mitochondrial cytochrome *c*
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
- Mitochondrial dysfunction
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfunction in H9c2 cardiomyoblast cells, 1287
- Mitochondrial membrane permeability
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
- Mitochondrial toxicity
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471

- Mitogen-activated protein kinase
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
- Mitomycin C (MMC)
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
- Mitoxantrone
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
- Mössbauer spectroscopy
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
- Mouse
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
- Mouse brain
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
- Mouse embryonic fibroblasts (MEFs)
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
- MPP
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
- MPT
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
- MPTP
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D₃-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
- mRNA expression profiling
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
- mRNA instability element
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
- mRNA stability
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
- mrp2
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR⁻ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
- MT₁ melatonin receptor
Mutagenesis studies of the human MT₂ melatonin receptor, 315
- MT₂ melatonin receptor
Mutagenesis studies of the human MT₂ melatonin receptor, 315
- MTT assay
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
- Multidrug resistance
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
- Influence of tumor necrosis factor- α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207
- Multiple sclerosis
Involvement of protein kinase C δ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
- Muscarinic receptor
Differential agonist-induced regulation of human M₂ and M₃ muscarinic receptors, 2099
- Mutation
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α , 623
- Mycophenolic acid
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
- Myofibroblasts
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
- Myotoxin
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases A₂, 1993
- Na⁺,K⁺-ATPase
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for Na⁺,K⁺-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
Inhibition of Na⁺,K⁺-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
Na⁺, K⁺-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
- NAD
Inhibition of indoleamine 2,3-dioxygenase activity in IFN- γ stimulated astroglia cells decreases intracellular NAD levels, 1033
- NAD⁺/NADH ratio
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the NAD⁺/NADH ratio of the enzyme, 2117
- Naringenin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
- Naringin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
- Nasal mucosa
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
- Naturally-occurring
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
- NCB-20 neuroblastoma cell
Mechanism of block by fluoxetine of 5-hydroxytryptamine₃ (5-HT₃)-mediated currents in NCB-20 neuroblastoma cells, 2125
- NCX
Inhibition of plasmalemmal Na⁺/Ca²⁺ exchange by mitochondrial Na⁺/Ca²⁺ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
- NCX
Inhibition of plasmalemmal Na⁺/Ca²⁺ exchange by mitochondrial Na⁺/Ca²⁺ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-

- benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
- Necrosis
- Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
 - Na⁺, K⁺-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
 - The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
- Neomaphimedine
- The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neomaphimedine, a marine pyridoacridine, 447
- Neural stem cells
- Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
- Neuroblastoma
- Effects of Li⁺ transport and Li⁺ immobilization on Li⁺/Mg²⁺ competition in cells: implications for bipolar disorder, 1915
- Neurofibrillary tangles (NFT)
- Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
- Neurogenic
- Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
- Neurological disorders
- Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877
- Neuromelanin
- Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
- Neuronal death
- Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
- Neuronal survival
- Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
- Neurons
- Inhibition of plasmalemmal Na⁺/Ca²⁺ exchange by mitochondrial Na⁺/Ca²⁺ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
- Neuroprotection
- Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D₃-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
- Neurotoxicity
- Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
- Neutrophil
- Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
- Neutrophilic differentiation
- The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
- NF-κB
- Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
 - Genistein reduces NF-κB in T lymphoma cells *via* a caspase-mediated cleavage of IκBα, 1009
 - Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
 - Potential of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
 - Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
 - Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
 - Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
 - Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes, 1973
 - Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
 - Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
- Niacin
- Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
- Nicotinic acetylcholine receptor
- In vitro* inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
- Nigrostriatal pathway
- Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
- Nitric oxide
- Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
 - Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
 - Involvement of protein kinase Cδ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
 - S*-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
 - Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
 - Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
 - Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
 - Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
 - Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol transcellular permeability, 2193
 - Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
 - Inhibition of arterial contraction by dinitrosyl-iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
- Nitric oxide synthase inhibitors
- Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
- p*-Nitrophenol
- Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
- 4-Nitrophenol
- Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
- Nitrosation
- Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
- S*-Nitrosation
- Inhibition of arterial contraction by dinitrosyl-iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
- Nitrosative stress
- Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355

- S-Nitrosocaptopril**
Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol trans-cellular permeability, 2193
- S-Nitrosothiols**
Bilirubin and S-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
- Nitroxide**
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
- NMR**
Effects of Li⁺ transport and Li⁺ immobilization on Li⁺/Mg²⁺ competition in cells: implications for bipolar disorder, 1915
- NO**
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
- NO stores**
Inhibition of arterial contraction by dinitrosyl-iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by S-nitrosation, 2365
- Nonsteroidal anti-inflammatory drugs**
Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
Peroxisome proliferator-activated receptor γ (PPAR γ) ligands as bifunctional regulators of cell proliferation, 1381
- Nonviral gene therapy**
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
- Norfluoxetine**
Mechanism of block by fluoxetine of 5-hydroxytryptamine₃ (5-HT₃)-mediated currents in NCB-20 neuroblastoma cells, 2125
- NQO1**
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumor agents: mechanism of activation and cytotoxicity *in vitro*, 1199
- NR 8383**
Potentiation of tumor necrosis factor- α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
- Nuclear factor kappa B**
Luteolin inhibits the nuclear factor- κ B transcriptional activity in Rat-1 fibroblasts, 955
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
- Nuclear factor- κ B**
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
- Nucleoside**
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
- Nucleoside analogs**
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
- Nucleoside analogues**
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
- Nucleosome**
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
- 5'-Nucleotidases**
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
- Nucleus accumbens**
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D₃-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
- Okadaic acid**
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
- Oleandrin**
Oleandrin suppresses activation of nuclear transcription factor- κ B and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
- Olfactory mucosa**
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
- Oligodeoxynucleotide**
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR⁻ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
- Oltipraz**
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
- Omi**
In the cut and thrust of apoptosis, serine proteases come of age, 1469
- Orexin receptor 1**
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
- Orexin-A**
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
- Organic anion transporter**
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
- Organic cation transporter**
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
- Organophosphates**
Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
- Osteoarthritis**
Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
- Osteoblastic cells**
Inhibition of MG-63 cell cycle progression by synthetic vitamin D₃ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
- Osteoblasts**
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
- Osteoclastogenesis**
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin E₂, 801
- Ouabain**
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
- Ovary**
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
- Oxaliplatin**
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225

- Oxidant stress
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
- Oxidative cell death
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
- Oxidative injury
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
- Oxidative stress
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfunction in H9c2 cardiomyoblast cells, 1287
Regulation of endoplasmic reticulum Ca^{2+} dynamics by proapoptotic BCL-2 family members, 1335
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021
- Oxime
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
- 8-Oxo-7,8-dihydro-2'-deoxyguanosine
(-)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
- Oxoacids
Anaplerotic reactions in tumour proliferation and apoptosis, 365
- 8-Oxodeoxyguanosine
Characterisation of C5a receptor agonists from phage display libraries, 1833
- P21
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
- p21
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263
- p27
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263
Inhibition of MG-63 cell cycle progression by synthetic vitamin D₃ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
- p53
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α -D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
Alternative pathways of ovarian apoptosis: death for life, 1355
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
- p38 mitogen-activated protein kinase
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
- p53 protein
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
- p70 S6 kinase
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
- p53 tumor suppressor
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
- p44/42 extracellular signal-regulated kinase
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
- PAF-acetylhydrolase
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069
- Palmitoylation
Novel roles for palmitoylation of Ras in IL-1 β -induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
- Panax ginseng*
In vitro inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
- Pancreatic stellate cells
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
- PAR-2
Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
- Par-4
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
- Paraoxonase
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
- Parkinson's disease
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D₃-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
- PARP
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
- Partition coefficient
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
- PC-3
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
- PC12 cells
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
Enhancement of proteolytic processing of the β -amyloid precursor protein by hyperforin, 2177
- PCR
Characterisation of C5a receptor agonists from phage display libraries, 1833
- PDGF
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307

PEA-15

The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581

Pemetrexed

Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431

Peptide

Novel chemoattractant peptides for human leukocytes, 1841

Perfluorododecanoic acid

Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405

Perfluorooctanoic acid

The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749

Perfused heart

Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663

S-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513

Peripheral benzodiazepine-type receptor

Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241

Permeability

Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol trans-cellular permeability, 2193

Permeability transition

L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749

Glycyrrhetic acid-induced permeability transition in rat liver mitochondria, 2375

Peroxidase-mediated activation

Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727

Peroxisome proliferator

The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749

Peroxisome proliferator-activated receptor γ

Peroxisome proliferator-activated receptor γ (PPAR γ) ligands as bifunctional regulators of cell proliferation, 1381

Peroxynitrite

Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279

Petasiphenol

Some anti-chronic inflammatory compounds are DNA polymerase λ -specific inhibitors, 1935

P-glycoprotein

Influence of tumor necrosis factor- α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579

P-glycoprotein efflux pump

Tubulin polymerizing activity of dictyostatin-I, a polyketide of marine sponge origin, 75

Phage display

Characterisation of C5a receptor agonists from phage display libraries, 1833

Phagocytes

Novel chemoattractant peptides for human leukocytes, 1841

Pharmacology

5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125

Phase I metabolism

Preventive effect of silymarin against tauroolithocholate-induced cholestasis in the rat, 355

Phenformin

Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663

Phenylarsine oxide

Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695

5-Phenylpyrimidine

Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019

Phosphatidylinositol 3-kinase

The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133

Phosphodiesterase 4 (PDE4) inhibitor

Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin E₂, 801

Phosphoinositide 3-kinase

Investigation of anticancer mechanism of thiazazole-based compound in human non-small cell lung cancer A549 cells, 115

Phospholipase A₂

Novel chemoattractant peptides for human leukocytes, 1841

Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases A₂, 1993

Phosphonyl oximes

Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191

Phosphorothioate

Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819

Phosphorylation

Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for Na⁺,K⁺-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239

Photodynamic therapy

Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651

Photolabeled peptides

Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the NAD⁺/NADH ratio of the enzyme, 2117

Photosensitizer

Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651

PI-3K

Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes, 1973

Pin1

Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619

Piroxicam

Positive and negative regulation of prostaglandin E₂ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51

PKA

Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for Na⁺,K⁺-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239

H89, an inhibitor of protein kinase A (PKA), stimulates Na⁺ transport by translocating an epithelial Na⁺ channel (ENaC) in fetal rat alveolar type II epithelium, 1083

PKC δ

Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363

PKC ζ

Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes, 1973

- p27^{Kip1}
Involvement of PKA and Sp1 in the induction of p27^{Kip1} by tamoxifen, 371
- Plaque rupture
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
- Plasma membrane calcium ATPase
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
- Plasmodium berghei*
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
- Plasmodium falciparum*
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
- Plasmodium vinckei petteri*
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
- Polyamines
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
- Polyhalogenated biphenyls
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
- Polyphenols
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
- Polysaccharide
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases A₂, 1993
- Porphyria Cutanea Tarda
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
- Potassium channels
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated K⁺ channels, 1861
- pRb phosphorylation
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α -D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
- Preendothelin-1
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
- Pressure
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
- Primary cortical neuron
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
- Primary tumour
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
- Procyanidins
Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
- Prodigiosin
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
- Prodrug activation
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
- Products of enzymatic oxidation
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
- Proenzyme activation
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
- Programmed cell death
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
- Proguanil
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
- Proinflammatory cytokines
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
A_{2A} adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
- Proliferation
Anaplerotic reactions in tumour proliferation and apoptosis, 365
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and *c-fos* expression, 1853
- Propargylamines
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
- Prostaglandin
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
- Prostaglandin E₂
Positive and negative regulation of prostaglandin E₂ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
- Prostaglandin E₂ (PGE₂)
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin E₂, 801
- Prostaglandin formation
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
- Prostaglandin transporter
Inhibition of prostaglandin D₂ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
- Prostanoid uptake
Inhibition of prostaglandin D₂ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
- Prostate neoplasms
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
- Protease generated peptide
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
- Protease inhibitors
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
- Proteasome
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697

- The essentiality of Bcl-2, PKC and proteasome–ubiquitin complex activations in the neuroprotective-antiapoptotic action of the anti-Parkinson drug, rasagiline, 1635
- Proteasome inhibitors
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
- Protein adducts
Cocaine–protein targets in mouse liver, 105
- Protein carbonylation
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
- Protein degradation
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
- Protein kinase A
Involvement of PKA and Sp1 in the induction of p27^{Kip1} by tamoxifen, 371
- Protein kinase C
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
A novel role of protein kinase C- δ in cell signaling triggered by glutathione depletion, 1521
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
- Protein kinase C δ
Involvement of protein kinase C δ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
- Protein kinase C inhibitor
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
- Protein kinases
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
- Protein phosphorylation
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
- Protein therapy
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
- Protein transport
Slowly getting a clue on CD95 ligand biology, 1417
- Protein tyrosine phosphatase
 α -Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
- P-selectin
P-selectin as a candidate target in atherosclerosis, 859
- Pulsing electromagnetic fields (PEMFs)
Alteration of A₃ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
- Purine nucleosides
In vitro susceptibility of CD4⁺ and CD8⁺ T cell subsets to fludarabine, 2185
- P2X receptor
Chicken DT40 cells stably transfected with the rat P2X₇ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
- Pyrazolotriazopyrimidine derivatives
Pyrazolotriazopyrimidine derivatives sensitize melanoma cells to the chemotherapeutic drugs: taxol and vindesine, 739
- Pyrimidine analogue
Characterisation of C5a receptor agonists from phage display libraries, 1833
- Quercetin
The study of the quercetin action on human erythrocyte membranes, 605
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfunction in H9c2 cardiomyoblast cells, 1287
- Quinidine
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
- Racemate
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- Racemization
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- Radio-label
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
- Radioligand binding
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- Raf
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
- Random mutagenesis
Characterisation of C5a receptor agonists from phage display libraries, 1833
- Rapamycin
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
- Ras
Novel roles for palmitoylation of Ras in IL-1 β -induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
- Rasagiline
The essentiality of Bcl-2, PKC and proteasome–ubiquitin complex activations in the neuroprotective-antiapoptotic action of the anti-Parkinson drug, rasagiline, 1635
- Rat cultured hepatocytes
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
- Rat hepatoma 5L cells
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
- Rat liver
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
- Rat PC 12 cells
A_{2A} adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
- Rat stomach fundus
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for 5-HT_{2B} receptors in rat stomach fundus, 927
- Rauwolscine
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for 5-HT_{2B} receptors in rat stomach fundus, 927
- RAW 264.7 macrophages
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
- Rb
Inhibition of MG-63 cell cycle progression by synthetic vitamin D₃ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495

Reactivation

Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387

Reactive nitrogen species

Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355

Reactive oxygen species

Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331

A novel role of protein kinase C- δ in cell signaling triggered by glutathione depletion, 1521

L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749

(-)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769

Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155

Real-time PCR

A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589

Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313

Receptor

Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321

Receptor activation

Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251

Receptor mutagenesis

Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251

Receptor-activity-modifying protein

Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107

Receptor-mediated endocytosis

Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045

Recombinant arginine deiminase

Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945

Redox

Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331

Redox catalysts

Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021

Reduced folate carrier

Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431

Ref-1

Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15

Regulation

Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1- α (HNF1 α)-deficient mice, 2011

Differential agonist-induced regulation of human M₂ and M₃ muscarinic receptors, 2099

Regulators of G-proteins signaling

Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163

RelA/p65

Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925

Relaxin

Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867

Renal protection

Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241

Renal secretion

Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107

Renal tubule

β_2 -Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343

Reperfusion

Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279

Reporter gene

A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589

Reserpine

Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163

Resiniferatoxin

Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115

Resistance

Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471

Different mechanisms for γ -glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595

Respiration

Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331

S-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513

Resveratrol

Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427

Retrovirus

Genistein reduces NF- κ B in T lymphoma cells *via* a caspase-mediated cleavage of I κ B α , 1009

Reverse signal transduction

Slowly getting a clue on CD95 ligand biology, 1417

RGM-1

Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115

Rhabdomyosarcoma cell line RD

Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133

Rhesus monkey

Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321

RINm5F cells

Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963

RNA splicing

Species-specific splicing and expression of angiotensin converting enzyme, 1037

Role of Ah receptor

On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527

- Rottlerin**
A novel role of protein kinase C- δ in cell signaling triggered by glutathione depletion, 1521
- RT-PCR**
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
- Rutinoside**
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
- S100A4**
Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
- S-Adenosylhomocysteine hydrolase**
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the NAD⁺/NADH ratio of the enzyme, 2117
- Salivary gland**
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for Na⁺,K⁺-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
- Saponin**
In vitro inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
- Saururus chinensis***
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
- SB366791**
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
- Scavenger receptors**
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
- Scutellaria baicalensis* Georgi**
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Naturally occurring 2'-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
- Secondary necrosis**
Connexins and apoptotic transformation, 1661
- Secretase**
Enhancement of proteolytic processing of the β -amyloid precursor protein by hyperforin, 2177
- Secretory lysosomes**
Slowly getting a clue on CD95 ligand biology, 1417
- Selenium compounds**
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
- Sequence-dependent**
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
- Serine proteases**
In the cut and thrust of apoptosis, serine proteases come of age, 1469
- Sesquiterpene lactones**
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
- Sex difference**
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
- Shc**
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
- Sickle disease**
Identification and characterization of mechanistically distinct inducers of γ -globin transcription, 1755
- Signal transduction**
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
- Signalling pathways**
Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
- Silymarin**
Preventive effect of silymarin against tauroolithocholate-induced cholestasis in the rat, 355
- Single channel current**
H89, an inhibitor of protein kinase A (PKA), stimulates Na⁺ transport by translocating an epithelial Na⁺ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
- Site-directed mutagenesis**
Mutagenesis studies of the human MT₂ melatonin receptor, 315
- Skeletal muscle cell**
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
- Skin inflammation**
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
- SLE**
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
- Small intestine**
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
- Smooth muscle**
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
- Smooth muscle cell**
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
- Snake venom**
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases A₂, 1993
- Soy isoflavones**
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
- Sp1**
Involvement of PKA and Sp1 in the induction of p27^{Kip1} by tamoxifen, 371
- Spermatocytes**
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
- Spermine**
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
- Sphingosine 1-phosphate**
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated K⁺ channels, 1861

- Differential agonist-induced regulation of human M₂ and M₃ muscarinic receptors, 2099
- Spin traps
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
- Spironolactone
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
- Squalene synthase inhibitor
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
- Src
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
- STAT1
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697
- Staurosporine
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
- Steady-state kinetics
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
- Stephania cepharantha* HAYATA
Inhibition of Na⁺,K⁺-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
- Steroidogenic granulosa cells
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
- Stress response
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
- Stress-activated kinases
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
- Stroke
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
- Structural modeling
Selective agonist binding of (S)-2-amino-3-(3-hydroxy-5-methyl-4-oxazoly)propionic acid (AMPA) and 2S-(2 α ,3 β ,4 β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413
- Structure-activity relationship
Naturally occurring 2'-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
Selective agonist binding of (S)-2-amino-3-(3-hydroxy-5-methyl-4-oxazoly)propionic acid (AMPA) and 2S-(2 α ,3 β ,4 β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413
- Suberic bishydroxamate
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
- Sulfation
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
- Sulfonylurea receptor
Inhibition of ATP-sensitive K⁺ channels by substituted benzo[c]quinolizinium CFTR activators, 425
- Sulfoquinovosyl monoacylglycerol (SQMG)
Analysis of cell cycle regulation by 1-mono-O-acyl-3-O-(α -D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
- Sulfotransferase
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
- Superoxide
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
Novel chemoattractant peptides for human leukocytes, 1841
- Superoxide anion
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
- Surface plasmon resonance
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α , 623
- Survival
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
- Synaptic membranes
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
- [³⁵S]GTP γ S
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
- T lymphocyte subsets
In vitro susceptibility of CD4⁺ and CD8⁺ T cell subsets to fludarabine, 2185
- T lymphocytes
Down-regulation of c-jun N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
- Tacrolimus
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
- TAK-475
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
- Tamoxifen
Involvement of PKA and Sp1 in the induction of p27^{Kip1} by tamoxifen, 371
- TAT domain
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
- Tau phosphorylation
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
- Taurine depletion
DNA damage and expression of checkpoint genes p21^{WAF1/CIP1} and 14-3-3 σ in taurine-deficient cardiomyocytes, 511
- Taurolithocholate
Preventive effect of silymarin against taurolithocholate-induced cholestasis in the rat, 355
- Taxol
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapeutic drugs: taxol and vindesine, 739
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol transcellular permeability, 2193
- TCDD
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841

- T-cell lymphoma
Genistein reduces NF- κ B in T lymphoma cells *via* a caspase-mediated cleavage of I κ B α , 1009
- Telomerase
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
- Temperature
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
- Tempo spin label
The study of the quercetin action on human erythrocyte membranes, 605
- Terbutaline
H89, an inhibitor of protein kinase A (PKA), stimulates Na⁺ transport by translocating an epithelial Na⁺ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
- tert*-Butylhydroquinone
Positive and negative regulation of prostaglandin E₂ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
- 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD)
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
- Tetrahydropapaveroline
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
- Tetrandrine
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
- Thiadiazole
Investigation of anticancer mechanism of thiadiazole-based compound in human non-small cell lung cancer A549 cells, 115
- Thialysine
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
- Thiazolidinedione
Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
- Thioacetamide hepatotoxicity
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
- Thiols
 α -Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
The changing faces of glutathione, a cellular protagonist, 1499
- Thioredoxin
Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
- Thromboxane synthase
Inhibition of prostaglandin D₂ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
- Thymidylate synthase
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
- Thymocyte development
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
- Tissue transglutaminase
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
- 3T3-L1 adipocytes
 α -Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
- TNF
Potentiation of tumor necrosis factor- α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
- TNF- α
Influence of tumor necrosis factor- α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
- TNF- α
Alternative pathways of ovarian apoptosis: death for life, 1355
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
Mitigation of tumor necrosis factor alpha cytotoxicity by aurointricarboxylic acid in human peripheral B lymphocytes, 1973
- TNF
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
- TNF family
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
- TNFalpha
The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
- Topoisomerase II
The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α , 623
- Toxicology
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
- Trachea
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
- TRAIL
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
- Tranilast
Involvement of protein kinase C δ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
- Transactivation
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
- Transcription factor
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated K⁺ channels, 1861
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1- α (HNF1 α)-deficient mice, 2011
- Transcription factor decoy
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
- Transferrin
Cocaine-protein targets in mouse liver, 105
- Transplantation
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163

- Transport
Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907
- Transporter
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
- Trimetazidine
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
- Triptolide
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
- Troglitazone
Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
- Tryptase
Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
- Tryptophan
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
Inhibition of indoleamine 2,3-dioxygenase activity in IFN- γ stimulated astrogloma cells decreases intracellular NAD levels, 1033
- Tryptophan hydroxylase
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
- Tubulin
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
- Tumor microenvironment
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
- Tumor necrosis factor- α
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
- Tumor necrosis factor
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
- Tumortherapeutic agents
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
- TWEAK
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
- Type II collagen arthritis
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
- Tyrosine hydroxylase
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
- U937
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
- Ubiquitin
The essentiality of Bcl-2, PKC and proteasome-ubiquitin complex activations in the neuroprotective-antiapoptotic action of the anti-Parkin drug, rasagiline, 1635
- UCN-01
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
- UDP-glucuronosyltransferase
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
- UDP-glycosyltransferase superfamily
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691
- Uroporphyrinogen oxidation
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
- Valproate
Search for a common mechanism of mood stabilizers, 179
- Vanilloid receptors
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
- Vascular contraction
Inhibition of arterial contraction by dinitrosyl-iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by S-nitrosation, 2365
- Vascular smooth muscle
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated K⁺ channels, 1861
- VEGF
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
- Ventricular contraction force
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
- Vertebrate UDP-glucuronosyltransferases
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691
- Vimentin
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
- Vinblastine
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
- Vindesine
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapeutic drugs: taxol and vindesine, 739
- Vitamin D analogs
Inhibition of MG-63 cell cycle progression by synthetic vitamin D₃ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
- Vitamins
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
- VLA-4
Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
- Volume of distribution
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine H₁-receptor antagonists, 1123
- VR1 (vanilloid receptor subtype 1)
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
- Weak acid
Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207

Weak base

Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207

Wogonin

Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271

WOX1

Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347

Xenoestrogen

Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63

XIAP

Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779

XT-611

Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin E₂, 801

YC-1

Potential of tumor necrosis factor- α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263

ZD1839 ('Iressa')

Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551

Zinc

Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459

Zinc finger

Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021