

## Subject index Volume 68

- A-369508  
Comparative pharmacology of human dopamine D<sub>2</sub>-like receptor stable cell lines coupled to calcium flux through G $\alpha_{q/5}$ , 761
- A2780  
Cytotoxicity, DNA strand breakage and DNA–protein crosslinking by a novel transplatinum compound in human A2780 ovarian and MCF-7 breast carcinoma cells, 857
- Abacavir  
Membrane permeation characteristics of abacavir in human erythrocytes and human T-lymphoblastoid CD4<sup>+</sup> CEM cells: comparison with (–)-carbovir, 1797
- ABC transporter  
Inhibition of hyaluronan export from human fibroblasts by inhibitors of multidrug resistance transporters, 1401  
Biochemical mechanism of modulation of human P-glycoprotein (ABCB1) by curcumin I, II, and III purified from Turmeric powder, 2043
- ABCA1  
Reduction of intracellular cholesterol accumulation in THP-1 macrophages by a combination of rosiglitazone and atorvastatin, 155
- Absorption  
Prodrug research: futile or fertile?, 2097
- Acantoxin IVa  
Isolation and characterization at cholinergic nicotinic receptors of a neurotoxin from the venom of the *Acanthophis* sp. Seram death adder, 383
- Acetaminophen  
Acetaminophen alters microsomal ryanodine Ca<sup>2+</sup> channel in HepG2 cells overexpressing CYP2E1, 513  
Effect of acetaminophen on expression and activity of rat liver multidrug resistance-associated protein 2 and P-glycoprotein, 791  
Evaluation of glutathione deficiency in rat livers by microarray analysis, 1465
- Acetylation  
Histone deacetylase inhibitors open new doors in cancer therapy, 1139  
Regulation at multiple levels of NF- $\kappa$ B-mediated transactivation by protein acetylation, 1221
- Acetylcholinesterase  
Kinetic analysis of interactions between human acetylcholinesterase, structurally different organophosphorus compounds and oximes, 2237
- Acridine cytotoxic agents  
The role of structural factors in the kinetics of cellular uptake of pyrazoloacridines and pyrazolopyrimidoacridines, 1815
- Actin filament  
The blockade of cyclopiazonic acid-induced store-operated Ca<sup>2+</sup> entry pathway by YC-1 in neutrophils, 2053
- Actin stress fiber  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- Activation  
Activation and induction of cyclic AMP phosphodiesterase (PDE4) in rat pulmonary microvascular endothelial cells, 479
- Agonist binding and activation of the rat  $\beta_1$ -adrenergic receptor: role of Trp<sup>134</sup> (3.28), Ser<sup>190</sup> (4.57) and Tyr<sup>356</sup> (7.43), 675  
Activation mechanism of the heterodimeric GABA<sub>B</sub> receptor, 1565
- Activin  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- Activity  
Signal transduction pathways implicated in the decrease in CYP1A1, 1A2 and 3A6 activity produced by serum from rabbits and humans with an inflammatory reaction, 573
- Acyclic nucleotides  
Antiaggregatory activity in human platelets of potent antagonists of the P2Y<sub>1</sub> receptor, 1995
- Acyclovir  
Broad specificity of human phosphoglycerate kinase for antiviral nucleoside analogs, 1749
- Acylglucuronide  
Elucidation of the mechanism of inhibition of cyclooxygenases by acyl-coenzyme A and acylglucuronic conjugates of ketoprofen, 1957
- Adefovir  
Effective metabolism and long intracellular half life of the anti-Hepatitis B agent adefovir in hepatic cells, 1825
- Adenosine  
Insulin and glucose induced changes in expression level of nucleoside transporters and adenosine transport in rat T lymphocytes, 1309
- Adenosine receptors  
[<sup>3</sup>H]OSIP339391, a selective, novel, and high affinity antagonist radioligand for adenosine A<sub>2B</sub> receptors, 305  
2-Substituted adenosine derivatives: affinity and efficacy at four subtypes of human adenosine receptors, 1985
- Adenylyl cyclase  
Inhibitory effects of halothane on the thermogenic pathway in brown adipocytes: localization to adenylyl cyclase and mitochondrial fatty acid oxidation, 463
- Adipocytes  
Inhibitory mechanism of caffeine on insulin-stimulated glucose uptake in adipose cells, 1929
- ADP  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231
- $\beta_1$ -Adrenergic receptor  
Agonist binding and activation of the rat  $\beta_1$ -adrenergic receptor: role of Trp<sup>134</sup> (3.28), Ser<sup>190</sup> (4.57) and Tyr<sup>356</sup> (7.43), 675
- Aging  
Kinetic analysis of interactions between human acetylcholinesterase, structurally different organophosphorus compounds and oximes 2237
- Agonist  
GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- Agonist binding  
Agonist binding and activation of the rat  $\beta_1$ -adrenergic receptor: role of Trp<sup>134</sup> (3.28), Ser<sup>190</sup> (4.57) and Tyr<sup>356</sup> (7.43), 675

- AICA-riboside**  
Metformin-induced stimulation of AMP-activated protein kinase in  $\beta$ -cells impairs their glucose responsiveness and can lead to apoptosis, 409
- Airway cells**  
Increased chloride efflux in colchicine-resistant airway epithelial cell lines, 253
- Airway smooth muscle**  
Cyclic nucleotide-dependent phosphodiesterases (PDEI) inhibition by muscarinic antagonists in bovine tracheal smooth muscle, 651
- Akt**  
Molecular mechanisms of deguelin-induced apoptosis in transformed human bronchial epithelial cells, 1119  
Inhibitory mechanism of caffeine on insulin-stimulated glucose uptake in adipose cells, 1929
- Albumin**  
Transport of resveratrol, a cancer chemopreventive agent, to cellular targets: plasmatic protein binding and cell uptake, 1113
- Alcohol**  
A role for GABA mechanisms in the motivational effects of alcohol, 1515
- Alisol B 23-acetate**  
Reversal of P-glycoprotein-mediated multidrug resistance by Alisol B 23-acetate, 843
- Alkaline phosphatase**  
Induction of alkaline phosphatase in the inflamed intestine: a novel pharmacological target for inflammatory bowel disease, 2317
- Allergic inflammation**  
Modulation of eosinophil migration from bone marrow to lungs of allergic rats by nitric oxide, 631
- Allosteric modulation**  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231
- Allosteric regulator**  
Activation mechanism of the heterodimeric GABA<sub>B</sub> receptor, 1565
- All-trans retinoic acid**  
Differential modulation of PI3-kinase/Akt pathway during all-trans retinoic acid- and Am80-induced HL-60 cell differentiation revealed by DNA microarray analysis, 2177
- Alpha7**  
Isolation and characterization at cholinergic nicotinic receptors of a neurotoxin from the venom of the *Acanthophis* sp. Seram death adder, 383
- Alternative splicing**  
Detection of an alternatively spliced form of deoxycytidine kinase mRNA in the 2'-2'-difluorodeoxycytidine (gemcitabine)-resistant human ovarian cancer cell line AG6000, 601
- Alzheimers disease**  
SGS742: the first GABA<sub>B</sub> receptor antagonist in clinical trials, 1479
- Am80**  
Differential modulation of PI3-kinase/Akt pathway during all-trans retinoic acid- and Am80-induced HL-60 cell differentiation revealed by DNA microarray analysis, 2177
- Amdoxovir**  
Anabolism of amdoxovir: phosphorylation of dioxolane guanosine and its 5'-phosphates by mammalian phosphotransferases, 1879
- Amidation**  
Stimulation of proliferation and migration of a colorectal cancer cell line by amidated and glycine-extended gastrin-releasing peptide via the same receptor, 2129
- $\gamma$ -Aminobutyric acid**  
A role for GABA mechanisms in the motivational effects of alcohol, 1515  
Altered hippocampal expression of calbindin-D-28k and calretinin in GABA<sub>B(1)</sub>-deficient mice, 1613
- Amniotic cells**  
Stimulation of early gene induction and cell proliferation by lysophosphatidic acid in human amnion-derived WISH cells: role of phospholipase D-mediated pathway, 333
- AMP-activated protein kinase**  
Metformin-induced stimulation of AMP-activated protein kinase in  $\beta$ -cells impairs their glucose responsiveness and can lead to apoptosis, 409
- Amphetamine precursor drugs**  
Fenproporex *N*-dealkylation to amphetamine—enantioselective in vitro studies in human liver microsomes as well as enantioselective in vivo studies in Wistar and Dark Agouti rats, 947
- Amylase**  
Expression and biological effects of CB<sub>1</sub> cannabinoid receptor in rat parotid gland, 1767
- Anabolism**  
Anabolism of amdoxovir: phosphorylation of dioxolane guanosine and its 5'-phosphates by mammalian phosphotransferases, 1879
- Anacardic acid**  
Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215
- Anandamide**  
Expression and biological effects of CB<sub>1</sub> cannabinoid receptor in rat parotid gland, 1767  
Effects of anandamide on the binding and signaling properties of M<sub>1</sub> muscarinic acetylcholine receptors, 2207
- Angiogenesis**  
Participation of cyclin D1 deregulation in TNP-470-mediated cytostatic effect: involvement of senescence, 729  
HIF-1: master and commander of the hypoxic world. A pharmacological approach to its regulation by siRNAs, 971  
DNAzymes as molecular agents that manipulate Egr-1 gene expression, 1023  
New anticancer strategies targeting HIF-1, 1061  
Inhibition of angiogenesis in vivo and growth of Kaposi sarcoma xenograft tumors by the anti-malarial artesunate, 2359
- Angiogenesis inhibitors**  
Recent developments in the inhibition of angiogenesis: examples from studies on platelet factor-4 and the VEGF/VEGFR system, 1017
- Angiogenic inhibitor**  
Participation of cyclin D1 deregulation in TNP-470-mediated cytostatic effect: involvement of senescence, 729
- Angiotensin I-converting enzyme**  
Peptidase activities in rats treated chronically with *N* $\omega$ -nitro-L-arginine methyl ester (L-NAME), 205
- Angiotensin IV**  
Endogenous cystinyl aminopeptidase in Chinese hamster ovary cells: characterization by [<sup>125</sup>I]Ang IV binding and catalytic activity, 885
- Animal seizure models**  
GABA transporters as drug targets for modulation of GABAergic activity, 1557
- Anoxia**  
Role of the permeability transition pore in cytochrome *C* release from mitochondria during ischemia-reperfusion in rat liver, 2065
- Anthracycline antibiotics**  
An evaluation of the role of insulin-like growth factors (IGF) and of type-I IGF receptor signalling in hepatocarcinogenesis and in the resistance of hepatocarcinoma cells against drug-induced apoptosis, 1003
- Anthracyclines**  
Oxidative stress response of tumor cells: microarray-based comparison between artemisinins and anthracyclines, 3
- Anthraquinones**  
Membrane-related effects underlying the biological activity of the anthraquinones emodin and barbaloin, 549
- Antibody variable region**  
Reversal of antigen-dependent signaling by two mutations in antibody/receptor chimera: implication of inverse agonism in cytokine receptor superfamily, 539
- Anticancer agents**  
An in vitro model system that can differentiate the stages of DNA replication affected by anticancer agents, 11

- Anticancer chemotherapy  
New anticancer strategies targeting HIF-1, 1061
- Anticancer drug  
Novel antitumor indenoindole derivatives targeting DNA and topoisomerase II, 1911
- Anticancer therapy  
Modulation of poly(ADP-ribosylation) in apoptotic cells, 1041  
DNA methylation and breast cancer, 1187
- Antidepressants  
Blockade of calcium entry in smooth muscle cells by the antidepressant imipramine, 833  
Effect of antidepressants on GABA<sub>B</sub> receptor function and subunit expression in rat hippocampus, 1489  
GABA<sub>B</sub> receptor alterations as indicators of physiological and pharmacological function, 1541
- Antiepileptic drug  
GABA transporters as drug targets for modulation of GABAergic activity, 1557
- Antiestrogen  
Histone deacetylase inhibition and estrogen signalling in human breast cancer cells, 1239
- Anti-inflammation  
Anti-inflammatory effect of caffeic acid methyl ester and its mode of action through the inhibition of prostaglandin E<sub>2</sub>, nitric oxide and tumor necrosis factor- $\alpha$  production, 2327
- Antimicrobial  
Membrane-related effects underlying the biological activity of the anthraquinones emodin and barbaloin, 549
- Antimicrobial peptide  
Cyclic antimicrobial peptides based on *Limulus* anti-lipopolysaccharide factor for neutralization of lipopolysaccharide, 1297
- Antioxidant  
Inhibition of plasma lipid peroxidation by anti-atherogenic antioxidant BO-653, 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran, 813  
Antioxidants regulate normal human keratinocyte differentiation, 1125  
Antioxidant effect of hydroxytyrosol, a polyphenol from olive oil: scavenging of hydrogen peroxide but not superoxide anion produced by human neutrophils, 2003
- Antisense  
Increased uptake of antisense oligonucleotides by delivery as double stranded complexes, 403
- Antisense oligonucleotides  
A novel cancer therapy: combined liposomal hypoxia inducible factor 1 alpha antisense oligonucleotides and an anticancer drug, 2031
- Antitumoral  
A novel bis-benzylidenecyclopentanone derivative, BPR0Y007, inducing a rapid caspase activation involving upregulation of Fas (CD95/APO-1) and wild-type p53 in human oral epidermoid carcinoma cells, 293
- Antiviral analog  
Broad specificity of human phosphoglycerate kinase for antiviral nucleoside analogs, 1749
- AP-1  
Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor- $\kappa$ B, 361  
Prevention of age-related changes in rat cortex transcription factor activator protein-1 by hypolipidemic drugs, 1411
- Apigenin  
The flavones luteolin and apigenin inhibit in vitro antigen-specific proliferation and interferon- $\gamma$  production by murine and human autoimmune T cells, 621  
The dietary flavonoids apigenin and (–)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA<sub>A</sub> receptors, 1631
- Apoptosis  
Peripheral benzodiazepine receptor ligands: mitochondrial transmembrane potential depolarization and apoptosis induction in rat C6 glioma cells, 125  
Leptomycin B-induced apoptosis is mediated through caspase activation and down-regulation of Mcl-1 and XIAP expression, but not through the generation of ROS in U937 leukemia cells, 263  
A novel bis-benzylidenecyclopentanone derivative, BPR0Y007, inducing a rapid caspase activation involving upregulation of Fas (CD95/APO-1) and wild-type p53 in human oral epidermoid carcinoma cells, 293  
Enhancement of diallyl disulfide-induced apoptosis by inhibitors of MAPKs in human HepG2 hepatoma cells, 323  
Effects of the selective COX-2 inhibitors celecoxib and rofecoxib on human vascular cells, 341  
Metformin-induced stimulation of AMP-activated protein kinase in  $\beta$ -cells impairs their glucose responsiveness and can lead to apoptosis, 409  
Molecular mechanisms in C-Phycocyanin induced apoptosis in human chronic myeloid leukemia cell line-K562, 453  
Peripheral-type benzodiazepine receptor density and in vitro tumorigenicity of glioma cell lines, 689  
Effect of the histone deacetylase inhibitor trichostatin A on spontaneous apoptosis in various types of adult rat hepatocyte cultures, 753  
Cytotoxicity, DNA strand breakage and DNA–protein crosslinking by a novel transplatinum compound in human A2780 ovarian and MCF-7 breast carcinoma cells, 857  
Calcium ionophoretic and apoptotic effects of ferutinin in the human Jurkat T-cell line, 875  
Role of c-myc protein in hormone refractory prostate carcinoma: cellular response to paclitaxel, 923  
Phosphodiesterase inhibitors as anti-cancer drugs, 981  
An evaluation of the role of insulin-like growth factors (IGF) and of type-I IGF receptor signalling in hepatocarcinogenesis and in the resistance of hepatocarcinoma cells against drug-induced apoptosis, 1003  
Surviving the kiss of death, 1027  
Cytotoxic lymphocytes; instigators of dramatic target cell death, 1033  
Modulation of poly(ADP-ribosylation) in apoptotic cells, 1041  
Nuclear factor- $\kappa$ B: a friend or a foe in cancer?, 1071  
Molecular mechanisms of deguelin-induced apoptosis in transformed human bronchial epithelial cells, 1119  
Isothiocyanates as novel cytotoxic and cytostatic agents: molecular pathway on human transformed and non-transformed cells, 1133  
Targeting CREB-binding protein (CBP) loss of function as a therapeutic strategy in neurological disorders, 1157  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199  
Molecular mechanisms of ZD1839-induced G1-cell cycle arrest and apoptosis in human lung adenocarcinoma A549 cells, 1453  
Influence of p53 and caspase 3 activity on cell death and senescence in response to methotrexate in the breast tumor cell, 1699  
Cadmium induces apoptotic cell death in WI 38 cells via caspase-dependent Bid cleavage and calpain-mediated mitochondrial Bax cleavage by Bcl-2-independent pathway, 1845  
Photoreceptor preservation in the S334ter model of retinitis pigmentosa by a novel estradiol analog, 1971  
Differential sensitivity to resveratrol-induced apoptosis of human chronic myeloid (K562) and acute lymphoblastic (HSB-2) leukemia cells, 2019  
Ibuprofen-induced Walker 256 tumor cell death: cytochrome *c* release from functional mitochondria and enhancement by calcineurin inhibition, 2197  
A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis, 2283  
Inhibition of angiogenesis in vivo and growth of Kaposi sarcoma xenograft tumors by the anti-malarial artesunate, 2359  
Enhancement of paclitaxel-induced microtubule stabilization, mitotic arrest, and apoptosis by the microtubule-targeting agent EM012, 2435
- Arachidonic acid  
Effects of synthetic sphingosine-1-phosphate analogs on arachidonic acid metabolism and cell death, 2187
- Aromatase  
Methadone metabolism by human placenta, 583

- Artemisinin**  
Oxidative stress response of tumor cells: microarray-based comparison between artemisinins and anthracyclines, 3
- Aryl hydrocarbon receptor 2 (AHR2)**  
Phenylthiourea as a weak activator of aryl hydrocarbon receptor inhibiting 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-induced CYP1A1 transcription in zebrafish embryo, 63
- Aryl hydrocarbon receptor nuclear translocator (ARNT)**  
Phenylthiourea as a weak activator of aryl hydrocarbon receptor inhibiting 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-induced CYP1A1 transcription in zebrafish embryo, 63
- Astrocyte**  
Increase by FK960, a novel cognitive enhancer, in glial cell line-derived neurotrophic factor production in cultured rat astrocytes, 275  
Aggravation of necrotic death of glucose-deprived cells by the MEK1 inhibitors U0126 and PD184161 through depletion of ATP, 351
- AT<sub>4</sub> receptor**  
Endogenous cystinyl aminopeptidase in Chinese hamster ovary cells: characterization by [<sup>125</sup>I]Ang IV binding and catalytic activity, 885
- Atherosclerosis**  
Effects of the selective COX-2 inhibitors celecoxib and rofecoxib on human vascular cells, 341  
Inhibition of plasma lipid peroxidation by anti-atherogenic antioxidant BO-653, 2,3-dihydro-5-hydroxy-4,6-di-*tert*-butyl-2,2-dipentylbenzofuran, 813
- Atorvastatin**  
Reduction of intracellular cholesterol accumulation in THP-1 macrophages by a combination of rosiglitazone and atorvastatin, 155  
Prevention of age-related changes in rat cortex transcription factor activator protein-1 by hypolipidemic drugs, 1411
- ATP**  
Rottlerin inhibits multiple steps involved in insulin-induced glucose uptake in 3T3-L1 adipocytes, 105  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231  
Pulses of external ATP aid to the synchronization of pancreatic  $\beta$ -cells by generating premature Ca<sup>2+</sup> oscillations, 667
- ATP hydrolysis**  
Biochemical mechanism of modulation of human P-glycoprotein (ABCB1) by curcumin I, II, and III purified from Turmeric powder, 2043
- ATPase**  
Cellular pharmacology of cisplatin in relation to the expression of human copper transporter CTR1 in different pairs of cisplatin-sensitive and -resistant cells, 283
- ATP-synthase**  
Aggravation of necrotic death of glucose-deprived cells by the MEK1 inhibitors U0126 and PD184161 through depletion of ATP, 351
- Autoimmune**  
The flavones luteolin and apigenin inhibit in vitro antigen-specific proliferation and interferon-gamma production by murine and human autoimmune T cells, 621
- Autophosphorylation**  
Inhibition of insulin-like growth factor I receptor autophosphorylation by novel 6-5 ring-fused compounds, 145
- 2'-Azidonucleosides**  
Enantioselectivity of ribonucleotide reductase: a first study using stereoisomers of pyrimidine 2'-azido-2'-deoxynucleosides, 711
- B lymphocyte**  
Peroxisome proliferator-activated receptor  $\alpha$  regulates B lymphocyte development via an indirect pathway in mice, 2143
- Baclofen**  
Activation mechanism of the heterodimeric GABA<sub>B</sub> receptor, 1565  
My close encounter with GABA<sub>B</sub> receptors, 1667
- Bax**  
In bcr-abl-positive myeloid cells resistant to conventional chemotherapeutic agents, expression of Par-4 increases sensitivity to imatinib (STI571) and histone deacetylase-inhibitors, 85
- Bax cleavage**  
Cadmium induces apoptotic cell death in WI 38 cells via caspase-dependent Bid cleavage and calpain-mediated mitochondrial Bax cleavage by Bcl-2-independent pathway, 1845
- Bcl-2**  
In bcr-abl-positive myeloid cells resistant to conventional chemotherapeutic agents, expression of Par-4 increases sensitivity to imatinib (STI571) and histone deacetylase-inhibitors, 85  
Molecular mechanisms in C-Phycocyanin induced apoptosis in human chronic myeloid leukemia cell line-K562, 453
- B-CLL lymphocytes**  
Activation of deoxycytidine kinase by protein kinase inhibitors and okadaic acid in leukemic cells, 95
- BCRP/ABCG2**  
Induction of cellular resistance to nucleoside reverse transcriptase inhibitors by the wild-type breast cancer resistance protein, 1363
- Behavior**  
 $\gamma$ -Aminobutyric acid A receptor subunit mutant mice: new perspectives on alcohol actions, 1581
- Benzodiazepine binding site ligands**  
Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABA<sub>A</sub> receptor  $\gamma$ 2 subunit, 1621
- Benzodiazepine binding site property**  
Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABA<sub>A</sub> receptor  $\gamma$ 2 subunit, 1621
- Benzodiazepines**  
Specific GABA<sub>A</sub> circuits in brain development and therapy, 1685
- Beta cells**  
Prior in vitro exposure to GLP-1 with or without GIP can influence the subsequent beta cell responsiveness, 33
- 1-beta-D-arabinofuranosylcytosine (cytosine arabinoside, araC)**  
Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-araC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- bFGF**  
Participation of cyclin D1 deregulation in TNP-470-mediated cytostatic effect: involvement of senescence, 729
- BGT1**  
GABA transporters as drug targets for modulation of GABAergic activity, 1557
- Bile acids**  
Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells, 1391
- Bile secretion**  
Effect of acetaminophen on expression and activity of rat liver multidrug resistance-associated protein 2 and P-glycoprotein, 791
- Binding sites**  
Differences in binding properties of two proton pump inhibitors on the gastric H<sup>+</sup>,K<sup>+</sup>-ATPase in vivo, 2117
- Binding sites (receptors)**  
Sulfated polymannuroguronate, a novel anti-acquired immune deficiency syndrome (AIDS) drug candidate, targeting CD4 in lymphocytes, 641
- Biological assay**  
Using yeast to screen for inhibitors of protein tyrosine phosphatase 1B, 1807
- Bioreductive drugs**  
Pharmacological and biological evaluation of a series of substituted 1,4-naphthoquinone bioreductive drugs, 2107
- bis-Benzylidenecyclopentanone derivative**  
A novel bis-benzylidenecyclopentanone derivative, BPR0Y007, inducing a rapid caspase activation involving upregulation of Fas (CD95/ APO-1) and wild-type p53 in human oral epidermoid carcinoma cells, 293
- Bisindolylmaleimides**  
Specificity of action of bisindolylmaleimide protein kinase C inhibitors: do they inhibit the 70kDa ribosomal S6 kinase in cardiac myocytes?, 1923

## BNP7787

Possible (enzymatic) routes and biological sites for metabolic reduction of BNP7787, a new protector against cisplatin-induced side-effects, 493

## BO-653

Inhibition of plasma lipid peroxidation by anti-atherogenic antioxidant BO-653, 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran, 813

## Bombesin

Stimulation of proliferation and migration of a colorectal cancer cell line by amidated and glycine-extended gastrin-releasing peptide via the same receptor, 2129

## Bone formation

Inhibition of ossification in vivo and differentiation of osteoblasts in vitro by tributyltin, 739

## Bone marrow

Modulation of eosinophil migration from bone marrow to lungs of allergic rats by nitric oxide, 631

Peroxisome proliferator-activated receptor  $\alpha$  regulates B lymphocyte development via an indirect pathway in mice, 2143

## Bradykinin

Activation of osteoblastic functions by a mediator of pain, bradykinin, 1423

## Brain

Hydroxytamoxifen protects against oxidative stress in brain mitochondria, 195

## Breast cancer

Histone deacetylase inhibition and estrogen signalling in human breast cancer cells, 1239

Mitochondria-mediated apoptosis operating irrespective of multidrug resistance in breast cancer cells by the anticancer agent prodigiosin, 1345

Differentiation-inducing quinolines as experimental breast cancer agents in the MCF-7 human breast cancer cell model, 1729

## Breast tumor

Influence of p53 and caspase 3 activity on cell death and senescence in response to methotrexate in the breast tumor cell, 1699

## Brivudin

Discovery and development of BVDU (brivudin) as a therapeutic for the treatment of herpes zoster, 2301

6-(*p*-Bromophenyl)amino-7-(*p*-chlorophenyl)indazolo[2',3':1,5]-1,2,4-triazolo[4,3-*a*]-1,3,5-benzotriazepine

A novel cyclo-oxygenase-2 inhibitor modulates catabolic and anti-inflammatory mediators in osteoarthritis, 417

## Brown adipose tissue

Inhibitory effects of halothane on the thermogenic pathway in brown adipocytes: localization to adenylyl cyclase and mitochondrial fatty acid oxidation, 463

## Bufuralol

Cloning and functional expression of a novel marmoset cytochrome P450 2D enzyme, CYP2D30: comparison with the known marmoset CYP2D19, 165

## Butylated hydroxyanisole

Evaluation of glutathione deficiency in rat livers by microarray analysis, 1465

Ca<sup>2+</sup> entry blocker

Blockade of calcium entry in smooth muscle cells by the antidepressant imipramine, 833

Ca<sup>2+</sup> influx

Effects of phosphoinositide 3-kinase on endothelin-1-induced activation of voltage-independent Ca<sup>2+</sup> channels and vasoconstriction, 215

Ca<sup>2+</sup> mobilization

Cell-type specific calcium signaling by corticotropin-releasing factor type 1 (CRF<sub>1</sub>) and 2a (CRF<sub>2(a)</sub>) receptors: phospholipase C-mediated responses in human embryonic kidney 293 but not SK-N-MC neuroblastoma cells, 1833

Ca<sup>2+</sup> signaling

Pulses of external ATP aid to the synchronization of pancreatic  $\beta$ -cells by generating premature Ca<sup>2+</sup> oscillations, 667

## Cadmium

Cadmium induces apoptotic cell death in WI 38 cells via caspase-dependent Bid cleavage and calpain-mediated mitochondrial Bax cleavage by Bcl-2-independent pathway, 1845

## Caffeic acid methyl ester

Anti-inflammatory effect of caffeic acid methyl ester and its mode of action through the inhibition of prostaglandin E<sub>2</sub>, nitric oxide and tumor necrosis factor- $\alpha$  production, 2327

## Calcein assay

In vitro and ex vivo evidence for modulation of P-glycoprotein activity by progestins, 2409

## Calcineurin

Ibuprofen-induced Walker 256 tumor cell death: cytochrome *c* release from functional mitochondria and enhancement by calcineurin inhibition, 2197

## Calcium

Hydroxytamoxifen protects against oxidative stress in brain mitochondria, 195

Acetaminophen alters microsomal ryanodine Ca<sup>2+</sup> channel in HepG2 cells overexpressing CYP2E1, 513

Tissue distribution and activity studies of 1,24-dihydroxyvitamin D<sub>2</sub>, a metabolite of vitamin D<sub>2</sub> with low calcemic activity in vivo, 1289

Activation of osteoblastic functions by a mediator of pain, bradykinin, 1423

## Calcium flux

Comparative pharmacology of human dopamine D<sub>2</sub>-like receptor stable cell lines coupled to calcium flux through G $\alpha_{q/5}$ , 761

## Calcium mobilization

Calcium ionophoretic and apoptotic effects of ferutinin in the human Jurkat T-cell line, 875

## Calcium-binding proteins

Altered hippocampal expression of calbindin-D-28k and calretinin in GABA<sub>B(1)</sub>-deficient mice, 1613

## Callipeltin A

Callipeltin A: sodium ionophore effect and tension development in vascular smooth muscle, 1331

## Calpain

Cadmium induces apoptotic cell death in WI 38 cells via caspase-dependent Bid cleavage and calpain-mediated mitochondrial Bax cleavage by Bcl-2-independent pathway, 1845

## Calyculin A

Investigation into the relationship between calyculin A-mediated potentiation of NADPH oxidase activity and inhibition of store-operated uptake of calcium by human neutrophils, 1721

## cAMP

Cyclic nucleotide-dependent phosphodiesterases (PDEI) inhibition by muscarinic antagonists in bovine tracheal smooth muscle, 651

Agonist binding and activation of the rat  $\beta_1$ -adrenergic receptor: role of Trp<sup>134</sup> (3.28), Ser<sup>190</sup> (4.57) and Tyr<sup>356</sup> (7.43), 675

Differential type 4 cAMP-specific phosphodiesterase (PDE4) expression and functional sensitivity to PDE4 inhibitors among rats, monkeys and humans, 2229

## cAMP responsive element binding protein (CREB)

Increase by FK960, a novel cognitive enhancer, in glial cell line-derived neurotrophic factor production in cultured rat astrocytes, 275

## Cancer

Selective inhibitors of type I receptor kinase block cellular transforming growth factor- $\beta$  signaling, 41

Recent developments in the inhibition of angiogenesis: examples from studies on platelet factor-4 and the VEGF/VEGFR system, 1017

The role of Raf kinase inhibitor protein (RKIP) in health and disease, 1049

Hedgehog signalling in foregut malignancy, 1055

New anticancer strategies targeting HIF-1, 1061

Soy isoflavone phyto-pharmaceuticals in interleukin-6 affections. Multi-purpose nutraceuticals at the crossroad of hormone replacement, anti-cancer and anti-inflammatory therapy, 1171

- A novel cancer therapy: combined liposomal hypoxia inducible factor 1 alpha antisense oligonucleotides and an anticancer drug, 2031  
Enhancement of paclitaxel-induced microtubule stabilization, mitotic arrest, and apoptosis by the microtubule-targeting agent EM012, 2435
- Cancer cells  
Isothiocyanates as novel cytotoxic and cytostatic agents: molecular pathway on human transformed and non-transformed cells, 1133
- Cancer chemotherapy  
A methylester of the glucuronide prodrug DOX-GA3 for improvement of tumor-selective chemotherapy, 2273
- Carbocyclic nucleotides  
Antiaggregatory activity in human platelets of potent antagonists of the P2Y<sub>1</sub> receptor, 1995
- Carboplatin  
Inhibition of repair of carboplatin-induced DNA damage by 9- $\beta$ -D-arabinofuranosyl-2-fluoroadenine in quiescent human lymphocytes, 1757
- Carcinogenesis  
Effect of chemopreventive agents on glutathione S-transferase P1-1 gene expression mechanisms via activating protein 1 and nuclear factor kappaB inhibition, 1101
- Cardiac mitochondria  
Potassium-specific effects of levosimendan on heart mitochondria, 807
- Cardiac myocytes  
Specificity of action of bisindolylmaleimide protein kinase C inhibitors: do they inhibit the 70kDa ribosomal S6 kinase in cardiac myocytes?, 1923
- Cardiomyocytes  
Phenyl substitution of furamidine markedly potentiates its anti-parasitic activity against *Trypanosoma cruzi* and *Leishmania amazonensis*, 593
- Cardiotoxicity  
Oxidative stress response of tumor cells: microarray-based comparison between artemisinins and anthracyclines, 3
- Cardiovascular disease  
Recent developments in the inhibition of angiogenesis: examples from studies on platelet factor-4 and the VEGF/VEGFR system, 1017
- Caspase  
Leptomycin B-induced apoptosis is mediated through caspase activation and down-regulation of Mcl-1 and XIAP expression, but not through the generation of ROS in U937 leukemia cells, 263  
A novel bis-benzylidenecyclopentanone derivative, BPR0Y007, inducing a rapid caspase activation involving upregulation of Fas (CD95/APO-1) and wild-type p53 in human oral epidermoid carcinoma cells, 293  
Surviving the kiss of death, 1027  
Mitochondria-mediated apoptosis operating irrespective of multidrug resistance in breast cancer cells by the anticancer agent prodigiosin, 1345  
Molecular mechanisms of ZD1839-induced G1-cell cycle arrest and apoptosis in human lung adenocarcinoma A549 cells, 1453  
Cadmium induces apoptotic cell death in WI 38 cells via caspase-dependent Bid cleavage and calpain-mediated mitochondrial Bax cleavage by Bcl-2-independent pathway, 1845  
Differential sensitivity to resveratrol-induced apoptosis of human chronic myeloid (K562) and acute lymphoblastic (HSB-2) leukemia cells, 2019  
Role of the permeability transition pore in cytochrome C release from mitochondria during ischemia-reperfusion in rat liver, 2065
- Caspase-6  
Targeting CREB-binding protein (CBP) loss of function as a therapeutic strategy in neurological disorders, 1157
- Caspase-12  
Involvement of both endoplasmic reticulum and mitochondria in photokilling of nasopharyngeal carcinoma cells by the photosensitizer Zn-BC-AM, 2387
- Caspase 3  
Influence of p53 and caspase 3 activity on cell death and senescence in response to methotrexate in the breast tumor cell, 1699
- Caspases-3, -8 and -9  
The immunosuppressant drug FK506 prevents Fas-induced apoptosis in human hepatocytes, 2427
- Catalase  
Catalase induces the expression of inducible nitric oxide synthase through activation of NF- $\kappa$ B and PI3K signaling pathway in Raw 264.7 cells, 2167
- Catalytic DNA  
DNAzymes as molecular agents that manipulate Egr-1 gene expression, 1023
- CB<sub>1</sub> cannabinoid receptor  
Expression and biological effects of CB<sub>1</sub> cannabinoid receptor in rat parotid gland, 1767
- Cbl  
Rottlerin inhibits multiple steps involved in insulin-induced glucose uptake in 3T3-L1 adipocytes, 105
- CBP  
Targeting CREB-binding protein (CBP) loss of function as a therapeutic strategy in neurological disorders, 1157
- CD36  
Reduction of intracellular cholesterol accumulation in THP-1 macrophages by a combination of rosiglitazone and atorvastatin, 155
- CD4  
Sulfated polymannuronate, a novel anti-acquired immune deficiency syndrome (AIDS) drug candidate, targeting CD4 in lymphocytes, 641
- Cdc25B  
Induction of Cdc25B expression by epidermal growth factor and transforming growth factor- $\alpha$ , 2221
- cDNA microarray  
Effects and regulation of osteopontin in rat hepatic stellate cells, 2367
- Celecoxib  
Signal transduction pathways regulating cyclooxygenase-2 expression: potential molecular targets for chemoprevention, 1089
- Cell cycle  
The schedule-dependent enhanced cytotoxic activity of 7-ethyl-10-hydroxy-camptothecin (SN-38) in combination with Gefitinib (Iressa<sup>TM</sup>, ZD1839), 135  
N-(methylamino)isobutyric acid inhibits proliferation of CFSC-2C hepatic stellate cells, 223  
Participation of cyclin D1 deregulation in TNP-470-mediated cytostatic effect: involvement of senescence, 729  
Isothiocyanates as novel cytotoxic and cytostatic agents: molecular pathway on human transformed and non-transformed cells, 1133  
Histone deacetylase inhibitors open new doors in cancer therapy, 1139  
Geraniol and  $\beta$ -ionone inhibit proliferation, cell cycle progression, and cyclin-dependent kinase 2 activity in MCF-7 breast cancer cells independent of effects on HMG-CoA reductase activity, 1739  
Novel antitumor indenoindole derivatives targeting DNA and topoisomerase II, 1911
- Cell cycle arrest  
Eupatilin, a pharmacologically active flavone derived from *Artemisia* plants, induces cell cycle arrest in *ras*-transformed human mammary epithelial cells, 1081
- Cell death  
Cytotoxic lymphocytes: instigators of dramatic target cell death, 1033  
Effect of change in cellular GSH levels on mitochondrial damage and cell viability loss due to mitomycin c in small cell lung cancer cells, 1857  
Effects of synthetic sphingosine-1-phosphate analogs on arachidonic acid metabolism and cell death, 2187
- Cell injury  
Differential response of MG132 cytotoxicity against small cell lung cancer cells to changes in cellular GSH contents, 659
- $\beta$ -cell metabolism  
Metformin-induced stimulation of AMP-activated protein kinase in  $\beta$ -cells impairs their glucose responsiveness and can lead to apoptosis, 409

- Cell migration  
High mobility group box 1 protein, a cue for stem cell recruitment, 1165
- Cell proliferation  
Histone deacetylase inhibition and estrogen signalling in human breast cancer cells, 1239  
Differential modulation of PI3-kinase/Akt pathway during all-*trans* retinoic acid- and Am80-induced HL-60 cell differentiation revealed by DNA microarray analysis, 2177
- Cell uptake  
Transport of resveratrol, a cancer chemopreventive agent, to cellular targets: plasmatic protein binding and cell uptake, 1113
- $\beta$ -Cells  
DNA damage and cytotoxicity in pancreatic  $\beta$ -cells expressing human CYP2E1, 523
- Cellular growth  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199
- Cellular GSH level  
Differential response of MG132 cytotoxicity against small cell lung cancer cells to changes in cellular GSH contents, 659
- Cellular resistance  
Cellular pharmacology of cisplatin in relation to the expression of human copper transporter CTR1 in different pairs of cisplatin-sensitive and -resistant cells, 283
- Cellular uptake  
Dynamics of interactions of photosensitizers with lipoproteins and membrane-models: correlation with cellular incorporation and subcellular distribution, 1443
- Central nervous system  
Unravelling the unusual signalling properties of the GABA<sub>B</sub> receptor, 1527
- Cerebellar granule neurons  
Inhibition of insulin-like growth factor I receptor tyrosine kinase by ethanol, 2009
- c-Fos  
Increase by FK960, a novel cognitive enhancer, in glial cell line-derived neurotrophic factor production in cultured rat astrocytes, 275
- cGMP  
Cyclic nucleotide-dependent phosphodiesterases (PDEI) inhibition by muscarinic antagonists in bovine tracheal smooth muscle, 651
- Chemokine  
Differential effects of 9-*cis* retinoic acid on expression of CC chemokine receptors in human monocytes, 611  
Rabbit neutrophil chemotactic protein (NCP) activates both CXCR1 and CXCR2 and is the functional homologue for human CXCL6, 1947
- Chemokine receptor  
Differential effects of 9-*cis* retinoic acid on expression of CC chemokine receptors in human monocytes, 611
- Chemoprevention  
Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor- $\kappa$ B, 361  
Signal transduction pathways regulating cyclooxygenase-2 expression: potential molecular targets for chemoprevention, 1089  
Molecular mechanisms of deguelin-induced apoptosis in transformed human bronchial epithelial cells, 1119  
Antioxidants regulate normal human keratinocyte differentiation, 1125
- Chemopreventive agents  
Effect of chemopreventive agents on glutathione S-transferase P1-1 gene expression mechanisms via activating protein 1 and nuclear factor kappaB inhibition, 1101
- Chemosensitizer  
Reversal of P-glycoprotein-mediated multidrug resistance by Alisol B 23-acetate, 843  
Biochemical mechanism of modulation of human P-glycoprotein (ABCB1) by curcumin I, II, and III purified from Turmeric powder, 2043
- Chemotaxis  
Differential effects of 9-*cis* retinoic acid on expression of CC chemokine receptors in human monocytes, 611  
Rabbit neutrophil chemotactic protein (NCP) activates both CXCR1 and CXCR2 and is the functional homologue for human CXCL6, 1947
- Chimeric G-protein  
Comparative pharmacology of human dopamine D<sub>2</sub>-like receptor stable cell lines coupled to calcium flux through G $\alpha_{q/11}$ , 761
- Chimeric receptor  
Reversal of antigen-dependent signaling by two mutations in antibody/receptor chimera: implication of inverse agonism in cytokine receptor superfamily, 539
- Chinese hamster ovary cells  
Endogenous cystinyl aminopeptidase in Chinese hamster ovary cells: characterization by [<sup>125</sup>I]Ang IV binding and catalytic activity, 885  
Synergistic modulation of cystinyl aminopeptidase by divalent cation chelators, 893
- Chiral nonsteroidal anti-inflammatory drugs  
Elucidation of the mechanism of inhibition of cyclooxygenases by acyl-coenzyme A and acylglucuronic conjugates of ketoprofen, 1957
- Chloride efflux  
Increased chloride efflux in colchicine-resistant airway epithelial cell lines, 253
- Chloride transport  
How does a little acronym become a big transmitter?, 1549
- 2-Chloro-2'-deoxyadenosine  
Activation of deoxycytidine kinase by protein kinase inhibitors and okadaic acid in leukemic cells, 95
- Chlorodeoxyadenosine  
Detection of an alternatively spliced form of deoxycytidine kinase mRNA in the 2'-2'-difluorodeoxycytidine (gemcitabine)-resistant human ovarian cancer cell line AG6000, 601
- Chloroquine resistance  
*Plasmodium berghei*: dehydroepiandrosterone sulfate reverses chloroquine-resistance in experimental malaria infection; correlation with glucose 6-phosphate dehydrogenase and glutathione synthesis pathway, 1903
- Cholesterol  
Reduction of intracellular cholesterol accumulation in THP-1 macrophages by a combination of rosiglitazone and atorvastatin, 155
- Chromatin  
Histone deacetylase inhibitors open new doors in cancer therapy, 1139  
Epigenetic control of CIITA expression in leukemic T cells, 1209
- Chromatin modification  
Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215
- Chromatin structure  
DNA methylation and breast cancer, 1187  
Epigenetic gene silencing in acute promyelocytic leukemia, 1247
- Chronic inflammatory pain  
Differential expression of GABA<sub>B(1b)</sub> receptor mRNA in the thalamus of normal and monoarthritic animals, 1603
- Chronic inhibition  
Peptidase activities in rats treated chronically with N $\omega$ -nitro-L-arginine methyl ester (L-NAME), 205
- CIITA  
Epigenetic control of CIITA expression in leukemic T cells, 1209
- CIPRO  
Role of CYP1A2 and CYP2E1 in the pentoxifylline ciprofloxacin drug interaction, 395
- Cisplatin  
Cellular pharmacology of cisplatin in relation to the expression of human copper transporter CTR1 in different pairs of cisplatin-sensitive and -resistant cells, 283
- c-Jun  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997  
Prevention of age-related changes in rat cortex transcription factor activator protein-1 by hypolipidemic drugs, 1411

- CLA-1  
Reduction of intracellular cholesterol accumulation in THP-1 macrophages by a combination of rosiglitazone and atorvastatin, 155
- Classification: Molecular and cellular pharmacology  
Catalase induces the expression of inducible nitric oxide synthase through activation of NF- $\kappa$ B and PI3K signaling pathway in Raw 264.7 cells, 2167
- Clinical studies  
GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- Clofibrate acid  
PPAR $\alpha$  agonists clofibrate and gemfibrozil inhibit cell growth, down-regulate hCG and up-regulate progesterone secretions in immortalized human trophoblast cells, 313
- Clomipramine  
Intrahepatic flow disturbance by clomipramine in the isolated perfused rat liver, 2291
- Cloning  
Cloning, pharmacological characterisation and distribution of the rat G-protein-coupled P2Y<sub>13</sub> receptor, 113
- Cluster analysis  
Oxidative stress response of tumor cells: microarray-based comparison between artemisinins and anthracyclines, 3
- c-myc  
Role of c-myc protein in hormone refractory prostate carcinoma: cellular response to paclitaxel, 923
- Coactivators  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199
- Co-culture  
Effect of the histone deacetylase inhibitor trichostatin A on spontaneous apoptosis in various types of adult rat hepatocyte cultures, 753
- Coenzyme A  
Elucidation of the mechanism of inhibition of cyclooxygenases by acyl-coenzyme A and acylglucuronic conjugates of ketoprofen, 1957
- Cognition  
Pharmacological and behavioral properties of A-349821, a selective and potent human histamine H<sub>3</sub> receptor antagonist, 933
- Colchicine  
Increased chloride efflux in colchicine-resistant airway epithelial cell lines, 253
- Colon cancer  
The schedule-dependent enhanced cytotoxic activity of 7-ethyl-10-hydroxy-camptothecin (SN-38) in combination with Gefitinib (Iressa<sup>TM</sup>, ZD1839), 135
- Combination effect  
The schedule-dependent enhanced cytotoxic activity of 7-ethyl-10-hydroxy-camptothecin (SN-38) in combination with Gefitinib (Iressa<sup>TM</sup>, ZD1839), 135
- Comet assay  
Inhibition of repair of carboplatin-induced DNA damage by 9- $\beta$ -D-arabinofuranosyl-2-fluoroadenine in quiescent human lymphocytes, 1757
- Commentary  
Prodrug research: futile or fertile?, 2097
- Contractile activity  
Blockade of calcium entry in smooth muscle cells by the antidepressant imipramine, 833
- Copper  
Oxidative DNA damage induced by a melatonin metabolite, 6-hydroxymelatonin, via a unique non-*o*-quinone type of redox cycle, 1869
- Copper transporter 1  
Cellular pharmacology of cisplatin in relation to the expression of human copper transporter CTR1 in different pairs of cisplatin-sensitive and -resistant cells, 283
- Copper transporter 2  
Cellular pharmacology of cisplatin in relation to the expression of human copper transporter CTR1 in different pairs of cisplatin-sensitive and -resistant cells, 283
- Corepressors  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199
- Corticosteroids  
Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255
- COX1  
Prostaglandin H synthases: members of a class of quasi-linear threshold switches, 423
- COX2  
Prostaglandin H synthases: members of a class of quasi-linear threshold switches, 423
- COX inhibition  
Elucidation of the mechanism of inhibition of cyclooxygenases by acyl-coenzyme A and acylglucuronic conjugates of ketoprofen, 1957
- C-PC  
Molecular mechanisms in C-Phycocyanin induced apoptosis in human chronic myeloid leukemia cell line-K562, 453
- CREB binding protein (CBP)  
CBP and p300: HATs for different occasions, 1145
- CRF receptor signaling  
Cell-type specific calcium signaling by corticotropin-releasing factor type 1 (CRF<sub>1</sub>) and 2a (CRF<sub>2(a)</sub>) receptors: phospholipase C-mediated responses in human embryonic kidney 293 but not SK-N-MC neuroblastoma cells, 1833
- CTL  
Dendritic cells maturation promoted by M1 and M4, end products of steroidal ginseng saponins metabolized in digestive tracts, drive a potent Th1 polarization, 441
- CTPB  
Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215
- Cu<sup>2+</sup> transporting polypeptide  
Cellular pharmacology of cisplatin in relation to the expression of human copper transporter CTR1 in different pairs of cisplatin-sensitive and -resistant cells, 283
- Curcumin  
Immunomodulatory activity of curcumin: suppression of lymphocyte proliferation, development of cell-mediated cytotoxicity, and cytokine production in vitro, 51  
Antioxidants regulate normal human keratinocyte differentiation, 1125  
Biochemical mechanism of modulation of human P-glycoprotein (ABCB1) by curcumin I, II, and III purified from Turmeric powder, 2043
- Cyclic AMP  
Prior in vitro exposure to GLP-1 with or without GIP can influence the subsequent beta cell responsiveness, 33  
Expression and biological effects of CB<sub>1</sub> cannabinoid receptor in rat parotid gland, 1767  
Cell-type specific calcium signaling by corticotropin-releasing factor type 1 (CRF<sub>1</sub>) and 2a (CRF<sub>2(a)</sub>) receptors: phospholipase C-mediated responses in human embryonic kidney 293 but not SK-N-MC neuroblastoma cells, 1833
- Cyclic AMP phosphodiesterase  
Activation and induction of cyclic AMP phosphodiesterase (PDE4) in rat pulmonary microvascular endothelial cells, 479
- Cyclin  
Molecular mechanisms of ZD1839-induced G1-cell cycle arrest and apoptosis in human lung adenocarcinoma A549 cells, 1453
- Cyclin D1  
Eupatilin, a pharmacologically active flavone derived from *Artemisia* plants, induces cell cycle arrest in *ras*-transformed human mammary epithelial cells, 1081
- Cyclin dependent kinase  
Molecular mechanisms of ZD1839-induced G1-cell cycle arrest and apoptosis in human lung adenocarcinoma A549 cells, 1453  
Induction of Cdc25B expression by epidermal growth factor and transforming growth factor- $\alpha$ , 2221



## Cyclin-dependent kinase 2

Geraniol and  $\beta$ -ionone inhibit proliferation, cell cycle progression, and cyclin-dependent kinase 2 activity in MCF-7 breast cancer cells independent of effects on HMG-CoA reductase activity, 1739

## Cyclooxygenase

Effects of the selective COX-2 inhibitors celecoxib and rofecoxib on human vascular cells, 341

Prevention of UVB-induced photoinflammation and photoaging by a polymethoxy flavonoid, nobletin, in human keratinocytes in vivo and in vitro, 433

## Cyclo-oxygenase-2

A novel cyclo-oxygenase-2 inhibitor modulates catabolic and anti-inflammatory mediators in osteoarthritis, 417

Signal transduction pathways regulating cyclooxygenase-2 expression: potential molecular targets for chemoprevention, 1089

## Cyclopamine

Hedgehog signalling in foregut malignancy, 1055

## Cyclophilins

Inhibition of the functional expression of *N*-methyl-D-aspartate receptors in a stably transformed cell line by cyclosporin A, 563

## Cyclopiazonic acid

The blockade of cyclopiazonic acid-induced store-operated  $\text{Ca}^{2+}$  entry pathway by YC-1 in neutrophils, 2053

## Cyclosporin A

Inhibition of the functional expression of *N*-methyl-D-aspartate receptors in a stably transformed cell line by cyclosporin A, 563

Role of the permeability transition pore in cytochrome *C* release from mitochondria during ischemia-reperfusion in rat liver, 2065

In vitro metabolism of cyclosporine A by human kidney CYP3A5, 1889

The immunosuppressant drug FK506 prevents Fas-induced apoptosis in human hepatocytes, 2427

## CYP1A1

Phenylthiourea as a weak activator of aryl hydrocarbon receptor inhibiting 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-induced CYP1A1 transcription in zebrafish embryo, 63

Involvement of cytochrome P450 1A2 in the biotransformation of *trans*-resveratrol in human liver microsomes, 773

## CYP1A2

Role of CYP1A2 and CYP2E1 in the pentoxifylline ciprofloxacin drug interaction, 395

## CYP1A1

Involvement of cytochrome P450 1A2 in the biotransformation of *trans*-resveratrol in human liver microsomes, 773

## CYP3A

Interactions of phospholipase D and cytochrome P450 protein stability, 503  
GABA<sub>A</sub>/central benzodiazepine receptor and peripheral benzodiazepine receptor ligands as inducers of phenobarbital-inducible CYP2B and CYP3A, 1383

## CYP3A5

In vitro metabolism of cyclosporine A by human kidney CYP3A5, 1889

## Cyp1A2 knockout

Role of CYP1A2 and CYP2E1 in the pentoxifylline ciprofloxacin drug interaction, 395

## CYP1B1

Involvement of cytochrome P450 1A2 in the biotransformation of *trans*-resveratrol in human liver microsomes, 773

## CYP2B

GABA<sub>A</sub>/central benzodiazepine receptor and peripheral benzodiazepine receptor ligands as inducers of phenobarbital-inducible CYP2B and CYP3A, 1383

## CYP2D19

Cloning and functional expression of a novel marmoset cytochrome P450 2D enzyme, CYP2D30: comparison with the known marmoset CYP2D19, 165

## CYP2D30

Cloning and functional expression of a novel marmoset cytochrome P450 2D enzyme, CYP2D30: comparison with the known marmoset CYP2D19, 165

## CYP2D6

Cloning and functional expression of a novel marmoset cytochrome P450 2D enzyme, CYP2D30: comparison with the known marmoset CYP2D19, 165

## CYP2E1

Role of CYP1A2 and CYP2E1 in the pentoxifylline ciprofloxacin drug interaction, 395

Acetaminophen alters microsomal ryanodine  $\text{Ca}^{2+}$  channel in HepG2 cells overexpressing CYP2E1, 513

DNA damage and cytotoxicity in pancreatic  $\beta$ -cells expressing human CYP2E1, 523

Determination of interleukin-4-responsive region in the human cytochrome P450 2E1 gene promoter, 1371

## CYP4F12

Human CYP4F12 genetic polymorphism: identification and functional characterization of seven variant allozymes, 2417

## Cystic fibrosis

Increased chloride efflux in colchicine-resistant airway epithelial cell lines, 253

## Cystinyl aminopeptidase

Endogenous cystinyl aminopeptidase in Chinese hamster ovary cells: characterization by [<sup>125</sup>I]Ang IV binding and catalytic activity, 885

Synergistic modulation of cystinyl aminopeptidase by divalent cation chelators, 893

Cytochrome *c*

Molecular mechanisms in C-Phycocyanin induced apoptosis in human chronic myeloid leukemia cell line-K562, 453

Role of the permeability transition pore in cytochrome *C* release from mitochondria during ischemia-reperfusion in rat liver, 2065

Ibuprofen-induced Walker 256 tumor cell death: cytochrome *c* release from functional mitochondria and enhancement by calcineurin inhibition, 2197

Cytochrome *bc*<sub>1</sub> complex

Redox-interaction of  $\alpha$ -tocopheryl quinone with isolated mitochondrial cytochrome *bc*<sub>1</sub> complex, 373

## Cytochrome P450

Interactions of phospholipase D and cytochrome P450 protein stability, 503

Signal transduction pathways implicated in the decrease in CYP1A1, 1A2 and 3A6 activity produced by serum from rabbits and humans with an inflammatory reaction, 573

Characterization of hydroxyl radical formation by microsomal enzymes using a water-soluble trap, terephthalate, 747

Involvement of cytochrome P450 1A2 in the biotransformation of *trans*-resveratrol in human liver microsomes, 773

Fenproporex *N*-dealkylation to amphetamine—enantioselective in vitro studies in human liver microsomes as well as enantioselective in vivo studies in Wistar and Dark Agouti rats, 947

A PXR reporter gene assay in a stable cell culture system: CYP3A4 and CYP2B6 induction by pesticides, 2347

## Cytochrome P450 2D6

Influence of phenylalanine 120 on cytochrome P450 2D6 catalytic selectivity and regiospecificity: crucial role in 7-methoxy-4-(amino-methyl)-coumarin metabolism, 2263

## Cytochrome P450 2E1

Determination of interleukin-4-responsive region in the human cytochrome P450 2E1 gene promoter, 1371

## Cytokine

High mobility group box 1 protein, a cue for stem cell recruitment, 1165

## Cytokine induction

Cyclic antimicrobial peptides based on *Limulus* anti-lipopolysaccharide factor for neutralization of lipopolysaccharide, 1297

## Cytokines

Immunomodulatory activity of curcumin: suppression of lymphocyte proliferation, development of cell-mediated cytotoxicity, and cytokine production in vitro, 51

Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat, 1321

- Cytosolic  $\text{Ca}^{2+}$  signal  
Inactivation of protease-activated receptor-1 by proteolytic removal of the ligand region in vascular endothelial cells, 23
- Cytosolic phospholipase  $\text{A}_2$   
Prevention of UVB-induced photoinflammation and photoaging by a polymethoxy flavonoid, nobiletin, in human keratinocytes in vivo and in vitro, 433
- Cytotoxic  
Cytotoxic lymphocytes; instigators of dramatic target cell death, 1033
- Cytotoxicity  
Immunomodulatory activity of curcumin: suppression of lymphocyte proliferation, development of cell-mediated cytotoxicity, and cytokine production in vitro, 51  
DNA damage and cytotoxicity in pancreatic  $\beta$ -cells expressing human CYP2E1, 523  
Calcium ionophoretic and apoptotic effects of ferutinin in the human Jurkat T-cell line, 875  
The cytotoxic mechanism of glyoxal involves oxidative stress, 1433  
Novel antitumor indenoinole derivatives targeting DNA and topoisomerase II, 1911
- $\text{D}_4$  receptor  
Comparative pharmacology of human dopamine  $\text{D}_2$ -like receptor stable cell lines coupled to calcium flux through  $\text{G}\alpha_{q/11}$ , 761
- Dark Agouti rats  
Fenproporex *N*-dealkylation to amphetamine—enantioselective in vitro studies in human liver microsomes as well as enantioselective in vivo studies in Wistar and Dark Agouti rats, 947
- Daunorubicin  
Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- Daxx  
In bcr-abl-positive myeloid cells resistant to conventional chemotherapeutic agents, expression of Par-4 increases sensitivity to imatinib (STI571) and histone deacetylase-inhibitors, 85
- Death adder  
Isolation and characterization at cholinergic nicotinic receptors of a neurotoxin from the venom of the *Acanthophis* sp. Seram death adder, 383
- Deguelin  
Molecular mechanisms of deguelin-induced apoptosis in transformed human bronchial epithelial cells, 1119
- Dehydroepiandrosterone  
A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis, 2283
- Dehydroepiandrosterone sulphate  
*Plasmodium berghei*: dehydroepiandrosterone sulfate reverses chloroquino-resistance in experimental malaria infection; correlation with glucose 6-phosphate dehydrogenase and glutathione synthesis pathway, 1903
- Delta subunit  
Multiple structural features of steroids mediate subtype-selective effects on human  $\alpha 4\beta 3\delta$  GABA $_A$  receptors, 819
- Demethylase  
DNA methylation and breast cancer, 1187
- Demethylation  
DNA methylation and breast cancer, 1187
- N*-Demethylation  
Influence of phenylalanine 120 on cytochrome P450 2D6 catalytic selectivity and regioselectivity: crucial role in 7-methoxy-4-(amino-methyl)-coumarin metabolism, 2263
- Dendritic cells  
Dendritic cells maturation promoted by M1 and M4, end products of steroidal ginseng saponins metabolized in digestive tracts, drive a potent Th1 polarization, 441
- Deoxycytidine kinase  
Activation of deoxycytidine kinase by protein kinase inhibitors and okadaic acid in leukemic cells, 95  
Detection of an alternatively spliced form of deoxycytidine kinase mRNA in the 2'-2'-difluorodeoxycytidine (gemcitabine)-resistant human ovarian cancer cell line AG6000, 601  
Enantioselectivity of ribonucleotide reductase: a first study using stereoisomers of pyrimidine 2'-azido-2'-deoxynucleosides, 711  
Transcriptional regulation of the mouse deoxycytidine kinase: identification and functional analysis of nuclear protein binding sites at the proximal promoter, 2397
- Deoxynucleoside analogues  
Detection of an alternatively spliced form of deoxycytidine kinase mRNA in the 2'-2'-difluorodeoxycytidine (gemcitabine)-resistant human ovarian cancer cell line AG6000, 601
- Dependence  
A role for GABA mechanisms in the motivational effects of alcohol, 1515
- Desensitization  
Prior in vitro exposure to GLP-1 with or without GIP can influence the subsequent beta cell responsiveness, 33
- Development  
Cell-, tissue-, sex- and developmental stage-specific expression of mouse flavin-containing monooxygenases (*Fmos*), 73
- Developmental changes  
How does a little acronym become a big transmitter?, 1549
- Dexamethasone  
Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells, 1391
- dFdC  
Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-AraC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- Diabetes  
Metformin-induced stimulation of AMP-activated protein kinase in  $\beta$ -cells impairs their glucose responsiveness and can lead to apoptosis, 409
- Diabetes mellitus  
DNA damage and cytotoxicity in pancreatic  $\beta$ -cells expressing human CYP2E1, 523
- Diallyl disulfide  
Enhancement of diallyl disulfide-induced apoptosis by inhibitors of MAPKs in human HepG2 hepatoma cells, 323
- Diazepam  
The dietary flavonoids apigenin and (–)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA $_A$  receptors, 1631
- Diazoxide  
Potassium-specific effects of levosimendan on heart mitochondria, 807
- Differential effect  
Differential response of MG132 cytotoxicity against small cell lung cancer cells to changes in cellular GSH contents, 659
- Differentiation  
Inhibition of ossification in vivo and differentiation of osteoblasts in vitro by tributyltin, 739  
The novel histone deacetylase inhibitor BL1521 inhibits proliferation and induces apoptosis in neuroblastoma cells, 1279
- Differentiation therapy  
Differentiation-inducing quinolines as experimental breast cancer agents in the MCF-7 human breast cancer cell model, 1729
- 2',2'-difluorodeoxycytidine  
Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-AraC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- 1,24-Dihydroxyvitamin  $\text{D}_2$   
Tissue distribution and activity studies of 1,24-dihydroxyvitamin  $\text{D}_2$ , a metabolite of vitamin  $\text{D}_2$  with low calcemic activity in vivo 1289
- Dimer  
The interactions between the N-terminal and C-terminal domains of the human UDP-glucuronosyltransferases are partly isoform-specific, and may involve both monomers, 2443

- Dimerization  
Activation mechanism of the heterodimeric GABA<sub>B</sub> receptor, 1565
- Dipsogenia  
Pharmacological and behavioral properties of A-349821, a selective and potent human histamine H<sub>3</sub> receptor antagonist, 933
- Disease  
CBP and p300: HATs for different occasions, 1145
- DNA binding  
Inhibition of lipopolysaccharide-induced inducible nitric oxide synthase expression by a novel compound, mercaptopyrazine, through suppression of nuclear factor-kappaB binding to DNA, 719
- DNA damage  
DNA damage and cytotoxicity in pancreatic  $\beta$ -cells expressing human CYP2E1, 523  
Oxidative DNA damage induced by a melatonin metabolite, 6-hydroxymelatonin, via a unique non-*o*-quinone type of redox cycle, 1869
- DNA fragmentation  
The immunosuppressant drug FK506 prevents Fas-induced apoptosis in human hepatocytes, 2427
- DNA intercalation  
Novel antitumor indenoindole derivatives targeting DNA and topoisomerase II, 1911
- DNA methylation  
DNA methylation and breast cancer, 1187  
Epigenetic control of CIITA expression in leukemic T cells, 1209  
Epigenetic gene silencing in acute promyelocytic leukemia, 1247
- DNA polymerase  
Discovery and development of BVDU (brivudin) as a therapeutic for the treatment of herpes zoster, 2301
- DNA primase  
Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-araC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- DNA repair  
Inhibition of repair of carboplatin-induced DNA damage by 9- $\beta$ -D-arabino-furanosyl-2-fluoroadenine in quiescent human lymphocytes, 1757
- DNA replication  
An in vitro model system that can differentiate the stages of DNA replication affected by anticancer agents, 11
- DNA strand breakage  
Cytotoxicity, DNA strand breakage and DNA-protein crosslinking by a novel transplatinum compound in human A2780 ovarian and MCF-7 breast carcinoma cells, 857
- DNA synthesize  
An in vitro model system that can differentiate the stages of DNA replication affected by anticancer agents, 11
- DNA-protein crosslinking  
Cytotoxicity, DNA strand breakage and DNA-protein crosslinking by a novel transplatinum compound in human A2780 ovarian and MCF-7 breast carcinoma cells, 857
- DNAzymes  
DNAzymes as molecular agents that manipulate Egr-1 gene expression, 1023
- Dopamine  
Comparative pharmacology of human dopamine D<sub>2</sub>-like receptor stable cell lines coupled to calcium flux through G $\alpha_{q/11}$ , 761
- Doxorubicin  
A novel cancer therapy: combined liposomal hypoxia inducible factor 1  $\alpha$  antisense oligonucleotides and an anticancer drug, 2031  
A methyl ester of the glucuronide prodrug DOX-GA3 for improvement of tumor-selective chemotherapy, 2273
- Drug absorption  
Rapid induction of P-glycoprotein expression by high permeability compounds in colonic cells in vitro: a possible source of transporter mediated drug interactions?, 783
- Drug delivery  
Increased uptake of antisense oligonucleotides by delivery as double stranded complexes, 403
- Drug metabolism  
In vitro metabolism of cyclosporine A by human kidney CYP3A5, 1889  
Prodrug research: futile or fertile?, 2097  
The interactions between the N-terminal and C-terminal domains of the human UDP-glucuronosyltransferases are partly isoform-specific, and may involve both monomers, 2443
- Drug permeability  
Rapid induction of P-glycoprotein expression by high permeability compounds in colonic cells in vitro: a possible source of transporter mediated drug interactions?, 783
- Drug potentiation  
*Plasmodium berghei*: dehydroepiandrosterone sulfate reverses chloroquine-resistance in experimental malaria infection; correlation with glucose 6-phosphate dehydrogenase and glutathione synthesis pathway, 1903
- Drug resistance  
Effect of chemopreventive agents on glutathione S-transferase P1-1 gene expression mechanisms via activating protein 1 and nuclear factor kappaB inhibition, 1101  
Inhibition of angiogenesis in vivo and growth of Kaposi sarcoma xenograft tumors by the anti-malarial artesunate, 2359
- Drug resistant  
Increased uptake of antisense oligonucleotides by delivery as double stranded complexes, 403
- Drug selectivity  
Specificity of action of bisindolylmaleimide protein kinase C inhibitors: do they inhibit the 70kDa ribosomal S6 kinase in cardiac myocytes?, 1923
- Drug transport  
Membrane permeation characteristics of abacavir in human erythrocytes and human T-lymphoblastoid CD4<sup>+</sup> CEM cells: comparison with (–)-carbovir, 1797
- D-Serine  
The GABA-glutamate connection in schizophrenia: which is the proximate cause?, 1507
- Dual specificity phosphatase  
Induction of Cdc25B expression by epidermal growth factor and transforming growth factor- $\alpha$ , 2221
- Duplex oligonucleotides  
Increased uptake of antisense oligonucleotides by delivery as double stranded complexes, 403
- DXG  
Anabolism of amdoxovir: phosphorylation of dioxolane guanosine and its 5'-phosphates by mammalian phosphotransferases, 1879
- Dynamics  
Dynamics of interactions of photosensitizers with lipoproteins and membrane-models: correlation with cellular incorporation and subcellular distribution, 1443
- EAAC1  
Accumulation of [3H]glutamate in cultured rat calvarial osteoblasts, 177
- Early gene  
Stimulation of early gene induction and cell proliferation by lysophosphatidic acid in human amnion-derived WISH cells: role of phospholipase D-mediated pathway, 333
- Edema  
Kininogenase activity of *Thalassophryne nattereri* fish venom, 2151
- EDTA  
Synergistic modulation of cystinyl aminopeptidase by divalent cation chelators, 893
- EGF  
Differentiation-inducing quinolines as experimental breast cancer agents in the MCF-7 human breast cancer cell model, 1729
- Efficacy  
2-Substituted adenosine derivatives: affinity and efficacy at four subtypes of human adenosine receptors, 1985
- EGCG  
Antioxidants regulate normal human keratinocyte differentiation, 1125

- EGF  
Induction of Cdc25B expression by epidermal growth factor and transforming growth factor- $\alpha$ , 2221
- EGF-like growth factors  
Drug development for ovarian hyper-stimulation and anti-cancer treatment: blocking of gonadotropin signaling for epiregulin and amphiregulin biosynthesis, 989
- EGFR  
The schedule-dependent enhanced cytotoxic activity of 7-ethyl-10-hydroxy-camptothecin (SN-38) in combination with Gefitinib (Iressa<sup>TM</sup>, ZD1839), 135  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- Egr-1  
DNAzymes as molecular agents that manipulate Egr-1 gene expression, 1023
- EGTA  
Synergistic modulation of cystinyl aminopeptidase by divalent cation chelators, 893
- Electrical transmembrane potential  
Ibuprofen-induced Walker 256 tumor cell death: cytochrome *c* release from functional mitochondria and enhancement by calcineurin inhibition, 2197
- Electron microscopy  
Phenyl substitution of furamidine markedly potentiates its anti-parasitic activity against *Trypanosoma cruzi* and *Leishmania amazonensis*, 593
- Electrophysiology  
GABA<sub>A</sub> receptor epilepsy mutations, 1497
- EM012  
Enhancement of paclitaxel-induced microtubule stabilization, mitotic arrest, and apoptosis by the microtubule-targeting agent EM012, 2435
- Emodin  
Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor- $\kappa$ B, 361
- Enantioselective  
Fenproporex *N*-dealkylation to amphetamine—enantioselective in vitro studies in human liver microsomes as well as enantioselective in vivo studies in Wistar and Dark Agouti rats, 947
- Enantioselectivity  
Enantioselectivity of ribonucleotide reductase: a first study using stereoisomers of pyrimidine 2'-azido-2'-deoxynucleosides, 711
- Endocannabinoid  
On-demand activation of the endocannabinoid system in the control of neuronal excitability and epileptiform seizures, 1691  
Effects of anandamide on the binding and signaling properties of M<sub>1</sub> muscarinic acetylcholine receptors, 2207
- Endocrine disruptors  
A PXR reporter gene assay in a stable cell culture system: CYP3A4 and CYP2B6 induction by pesticides, 2347
- Endoplasmic reticulum  
Evidence for multiple glucuronide transporters in rat liver microsomes, 1353
- Endothelial cells  
Inactivation of protease-activated receptor-1 by proteolytic removal of the ligand region in vascular endothelial cells, 23  
Effects of the selective COX-2 inhibitors celecoxib and rofecoxib on human vascular cells, 341  
Participation of cyclin D1 deregulation in TNP-470-mediated cytostatic effect: involvement of senescence, 729
- Endothelin-1  
Effects of phosphoinositide 3-kinase on endothelin-1-induced activation of voltage-independent Ca<sup>2+</sup> channels and vasoconstriction, 215
- Endotoxin  
Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat, 1321
- Enterocyte  
Induction of alkaline phosphatase in the inflamed intestine: a novel pharmacological target for inflammatory bowel disease, 2317
- Enzyme inhibitors  
Using yeast to screen for inhibitors of protein tyrosine phosphatase 1B, 1807
- Enzyme phosphorylation  
Activation of deoxycytidine kinase by protein kinase inhibitors and okadaic acid in leukemic cells, 95
- Eosinophil adhesion  
Modulation of eosinophil migration from bone marrow to lungs of allergic rats by nitric oxide, 631
- Epicatechin  
Inhibitory effects of epicatechin on interleukin-1 $\beta$ -induced inducible nitric oxide synthase expression in RINm5F cells and rat pancreatic islets by down-regulation of NF- $\kappa$ B activation, 1775
- (-)-Epigallocatechin gallate  
The dietary flavonoids apigenin and (-)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA<sub>A</sub> receptors, 1631
- Epigenetics  
Epigenetic gene silencing in acute promyelocytic leukemia, 1247
- Epigenome  
DNA methylation and breast cancer, 1187
- Epilepsy  
GABA<sub>A</sub> receptor epilepsy mutations, 1497  
GABA transporters as drug targets for modulation of GABAergic activity, 1557  
Altered hippocampal expression of calbindin-D-28k and calretinin in GABA<sub>B(1)</sub>-deficient mice, 1613  
The GABA<sub>B2</sub> subunit is critical for the trafficking and function of native GABA<sub>B</sub> receptors, 1655
- Epileptic seizures  
On-demand activation of the endocannabinoid system in the control of neuronal excitability and epileptiform seizures, 1691
- Epithelial cell migration  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- Epithelial sheet movement  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- EPR  
Spin adducts of several *N*-2-(2-alkoxycarbonyl-propyl)- $\alpha$ -pyridyl nitro derivatives with superoxide, alkyl and lipid-derived radicals, 185
- ERK  
Stimulation of early gene induction and cell proliferation by lysophosphatidic acid in human amnion-derived WISH cells: role of phospholipase D-mediated pathway, 333  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- ER-stress  
Involvement of both endoplasmic reticulum and mitochondria in photo-killing of nasopharyngeal carcinoma cells by the photosensitizer Zn-BC-AM, 2387
- Erythrocyte ghosts  
Membrane permeation characteristics of abacavir in human erythrocytes and human T-lymphoblastoid CD4<sup>+</sup> CEM cells: comparison with (-)-carbovir, 1797
- Erythroid differentiation  
Increased glutathione *S*-transferase P1-1 expression by mRNA stabilization in hemin-induced differentiation of K562 cells, 1269
- Erythropoietin receptor  
Reversal of antigen-dependent signaling by two mutations in antibody/receptor chimera: implication of inverse agonism in cytokine receptor superfamily, 539
- Esterases  
A methylester of the glucuronide prodrug DOX-GA3 for improvement of tumor-selective chemotherapy, 2273
- Estrogen receptor  
Histone deacetylase inhibition and estrogen signalling in human breast cancer cells, 1239

- Estrogen receptor positive/negative  
Mitochondria-mediated apoptosis operating irrespective of multidrug resistance in breast cancer cells by the anticancer agent prodigiosin, 1345
- Ethanol  
 $\gamma$ -Aminobutyric acid A receptor subunit mutant mice: new perspectives on alcohol actions, 1581  
Inhibition of insulin-like growth factor I receptor tyrosine kinase by ethanol, 2009
- Eupatilin  
Eupatilin, a pharmacologically active flavone derived from *Artemisia* plants, induces cell cycle arrest in *ras*-transformed human mammary epithelial cells, 1081
- Exclusion chromatography  
Transport of resveratrol, a cancer chemopreventive agent, to cellular targets: plasmatic protein binding and cell uptake, 1113
- Expression profile  
Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells, 1391
- Extended amygdala  
A role for GABA mechanisms in the motivational effects of alcohol, 1515
- Extracellular matrix  
Inhibition of hyaluronan export from human fibroblasts by inhibitors of multidrug resistance transporters, 1401
- Extracellular signal-regulated kinase (ERK)  
Increase by FK960, a novel cognitive enhancer, in glial cell line-derived neurotrophic factor production in cultured rat astrocytes, 275
- Eyelid closure  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- Factor inhibiting HIF-1  
HIF-1: master and commander of the hypoxic world. A pharmacological approach to its regulation by siRNAs, 971
- Fas  
Molecular mechanisms of ZD1839-induced G1-cell cycle arrest and apoptosis in human lung adenocarcinoma A549 cells, 1453  
The immunosuppressant drug FK506 prevents Fas-induced apoptosis in human hepatocytes, 2427
- Fas (CD95/APO-1)  
A novel bis-benzylidenecyclopentanone derivative, BPR0Y007, inducing a rapid caspase activation involving upregulation of Fas (CD95/APO-1) and wild-type p53 in human oral epidermoid carcinoma cells, 293
- Fatty acid oxidation  
Inhibitory effects of halothane on the thermogenic pathway in brown adipocytes: localization to adenylyl cyclase and mitochondrial fatty acid oxidation, 463
- FCM  
Sulfated polymannuronoguluronate, a novel anti-acquired immune deficiency syndrome (AIDS) drug candidate, targeting CD4 in lymphocytes, 641
- Ferula  
Calcium ionophoretic and apoptotic effects of ferutinin in the human Jurkat T-cell line, 875
- Ferutidin  
Calcium ionophoretic and apoptotic effects of ferutinin in the human Jurkat T-cell line, 875
- Ferutinin  
Calcium ionophoretic and apoptotic effects of ferutinin in the human Jurkat T-cell line, 875
- Fibroblasts  
Rottlerin inhibits multiple steps involved in insulin-induced glucose uptake in 3T3-L1 adipocytes, 105
- Fibronectin  
Modulation of eosinophil migration from bone marrow to lungs of allergic rats by nitric oxide, 631
- Fibrosis  
Selective inhibitors of type I receptor kinase block cellular transforming growth factor- $\beta$  signaling, 41  
*N*-(methylamino)isobutyric acid inhibits proliferation of CFSC-2C hepatic stellate cells, 223
- FK960  
Increase by FK960, a novel cognitive enhancer, in glial cell line-derived neurotrophic factor production in cultured rat astrocytes, 275
- FK506  
Inhibition of the functional expression of *N*-methyl-D-aspartate receptors in a stably transformed cell line by cyclosporin A, 563  
The immunosuppressant drug FK506 prevents Fas-induced apoptosis in human hepatocytes, 2427
- Flavin-containing monooxygenase  
Cell-, tissue-, sex- and developmental stage-specific expression of mouse flavin-containing monooxygenases (*Fmos*), 73  
S-Oxygenation of the thioether organophosphate insecticides phorate and disulfoton by human lung flavin-containing monooxygenase 2, 959
- Flavonoids  
The flavones luteolin and apigenin inhibit in vitro antigen-specific proliferation and interferon-gamma production by murine and human autoimmune T cells, 621  
The dietary flavonoids apigenin and (–)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA<sub>A</sub> receptors, 1631  
Inhibitory effects of flavonoids on phosphodiesterase isozymes from guinea pig and their structure–activity relationships, 2087
- Flow cytometry  
Peripheral benzodiazepine receptor ligands: mitochondrial transmembrane potential depolarization and apoptosis induction in rat C6 glioma cells, 125
- Fludarabine  
Inhibition of repair of carboplatin-induced DNA damage by 9- $\beta$ -D-arabinofuranosyl-2-fluoroadenine in quiescent human lymphocytes, 1757
- Fluorescence  
Transport of resveratrol, a cancer chemopreventive agent, to cellular targets: plasmatic protein binding and cell uptake, 1113
- Fluorescence microscopy  
Dynamics of interactions of photosensitizers with lipoproteins and membrane-models: correlation with cellular incorporation and subcellular distribution, 1443
- FMO  
S-Oxygenation of the thioether organophosphate insecticides phorate and disulfoton by human lung flavin-containing monooxygenase 2, 959
- Foregut  
Hedgehog signalling in foregut malignancy, 1055
- Forskolin  
Activation and induction of cyclic AMP phosphodiesterase (PDE4) in rat pulmonary microvascular endothelial cells, 479
- Free radicals  
Spin adducts of several *N*-2-(2-alkoxycarbonyl-propyl)- $\alpha$ -pyridyl nitro derivatives with superoxide, alkyl and lipid-derived radicals, 185  
Effect of change in cellular GSH levels on mitochondrial damage and cell viability loss due to mitomycin c in small cell lung cancer cells, 1857  
A gene expression signature for oxidant stress/reactive metabolites in rat liver, 2249
- Functional selectivity  
GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- FURA  
Role of CYP1A2 and CYP2E1 in the pentoxifylline ciprofloxacin drug interaction, 395
- Furamide analogues  
Phenyl substitution of furamide markedly potentiates its anti-parasitic activity against *Trypanosoma cruzi* and *Leishmania amazonensis*, 593

- G protein coupled  
 G protein activation by G protein coupled receptors: ternary complex formation or catalyzed reaction?, 799
- G protein-coupled receptor  
 Antiaggregatory activity in human platelets of potent antagonists of the P2Y<sub>1</sub> receptor, 1995  
 Shift in purine/pyrimidine base recognition upon exchanging extracellular domains in P2Y<sub>1/6</sub> chimeric receptors, 2075
- GABA  
 Multiple structural features of steroids mediate subtype-selective effects on human  $\alpha 4\beta 3\delta$  GABA<sub>A</sub> receptors, 819  
 The GABA-glutamate connection in schizophrenia: which is the proximate cause?, 1507  
 Association of GRIP1 with a GABA<sub>A</sub> receptor associated protein suggests a role for GRIP1 at inhibitory synapses, 1649
- GABA uptake  
 GABA pharmacology—what prospects for the future?, 1537
- GABA<sub>A</sub>  
 $\gamma$ -Aminobutyric acid A receptor subunit mutant mice: new perspectives on alcohol actions, 1581
- GABA<sub>A</sub> receptor  
 GABA<sub>A</sub>/central benzodiazepine receptor and peripheral benzodiazepine receptor ligands as inducers of phenobarbital-inducible CYP2B and CYP3A, 1383  
 GABA<sub>A</sub> receptor epilepsy mutations, 1497  
 GABA pharmacology—what prospects for the future?, 1537  
 GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573  
 Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABA<sub>A</sub> receptor  $\gamma 2$  subunit, 1621  
 The dietary flavonoids apigenin and (–)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA<sub>A</sub> receptors, 1631  
 Specific GABA<sub>A</sub> circuits in brain development and therapy, 1685
- GABA<sub>B</sub>  
 SGS742: the first GABA<sub>B</sub> receptor antagonist in clinical trials 1479
- GABA<sub>B</sub> receptor  
 Unravelling the unusual signalling properties of the GABA<sub>B</sub> receptor, 1527  
 Activation mechanism of the heterodimeric GABA<sub>B</sub> receptor, 1565
- GABA<sub>B</sub> receptor expression  
 GABA<sub>B</sub> receptor alterations as indicators of physiological and pharmacological function, 1541
- GABA<sub>B</sub> receptor subunits  
 Effect of antidepressants on GABA<sub>B</sub> receptor function and subunit expression in rat hippocampus, 1489  
 GABA<sub>B</sub> receptor alterations as indicators of physiological and pharmacological function, 1541
- GABA<sub>B</sub> receptors  
 Effect of antidepressants on GABA<sub>B</sub> receptor function and subunit expression in rat hippocampus, 1489  
 GABA<sub>B</sub> receptor alterations as indicators of physiological and pharmacological function, 1541  
 The GABA<sub>B2</sub> subunit is critical for the trafficking and function of native GABA<sub>B</sub> receptors, 1655  
 My close encounter with GABA<sub>B</sub> receptors, 1667
- GABA<sub>B(1)</sub>  
 Altered hippocampal expression of calbindin-D-28k and calretinin in GABA<sub>B(1)</sub>-deficient mice, 1613
- GABA<sub>B(1b)</sub>  
 Differential expression of GABA<sub>B(1b)</sub> receptor mRNA in the thalamus of normal and monoarthritic animals, 1603
- GABARAP  
 Association of GRIP1 with a GABA<sub>A</sub> receptor associated protein suggests a role for GRIP1 at inhibitory synapses, 1649
- Gaboxadol  
 GABA pharmacology—what prospects for the future?, 1537
- Gamma-amino-butyric acid  
 How does a little acronym become a big transmitter?, 1549
- Gapmers  
 Increased uptake of antisense oligonucleotides by delivery as double stranded complexes, 403
- Garcinol  
 Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215
- Gastric mucosa  
 Quercetin prevents oxidative stress and NF- $\kappa$ B activation in gastric mucosa of portal hypertensive rats, 1939
- GAT1-4  
 GABA transporters as drug targets for modulation of GABAergic activity, 1557
- GATA-1  
 Increased glutathione S-transferase P1-1 expression by mRNA stabilization in hemin-induced differentiation of K562 cells, 1269
- Gefitinib  
 The schedule-dependent enhanced cytotoxic activity of 7-ethyl-10-hydroxy-camptothecin (SN-38) in combination with Gefitinib (Iressa<sup>TM</sup>, ZD1839), 135
- Gemcitabine  
 Detection of an alternatively spliced form of deoxycytidine kinase mRNA in the 2'-2'-difluorodeoxycytidine (gemcitabine)-resistant human ovarian cancer cell line AG6000, 601
- gemcitabine  
 Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-araC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- Gemfibrozil  
 PPAR $\alpha$  agonists clofibrate and gemfibrozil inhibit cell growth, down-regulate hCG and up-regulate progesterone secretions in immortalized human trophoblast cells, 313  
 Prevention of age-related changes in rat cortex transcription factor activator protein-1 by hypolipidemic drugs, 1411
- Gemzar<sup>®</sup>  
 Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-araC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- Gene expression  
 Differential regulation of zinc efflux transporters ZnT-1, ZnT-5 and ZnT-7 gene expression by zinc levels: a real-time RT-PCR study, 699
- Gene regulation  
 Cell-, tissue-, sex- and developmental stage-specific expression of mouse flavin-containing monooxygenases (*Fmos*), 73
- Genetic polymorphism  
 In vitro metabolism of cyclosporine A by human kidney CYP3A5, 1889  
 Human CYP4F12 genetic polymorphism: identification and functional characterization of seven variant allozymes, 2417
- Genistein  
 The dietary flavonoids apigenin and (–)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA<sub>A</sub> receptors, 1631
- Ginseng saponins  
 Dendritic cells maturation promoted by M1 and M4, end products of steroidal ginseng saponins metabolized in digestive tracts, drive a potent Th1 polarization, 441
- GIP  
 Prior in vitro exposure to GLP-1 with or without GIP can influence the subsequent beta cell responsiveness, 33
- GLC4/ADR  
 Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- Glial cell line-derived neurotrophic factor (GDNF)  
 Increase by FK960, a novel cognitive enhancer, in glial cell line-derived neurotrophic factor production in cultured rat astrocytes, 275

- Glioma**  
Peripheral-type benzodiazepine receptor density and in vitro tumorigenicity of glioma cell lines, 689
- Global gene expression profiling analysis**  
Differential modulation of PI3-kinase/Akt pathway during all-*trans* retinoic acid- and Am80-induced HL-60 cell differentiation revealed by DNA microarray analysis, 2177
- Global hypomethylation**  
DNA methylation and breast cancer, 1187
- GLP-1**  
Prior in vitro exposure to GLP-1 with or without GIP can influence the subsequent beta cell responsiveness, 33
- Glucose**  
Insulin and glucose induced changes in expression level of nucleoside transporters and adenosine transport in rat T lymphocytes, 1309
- Glucose 6-phosphate dehydrogenase**  
*Plasmodium berghei*: dehydroepiandrosterone sulfate reverses chloroquino-resistance in experimental malaria infection; correlation with glucose 6-phosphate dehydrogenase and glutathione synthesis pathway, 1903
- Glucose uptake**  
Inhibitory mechanism of caffeine on insulin-stimulated glucose uptake in adipose cells, 1929
- $\beta$ -Glucuronidase**  
A methylester of the glucuronide prodrug DOX-GA3 for improvement of tumor-selective chemotherapy, 2273
- Glucuronidation**  
The interactions between the N-terminal and C-terminal domains of the human UDP-glucuronosyltransferases are partly isoform-specific, and may involve both monomers, 2443
- Glucuronide**  
Evidence for multiple glucuronide transporters in rat liver microsomes, 1353  
A methylester of the glucuronide prodrug DOX-GA3 for improvement of tumor-selective chemotherapy, 2273
- GLUT1**  
Rottlerin inhibits multiple steps involved in insulin-induced glucose uptake in 3T3-L1 adipocytes, 105
- GLUT4**  
Rottlerin inhibits multiple steps involved in insulin-induced glucose uptake in 3T3-L1 adipocytes, 105  
Inhibitory mechanism of caffeine on insulin-stimulated glucose uptake in adipose cells, 1929
- Glutamate**  
Accumulation of [3H]glutamate in cultured rat calvarial osteoblasts, 177  
The GABA-glutamate connection in schizophrenia: which is the proximate cause?, 1507
- Glutaredoxin**  
Possible (enzymatic) routes and biological sites for metabolic reduction of BNP7787, a new protector against cisplatin-induced side-effects, 493
- Glutathione**  
Effect of acetaminophen on expression and activity of rat liver multidrug resistance-associated protein 2 and *P*-glycoprotein, 791  
Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255  
Evaluation of glutathione deficiency in rat livers by microarray analysis, 1465  
Biphasic induction of heme oxygenase-1 expression in macrophages stimulated with lipopolysaccharide, 1709  
Photoreceptor preservation in the S334ter model of retinitis pigmentosa by a novel estradiol analog, 1971  
Differential sensitivity to resveratrol-induced apoptosis of human chronic myeloid (K562) and acute lymphoblastic (HSB-2) leukemia cells, 2019  
Differences in binding properties of two proton pump inhibitors on the gastric H<sup>+</sup>,K<sup>+</sup>-ATPase in vivo, 2117
- Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- GluTs**  
Accumulation of [3H]glutamate in cultured rat calvarial osteoblasts, 177
- Glycine B receptor**  
The GABA-glutamate connection in schizophrenia: which is the proximate cause?, 1507
- Glycine-extended GRP**  
Stimulation of proliferation and migration of a colorectal cancer cell line by amidated and glycine-extended gastrin-releasing peptide via the same receptor, 2129
- P*-glycoprotein**  
Increased uptake of antisense oligonucleotides by delivery as double stranded complexes, 403  
Effect of acetaminophen on expression and activity of rat liver multidrug resistance-associated protein 2 and *P*-glycoprotein, 791
- Glycosylation**  
Identification and importance of *N*-glycosylation of the human 5-hydroxytryptamine<sub>3A</sub> receptor subunit, 1787
- Glyoxal**  
The cytotoxic mechanism of glyoxal involves oxidative stress, 1433
- Gonadotropins**  
Drug development for ovarian hyper-stimulation and anti-cancer treatment: blocking of gonadotropin signaling for epiregulin and amphiregulin biosynthesis, 989
- gp130**  
Reversal of antigen-dependent signaling by two mutations in antibody/receptor chimera: implication of inverse agonism in cytokine receptor superfamily, 539
- GPCR**  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231  
The GABA<sub>B2</sub> subunit is critical for the trafficking and function of native GABA<sub>B</sub> receptors, 1655  
2-Substituted adenosine derivatives: affinity and efficacy at four subtypes of human adenosine receptors, 1985
- G-protein coupled receptors**  
Activation mechanism of the heterodimeric GABA<sub>B</sub> receptor, 1565
- G $\alpha_{q05}$**   
Comparative pharmacology of human dopamine D<sub>2</sub>-like receptor stable cell lines coupled to calcium flux through G $\alpha_{q05}$ , 761
- Granulocytosis**  
Rabbit neutrophil chemotactic protein (NCP) activates both CXCR1 and CXCR2 and is the functional homologue for human CXCL6, 1947
- Granzyme**  
Cytotoxic lymphocytes; instigators of dramatic target cell death, 1033
- Green tea**  
Antioxidants regulate normal human keratinocyte differentiation, 1125
- GRIP**  
Association of GRIP1 with a GABA<sub>A</sub> receptor associated protein suggests a role for GRIP1 at inhibitory synapses, 1649
- GRP**  
Stimulation of proliferation and migration of a colorectal cancer cell line by amidated and glycine-extended gastrin-releasing peptide via the same receptor, 2129
- GSH depletion**  
Effect of change in cellular GSH levels on mitochondrial damage and cell viability loss due to mitomycin c in small cell lung cancer cells, 1857
- GSTP1-1**  
Effect of chemopreventive agents on glutathione *S*-transferase P1-1 gene expression mechanisms via activating protein 1 and nuclear factor kappaB inhibition, 1101  
Increased glutathione *S*-transferase P1-1 expression by mRNA stabilization in hemin-induced differentiation of K562 cells, 1269
- GTP $\gamma$ S binding**  
Pharmacological and behavioral properties of A-349821, a selective and potent human histamine H<sub>3</sub> receptor antagonist, 933

- Guinea pig  
Inhibitory effects of flavonoids on phosphodiesterase isozymes from guinea pig and their structure–activity relationships, 2087
- HAART  
Administration of HDAC inhibitors to reactivate HIV-1 expression in latent cellular reservoirs: implications for the development of therapeutic strategies, 1231
- Halothane  
Inhibitory effects of halothane on the thermogenic pathway in brown adipocytes: localization to adenyl cyclase and mitochondrial fatty acid oxidation, 463
- HBV  
Effective metabolism and long intracellular half life of the anti-Hepatitis B agent adefovir in hepatic cells, 1825
- HCV  
Effective metabolism and long intracellular half life of the anti-Hepatitis B agent adefovir in hepatic cells, 1825
- HDAC activity  
The novel histone deacetylase inhibitor BL1521 inhibits proliferation and induces apoptosis in neuroblastoma cells, 1279
- HDAC inhibitors  
Targeting CREB-binding protein (CBP) loss of function as a therapeutic strategy in neurological disorders, 1157
- HDCAi  
Administration of HDAC inhibitors to reactivate HIV-1 expression in latent cellular reservoirs: implications for the development of therapeutic strategies, 1231
- Heart  
Inhibitory effects of flavonoids on phosphodiesterase isozymes from guinea pig and their structure–activity relationships, 2087
- Hedgehog  
Hedgehog signalling in foregut malignancy, 1055
- Heme oxygenase-1  
A novel cyclo-oxygenase-2 inhibitor modulates catabolic and anti-inflammatory mediators in osteoarthritis, 417  
Biphasic induction of heme oxygenase-1 expression in macrophages stimulated with lipopolysaccharide, 1709
- Hemin  
Increased glutathione *S*-transferase P1-1 expression by mRNA stabilization in hemin-induced differentiation of K562 cells, 1269
- Hepatic stellate cell  
Effects and regulation of osteopontin in rat hepatic stellate cells, 2367
- Hepatic stellate cells  
*N*-(methylamino)isobutyric acid inhibits proliferation of CFSC-2C hepatic stellate cells, 223
- Hepatitis  
A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis, 2283
- Hepatocarcinogenesis  
An evaluation of the role of insulin-like growth factors (IGF) and of type-I IGF receptor signalling in hepatocarcinogenesis and in the resistance of hepatocarcinoma cells against drug-induced apoptosis, 1003
- Hepatocellular carcinoma  
An evaluation of the role of insulin-like growth factors (IGF) and of type-I IGF receptor signalling in hepatocarcinogenesis and in the resistance of hepatocarcinoma cells against drug-induced apoptosis, 1003
- Hepatocytes  
GABA<sub>A</sub>/central benzodiazepine receptor and peripheral benzodiazepine receptor ligands as inducers of phenobarbital-inducible CYP2B and CYP3A, 1383
- HepG2 cell line  
Determination of interleukin-4-responsive region in the human cytochrome P450 2E1 gene promoter, 1371
- Hepsera  
Effective metabolism and long intracellular half life of the anti-Hepatitis B agent adefovir in hepatic cells, 1825
- Herbal medicine  
The dietary flavonoids apigenin and (–)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA<sub>A</sub> receptors, 1631
- Herpes zoster  
Discovery and development of BVDU (brivudin) as a therapeutic for the treatment of herpes zoster, 2301
- Heterologous expression  
Human CYP4F12 genetic polymorphism: identification and functional characterization of seven variant allozymes, 2417
- Heterotrimeric GTP-binding proteins  
G protein activation by G protein coupled receptors: ternary complex formation or catalyzed reaction?, 799
- HIF  
New anticancer strategies targeting HIF-1, 1061
- Hippocampus  
Effect of antidepressants on GABA<sub>B</sub> receptor function and subunit expression in rat hippocampus, 1489  
Altered hippocampal expression of calbindin-D-28k and calretinin in GABA<sub>B(1)</sub>-deficient mice, 1613
- Histamine H<sub>3</sub> receptor  
Pharmacological and behavioral properties of A-349821, a selective and potent human histamine H<sub>3</sub> receptor antagonist, 933
- Histone acetylation  
Targeting CREB-binding protein (CBP) loss of function as a therapeutic strategy in neurological disorders, 1157  
Epigenetic control of CIITA expression in leukemic T cells, 1209  
Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255
- Histone acetyltransferase  
CBP and p300: HATs for different occasions, 1145
- Histone acetyltransferase (HAT)  
Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215
- Histone acetyltransferases  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199
- Histone deacetylase  
Increased human cytomegalovirus replication in fibroblasts after treatment with therapeutic plasma concentrations of valproic acid, 531  
Histone deacetylase inhibitors open new doors in cancer therapy, 1139  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199  
Histone deacetylase inhibition and estrogen signalling in human breast cancer cells, 1239  
Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255
- Histone deacetylase-inhibitors  
In bcr-abl-positive myeloid cells resistant to conventional chemotherapeutic agents, expression of Par-4 increases sensitivity to imatinib (STI571) and histone deacetylase-inhibitors, 85
- History  
How does a little acronym become a big transmitter?, 1549
- HIV-1  
Administration of HDAC inhibitors to reactivate HIV-1 expression in latent cellular reservoirs: implications for the development of therapeutic strategies, 1231  
Induction of cellular resistance to nucleoside reverse transcriptase inhibitors by the wild-type breast cancer resistance protein, 1363
- HIV  
Membrane permeation characteristics of abacavir in human erythrocytes and human T-lymphoblastoid CD4<sup>+</sup> CEM cells: comparison with (–)-carbovir, 1797
- HL-60  
Differential modulation of PI3-kinase/Akt pathway during all-*trans* retinoic acid- and Am80-induced HL-60 cell differentiation revealed by DNA microarray analysis, 2177



- $\text{H}_2\text{O}_2$   
Antioxidant effect of hydroxytyrosol, a polyphenol from olive oil: scavenging of hydrogen peroxide but not superoxide anion produced by human neutrophils, 2003
- Hormone replacement therapy  
Soy isoflavone phyto-pharmaceuticals in interleukin-6 affections. Multi-purpose nutraceuticals at the crossroad of hormone replacement, anti-cancer and anti-inflammatory therapy, 1171  
In vitro and ex vivo evidence for modulation of P-glycoprotein activity by progestins, 2409
- HSB-2 cells  
Differential sensitivity to resveratrol-induced apoptosis of human chronic myeloid (K562) and acute lymphoblastic (HSB-2) leukemia cells, 2019
- 5-HT<sub>3</sub> receptor  
Identification and importance of *N*-glycosylation of the human 5-hydroxytryptamine<sub>3A</sub> receptor subunit, 1787
- 5-HT<sub>3A</sub> subunit  
Identification and importance of *N*-glycosylation of the human 5-hydroxytryptamine<sub>3A</sub> receptor subunit, 1787
- Human  
Differential inhibitor sensitivity between human recombinant and native photoreceptor cGMP-phosphodiesterases (PDE6s), 867
- human  
Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-araC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- Human cytomegalovirus  
Increased human cytomegalovirus replication in fibroblasts after treatment with therapeutical plasma concentrations of valproic acid, 531
- Human hepatocytes  
A PXR reporter gene assay in a stable cell culture system: CYP3A4 and CYP2B6 induction by pesticides, 2347
- Human HepG2 hepatoma cells  
Enhancement of diallyl disulfide-induced apoptosis by inhibitors of MAPKs in human HepG2 hepatoma cells, 323
- Human keratinocytes  
Prevention of UVB-induced photoinflammation and photoaging by a polymethoxy flavonoid, nobiletin, in human keratinocytes in vivo and in vitro, 433
- Human liver microsomes  
Fenproporex *N*-dealkylation to amphetamine—enantioselective in vitro studies in human liver microsomes as well as enantioselective in vivo studies in Wistar and Dark Agouti rats, 947
- Human placenta  
Methadone metabolism by human placenta, 583
- Hyaluronan synthesis  
Inhibition of hyaluronan export from human fibroblasts by inhibitors of multidrug resistance transporters, 1401
- Hydrogen peroxide  
Oxidative DNA damage induced by a melatonin metabolite, 6-hydroxymelatonin, via a unique non-*o*-quinone type of redox cycle, 1869
- Hydroxyl radical  
Characterization of hydroxyl radical formation by microsomal enzymes using a water-soluble trap, terephthalate, 747
- Hydroxylases  
HIF-1: master and commander of the hypoxic world. A pharmacological approach to its regulation by siRNAs, 971
- N*-Hydroxylation  
Influence of phenylalanine 120 on cytochrome P450 2D6 catalytic selectivity and regiospecificity: crucial role in 7-methoxy-4-(amino-methyl)-coumarin metabolism, 2263
- 6-Hydroxymelatonin  
Oxidative DNA damage induced by a melatonin metabolite, 6-hydroxymelatonin, via a unique non-*o*-quinone type of redox cycle, 1869
- 3-Hydroxy-3-methylglutaryl coenzyme A reductase  
Geraniol and  $\beta$ -ionone inhibit proliferation, cell cycle progression, and cyclin-dependent kinase 2 activity in MCF-7 breast cancer cells independent of effects on HMG-CoA reductase activity, 1739
- Hydroxytamoxifen  
Hydroxytamoxifen protects against oxidative stress in brain mitochondria, 195
- 2-Hydroxyterephthalate  
Characterization of hydroxyl radical formation by microsomal enzymes using a water-soluble trap, terephthalate, 747
- 5-Hydroxytryptamine  
Identification and importance of *N*-glycosylation of the human 5-hydroxytryptamine<sub>3A</sub> receptor subunit, 1787
- Hydroxytyrosol  
Antioxidant effect of hydroxytyrosol, a polyphenol from olive oil: scavenging of hydrogen peroxide but not superoxide anion produced by human neutrophils, 2003
- Hypermethylation  
DNA methylation and breast cancer, 1187
- Hypertension  
Peptidase activities in rats treated chronically with *N* $\omega$ -nitro-L-arginine methyl ester (L-NAME), 205
- Hyperthermia  
UCP3 and thyroid hormone involvement in methamphetamine-induced hyperthermia, 1339
- Hypnotics anxiolytics  
Specific GABA<sub>A</sub> circuits in brain development and therapy, 1685
- Hypoxia  
HIF-1: master and commander of the hypoxic world. A pharmacological approach to its regulation by siRNAs, 971  
New anticancer strategies targeting HIF-1, 1061  
A novel cancer therapy: combined liposomal hypoxia inducible factor 1 alpha antisense oligonucleotides and an anticancer drug, 2031  
Pharmacological and biological evaluation of a series of substituted 1,4-naphthoquinone bioreductive drugs, 2107
- Hypoxia-inducible factor-1  
HIF-1: master and commander of the hypoxic world. A pharmacological approach to its regulation by siRNAs, 971
- Hypoxia-inducible factor 1 alpha  
A novel cancer therapy: combined liposomal hypoxia inducible factor 1 alpha antisense oligonucleotides and an anticancer drug, 2031
- [<sup>3</sup>H]flunitrazepam  
Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABA<sub>A</sub> receptor  $\gamma 2$  subunit, 1621
- [3H]Glutamate accumulation  
Accumulation of [3H]glutamate in cultured rat calvarial osteoblasts, 177
- Ibuprofen  
Ibuprofen-induced Walker 256 tumor cell death: cytochrome *c* release from functional mitochondria and enhancement by calcineurin inhibition, 2197
- IGF-binding proteins  
An evaluation of the role of insulin-like growth factors (IGF) and of type-I IGF receptor signalling in hepatocarcinogenesis and in the resistance of hepatocarcinoma cells against drug-induced apoptosis, 1003
- IL6  
Soy isoflavone phyto-pharmaceuticals in interleukin-6 affections. Multi-purpose nutraceuticals at the crossroad of hormone replacement, anti-cancer and anti-inflammatory therapy, 1171
- Imatinib  
In bcr-abl-positive myeloid cells resistant to conventional chemotherapeutic agents, expression of Par-4 increases sensitivity to imatinib (STI571) and histone deacetylase-inhibitors, 85
- Imipramine  
Blockade of calcium entry in smooth muscle cells by the antidepressant imipramine, 833
- Immunity  
Soy isoflavone phyto-pharmaceuticals in interleukin-6 affections. Multi-purpose nutraceuticals at the crossroad of hormone replacement, anti-cancer and anti-inflammatory therapy, 1171

- Immunoglobulins
  - Modulation of eosinophil migration from bone marrow to lungs of allergic rats by nitric oxide, 631
- Immunomodulation
  - Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat, 1321
- Immunosuppressive drug
  - Design of vesicles of 1,2-di-*O*-acyl-3-*O*-( $\beta$ -d-sulfoquinovosyl)-glyceride bearing two stearic acids ( $\beta$ -SQDG-C<sub>18</sub>), a novel immunosuppressive drug, 2379
- In situ activation
  - Prodrug research: futile or fertile?, 2097
- In situ hybridization
  - Cell-, tissue-, sex- and developmental stage-specific expression of mouse flavin-containing monooxygenases (*Fmos*), 73
  - Differential expression of GABA<sub>B(1b)</sub> receptor mRNA in the thalamus of normal and monoarthritic animals, 1603
- In vitro model system
  - An in vitro model system that can differentiate the stages of DNA replication affected by anticancer agents, 11
- Inducible nitric oxide synthase
  - Biphasic induction of heme oxygenase-1 expression in macrophages stimulated with lipopolysaccharide, 1709
- Induction
  - Activation and induction of cyclic AMP phosphodiesterase (PDE4) in rat pulmonary microvascular endothelial cells, 479
  - GABA<sub>A</sub>/central benzodiazepine receptor and peripheral benzodiazepine receptor ligands as inducers of phenobarbital-inducible CYP2B and CYP3A, 1383
- Inflammation
  - Effects of the selective COX-2 inhibitors celecoxib and rofecoxib on human vascular cells, 341
  - Signal transduction pathways implicated in the decrease in CYP1A1, 1A2 and 3A6 activity produced by serum from rabbits and humans with an inflammatory reaction, 573
  - Differential effects of 9-*cis* retinoic acid on expression of CC chemokine receptors in human monocytes, 611
  - Inhibition of lipopolysaccharide-induced inducible nitric oxide synthase expression by a novel compound, mercaptopyrazine, through suppression of nuclear factor-kappaB binding to DNA, 719
  - High mobility group box 1 protein, a cue for stem cell recruitment, 1165
- Inflammatory bowel disease
  - Induction of alkaline phosphatase in the inflamed intestine: a novel pharmacological target for inflammatory bowel disease, 2317
- Inflammatory mediators
  - A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis, 2283
- Influx kinetics
  - Membrane permeation characteristics of abacavir in human erythrocytes and human T-lymphoblastoid CD4<sup>+</sup> CEM cells: comparison with (–)-carbovir, 1797
- Inhibition
  - Evidence for multiple glucuronide transporters in rat liver microsomes, 1353
  - Kinetic analysis of interactions between human acetylcholinesterase, structurally different organophosphorus compounds and oximes, 2237
  - In vitro and ex vivo evidence for modulation of P-glycoprotein activity by progestins, 2409
- Inhibitor
  - Differential inhibitor sensitivity between human recombinant and native photoreceptor cGMP-phosphodiesterases (PDE6s), 867
- Inhibitory
  - Association of GRIP1 with a GABA<sub>A</sub> receptor associated protein suggests a role for GRIP1 at inhibitory synapses, 1649
- iNOS
  - Inhibitory effects of epicatechin on interleukin-1 $\beta$ -induced inducible nitric oxide synthase expression in RINm5F cells and rat pancreatic islets by down-regulation of NF- $\kappa$ B activation, 1775
  - Catalase induces the expression of inducible nitric oxide synthase through activation of NF- $\kappa$ B and PI3K signaling pathway in Raw 264.7 cells, 2167
- iNOS inhibitor
  - Inhibition of lipopolysaccharide-induced inducible nitric oxide synthase expression by a novel compound, mercaptopyrazine, through suppression of nuclear factor-kappaB binding to DNA, 719
- Inositol 1,4,5-triphosphate
  - Cell-type specific calcium signaling by corticotropin-releasing factor type 1 (CRF<sub>1</sub>) and 2a (CRF<sub>2(a)</sub>) receptors: phospholipase C-mediated responses in human embryonic kidney 293 but not SK-N-MC neuroblastoma cells, 1833
- Inositol 1,4,5-trisphosphate
  - Activation of osteoblastic functions by a mediator of pain, bradykinin, 1423
- Insecticides
  - S-Oxygenation of the thioether organophosphate insecticides phorate and disulfoton by human lung flavin-containing monooxygenase 2, 959
- Insulin
  - Insulin and glucose induced changes in expression level of nucleoside transporters and adenosine transport in rat T lymphocytes, 1309
  - Inhibitory mechanism of caffeine on insulin-stimulated glucose uptake in adipose cells, 1929
- Insulin receptor
  - Inhibition of insulin-like growth factor I receptor tyrosine kinase by ethanol, 2009
- Insulin release
  - Prior in vitro exposure to GLP-1 with or without GIP can influence the subsequent beta cell responsiveness, 33
- Insulin sensitizer
  - Biochemical and morphological effects of K-111, a peroxisome proliferator-activated receptor (PPAR) $\alpha$  activator, in non-human primates, 239
- Insulin-like growth factor 1 receptor (IGF1R)
  - Inhibition of insulin-like growth factor I receptor autophosphorylation by novel 6-5 ring-fused compounds, 145
  - Inhibition of insulin-like growth factor I receptor tyrosine kinase by ethanol, 2009
- Insulin-like growth factors
  - An evaluation of the role of insulin-like growth factors (IGF) and of type-I IGF receptor signalling in hepatocarcinogenesis and in the resistance of hepatocarcinoma cells against drug-induced apoptosis, 1003
- Interleukin-10
  - A novel cyclo-oxygenase-2 inhibitor modulates catabolic and anti-inflammatory mediators in osteoarthritis, 417
- Interleukin-4
  - Determination of interleukin-4-responsive region in the human cytochrome P450 2E1 gene promoter, 1371
- Interleukin-6
  - Activation of osteoblastic functions by a mediator of pain, bradykinin, 1423
- Interleukin-1 $\beta$ 
  - Determination of interleukin-4-responsive region in the human cytochrome P450 2E1 gene promoter, 1371
  - Inhibitory effects of epicatechin on interleukin-1 $\beta$ -induced inducible nitric oxide synthase expression in RINm5F cells and rat pancreatic islets by down-regulation of NF- $\kappa$ B activation, 1775
- Intestine
  - Tissue distribution and activity studies of 1,24-dihydroxyvitamin D<sub>2</sub>, a metabolite of vitamin D<sub>2</sub> with low calcemic activity in vivo, 1289
- Intracellular free-Ca<sup>2+</sup>
  - The blockade of cyclopiazonic acid-induced store-operated Ca<sup>2+</sup> entry pathway by YC-1 in neutrophils, 2053
- Intrahepatic flow redistribution
  - Intrahepatic flow disturbance by clomipramine in the isolated perfused rat liver, 2291

- Invasion**  
Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor- $\kappa$ B, 361
- Inverse agonism**  
Reversal of antigen-dependent signaling by two mutations in antibody/receptor chimera: implication of inverse agonism in cytokine receptor superfamily, 539
- Inverse agonist**  
Pharmacological and behavioral properties of A-349821, a selective and potent human histamine  $H_3$  receptor antagonist, 933
- Ischemia**  
Potassium-specific effects of levosimendan on heart mitochondria, 807  
Role of the permeability transition pore in cytochrome *C* release from mitochondria during ischemia-reperfusion in rat liver, 2065
- Islet**  
Inhibitory effects of epicatechin on interleukin-1 $\beta$ -induced inducible nitric oxide synthase expression in RINm5F cells and rat pancreatic islets by down-regulation of NF- $\kappa$ B activation, 1775
- Isolated perfused rat liver**  
Intrahepatic flow disturbance by clomipramine in the isolated perfused rat liver, 2291
- Isothiocyanates**  
Isothiocyanates as novel cytotoxic and cytostatic agents: molecular pathway on human transformed and non-transformed cells, 1133
- JNK**  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- K562**  
Increased glutathione *S*-transferase P1-1 expression by mRNA stabilization in hemin-induced differentiation of K562 cells, 1269
- K-111 (BM 17.0744)**  
Biochemical and morphological effects of K-111, a peroxisome proliferator-activated receptor (PPAR) $\alpha$  activator, in non-human primates, 239
- K562 cells**  
Differential sensitivity to resveratrol-induced apoptosis of human chronic myeloid (K562) and acute lymphoblastic (HSB-2) leukemia cells, 2019
- K562 human chronic myeloid leukemia cell line**  
Molecular mechanisms in C-Phycocyanin induced apoptosis in human chronic myeloid leukemia cell line-K562, 453
- Kaposi sarcoma**  
Inhibition of angiogenesis in vivo and growth of Kaposi sarcoma xenograft tumors by the anti-malarial artesunate, 2359
- K<sub>ATP</sub> channel**  
Potassium-specific effects of levosimendan on heart mitochondria, 807  
Taurine block of cloned ATP-sensitive K<sup>+</sup> channels with different sulfonylurea receptor subunits expressed in *Xenopus laevis* oocytes, 901
- Kidney**  
Possible (enzymatic) routes and biological sites for metabolic reduction of BNP7787, a new protector against cisplatin-induced side-effects, 493
- Kinetic assay**  
An in vitro model system that can differentiate the stages of DNA replication affected by anticancer agents, 11
- Kinetics**  
Evidence for multiple glucuronide transporters in rat liver microsomes, 1353
- Kir6.2**  
Taurine block of cloned ATP-sensitive K<sup>+</sup> channels with different sulfonylurea receptor subunits expressed in *Xenopus laevis* oocytes, 901
- Knock-out**  
 $\gamma$ -Aminobutyric acid A receptor subunit mutant mice: new perspectives on alcohol actions, 1581  
Altered hippocampal expression of calbindin-D-28k and calretinin in GABA<sub>B(1)</sub>-deficient mice, 1613
- L(tk-) cells**  
Inhibition of the functional expression of *N*-methyl-D-aspartate receptors in a stably transformed cell line by cyclosporin A, 563
- LALF**  
Cyclic antimicrobial peptides based on *Limulus* anti-lipopolysaccharide factor for neutralization of lipopolysaccharide, 1297
- Latency**  
Administration of HDAC inhibitors to reactivate HIV-1 expression in latent cellular reservoirs: implications for the development of therapeutic strategies, 1231
- L-buthionine (S, R)-sulfoximine**  
Evaluation of glutathione deficiency in rat livers by microarray analysis, 1465
- l-dC**  
Broad specificity of human phosphoglycerate kinase for antiviral nucleoside analogs, 1749
- l-dT**  
Broad specificity of human phosphoglycerate kinase for antiviral nucleoside analogs, 1749
- Learning and memory**  
Specific GABA<sub>A</sub> circuits in brain development and therapy, 1685
- Leishmania amazonensis**  
Phenyl substitution of furamidine markedly potentiates its anti-parasitic activity against *Trypanosoma cruzi* and *Leishmania amazonensis*, 593
- Leptomycin B**  
Leptomycin B-induced apoptosis is mediated through caspase activation and down-regulation of Mcl-1 and XIAP expression, but not through the generation of ROS in U937 leukemia cells, 263
- Leukemia**  
Effect of chemopreventive agents on glutathione *S*-transferase P1-1 gene expression mechanisms via activating protein 1 and nuclear factor kappaB inhibition, 1101  
Epigenetic control of CIITA expression in leukemic T cells, 1209  
Epigenetic gene silencing in acute promyelocytic leukemia, 1247
- Levamisole**  
Induction of alkaline phosphatase in the inflamed intestine: a novel pharmacological target for inflammatory bowel disease, 2317
- Levosimendan**  
Potassium-specific effects of levosimendan on heart mitochondria, 807
- Ligand binding**  
Cell-type specific calcium signaling by corticotropin-releasing factor type 1 (CRF<sub>1</sub>) and 2a (CRF<sub>2(a)</sub>) receptors: phospholipase C-mediated responses in human embryonic kidney 293 but not SK-N-MC neuroblastoma cells, 1833
- Ligand-binding**  
Peripheral-type benzodiazepine receptor density and in vitro tumorigenicity of glioma cell lines, 689
- Ligand-gated ion channel**  
Identification and importance of *N*-glycosylation of the human 5-hydroxytryptamine<sub>3A</sub> receptor subunit, 1787
- Limulus test**  
Cyclic antimicrobial peptides based on *Limulus* anti-lipopolysaccharide factor for neutralization of lipopolysaccharide, 1297
- Linoleic acid hydroperoxide**  
Spin adducts of several *N*-2-(2-alkoxycarbonyl-propyl)- $\alpha$ -pyridyl-nitron derivatives with superoxide, alkyl and lipid-derived radicals, 185
- Lipid peroxidation**  
Hydroxytamoxifen protects against oxidative stress in brain mitochondria, 195  
Inhibition of plasma lipid peroxidation by anti-atherogenic antioxidant BO-653, 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran, 813  
The cytotoxic mechanism of glyoxal involves oxidative stress, 1433  
Photoreceptor preservation in the S334ter model of retinitis pigmentosa by a novel estradiol analog, 1971

## Lipid peroxides

Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255

## Lipopolysaccharide

Biphasic induction of heme oxygenase-1 expression in macrophages stimulated with lipopolysaccharide, 1709

## Lipoprotein

Dynamics of interactions of photosensitizers with lipoproteins and membrane-models: correlation with cellular incorporation and subcellular distribution, 1443

## Liposomal delivery

A novel cancer therapy: combined liposomal hypoxia inducible factor 1 alpha antisense oligonucleotides and an anticancer drug, 2031

## Liposomes

Membrane-related effects underlying the biological activity of the anthraquinones emodin and barbaloin, 549

## Liver

Interactions of phospholipase D and cytochrome P450 protein stability, 503  
Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat, 1321

Evaluation of glutathione deficiency in rat livers by microarray analysis, 1465

Role of the permeability transition pore in cytochrome C release from mitochondria during ischemia-reperfusion in rat liver, 2065

## Liver injury

*N*-(methylamino)isobutyric acid inhibits proliferation of CFSC-2C hepatic stellate cells, 223

## Liver microsomes

Characterization of hydroxyl radical formation by microsomal enzymes using a water-soluble trap, terephthalate, 747

## Liver toxicity

Effect of acetaminophen on expression and activity of rat liver multidrug resistance-associated protein 2 and *P*-glycoprotein, 791

## L-Nucleosides

Enantioselectivity of ribonucleotide reductase: a first study using stereoisomers of pyrimidine 2'-azido-2'-deoxynucleosides, 711

## LPA

Stimulation of early gene induction and cell proliferation by lysophosphatidic acid in human amnion-derived WISH cells: role of phospholipase D-mediated pathway, 333

## LPS

Inhibition of lipopolysaccharide-induced inducible nitric oxide synthase expression by a novel compound, mercaptopyrazine, through suppression of nuclear factor-kappaB binding to DNA, 719

## LPS neutralization

Cyclic antimicrobial peptides based on *Limulus* anti-lipopolysaccharide factor for neutralization of lipopolysaccharide, 1297

## LS-180 cells

Rapid induction of *P*-glycoprotein expression by high permeability compounds in colonic cells in vitro: a possible source of transporter mediated drug interactions?, 783

## Lung

S-Oxygenation of the thioether organophosphate insecticides phorate and disulfoton by human lung flavin-containing monooxygenase 2, 959  
Inhibitory effects of flavonoids on phosphodiesterase isozymes from guinea pig and their structure-activity relationships, 2087

## Lung cancer

Molecular mechanisms of deguelin-induced apoptosis in transformed human bronchial epithelial cells, 1119

## Lung epithelial fibroblast (WI 38) cell

Cadmium induces apoptotic cell death in WI 38 cells via caspase-dependent Bid cleavage and calpain-mediated mitochondrial Bax cleavage by Bcl-2-independent pathway, 1845

## Lungs

Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255

## Luteolin

The flavones luteolin and apigenin inhibit in vitro antigen-specific proliferation and interferon-gamma production by murine and human autoimmune T cells, 621

## Lymphocytes

Immunomodulatory activity of curcumin: suppression of lymphocyte proliferation, development of cell-mediated cytotoxicity, and cytokine production in vitro, 51

Sulfated polymannuroguluronate, a novel anti-acquired immune deficiency syndrome (AIDS) drug candidate, targeting CD4 in lymphocytes, 641

Cytotoxic lymphocytes; instigators of dramatic target cell death, 1033

## Lymphoma

Epigenetic control of CIITA expression in leukemic T cells, 1209

Inhibition of repair of carboplatin-induced DNA damage by 9- $\beta$ -D-arabinofuranosyl-2-fluoroadenine in quiescent human lymphocytes, 1757

## Lys-bradykinin

Kininogenase activity of *Thalassophryne nattereri* fish venom, 2151

## mAChR

Cyclic nucleotide-dependent phosphodiesterases (PDEI) inhibition by muscarinic antagonists in bovine tracheal smooth muscle, 651

## Macrophages

Reduction of intracellular cholesterol accumulation in THP-1 macrophages by a combination of rosiglitazone and atorvastatin, 155

Biphasic induction of heme oxygenase-1 expression in macrophages stimulated with lipopolysaccharide, 1709

## Malaria

*Plasmodium berghei*: dehydroepiandrosterone sulfate reverses chloroquine-resistance in experimental malaria infection; correlation with glucose 6-phosphate dehydrogenase and glutathione synthesis pathway, 1903

## MAMC

Influence of phenylalanine 120 on cytochrome P450 2D6 catalytic selectivity and regioselectivity: crucial role in 7-methoxy-4-(amino-methyl)-coumarin metabolism, 2263

## MAPK

Activation of osteoblastic functions by a mediator of pain, bradykinin, 1423

Induction of Cdc25B expression by epidermal growth factor and transforming growth factor- $\alpha$ , 2221

## MAPK/ERK

Aggravation of necrotic death of glucose-deprived cells by the MEK1 inhibitors U0126 and PD184161 through depletion of ATP, 351

## MAPKs specific inhibitors

Enhancement of diallyl disulfide-induced apoptosis by inhibitors of MAPKs in human HepG2 hepatoma cells, 323

## Marmoset, debriquoine

Cloning and functional expression of a novel marmoset cytochrome P450 2D enzyme, CYP2D30: comparison with the known marmoset CYP2D19, 165

## Matrix metalloproteinase

Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor- $\kappa$ B, 361

## Matrix metalloproteinase-13

A novel cyclo-oxygenase-2 inhibitor modulates catabolic and anti-inflammatory mediators in osteoarthritis, 417

## MCF-7

Cytotoxicity, DNA strand breakage and DNA-protein crosslinking by a novel transplatinum compound in human A2780 ovarian and MCF-7 breast carcinoma cells, 857

Differentiation-inducing quinolines as experimental breast cancer agents in the MCF-7 human breast cancer cell model, 1729

## MCF-7 human breast cancer cells

Geraniol and  $\beta$ -ionone inhibit proliferation, cell cycle progression, and cyclin-dependent kinase 2 activity in MCF-7 breast cancer cells independent of effects on HMG-CoA reductase activity, 1739

- MCF10A-*ras* cells  
Eupatilin, a pharmacologically active flavone derived from *Artemisia* plants, induces cell cycle arrest in *ras*-transformed human mammary epithelial cells, 1081
- Mcl-1  
Leptomycin B-induced apoptosis is mediated through caspase activation and down-regulation of Mcl-1 and XIAP expression, but not through the generation of ROS in U937 leukemia cells, 263
- MDM2 transformed granulosa cell line  
Phosphodiesterase inhibitors as anti-cancer drugs, 981
- MDMA  
Influence of phenylalanine 120 on cytochrome P450 2D6 catalytic selectivity and regioselectivity: crucial role in 7-methoxy-4-(amino-methyl)-coumarin metabolism, 2263
- MEK-1  
The role of Raf kinase inhibitor protein (RKIP) in health and disease, 1049
- MEKK1  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- Melatonin  
Oxidative DNA damage induced by a melatonin metabolite, 6-hydroxymelatonin, via a unique non-*o*-quinone type of redox cycle, 1869
- Membrane physical properties  
Membrane-related effects underlying the biological activity of the anthraquinones emodin and barbaloin, 549
- Membrane potential  
Investigation into the relationship between calyculin A-mediated potentiation of NADPH oxidase activity and inhibition of store-operated uptake of calcium by human neutrophils, 1721
- 6-Mercaptopurine  
Resistance to purine and pyrimidine nucleoside and nucleobase analogs by the human MDR1 transfected murine leukemia cell line L1210/VMDRC.06, 911
- Mercaptopyrazine  
Inhibition of lipopolysaccharide-induced inducible nitric oxide synthase expression by a novel compound, mercaptopyrazine, through suppression of nuclear factor- $\kappa$ B binding to DNA, 719
- Mesna  
Possible (enzymatic) routes and biological sites for metabolic reduction of BNP7787, a new protector against cisplatin-induced side-effects, 493
- Metabolism  
Methadone metabolism by human placenta, 583  
Fenproporex *N*-dealkylation to amphetamine—enantioselective in vitro studies in human liver microsomes as well as enantioselective in vivo studies in Wistar and Dark Agouti rats, 947  
Tissue distribution and activity studies of 1,24-dihydroxyvitamin D<sub>2</sub>, a metabolite of vitamin D<sub>2</sub> with low calcemic activity in vivo, 1289
- Metabolite  
Elucidation of the mechanism of inhibition of cyclooxygenases by acyl-coenzyme A and acylglucuronic conjugates of ketoprofen, 1957
- Metastasis  
The role of Raf kinase inhibitor protein (RKIP) in health and disease, 1049  
Nuclear factor- $\kappa$ B: a friend or a foe in cancer?, 1071
- Metformin  
Metformin-induced stimulation of AMP-activated protein kinase in  $\beta$ -cells impairs their glucose responsiveness and can lead to apoptosis, 409
- Methadone  
Methadone metabolism by human placenta, 583
- Methamphetamine  
UCP3 and thyroid hormone involvement in methamphetamine-induced hyperthermia, 1339
- Methotrexate  
Influence of p53 and caspase 3 activity on cell death and senescence in response to methotrexate in the breast tumor cell, 1699
- N*-(methylamino)isobutyric acid  
*N*-(methylamino)isobutyric acid inhibits proliferation of CFSC-2C hepatic stellate cells, 223
- Methylated DNA binding proteins  
Epigenetic gene silencing in acute promyelocytic leukemia, 1247
- 3,4-Methylenedioxymethamphetamine  
UCP3 and thyroid hormone involvement in methamphetamine-induced hyperthermia, 1339
- Methylxantines  
Phosphodiesterase inhibitors as anti-cancer drugs, 981
- Mevalonate  
Geraniol and  $\beta$ -ionone inhibit proliferation, cell cycle progression, and cyclin-dependent kinase 2 activity in MCF-7 breast cancer cells independent of effects on HMG-CoA reductase activity, 1739
- MG132  
Differential response of MG132 cytotoxicity against small cell lung cancer cells to changes in cellular GSH contents, 659
- Microarray  
Oxidative stress response of tumor cells: microarray-based comparison between artemisinins and anthracyclines, 3  
Evaluation of glutathione deficiency in rat livers by microarray analysis, 1465  
A gene expression signature for oxidant stress/reactive metabolites in rat liver, 2249
- Microsomal ryanodine channel  
Acetaminophen alters microsomal ryanodine Ca<sup>2+</sup> channel in HepG2 cells overexpressing CYP2E1, 513
- Microsomes  
Interactions of phospholipase D and cytochrome P450 protein stability, 503
- Microtubule  
Enhancement of paclitaxel-induced microtubule stabilization, mitotic arrest, and apoptosis by the microtubule-targeting agent EM012, 2435
- Migration  
Stimulation of proliferation and migration of a colorectal cancer cell line by amidated and glycine-extended gastrin-releasing peptide via the same receptor, 2129
- Mild cognitive impairment  
SGS742: the first GABA<sub>B</sub> receptor antagonist in clinical trials, 1479
- Mineralization  
Inhibition of ossification in vivo and differentiation of osteoblasts in vitro by tributyltin, 739
- Mitochondria  
Aggravation of necrotic death of glucose-deprived cells by the MEK1 inhibitors U0126 and PD184161 through depletion of ATP, 351  
Redox-interaction of  $\alpha$ -tocopheryl quinone with isolated mitochondrial cytochrome *bc*<sub>1</sub> complex, 373  
Cytotoxic lymphocytes: instigators of dramatic target cell death, 1033  
Photoreceptor preservation in the S334ter model of retinitis pigmentosa by a novel estradiol analog, 1971  
The immunosuppressant drug FK506 prevents Fas-induced apoptosis in human hepatocytes, 2427
- Mitochondrial membrane permeability  
Differential response of MG132 cytotoxicity against small cell lung cancer cells to changes in cellular GSH contents, 659  
Effect of change in cellular GSH levels on mitochondrial damage and cell viability loss due to mitomycin c in small cell lung cancer cells, 1857  
Role of the permeability transition pore in cytochrome *C* release from mitochondria during ischemia-reperfusion in rat liver, 2065
- Mitochondrial membrane potential  
Involvement of both endoplasmic reticulum and mitochondria in photokilling of nasopharyngeal carcinoma cells by the photosensitizer Zn-BC-AM, 2387
- Mitochondrial permeability transition  
Hydroxytamoxifen protects against oxidative stress in brain mitochondria, 195
- Mitochondrial transmembrane potential  
Peripheral benzodiazepine receptor ligands: mitochondrial transmembrane potential depolarization and apoptosis induction in rat C6 glioma cells, 125

- Mitochondria-mediated apoptosis  
Mitochondria-mediated apoptosis operating irrespective of multidrug resistance in breast cancer cells by the anticancer agent prodigiosin, 1345
- Mitochondrion  
Ibuprofen-induced Walker 256 tumor cell death: cytochrome *c* release from functional mitochondria and enhancement by calcineurin inhibition, 2197
- Mitogen-activated protein kinase  
Signal transduction pathways regulating cyclooxygenase-2 expression: potential molecular targets for chemoprevention, 1089
- Mitomycin *c*  
Effect of change in cellular GSH levels on mitochondrial damage and cell viability loss due to mitomycin *c* in small cell lung cancer cells, 1857
- Mitosis  
Enhancement of paclitaxel-induced microtubule stabilization, mitotic arrest, and apoptosis by the microtubule-targeting agent EM012, 2435
- MK571  
Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- MLR  
Design of vesicles of 1,2-di-*O*-acyl-3-*O*-( $\beta$ -d-sulfoquinovosyl)-glyceride bearing two stearic acids ( $\beta$ -SQDG- $C_{18}$ ), a novel immunosuppressive drug, 2379
- MMP-2  
Effects and regulation of osteopontin in rat hepatic stellate cells, 2367
- Models  
G protein activation by G protein coupled receptors: ternary complex formation or catalyzed reaction?, 799
- Modulation  
The dietary flavonoids apigenin and (–)-epigallocatechin gallate enhance the positive modulation by diazepam of the activation by GABA of recombinant GABA<sub>A</sub> receptors, 1631
- Molecular and cellular pharmacology  
DNA methylation and breast cancer, 1187
- Monoarthritis  
Differential expression of GABA<sub>B(1b)</sub> receptor mRNA in the thalamus of normal and monoarthritic animals, 1603
- Monocyte  
Differential effects of 9-*cis* retinoic acid on expression of CC chemokine receptors in human monocytes, 611
- Monolayer  
Effect of the histone deacetylase inhibitor trichostatin A on spontaneous apoptosis in various types of adult rat hepatocyte cultures, 753
- Monomer  
The interactions between the N-terminal and C-terminal domains of the human UDP-glucuronosyltransferases are partly isoform-specific, and may involve both monomers, 2443
- Mouse  
Cell-, tissue-, sex- and developmental stage-specific expression of mouse flavin-containing monooxygenases (*Fmos*), 73  
 $\gamma$ -Aminobutyric acid A receptor subunit mutant mice: new perspectives on alcohol actions, 1581
- MQAE  
Increased chloride efflux in colchicine-resistant airway epithelial cell lines, 253
- mRNA  
Differential type 4 cAMP-specific phosphodiesterase (PDE4) expression and functional sensitivity to PDE4 inhibitors among rats, monkeys and humans, 2229
- mRNA stability  
Increased glutathione *S*-transferase P1-1 expression by mRNA stabilization in hemin-induced differentiation of K562 cells, 1269
- Mrp2  
Effect of acetaminophen on expression and activity of rat liver multidrug resistance-associated protein 2 and *P*-glycoprotein, 791
- MRP5  
Inhibition of hyaluronan export from human fibroblasts by inhibitors of multidrug resistance transporters, 1401
- MRP1  
Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- Multidrug resistance  
Increased chloride efflux in colchicine-resistant airway epithelial cell lines, 253  
Reversal of *P*-glycoprotein-mediated multidrug resistance by Alisol B 23-acetate, 843  
Resistance to purine and pyrimidine nucleoside and nucleobase analogs by the human MDR1 transfected murine leukemia cell line L1210/VMDRC.06, 911  
Mitochondria-mediated apoptosis operating irrespective of multidrug resistance in breast cancer cells by the anticancer agent prodigiosin, 1345  
Inhibition of hyaluronan export from human fibroblasts by inhibitors of multidrug resistance transporters, 1401  
The role of structural factors in the kinetics of cellular uptake of pyrazoloacridines and pyrazolopyrimidoacridines, 1815  
Biochemical mechanism of modulation of human *P*-glycoprotein (ABCB1) by curcumin I, II, and III purified from Turmeric powder, 2043
- Multiple sclerosis  
The flavones luteolin and apigenin inhibit in vitro antigen-specific proliferation and interferon-gamma production by murine and human autoimmune T cells, 621
- Muscarinic acetylcholine receptor  
Effects of anandamide on the binding and signaling properties of M<sub>1</sub> muscarinic acetylcholine receptors, 2207
- Muscarinic antagonists  
Cyclic nucleotide-dependent phosphodiesterases (PDEI) inhibition by muscarinic antagonists in bovine tracheal smooth muscle, 651
- Muscimol  
GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- Mutagenesis  
Shift in purine/pyrimidine base recognition upon exchanging extracellular domains in P2Y<sub>1/6</sub> chimeric receptors, 2075  
Influence of phenylalanine 120 on cytochrome P450 2D6 catalytic selectivity and regiospecificity: crucial role in 7-methoxy-4-(amino-methyl)-coumarin metabolism, 2263
- Mutant receptors  
Agonist binding and activation of the rat  $\beta_1$ -adrenergic receptor: role of Trp<sup>134</sup> (3.28), Ser<sup>190</sup> (4.57) and Tyr<sup>356</sup> (7.43), 675
- Mutation  
Reversal of antigen-dependent signaling by two mutations in antibody/receptor chimera: implication of inverse agonism in cytokine receptor superfamily, 539
- Mutations  
GABA<sub>A</sub> receptor epilepsy mutations, 1497
- Myoclonus  
GABA<sub>A</sub> receptor epilepsy mutations, 1497
- Na<sup>+</sup>-K<sup>+</sup>-ATPase  
Expression and biological effects of CB<sub>1</sub> cannabinoid receptor in rat parotid gland, 1767
- Na/Ca exchanger  
Callipeltin A: sodium ionophore effect and tension development in vascular smooth muscle, 1331
- NAC  
Leptomycin B-induced apoptosis is mediated through caspase activation and down-regulation of Mcl-1 and XIAP expression, but not through the generation of ROS in U937 leukemia cells, 263
- NADPH oxidase  
Investigation into the relationship between calyculin A-mediated potentiation of NADPH oxidase activity and inhibition of store-operated uptake of calcium by human neutrophils, 1721

- Na-ionophore  
 Callipeltin A: sodium ionophore effect and tension development in vascular smooth muscle, 1331
- Naphthoquinones  
 Pharmacological and biological evaluation of a series of substituted 1,4-naphthoquinone bioreductive drugs, 2107
- Nasopharyngeal carcinoma  
 Involvement of both endoplasmic reticulum and mitochondria in photokilling of nasopharyngeal carcinoma cells by the photosensitizer Zn-BC-AM, 2387
- Natural depsipeptides  
 Callipeltin A: sodium ionophore effect and tension development in vascular smooth muscle, 1331
- NDP kinase  
 Broad specificity of human phosphoglycerate kinase for antiviral nucleoside analogs, 1749
- Necrosis  
 Aggravation of necrotic death of glucose-deprived cells by the MEK1 inhibitors U0126 and PD184161 through depletion of ATP, 351  
 A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis, 2283
- Nephroblastoma overexpressed gene  
 Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells, 1391
- Nephrotoxicity  
 In vitro metabolism of cyclosporine A by human kidney CYP3A5, 1889
- Neurodegenerative diseases  
 Targeting CREB-binding protein (CBP) loss of function as a therapeutic strategy in neurological disorders, 1157
- Neuronal plasticity  
 Specific GABA<sub>A</sub> circuits in brain development and therapy, 1685
- Neuroplasticity  
 Differential expression of GABA<sub>B(1b)</sub> receptor mRNA in the thalamus of normal and monoarthritic animals, 1603
- Neuroprotection  
 Hydroxytamoxifen protects against oxidative stress in brain mitochondria, 195
- Neuropsychiatric disorders  
 GABA<sub>B</sub> receptor alterations as indicators of physiological and pharmacological function, 1541
- Neurosteroids  
 Multiple structural features of steroids mediate subtype-selective effects on human  $\alpha 4\beta 3\delta$  GABA<sub>A</sub> receptors, 819
- Neurosteroids  
 GABA pharmacology—what prospects for the future?, 1537
- Neurotoxicity  
 Oxidative stress response of tumor cells: microarray-based comparison between artemisinins and anthracyclines, 3
- Neurotoxin  
 Isolation and characterization at cholinergic nicotinic receptors of a neurotoxin from the venom of the *Acanthopis* sp. Seram death adder, 383
- Neurotransmitter  
 Multiple structural features of steroids mediate subtype-selective effects on human  $\alpha 4\beta 3\delta$  GABA<sub>A</sub> receptors, 819  
 On-demand activation of the endocannabinoid system in the control of neuronal excitability and epileptiform seizures, 1691
- Neurotransmitter release  
 Pharmacological and behavioral properties of A-349821, a selective and potent human histamine H<sub>3</sub> receptor antagonist, 933
- Neurotrophic factor  
 Increase by FK960, a novel cognitive enhancer, in glial cell line-derived neurotrophic factor production in cultured rat astrocytes, 275
- Neutrophil  
 Rabbit neutrophil chemotactic protein (NCP) activates both CXCR1 and CXCR2 and is the functional homologue for human CXCL6, 1947  
 Antioxidant effect of hydroxytyrosol, a polyphenol from olive oil: scavenging of hydrogen peroxide but not superoxide anion produced by human neutrophils, 2003
- The blockade of cyclopiazonic acid-induced store-operated Ca<sup>2+</sup> entry pathway by YC-1 in neutrophils, 2053  
 Induction of alkaline phosphatase in the inflamed intestine: a novel pharmacological target for inflammatory bowel disease, 2317
- NF-1 and E2F  
 Transcriptional regulation of the mouse deoxycytidine kinase: identification and functional analysis of nuclear protein binding sites at the proximal promoter, 2397
- NF- $\kappa$ B  
 Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor- $\kappa$ B, 361  
 Modulation of poly(ADP-ribosylation) in apoptotic cells, 1041  
 Nuclear factor- $\kappa$ B: a friend or a foe in cancer?, 1071  
 Soy isoflavone phyto-pharmaceuticals in interleukin-6 affections. Multi-purpose nutraceuticals at the crossroad of hormone replacement, anti-cancer and anti-inflammatory therapy, 1171  
 Regulation at multiple levels of NF- $\kappa$ B-mediated transactivation by protein acetylation, 1221  
 Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255  
 Inhibitory effects of epicatechin on interleukin-1 $\beta$ -induced inducible nitric oxide synthase expression in RINm5F cells and rat pancreatic islets by down-regulation of NF- $\kappa$ B activation, 1775  
 Quercetin prevents oxidative stress and NF- $\kappa$ B activation in gastric mucosa of portal hypertensive rats, 1939  
 Catalase induces the expression of inducible nitric oxide synthase through activation of NF- $\kappa$ B and PI3K signaling pathway in Raw 264.7 cells, 2167  
 Anti-inflammatory effect of caffeic acid methyl ester and its mode of action through the inhibition of prostaglandin E<sub>2</sub>, nitric oxide and tumor necrosis factor- $\alpha$  production, 2327
- NF- $\kappa$ B activation  
 Inhibition of lipopolysaccharide-induced inducible nitric oxide synthase expression by a novel compound, mercaptopyrazine, through suppression of nuclear factor-kappaB binding to DNA, 719
- Nicotinic  
 Isolation and characterization at cholinergic nicotinic receptors of a neurotoxin from the venom of the *Acanthopis* sp. Seram death adder, 383
- Nitric oxide  
 Peptidase activities in rats treated chronically with *N* $\omega$ -nitro-L-arginine methyl ester (L-NAME), 205  
 Modulation of eosinophil migration from bone marrow to lungs of allergic rats by nitric oxide, 631  
 Biphasic induction of heme oxygenase-1 expression in macrophages stimulated with lipopolysaccharide, 1709  
 Quercetin prevents oxidative stress and NF- $\kappa$ B activation in gastric mucosa of portal hypertensive rats, 1939  
 Anti-inflammatory effect of caffeic acid methyl ester and its mode of action through the inhibition of prostaglandin E<sub>2</sub>, nitric oxide and tumor necrosis factor- $\alpha$  production, 2327
- Nitrosamines  
 DNA damage and cytotoxicity in pancreatic  $\beta$ -cells expressing human CYP2E1, 523
- NMDA receptor  
 Inhibition of the functional expression of *N*-methyl-D-aspartate receptors in a stably transformed cell line by cyclosporin A, 563  
 The GABA-glutamate connection in schizophrenia: which is the proximate cause?, 1507
- Nobiletin  
 Prevention of UVB-induced photoinflammation and photoaging by a polymethoxy flavonoid, nobiletin, in human keratinocytes in vivo and in vitro, 433
- Nociception  
 Kininogenase activity of *Thalassophryne nattereri* fish venom, 2151
- Noise rejection  
 Prostaglandin H synthases: members of a class of quasi-linear threshold switches, 423

- Non-competitive interaction  
Effects of anandamide on the binding and signaling properties of M<sub>1</sub> muscarinic acetylcholine receptors, 2207
- Non-cross resistant antitumour agents  
The role of structural factors in the kinetics of cellular uptake of pyrazoloacridines and pyrazolopyrimidoacridines, 1815
- Nonfacilitated diffusion  
Membrane permeation characteristics of abacavir in human erythrocytes and human T-lymphoblastoid CD4<sup>+</sup> CEM cells: comparison with (–)-carbovir, 1797
- Non-human primates  
Biochemical and morphological effects of K-111, a peroxisome proliferator-activated receptor (PPAR) $\alpha$  activator, in non-human primates, 239
- Non-opioid analgesia  
GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- Non-small cell lung cancer (NSCLC)  
Phosphodiesterase inhibitors as anti-cancer drugs, 981
- Non-transformed cells  
Isothiocyanates as novel cytotoxic and cytostatic agents: molecular pathway on human transformed and non-transformed cells, 1133
- Non-xanthine A<sub>2B</sub> receptor antagonist  
[<sup>3</sup>H]OSIP339391, a selective, novel, and high affinity antagonist radioligand for adenosine A<sub>2B</sub> receptors, 305
- Novel antitumor agents  
Differentiation-inducing quinolines as experimental breast cancer agents in the MCF-7 human breast cancer cell model, 1729
- Novel hypnotic effects  
GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- Novel transplatinum compound  
Cytotoxicity, DNA strand breakage and DNA–protein crosslinking by a novel transplatinum compound in human A2780 ovarian and MCF-7 breast carcinoma cells, 857
- NQO1  
Pharmacological and biological evaluation of a series of substituted 1,4-naphthoquinone bioreductive drugs, 2107
- Nrf-2  
A gene expression signature for oxidant stress/reactive metabolites in rat liver, 2249
- NRTI  
Induction of cellular resistance to nucleoside reverse transcriptase inhibitors by the wild-type breast cancer resistance protein, 1363
- Nuclear receptor  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199
- Nucleoside analogue activation  
Activation of deoxycytidine kinase by protein kinase inhibitors and okadaic acid in leukemic cells, 95
- Nucleoside transporters  
Insulin and glucose induced changes in expression level of nucleoside transporters and adenosine transport in rat T lymphocytes, 1309
- Nucleosides  
2-Substituted adenosine derivatives: affinity and efficacy at four subtypes of human adenosine receptors, 1985
- Nucleotides  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231
- Old age  
Prevention of age-related changes in rat cortex transcription factor activator protein-1 by hypolipidemic drugs, 1411
- Oligodeoxynucleotide  
Role of c-myc protein in hormone refractory prostate carcinoma: cellular response to paclitaxel, 923
- Oral contraceptives  
In vitro and ex vivo evidence for modulation of P-glycoprotein activity by progestins, 2409
- Organophosphates  
S-Oxygenation of the thioether organophosphate insecticides phorate and disulfoton by human lung flavin-containing monooxygenase 2, 959  
Kinetic analysis of interactions between human acetylcholinesterase, structurally different organophosphorus compounds and oximes, 2237
- Oscillation  
Pulses of external ATP aid to the synchronization of pancreatic  $\beta$ -cells by generating premature Ca<sup>2+</sup> oscillations, 667
- OSI-7836 (T-araC, 4'-thio-araC, 4'-thio-beta-d-arabinofuranosylcytosine)  
Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-araC) by human DNA polymerase  $\alpha$  and DNA primase, 2337
- Osteoarthritis  
A novel cyclo-oxygenase-2 inhibitor modulates catabolic and antiinflammatory mediators in osteoarthritis, 417
- Osteoblast  
Accumulation of [3H]glutamate in cultured rat calvarial osteoblasts, 177  
Inhibition of ossification in vivo and differentiation of osteoblasts in vitro by tributyltin, 739  
Activation of osteoblastic functions by a mediator of pain, bradykinin, 1423
- Osteoclast  
Tissue distribution and activity studies of 1,24-dihydroxyvitamin D<sub>2</sub>, a metabolite of vitamin D<sub>2</sub> with low calcemic activity in vivo, 1289
- Osteopontin  
Effects and regulation of osteopontin in rat hepatic stellate cells, 2367
- Ovarian cancer  
Drug development for ovarian hyper-stimulation and anti-cancer treatment: blocking of gonadotropin signaling for epiregulin and amphiregulin biosynthesis, 989
- Ovulation  
Drug development for ovarian hyper-stimulation and anti-cancer treatment: blocking of gonadotropin signaling for epiregulin and amphiregulin biosynthesis, 989
- Oxidative stress  
Oxidative stress response of tumor cells: microarray-based comparison between artemisinins and anthracyclines, 3  
The cytotoxic mechanism of glyoxal involves oxidative stress, 1433  
Quercetin prevents oxidative stress and NF- $\kappa$ B activation in gastric mucosa of portal hypertensive rats, 1939  
A gene expression signature for oxidant stress/reactive metabolites in rat liver, 2249  
Induction of alkaline phosphatase in the inflamed intestine: a novel pharmacological target for inflammatory bowel disease, 2317
- Oximes  
Kinetic analysis of interactions between human acetylcholinesterase, structurally different organophosphorus compounds and oximes, 2237
- $\alpha$ -Oxoaldehydes  
The cytotoxic mechanism of glyoxal involves oxidative stress, 1433
- 8-oxodG  
Oxidative DNA damage induced by a melatonin metabolite, 6-hydroxymelatonin, via a unique non-*o*-quinone type of redox cycle, 1869
- p53  
A novel bis-benzylidenecyclopentanone derivative, BPR0Y007, inducing a rapid caspase activation involving upregulation of Fas (CD95/APO-1) and wild-type p53 in human oral epidermoid carcinoma cells, 293  
Phosphodiesterase inhibitors as anti-cancer drugs, 981
- p38  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997
- p300  
CBP and p300: HATs for different occasions, 1145  
Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215
- p53  
Influence of p53 and caspase 3 activity on cell death and senescence in response to methotrexate in the breast tumor cell, 1699



- Paclitaxel**  
 Role of c-myc protein in hormone refractory prostate carcinoma: cellular response to paclitaxel, 923  
 Enhancement of paclitaxel-induced microtubule stabilization, mitotic arrest, and apoptosis by the microtubule-targeting agent EM012, 2435
- Pain**  
 GABA<sub>B</sub> receptor alterations as indicators of physiological and pharmacological function, 1541
- PAK-104P**  
 Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- Pancreatic  $\beta$ -cells**  
 Pulses of external ATP aid to the synchronization of pancreatic  $\beta$ -cells by generating premature Ca<sup>2+</sup> oscillations, 667
- Par-4**  
 In bcr-abl-positive myeloid cells resistant to conventional chemotherapeutic agents, expression of Par-4 increases sensitivity to imatinib (STI571) and histone deacetylase-inhibitors, 85
- PARG**  
 Modulation of poly(ADP-ribosylation) in apoptotic cells, 1041
- Parotid gland**  
 Expression and biological effects of CB<sub>1</sub> cannabinoid receptor in rat parotid gland, 1767
- PARP**  
 Molecular mechanisms in C-Phycocyanin induced apoptosis in human chronic myeloid leukemia cell line-K562, 453  
 Modulation of poly(ADP-ribosylation) in apoptotic cells, 1041  
 The novel histone deacetylase inhibitor BL1521 inhibits proliferation and induces apoptosis in neuroblastoma cells, 1279
- Partial agonist**  
 GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- Passive transport**  
 Dynamics of interactions of photosensitizers with lipoproteins and membrane-models: correlation with cellular incorporation and subcellular distribution, 1443
- PC12 cells**  
 Effects of synthetic sphingosine-1-phosphate analogs on arachidonic acid metabolism and cell death, 2187
- PCAF**  
 Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215
- PCR-SSCP**  
 Human CYP4F12 genetic polymorphism: identification and functional characterization of seven variant allozymes, 2417
- PDE**  
 Cyclic nucleotide-dependent phosphodiesterases (PDEI) inhibition by muscarinic antagonists in bovine tracheal smooth muscle, 651
- PDE6**  
 Differential inhibitor sensitivity between human recombinant and native photoreceptor cGMP-phosphodiesterases (PDE6s), 867
- Peptidases**  
 Peptidase activities in rats treated chronically with *N*-nitro-L-arginine methyl ester (L-NAME), 205
- Peripheral benzodiazepine receptor ligands**  
 Peripheral benzodiazepine receptor ligands: mitochondrial transmembrane potential depolarization and apoptosis induction in rat C6 glioma cells, 125
- Peripheral-type benzodiazepine receptor**  
 Peripheral-type benzodiazepine receptor density and in vitro tumorigenicity of glioma cell lines, 689
- Peritoneal macrophages**  
 Phenyl substitution of furamidine markedly potentiates its anti-parasitic activity against *Trypanosoma cruzi* and *Leishmania amazonensis*, 593
- Peroxisome**  
 PPAR $\alpha$  agonists clofibrate and gemfibrozil inhibit cell growth, down-regulate hCG and up-regulate progesterone secretions in immortalized human trophoblast cells, 313
- Peroxisome proliferation**  
 Biochemical and morphological effects of K-111, a peroxisome proliferator-activated receptor (PPAR) $\alpha$  activator, in non-human primates, 239
- Pesticides**  
 A PXR reporter gene assay in a stable cell culture system: CYP3A4 and CYP2B6 induction by pesticides, 2347
- P-glycoprotein**  
 Rapid induction of P-glycoprotein expression by high permeability compounds in colonic cells in vitro: a possible source of transporter mediated drug interactions?, 783  
 Reversal of P-glycoprotein-mediated multidrug resistance by Alisol B 23-acetate, 843  
 Resistance to purine and pyrimidine nucleoside and nucleobase analogs by the human MDR1 transfected murine leukemia cell line L1210/VMDRC.06, 911  
 The role of structural factors in the kinetics of cellular uptake of pyrazoloacridines and pyrazolopyrimidoacridines, 1815  
 Novel antitumor indenoindole derivatives targeting DNA and topoisomerase II, 1911  
 Biochemical mechanism of modulation of human P-glycoprotein (ABCB1) by curcumin I, II, and III purified from Turmeric powder, 2043  
 In vitro and ex vivo evidence for modulation of P-glycoprotein activity by progestins, 2409
- P-gp**  
 Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- Pharmaceutical objectives**  
 Prodrug research: futile or fertile?, 2097
- Pharmacodynamic objectives**  
 Prodrug research: futile or fertile?, 2097
- Pharmacokinetic objectives**  
 Prodrug research: futile or fertile?, 2097
- Pharmacology**  
 [<sup>3</sup>H]OSIP339391, a selective, novel, and high affinity antagonist radioligand for adenosine A<sub>2B</sub> receptors, 305
- 1,10-Phenanthroline**  
 Synergistic modulation of cystinyl aminopeptidase by divalent cation chelators, 893
- Phenobarbital**  
 GABA<sub>A</sub>/central benzodiazepine receptor and peripheral benzodiazepine receptor ligands as inducers of phenobarbital-inducible CYP2B and CYP3A, 1383
- Phenylthiourea (PTU)**  
 Phenylthiourea as a weak activator of aryl hydrocarbon receptor inhibiting 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-induced CYP1A1 transcription in zebrafish embryo, 63
- Phosphatidylethanolamine**  
 Membrane-related effects underlying the biological activity of the anthraquinones emodin and barbaloin, 549
- Phosphatidylglycerol**  
 Membrane-related effects underlying the biological activity of the anthraquinones emodin and barbaloin, 549
- Phosphatidylinositol-3 kinase**  
 Molecular mechanisms of deguelin-induced apoptosis in transformed human bronchial epithelial cells, 1119
- Phosphatidylinositol 3-kinase**  
 Inhibitory mechanism of caffeine on insulin-stimulated glucose uptake in adipose cells, 1929
- Phosphodiesterase**  
 Differential inhibitor sensitivity between human recombinant and native photoreceptor cGMP-phosphodiesterases (PDE6s), 867
- Phosphodiesterase isozymes**  
 Inhibitory effects of flavonoids on phosphodiesterase isozymes from guinea pig and their structure-activity relationships, 2087
- Phosphoglycerate kinase**  
 Broad specificity of human phosphoglycerate kinase for antiviral nucleoside analogs, 1749

- Phosphoinositide accumulation  
Effects of anandamide on the binding and signaling properties of M<sub>1</sub> muscarinic acetylcholine receptors, 2207
- Phosphoinositide 3-kinase  
Effects of phosphoinositide 3-kinase on endothelin-1-induced activation of voltage-independent Ca<sup>2+</sup> channels and vasoconstriction, 215
- Phospholipase A<sub>2</sub>  
Effects of synthetic sphingosine-1-phosphate analogs on arachidonic acid metabolism and cell death, 2187
- Phospholipase C  
Cell-type specific calcium signaling by corticotropin-releasing factor type 1 (CRF<sub>1</sub>) and 2a (CRF<sub>2(a)</sub>) receptors: phospholipase C-mediated responses in human embryonic kidney 293 but not SK-N-MC neuroblastoma cells, 1833
- Phospholipase C.  
Shift in purine/pyrimidine base recognition upon exchanging extracellular domains in P2Y<sub>1/6</sub> chimeric receptors, 2075
- Phospholipase D  
Interactions of phospholipase D and cytochrome P450 protein stability, 503
- Phospholipids  
Interactions of phospholipase D and cytochrome P450 protein stability, 503
- Phospho-p38  
Enhancement of diallyl disulfide-induced apoptosis by inhibitors of MAPKs in human HepG2 hepatoma cells, 323
- Phospho-p42/p44  
Enhancement of diallyl disulfide-induced apoptosis by inhibitors of MAPKs in human HepG2 hepatoma cells, 323
- Phosphorylation  
Anabolism of amdoxovir: phosphorylation of dioxolane guanosine and its 5'-phosphates by mammalian phosphotransferases, 1879
- Phosphotransferase  
Anabolism of amdoxovir: phosphorylation of dioxolane guanosine and its 5'-phosphates by mammalian phosphotransferases, 1879
- Photodynamic therapy  
Involvement of both endoplasmic reticulum and mitochondria in photokilling of nasopharyngeal carcinoma cells by the photosensitizer Zn-BC-AM, 2387
- Photoinflammation  
Prevention of UVB-induced photoinflammation and photoaging by a polymethoxy flavonoid, nobletin, in human keratinocytes in vivo and in vitro, 433
- Photosensitizer  
Dynamics of interactions of photosensitizers with lipoproteins and membrane-models: correlation with cellular incorporation and subcellular distribution, 1443
- Phyto-estrogen  
Soy isoflavone phyto-pharmaceuticals in interleukin-6 affections. Multi-purpose nutraceuticals at the crossroad of hormone replacement, anti-cancer and anti-inflammatory therapy, 1171
- PI-3' kinase  
Rottlerin inhibits multiple steps involved in insulin-induced glucose uptake in 3T3-L1 adipocytes, 105
- Piceatannol  
Involvement of cytochrome P450 1A2 in the biotransformation of *trans*-resveratrol in human liver microsomes, 773
- PI3K  
Catalase induces the expression of inducible nitric oxide synthase through activation of NF-κB and PI3K signaling pathway in Raw 264.7 cells, 167
- PI3-kinase/Akt pathway  
Differential modulation of PI3-kinase/Akt pathway during all-*trans* retinoic acid- and Am80-induced HL-60 cell differentiation revealed by DNA microarray analysis, 2177
- Pinacidil  
Potassium-specific effects of levosimendan on heart mitochondria, 807
- 4-PIOL  
GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573
- PIT  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231
- p27<sup>KIP1</sup>  
Molecular mechanisms of ZD1839-induced G1-cell cycle arrest and apoptosis in human lung adenocarcinoma A549 cells, 1453
- Plant isoprenoids  
Geraniol and β-ionone inhibit proliferation, cell cycle progression, and cyclin-dependent kinase 2 activity in MCF-7 breast cancer cells independent of effects on HMG-CoA reductase activity, 1739
- Plasma membranes  
Inhibition of hyaluronan export from human fibroblasts by inhibitors of multidrug resistance transporters, 1401
- Plasmodium berghei*  
*Plasmodium berghei*: dehydroepiandrosterone sulfate reverses chloroquino-resistance in experimental malaria infection; correlation with glucose 6-phosphate dehydrogenase and glutathione synthesis pathway, 1903
- Platelet aggregation  
Antiaggregatory activity in human platelets of potent antagonists of the P2Y<sub>1</sub> receptor, 1995
- PLD  
Stimulation of early gene induction and cell proliferation by lysophosphatidic acid in human amnion-derived WISH cells: role of phospholipase D-mediated pathway, 333
- PML-RARα  
Epigenetic gene silencing in acute promyelocytic leukemia, 1247
- Point mutation γ2F771  
Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABA<sub>A</sub> receptor γ2 subunit, 1621
- Poly(ADP-ribosylation)  
Modulation of poly(ADP-ribosylation) in apoptotic cells, 1041
- polymerase alpha  
Polymerization of the triphosphates of AraC, 2',2'-difluorodeoxycytidine (dFdC) and OSI-7836 (T-araC) by human DNA polymerase α and DNA primase, 2337
- Portal hypertension  
Quercetin prevents oxidative stress and NF-κB activation in gastric mucosa of portal hypertensive rats, 1939
- Portal perfusion pressure  
Intrahepatic flow disturbance by clomipramine in the isolated perfused rat liver, 2291
- Portal vein branch constriction  
Intrahepatic flow disturbance by clomipramine in the isolated perfused rat liver, 2291
- Post-translational modification  
Acetylation of nuclear receptors in cellular growth and apoptosis, 1199  
Identification and importance of *N*-glycosylation of the human 5-hydroxytryptamine<sub>3A</sub> receptor subunit, 1787
- Potentiometric assay  
Multiple structural features of steroids mediate subtype-selective effects on human α4β3δ GABA<sub>A</sub> receptors, 819
- PPARα  
PPARα agonists clofibrate and gemfibrozil inhibit cell growth, down-regulate hCG and up-regulate progesterone secretions in immortalized human trophoblast cells, 313  
Peroxisome proliferator-activated receptor α regulates B lymphocyte development via an indirect pathway in mice, 2143
- PPAR alpha activator  
Biochemical and morphological effects of K-111, a peroxisome proliferator-activated receptor (PPAR)α activator, in non-human primates, 239
- PPyN derivatives  
Spin adducts of several *N*-2-(2-alkoxycarbonyl-propyl)-α-pyridylinitrone derivatives with superoxide, alkyl and lipid-derived radicals, 185

- Pregnancy**  
Methadone metabolism by human placenta, 583
- Pregnane X receptor**  
A PXR reporter gene assay in a stable cell culture system: CYP3A4 and CYP2B6 induction by pesticides, 2347
- Priming**  
Prior in vitro exposure to GLP-1 with or without GIP can influence the subsequent beta cell responsiveness, 33
- Prodigiosin**  
Mitochondria-mediated apoptosis operating irrespective of multidrug resistance in breast cancer cells by the anticancer agent prodigiosin, 1345
- Prodrug**  
A methylester of the glucuronide prodrug DOX-GA3 for improvement of tumor-selective chemotherapy, 2273
- Prodrug design**  
Prodrug research: futile or fertile?, 2097
- Progesterone**  
PPAR $\alpha$  agonists clofibrate and gemfibrozil inhibit cell growth, down-regulate hCG and up-regulate progesterone secretions in immortalized human trophoblast cells, 313
- Progestins**  
In vitro and ex vivo evidence for modulation of P-glycoprotein activity by progestins, 2409
- Proliferation**  
Immunomodulatory activity of curcumin: suppression of lymphocyte proliferation, development of cell-mediated cytotoxicity, and cytokine production in vitro, 51  
Stimulation of early gene induction and cell proliferation by lysophosphatidic acid in human amnion-derived WISH cells: role of phospholipase D-mediated pathway, 333  
Role of CYP1A2 and CYP2E1 in the pentoxifylline ciprofloxacin drug interaction, 395  
Peripheral-type benzodiazepine receptor density and in vitro tumorigenicity of glioma cell lines, 689  
Nuclear factor- $\kappa$ B: a friend or a foe in cancer?, 1071  
Stimulation of proliferation and migration of a colorectal cancer cell line by amidated and glycine-extended gastrin-releasing peptide via the same receptor, 2129
- Prolyl hydroxylase domain protein**  
HIF-1: master and commander of the hypoxic world. A pharmacological approach to its regulation by siRNAs, 971
- Promoter analysis**  
Transcriptional regulation of the mouse deoxycytidine kinase: identification and functional analysis of nuclear protein binding sites at the proximal promoter, 2397
- Prostaglandin**  
Effects of synthetic sphingosine-1-phosphate analogs on arachidonic acid metabolism and cell death, 2187
- Prostaglandin E<sub>2</sub>**  
Activation of osteoblastic functions by a mediator of pain, bradykinin, 1423  
Anti-inflammatory effect of caffeic acid methyl ester and its mode of action through the inhibition of prostaglandin E<sub>2</sub>, nitric oxide and tumor necrosis factor- $\alpha$  production, 2327
- Prostate**  
The role of Raf kinase inhibitor protein (RKIP) in health and disease, 1049
- Prostatic neoplasms**  
Role of c-myc protein in hormone refractory prostate carcinoma: cellular response to paclitaxel, 923
- Protein binding**  
Transport of resveratrol, a cancer chemopreventive agent, to cellular targets: plasmatic protein binding and cell uptake, 1113
- Protein folding**  
Inhibition of the functional expression of *N*-methyl-D-aspartate receptors in a stably transformed cell line by cyclosporin A, 563
- Protein kinase C**  
Specificity of action of bisindolylmaleimide protein kinase C inhibitors: do they inhibit the 70kDa ribosomal S6 kinase in cardiac myocytes?, 1923
- Protein tyrosine phosphatase**  
Using yeast to screen for inhibitors of protein tyrosine phosphatase 1B, 1807
- Protein-protein interactions**  
The interactions between the N-terminal and C-terminal domains of the human UDP-glucuronosyltransferases are partly isoform-specific, and may involve both monomers, 2443
- Proteolysis**  
Inactivation of protease-activated receptor-1 by proteolytic removal of the ligand region in vascular endothelial cells, 23
- p70S6 kinase**  
*N*-(methylamino)isobutyric acid inhibits proliferation of CFSC-2C hepatic stellate cells, 223
- PTGS1**  
Prostaglandin H synthases: members of a class of quasi-linear threshold switches, 423
- PTGS2**  
Prostaglandin H synthases: members of a class of quasi-linear threshold switches, 423
- PTP1B**  
Using yeast to screen for inhibitors of protein tyrosine phosphatase 1B, 1807
- PTX**  
Role of CYP1A2 and CYP2E1 in the pentoxifylline ciprofloxacin drug interaction, 395
- Pulmonary microvascular endothelial cell**  
Activation and induction of cyclic AMP phosphodiesterase (PDE4) in rat pulmonary microvascular endothelial cells, 479
- Purine and pyrimidine nucleoside and nucleobase analogs**  
Resistance to purine and pyrimidine nucleoside and nucleobase analogs by the human MDR1 transfected murine leukemia cell line L1210/VMDRC.06, 911
- Purines**  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231  
2-Substituted adenosine derivatives: affinity and efficacy at four subtypes of human adenosine receptors, 1985  
Antiaggregatory activity in human platelets of potent antagonists of the P2Y<sub>1</sub> receptor, 1995
- Purinoreceptor**  
Pulses of external ATP aid to the synchronization of pancreatic  $\beta$ -cells by generating premature Ca<sup>2+</sup> oscillations, 667
- P2Y<sub>1</sub> nucleotide receptor**  
Antiaggregatory activity in human platelets of potent antagonists of the P2Y<sub>1</sub> receptor, 1995  
Shift in purine/pyrimidine base recognition upon exchanging extracellular domains in P2Y<sub>1/6</sub> chimeric receptors, 2075
- P2Y<sub>13</sub> receptor**  
Cloning, pharmacological characterisation and distribution of the rat G-protein-coupled P2Y<sub>13</sub> receptor, 113
- P2Y receptors**  
2,2'-Pyridylisatogen tosylate antagonizes P2Y<sub>1</sub> receptor signaling without affecting nucleotide binding, 231
- Pyrazoloacridines (PACs)**  
The role of structural factors in the kinetics of cellular uptake of pyrazoloacridines and pyrazolopyrimidoacridines, 1815
- Pyrazolopyrimidoacridines (PPACs)**  
The role of structural factors in the kinetics of cellular uptake of pyrazoloacridines and pyrazolopyrimidoacridines, 1815
- Pyrimidines**  
Shift in purine/pyrimidine base recognition upon exchanging extracellular domains in P2Y<sub>1/6</sub> chimeric receptors, 2075
- QTL**  
 $\gamma$ -Aminobutyric acid A receptor subunit mutant mice: new perspectives on alcohol actions, 1581
- Quercetin**  
Quercetin prevents oxidative stress and NF- $\kappa$ B activation in gastric mucosa of portal hypertensive rats, 1939

## Quinolines

Differentiation-inducing quinolines as experimental breast cancer agents in the MCF-7 human breast cancer cell model, 1729

## Rabbit

Rabbit neutrophil chemotactic protein (NCP) activates both CXCR1 and CXCR2 and is the functional homologue for human CXCL6, 1947

## Radiolabel synthesis

[<sup>3</sup>H]OSIP339391, a selective, novel, and high affinity antagonist radioligand for adenosine A<sub>2B</sub> receptors, 305

## Radioligand binding

[<sup>3</sup>H]OSIP339391, a selective, novel, and high affinity antagonist radioligand for adenosine A<sub>2B</sub> receptors, 305

Effects of anandamide on the binding and signaling properties of M<sub>1</sub> muscarinic acetylcholine receptors, 2207

## RAS

Phosphodiesterase inhibitors as anti-cancer drugs, 981

## Ras/Raf/MEK

Eupatilin, a pharmacologically active flavone derived from *Artemisia* plants, induces cell cycle arrest in *ras*-transformed human mammary epithelial cells, 1081

## RasGAP

Surviving the kiss of death, 1027

## Rat

Cloning, pharmacological characterisation and distribution of the rat G-protein-coupled P2Y<sub>13</sub> receptor, 113

## Rat C6 glioma cells

Peripheral benzodiazepine receptor ligands: mitochondrial transmembrane potential depolarization and apoptosis induction in rat C6 glioma cells, 125

## Rat cortex

Prevention of age-related changes in rat cortex transcription factor activator protein-1 by hypolipidemic drugs, 1411

## Rat hepatic stellate cell

Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells, 1391

## Rat hepatocytes

Effect of the histone deacetylase inhibitor trichostatin A on spontaneous apoptosis in various types of adult rat hepatocyte cultures, 753

## Rat liver

Evidence for multiple glucuronide transporters in rat liver microsomes, 1353

## Raw 264.7 cells

Catalase induces the expression of inducible nitric oxide synthase through activation of NF- $\kappa$ B and PI3K signaling pathway in Raw 264.7 cells, 2167

## Reactivation

Kinetic analysis of interactions between human acetylcholinesterase, structurally different organophosphorus compounds and oximes, 2237

## Reactive metabolites

A gene expression signature for oxidant stress/reactive metabolites in rat liver, 2249

## Reactive oxygen species

Redox modulation of chromatin remodeling: impact on histone acetylation and deacetylation, NF- $\kappa$ B and pro-inflammatory gene expression, 1255

The cytotoxic mechanism of glyoxal involves oxidative stress, 1433

## Real-time PCR

Differential regulation of zinc efflux transporters ZnT-1, ZnT-5 and ZnT-7 gene expression by zinc levels: a real-time RT-PCR study, 699

## Receptor

Inactivation of protease-activated receptor-1 by proteolytic removal of the ligand region in vascular endothelial cells, 23

Association of GRIP1 with a GABA<sub>A</sub> receptor associated protein suggests a role for GRIP1 at inhibitory synapses, 1649

Rabbit neutrophil chemotactic protein (NCP) activates both CXCR1 and CXCR2 and is the functional homologue for human CXCL6, 1947

Effects and regulation of osteopontin in rat hepatic stellate cells, 2367

## Receptor characterization

[<sup>3</sup>H]OSIP339391, a selective, novel, and high affinity antagonist radioligand for adenosine A<sub>2B</sub> receptors, 305

## Receptor kinase

Selective inhibitors of type I receptor kinase block cellular transforming growth factor- $\beta$  signaling, 41

## Receptor model

Agonist binding and activation of the rat  $\beta_1$ -adrenergic receptor: role of Trp<sup>134</sup> (3.28), Ser<sup>190</sup> (4.57) and Tyr<sup>356</sup> (7.43), 675

## Receptor tyrosine kinase

Inhibition of insulin-like growth factor I receptor autophosphorylation by novel 6-5 ring-fused compounds, 145

## Receptors

G protein activation by G protein coupled receptors: ternary complex formation or catalyzed reaction?, 799

## Recombinant

Differential inhibitor sensitivity between human recombinant and native photoreceptor cGMP-phosphodiesterases (PDE6s), 867

## Reduce glutathione

*Plasmodium berghei*: dehydroepiandrosterone sulfate reverses chloroquino-resistance in experimental malaria infection; correlation with glucose 6-phosphate dehydrogenase and glutathione synthesis pathway, 1903

## Reduction

Possible (enzymatic) routes and biological sites for metabolic reduction of BNP7787, a new protector against cisplatin-induced side-effects, 493

## Renal artery

Differential type 4 cAMP-specific phosphodiesterase (PDE4) expression and functional sensitivity to PDE4 inhibitors among rats, monkeys and humans, 2229

## Renin-angiotensin system

Peptidase activities in rats treated chronically with *N* $\omega$ -nitro-L-arginine methyl ester (L-NAME), 205

## Reservoirs

Administration of HDAC inhibitors to reactivate HIV-1 expression in latent cellular reservoirs: implications for the development of therapeutic strategies, 1231

## Resistance

Detection of an alternatively spliced form of deoxycytidine kinase mRNA in the 2'-2'-difluorodeoxycytidine (gemcitabine)-resistant human ovarian cancer cell line AG6000, 601

Induction of cellular resistance to nucleoside reverse transcriptase inhibitors by the wild-type breast cancer resistance protein, 1363

## Respiratory burst

Antioxidant effect of hydroxytyrosol, a polyphenol from olive oil: scavenging of hydrogen peroxide but not superoxide anion produced by human neutrophils, 2003

## Restenosis

DNAzymes as molecular agents that manipulate Egr-1 gene expression, 1023

## Resveratrol

Transport of resveratrol, a cancer chemopreventive agent, to cellular targets: plasmatic protein binding and cell uptake, 1113

Differential sensitivity to resveratrol-induced apoptosis of human chronic myeloid (K562) and acute lymphoblastic (HSB-2) leukemia cells, 2019

## Retinal ganglion cells

Photoreceptor preservation in the S334ter model of retinitis pigmentosa by a novel estradiol analog, 1971

## Retinoic acid

Differential effects of 9-*cis* retinoic acid on expression of CC chemokine receptors in human monocytes, 611

## Review

GABA<sub>A</sub> receptor epilepsy mutations, 1497

## Ribonucleotide reductase

Enantioselectivity of ribonucleotide reductase: a first study using stereoisomers of pyrimidine 2'-azido-2'-deoxynucleosides, 711

## Ribosomal S6 kinases

Specificity of action of bisindolylmaleimide protein kinase C inhibitors: do they inhibit the 70kDa ribosomal S6 kinase in cardiac myocytes?, 1923

## RINm5F

Inhibitory effects of epicatechin on interleukin-1 $\beta$ -induced inducible nitric oxide synthase expression in RINm5F cells and rat pancreatic islets by down-regulation of NF- $\kappa$ B activation, 1775

## RKIP

The role of Raf kinase inhibitor protein (RKIP) in health and disease, 1049

## Rolipram

Activation and induction of cyclic AMP phosphodiesterase (PDE4) in rat pulmonary microvascular endothelial cells, 479

## Rosiglitazone

Reduction of intracellular cholesterol accumulation in THP-1 macrophages by a combination of rosiglitazone and atorvastatin, 155

*Saccharomyces cerevisiae*

Using yeast to screen for inhibitors of protein tyrosine phosphatase 1B, 1807

## Salvage therapy

Inhibition of repair of carboplatin-induced DNA damage by 9- $\beta$ -D-arabinofuranosyl-2-fluoroadenine in quiescent human lymphocytes, 1757

## Sandwich culture

Effect of the histone deacetylase inhibitor trichostatin A on spontaneous apoptosis in various types of adult rat hepatocyte cultures, 753

## Schizophrenia

The GABA-glutamate connection in schizophrenia: which is the proximate cause?, 1507

## Selectivity

Isothiocyanates as novel cytotoxic and cytostatic agents: molecular pathway on human transformed and non-transformed cells, 1133

## Senescence

Influence of p53 and caspase 3 activity on cell death and senescence in response to methotrexate in the breast tumor cell, 1699

## Serum

Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat, 1321

## Signal transduction

G protein activation by G protein coupled receptors: ternary complex formation or catalyzed reaction?, 799

The role of Raf kinase inhibitor protein (RKIP) in health and disease, 1049

Determination of interleukin-4-responsive region in the human cytochrome P450 2E1 gene promoter, 1371

Stimulation of proliferation and migration of a colorectal cancer cell line by amidated and glycine-extended gastrin-releasing peptide via the same receptor, 2129

## Signal transduction pathways

Signal transduction pathways implicated in the decrease in CYP1A1, 1A2 and 3A6 activity produced by serum from rabbits and humans with an inflammatory reaction, 573

## Signalling properties

Unravelling the unusual signalling properties of the GABA<sub>B</sub> receptor, 1527

## Sildenafil

Differential inhibitor sensitivity between human recombinant and native photoreceptor cGMP-phosphodiesterases (PDE6s), 867

## Skin cancer

Antioxidants regulate normal human keratinocyte differentiation, 1125

## Smad

Selective inhibitors of type I receptor kinase block cellular transforming growth factor- $\beta$  signaling, 41

The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997

## Small cell lung cancer cells

Differential response of MG132 cytotoxicity against small cell lung cancer cells to changes in cellular GSH contents, 659

Effect of change in cellular GSH levels on mitochondrial damage and cell viability loss due to mitomycin c in small cell lung cancer cells, 1857

## Smooth muscle

Blockade of calcium entry in smooth muscle cells by the antidepressant imipramine, 833

 $\alpha$ -Smooth muscle actin

*N*-(methylamino)isobutyric acid inhibits proliferation of CFSC-2C hepatic stellate cells, 223

## SN-38

The schedule-dependent enhanced cytotoxic activity of 7-ethyl-10-hydroxy-camptothecin (SN-38) in combination with Gefitinib (Iressa<sup>TM</sup>, ZD1839), 135

## Soft agar

Peripheral-type benzodiazepine receptor density and in vitro tumorigenicity of glioma cell lines, 689

## Solubility

Prodrug research: futile or fertile?, 2097

## Sp-1/Sp-3

Transcriptional regulation of the mouse deoxycytidine kinase: identification and functional analysis of nuclear protein binding sites at the proximal promoter, 2397

## Specific tissue kallikrein inhibitor

Kininogenase activity of *Thalassophryne nattereri* fish venom, 2151

## Specificity

CBP and p300: HATs for different occasions, 1145

## Sphingosine-1-phosphate

Effects of synthetic sphingosine-1-phosphate analogs on arachidonic acid metabolism and cell death, 2187

## Spin traps

Spin adducts of several *N*-2-(2-alkoxycarbonyl-propyl)- $\alpha$ -pyridyl nitron derivatives with superoxide, alkyl and lipid-derived radicals, 185

## SPMG

Sulfated polymannuroguronate, a novel anti-acquired immune deficiency syndrome (AIDS) drug candidate, targeting CD4 in lymphocytes, 641

## SPR

Sulfated polymannuroguronate, a novel anti-acquired immune deficiency syndrome (AIDS) drug candidate, targeting CD4 in lymphocytes, 641

## SQDG

Design of vesicles of 1,2-di-*O*-acyl-3-*O*-( $\beta$ -D-sulfoquinovosyl)-glyceride bearing two stearic acids ( $\beta$ -SQDG-C<sub>18</sub>), a novel immunosuppressive drug, 2379

 $\beta$ -SQDG-C<sub>18</sub>

Design of vesicles of 1,2-di-*O*-acyl-3-*O*-( $\beta$ -D-sulfoquinovosyl)-glyceride bearing two stearic acids ( $\beta$ -SQDG-C<sub>18</sub>), a novel immunosuppressive drug, 2379

## Stable reporter assay

A PXR reporter gene assay in a stable cell culture system: CYP3A4 and CYP2B6 induction by pesticides, 2347

## Stem cell

Hedgehog signalling in foregut malignancy, 1055

High mobility group box 1 protein, a cue for stem cell recruitment, 1165

## Stoichiometry

Differences in binding properties of two proton pump inhibitors on the gastric H<sup>+</sup>,K<sup>+</sup>-ATPase in vivo, 2117

Store-operated Ca<sup>2+</sup> entry

The blockade of cyclopiazonic acid-induced store-operated Ca<sup>2+</sup> entry pathway by YC-1 in neutrophils, 2053

## Store-operated calcium influx

Investigation into the relationship between calyculin A-mediated potentiation of NADPH oxidase activity and inhibition of store-operated uptake of calcium by human neutrophils, 1721

## Stress

Surviving the kiss of death, 1027

## Structure–activity relationship

Increased human cytomegalovirus replication in fibroblasts after treatment with therapeutical plasma concentrations of valproic acid, 531

2-Substituted adenosine derivatives: affinity and efficacy at four subtypes of human adenosine receptors, 1985

Inhibitory effects of flavonoids on phosphodiesterase isozymes from guinea pig and their structure–activity relationships, 2087

 $\gamma$ 2 Subunit

Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABA<sub>A</sub> receptor  $\gamma$ 2 subunit, 1621

## Sulfo-glycolipids

Design of vesicles of 1,2-di-*O*-acyl-3-*O*-( $\beta$ -d-sulfoquinovosyl)-glyceride bearing two stearic acids ( $\beta$ -SQDG-C<sub>18</sub>), a novel immunosuppressive drug, 2379

## Sulfonylurea

Taurine block of cloned ATP-sensitive K<sup>+</sup> channels with different sulfonylurea receptor subunits expressed in *Xenopus laevis* oocytes, 901

## Superoxide

Spin adducts of several *N*-2-(2-alkoxycarbonyl-propyl)- $\alpha$ -pyridyl-nitron derivatives with superoxide, alkyl and lipid-derived radicals, 185

## Superoxide radicals

Redox-interaction of  $\alpha$ -tocopheryl quinone with isolated mitochondrial cytochrome *bc*<sub>1</sub> complex, 373

## SUR

Taurine block of cloned ATP-sensitive K<sup>+</sup> channels with different sulfonylurea receptor subunits expressed in *Xenopus laevis* oocytes, 901

## Survival pathways

Surviving the kiss of death, 1027

## SV40

An in vitro model system that can differentiate the stages of DNA replication affected by anticancer agents, 11

## Sympathetic neurons

Aggravation of necrotic death of glucose-deprived cells by the MEK1 inhibitors U0126 and PD184161 through depletion of ATP, 351

## Synapse

Association of GRIP1 with a GABA<sub>A</sub> receptor associated protein suggests a role for GRIP1 at inhibitory synapses, 1649

## Synaptic inhibition and excitation

How does a little acronym become a big transmitter?, 1549

## Synaptic physiology

The GABA<sub>B2</sub> subunit is critical for the trafficking and function of native GABA<sub>B</sub> receptors, 1655

## Synaptic transmission

My close encounter with GABA<sub>B</sub> receptors, 1667

## Synergism

Regulation at multiple levels of NF- $\kappa$ B-mediated transactivation by protein acetylation, 1221

## T lymphocytes

Insulin and glucose induced changes in expression level of nucleoside transporters and adenosine transport in rat T lymphocytes, 1309

## Taurine

Taurine block of cloned ATP-sensitive K<sup>+</sup> channels with different sulfonylurea receptor subunits expressed in *Xenopus laevis* oocytes, 901

## T-cell

The flavones luteolin and apigenin inhibit in vitro antigen-specific proliferation and interferon-gamma production by murine and human autoimmune T cells, 621

Epigenetic control of CIITA expression in leukemic T cells, 1209

A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis, 2283

## T-cell line

Induction of cellular resistance to nucleoside reverse transcriptase inhibitors by the wild-type breast cancer resistance protein, 1363

## Teratogenicity

Increased human cytomegalovirus replication in fibroblasts after treatment with therapeutical plasma concentrations of valproic acid, 531

## Terephthalate

Characterization of hydroxyl radical formation by microsomal enzymes using a water-soluble trap, terephthalate, 747

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD)

Phenylthiourea as a weak activator of aryl hydrocarbon receptor inhibiting 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-induced CYP1A1 transcription in zebrafish embryo, 63

TGF $\alpha$ 

The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997

Induction of Cdc25B expression by epidermal growth factor and transforming growth factor- $\alpha$ , 2221

TGF $\beta$ 

The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997

## Thalamus

Differential expression of GABA<sub>B(1b)</sub> receptor mRNA in the thalamus of normal and monoarthritic animals, 1603

*Thalassophryne nattereri*

Kininogenase activity of *Thalassophryne nattereri* fish venom, 2151

## Thalidomide analogs

Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat, 1321

The gastric H<sup>+</sup>,K<sup>+</sup>-ATPase

Differences in binding properties of two proton pump inhibitors on the gastric H<sup>+</sup>,K<sup>+</sup>-ATPase in vivo, 2117

## The proton pump inhibitor

Differences in binding properties of two proton pump inhibitors on the gastric H<sup>+</sup>,K<sup>+</sup>-ATPase in vivo, 2117

## The residence time

Differences in binding properties of two proton pump inhibitors on the gastric H<sup>+</sup>,K<sup>+</sup>-ATPase in vivo, 2117

## Theoretical

G protein activation by G protein coupled receptors: ternary complex formation or catalyzed reaction?, 799

## Therapy

Hedgehog signalling in foregut malignancy, 1055

## Thermogenesis

Inhibitory effects of halothane on the thermogenic pathway in brown adipocytes: localization to adenylyl cyclase and mitochondrial fatty acid oxidation, 463

UCP3 and thyroid hormone involvement in methamphetamine-induced hyperthermia, 1339

## Thioredoxin

Possible (enzymatic) routes and biological sites for metabolic reduction of BNP7787, a new protector against cisplatin-induced side-effects, 493

## THIP

GABA pharmacology—what prospects for the future?, 1537

## THIP (Gaboxadol)

GABA<sub>A</sub> agonists and partial agonists: THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic, 1573

## Threshold switch

Prostaglandin H synthases: members of a class of quasi-linear threshold switches, 423

## Thrombin

Inactivation of protease-activated receptor-1 by proteolytic removal of the ligand region in vascular endothelial cells, 23

## Thyroid hormones

UCP3 and thyroid hormone involvement in methamphetamine-induced hyperthermia, 1339

## Tiagabide

GABA pharmacology—what prospects for the future?, 1537

## Tissue

Cell-, tissue-, sex- and developmental stage-specific expression of mouse flavin-containing monooxygenases (*Fmos*), 73

- Tissue damage  
High mobility group box 1 protein, a cue for stem cell recruitment, 1165
- Tissue regeneration  
High mobility group box 1 protein, a cue for stem cell recruitment, 1165
- Tissue-selective delivery  
Prodrug research: futile or fertile?, 2097
- TNF $\alpha$   
Regulation at multiple levels of NF- $\kappa$ B-mediated transactivation by protein acetylation, 1221  
Anti-inflammatory effect of caffeic acid methyl ester and its mode of action through the inhibition of prostaglandin E<sub>2</sub>, nitric oxide and tumor necrosis factor- $\alpha$  production, 2327
- $\alpha$ -Tocopheryl quinone  
Redox-interaction of  $\alpha$ -tocopheryl quinone with isolated mitochondrial cytochrome *bc*<sub>1</sub> complex, 373
- Topoisomerase II  
Novel antitumor indenoindole derivatives targeting DNA and topoisomerase II, 1911
- Toxicity  
S-Oxygenation of the thioether organophosphate insecticides phorate and disulfoton by human lung flavin-containing monooxygenase 2, 959
- Trafficking  
GABA<sub>A</sub> receptor epilepsy mutations, 1497  
The GABA<sub>B2</sub> subunit is critical for the trafficking and function of native GABA<sub>B</sub> receptors, 1655
- Transcription  
The signaling pathways in tissue morphogenesis: a lesson from mice with eye-open at birth phenotype, 997  
Histone deacetylase inhibitors open new doors in cancer therapy, 1139  
Implications of small molecule activators and inhibitors of histone acetyltransferases in chromatin therapy, 1215  
Administration of HDAC inhibitors to reactivate HIV-1 expression in latent cellular reservoirs: implications for the development of therapeutic strategies, 1231  
Histone deacetylase inhibition and estrogen signalling in human breast cancer cells, 1239
- Transcription factors  
Signal transduction pathways regulating cyclooxygenase-2 expression: potential molecular targets for chemoprevention, 1089  
Determination of interleukin-4-responsive region in the human cytochrome P450 2E1 gene promoter, 1371
- Transforming growth factor- $\beta$ 1  
Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells, 1391
- Transforming growth factor (TGF $\beta$ )  
Selective inhibitors of type I receptor kinase block cellular transforming growth factor- $\beta$  signaling, 41
- Transgenic  
The GABA<sub>B2</sub> subunit is critical for the trafficking and function of native GABA<sub>B</sub> receptors, 1655
- Transmission electron microscopy  
Peripheral benzodiazepine receptor ligands: mitochondrial transmembrane potential depolarization and apoptosis induction in rat C6 glioma cells, 125
- Transmitters  
How does a little acronym become a big transmitter?, 1549
- Transport  
Evidence for multiple glucuronide transporters in rat liver microsomes, 1353
- Transport and nucleoside metabolism  
Effective metabolism and long intracellular half life of the anti-Hepatitis B agent adefovir in hepatic cells, 1825
- Transporter induction  
Rapid induction of P-glycoprotein expression by high permeability compounds in colonic cells in vitro: a possible source of transporter mediated drug interactions?, 783
- Trans-resveratrol*  
Involvement of cytochrome P450 1A2 in the biotransformation of *trans*-resveratrol in human liver microsomes, 773
- Tributyltin chloride  
Inhibition of ossification in vivo and differentiation of osteoblasts in vitro by tributyltin, 739
- Trichostatin A  
The novel histone deacetylase inhibitor BL1521 inhibits proliferation and induces apoptosis in neuroblastoma cells, 1279
- Tricyclic antidepressants  
Intrahepatic flow disturbance by clomipramine in the isolated perfused rat liver, 2291
- Triterpene  
Reversal of P-glycoprotein-mediated multidrug resistance by Alisol B 23-acetate, 843
- Trophoblast  
PPAR $\alpha$  agonists clofibrate and gemfibrozil inhibit cell growth, down-regulate hCG and up-regulate progesterone secretions in immortalized human trophoblast cells, 313
- Trypanosoma cruzi*  
Phenyl substitution of furamidine markedly potentiates its anti-parasitic activity against *Trypanosoma cruzi* and *Leishmania amazonensis*, 593
- Trypsin  
Inactivation of protease-activated receptor-1 by proteolytic removal of the ligand region in vascular endothelial cells, 23
- TSA  
Effect of the histone deacetylase inhibitor trichostatin A on spontaneous apoptosis in various types of adult rat hepatocyte cultures, 753  
Regulation at multiple levels of NF- $\kappa$ B-mediated transactivation by protein acetylation, 1221
- Tumor necrosis factor (TNF)  
Differential type 4 cAMP-specific phosphodiesterase (PDE4) expression and functional sensitivity to PDE4 inhibitors among rats, monkeys and humans, 2229
- Tumorigenicity  
Peripheral-type benzodiazepine receptor density and in vitro tumorigenicity of glioma cell lines, 689
- Tumor-necrosis-factor- $\alpha$   
Cyclic antimicrobial peptides based on *Limulus* anti-lipopolysaccharide factor for neutralization of lipopolysaccharide, 1297
- Turpentine  
Signal transduction pathways implicated in the decrease in CYP1A1, 1A2 and 3A6 activity produced by serum from rabbits and humans with an inflammatory reaction, 573
- Type 2 diabetes  
Biochemical and morphological effects of K-111, a peroxisome proliferator-activated receptor (PPAR) $\alpha$  activator, in non-human primates, 239
- Type 4 phosphodiesterase (PDE4)  
Differential type 4 cAMP-specific phosphodiesterase (PDE4) expression and functional sensitivity to PDE4 inhibitors among rats, monkeys and humans, 2229
- Type I collagen  
Effects and regulation of osteopontin in rat hepatic stellate cells, 2367
- Type II TGF- $\beta$   
Effects and regulation of osteopontin in rat hepatic stellate cells, 2367
- Type-I IGF receptor signalling  
An evaluation of the role of insulin-like growth factors (IGF) and of type-I IGF receptor signalling in hepatocarcinogenesis and in the resistance of hepatocarcinoma cells against drug-induced apoptosis, 1003
- Tyrosine kinase  
Inhibition of insulin-like growth factor I receptor tyrosine kinase by ethanol, 2009
- Ubiquinone  
Redox-interaction of  $\alpha$ -tocopheryl quinone with isolated mitochondrial cytochrome *bc*<sub>1</sub> complex, 373
- Ultraviolet B  
Prevention of UVB-induced photoinflammation and photoaging by a polymethoxy flavonoid, nobiletin, in human keratinocytes in vivo and in vitro, 433

- Uncoupling proteins
  - UCP3 and thyroid hormone involvement in methamphetamine-induced hyperthermia, 1339
- Uridine-cytidine kinase
  - Enantioselectivity of ribonucleotide reductase: a first study using stereoisomers of pyrimidine 2'-azido-2'-deoxynucleosides, 711
- Valproic acid
  - Increased human cytomegalovirus replication in fibroblasts after treatment with therapeutical plasma concentrations of valproic acid, 531
- Vascular smooth muscle cells
  - Effects of the selective COX-2 inhibitors celecoxib and rofecoxib on human vascular cells, 341
  - DNAzymes as molecular agents that manipulate Egr-1 gene expression, 1023
- Vascular smooth muscle contractility
  - Callipeltin A: sodium ionophore effect and tension development in vascular smooth muscle, 1331
- Vasoconstriction
  - Effects of phosphoinositide 3-kinase on endothelin-1-induced activation of voltage-independent  $\text{Ca}^{2+}$  channels and vasoconstriction, 215
- Venom
  - Isolation and characterization at cholinergic nicotinic receptors of a neurotoxin from the venom of the *Acanthophis* sp. Seram death adder, 383
- Verapamil
  - Relation between the ability of some compounds to modulate the MRP1-mediated efflux of glutathione and to inhibit the MRP1-mediated efflux of daunorubicin, 2159
- Vesicle
  - Design of vesicles of 1,2-di-*O*-acyl-3-*O*-( $\beta$ -d-sulfoquinovosyl)-glyceride bearing two stearic acids ( $\beta$ -SQDG- $\text{C}_{18}$ ), a novel immunosuppressive drug, 2379
- VHSV
  - Membrane-related effects underlying the biological activity of the anthraquinones emodin and barbaloin, 549
- Viability
  - The novel histone deacetylase inhibitor BL1521 inhibits proliferation and induces apoptosis in neuroblastoma cells, 1279
- Viral
  - Signal transduction pathways implicated in the decrease in CYP1A1, 1A2 and 3A6 activity produced by serum from rabbits and humans with an inflammatory reaction, 573
- Vitamin C
  - Inhibition of plasma lipid peroxidation by anti-atherogenic antioxidant BO-653, 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran, 813
- Vitamin D
  - Tissue distribution and activity studies of 1,24-dihydroxyvitamin  $\text{D}_2$ , a metabolite of vitamin  $\text{D}_2$  with low calcemic activity in vivo, 1289
- Vitamin E
  - Redox-interaction of  $\alpha$ -tocopheryl quinone with isolated mitochondrial cytochrome  $bc_1$  complex, 373
  - Inhibition of plasma lipid peroxidation by anti-atherogenic antioxidant BO-653, 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran, 813
- Volatile anesthetics
  - Inhibitory effects of halothane on the thermogenic pathway in brown adipocytes: localization to adenyl cyclase and mitochondrial fatty acid oxidation, 463
- v-Src
  - Using yeast to screen for inhibitors of protein tyrosine phosphatase 1B, 1807
- Wild type
  - Induction of cellular resistance to nucleoside reverse transcriptase inhibitors by the wild-type breast cancer resistance protein, 1363
- Xenopus* oocyte
  - Taurine block of cloned ATP-sensitive  $\text{K}^+$  channels with different sulfonylurea receptor subunits expressed in *Xenopus laevis* oocytes, 901
- XIAP
  - Leptomycin B-induced apoptosis is mediated through caspase activation and down-regulation of Mcl-1 and XIAP expression, but not through the generation of ROS in U937 leukemia cells, 263
- YC-1
  - New anticancer strategies targeting HIF-1, 1061
  - The blockade of cyclopiazonic acid-induced store-operated  $\text{Ca}^{2+}$  entry pathway by YC-1 in neutrophils, 2053
- Zebrafish
  - Phenylthiourea as a weak activator of aryl hydrocarbon receptor inhibiting 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-induced CYP1A1 transcription in zebrafish embryo, 63
- Zinc chelation
  - Differential regulation of zinc efflux transporters ZnT-1, ZnT-5 and ZnT-7 gene expression by zinc levels: a real-time RT-PCR study, 699
- Zinc transporter
  - Differential regulation of zinc efflux transporters ZnT-1, ZnT-5 and ZnT-7 gene expression by zinc levels: a real-time RT-PCR study, 699
- ZnT
  - Differential regulation of zinc efflux transporters ZnT-1, ZnT-5 and ZnT-7 gene expression by zinc levels: a real-time RT-PCR study, 699