

available at [www.sciencedirect.com](http://www.sciencedirect.com)journal homepage: [www.elsevier.com/locate/biochempharm](http://www.elsevier.com/locate/biochempharm)

## Subject index Volume 74

### $\alpha 7$

In vitro screening strategies for nicotinic receptor ligands, 1172

### A-366833

A-366833: A novel nicotinonitrile-substituted 3,6-diazabicyclo[3.2.0]-heptane  $\alpha 4\beta 2$  nicotinic acetylcholine receptor selective agonist: Synthesis, analgesic efficacy and tolerability profile in animal models, 1253

### A-582491

Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582491, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202

### $A_1$ receptor

$A_1$  receptor deficiency causes increased insulin and glucagon secretion in mice, 1628

### ABC transporters

C421 allele-specific ABCG2 gene amplification confers resistance to the antitumor triazoloacridone C-1305 in human lung cancer cells, 41

The effect of quercetin phase II metabolism on its MRP1 and MRP2 inhibiting potential, 345

New structure model for the ATP-binding cassette multidrug transporter LmrA, 672

### ABT-418

Neuronal nicotinic receptor agonists for the treatment of attention-deficit/hyperactivity disorder: Focus on cognition, 1212

### ABT-594

Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582491, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202

### ACE inhibitors

Identification of novel bradykinin-potentiating peptides (BPPs) in the venom gland of a rattlesnake allowed the evaluation of the structure-function relationship of BPPs, 1350

### Acetylcholine

In vitro screening strategies for nicotinic receptor ligands, 1172

Bupropion inhibits the cellular effects of nicotine in the ventral tegmental area, 1283

### Acetylcholine receptors

The role of the nicotinic acetylcholine receptors in sleep-related epilepsy, 1308

### Acetylcholine-binding protein

Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164

### Acetylcholinesterase

Preparation and characterization of dialkylphosphoryl-obidoxime conjugates, potent anticholinesterase derivatives that are quickly hydrolyzed by human paraoxonase (PON1<sub>192Q</sub>), 1390

### Achondroplasia

Effect of diadenosine polyphosphates in achondroplastic chondrocytes: Inhibitory effect of Ap<sub>4</sub>A on FGF9 induced MAPK cascade, 448

### Activator protein-1

Antifibrogenic effects of histone deacetylase inhibitors on pancreatic stellate cells, 1747

### Activity

Role of endogenous nicotinic signaling in guiding neuronal development, 1112

### $\omega$ -ACTX-Ar1a

The  $\omega$ -atracotoxins: Selective blockers of insect M-LVA and HVA calcium channels, 623

### $\omega$ -ACTX-Hv1a

The  $\omega$ -atracotoxins: Selective blockers of insect M-LVA and HVA calcium channels, 623

### Acute lymphoblastic leukemia

Resveratrol-induced apoptosis in human T-cell acute lymphoblastic leukaemia MOLT-4 cells, 1568

### Addiction

Multiple brain pathways and receptors underlying tobacco addiction, 1263

### Adenosine

$A_1$  receptor deficiency causes increased insulin and glucagon secretion in mice, 1628

### ADHD

Neuronal nicotinic receptor agonists for the treatment of attention-deficit/hyperactivity disorder: Focus on cognition, 1212

### Adhesion molecules

The determination and correlation of molecular and cellular equilibrium  $K_d$  and kinetic  $k_{off}$  values for small molecule allosteric antagonists of LFA-1, 98

### Adipocyte

Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice, 1619

### ADNFLE

The role of the nicotinic acetylcholine receptors in sleep-related epilepsy, 1308

### Adolescents

Neuronal nicotinic receptor agonists for the treatment of attention-deficit/hyperactivity disorder: Focus on cognition, 1212

### ADP

The influence of P2Y<sub>12</sub> receptor deficiency on the platelet inhibitory activities of prasugrel in a mouse model: Evidence for specific inhibition of P2Y<sub>12</sub> receptors by prasugrel, 1003

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## Adrenal

Upregulation of sodium-dependent vitamin C transporter 2 expression in adrenals increases norepinephrine production and aggravates hyperlipidemia in mice with streptozotocin-induced diabetes, 1020

## Adrenal medulla

Effects of resveratrol, a grape polyphenol, on catecholamine secretion and synthesis in cultured bovine adrenal medullary cells, 1608

 $\beta$ 2-Adrenergic receptor

Agonist-stimulated reactive oxygen species formation regulates  $\beta$ 2-adrenergic receptor signal transduction, 64

 $\alpha$ <sub>1</sub> Adrenergic subtypes

Differential regulation on human skin fibroblast by  $\alpha$ <sub>1</sub> adrenergic receptor subtypes, 1401

## Adrenoreceptor

Norepinephrine: The redheaded stepchild of Parkinson's disease, 177

## Adriamycin

Mechanisms underlying the anticancer activities of the angucycline landomycin E, 1713

## Adult rats

Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus, 1134

## Agonist and antagonist binding

The subtypes of nicotinic acetylcholine receptors on dopaminergic terminals of mouse striatum, 1235

## AIDS

Sulfated polymannuroguluronate, a novel anti-AIDS drug candidate, inhibits HIV-1 Tat-induced angiogenesis in Kaposi's sarcoma cells, 1330

## AIF

Quinolone analogue inhibits tubulin polymerization and induces apoptosis via Cdk1-involved signaling pathways, 10

## Akt

Guggulsterone inhibits tumor cell proliferation, induces S-phase arrest, and promotes apoptosis through activation of c-Jun N-terminal kinase, suppression of Akt pathway, and downregulation of antiapoptotic gene products, 118

## Albendazole

Epothilone-paclitaxel resistant leukemic cells CEM/dEpoB300 are sensitive to albendazole: Involvement of apoptotic pathways, 407

## Alkylphospholipids

Lipid rafts and metabolic energy differentially determine uptake of anti-cancer alkylphospholipids in lymphoma versus carcinoma cells, 1456

## ALL

Epothilone-paclitaxel resistant leukemic cells CEM/dEpoB300 are sensitive to albendazole: Involvement of apoptotic pathways, 407

## Allosteric

Allosteric approaches to the targeting of G-protein-coupled receptors for novel drug discovery: A critical assessment, 383

## Allosteric antagonists

The determination and correlation of molecular and cellular equilibrium  $K_d$  and kinetic  $k_{off}$  values for small molecule allosteric antagonists of LFA-1, 98

## Allosteric modulation

Allosteric modulation of nicotinic acetylcholine receptors, 1155

## Allosteric modulators

Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164

## Alpha-bungarotoxin

Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus, 1134

## Alpha-synuclein

Norepinephrine: The redheaded stepchild of Parkinson's disease, 177

## Amiodarone

Amiodarone inhibits tocopherol-mediated human lipoprotein peroxidation, 265

## AMP-activated protein kinase

The involvement of AMP-activated protein kinases in the anti-inflammatory effect of nicotine in vivo and in vitro, 1758

## Angiogenesis

Sulfated polymannuroguluronate, a novel anti-AIDS drug candidate, inhibits HIV-1 Tat-induced angiogenesis in Kaposi's sarcoma cells, 1330

Targeting platelet-derived endothelial cell growth factor/thymidine phosphorylase for cancer therapy, 1555

## Antagonists

Allosteric effects of antagonists on signalling by the chemokine receptor CCR5, 891

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## Anthocyanin

Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice, 1619

## Antibiotic

Mechanisms underlying the anticancer activities of the angucycline landomycin E, 1713

## Anticancer activity

Mechanisms underlying the anticancer activities of the angucycline landomycin E, 1713

## Anticancer drug

The antiproliferative effects of phenoxodiol are associated with inhibition of plasma membrane electron transport in tumour cell lines and primary immune cells, 1587

## Antidepressant

Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425

## Antigen presentation/processing

Design of protease-resistant myelin basic protein-derived peptides by cleavage site directed amino acid substitutions, 1514

## Antigens/peptides/epitopes

Design of protease-resistant myelin basic protein-derived peptides by cleavage site directed amino acid substitutions, 1514

## Anti-HIV

Design and cellular kinetics of dansyl-labeled CADA derivatives with anti-HIV and CD4 receptor down-modulating activity, 566

## Anti-inflammation

The anti-inflammatory actions of LCY-2-CHO, a carbazole analogue, in vascular smooth muscle cells, 298

## Anti-inflammatory drugs

Effects of anti-inflammatory drugs on proliferation, cytotoxicity and osteogenesis in bone marrow mesenchymal stem cells, 1371

## Antinociception

Behavioral modulation of neuronal calcium/calmodulin-dependent protein kinase II activity: Differential effects on nicotine-induced spinal and supraspinal antinociception in mice, 1247

## Antioxidant

Norepinephrine: The redheaded stepchild of Parkinson's disease, 177

- Ins and outs of dietary phytochemicals in cancer chemoprevention, 533
- YS 51, 1-( $\beta$ -naphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, protects endothelial cells against hydrogen peroxide-induced injury via carbon monoxide derived from heme oxygenase-1, 1361
- Antioxidant enzyme**
- Ursolic acid ameliorates cognition deficits and attenuates oxidative damage in the brain of senescent mice induced by D-galactose, 1078
- Antiplatelet agents**
- Synthesis and pharmacological evaluation of novel  $\beta$ -nitrostyrene derivatives as tyrosine kinase inhibitors with potent antiplatelet activity, 601
- Antitumor agents**
- A gold(I) phosphine complex selectively induces apoptosis in breast cancer cells: Implications for anticancer therapeutics targeted to mitochondria, 992
- Antitumor pharmacology**
- Relevance of extracellular and intracellular interactions of camptothecins as determinants of antitumor activity, 1437
- Antitumoral**
- Neutral and positively charged thiols synergize the effect of the immunomodulator AS101 as a growth inhibitor of Jurkat cells, by increasing its uptake, 712
- Anxiety**
- Co-expression of neuropeptide Y Y1 and Y5 receptors results in heterodimerization and altered functional properties, 1652
- AP-1**
- Repression of matrix metalloproteinase gene expression by ginsenoside Rh2 in human astrogloma cells, 1642
- Apocynin**
- The reactivity of *ortho*-methoxy-substituted catechol radicals with sulfhydryl groups: Contribution for the comprehension of the mechanism of inhibition of NADPH oxidase by apocynin, 457
- Apolipoprotein**
- Highly sensitive upregulation of apolipoprotein A-IV by peroxisome proliferator-activated receptor  $\alpha$  (PPAR $\alpha$ ) agonist in human hepatoma cells, 1738
- Apolipoprotein E and  $\alpha$ -tocopherol transfer protein double knockout (ApoE $^{-/-}$  $\alpha$ -TTP $^{-/-}$ ) mice**
- Antioxidant effects of 2,3-dihydro-5-hydroxy-4,6-di-*tert*-butyl-2,2-dipentylbenzofuran and  $\alpha$ -tocopherol in hyperlipidemic mice as evaluated by hydroxyoctadecadienoic acid and 7-hydroxycholesterol, 1010
- Apolipoprotein E knockout mice (ApoE $^{-/-}$ )**
- Antioxidant effects of 2,3-dihydro-5-hydroxy-4,6-di-*tert*-butyl-2,2-dipentylbenzofuran and  $\alpha$ -tocopherol in hyperlipidemic mice as evaluated by hydroxyoctadecadienoic acid and 7-hydroxycholesterol, 1010
- Apoptosis**
- New platinum(II) complexes containing both an O,O'-chelated acetylacetonate ligand and a sulfur ligand in the platinum coordination sphere induce apoptosis in HeLa cervical carcinoma cells, 28
- Guggulsterone inhibits tumor cell proliferation, induces S-phase arrest, and promotes apoptosis through activation of c-Jun N-terminal kinase, suppression of Akt pathway, and downregulation of antiapoptotic gene products, 118
- Effect of 15-lipoxygenase metabolites, 15-(S)-HPETE and 15-(S)-HETE on chronic myelogenous leukemia cell line K-562: Reactive oxygen species (ROS) mediate caspase-dependent apoptosis, 202
- p53 dependent and independent sensitivity to oxaliplatin of colon cancer cells, 392
- Apoptosis induction of 2'-hydroxycinnamaldehyde as a proteasome inhibitor is associated with ER stress and mitochondrial perturbation in cancer cells, 557
- Epothilone-paclitaxel resistant leukemic cells CEM/dEpoB300 are sensitive to albendazole: Involvement of apoptotic pathways, 407
- Protection by doxycycline against doxorubicin-induced oxidative stress and apoptosis in mouse testes, 969
- Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981
- A gold(I) phosphine complex selectively induces apoptosis in breast cancer cells: Implications for anticancer therapeutics targeted to mitochondria, 992
- Evidence that genetic deletion of the TNF receptor p60 or p80 inhibits Fas mediated apoptosis in macrophages, 1057
- GEA 3162, a peroxyxynitrite donor, induces Bcl-2-sensitive, p53-independent apoptosis in murine bone marrow cells, 1039
- Selective serotonin reuptake inhibitors—A new modality for the treatment of lymphoma/leukaemia?, 1424
- Deglycosylated bleomycin induces apoptosis in lymphoma cell via c-jun NH<sub>2</sub>-terminal kinase but not reactive oxygen species, 1445
- NSAIDs enhance proteasomic degradation of survivin, a mechanism of gastric epithelial cell injury and apoptosis, 1485
- Resveratrol-induced apoptosis in human T-cell acute lymphoblastic leukaemia MOLT-4 cells, 1568
- Anti-tumor potential of 15,16-dihydrotanshinone I against breast adenocarcinoma through inducing G1 arrest and apoptosis, 1575
- The antiproliferative effects of phenoxodiol are associated with inhibition of plasma membrane electron transport in tumour cell lines and primary immune cells, 1587
- Mechanisms underlying the anticancer activities of the angucycline landomycin E, 1713
- Aquaporin 2**
- Effects of nonpeptide vasopressin V<sub>2</sub> antagonist tolvaptan in rats with heart failure, 1466
- Arachidonic acid**
- Phospholipase A<sub>2</sub> as targets for anti-cancer drugs, 949
- Arrhythmia**
- Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425
- Artemisinin**
- Artemisinin effectiveness in erythrocytes is reduced by heme and heme-containing proteins, 153
- Aryl hydrocarbon receptor**
- Specific blockage of ligand-induced degradation of the Ah receptor by proteasome but not calpain inhibitors in cell culture lines from different species, 131
- AS101**
- Neutral and positively charged thiols synergize the effect of the immunomodulator AS101 as a growth inhibitor of Jurkat cells, by increasing its uptake, 712
- Ascorbic acid**
- Upregulation of sodium-dependent vitamin C transporter 2 expression in adrenals increases norepinephrine production and aggravates hyperlipidemia in mice with streptozotocin-induced diabetes, 1020
- Atherosclerosis**
- Amiodarone inhibits tocopherol-mediated human lipoprotein peroxidation, 265
- ATP**
- Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

- ATP-binding cassette transporter  
 $\beta$ -Cryptoxanthin, a novel natural RAR ligand, induces ATP-binding cassette transporters in macrophages, 256
- $\omega$ -Atracotoxin  
 The  $\omega$ -atracotoxins: Selective blockers of insect M-LVA and HVA calcium channels, 623
- Atrax robustus*  
 The  $\omega$ -atracotoxins: Selective blockers of insect M-LVA and HVA calcium channels, 623
- Attention  
 Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function, 1182  
 Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582941, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202
- Autoimmune  
 The complex etiology of multiple sclerosis, 1321
- Autoimmunity  
 Design of protease-resistant myelin basic protein-derived peptides by cleavage site directed amino acid substitutions, 1514
- Autophagy  
 Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981
- Azaspiracid  
 Irreversible cytoskeletal disarrangement is independent of caspase activation during in vitro azaspiracid toxicity in human neuroblastoma cells, 327
- Bacterial resistance  
 Metallo- $\beta$ -lactamases (classification, activity, genetic organization, structure, zinc coordination) and their superfamily, 1686
- Bak  
 Role of peroxidases, thiols and Bak/Bax in tumor cell susceptibility to Cu[DEDTC]<sub>2</sub>, 841
- Band 3  
 Modulation of glyceraldehyde 3 phosphate dehydrogenase activity and tyr-phosphorylation of Band 3 in human erythrocytes treated with ferriprotoporphyrin IX, 1383
- BAPTA-AM  
 The membrane permeable calcium chelator BAPTA-AM directly blocks human ether a-go-go-related gene potassium channels stably expressed in HEK 293 cells, 1596
- Bax  
 Role of peroxidases, thiols and Bak/Bax in tumor cell susceptibility to Cu[DEDTC]<sub>2</sub>, 841  
 Resveratrol-induced apoptosis in human T-cell acute lymphoblastic leukaemia MOLT-4 cells, 1568
- Bcl-2  
 GEA 3162, a peroxynitrite donor, induces Bcl-2-sensitive, p53-independent apoptosis in murine bone marrow cells, 1039
- Bcl-2 family of proteins  
 Quinolone analogue inhibits tubulin polymerization and induces apoptosis via Cdk1-involved signaling pathways, 10
- Behavior  
 Ursolic acid ameliorates cognition deficits and attenuates oxidative damage in the brain of senescent mice induced by D-galactose, 1078
- Belinostat  
 HDAC inhibitors: Clinical update and mechanism-based potential, 659
- Binding capacity  
 Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells, 1029
- Binding of [<sup>3</sup>H]-prazosin  
 Differential regulation on human skin fibroblast by  $\alpha_1$  adrenergic receptor subtypes, 1401
- Bioactive peptides  
 Identification of novel bradykinin-potentiating peptides (BPPs) in the venom gland of a rattlesnake allowed the evaluation of the structure-function relationship of BPPs, 1350
- 2,3-Bis(2-chloro-4-hydroxyphenyl) piperazines  
 Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells, 1029
- 4,5-Bis(2-chloro-4-hydroxyphenyl)-2-imidazolines  
 Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells, 1029
- Bleomycin  
 Deglycosylated bleomycin induces apoptosis in lymphoma cell via c-jun NH<sub>2</sub>-terminal kinase but not reactive oxygen species, 1445
- Blood pressure  
 Identification of novel bradykinin-potentiating peptides (BPPs) in the venom gland of a rattlesnake allowed the evaluation of the structure-function relationship of BPPs, 1350
- Blood-brain barrier  
 Impaired expression and function of breast cancer resistance protein (Bcrp) in brain cortex of streptozocin-induced diabetic rats, 1766
- Blood-brain barrier choline transporter  
 Discovery of a novel nicotinic receptor antagonist for the treatment of nicotine addiction: 1-(3-Picolinium)-12-triethylammonium-dodecane dibromide (TMPD), 1271
- BO-653  
 Antioxidant effects of 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran and  $\alpha$ -tocopherol in hyperlipidemic mice as evaluated by hydroxyoctadecadienoic acid and 7-hydroxycholesterol, 1010
- Bone formation  
 Calcium channel antagonists: Clinical uses—Past, present and future, 1
- Bone marrow, Cytochrome P450  
 Sex-dependent expression of CYP2C11 in spleen, thymus and bone marrow regulated by growth hormone, 1476
- Bradykinin-potentiating peptides  
 Identification of novel bradykinin-potentiating peptides (BPPs) in the venom gland of a rattlesnake allowed the evaluation of the structure-function relationship of BPPs, 1350
- Brain  
 Multiple brain pathways and receptors underlying tobacco addiction, 1263
- Breast cancer  
 The anticancer agent prodigiosin induces p21<sup>WAF1/CIP1</sup> expression via transforming growth factor-beta receptor pathway, 1340  
 Anti-tumor potential of 15,16-dihydrotanshinone I against breast adenocarcinoma through inducing G1 arrest and apoptosis, 1575
- Breast cancer resistance protein  
 Impaired expression and function of breast cancer resistance protein (Bcrp) in brain cortex of streptozocin-induced diabetic rats, 1766



- Breast tumor cells  
Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981
- Brush-border membrane  
Substrate specificity of MATE1 and MATE2-K, human multidrug and toxin extrusions/H<sup>+</sup>-organic cation antiporters, 359
- Bsep  
Regulation of hepatic bile acid transporters Ntcp and Bsep expression, 1665
- Bupropion  
Comparison of the effects of bupropion and nicotine on locomotor activation and dopamine release *in vivo*, 1292
- Burkitt lymphoma  
Selective serotonin reuptake inhibitors—A new modality for the treatment of lymphoma/leukaemia?, 1424
- CADA  
Design and cellular kinetics of dansyl-labeled CADA derivatives with anti-HIV and CD4 receptor down-modulating activity, 566
- Calcineurin  
Imbalance between CaM kinase II and calcineurin activities impairs caffeine-induced calcium release in hypertrophic cardiomyocytes, 1727
- Calcium channel  
The inhibitors of protein acylation, cerulenin and tunicamycin, increase voltage-dependent Ca<sup>2+</sup> currents in the insulin-secreting INS 832/13 cell, 273
- Calcium channel antagonists  
Calcium channel antagonists: Clinical uses—Past, present and future, 1
- Calcium flux  
*In vitro* screening strategies for nicotinic receptor ligands, 1172
- Calcium ion release  
Analysis of second messenger pathways stimulated by different chemokines acting at the chemokine receptor CCR5, 881
- Calcium signals  
Ca<sup>2+</sup> extrusion in aged smooth muscle cells, 860
- Calmodulin kinase II  
Behavioral modulation of neuronal calcium/calmodulin-dependent protein kinase II activity: Differential effects on nicotine-induced spinal and supraspinal antinociception in mice, 1247
- Calpain  
Specific blockage of ligand-induced degradation of the Ah receptor by proteasome but not calpain inhibitors in cell culture lines from different species, 131
- CaMKII  
Imbalance between CaM kinase II and calcineurin activities impairs caffeine-induced calcium release in hypertrophic cardiomyocytes, 1727
- CaMKK  
The involvement of AMP-activated protein kinases in the anti-inflammatory effect of nicotine *in vivo* and *in vitro*, 1758
- cAMP  
Phosphodiesterase isozymes involved in regulation of HCO<sub>3</sub><sup>-</sup> secretion in isolated mouse duodenum *in vitro*, 1507
- Camptothecin  
Relevance of extracellular and intracellular interactions of camptothecins as determinants of antitumor activity, 1437
- Cancer  
Identification of human reductases that activate the dinitrobenzamide mustard prodrug PR-104A: A role for NADPH:cytochrome P450 oxidoreductase under hypoxia, 810
- Involvement of CtBP1 in the transcriptional activation of the MDR1 gene in human multidrug resistant cancer cells, 851
- β-Carbolines  
Cytotoxicity of β-carbolines in dopamine transporter expressing cells: Structure–activity relationships, 1065
- Carbon monoxide  
Heme oxygenase-1 mediates cytoprotective effects of immunostimulation in microglia, 723  
YS 51, 1-(β-naphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, protects endothelial cells against hydrogen peroxide-induced injury via carbon monoxide derived from heme oxygenase-1, 1361
- Carboxylesterase  
Inter-individual variability in esterases in human liver, 932
- Carcinogenesis  
Phospholipase A<sub>2</sub> as targets for anti-cancer drugs, 949
- Cardiomyocyte  
Imbalance between CaM kinase II and calcineurin activities impairs caffeine-induced calcium release in hypertrophic cardiomyocytes, 1727
- Cardiovascular disease  
Lycopene binds PDGF-BB and inhibits PDGF-BB-induced intracellular signaling transduction pathway in rat smooth muscle cells, 54
- Carrageenan  
The involvement of AMP-activated protein kinases in the anti-inflammatory effect of nicotine *in vivo* and *in vitro*, 1758
- Cartilage  
Requirement for protein kinase R in interleukin-1α-stimulated effects in cartilage, 1636
- Caspase  
Quinolone analogue inhibits tubulin polymerization and induces apoptosis via Cdk1-involved signaling pathways, 10  
Guggulsterone inhibits tumor cell proliferation, induces S-phase arrest, and promotes apoptosis through activation of c-Jun N-terminal kinase, suppression of Akt pathway, and downregulation of antiapoptotic gene products, 118  
Irreversible cytoskeletal disarrangement is independent of caspase activation during *in vitro* azaspiracid toxicity in human neuroblastoma cells, 327  
Hemigramicidin-TEMPO conjugates: Novel mitochondria-targeted anti-oxidants, 801  
GEA 3162, a peroxynitrite donor, induces Bcl-2-sensitive, p53-independent apoptosis in murine bone marrow cells, 1039  
Anti-tumor potential of 15,16-dihydrotanshinone I against breast adenocarcinoma through inducing G1 arrest and apoptosis, 1575
- Caspase-3  
Ursolic acid ameliorates cognition deficits and attenuates oxidative damage in the brain of senescent mice induced by D-galactose, 1078
- Catalase  
Artemisinin effectiveness in erythrocytes is reduced by heme and heme-containing proteins, 153
- Catecholamine secretion  
Effects of resveratrol, a grape polyphenol, on catecholamine secretion and synthesis in cultured bovine adrenal medullary cells, 1608
- Catecholamine synthesis  
Effects of resveratrol, a grape polyphenol, on catecholamine secretion and synthesis in cultured bovine adrenal medullary cells, 1608

## Cationic dyes

The effect of the lipophilic cation lucigenin on mitochondria depends on the site of its reduction, 545

## CD4 receptor

Design and cellular kinetics of dansyl-labeled CADA derivatives with anti-HIV and CD4 receptor down-modulating activity, 566

## Cdk1

Quinolone analogue inhibits tubulin polymerization and induces apoptosis via Cdk1-involved signaling pathways, 10

## Cell cycle

p53 dependent and independent sensitivity to oxaliplatin of colon cancer cells, 392

Anti-tumor potential of 15,16-dihydrotanshinone I against breast adenocarcinoma through inducing G1 arrest and apoptosis, 1575

## Cell cycle arrest

The anticancer agent prodigiosin induces p21<sup>WAF1/CIP1</sup> expression via transforming growth factor-beta receptor pathway, 1340

## Cell cycle regulators

Effects of anti-inflammatory drugs on proliferation, cytotoxicity and osteogenesis in bone marrow mesenchymal stem cells, 1371

## Cell death

Methylglyoxal suppresses TNF- $\alpha$ -induced NF- $\kappa$ B activation by inhibiting NF- $\kappa$ B DNA-binding, 579

## Cell division

Inhibition of bacterial cell division protein FtsZ by cinamaldehyde, 831

## Cell growth

Phospholipase A<sub>2</sub> as targets for anti-cancer drugs, 949

## Cell proliferation

Chrysin inhibited stem cell factor (SCF)/c-Kit complex-induced cell proliferation in human myeloid leukemia cells, 215

## Cell sensitivity

Accumulation, platinum-DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20

## Cell signaling

The anti-inflammatory actions of LCY-2-CHO, a carbazole analogue, in vascular smooth muscle cells, 298

## Cellular kinetics

Design and cellular kinetics of dansyl-labeled CADA derivatives with anti-HIV and CD4 receptor down-modulating activity, 566

## Cephalexin

Substrate specificity of MATE1 and MATE2-K, human multidrug and toxin extrusions/H<sup>+</sup>-organic cation antiporters, 359

## Ceramide

*De novo* ceramide biosynthesis is associated with resveratrol-induced inhibition of ornithine decarboxylase activity, 281

## Cerebral ischemia

Role of adenosine A<sub>3</sub> receptors on CA1 hippocampal neurotransmission during oxygen-glucose deprivation episodes of different duration, 768

## Ceruleinin

The inhibitors of protein acylation, cerulenin and tunicamycin, increase voltage-dependent Ca<sup>2+</sup> currents in the insulin-secreting INS 832/13 cell, 273

## c-fos

The calcium-sensing receptor (CaR) is involved in strontium ranelate-induced osteoblast proliferation, 438

## cGMP

Phosphodiesterase isozymes involved in regulation of HCO<sub>3</sub><sup>-</sup> secretion in isolated mouse duodenum *in vitro*, 1507

## Channel vestibule

Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164

## Chemokine receptor (CCR5)

Analysis of second messenger pathways stimulated by different chemokines acting at the chemokine receptor CCR5, 881

Allosteric effects of antagonists on signalling by the chemokine receptor CCR5, 891

## Chemokines

Analysis of second messenger pathways stimulated by different chemokines acting at the chemokine receptor CCR5, 881

Allosteric effects of antagonists on signalling by the chemokine receptor CCR5, 891

## Chemoprevention

Ins and outs of dietary phytochemicals in cancer chemoprevention, 533

## Chemosensitivity

p53 dependent and independent sensitivity to oxaliplatin of colon cancer cells, 392

## Chemotactic peptides

Discovery of Trp-Nle-Tyr-Met as a novel agonist for human formyl peptide receptor-like 1, 317

## Chemotaxis

PGD<sub>2</sub> metabolism in plasma: Kinetics and relationship with bioactivity on DP1 and CRTH2 receptors, 107

## Chemotherapy

C421 allele-specific ABCG2 gene amplification confers resistance to the antitumor triazoloacridone C-1305 in human lung cancer cells, 41

Expression of deoxynucleoside kinases and 5'-nucleotidases in mouse tissues: Implications for mitochondrial toxicity, 169

Harnessing drug resistance: Using ABC transporter proteins to target cancer cells, 1677

## Children

Neuronal nicotinic receptor agonists for the treatment of attention-deficit/hyperactivity disorder: Focus on cognition, 1212

## Chloramine-T

Functional consequences of methionine oxidation of hERG potassium channels, 702

## Cholesterol

Cholesterol as a determinant of cooperativity in the M<sub>2</sub> muscarinic cholinergic receptor, 236

## Cholesterol-lowering activity

Identification of two herbal compounds with potential cholesterol-lowering activity, 940

## Choline

Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus, 1134

## Chondrocytes

Effect of diadenosine polyphosphates in achondroplastic chondrocytes: Inhibitory effect of Ap<sub>4</sub>A on FGF9 induced MAPK cascade, 448

## CHRNA4

The role of the nicotinic acetylcholine receptors in sleep-related epilepsy, 1308

## CHRN2

The role of the nicotinic acetylcholine receptors in sleep-related epilepsy, 1308

- Chromatin modification  
HDAC inhibitors: Clinical update and mechanism-based potential, 659
- Chronic heart failure  
Effects of nonpeptide vasopressin  $V_2$  antagonist tolvaptan in rats with heart failure, 1466
- Chronic inflammatory disease  
Probing the substrate specificity of the ergothioneine transporter with methimazole, hercynine, and organic cations, 309
- Chrysin  
Chrysin inhibited stem cell factor (SCF)/c-Kit complex-induced cell proliferation in human myeloid leukemia cells, 215
- Cimetidine  
Impaired expression and function of breast cancer resistance protein (Bcrp) in brain cortex of streptozocin-induced diabetic rats, 1766
- Cinnamaldehyde  
Inhibition of bacterial cell division protein FtsZ by cinnamaldehyde, 831
- Ciprofloxacin  
A novel drug interaction between the quinolone antibiotic ciprofloxacin and a chiral metabolite of pentoxifylline, 639
- Cisplatin  
Cisplatin and doxorubicin repress Vascular Endothelial Growth Factor expression and differentially down-regulate Hypoxia-inducible Factor 1 activity in human ovarian cancer cells, 191  
Differential contribution of organic cation transporters, OCT2 and MATE1, in platinum agent-induced nephrotoxicity, 477
- Cisplatin  
New platinum(II) complexes containing both an O,O'-chelated acetylacetonate ligand and a sulfur ligand in the platinum coordination sphere induce apoptosis in HeLa cervical carcinoma cells, 28
- c-Jun amino-terminal kinases  
Involvement of p38<sup>MAPK</sup> on the antinociceptive action of myricitrin in mice, 924
- c-Kit  
Chrysin inhibited stem cell factor (SCF)/c-Kit complex-induced cell proliferation in human myeloid leukemia cells, 215  
[4-t-Butylphenyl]-N-(4-imidazol-1-yl phenyl)sulfonamide (ISCK03) inhibits SCF/c-kit signaling in 501mel human melanoma cells and abolishes melanin production in mice and brownish guinea pigs, 780
- Class B  $\beta$ -lactamases  
Metallo- $\beta$ -lactamases (classification, activity, genetic organization, structure, zinc coordination) and their superfamily, 1686
- Clozapine  
Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function, 1182
- c-myc  
De novo ceramide biosynthesis is associated with resveratrol-induced inhibition of ornithine decarboxylase activity, 281
- CMZ  
Change of drug excretory pathway by  $\text{CCl}_4$ -induced liver dysfunction in rat, 488
- Cocaine  
Irreversible binding of a novel phenylisothiocyanate tropane analog to monoamine transporters in rat brain, 336
- Cognitive deficits  
Treating schizophrenia symptoms with an  $\alpha 7$  nicotinic agonist, from mice to men, 1192
- Neuronal nicotinic receptor agonists for the treatment of attention-deficit/hyperactivity disorder: Focus on cognition, 1212
- Colon Cancer  
De novo ceramide biosynthesis is associated with resveratrol-induced inhibition of ornithine decarboxylase activity, 281
- Colonic epithelial cells  
13-Oxo-ODE is an endogenous ligand for PPAR $\gamma$  in human colonic epithelial cells, 612
- Colorectal cancer  
p53 dependent and independent sensitivity to oxaliplatin of colon cancer cells, 392
- Combination therapy  
Y1068 phosphorylation is the most sensitive target of disulfonated tetraphenylporphyrin-based photodynamic therapy on epidermal growth factor receptor, 226
- Competitive ligand site  
Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164
- Concentration window  
Existence of a distinct concentration window governing daunorubicin-induced mammalian liver mitotoxicity—implication for determining therapeutic window, 821
- $\alpha$ -ConotoxinMII  
Nicotinic receptors as CNS targets for Parkinson's disease, 1224
- Conserved motifs  
Metallo- $\beta$ -lactamases (classification, activity, genetic organization, structure, zinc coordination) and their superfamily, 1686
- Contraception  
Calcium channel antagonists: Clinical uses—Past, present and future, 1
- Cooperativity  
Cholesterol as a determinant of cooperativity in the  $M_2$  muscarinic cholinergic receptor, 236
- Coronary heart disease  
Effects of *Salviae Mitiorrhizae* and *Cortex Moutan* extract on the rat heart after myocardial infarction: A proteomic study, 415
- COX-2  
Prodelphinidin B-4 3'-O-gallate, a tea polyphenol, is involved in the inhibition of COX-2 and iNOS via the downregulation of TAK1-NF- $\kappa$ B pathway, 742
- CRE  
Rosmarinic acid induces melanogenesis through protein kinase A activation signaling, 960
- Crohn's disease  
The intestinal anti-inflammatory effects of the novel agent UR-1505 in the TNBS model of rat colitis are mediated by T-lymphocyte inhibition, 1496
- $\beta$ -Cryptoxanthin  
 $\beta$ -Cryptoxanthin, a novel natural RAR ligand, induces ATP-binding cassette transporters in macrophages, 256
- Crystal structure  
Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164
- CtBP1  
Involvement of CtBP1 in the transcriptional activation of the MDR1 gene in human multidrug resistant cancer cells, 851
- CXCR4  
Stromal cell-derived factor-1 enhances motility and integrin up-regulation through CXCR4, ERK and NF- $\kappa$ B-dependent pathway in human lung cancer cells, 1702

**Cyanidin 3-glucoside**

Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice, 1619

**Cyclic AMP**

Agonist-stimulated reactive oxygen species formation regulates  $\beta$ 2-adrenergic receptor signal transduction, 64

Differential regulation on human skin fibroblast by  $\alpha_1$  adrenergic receptor subtypes, 1401

**Cyclooxygenase-2**

Activation of thromboxane receptor  $\alpha$  induces expression of cyclooxygenase-2 through multiple signaling pathways in A549 human lung adenocarcinoma cells, 787

Requirement for protein kinase R in interleukin-1 $\alpha$ -stimulated effects in cartilage, 1636

**Cyclosporine A**

The intestinal anti-inflammatory effects of the novel agent UR-1505 in the TNBS model of rat colitis are mediated by T-lymphocyte inhibition, 1496

**CYP3A4**

Regulation of CYP3A4 and CYP2B6 expression by liver X receptor agonists, 1535

**CYP2B6**

Regulation of CYP3A4 and CYP2B6 expression by liver X receptor agonists, 1535

**CYP2C11, Spleen, Thymus, Bone marrow**

Sex-dependent expression of CYP2C11 in spleen, thymus and bone marrow regulated by growth hormone, 1476

**Cysteine cross-linking**

New structure model for the ATP-binding cassette multidrug transporter LmrA, 672

**Cytochrome P450**

Expression of drug metabolizing enzymes in hepatocyte-like cells derived from human embryonic stem cells, 496

Biotechnological synthesis of drug metabolites using human cytochrome P450 2D6 heterologously expressed in fission yeast exemplified for the designer drug metabolite 4'-hydroxymethyl- $\alpha$ -pyrrolidinobutyrophenone, 511

**Cytoprotection**

Heme oxygenase-1 mediates cytoprotective effects of immunostimulation in microglia, 723

**Cytosolic calcium**

The calcium-sensing receptor (CaR) is involved in strontium ranelate-induced osteoblast proliferation, 438

**Cytotoxicity**

Effects of anti-inflammatory drugs on proliferation, cytotoxicity and osteogenesis in bone marrow mesenchymal stem cells, 1371

**Dansyl**

Design and cellular kinetics of dansyl-labeled CADA derivatives with anti-HIV and CD4 receptor down-modulating activity, 566

***Daphne giraldii* Nitsche**

Identification of two herbal compounds with potential cholesterol-lowering activity, 940

**Daphnetoxin**

Identification of two herbal compounds with potential cholesterol-lowering activity, 940

**Daunorubicin**

Existence of a distinct concentration window governing daunorubicin-induced mammalian liver mitotoxicity—implication for determining therapeutic window, 821

**Death receptors**

Deglycosylated bleomycin induces apoptosis in lymphoma cell via c-jun NH<sub>2</sub>-terminal kinase but not reactive oxygen species, 1445

**Degradation**

Requirement for protein kinase R in interleukin-1 $\alpha$ -stimulated effects in cartilage, 1636

**Delayed matching**

Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582941, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202

**Demyelination**

The complex etiology of multiple sclerosis, 1321

**Dendritic cells**

Outer membrane protein A of *Acinetobacter baumannii* induces differentiation of CD4<sup>+</sup> T cells toward a Th1 polarizing phenotype through the activation of dendritic cells, 86

**Dependence**

Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299

**Depigmentation**

[4-t-Butylphenyl]-N-(4-imidazol-1-yl phenyl)sulfonamide (ISCK03) inhibits SCF/c-kit signaling in 501mel human melanoma cells and abolishes melanin production in mice and brownish guinea pigs, 780

**Desensitization**

Role of adenosine A<sub>3</sub> receptors on CA1 hippocampal neurotransmission during oxygen–glucose deprivation episodes of different duration, 768

Co-expression of neuropeptide Y Y1 and Y5 receptors results in heterodimerization and altered functional properties, 1652

**Detoxification**

Comparison of 2-aminophenol and 4-nitrophenol as *in vitro* probe substrates for the major human hepatic sulfotransferase, SULT1A1, demonstrates improved selectivity with 2-aminophenol, 352

**Detrusor**

Comparative pharmacological analysis of Rho-kinase inhibitors and identification of molecular components of Ca<sup>2+</sup> sensitization in the rat lower urinary tract, 647

**Development**

Role of endogenous nicotinic signaling in guiding neuronal development, 1112

Regulation of synaptic transmission and plasticity by neuronal nicotinic acetylcholine receptors, 1120

**D-Galactose**

Ursolic acid ameliorates cognition deficits and attenuates oxidative damage in the brain of senescent mice induced by D-galactose, 1078

**Diabetes**

Upregulation of sodium-dependent vitamin C transporter 2 expression in adrenals increases norepinephrine production and aggravates hyperlipidemia in mice with streptozotocin-induced diabetes, 1020

Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice, 1619

**Diabetes mellitus**

Impaired expression and function of breast cancer resistance protein (Bcrp) in brain cortex of streptozocin-induced diabetic rats, 1766

**Diadenosine polyphosphates**

Effect of diadenosine polyphosphates in achondroplastic chondrocytes: Inhibitory effect of Ap<sub>4</sub>A on FGF9 induced MAPK cascade, 448

**Diet**

Ins and outs of dietary phytochemicals in cancer chemoprevention, 533



- 1,4-Dihydropyridines  
Calcium channel antagonists: Clinical uses—Past, present and future, 1
- 15,16-Dihydrotanshinone I  
Anti-tumor potential of 15,16-dihydrotanshinone I against breast adenocarcinoma through inducing G1 arrest and apoptosis, 1575
- Diltiazem  
Calcium channel antagonists: Clinical uses—Past, present and future, 1
- Dinucleotide receptor  
Effect of diadenosine polyphosphates in achondroplastic chondrocytes: Inhibitory effect of Ap<sub>4</sub>A on FGF9 induced MAPK cascade, 448
- Dithiocarbamate  
Role of peroxidases, thiols and Bak/Bax in tumor cell susceptibility to Cu[DEDTC]<sub>2</sub>, 841
- DMXBA  
Treating schizophrenia symptoms with an  $\alpha 7$  nicotinic agonist, from mice to men, 1192
- DNA damage  
Relevance of extracellular and intracellular interactions of camptothecins as determinants of antitumor activity, 1437
- DNA microarray  
Change of drug excretory pathway by CCl<sub>4</sub>-induced liver dysfunction in rat, 488
- DNA topoisomerase  
Relevance of extracellular and intracellular interactions of camptothecins as determinants of antitumor activity, 1437
- Dopamine  
Discovery of a novel nicotinic receptor antagonist for the treatment of nicotine addiction: 1-(3-Picolinium)-12-triethylammonium-dodecane dibromide (TMPD), 1271  
Bupropion inhibits the cellular effects of nicotine in the ventral tegmental area, 1283  
Tamoxifen protects male mice nigrostriatal dopamine against methamphetamine-induced toxicity, 1413
- Dopamine  $\beta$ -hydroxylase  
Norepinephrine: The redheaded stepchild of Parkinson's disease, 177
- Dopamine overflow  
Comparison of the effects of bupropion and nicotine on locomotor activation and dopamine release *in vivo*, 1292
- Dopamine transporter  
Irreversible binding of a novel phenylisothiocyanate tropane analog to monoamine transporters in rat brain, 336  
Cytotoxicity of  $\beta$ -carbolines in dopamine transporter expressing cells: Structure–activity relationships, 1065
- Dopamine-4-O-sulfate  
Regioselective sulfonation of dopamine by SULT1A3 *in vitro* provides a molecular explanation for the preponderance of dopamine-3-O-sulfate in human blood circulation, 504
- Dopaminergic neurons  
The subtypes of nicotinic acetylcholine receptors on dopaminergic terminals of mouse striatum, 1235
- Down regulation  
Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells, 1029
- Doxepin  
Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425
- Doxorubicin  
Cisplatin and doxorubicin repress Vascular Endothelial Growth Factor expression and differentially down-regulate Hypoxia-inducible Factor I activity in human ovarian cancer cells, 191  
Protection by doxycycline against doxorubicin-induced oxidative stress and apoptosis in mouse testes, 969
- Doxycycline  
Protection by doxycycline against doxorubicin-induced oxidative stress and apoptosis in mouse testes, 969
- Drug  
Biotechnological synthesis of drug metabolites using human cytochrome P450 2D6 heterologously expressed in fission yeast exemplified for the designer drug metabolite 4'-hydroxymethyl- $\alpha$ -pyrrolidinobutyrophenone, 511
- Drug accumulation  
Accumulation, platinum–DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20
- Drug discovery  
Allosteric approaches to the targeting of G-protein-coupled receptors for novel drug discovery: A critical assessment, 383  
Neuronal nicotinic receptors: A perspective on two decades of drug discovery research, 1092
- Drug interaction  
Interaction and transport characteristics of mycophenolic acid and its glucuronide via human organic anion transporters hOAT1 and hOAT3, 161  
A novel drug interaction between the quinolone antibiotic ciprofloxacin and a chiral metabolite of pentoxifylline, 639
- Drug metabolism  
Comparison of 2-aminophenol and 4-nitrophenol as *in vitro* probe substrates for the major human hepatic sulfo-transferase, SULT1A1, demonstrates improved selectivity with 2-aminophenol, 352  
Expression of drug metabolizing enzymes in hepatocyte-like cells derived from human embryonic stem cells, 496
- Drug resistance  
Accumulation, platinum–DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20  
C421 allele-specific ABCG2 gene amplification confers resistance to the antitumor triazoloacridone C-1305 in human lung cancer cells, 41
- Drug treatment  
Effects of *Salviae Mitiorrhizae* and *Cortex Moutan* extract on the rat heart after myocardial infarction: A proteomic study, 415
- Duodenal HCO<sub>3</sub><sup>-</sup> secretion  
Phosphodiesterase isozymes involved in regulation of HCO<sub>3</sub><sup>-</sup> secretion in isolated mouse duodenum *in vitro*, 1507
- DY-9760e  
Imbalance between CaM kinase II and calcineurin activities impairs caffeine-induced calcium release in hypertrophic cardiomyocytes, 1727
- EAE  
The complex etiology of multiple sclerosis, 1321
- Ecto-ATPase  
Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524
- Ectonucleotidase  
Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524
- Edelfosine  
Lipid rafts and metabolic energy differentially determine uptake of anti-cancer alkylphospholipids in lymphoma versus carcinoma cells, 1456

## Efflux pumps

C421 allele-specific ABCG2 gene amplification confers resistance to the antitumor triazoloacridone C-1305 in human lung cancer cells, 41

## Egr-1 HEK293 cells

The calcium-sensing receptor (CaR) is involved in strontium ranelate-induced osteoblast proliferation, 438

## Electrophysiology

The inhibitors of protein acylation, cerulenin and tunicamycin, increase voltage-dependent  $\text{Ca}^{2+}$  currents in the insulin-secreting INS 832/13 cell, 273

In vitro screening strategies for nicotinic receptor ligands, 1172

## Emesis

A-366833: A novel nicotinonitrile-substituted 3,6-diazabicyclo[3.2.0]-heptane  $\alpha$ 4 $\beta$ 2 nicotinic acetylcholine receptor selective agonist: Synthesis, analgesic efficacy and tolerability profile in animal models, 1253

## Endocytosis

Lipid rafts and metabolic energy differentially determine uptake of anti-cancer alkylphospholipids in lymphoma versus carcinoma cells, 1456

## Endogenous ligand

13-Oxo-ODE is an endogenous ligand for PPAR $\gamma$  in human colonic epithelial cells, 612

## Endoplasmic reticulum

Apoptosis induction of 2'-hydroxycinnamaldehyde as a proteasome inhibitor is associated with ER stress and mitochondrial perturbation in cancer cells, 557

## Endothelial cell

YS 51, 1-( $\beta$ -naphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, protects endothelial cells against hydrogen peroxide-induced injury via carbon monoxide derived from heme oxygenase-1, 1361

## Endothelin-1

Antifibrogenic effects of histone deacetylase inhibitors on pancreatic stellate cells, 1747

## Energy metabolism

Effects of *Salviae Mitiorrhizae* and *Cortex Moutan* extract on the rat heart after myocardial infarction: A proteomic study, 415

## Enterohepatic circulation of bile acids

Regulation of hepatic bile acid transporters Ntcp and Bsep expression, 1665

## Enzyme

Expression of drug metabolizing enzymes in hepatocyte-like cells derived from human embryonic stem cells, 496

## Enzyme kinetics

Comparison of 2-aminophenol and 4-nitrophenol as in vitro probe substrates for the major human hepatic sulfotransferase, SULT1A1, demonstrates improved selectivity with 2-aminophenol, 352

Regioselective sulfonation of dopamine by SULT1A3 in vitro provides a molecular explanation for the preponderance of dopamine-3-O-sulfate in human blood circulation, 504

## Eosinophils

PGD $_2$  metabolism in plasma: Kinetics and relationship with bioactivity on DP1 and CRTH2 receptors, 107

EP $_2$  receptor

The PGE $_2$ -induced inhibition of the PLD activation pathway stimulated by fMLP in human neutrophils is mediated by PKA at the PI3-K $\gamma$  level, 730

## Epibatidine

A-366833: A novel nicotinonitrile-substituted 3,6-diazabicyclo[3.2.0]-heptane  $\alpha$ 4 $\beta$ 2 nicotinic acetylcholine receptor selective agonist: Synthesis, analgesic efficacy and tolerability profile in animal models, 1253

## Epidermal growth factor receptor

Y1068 phosphorylation is the most sensitive target of disulfonated tetraphenylporphyrin-based photodynamic therapy on epidermal growth factor receptor, 226

## Epigenetic regulation

HDAC inhibitors: Clinical update and mechanism-based potential, 659

## ER stress

Nuclear translocation of telomerase reverse transcriptase and calcium signaling in repression of telomerase activity in human lung cancer cells by fungal immunomodulatory protein from *Ganoderma tsugae*, 1541

## Ergothioneine

Probing the substrate specificity of the ergothioneine transporter with methimazole, hercynine, and organic cations, 309

## Ergothioneine transporter

Probing the substrate specificity of the ergothioneine transporter with methimazole, hercynine, and organic cations, 309

## ERK5

Chrysin inhibited stem cell factor (SCF)/c-Kit complex-induced cell proliferation in human myeloid leukemia cells, 215

## ERK

New platinum(II) complexes containing both an O,O'-chelated acetylacetonate ligand and a sulfur ligand in the platinum coordination sphere induce apoptosis in HeLa cervical carcinoma cells, 28

Inhibition of osteoclast differentiation and bone resorption by sauchinone, 911

## ERK1/2

Effect of diadenosine polyphosphates in achondroplastic chondrocytes: Inhibitory effect of Ap $_4$ A on FGF9 induced MAPK cascade, 448

## Erythrocyte

Modulation of glyceraldehyde 3 phosphate dehydrogenase activity and tyr-phosphorylation of Band 3 in human erythrocytes treated with ferriprotoporphyrin IX, 1383

## Erythropoietin

Lovastatin suppresses erythropoietin receptor surface expression through dual inhibition of glycosylation and geranylgeranylation, 590

## Erythropoietin receptor

Lovastatin suppresses erythropoietin receptor surface expression through dual inhibition of glycosylation and geranylgeranylation, 590

Estrogen receptor  $\alpha$ 

Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells, 1029

## Eukaryotic initiation factor 2

Requirement for protein kinase R in interleukin-1 $\alpha$ -stimulated effects in cartilage, 1636

## Excitation

Role of endogenous nicotinic signaling in guiding neuronal development, 1112

## Excretion

Change of drug excretory pathway by CCl $_4$ -induced liver dysfunction in rat, 488

## Extracellular-signal regulated kinase

Involvement of p38<sup>MAPK</sup> on the antinociceptive action of myricitrin in mice, 924

## F-Actin cytoskeleton

Irreversible cytoskeletal disarrangement is independent of caspase activation during in vitro azaspiracid toxicity in human neuroblastoma cells, 327

- Fas**  
Evidence that genetic deletion of the TNF receptor p60 or p80 inhibits Fas mediated apoptosis in macrophages, 1057
- Feeding**  
Co-expression of neuropeptide Y Y1 and Y5 receptors results in heterodimerization and altered functional properties, 1652
- Ferriprotoporphyrin IX**  
Modulation of glyceraldehyde 3 phosphate dehydrogenase activity and tyr-phosphorylation of Band 3 in human erythrocytes treated with ferriprotoporphyrin IX, 1383
- Fertility' immune cells**  
Calcium channel antagonists: Clinical uses—Past, present and future, 1
- FGFR3**  
Effect of diadenosine polyphosphates in achondroplastic chondrocytes: Inhibitory effect of Ap<sub>4</sub>A on FGF9 induced MAPK cascade, 448
- Fibrosis**  
A novel drug interaction between the quinolone antibiotic ciprofloxacin and a chiral metabolite of pentoxifylline, 639  
Antifibrogenic effects of histone deacetylase inhibitors on pancreatic stellate cells, 1747
- Field EPSP**  
Role of adenosine A<sub>3</sub> receptors on CA1 hippocampal neurotransmission during oxygen–glucose deprivation episodes of different duration, 768
- Flavonoids**  
The effect of quercetin phase II metabolism on its MRP1 and MRP2 inhibiting potential, 345  
Harnessing drug resistance: Using ABC transporter proteins to target cancer cells, 1677
- Flow-cytometry**  
The determination and correlation of molecular and cellular equilibrium K<sub>d</sub> and kinetic k<sub>off</sub> values for small molecule allosteric antagonists of LFA-1, 98
- Fluorescence anisotropy**  
Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164
- 5-Fluorouracil**  
Targeting platelet-derived endothelial cell growth factor/thymidine phosphorylase for cancer therapy, 1555
- fMLP**  
The PGE<sub>2</sub>-induced inhibition of the PLD activation pathway stimulated by fMLP in human neutrophils is mediated by PKA at the PI3-K $\gamma$  level, 730
- $\alpha\beta\beta\alpha$ -fold**  
Metallo- $\beta$ -lactamases (classification, activity, genetic organization, structure, zinc coordination) and their superfamily, 1686
- Formyl peptide receptor**  
The non-steroidal anti-inflammatory drug piroxicam blocks ligand binding to the formyl peptide receptor but not the formyl peptide receptor like 1, 1050
- Formyl peptide receptor like 1**  
Discovery of Trp-Nle-Tyr-Met as a novel agonist for human formyl peptide receptor-like 1, 317  
The non-steroidal anti-inflammatory drug piroxicam blocks ligand binding to the formyl peptide receptor but not the formyl peptide receptor like 1, 1050
- Freeze-frame click chemistry**  
Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164
- FtsZ**  
Inhibition of bacterial cell division protein FtsZ by cinnamaldehyde, 831
- Fumonisin B<sub>1</sub>**  
Fumonisin B<sub>1</sub> exposure and its selective effect on porcine jejunal segment: Sphingolipids, glycolipids and trans-epithelial passage disturbance, 144
- Fungal immunomodulatory protein**  
Nuclear translocation of telomerase reverse transcriptase and calcium signaling in repression of telomerase activity in human lung cancer cells by fungal immunomodulatory protein from *Ganoderma tsugae*, 1541
- Fura-2**  
Cell autonomy, receptor autonomy, and thermodynamics in nicotine receptor up-regulation, 1145
- G2**  
Role of peroxidases, thiols and Bak/Bax in tumor cell susceptibility to Cu[DEDTC]<sub>2</sub>, 841
- G1 arrest**  
Anti-tumor potential of 15,16-dihydrotanshinone I against breast adenocarcinoma through inducing G1 arrest and apoptosis, 1575
- G protein-coupled receptor**  
Cholesterol as a determinant of cooperativity in the M<sub>2</sub> muscarinic cholinergic receptor, 236
- G protein-coupled receptors**  
Role of adenosine A<sub>3</sub> receptors on CA1 hippocampal neurotransmission during oxygen–glucose deprivation episodes of different duration, 768
- GABA**  
Bupropion inhibits the cellular effects of nicotine in the ventral tegmental area, 1283
- GABAergic**  
Role of endogenous nicotinic signaling in guiding neuronal development, 1112
- GABAergic neurons**  
Cell autonomy, receptor autonomy, and thermodynamics in nicotine receptor up-regulation, 1145
- GAP43**  
Ursolic acid ameliorates cognition deficits and attenuates oxidative damage in the brain of senescent mice induced by D-galactose, 1078
- Gastrointestinal cell injury**  
NSAIDs enhance proteasomic degradation of survivin, a mechanism of gastric epithelial cell injury and apoptosis, 1485
- Gender**  
Regulation of hepatic bile acid transporters Ntcp and Bsep expression, 1665
- Gene expression**  
Expression of drug metabolizing enzymes in hepatocyte-like cells derived from human embryonic stem cells, 496  
Activation of thromboxane receptor  $\alpha$  induces expression of cyclooxygenase-2 through multiple signaling pathways in A549 human lung adenocarcinoma cells, 787
- Gene therapy**  
Inhibition of HIV replication: A powerful antiviral strategy by IFN- $\beta$  gene delivery in CD4<sup>+</sup> cells, 898
- Geranylgeranylation**  
Lovastatin suppresses erythropoietin receptor surface expression through dual inhibition of glycosylation and geranylgeranylation, 590
- GGPP**  
Lovastatin suppresses erythropoietin receptor surface expression through dual inhibition of glycosylation and geranylgeranylation, 590
- Glioblastoma**  
Phorbol 12-myristate 13-acetate (PMA)-induced migration of glioblastoma cells is mediated via p38MAPK/Hsp27 pathway, 690

- Glioma invasion**  
Repression of matrix metalloproteinase gene expression by ginsenoside Rh2 in human astroglioma cells, 1642
- Glucose transporter**  
Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice, 1619
- Glucose uptake**  
A<sub>1</sub> receptor deficiency causes increased insulin and glucagon secretion in mice, 1628
- Glutamate**  
Intrathecal substance P (1–7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade, 758  
Bupropion inhibits the cellular effects of nicotine in the ventral tegmental area, 1283
- glutamate EPSCs**  
Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus, 1134
- Glutamate-cysteine ligase**  
Interaction between the catalytic and modifier subunits of glutamate-cysteine ligase, 372
- Glutathione**  
Role of peroxidases, thiols and Bak/Bax in tumor cell susceptibility to Cu[DEDTC]<sub>2</sub>, 841  
Harnessing drug resistance: Using ABC transporter proteins to target cancer cells, 1677
- Glutathione biosynthesis**  
Interaction between the catalytic and modifier subunits of glutamate-cysteine ligase, 372
- Glyceraldehyde 3 phosphate dehydrogenase**  
Modulation of glyceraldehyde 3 phosphate dehydrogenase activity and tyr-phosphorylation of Band 3 in human erythrocytes treated with ferriprotoporphyrin IX, 1383
- Glycolipids**  
Fumonisin B<sub>1</sub> exposure and its selective effect on porcine jejunal segment: Sphingolipids, glycolipids and trans-epithelial passage disturbance, 144
- Glycosylation**  
Lovastatin suppresses erythropoietin receptor surface expression through dual inhibition of glycosylation and geranylgeranylation, 590
- Gniditrin**  
Identification of two herbal compounds with potential cholesterol-lowering activity, 940
- Gold compounds**  
A gold(II) phosphine complex selectively induces apoptosis in breast cancer cells: Implications for anticancer therapeutics targeted to mitochondria, 992
- GPCR heterodimers**  
Co-expression of neuropeptide Y Y1 and Y5 receptors results in heterodimerization and altered functional properties, 1652
- GPCR internalization**  
Co-expression of neuropeptide Y Y1 and Y5 receptors results in heterodimerization and altered functional properties, 1652
- G-protein-coupled receptor**  
Allosteric approaches to the targeting of G-protein-coupled receptors for novel drug discovery: A critical assessment, 383
- G-proteins**  
Agonist-stimulated reactive oxygen species formation regulates  $\beta$ 2-adrenergic receptor signal transduction, 64
- G-quadruplex ligands**  
Mechanism of acridine-based telomerase inhibition and telomere shortening, 679
- Gsk**  
Resveratrol-induced apoptosis in human T-cell acute lymphoblastic leukaemia MOLT-4 cells, 1568
- GTase**  
Inhibition of bacterial cell division protein FtsZ by cinnamaldehyde, 831
- Guggulsterone**  
Guggulsterone inhibits tumor cell proliferation, induces S-phase arrest, and promotes apoptosis through activation of c-Jun N-terminal kinase, suppression of Akt pathway, and downregulation of antiapoptotic gene products, 118
- Guinea pig**  
Ca<sup>2+</sup> extrusion in aged smooth muscle cells, 860
- Haem**  
Modulation of glyceraldehyde 3 phosphate dehydrogenase activity and tyr-phosphorylation of Band 3 in human erythrocytes treated with ferriprotoporphyrin IX, 1383
- Haloperidol**  
Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function, 1182
- HDAC4**  
Disruption of HDAC4/N-CoR complex by histone deacetylase inhibitors leads to inhibition of IL-2 gene expression, 465
- HDL**  
Highly sensitive upregulation of apolipoprotein A-IV by peroxisome proliferator-activated receptor  $\alpha$  (PPAR $\alpha$ ) agonist in human hepatoma cells, 1738
- HeLa**  
New platinum(II) complexes containing both an O,O'-chelated acetylacetonate ligand and a sulfur ligand in the platinum coordination sphere induce apoptosis in HeLa cervical carcinoma cells, 28
- Heme**  
Artemisinin effectiveness in erythrocytes is reduced by heme and heme-containing proteins, 153
- Heme oxygenase-1**  
Heme oxygenase-1 mediates cytoprotective effects of immunostimulation in microglia, 723  
YS 51, 1-( $\beta$ -naphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, protects endothelial cells against hydrogen peroxide-induced injury via carbon monoxide derived from heme oxygenase-1, 1361
- Heme oxygenase 1**  
2',4',6'-Tris(methoxymethoxy) chalcone protects against trinitrobenzene sulfonic acid-induced colitis and blocks tumor necrosis factor- $\alpha$ -induced intestinal epithelial inflammation via heme oxygenase 1-dependent and independent pathways, 870
- Hemorrhagic shock**  
Hemigramicidin-TEMPO conjugates: Novel mitochondria-targeted anti-oxidants, 801
- HepaRG**  
Highly sensitive upregulation of apolipoprotein A-IV by peroxisome proliferator-activated receptor  $\alpha$  (PPAR $\alpha$ ) agonist in human hepatoma cells, 1738
- Hepatocyte**  
Expression of drug metabolizing enzymes in hepatocyte-like cells derived from human embryonic stem cells, 496
- Herbal medicine**  
Effects of *Salviae Mitiorrhizae* and *Cortex Moutan* extract on the rat heart after myocardial infarction: A proteomic study, 415
- hERG**  
Inhibition of the hERG potassium channel by the tricyclic antidepressant doxepin, 425



- Functional consequences of methionine oxidation of hERG potassium channels, 702
- The membrane permeable calcium chelator BAPTA-AM directly blocks human ether a-go-go-related gene potassium channels stably expressed in HEK 293 cells, 1596
- Het-1A cells**
- Overexpression of SLURP-1 and -2 alleviates the tumorigenic action of tobacco-derived nitrosamine on immortalized oral epithelial cells, 1315
- HIF-1**
- Cisplatin and doxorubicin repress Vascular Endothelial Growth Factor expression and differentially down-regulate Hypoxia-inducible Factor I activity in human ovarian cancer cells, 191
- High-dose morphine**
- Intrathecal substance P (1–7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade, 758
- Hippocampal slices**
- Role of adenosine A<sub>3</sub> receptors on CA1 hippocampal neurotransmission during oxygen–glucose deprivation episodes of different duration, 768
- Hippocampus**
- Regulation of synaptic transmission and plasticity by neuronal nicotinic acetylcholine receptors, 1120
- Histidine-tagged protein**
- Interaction between the catalytic and modifier subunits of glutamate-cysteine ligase, 372
- Histone deacetylase**
- Disruption of HDAC4/N-CoR complex by histone deacetylase inhibitors leads to inhibition of IL-2 gene expression, 465
- Histone deacetylase inhibitors**
- HDAC inhibitors: Clinical update and mechanism-based potential, 659
- Antifibrogenic effects of histone deacetylase inhibitors on pancreatic stellate cells, 1747
- HIV**
- Allosteric effects of antagonists on signalling by the chemokine receptor CCR5, 891
- Inhibition of HIV replication: A powerful antiviral strategy by IFN- $\beta$  gene delivery in CD4<sup>+</sup> cells, 898
- HIV-1**
- Sulfated polymannuroguluronate, a novel anti-AIDS drug candidate, inhibits HIV-1 Tat-induced angiogenesis in Kaposi's sarcoma cells, 1330
- hKv1.5**
- The membrane permeable calcium chelator BAPTA-AM directly blocks human ether a-go-go-related gene potassium channels stably expressed in HEK 293 cells, 1596
- HO-1**
- The anti-inflammatory actions of LCY-2-CHO, a carbazole analogue, in vascular smooth muscle cells, 298
- 13-HODE dehydrogenase**
- 13-Oxo-ODE is an endogenous ligand for PPAR $\gamma$  in human colonic epithelial cells, 612
- Homology modelling**
- New structure model for the ATP-binding cassette multidrug transporter LmrA, 672
- Hot-plate**
- Behavioral modulation of neuronal calcium/calmodulin-dependent protein kinase II activity: Differential effects on nicotine-induced spinal and supraspinal antinociception in mice, 1247
- HPLC**
- Regioselective sulfonation of dopamine by SULT1A3 in vitro provides a molecular explanation for the preponderance of dopamine-3-O-sulfate in human blood circulation, 504
- Hsp27**
- Phorbol 12-myristate 13-acetate (PMA)-induced migration of glioblastoma cells is mediated via p38MAPK/Hsp27 pathway, 690
- hTERT**
- Nuclear translocation of telomerase reverse transcriptase and calcium signaling in repression of telomerase activity in human lung cancer cells by fungal immunomodulatory protein from *Ganoderma tsugae*, 1541
- Human**
- Inter-individual variability in esterases in human liver, 932
- Human embryonic stem cell**
- Expression of drug metabolizing enzymes in hepatocyte-like cells derived from human embryonic stem cells, 496
- Human fibroblast**
- Differential regulation on human skin fibroblast by  $\alpha_1$  adrenergic receptor subtypes, 1401
- Human hepatocytes**
- Regulation of CYP3A4 and CYP2B6 expression by liver X receptor agonists, 1535
- Human liver**
- Comparison of 2-aminophenol and 4-nitrophenol as in vitro probe substrates for the major human hepatic sulfotransferase, SULT1A1, demonstrates improved selectivity with 2-aminophenol, 352
- Human neuroblastoma**
- Irreversible cytoskeletal disarrangement is independent of caspase activation during in vitro azaspiracid toxicity in human neuroblastoma cells, 327
- Human serum albumin**
- Relevance of extracellular and intracellular interactions of camptothecins as determinants of antitumor activity, 1437
- Hydrophobicity**
- Accumulation, platinum–DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20
- 7-Hydroxycholesterol (7-OHCh)**
- Antioxidant effects of 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran and  $\alpha$ -tocopherol in hyperlipidemic mice as evaluated by hydroxyoctadecadienoic acid and 7-hydroxycholesterol, 1010
- 2'-hydroxycinnamaldehyde**
- Apoptosis induction of 2'-hydroxycinnamaldehyde as a proteasome inhibitor is associated with ER stress and mitochondrial perturbation in cancer cells, 557
- Hyperlipidemia**
- Upregulation of sodium-dependent vitamin C transporter 2 expression in adrenals increases norepinephrine production and aggravates hyperlipidemia in mice with streptozotocin-induced diabetes, 1020
- Hypertrophy**
- Imbalance between CaM kinase II and calcineurin activities impairs caffeine-induced calcium release in hypertrophic cardiomyocytes, 1727
- Hyponatremia**
- Effects of nonpeptide vasopressin V<sub>2</sub> antagonist tolvaptan in rats with heart failure, 1466
- Hypoxia**
- Identification of human reductases that activate the dinitrobenzamide mustard prodrug PR-104A: A role for NADPH:cytochrome P450 oxidoreductase under hypoxia, 810
- Idiopathic focal epilepsy**
- The role of the nicotinic acetylcholine receptors in sleep-related epilepsy, 1308

IFN- $\beta$ 

Inhibition of HIV replication: A powerful antiviral strategy by IFN- $\beta$  gene delivery in CD4<sup>+</sup> cells, 898

IKK $\alpha/\beta$ 

Prodelphinidin B-4 3'-O-gallate, a tea polyphenol, is involved in the inhibition of COX-2 and iNOS via the downregulation of TAK1-NF- $\kappa$ B pathway, 742

I<sub>Kr</sub>

Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425

## IL-2

Disruption of HDAC4/N-CoR complex by histone deacetylase inhibitors leads to inhibition of IL-2 gene expression, 465

## Immunostimulation

Heme oxygenase-1 mediates cytoprotective effects of immunostimulation in microglia, 723

## Immunosuppressants

Disruption of HDAC4/N-CoR complex by histone deacetylase inhibitors leads to inhibition of IL-2 gene expression, 465

## In situ hybridization

The subtypes of nicotinic acetylcholine receptors on dopaminergic terminals of mouse striatum, 1235

## Inflammation

Heme oxygenase-1 mediates cytoprotective effects of immunostimulation in microglia, 723

The complex etiology of multiple sclerosis, 1321

## Inflammatory bowel disease

The intestinal anti-inflammatory effects of the novel agent UR-1505 in the TNBS model of rat colitis are mediated by T-lymphocyte inhibition, 1496

## Inhibition of cAMP

Analysis of second messenger pathways stimulated by different chemokines acting at the chemokine receptor CCR5, 881

## Inhibition of differentiation and bone resorption

Inhibition of osteoclast differentiation and bone resorption by sauchinone, 911

## Inhibitor

Disruption of HDAC4/N-CoR complex by histone deacetylase inhibitors leads to inhibition of IL-2 gene expression, 465

The non-steroidal anti-inflammatory drug piroxicam blocks ligand binding to the formyl peptide receptor but not the formyl peptide receptor like 1, 1050

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## iNOS

Prodelphinidin B-4 3'-O-gallate, a tea polyphenol, is involved in the inhibition of COX-2 and iNOS via the downregulation of TAK1-NF- $\kappa$ B pathway, 742

The involvement of AMP-activated protein kinases in the anti-inflammatory effect of nicotine in vivo and in vitro, 1758

## Inositol phosphates

Agonist-stimulated reactive oxygen species formation regulates  $\beta$ 2-adrenergic receptor signal transduction, 64

The calcium-sensing receptor (CaR) is involved in strontium ranelate-induced osteoblast proliferation, 438

## Insecticide

The  $\omega$ -atractoxins: Selective blockers of insect M-LVA and HVA calcium channels, 623

## Insulin

Impaired expression and function of breast cancer resistance protein (Bcrp) in brain cortex of streptozocin-induced diabetic rats, 1766

## Insulin sensitivity

A<sub>1</sub> receptor deficiency causes increased insulin and glucagon secretion in mice, 1628

## Integrin

Stromal cell-derived factor-1 enhances motility and integrin up-regulation through CXCR4, ERK and NF- $\kappa$ B-dependent pathway in human lung cancer cells, 1702

Interferon- $\gamma$ 

Outer membrane protein A of *Acinetobacter baumannii* induces differentiation of CD4<sup>+</sup> T cells toward a Th1 polarizing phenotype through the activation of dendritic cells, 86

## Interleukin-12

Outer membrane protein A of *Acinetobacter baumannii* induces differentiation of CD4<sup>+</sup> T cells toward a Th1 polarizing phenotype through the activation of dendritic cells, 86

## Interleukin-1

Requirement for protein kinase R in interleukin-1 $\alpha$ -stimulated effects in cartilage, 1636

Interleukin-1 $\beta$ 

Involvement of p38<sup>MAPK</sup> on the antinociceptive action of myricitrin in mice, 924

## Intestinal epithelial cells

Depolarization and decreased surface expression of K<sup>+</sup> channels contribute to NSAID-inhibition of intestinal restitution, 74

Fumonisin B<sub>1</sub> exposure and its selective effect on porcine jejunal segment: Sphingolipids, glycolipids and trans-epithelial passage disturbance, 144

## Intracranial self-stimulation

Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299

## Intrathecal injection

Intrathecal substance P (1-7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade, 758

## Ischemia

Effects of *Salviae Miltiorrhizae* and *Cortex Moutan* extract on the rat heart after myocardial infarction: A proteomic study, 415

## Islet hormone secretion

A<sub>1</sub> receptor deficiency causes increased insulin and glucagon secretion in mice, 1628

## Isotope exchange

Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164

## JNK

Guggulsterone inhibits tumor cell proliferation, induces S-phase arrest, and promotes apoptosis through activation of c-Jun N-terminal kinase, suppression of Akt pathway, and downregulation of antiapoptotic gene products, 118

Deglycosylated bleomycin induces apoptosis in lymphoma cell via c-jun NH<sub>2</sub>-terminal kinase but not reactive oxygen species, 1445

## Jurkat

Neutral and positively charged thiols synergize the effect of the immunomodulator AS101 as a growth inhibitor of Jurkat cells, by increasing its uptake, 712

## Kaposi's sarcoma

Sulfated polymannuroguluronate, a novel anti-AIDS drug candidate, inhibits HIV-1 Tat-induced angiogenesis in Kaposi's sarcoma cells, 1330

- K-channel**  
Functional consequences of methionine oxidation of hERG potassium channels, 702
- Kinetic constants**  
Preparation and characterization of dialkylphosphoryl-obidoxime conjugates, potent anticholinesterase derivatives that are quickly hydrolyzed by human paraoxonase (PON1<sub>192Q</sub>), 1390
- Knockout mouse**  
The influence of P2Y<sub>12</sub> receptor deficiency on the platelet inhibitory activities of prasugrel in a mouse model: Evidence for specific inhibition of P2Y<sub>12</sub> receptors by prasugrel, 1003
- KRP**  
Highly sensitive upregulation of apolipoprotein A-IV by peroxisome proliferator-activated receptor  $\alpha$  (PPAR $\alpha$ ) agonist in human hepatoma cells, 1738
- Landomycin E**  
Mechanisms underlying the anticancer activities of the angucycline landomycin E, 1713
- LBH589**  
HDAC inhibitors: Clinical update and mechanism-based potential, 659
- LCY-2-CHO**  
The anti-inflammatory actions of LCY-2-CHO, a carbazole analogue, in vascular smooth muscle cells, 298
- LDLR**  
Identification of two herbal compounds with potential cholesterol-lowering activity, 940
- Lentiviral vector**  
Inhibition of HIV replication: A powerful antiviral strategy by IFN- $\beta$  gene delivery in CD4<sup>+</sup> cells, 898
- Leukaemia**  
Selective serotonin reuptake inhibitors—A new modality for the treatment of lymphoma/leukaemia?, 1424
- Leukemia**  
Epothilone-paclitaxel resistant leukemic cells CEM/dEpoB300 are sensitive to albendazole: Involvement of apoptotic pathways, 407
- Lipid peroxidation**  
Antioxidant effects of 2,3-dihydro-5-hydroxy-4,6-di-*tert*-butyl-2,2-dipentylbenzofuran and  $\alpha$ -tocopherol in hyperlipidemic mice as evaluated by hydroxyoctadecadienoic acid and 7-hydroxycholesterol, 1010
- Lipid rafts**  
Lipid rafts and metabolic energy differentially determine uptake of anti-cancer alkylphospholipids in lymphoma versus carcinoma cells, 1456
- Lipopolysaccharide**  
Heme oxygenase-1 mediates cytoprotective effects of immunostimulation in microglia, 723
- Lipoprotein oxidation**  
Amiodarone inhibits tocopherol-mediated human lipoprotein peroxidation, 265
- 15-Lipoxygenase**  
Effect of 15-lipoxygenase metabolites, 15-(S)-HPETE and 15-(S)-HETE on chronic myelogenous leukemia cell line K-562: Reactive oxygen species (ROS) mediate caspase-dependent apoptosis, 202
- Liver**  
Alcohol-induced S-adenosylhomocysteine accumulation in the liver sensitizes to TNF hepatotoxicity: Possible involvement of mitochondrial S-adenosylmethionine transport, 521  
Inter-individual variability in esterases in human liver, 932
- Liver dysfunction**  
Change of drug excretory pathway by CCl<sub>4</sub>-induced liver dysfunction in rat, 488
- Liver X receptor agonists**  
Regulation of CYP3A4 and CYP2B6 expression by liver X receptor agonists, 1535
- LmrA**  
New structure model for the ATP-binding cassette multidrug transporter LmrA, 672
- Locomotor activation**  
Comparison of the effects of bupropion and nicotine on locomotor activation and dopamine release *in vivo*, 1292
- Long QT syndrome**  
Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425
- Lovastatin**  
Lovastatin suppresses erythropoietin receptor surface expression through dual inhibition of glycosylation and geranylgeranylation, 590
- LPS**  
Hemigramicidin-TEMPO conjugates: Novel mitochondria-targeted anti-oxidants, 801
- LPS-induced bone destruction**  
Inhibition of osteoclast differentiation and bone resorption by sauchinone, 911
- LTP**  
Regulation of synaptic transmission and plasticity by neuronal nicotinic acetylcholine receptors, 1120
- Lung cancer**  
Stromal cell-derived factor-1 enhances motility and integrin up-regulation through CXCR4, ERK and NF- $\kappa$ B-dependent pathway in human lung cancer cells, 1702
- Lutein**  
 $\beta$ -Cryptoxanthin, a novel natural RAR ligand, induces ATP-binding cassette transporters in macrophages, 256
- LY379268**  
Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299
- Lycopene**  
Lycopene binds PDGF-BB and inhibits PDGF-BB-induced intracellular signaling transduction pathway in rat smooth muscle cells, 54
- Lymphocyte**  
The intestinal anti-inflammatory effects of the novel agent UR-1505 in the TNBS model of rat colitis are mediated by T-lymphocyte inhibition, 1496
- Lymphoid CYP2C11, Growth hormone regulation**  
Sex-dependent expression of CYP2C11 in spleen, thymus and bone marrow regulated by growth hormone, 1476
- Lymphoma**  
Deglycosylated bleomycin induces apoptosis in lymphoma cell via c-jun NH<sub>2</sub>-terminal kinase but not reactive oxygen species, 1445
- Lysophosphatidic acid**  
Phospholipase A<sub>2</sub> as targets for anti-cancer drugs, 949
- M<sub>2</sub> muscarinic cholinergic receptor**  
Cholesterol as a determinant of cooperativity in the M<sub>2</sub> muscarinic cholinergic receptor, 236
- Macrophages**  
Evidence that genetic deletion of the TNF receptor p60 or p80 inhibits Fas mediated apoptosis in macrophages, 1057
- Malaria**  
Artemisinin effectiveness in erythrocytes is reduced by heme and heme-containing proteins, 153

## MAP kinases

Outer membrane protein A of *Acinetobacter baumannii* induces differentiation of CD4<sup>+</sup> T cells toward a Th1 polarizing phenotype through the activation of dendritic cells, 86

Repression of matrix metalloproteinase gene expression by ginsenoside Rh2 in human astrogloma cells, 1642

## MATE1

Substrate specificity of MATE1 and MATE2-K, human multidrug and toxin extrusions/H<sup>+</sup>-organic cation antiporters, 359

Differential contribution of organic cation transporters, OCT2 and MATE1, in platinum agent-induced nephrotoxicity, 477

## MATE2-K

Substrate specificity of MATE1 and MATE2-K, human multidrug and toxin extrusions/H<sup>+</sup>-organic cation antiporters, 359

## MCD diet

Modulation of hepatic microsomal triglyceride transfer protein (MTP) induced by S-nitroso-N-acetylcysteine in ob/ob mice, 290

## MCF-7 cells

Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells, 1029

## Mcl-1

Role of peroxidases, thiols and Bak/Bax in tumor cell susceptibility to Cu[DEDTC]<sub>2</sub>, 841

## MDR1 gene

Involvement of CtBP1 in the transcriptional activation of the MDR1 gene in human multidrug resistant cancer cells, 851

## Mecamylamine

Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus, 1134

## Mechanism of action

The antiproliferative effects of phenoxodiol are associated with inhibition of plasma membrane electron transport in tumour cell lines and primary immune cells, 1587

## Mechanistic models

Cholesterol as a determinant of cooperativity in the M<sub>2</sub> muscarinic cholinergic receptor, 236

## Melanogenesis

Rosmarinic acid induces melanogenesis through protein kinase A activation signaling, 960

## Membrane potential

Depolarization and decreased surface expression of K<sup>+</sup> channels contribute to NSAID-inhibition of intestinal restitution, 74

In vitro screening strategies for nicotinic receptor ligands, 1172

## Memory

Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function, 1182

Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582941, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202

## Mesenchymal stem cells

Effects of anti-inflammatory drugs on proliferation, cytotoxicity and osteogenesis in bone marrow mesenchymal stem cells, 1371

## Metabolism

Expression of deoxynucleoside kinases and 5'-nucleotidases in mouse tissues: Implications for mitochondrial toxicity, 169

A novel drug interaction between the quinolone antibiotic ciprofloxacin and a chiral metabolite of pentoxifylline, 639

Identification of human reductases that activate the dinitrobenzamide mustard prodrug PR-104A: A role for NADPH:cytochrome P450 oxidoreductase under hypoxia, 810

Inter-individual variability in esterases in human liver, 932

A<sub>1</sub> receptor deficiency causes increased insulin and glucagon secretion in mice, 1628

## Metabolite-1

A novel drug interaction between the quinolone antibiotic ciprofloxacin and a chiral metabolite of pentoxifylline, 639

## Metabotropic 2/3 glutamate receptor agonist

Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299

## Metallo-β-lactamase superfamily

Metallo-β-lactamases (classification, activity, genetic organization, structure, zinc coordination) and their superfamily, 1686

## Metastasis

Targeting platelet-derived endothelial cell growth factor/thymidine phosphorylase for cancer therapy, 1555

## Methimazole

Probing the substrate specificity of the ergothioneine transporter with methimazole, hercynine, and organic cations, 309

## Methionine

Functional consequences of methionine oxidation of hERG potassium channels, 702

## Methionine sulfoxide reductase

Functional consequences of methionine oxidation of hERG potassium channels, 702

## Methoxy-catechols

The reactivity of ortho-methoxy-substituted catechol radicals with sulfhydryl groups: Contribution for the comprehension of the mechanism of inhibition of NADPH oxidase by apocynin, 457

## 4'-methyl-α-pyrrolidinobutyrophenone

Biotechnological synthesis of drug metabolites using human cytochrome P450 2D6 heterologously expressed in fission yeast exemplified for the designer drug metabolite 4'-hydroxymethyl-α-pyrrolidinobutyrophenone, 511

## Methylglyoxal

Methylglyoxal suppresses TNF-α-induced NF-κB activation by inhibiting NF-κB DNA-binding, 579

## Methyllycaconitine

Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus, 1134

## 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone

Overexpression of SLURP-1 and -2 alleviates the tumorigenic action of tobacco-derived nitrosamine on immortalized oral epithelial cells, 1315

## MGCD0103

HDAC inhibitors: Clinical update and mechanism-based potential, 659

## MHC

Design of protease-resistant myelin basic protein-derived peptides by cleavage site directed amino acid substitutions, 1514

## Mice

Behavioral modulation of neuronal calcium/calmodulin-dependent protein kinase II activity: Differential effects on nicotine-induced spinal and supraspinal antinociception in mice, 1247



## Microdialysis

Comparison of the effects of bupropion and nicotine on locomotor activation and dopamine release *in vivo*, 1292

## Microglia

Heme oxygenase-1 mediates cytoprotective effects of immunostimulation in microglia, 723

## Microsomal enzyme inducer

Regulation of hepatic bile acid transporters Ntcp and Bsep expression, 1665

## Migration

Phorbol 12-myristate 13-acetate (PMA)-induced migration of glioblastoma cells is mediated via p38MAPK/Hsp27 pathway, 690

Stromal cell-derived factor-1 enhances motility and integrin up-regulation through CXCR4, ERK and NF- $\kappa$ B-dependent pathway in human lung cancer cells, 1702

## Mitochondria

Expression of deoxynucleoside kinases and 5'-nucleotidases in mouse tissues: Implications for mitochondrial toxicity, 169

Alcohol-induced S-adenosylhomocysteine accumulation in the liver sensitizes to TNF hepatotoxicity: Possible involvement of mitochondrial S-adenosylmethionine transport, 521

Apoptosis induction of 2'-hydroxycinnamaldehyde as a proteasome inhibitor is associated with ER stress and mitochondrial perturbation in cancer cells, 557

A gold(I) phosphine complex selectively induces apoptosis in breast cancer cells: Implications for anticancer therapeutics targeted to mitochondria, 992

## Mitochondrial pore transition

Existence of a distinct concentration window governing daunorubicin-induced mammalian liver mitotoxicity—implication for determining therapeutic window, 821

## Mitotic arrest

Quinolone analogue inhibits tubulin polymerization and induces apoptosis via Cdk1-involved signaling pathways, 10

## Mitotoxicity

Existence of a distinct concentration window governing daunorubicin-induced mammalian liver mitotoxicity—implication for determining therapeutic window, 821

## MMP

Repression of matrix metalloproteinase gene expression by ginsenoside Rh2 in human astrogloma cells, 1642

## MO7e cells

Chrysin inhibited stem cell factor (SCF)/c-Kit complex-induced cell proliferation in human myeloid leukemia cells, 215

## MPBP

Biotechnological synthesis of drug metabolites using human cytochrome P450 2D6 heterologously expressed in fission yeast exemplified for the designer drug metabolite 4'-hydroxymethyl- $\alpha$ -pyrrolidinobutyrophenone, 511

## MRP2

The effect of quercetin phase II metabolism on its MRP1 and MRP2 inhibiting potential, 345

## MRS2179

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## MS-275

HDAC inhibitors: Clinical update and mechanism-based potential, 659

## MTP

Modulation of hepatic microsomal triglyceride transfer protein (MTP) induced by S-nitroso-N-acetylcysteine in ob/ob mice, 290

## Multidrug resistance

New structure model for the ATP-binding cassette multidrug transporter LmrA, 672

Involvement of CtBP1 in the transcriptional activation of the MDR1 gene in human multidrug resistant cancer cells, 851

Mechanisms underlying the anticancer activities of the angucycline landomycin E, 1713

## Multidrug resistance proteins

Harnessing drug resistance: Using ABC transporter proteins to target cancer cells, 1677

## Multiple sclerosis

The complex etiology of multiple sclerosis, 1321

## Mycophenolic acid

Interaction and transport characteristics of mycophenolic acid and its glucuronide via human organic anion transporters hOAT1 and hOAT3, 161

## Mycophenolic acid glucuronide

Interaction and transport characteristics of mycophenolic acid and its glucuronide via human organic anion transporters hOAT1 and hOAT3, 161

## Myelin

The complex etiology of multiple sclerosis, 1321

## Myeloid

GEA 3162, a peroxynitrite donor, induces Bcl-2-sensitive, p53-independent apoptosis in murine bone marrow cells, 1039

## Myeloperoxidase

The reactivity of *ortho*-methoxy-substituted catechol radicals with sulfhydryl groups: Contribution for the comprehension of the mechanism of inhibition of NADPH oxidase by apocynin, 457

## Myricitrin

Involvement of p38<sup>MAPK</sup> on the antinociceptive action of myricitrin in mice, 924

## nAChR

Neuronal nicotinic receptors: A perspective on two decades of drug discovery research, 1092

A-366833: A novel nicotinonitrile-substituted 3,6-diazabicyclo[3.2.0]-heptane  $\alpha$ 4 $\beta$ 2 nicotinic acetylcholine receptor selective agonist: Synthesis, analgesic efficacy and tolerability profile in animal models, 1253

## NADPH oxidase

The reactivity of *ortho*-methoxy-substituted catechol radicals with sulfhydryl groups: Contribution for the comprehension of the mechanism of inhibition of NADPH oxidase by apocynin, 457

## NAD(P)H-dependent oxidoreductases

The effect of the lipophilic cation lucigenin on mitochondria depends on the site of its reduction, 545

## NAFLD

Modulation of hepatic microsomal triglyceride transfer protein (MTP) induced by S-nitroso-N-acetylcysteine in ob/ob mice, 290

## NAG-1

The anticancer agent prodigiosin induces p21<sup>WAF1/CIP1</sup> expression via transforming growth factor-beta receptor pathway, 1340

## NASH

Modulation of hepatic microsomal triglyceride transfer protein (MTP) induced by S-nitroso-N-acetylcysteine in ob/ob mice, 290

## Natural compound

Lycopene binds PDGF-BB and inhibits PDGF-BB-induced intracellular signaling transduction pathway in rat smooth muscle cells, 54

## N-CoR

Disruption of HDAC4/N-CoR complex by histone deacetylase inhibitors leads to inhibition of IL-2 gene expression, 465

## NCX

Ca<sup>2+</sup> extrusion in aged smooth muscle cells, 860

## Necrosis

Methylglyoxal suppresses TNF- $\alpha$ -induced NF- $\kappa$ B activation by inhibiting NF- $\kappa$ B DNA-binding, 579

## Nephrotoxicity

Differential contribution of organic cation transporters, OCT2 and MATE1, in platinum agent-induced nephrotoxicity, 477

## Neurodegeneration

Norepinephrine: The redheaded stepchild of Parkinson's disease, 177

## Neurokinin A

Delay of cutaneous wound closure by morphine via local blockade of peripheral tachykinin release, 752

## Neurokinin-2 receptor

Delay of cutaneous wound closure by morphine via local blockade of peripheral tachykinin release, 752

## Neurokinin-2 receptor

Delay of cutaneous wound closure by morphine via local blockade of peripheral tachykinin release, 752

## Neuronal cultures

Cell autonomy, receptor autonomy, and thermodynamics in nicotine receptor up-regulation, 1145

## Neuronal nicotinic acetylcholine receptors

Heterogeneity and complexity of native brain nicotinic receptors, 1102

## Neuropeptide Y

Co-expression of neuropeptide Y Y1 and Y5 receptors results in heterodimerization and altered functional properties, 1652

## Neuroprotection

Norepinephrine: The redheaded stepchild of Parkinson's disease, 177

Tamoxifen protects male mice nigrostriatal dopamine against methamphetamine-induced toxicity, 1413

## Neurotoxin

Cytotoxicity of  $\beta$ -carbolines in dopamine transporter expressing cells: Structure-activity relationships, 1065

## Neurotransmitter release from synaptosomes

The subtypes of nicotinic acetylcholine receptors on dopaminergic terminals of mouse striatum, 1235

## Neutrophil

The non-steroidal anti-inflammatory drug piroxicam blocks ligand binding to the formyl peptide receptor but not the formyl peptide receptor like 1, 1050

## Neutrophyl

The reactivity of *ortho*-methoxy-substituted catechol radicals with sulfhydryl groups: Contribution for the comprehension of the mechanism of inhibition of NADPH oxidase by apocynin, 457

## NF449

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

NF- $\kappa$ B

Methylglyoxal suppresses TNF- $\alpha$ -induced NF- $\kappa$ B activation by inhibiting NF- $\kappa$ B DNA-binding, 579

Prodelphinidin B-4 3'-O-gallate, a tea polyphenol, is involved in the inhibition of COX-2 and iNOS via the downregulation of TAK1-NF- $\kappa$ B pathway, 742

Evidence that genetic deletion of the TNF receptor p60 or p80 inhibits Fas mediated apoptosis in macrophages, 1057  
Repression of matrix metalloproteinase gene expression by ginsenoside Rh2 in human astrogloma cells, 1642

## Nickel-NTA column

Interaction between the catalytic and modifier subunits of glutamate-cysteine ligase, 372

## Nicotine

Neuronal nicotinic receptors: A perspective on two decades of drug discovery research, 1092

Regulation of synaptic transmission and plasticity by neuronal nicotinic acetylcholine receptors, 1120

Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function, 1182

Treating schizophrenia symptoms with an  $\alpha$ 7 nicotinic agonist, from mice to men, 1192

Nicotinic receptors as CNS targets for Parkinson's disease, 1224

Behavioral modulation of neuronal calcium/calmodulin-dependent protein kinase II activity: Differential effects on nicotine-induced spinal and supraspinal antinociception in mice, 1247

A-366833: A novel nicotinonitrile-substituted 3,6-diazabicyclo[3.2.0]-heptane  $\alpha$ 4 $\beta$ 2 nicotinic acetylcholine receptor selective agonist: Synthesis, analgesic efficacy and tolerability profile in animal models, 1253

Multiple brain pathways and receptors underlying tobacco addiction, 1263

Discovery of a novel nicotinic receptor antagonist for the treatment of nicotine addiction: 1-(3-Picolinium)-12-triethylammonium-dodecane dibromide (TPMD), 1271

Comparison of the effects of bupropion and nicotine on locomotor activation and dopamine release *in vivo*, 1292

Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299

The involvement of AMP-activated protein kinases in the anti-inflammatory effect of nicotine *in vivo* and *in vitro*, 1758

## Nicotinic

Role of endogenous nicotinic signaling in guiding neuronal development, 1112

*In vitro* screening strategies for nicotinic receptor ligands, 1172

Nicotinic receptors as CNS targets for Parkinson's disease, 1224

Multiple brain pathways and receptors underlying tobacco addiction, 1263

Bupropion inhibits the cellular effects of nicotine in the ventral tegmental area, 1283

## Nicotinic acetylcholine receptor

Allosteric modulation of nicotinic acetylcholine receptors, 1155

Overexpression of SLURP-1 and -2 alleviates the tumorigenic action of tobacco-derived nitrosamine on immortalized oral epithelial cells, 1315

## Nicotinic acetylcholine receptor agonist

Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582941, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202

## Nicotinic acetylcholine receptors

The subtypes of nicotinic acetylcholine receptors on dopaminergic terminals of mouse striatum, 1235

Effects of resveratrol, a grape polyphenol, on catecholamine secretion and synthesis in cultured bovine adrenal medullary cells, 1608

## Nicotinic receptor structure

Structure-guided drug design: Conferring selectivity among neuronal nicotinic receptor and acetylcholine-binding protein subtypes, 1164

## Nicotinic receptors

Cell autonomy, receptor autonomy, and thermodynamics in nicotine receptor up-regulation, 1145

Treating schizophrenia symptoms with an  $\alpha 7$  nicotinic agonist, from mice to men, 1192

Discovery of a novel nicotinic receptor antagonist for the treatment of nicotine addiction: 1-(3-Picolinium)-12-triethylammonium-dodecane dibromide (TMPD), 1271

## Nifedipine

Calcium channel antagonists: Clinical uses—Past, present and future, 1

## Nigrostriatal

Nicotinic receptors as CNS targets for Parkinson's disease, 1224

## Nitric oxide

Intrathecal substance P (1–7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade, 758

Phosphodiesterase isozymes involved in regulation of  $\text{HCO}_3^-$  secretion in isolated mouse duodenum *in vitro*, 1507

 $\beta$ -nitrostyrene

Synthesis and pharmacological evaluation of novel  $\beta$ -nitrostyrene derivatives as tyrosine kinase inhibitors with potent antiplatelet activity, 601

## Nociception

Involvement of  $\text{p38}^{\text{MAPK}}$  on the antinociceptive action of myricitrin in mice, 924

## Non-selective cation channel

The calcium-sensing receptor (CaR) is involved in strontium ranelate-induced osteoblast proliferation, 438

## Non-steroidal anti-inflammatory drug

The non-steroidal anti-inflammatory drug piroxicam blocks ligand binding to the formyl peptide receptor but not the formyl peptide receptor like 1, 1050

## Non-steroidal anti-inflammatory drugs

Depolarization and decreased surface expression of  $\text{K}^+$  channels contribute to NSAID-inhibition of intestinal restitution, 74

## Norepinephrine

Upregulation of sodium-dependent vitamin C transporter 2 expression in adrenals increases norepinephrine production and aggravates hyperlipidemia in mice with streptozotocin-induced diabetes, 1020

## Norepinephrine transporter

Irreversible binding of a novel phenylisothiocyanate tropane analog to monoamine transporters in rat brain, 336

## NSAIDs

NSAIDs enhance proteasomic degradation of survivin, a mechanism of gastric epithelial cell injury and apoptosis, 1485

## Ntcp

Regulation of hepatic bile acid transporters Ntcp and Bsep expression, 1665

## NTPDase

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## Nuclear export

Nuclear translocation of telomerase reverse transcriptase and calcium signaling in repression of telomerase activity in human lung cancer cells by fungal immunomodulatory protein from *Ganoderma tsugae*, 1541

Nuclear factor- $\kappa\text{B}$ 

2',4',6'-Tris(methoxymethoxy) chalcone protects against trinitrobenzene sulfonic acid-induced colitis and blocks tumor necrosis factor- $\alpha$ -induced intestinal epithelial inflammation via heme oxygenase 1-dependent and independent pathways, 870

## Nucleoside kinases

Expression of deoxynucleoside kinases and 5'-nucleotidases in mouse tissues: Implications for mitochondrial toxicity, 169

## Nucleoside metabolism

Targeting platelet-derived endothelial cell growth factor/thymidine phosphorylase for cancer therapy, 1555

## Nucleotidases

Expression of deoxynucleoside kinases and 5'-nucleotidases in mouse tissues: Implications for mitochondrial toxicity, 169

## Nucleus accumbens

Comparison of the effects of bupropion and nicotine on locomotor activation and dopamine release *in vivo*, 1292

## Null mutant mice

The subtypes of nicotinic acetylcholine receptors on dopaminergic terminals of mouse striatum, 1235

## Obidoxime

Preparation and characterization of dialkylphosphoryl-obidoxime conjugates, potent anticholinesterase derivatives that are quickly hydrolyzed by human paraoxonase ( $\text{PON1}_{192\text{Q}}$ ), 1390

## OCT2

Differential contribution of organic cation transporters, OCT2 and MATE1, in platinum agent-induced nephrotoxicity, 477

## Off-rates

The determination and correlation of molecular and cellular equilibrium  $K_d$  and kinetic  $k_{\text{off}}$  values for small molecule allosteric antagonists of LFA-1, 98

## Oligomers

Cholesterol as a determinant of cooperativity in the  $\text{M}_2$  muscarinic cholinergic receptor, 236

## Ontogeny

Regulation of hepatic bile acid transporters Ntcp and Bsep expression, 1665

## Open channel blocker

The membrane permeable calcium chelator BAPTA-AM directly blocks human ether a-go-go-related gene potassium channels stably expressed in HEK 293 cells, 1596

## Operant task

Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582941, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202

## Opioid

Delay of cutaneous wound closure by morphine via local blockade of peripheral tachykinin release, 752

## Organic anion transporter

Interaction and transport characteristics of mycophenolic acid and its glucuronide via human organic anion transporters hOAT1 and hOAT3, 161

## Organic cations

Probing the substrate specificity of the ergothioneine transporter with methimazole, hercynine, and organic cations, 309

Substrate specificity of MATE1 and MATE2-K, human multidrug and toxin extrusions/ $\text{H}^+$ -organic cation antiporters, 359

## Ornithine decarboxylase

*De novo* ceramide biosynthesis is associated with resveratrol-induced inhibition of ornithine decarboxylase activity, 281

## Orthosteric

Allosteric approaches to the targeting of G-protein-coupled receptors for novel drug discovery: A critical assessment, 383

## Osteoclast

Inhibition of osteoclast differentiation and bone resorption by sauchinone, 911

## Osteogenesis

Effects of anti-inflammatory drugs on proliferation, cytotoxicity and osteogenesis in bone marrow mesenchymal stem cells, 1371

## Outer membrane protein A

Outer membrane protein A of *Acinetobacter baumannii* induces differentiation of CD4<sup>+</sup> T cells toward a Th1 polarizing phenotype through the activation of dendritic cells, 86

## Outer mitochondrial membrane

The effect of the lipophilic cation lucigenin on mitochondria depends on the site of its reduction, 545

## Oxaliplatin

p53 dependent and independent sensitivity to oxaliplatin of colon cancer cells, 392

Differential contribution of organic cation transporters, OCT2 and MATE1, in platinum agent-induced nephrotoxicity, 477

## Oxidant stress

Hemiramidicin-TEMPO conjugates: Novel mitochondria-targeted anti-oxidants, 801

## Oxidation

Functional consequences of methionine oxidation of hERG potassium channels, 702

## Oxidative injury

YS 51, 1-( $\beta$ -naphthylmethyl)-6,7-dihydroxy-1,2,3,4,-tetrahydroisoquinoline, protects endothelial cells against hydrogen peroxide-induced injury via carbon monoxide derived from heme oxygenase-1, 1361

## Oxidative stress

Interaction between the catalytic and modifier subunits of glutamate-cysteine ligase, 372

Protection by doxycycline against doxorubicin-induced oxidative stress and apoptosis in mouse testes, 969

Harnessing drug resistance: Using ABC transporter proteins to target cancer cells, 1677

## Oxidoreductase

Identification of human reductases that activate the dinitrobenzamide mustard prodrug PR-104A: A role for NADPH:cytochrome P450 oxidoreductase under hypoxia, 810

## 13-Oxo-ODE

13-Oxo-ODE is an endogenous ligand for PPAR $\gamma$  in human colonic epithelial cells, 612

## p53

Accumulation, platinum-DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20

Cisplatin and doxorubicin repress Vascular Endothelial Growth Factor expression and differentially down-regulate Hypoxia-inducible Factor 1 activity in human ovarian cancer cells, 191

p53 dependent and independent sensitivity to oxaliplatin of colon cancer cells, 392

Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981

GEA 3162, a peroxynitrite donor, induces Bcl-2-sensitive, p53-independent apoptosis in murine bone marrow cells, 1039

Resveratrol-induced apoptosis in human T-cell acute lymphoblastic leukaemia MOLT-4 cells, 1568

## p21

The anticancer agent prodigiosin induces p21<sup>WAF1/CIP1</sup> expression via transforming growth factor-beta receptor pathway, 1340

## P50 auditory evoked potential

Treating schizophrenia symptoms with an  $\alpha 7$  nicotinic agonist, from mice to men, 1192

## P2 receptor

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## Paclitaxel

Epothilone-paclitaxel resistant leukemic cells CEM/dEpoB300 are sensitive to albendazole: Involvement of apoptotic pathways, 407

## Pain

Calcium channel antagonists: Clinical uses—Past, present and future, 1

A-366833: A novel nicotinonitrile-substituted 3,6-diazabicyclo[3.2.0]-heptane  $\alpha 4\beta 2$  nicotinic acetylcholine receptor selective agonist: Synthesis, analgesic efficacy and tolerability profile in animal models, 1253

Pancreatic  $\beta$ -cell

The inhibitors of protein acylation, cerulenin and tunicamycin, increase voltage-dependent Ca<sup>2+</sup> currents in the insulin-secreting INS 832/13 cell, 273

## Pancreatic stellate cells

Antifibrogenic effects of histone deacetylase inhibitors on pancreatic stellate cells, 1747

## Parabens

Inter-individual variability in esterases in human liver, 932

## Paraoxonase

Preparation and characterization of dialkylphosphoryl-obidoxime conjugates, potent anticholinesterase derivatives that are quickly hydrolyzed by human paraoxonase (PON1<sup>192Q</sup>), 1390

## Parkinson's disease

Cytotoxicity of  $\beta$ -carbolines in dopamine transporter expressing cells: Structure-activity relationships, 1065

Nicotinic receptors as CNS targets for Parkinson's disease, 1224

Tamoxifen protects male mice nigrostriatal dopamine against methamphetamine-induced toxicity, 1413

## Paw edema

The involvement of AMP-activated protein kinases in the anti-inflammatory effect of nicotine in vivo and in vitro, 1758

## PD-ECGF

Targeting platelet-derived endothelial cell growth factor/thymidine phosphorylase for cancer therapy, 1555

## PDGF

Lycopene binds PDGF-BB and inhibits PDGF-BB-induced intracellular signaling transduction pathway in rat smooth muscle cells, 54

## Pentoxifylline

A novel drug interaction between the quinolone antibiotic ciprofloxacin and a chiral metabolite of pentoxifylline, 639

## Peptidomimetic

Discovery of Trp-Nle-Tyr-Met as a novel agonist for human formyl peptide receptor-like 1, 317

## Perifosine

Lipid rafts and metabolic energy differentially determine uptake of anti-cancer alkylphospholipids in lymphoma versus carcinoma cells, 1456

## Permeability transition pore

The effect of the lipophilic cation lucigenin on mitochondria depends on the site of its reduction, 545



**Peroxidase**

Role of peroxidases, thiols and Bak/Bax in tumor cell susceptibility to Cu[DEDTC]<sub>2</sub>, 841

**Peroxyxynitrite**

GEA 3162, a peroxyxynitrite donor, induces Bcl-2-sensitive, p53-independent apoptosis in murine bone marrow cells, 1039

**PGD<sub>2</sub>**

PGD<sub>2</sub> metabolism in plasma: Kinetics and relationship with bioactivity on DP1 and CRTH2 receptors, 107

**PGD<sub>2</sub> metabolites**

PGD<sub>2</sub> metabolism in plasma: Kinetics and relationship with bioactivity on DP1 and CRTH2 receptors, 107

**PGD<sub>2</sub> receptors DP1 and CRTH2**

PGD<sub>2</sub> metabolism in plasma: Kinetics and relationship with bioactivity on DP1 and CRTH2 receptors, 107

**PGE<sub>2</sub>**

The PGE<sub>2</sub>-induced inhibition of the PLD activation pathway stimulated by fMLP in human neutrophils is mediated by PKA at the PI3-K $\gamma$  level, 730

**P-glycoprotein**

Involvement of CtBP1 in the transcriptional activation of the MDR1 gene in human multidrug resistant cancer cells, 851

**Pharmacology**

Heterogeneity and complexity of native brain nicotinic receptors, 1102

**Phase II metabolism**

The effect of quercetin phase II metabolism on its MRP1 and MRP2 inhibiting potential, 345

**Phenotypes**

Preparation and characterization of dialkylphosphoryl-obidoxime conjugates, potent anticholinesterase derivatives that are quickly hydrolyzed by human paraoxonase (PON1<sub>192Q</sub>), 1390

**Phenoxodiol**

The antiproliferative effects of phenoxodiol are associated with inhibition of plasma membrane electron transport in tumour cell lines and primary immune cells, 1587

**Phenylisothiocyanate**

Irreversible binding of a novel phenylisothiocyanate tropine analog to monoamine transporters in rat brain, 336

**Phorbol 12-myristate 13-acetate**

Phorbol 12-myristate 13-acetate (PMA)-induced migration of glioblastoma cells is mediated via p38MAPK/Hsp27 pathway, 690

**Phosphodiesterase isozyme**

Phosphodiesterase isozymes involved in regulation of HCO<sub>3</sub><sup>-</sup> secretion in isolated mouse duodenum *in vitro*, 1507

**Phosphoinositides**

Differential regulation on human skin fibroblast by  $\alpha_1$  adrenergic receptor subtypes, 1401

**Phospholamban**

Imbalance between CaM kinase II and calcineurin activities impairs caffeine-induced calcium release in hypertrophic cardiomyocytes, 1727

**Phospholipase A<sub>2</sub>**

Phospholipase A<sub>2</sub> as targets for anti-cancer drugs, 949

**Phosphoryl oximes**

Preparation and characterization of dialkylphosphoryl-obidoxime conjugates, potent anticholinesterase derivatives that are quickly hydrolyzed by human paraoxonase (PON1<sub>192Q</sub>), 1390

**Photochemical internalization**

Y1068 phosphorylation is the most sensitive target of disulfonated tetraphenylporphyrin-based photodynamic therapy on epidermal growth factor receptor, 226

**Photodynamic therapy**

Y1068 phosphorylation is the most sensitive target of disulfonated tetraphenylporphyrin-based photodynamic therapy on epidermal growth factor receptor, 226

**Phycotoxin**

Irreversible cytoskeletal disarrangement is independent of caspase activation during *in vitro* azaspiracid toxicity in human neuroblastoma cells, 327

**Phytochemicals**

Ins and outs of dietary phytochemicals in cancer chemoprevention, 533

**Phytoestrogen**

Effects of resveratrol, a grape polyphenol, on catecholamine secretion and synthesis in cultured bovine adrenal medullary cells, 1608

**PI3K**

Chrysin inhibited stem cell factor (SCF)/c-Kit complex-induced cell proliferation in human myeloid leukemia cells, 215

Resveratrol-induced apoptosis in human T-cell acute lymphoblastic leukaemia MOLT-4 cells, 1568

**PI3-K $\gamma$** 

The PGE<sub>2</sub>-induced inhibition of the PLD activation pathway stimulated by fMLP in human neutrophils is mediated by PKA at the PI3-K $\gamma$  level, 730

**Piroxicam**

The non-steroidal anti-inflammatory drug piroxicam blocks ligand binding to the formyl peptide receptor but not the formyl peptide receptor like 1, 1050

**PKA**

The PGE<sub>2</sub>-induced inhibition of the PLD activation pathway stimulated by fMLP in human neutrophils is mediated by PKA at the PI3-K $\gamma$  level, 730

**Plasma membrane electron transport**

The antiproliferative effects of phenoxodiol are associated with inhibition of plasma membrane electron transport in tumour cell lines and primary immune cells, 1587

**Plasma membrane traversal**

Lipid rafts and metabolic energy differentially determine uptake of anti-cancer alkylphospholipids in lymphoma versus carcinoma cells, 1456

**Plasmodium falciparum**

Artemisinin effectiveness in erythrocytes is reduced by heme and heme-containing proteins, 153

**Platelet**

The influence of P2Y<sub>12</sub> receptor deficiency on the platelet inhibitory activities of prasugrel in a mouse model: Evidence for specific inhibition of P2Y<sub>12</sub> receptors by prasugrel, 1003

**Platelet aggregation**

PGD<sub>2</sub> metabolism in plasma: Kinetics and relationship with bioactivity on DP1 and CRTH2 receptors, 107

**PLD**

The PGE<sub>2</sub>-induced inhibition of the PLD activation pathway stimulated by fMLP in human neutrophils is mediated by PKA at the PI3-K $\gamma$  level, 730

**p38<sup>MAPK</sup>**

Involvement of p38<sup>MAPK</sup> on the antinociceptive action of myricitrin in mice, 924

**p38MAPK**

Phorbol 12-myristate 13-acetate (PMA)-induced migration of glioblastoma cells is mediated via p38MAPK/Hsp27 pathway, 690

**PMCA**

Ca<sup>2+</sup> extrusion in aged smooth muscle cells, 860

**Polymerization**

Inhibition of bacterial cell division protein FtsZ by cinamaldehyde, 831

## Polyphenols

Ins and outs of dietary phytochemicals in cancer chemoprevention, 533

## Polyploidy

Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981

## Potassium channels

Depolarization and decreased surface expression of K<sup>+</sup> channels contribute to NSAID-inhibition of intestinal restitution, 74

Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425

PPAR $\alpha$ 

Highly sensitive upregulation of apolipoprotein A-IV by peroxisome proliferator-activated receptor  $\alpha$  (PPAR $\alpha$ ) agonist in human hepatoma cells, 1738

PPAR $\gamma$ 

13-Oxo-ODE is an endogenous ligand for PPAR $\gamma$  in human colonic epithelial cells, 612

## Prasugrel

The influence of P2Y<sub>12</sub> receptor deficiency on the platelet inhibitory activities of prasugrel in a mouse model: Evidence for specific inhibition of P2Y<sub>12</sub> receptors by prasugrel, 1003

## Prazosin

Impaired expression and function of breast cancer resistance protein (Bcrp) in brain cortex of streptozocin-induced diabetic rats, 1766

## Pregnane X receptor

Regulation of CYP3A4 and CYP2B6 expression by liver X receptor agonists, 1535

## Primary afferent neuron

Delay of cutaneous wound closure by morphine via local blockade of peripheral tachykinin release, 752

## Proanthocyanidin

Prodelphinidin B-4 3'-O-gallate, a tea polyphenol, is involved in the inhibition of COX-2 and iNOS via the downregulation of TAK1-NF- $\kappa$ B pathway, 742

## Prodigiosin

The anticancer agent prodigiosin induces p21<sup>WAF1/CIP1</sup> expression via transforming growth factor-beta receptor pathway, 1340

## Prodrug

Identification of human reductases that activate the dinitrobenzamide mustard prodrug PR-104A: A role for NADPH:cytochrome P450 oxidoreductase under hypoxia, 810

## Proliferation

Effects of anti-inflammatory drugs on proliferation, cytotoxicity and osteogenesis in bone marrow mesenchymal stem cells, 1371

## Proliferative recovery

Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981

Prostaglandin E<sub>2</sub>

Phosphodiesterase isozymes involved in regulation of HCO<sub>3</sub><sup>-</sup> secretion in isolated mouse duodenum *in vitro*, 1507

## Prostaglandins

Activation of thromboxane receptor  $\alpha$  induces expression of cyclooxygenase-2 through multiple signaling pathways in A549 human lung adenocarcinoma cells, 787

## Proteasome

Specific blockage of ligand-induced degradation of the Ah receptor by proteasome but not calpain inhibitors in cell culture lines from different species, 131

Apoptosis induction of 2'-hydroxycinnamaldehyde as a proteasome inhibitor is associated with ER stress and mitochondrial perturbation in cancer cells, 557

## Protein acylation

The inhibitors of protein acylation, cerulenin and tunicamycin, increase voltage-dependent Ca<sup>2+</sup> currents in the insulin-secreting INS 832/13 cell, 273

## Protein degradation

Specific blockage of ligand-induced degradation of the Ah receptor by proteasome but not calpain inhibitors in cell culture lines from different species, 131

NSAIDs enhance proteasomic degradation of survivin, a mechanism of gastric epithelial cell injury and apoptosis, 1485

## Protein kinase A

Rosmarinic acid induces melanogenesis through protein kinase A activation signaling, 960

## Protein kinase C

Phorbol 12-myristate 13-acetate (PMA)-induced migration of glioblastoma cells is mediated via p38MAPK/Hsp27 pathway, 690

## Protein kinase R

Requirement for protein kinase R in interleukin-1 $\alpha$ -stimulated effects in cartilage, 1636

## Protein profiling

Effects of *Salviae Mitiorrhizae* and *Cortex Moutan* extract on the rat heart after myocardial infarction: A proteomic study, 415

## Protein tyrosine kinase inhibitors

Synthesis and pharmacological evaluation of novel  $\beta$ -nitrostyrene derivatives as tyrosine kinase inhibitors with potent antiplatelet activity, 601

## Protein-protein interactions

Interaction between the catalytic and modifier subunits of glutamate-cysteine ligase, 372

## Pt drugs

Accumulation, platinum-DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20

## Pt-DNA binding

Accumulation, platinum-DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20

## Purines

Role of adenosine A<sub>3</sub> receptors on CA1 hippocampal neurotransmission during oxygen-glucose deprivation episodes of different duration, 768

P2Y<sub>12</sub> receptor

The influence of P2Y<sub>12</sub> receptor deficiency on the platelet inhibitory activities of prasugrel in a mouse model: Evidence for specific inhibition of P2Y<sub>12</sub> receptors by prasugrel, 1003

## QT interval

Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425

## QT-prolongation

Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425

## Quercetin

The effect of quercetin phase II metabolism on its MRP1 and MRP2 inhibiting potential, 345  
Ins and outs of dietary phytochemicals in cancer chemoprevention, 533

## Quinolone

Quinolone analogue inhibits tubulin polymerization and induces apoptosis via Cdk1-involved signaling pathways, 10

## Rank order

Analysis of second messenger pathways stimulated by different chemokines acting at the chemokine receptor CCR5, 881

## Rapid delayed rectifier

Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425

## Rat

Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299

## Reactive blue 2

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## Reactive oxygen species

Agonist-stimulated reactive oxygen species formation regulates  $\beta$ 2-adrenergic receptor signal transduction, 64

The effect of the lipophilic cation lucigenin on mitochondria depends on the site of its reduction, 545

Existence of a distinct concentration window governing daunorubicin-induced mammalian liver mitotoxicity—implication for determining therapeutic window, 821

YS 51, 1-( $\beta$ -naphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, protects endothelial cells against hydrogen peroxide-induced injury via carbon monoxide derived from heme oxygenase-1, 1361

## Receptor

Multiple brain pathways and receptors underlying tobacco addiction, 1263

## Receptor internalisation

Allosteric effects of antagonists on signalling by the chemokine receptor CCR5, 891

## Receptor internalization

Agonist-stimulated reactive oxygen species formation regulates  $\beta$ 2-adrenergic receptor signal transduction, 64

## Receptor-occupancy

The determination and correlation of molecular and cellular equilibrium  $K_d$  and kinetic  $k_{off}$  values for small molecule allosteric antagonists of LFA-1, 98

## Reductive

Identification of human reductases that activate the dinitrobenzamide mustard prodrug PR-104A: A role for NADPH:cytochrome P450 oxidoreductase under hypoxia, 810

## Regioselectivity

Regioselective sulfonation of dopamine by SULT1A3 in vitro provides a molecular explanation for the preponderance of dopamine-3-O-sulfate in human blood circulation, 504

## Renal accumulation

Differential contribution of organic cation transporters, OCT2 and MATE1, in platinum agent-induced nephrotoxicity, 477

## Resistance

Epothilone-paclitaxel resistant leukemic cells CEM/dEpoB300 are sensitive to albendazole: Involvement of apoptotic pathways, 407

Lipid rafts and metabolic energy differentially determine uptake of anti-cancer alkylphospholipids in lymphoma versus carcinoma cells, 1456

## Respiration

Existence of a distinct concentration window governing daunorubicin-induced mammalian liver mitotoxicity—implication for determining therapeutic window, 821

## Resveratrol

*De novo* ceramide biosynthesis is associated with resveratrol-induced inhibition of ornithine decarboxylase activity, 281

Ins and outs of dietary phytochemicals in cancer chemoprevention, 533

Resveratrol-induced apoptosis in human T-cell acute lymphoblastic leukaemia MOLT-4 cells, 1568

Effects of resveratrol, a grape polyphenol, on catecholamine secretion and synthesis in cultured bovine adrenal medullary cells, 1608

## Retinoic acid receptor

$\beta$ -Cryptoxanthin, a novel natural RAR ligand, induces ATP-binding cassette transporters in macrophages, 256

## Retinoid X receptor

$\beta$ -Cryptoxanthin, a novel natural RAR ligand, induces ATP-binding cassette transporters in macrophages, 256

## Retinol binding protein 4

Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice, 1619

## Reversible Down-modulation

Design and cellular kinetics of dansyl-labeled CADA derivatives with anti-HIV and CD4 receptor down-modulating activity, 566

## Reward

Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299

## Rh2

Repression of matrix metalloproteinase gene expression by ginsenoside Rh2 in human astrogloma cells, 1642

## Rhesus monkey

Profile of nicotinic acetylcholine receptor agonists ABT-594 and A-582941, with differential subtype selectivity, on delayed matching accuracy by young monkeys, 1202

## RhoA

Comparative pharmacological analysis of Rho-kinase inhibitors and identification of molecular components of  $Ca^{2+}$  sensitization in the rat lower urinary tract, 647

## RhoGEFs

Comparative pharmacological analysis of Rho-kinase inhibitors and identification of molecular components of  $Ca^{2+}$  sensitization in the rat lower urinary tract, 647

## Rho-kinase

Comparative pharmacological analysis of Rho-kinase inhibitors and identification of molecular components of  $Ca^{2+}$  sensitization in the rat lower urinary tract, 647

## Risperidone

Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function, 1182

## Romidepsin

HDAC inhibitors: Clinical update and mechanism-based potential, 659

## ROS

Effect of 15-lipoxygenase metabolites, 15-(S)-HPETE and 15-(S)-HETE on chronic myelogenous leukemia cell line K-562: Reactive oxygen species (ROS) mediate caspase-dependent apoptosis, 202

Neutral and positively charged thiols synergize the effect of the immunomodulator AS101 as a growth inhibitor of Jurkat cells, by increasing its uptake, 712

Ursolic acid ameliorates cognition deficits and attenuates oxidative damage in the brain of senescent mice induced by D-galactose, 1078

Deglycosylated bleomycin induces apoptosis in lymphoma cell via c-jun  $NH_2$ -terminal kinase but not reactive oxygen species, 1445

## ROS production

Inhibition of osteoclast differentiation and bone resorption by sauchinone, 911

- Rosmarinic acid  
Rosmarinic acid induces melanogenesis through protein kinase A activation signaling, 960
- S-adenosylhomocysteine  
Alcohol-induced S-adenosylhomocysteine accumulation in the liver sensitizes to TNF hepatotoxicity: Possible involvement of mitochondrial S-adenosylmethionine transport, 521
- S-adenosylmethionine  
Alcohol-induced S-adenosylhomocysteine accumulation in the liver sensitizes to TNF hepatotoxicity: Possible involvement of mitochondrial S-adenosylmethionine transport, 521
- Salicylates  
The intestinal anti-inflammatory effects of the novel agent UR-1505 in the TNBS model of rat colitis are mediated by T-lymphocyte inhibition, 1496
- Saquinone  
Inhibition of osteoclast differentiation and bone resorption by saquinone, 911
- Sav1866  
New structure model for the ATP-binding cassette multidrug transporter LmrA, 672
- SCF  
Chrysin inhibited stem cell factor (SCF)/c-Kit complex-induced cell proliferation in human myeloid leukemia cells, 215
- Schistosomiasis  
Calcium channel antagonists: Clinical uses—Past, present and future, 1
- Schizophrenia  
Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function, 1182  
Treating schizophrenia symptoms with an  $\alpha 7$  nicotinic agonist, from mice to men, 1192
- Schizosaccharomyces pombe  
Biotechnological synthesis of drug metabolites using human cytochrome P450 2D6 heterologously expressed in fission yeast exemplified for the designer drug metabolite 4'-hydroxymethyl- $\alpha$ -pyrrolidinobutyrophenone, 511
- SDF  
Stromal cell-derived factor-1 enhances motility and integrin up-regulation through CXCR4, ERK and NF- $\kappa$ B-dependent pathway in human lung cancer cells, 1702
- Selective killing  
Selective serotonin reuptake inhibitors—A new modality for the treatment of lymphoma/leukaemia?, 1424
- Selective serotonin reuptake inhibitors  
Selective serotonin reuptake inhibitors—A new modality for the treatment of lymphoma/leukaemia?, 1424
- Senescence  
Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981
- SERCA  
Ca<sup>2+</sup> extrusion in aged smooth muscle cells, 860
- Serotonin transporter  
Irreversible binding of a novel phenylisothiocyanate tropane analog to monoamine transporters in rat brain, 336  
Selective serotonin reuptake inhibitors—A new modality for the treatment of lymphoma/leukaemia?, 1424
- [<sup>35</sup>S]GTP $\gamma$ S binding  
Allosteric effects of antagonists on signalling by the chemokine receptor CCR5, 891
- 15-(S)-HETE  
Effect of 15-lipoxygenase metabolites, 15-(S)-HPETE and 15-(S)-HETE on chronic myelogenous leukemia cell line K-562: Reactive oxygen species (ROS) mediate caspase-dependent apoptosis, 202
- Short QT syndrome  
Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425
- 15-(S)-HPETE  
Effect of 15-lipoxygenase metabolites, 15-(S)-HPETE and 15-(S)-HETE on chronic myelogenous leukemia cell line K-562: Reactive oxygen species (ROS) mediate caspase-dependent apoptosis, 202
- Signal transduction  
Activation of thromboxane receptor  $\alpha$  induces expression of cyclooxygenase-2 through multiple signaling pathways in A549 human lung adenocarcinoma cells, 787
- Signaling pathway  
Lycopene binds PDGF-BB and inhibits PDGF-BB-induced intracellular signaling transduction pathway in rat smooth muscle cells, 54
- Signalling  
Analysis of second messenger pathways stimulated by different chemokines acting at the chemokine receptor CCR5, 881
- Skin  
[4-t-Butylphenyl]-N-(4-imidazol-1-yl phenyl)sulfonamide (ISCK03) inhibits SCF/c-kit signaling in 501mel human melanoma cells and abolishes melanin production in mice and brownish guinea pigs, 780
- Skin fibroblast  
Differential regulation on human skin fibroblast by  $\alpha_1$  adrenergic receptor subtypes, 1401
- SLC22A4  
Probing the substrate specificity of the ergothioneine transporter with methimazole, hercynine, and organic cations, 309
- SLURP-2  
Overexpression of SLURP-1 and -2 alleviates the tumorigenic action of tobacco-derived nitrosamine on immortalized oral epithelial cells, 1315
- Smoking cessation  
Discovery of a novel nicotinic receptor antagonist for the treatment of nicotine addiction: 1-(3-Picolinium)-12-triethylammonium-dodecane dibromide (TMPD), 1271
- Smooth muscle  
Ca<sup>2+</sup> extrusion in aged smooth muscle cells, 860
- SNAC  
Modulation of hepatic microsomal triglyceride transfer protein (MTP) induced by S-nitroso-N-acetylcysteine in ob/ob mice, 290
- Snake venom  
Identification of novel bradykinin-potentiating peptides (BPPs) in the venom gland of a rattlesnake allowed the evaluation of the structure-function relationship of BPPs, 1350
- S-Nitroso-N-acetylcysteine  
Modulation of hepatic microsomal triglyceride transfer protein (MTP) induced by S-nitroso-N-acetylcysteine in ob/ob mice, 290
- Sodium-dependent vitamin C transporter (SVCT)  
Upregulation of sodium-dependent vitamin C transporter 2 expression in adrenals increases norepinephrine production and aggravates hyperlipidemia in mice with streptozotocin-induced diabetes, 1020
- Sphingolipids  
Fumonisin B<sub>1</sub> exposure and its selective effect on porcine jejunal segment: Sphingolipids, glycolipids and trans-epithelial passage disturbance, 144



## Spinal microdialysis

Intrathecal substance P (1–7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade, 758

## Spleen, Cytochrome P450

Sex-dependent expression of CYP2C11 in spleen, thymus and bone marrow regulated by growth hormone, 1476

## Splenic CYP2C11, Mitogen effects

Sex-dependent expression of CYP2C11 in spleen, thymus and bone marrow regulated by growth hormone, 1476

## SPR

The determination and correlation of molecular and cellular equilibrium  $K_d$  and kinetic  $k_{off}$  values for small molecule allosteric antagonists of LFA-1, 98

## Stereoselectivity

Cytotoxicity of  $\beta$ -carbolines in dopamine transporter expressing cells: Structure–activity relationships, 1065

## Stoichiometry

Heterogeneity and complexity of native brain nicotinic receptors, 1102

## Striatum

Nicotinic receptors as CNS targets for Parkinson's disease, 1224

Tamoxifen protects male mice nigrostriatal dopamine against methamphetamine-induced toxicity, 1413

## Stroke

Calcium channel antagonists: Clinical uses—Past, present and future, 1

## Structure–activity

Irreversible cytoskeletal disarrangement is independent of caspase activation during in vitro azaspiracid toxicity in human neuroblastoma cells, 327

## Structure–activity relationship

Discovery of Trp-Nle-Tyr-Met as a novel agonist for human formyl peptide receptor-like 1, 317

## Substance P

Delay of cutaneous wound closure by morphine via local blockade of peripheral tachykinin release, 752

## Substance P (1–7)

Intrathecal substance P (1–7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade, 758

## Substantia nigra

Tamoxifen protects male mice nigrostriatal dopamine against methamphetamine-induced toxicity, 1413

## Substituted pyrrole

Autophagic cell death, polyploidy and senescence induced in breast tumor cells by the substituted pyrrole JG-03-14, a novel microtubule poison, 981

## Subtypes

Heterogeneity and complexity of native brain nicotinic receptors, 1102

## Sulfated polymannuroguronate

Sulfated polymannuroguronate, a novel anti-AIDS drug candidate, inhibits HIV-1 Tat-induced angiogenesis in Kaposi's sarcoma cells, 1330

## Sulfation

Comparison of 2-aminophenol and 4-nitrophenol as in vitro probe substrates for the major human hepatic sulfo-transferase, SULT1A1, demonstrates improved selectivity with 2-aminophenol, 352

## Sulphydryl residues

The reactivity of *ortho*-methoxy-substituted catechol radicals with sulphydryl groups: Contribution for the comprehension of the mechanism of inhibition of NADPH oxidase by apocynin, 457

## Sulfotransferase

Comparison of 2-aminophenol and 4-nitrophenol as in vitro probe substrates for the major human hepatic sulfo-transferase, SULT1A1, demonstrates improved selectivity with 2-aminophenol, 352

## SULT1A3

Regioselective sulfonation of dopamine by SULT1A3 in vitro provides a molecular explanation for the preponderance of dopamine-3-O-sulfate in human blood circulation, 504

## Superoxide

Hemigramicidin–TEMPO conjugates: Novel mitochondria-targeted anti-oxidants, 801

## Suramin

Inhibition of human and mouse plasma membrane bound NTPDases by P2 receptor antagonists, 1524

## Survivin

NSAIDs enhance proteasomic degradation of survivin, a mechanism of gastric epithelial cell injury and apoptosis, 1485

## Swine

Fumonisin B<sub>1</sub> exposure and its selective effect on porcine jejunal segment: Sphingolipids, glycolipids and trans-epithelial passage disturbance, 144

## Synapse

Role of endogenous nicotinic signaling in guiding neuronal development, 1112

## Synaptic plasticity

Regulation of synaptic transmission and plasticity by neuronal nicotinic acetylcholine receptors, 1120

## Synaptic Transmission

Bupropion inhibits the cellular effects of nicotine in the ventral tegmental area, 1283

## Synthesis

Biotechnological synthesis of drug metabolites using human cytochrome P450 2D6 heterologously expressed in fission yeast exemplified for the designer drug metabolite 4'-hydroxymethyl- $\alpha$ -pyrrolidinobutyrophenone, 511

## T0901317

Regulation of CYP3A4 and CYP2B6 expression by liver X receptor agonists, 1535

## T cells

Calcium channel antagonists: Clinical uses—Past, present and future, 1

The antiproliferative effects of phenoxodiol are associated with inhibition of plasma membrane electron transport in tumour cell lines and primary immune cells, 1587

## Tail-flick

Behavioral modulation of neuronal calcium/calmodulin-dependent protein kinase II activity: Differential effects on nicotine-induced spinal and supraspinal antinociception in mice, 1247

## TAK1

Prodelphinidin B-4 3'-O-gallate, a tea polyphenol, is involved in the inhibition of COX-2 and iNOS via the downregulation of TAK1-NF- $\kappa$ B pathway, 742

## Tat

Sulfated polymannuroguronate, a novel anti-AIDS drug candidate, inhibits HIV-1 Tat-induced angiogenesis in Kaposi's sarcoma cells, 1330

## Taxanes

Cisplatin and doxorubicin repress Vascular Endothelial Growth Factor expression and differentially down-regulate Hypoxia-inducible Factor I activity in human ovarian cancer cells, 191

## TCDD

Specific blockage of ligand-induced degradation of the Ah receptor by proteasome but not calpain inhibitors in cell culture lines from different species, 131

## Tellurium(IV)

Neutral and positively charged thiols synergize the effect of the immunomodulator AS101 as a growth inhibitor of Jurkat cells, by increasing its uptake, 712

## Telomerase

Mechanism of acridine-based telomerase inhibition and telomere shortening, 679

## Telomere targeting

Mechanism of acridine-based telomerase inhibition and telomere shortening, 679

## TEMPOL

Hemigramicidin-TEMPO conjugates: Novel mitochondria-targeted anti-oxidants, 801

## Testis

Protection by doxycycline against doxorubicin-induced oxidative stress and apoptosis in mouse testes, 969

TGF- $\beta$ 

The anticancer agent prodigiosin induces p21<sup>WAF1/CIP1</sup> expression via transforming growth factor-beta receptor pathway, 1340

## Th1 cells

Outer membrane protein A of *Acinetobacter baumannii* induces differentiation of CD4<sup>+</sup> T cells toward a Th1 polarizing phenotype through the activation of dendritic cells, 86

## Th1 inflammation

The intestinal anti-inflammatory effects of the novel agent UR-1505 in the TNBS model of rat colitis are mediated by T-lymphocyte inhibition, 1496

## Thalassemia

Artemisinin effectiveness in erythrocytes is reduced by heme and heme-containing proteins, 153

## Thiols

Neutral and positively charged thiols synergize the effect of the immunomodulator AS101 as a growth inhibitor of Jurkat cells, by increasing its uptake, 712

## Thioredoxin

A gold(I) phosphine complex selectively induces apoptosis in breast cancer cells: Implications for anticancer therapeutics targeted to mitochondria, 992

## Thioredoxin reductase

A gold(I) phosphine complex selectively induces apoptosis in breast cancer cells: Implications for anticancer therapeutics targeted to mitochondria, 992

## Thromboxane receptor

Activation of thromboxane receptor  $\alpha$  induces expression of cyclooxygenase-2 through multiple signaling pathways in A549 human lung adenocarcinoma cells, 787

## Thymidine phosphorylase

Targeting platelet-derived endothelial cell growth factor/thymidine phosphorylase for cancer therapy, 1555

## Thymus, Cytochrome P450

Sex-dependent expression of CYP2C11 in spleen, thymus and bone marrow regulated by growth hormone, 1476

## TMPD

Discovery of a novel nicotinic receptor antagonist for the treatment of nicotine addiction: 1-(3-Picolinium)-12-triethylammonium-dodecane dibromide (TMPD), 1271

## TNFR

Evidence that genetic deletion of the TNF receptor p60 or p80 inhibits Fas mediated apoptosis in macrophages, 1057

## Tobacco

Multiple brain pathways and receptors underlying tobacco addiction, 1263

 $\alpha$ -Tocopherol

Amiodarone inhibits tocopherol-mediated human lipoprotein peroxidation, 265

## Tocopherol-mediated peroxidation

Amiodarone inhibits tocopherol-mediated human lipoprotein peroxidation, 265

 $\alpha$ -Tocopheroxyl radical

Amiodarone inhibits tocopherol-mediated human lipoprotein peroxidation, 265

## Tomato

Lycopene binds PDGF-BB and inhibits PDGF-BB-induced intracellular signaling transduction pathway in rat smooth muscle cells, 54

## Torsade de pointes

Inhibition of the HERG potassium channel by the tricyclic antidepressant doxepin, 425

## Total hydroxyoctadecadienoic acid (tHODE)

Antioxidant effects of 2,3-dihydro-5-hydroxy-4,6-di-tert-butyl-2,2-dipentylbenzofuran and  $\alpha$ -tocopherol in hyperlipidemic mice as evaluated by hydroxyoctadecadienoic acid and 7-hydroxycholesterol, 1010

## Toxicity

Expression of deoxynucleoside kinases and 5'-nucleotidases in mouse tissues: Implications for mitochondrial toxicity, 169

## Toxin

Identification of novel bradykinin-potentiating peptides (BPPs) in the venom gland of a rattlesnake allowed the evaluation of the structure-function relationship of BPPs, 1350

## Transactivation

Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells, 1029

## Transcription

Involvement of CtBP1 in the transcriptional activation of the MDR1 gene in human multidrug resistant cancer cells, 851

## Trans-epithelial flux

Fumonisin B<sub>1</sub> exposure and its selective effect on porcine jejunal segment: Sphingolipids, glycolipids and trans-epithelial passage disturbance, 144

Transforming growth factor- $\beta$ 

Antifibrogenic effects of histone deacetylase inhibitors on pancreatic stellate cells, 1747

## Transporters

Change of drug excretory pathway by CCl<sub>4</sub>-induced liver dysfunction in rat, 488

Relevance of extracellular and intracellular interactions of camptothecins as determinants of antitumor activity, 1437

## Treatment

Neuronal nicotinic receptor agonists for the treatment of attention-deficit/hyperactivity disorder: Focus on cognition, 1212

## Triglyceride

Highly sensitive upregulation of apolipoprotein A-IV by peroxisome proliferator-activated receptor  $\alpha$  (PPAR $\alpha$ ) agonist in human hepatoma cells, 1738

## Trigone

Comparative pharmacological analysis of Rho-kinase inhibitors and identification of molecular components of Ca<sup>2+</sup> sensitization in the rat lower urinary tract, 647

## Trinitrobenzene sulfonic acid

2',4',6'-Tris(methoxymethoxy) chalcone protects against trinitrobenzene sulfonic acid-induced colitis and blocks tumor necrosis factor- $\alpha$ -induced intestinal epithelial inflammation via heme oxygenase 1-dependent and independent pathways, 870

- 2',4',6'-Tris(methoxymethoxy) chalcone  
2',4',6'-Tris(methoxymethoxy) chalcone protects against trinitrobenzene sulfonic acid-induced colitis and blocks tumor necrosis factor- $\alpha$ -induced intestinal epithelial inflammation via heme oxygenase 1-dependent and independent pathways, 870
- Tropane  
Irreversible binding of a novel phenylisothiocyanate tropane analog to monoamine transporters in rat brain, 336
- Trp-Lys-Tyr-Met-Val-[p]Met  
Discovery of Trp-Nle-Tyr-Met as a novel agonist for human formyl peptide receptor-like 1, 317
- Tubular secretion  
Interaction and transport characteristics of mycophenolic acid and its glucuronide via human organic anion transporters hOAT1 and hOAT3, 161
- Tumor formation  
Phospholipase A<sub>2</sub> as targets for anti-cancer drugs, 949
- Tumor necrosis factor  
Alcohol-induced S-adenosylhomocysteine accumulation in the liver sensitizes to TNF hepatotoxicity: Possible involvement of mitochondrial S-adenosylmethionine transport, 521  
Methylglyoxal suppresses TNF- $\alpha$ -induced NF- $\kappa$ B activation by inhibiting NF- $\kappa$ B DNA-binding, 579
- Tumor necrosis factor- $\alpha$   
2',4',6'-Tris(methoxymethoxy) chalcone protects against trinitrobenzene sulfonic acid-induced colitis and blocks tumor necrosis factor- $\alpha$ -induced intestinal epithelial inflammation via heme oxygenase 1-dependent and independent pathways, 870  
Involvement of p38<sup>MAPK</sup> on the antinociceptive action of myricitrin in mice, 924
- Tunicamycin  
The inhibitors of protein acylation, cerulenin and tunicamycin, increase voltage-dependent Ca<sup>2+</sup> currents in the insulin-secreting INS 832/13 cell, 273
- Tyrosinase  
Rosmarinic acid induces melanogenesis through protein kinase A activation signaling, 960
- Ubiquitin  
Specific blockage of ligand-induced degradation of the Ah receptor by proteasome but not calpain inhibitors in cell culture lines from different species, 131
- Ubiquitin proteasome  
NSAIDs enhance proteasomic degradation of survivin, a mechanism of gastric epithelial cell injury and apoptosis, 1485
- Ulcerative colitis  
13-Oxo-ODE is an endogenous ligand for PPAR $\gamma$  in human colonic epithelial cells, 612
- U2-OS human osteosarcoma cell line  
Accumulation, platinum-DNA adduct formation and cytotoxicity of cisplatin, oxaliplatin and satraplatin in sensitive and resistant human osteosarcoma cell lines, characterized by p53 wild-type status, 20
- Up-regulation  
Cell autonomy, receptor autonomy, and thermodynamics in nicotine receptor up-regulation, 1145
- Urethra  
Comparative pharmacological analysis of Rho-kinase inhibitors and identification of molecular components of Ca<sup>2+</sup> sensitization in the rat lower urinary tract, 647
- Ursolic acid  
Ursolic acid ameliorates cognition deficits and attenuates oxidative damage in the brain of senescent mice induced by D-galactose, 1078
- Vascular smooth muscle  
The anti-inflammatory actions of LCY-2-CHO, a carbazole analogue, in vascular smooth muscle cells, 298
- Vasopressin  
Effects of nonpeptide vasopressin V<sub>2</sub> antagonist tolvaptan in rats with heart failure, 1466
- Vasopressin receptor antagonists  
Effects of nonpeptide vasopressin V<sub>2</sub> antagonist tolvaptan in rats with heart failure, 1466
- VEGF  
Cisplatin and doxorubicin repress Vascular Endothelial Growth Factor expression and differentially down-regulate Hypoxia-inducible Factor I activity in human ovarian cancer cells, 191
- Ventral midbrain  
Cell autonomy, receptor autonomy, and thermodynamics in nicotine receptor up-regulation, 1145
- Ventral tegmental area  
Regulation of synaptic transmission and plasticity by neuronal nicotinic acetylcholine receptors, 1120
- Verapamil  
Calcium channel antagonists: Clinical uses—Past, present and future, 1
- Vocalization and agitation  
Intrathecal substance P (1–7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade, 758
- Voltage-gated calcium channel  
The  $\omega$ -atractoxins: Selective blockers of insect M-LVA and HVA calcium channels, 623
- Vorinostat  
HDAC inhibitors: Clinical update and mechanism-based potential, 659
- Water excretion  
Effects of nonpeptide vasopressin V<sub>2</sub> antagonist tolvaptan in rats with heart failure, 1466
- Withdrawal  
Metabotropic glutamate 2/3 receptor activation induced reward deficits but did not aggravate brain reward deficits associated with spontaneous nicotine withdrawal in rats, 1299
- Xanthopyll  
 $\beta$ -Cryptoxanthin, a novel natural RAR ligand, induces ATP-binding cassette transporters in macrophages, 256
- Xenobiotics  
The effect of the lipophilic cation lucigenin on mitochondria depends on the site of its reduction, 545
- Yeast two-hybrid system  
Interaction between the catalytic and modifier subunits of glutamate-cysteine ligase, 372
- YS 51  
YS 51, 1-( $\beta$ -naphthylmethyl)-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, protects endothelial cells against hydrogen peroxide-induced injury via carbon monoxide derived from heme oxygenase-1, 1361
- Zinc binding sites  
Metallo- $\beta$ -lactamases (classification, activity, genetic organization, structure, zinc coordination) and their superfamily, 1686
- Z-ring  
Inhibition of bacterial cell division protein FtsZ by cinnamaldehyde, 831