



Biochemical Pharmacology, Volume 78, issue 4, 15 August 2009


Contents

COMMENTARY

A Translational Medicine perspective of the development of torcetrapib: Does the failure of torcetrapib development cast a shadow on future development of lipid modifying agents, HDL elevation strategies or CETP as a viable molecular target for atherosclerosis? A case study of the use of biomarkers and Translational Medicine in atherosclerosis drug discovery and development

p315–325


Lei Zhao, Weijun Jin, Daniel Rader, Chris Packard, Giora Feuerstein



Targeting cancer stem cells for more effective therapies: Taking out cancer's locomotive engine

p 326–334

Raymond J. Winquist, Diane M. Boucher, Mark Wood, Brinley F. Furey



ANTIBIOTICS AND CHEMOTHERAPEUTICS

Synthesis of ATP derivatives of compounds of the mevalonate pathway (isopentenyl di- and triphosphate; geranyl di- and triphosphate, farnesyl di- and triphosphate, and dimethylallyl diphosphate) catalyzed by T4 RNA ligase, T4 DNA ligase and other ligases. Potential relationship with the effect of bisphosphonates on osteoclasts

p335–343


Maria A. Günther Sillero, Anabel de Diego, Janeth E.F. Tavares, Joana A.D. Catanho da Silva, Francisco J. Pérez-Zúñiga, Antonio Sillero
Mevalonate derivatives containing a terminal pyrophosphate form a new family of compounds catalyzed by ligases. Potential relationship with bisphosphonates.



Antimelanoma activity of the redox dye DCPIP (2,6-dichlorophenolindophenol) is antagonized by NQO1

p 344–354


Christopher M. Cabello, Warner B. Bair 3rd, Alexandra S. Bause, Georg T. Wondrak



Sensitization of ABCB1 overexpressing cells to chemotherapeutic agents by FG020326 via binding to ABCB1 and inhibiting its function

p 355–364


Chun-ling Dai, Yong-ju Liang, Li-ming Chen, Xu Zhang, Wen-jing Deng, Xiao-dong Su, Zhi Shi, Chung-pu Wu, Charles R. Ashby Jr., Shin-ichi Akiyama, Suresh V. Ambudkar, Zhe-sheng Chen, Li-wu Fu



Cytotoxic activity and cellular processing in human ovarian carcinoma cell lines of a new platinum(II) compound containing a fluorescent substituted propylene diamine ligand

p 365–373

Patricia Marqués-Gallego, Hans den Dulk, Jaap Brouwer, Stefania Tanase, Ilpo Mutikainen, Urho Turpeinen, Jan Reedijk



CARDIOVASCULAR PHARMACOLOGY

Thromboxane prostanoid receptor activation impairs endothelial nitric oxide-dependent vasorelaxations: The role of Rho kinase

p 374–381


Cui Qing Liu, Fung Ping Leung, Siu Ling Wong, Wing Tak Wong, Chi Wai Lau, Limin Lu, Xiaoqiang Yao, Tai Yao, Yu Huang



An inhibitor of Janus kinase 2 prevents polycythemia in mice

p 382–389


Anjili Mathur, Jan-Rung Mo, Manfred Kraus, Erin O'Hare, Peter Sinclair, Jonathan Young, Shuxia Zhao, Yuxun Wang, Johnny Kopinja, Xianlu Qu, John Reilly, Deborah Walker, Lin Xu, Daniel Aleksandrowicz, Gary Marshall, Martin L. Scott, Nancy E. Kohl, Eric Bachman



INFLAMMATION AND IMMUNOPHARMACOLOGY


Reduced skin inflammatory response in mice lacking inducible nitric oxide synthase p 390–395

Rodrigo Medeiros, Cláudia P. Figueiredo, Giselle F. Passos, João B. Calixto



Cyclic AMP enhances resolution of allergic pleurisy by promoting inflammatory cell apoptosis via inhibition of PI3K/Akt and NF-κB p 396–405


Lirlândia P. Sousa, Aline F. Carmo, Bárbara M. Rezende, Fernando Lopes, Douglas M. Silva, Ana L. Alessandri, Cláudio A. Bonjardim, Adriano G. Rossi, Mauro M. Teixeira, Vanessa Pinho



PHARMACOKINETICS AND DRUG METABOLISM

Evaluation of the binding orientations of testosterone in the active site of homology models for CYP2C11 and CYP2C13 p 406–413


Hongwu Wang, Jemmie D. Cheng, Diana Montgomery, K.-C. Cheng




TOXICOLOGY

Renal organic anion transporters OAT1 and OAT3 mediate the cellular accumulation of 5-sulfooxymethylfurfural, a reactive, nephrotoxic metabolite of the Maillard product 5-hydroxymethylfurfural
p 414–419

Nadiya Bakhiya, Bernhard Monien, Heinz Frank, Albrecht Seidel, Hansruedi Glatt


Crystal structures of human group-VIIA phospholipase A2 inhibited by organophosphorus nerve agents exhibit non-aged complexes
p 420–429

Uttamkumar Samanta, Stephen D. Kirby, Prabhavathi Srinivasan, Douglas M. Cerasoli, Brian J. Bahnson

 The P_R stereoisomer of tabun reacted to give the P_R adduct of gVIIA-PLA2.


INDEXED/ABSTRACTED IN: *Curr. Cont.* ASCA, Biosis Data, CAB Inter., Chemical Abstracts Service, *Curr. Cont./Life Sci.*, CABS, EMBASE/Excerpt. Med., *Curr. Cont.* ISI/BIOMED Database, MEDLINE, PASCAL-CNRS Data, *Curr. Cont. Sci. Cit. Ind.*, *Curr. Cont.* SCISEARCH Data, Ind. Med., Reference Update. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.


ELSEVIER

Available online at


ScienceDirect
www.elsevier.com/locate/biochempharm