SUBJECT INDEX

Acetylcholinesterase, conversion of para-	Cellulose fibres, intermicellar system 300
thion into inhibitor by insect fat body 510	Cellulose micelles, remarks concerning flat-
Actinomycines, produced by Streptomyces	ness
S-67, amino acids	Chlorophyll, localisation within chloroplast 20
Adenine, a new — nucleotide 278	Chloroplast, localisation of chlorophyll 20
, enzymic conversion into adenosine	Cholesterol, formation, rat liver homog-
phosphates 341	enates, effect of coenzyme A 135
—, metabolism, rat	Cholinesterase, serum, structure of active
Adenosine, phosphoric esters, enzymic con-	surface
version of adenine into — 341	Chromatography, N-carbamoyl-amino acids 566
, separation of PP from	—, paper —, identification of two me-
triphosphate, efficiency of splitting	tabolites of isoniazid, rat urine 30.
during contraction, fibre models 319	—, paper partition —, quantitative de-
, —, role in dehydrogenation of pyru-	termination of keto-acids 439
vate, extracts of Cl. saccharobutyricum 480	Chymotrypsin, probable existence of a —
, solubilizing action on Mn-salts	without N-terminal alanine 300
of PP 98	Clostridium saccharobutyricum, extracts, de-
Adenylic acid, desoxy, acceptor for	hydrogenation of pyruvate, role of
high energy phosphate 156	ATP and CoA 486
Adrenaline, oxygen consumption of liver	Clostridium welchii, a-toxin, influence on
homogenates, influence 87	lipoprotein transformations
Adrenochrome, oxidation 299	Cobalamin protein, preparation and proper-
, oxygen consumption of liver homog-	ties
enates, influence 87	Coenzyme A, effect on cholesterol formation,
Aerobacter cloacae, phospho-2-keto-D-gluco-	rat liver homogenates
nate, intermediate in carbohydrate	—, role in dehydrogenation of pyruvate,
metabolism 302	extracts of Cl. saccharobutyricum 480
Alanine, probable existence of a chymo-	Compound F, see hormone
trypsin without N-terminal — 300	L-Cysteinesulphinic acid, repercussion of
Algae, nature of starches 593	vitamin B ₆ deficiency on metabolism
Alginic acid, enzymic hydrolysis 338	in vivo and in vitro, rat 313
Amino acids, actinomycines produced by	
Strontomycon S. 67 content	Cytochemistry, Feulgen reaction of DNA,
Streptomyces S-67, content 143	colour intensity of reaction in situ,
——, labelled, incorporation into growing tur-	chemical determination 66
nip yellow mosaic virus and related non-	Desoxyadenylic acid, see Adenylic acid
infective antigen, preliminary study . 307	Desoxyribonucleate, see Nucleate
, N-carbamoyl, chromatography 560	Desoxyribonucleic acid, see Nucleic acid
Ascaris lumbricoides, oxidative phosphory-	Desoxyribonucleoprotein, see Nucleoprotein
lations, occurrence in muscle 331	Dicarnitine, racemic, poor methyl donator
Ascorbic acid, oxidation by terramycin 505	when administered orally 454
Bilirubin, nature of direct and indirect —— 159	, Tenebrio molitor L, replacement of
Bisdithiocarbamate, biochemical mode of	natural carnitine by —— in nutri-
action 545	tional medium
Bone, ultrastructure, X-ray diffraction	Diisothiocyanate, biochemical mode of
studies	action 545
Brain tissue, evidence for a "neutral prote-	Egg white, chicken, duck, and turkey,
inase''	proteins
—, proteolytic activity 87	—, globulines, immunochemical and elec-
Carbohydrate, metabolism, phospho-2-keto-	trophoretic studies, characterization
D-gluconate as intermediate, Aer.	and isolation
cloacae 302	Electron microscopy, bacterial cell-wall,
Carbon dioxide, in vitro fixation into suc-	structure during cell division 31
cinate 61	, chlorophyll, localisation within chloro-
Carboxypeptidase, factors determining en-	plast
zymic activity 291	—, ferritin
Carnitine, Tenebrio molitor L, replacement	Electrophoresis, cell for analysing four
of natural —— by synthetic "dicarni-	
tine" in nutritional medium 160	samples simultaneously 451 —, globulines of egg white, studies 216
Cell wall, bacterial, structure during cell	starch columns in cone
	, starch columns in zone 175
division	Enzyme-catalyzed reaction, pH variation of
e in a serie of	maximal initial velocity, interpre-
fraction and solubility tests I	tation

Enzyme foam fractionation, general charac-	Intestine, absorption of glucose, in vivo and	
teristics	perfusion studies	54
Erythrocytes, phosphate uptake, influence of	Iron (radioactive), metabolism by leuco-	
hematocrit and plasma on mechanism 525	cytes, aspects	102
, rabbit, mechanism of phosphate	Isomaltose, reversible transglucosidation	0
uptake	of ——	158
Escherichia coli, accumulation of thymidylic	Isoniazid, two metabolites, identification by	
acid after U.V. irradiation 589	paper chromatography, rat urine	304
, breakdown of pentose phosphates 288	Keto-acids, quantitative determination,	
—, nucleic acid synthesis, utilization of	paper partition chromatography	439
purine and pyrimidine compounds 381	a-Ketoglutarate, phosphorylation coupled	
(K-12), ultraviolet induction of lysis,	to oxidation, evidence for new inter-	6
action spectrum	mediate	140
Fatty acid, oxidizing system, reconstruction with TTZ as electron acceptor 425	uricase	
Ferritin, electron microscopic study 569	Leucocytes, radioiron metabolism, aspects.	
Feulgen reaction, quantitative cytochemis-	Lipase, pancreatic, rat, effect of tauro-cholic	102
try of DNA, colour intensity of re-	acid on pH/activity curve	T 40
action in situ, chemical determination 66	Lipolysis, glycerides, pancreatic, mechanism	
Fibre models, rate of shortening and effi-	Lipoprotein, transformations, influence of	491
ciency of splitting of ATP during con-	heparin and Cl. welchii α-toxin	72
traction	Liver, amphibian, xanthine oxidase and	/ ~
, rate of shortening and load, relation . 564	uricase	151
Fibroblast, chick, tissue cultures, antimi-	—, homogenates, oxygen consumption,	- 3-
totic action of some phenolic com-	influence of adrenaline and adreno-	
pounds	chrome	80
Fumarase, ionisation constants 354	, rat, homogenates, formation of chol-	
Globuline, egg white, immunochemical and	esterol, effect of coenzyme A	135
electrophoretic studies, characteri-	—, —, occurrence of free thi-	
zation and isolation 216	amine pyrophosphate in soluble frac-	
Glucose, absorption from intestine, in vivo	tion	138
and perfusion studies 54	—, —, occurrence of labile phosphate	
Glycerides, pancreatic lypolysis, mechanism 491	in nuclei	360
Glycine-1-14C, in vitro incorporation into	—, uridine nucleotide compounds	386
proteins of reticulocytes, relationship	Lymphatic cells, incorporation of ³² P into	
of RNA 209	nucleic acids in vitro, effect of adrenal	
, in vitro incorporation in reticulocytes 583		516
Glycocyamine, isolation from marine worms 533	Mammary gland, lactating slices, effect of	
Guanylic acid, labelled with 32P, metabolism	melanophore-dispersing hormone ("B")	
in rat	, nucleotide components	587
Helix Pomatia, hemocyanin, streaming di-	Manganese, salts of PP, solubilizing action	0
electric investigation 577	of ATP	98
Hemocyanin, Helix Pomatia, streaming di-	Melanophore-dispersing hormone, see Hormone	
electric investigation 577	Nuclease, ribo ——, active groups, enzyme-	
Hematocrit, mechanism of phosphate up- take by rabbit erythrocytes, influence 525	substrate complex	E 2 ~
Heparin, influence on lipoprotein transfor-	,, oxido-reduction	
mations	Nucleate, desoxyribo ——, changes in infra-	
Histone, calf thymus desoxyribonucleo-	red absorption spectrum with pH,	
protein, preparation and homogeneity 224	interpretation on basis of Watson and	
Hormone, adrenal cortical (compound F),		455
incorporation of ³² P into nucleic acids	,, commonly used methods of pre-	100
of lymphatic cells in vitro, effect 516	paring, critical study	374
——, melanophore dispersing ("B"), effect	—, some polyelectrolyte properties	
on lactating mammary gland slices in	Nuclei, rat liver, occurrence of labile phos-	
vitro 449	phate	360
Hyaluronidase, synthetic polyanionic inhib-	Nucleic acid, lymphatic cells, incorporation	
itors 293	of 32P in vitro, effect of adrenal cortical	
Hydantoic acids, chromatography 560	hormones	516
Immunochemistry, globulines of egg white,	—, synthesis, E. coli, utilization of purine	. ^
studies	and pyrimidine compounds	381
Insulin, elution and displacement analysis	—, desoxyribo —, colour intensity of	
on pre-treated carbon	Feulgen reaction in situ, chemical de-	6.
, size of monomer	termination	66

Nucleic acid, desoxyribo —, preparation by	Phosphate, labile, occurrence in rat liver	
Gulland method, study 41	nuclei	360
,, resistance to physical and	, uptake by rabbit erythrocytes, influ-	•
chemical factors 459	ence of hematocrit and plasma on	
,, ultraviolet absorption spectra . 161	mechanism	525
, ribo, content of pancreas and	—, ortho —, ³² P-labelled, incorporation	5-5
parotid glands during enzyme synthe-	into nucleotides	413
sis and secretion in vitro 236	,, uptake by rabbit erythro-	т-Ј
—, incorporation of thiouracil, to-	cytes, mechanism	241
bacco mosaic virus, influence on multi-	, pyro, separation from adenosine	-41
plication	phosphates, solubilizing action of ATP	- 0
, —, in vitro incorporation of glycine-	on Mn-salts	98
1-14C into proteins of reticulocytes,	Phospho-2-keto-D-gluconate, intermediate in	
relationship 209	carbohydrate metabolism, Aer. cloacae	302
—, —, nucleotides, incorporation of ³² P	Phosphorus (radioactive), incorporation into	
in pancreas slices during enzyme syn-	nucleic acids of lymphatic cells invitro,	
thesis and secretion 401	effect of adrenal cortical hormones	516
Nucleodepolymerase (DNase II), partial	—, injected in growing rats, metabolism	
purification from thymus 595	of skeletal —— in experiments of	
Nucleoprotein, desoxyribo, calf thymus,	longer duration, rachitic and control	
histones, preparation and homoge-	animals	48
neity	, pancreas slices during enzyme synthe-	
—, —, physical properties 192	sis and secretion, incorporation into	
Nucleotide, a new adenine —	nucleotides of RNA	401
—, components of mammary gland 587	Phosphorylation, new coenzyme for — .	300
, incorporation of 82P-labelled ortho-	, oxidative, α-ketoglutarate, evi-	0 ,
phosphate 413	dence for new intermediate	T46
—, of RNA, incorporation of ³² P in	$$, $$, effect of vitamin K_1 deficiency.	
pancreas slices during enzyme synthe-	, effect of vitamin K ₁ in vitro,	- 3-
sis and secretion 401	evidence	280
—, uridine — compounds, liver 386	-, occurrence in muscle of Ascaris	-09
Optically active substances, spontaneous	lumbricoides	22Т
formation	Protein, antibody —, synthesis	35±
Organophosphorus compounds, enzymic hy-	, synthesis, chicken, duck, and turkey egg white.	305
drolysis	-, cobalamin -, preparation and prop-	140
Orthophosphate, see Phosphate		-
Oxidative phosphorylation,	erties	144
	, C-terminal residues, identification	
see Phosphorylation	through formation of thiohydantoins.	553
Pancreas, lipolysis of glycerides, mechanism 491	, phosphodiester linkages	452
, rat, lipase, effect of taurocholic acid	, reticulocytes, in vitro incorporation of	
on pH/activity curve	glycine-1-14C, relationship of RNA.	209
, RNA content during enzyme synthesis	, desoxyribonucleo, calf thymus,	
and secretion in vitro	histones, preparation and homogeneity	224
—, slices, incorporation of ³² P into nucleo-	,, physical properties	192
tides of RNA during enzyme synthesis	, phospho, phosphatase from rat	
and secretion 401	spleen	588
Parathion, conversion into acetylcholin-	Prothrombin, activator, simple method for	
esterase inhibitor by insect fat body . 510	purifying	448
Parotid glands, RNA content during en-	Purine compounds, utilization in nucleic	
zyme synthesis and secretion in vitro 236	acid synthesis, E. coli	381
Penicillin, uptake by Staph. aureus, effect of	Pyrimidine compounds, utilization in nucleic	
surface-active substances 433	acid synthesis, E. coli	381
Pentose phosphates, breakdown in E. coli . 288	Pyrophosphate, see Phosphate	
Peptide, adrenocorticotropic —, elution	Pyruvate, dehydrogenation, extracts of Cl.	
and displacement analysis on pre-	saccharobutyricum, role of ATP and	
treated carbon	CoA	480
—, C-terminal residues, identification	Reticulocytes, in vitro incorporation of	•
through formation of thiohydantoins . 553	glycine-1-14C	583
Phenolic compounds, tissue cultures of chick	, into proteins, relationship of	
fibroblasts, antimitotic action 260	RNA	200
Phosphatase, phosphoprotein —, rat	Ribonuclease, see Nuclease	
spleen	Ribonucleic acid, see Nucleic acid	
spleen	Saccharomyces cerevisiae, resting cells, net	
lic acid as acceptor	synthesis of sterols	59I

35S-β-Mercapto-ethylamine, injected into peritoneum of mouse, distribution of		Transglucosidation, reversible —— of isomaltose	T = S
radioactive sulphur	233	Triiodothyronine, and glucuroconjugate,	150
Spleen, rat, phosphoprotein phosphatase.		biliary excretion	471
Staphylococcus aureus, penicillin uptake,		2,3,5-Triphenyltetrazolium chloride, electron	• /
effect of surface-active substances	433	acceptor for reconstruction of fatty	
Starch, algae, X-ray studies	593	acid oxidizing system	425
columns, zone electrophoresis in	175	Tropomyosin, contractile element con-	
Sterols, net synthesis, resting cells of <i>S. cere-</i>		taining ———.	199
visiae	591	Turnip yellow mosaic virus, incorporation of	_
Streptomyces S-67, amino acids of actino-	T 4 2	labelled amino acids, preliminary study	307
mycines produced by —— Succinate, in vitro carbon dioxide fixation	143	Uricase, in liver and kidney of some am-	
into —	61	phibians	151
Sulphur (radioactive), distribution after	01	Virus, tobacco mosaic ——, helical arrange-	
intraperitoneally injected ³⁵ S-β-mer-		ment of sub-units around longitudinal	
capto-ethylamine, mouse	233	axis, X-ray evidence	10
Taurocholic acid, rat pancreatic lipase,	-33	, incorporation of thiouracil in	
effect on pH/activity curve	149	RNA moiety, influence on multi-	
Taurocyamine, isolation from marine worms		plication	148
Tenebrio molitor L, replacement of natural		, turnip yellow mosaic, incorpo-	•
carnitine by synthetic dicarnitine in		ration of labelled amino acids, pre-	
nutritional medium		liminary study	307
Terramycin, oxidation of ascorbic acid	505	Vitamin B ₆ , deficiency, rat, repercussion on	
Thiamine pyrophosphate, liver homoge-		metabolism of L-cysteine-sulphinic	
nates, occurrence in soluble fraction.	138	acid in vivo and in vitro	313
Thiohydantoins, identification of C-terminal		Vitamin K_1 , deficiency, effect on oxidative	
residues, proteins and peptides	553	phosphorylation	152
Thiouracil, incorporation in RNA moiety of		——, effect on oxidative phosphorylation in vitro, evidence	280
tobacco mosaic virus, influence on multiplication.	T . S		209
Thymidylic acid, E. coli, accumulation after	140	Wool, chemical heterogeneity and cortical segmentation	205
U.V. irradiation	E80	, origin of segmentation in cortex	
Thymus, calf, histones of DNA protein,	309	Xanthine oxidase, in liver and kidney of	-91
preparation and homogeneity	224	some amphibians	151
—, partial purification of DNase II		Xylan, crystals, X-ray and electron dif-	- 3
Thyroxine, and glucuroconjugate, biliary	373		592
excretion	47 I	X-rays, cell wall, yeast and other fungi	1
Tissue culture, chick fibroblasts, antimitotic	••	, starches of algae.	593
action of some phenolic compounds .	260	, tobacco mosaic virus, helical arrange-	
Tobacco mosaic virus, helical arrangement		ment of sub-units around longitudinal	
of sub-units around longitudinal axis,		axis, evidence	10
X-ray evidence	10	, ultrastructure of bone, diffraction	-0-
—, incorporation of thiouracil in RNA	0	studies	
moiety, influence on multiplication.	148		592
a-Toxin, Cl. welchii, influence on lipoprotein transformations	72	Yeast, cell wall, X-ray diffraction and solubility tests	I
	/-	Sattly costs of the costs of th	
ВОО	K RE	VIEWS	
M. GORDON (Editor), Pigment Cell Growth,		W. H. PETERSON AND F. M. STRONG, General	_
New York 1953	311	Biochemistry, New York 1953	458
Harvey Society of New York, The Harvey		J. Rosin and M. Eastman, The Road to	
Lectures, New York 1953	310	Abundance, New York, Toronto and	212
I. M. KOLTHOFF AND E. B. SANDELL, Text-		London 1953	312
book of Quantitative Inorganic Analysis,	211	J. SACKS, Isotopic Tracers in Biochemistry and Physiology, New York, Toronto	
New York 1953	311	and London 1953	457
Proteins, Chemistry, Biological Activity,		J. VINE, The Theory of Wholes in Chemistry	TJ/
and Methods, New York 1953	312	and its Bearing on the Nature of Bio-	
	J	logical Catalysis, London 1953	457