| Webster, G. C., see Breitman, T. R. Weissbach, A | WITKOP, B., see AXELROD, J. WOLF, B., see STAVITSKY, A. B. YAMAMOTO, N |
|--|--|
|--|--|

SUBJECT INDEX

| Acetate, labeled, in vitro incorporation | phages by ——, catalytic effects of |
|---|---|
| into lipid by adipose tissue 141 | cupric ion and photo-excited ribo- |
| Acetylcholine, overshoot and block of con- | flavin 427 |
| duction by lipid-soluble analogues . 629 | , isolation of dependent DPNH- |
| Acetylchymotrypsin, isolation of acetyl | oxidase from suprarenal microsomes 598 |
| peptides from 423 | Azaguanine, action on synthesis of phage |
| Actomyosin, developing chick muscle, | proteins by an induced lysogenic |
| uptake of glycine-1-14C 161 | bacterium 665 |
| —, rotary diffusion 311 | Azatryptophan, effects on bacterial en- |
| Acylase I, determination by direct spectro- | zymes and bacteriophage 330 |
| photometric measurement of peptide | Bacteria, effects of radiophosphorus decay |
| bond 168 | on some synthetic capacities of — 282 |
| Adenosine triphosphatase, rat sperma- | , pathways of 5-ketogluconate cata- |
| tozoa, study with electron microscope 634 | bolism 652 |
| Adenosine triphosphate, preparation of | —, study of spontaneous flocculation by |
| $[\beta^{-32}P]$ and $[\gamma^{-32}P]$ 642 | R-forms 442 |
| , rat uterus, influence of some hor- | Bacteriochlorophyll, in organic solutions, |
| mones and freezing on content 580 | investigations 478 |
| Adipose tissue, in vitro incorporation of | Bacteriophage, effects of azatryptophan on |
| radioacetate into lipid 141 | bacterial enzymes and —— 330 |
| ADP-polynucleotide phosphorylase 222 | -, synthesis of - proteins by an |
| Alanyl-phenylalanine, absorption in vitro 224 | induced lysogenic bacterium, action |
| Albumin, serum, colorimetric measurement | of RNase, thiouracil and azaguanine 665 |
| of cuprous ion formation to detect | —, T-group, inactivation by ascorbate |
| cysteine, glutathione and — 414 | and some poly-phenol derivatives, |
| , serum, inhibition of tryptic hydrol- | catalytic effects of cupric ion and |
| ysis by sodium salts, role of anion 564 | photo-excited riboflavin 427 |
| Algae, some marine —, chemical and | Benzypyrene, in vitro formation of pro- |
| physical investigation of cell walls . 89 | tein-bound derivatives of aminoazo |
| Amino acids, composition of collagen frac- | |
| tions of rabbit skin 418 | dyes, rat liver, enhancement by |
| , reaction of hydroxylamine with | pretreatment with — |
| esters of | Catalase, synthesis in liver of tumour- |
| esters of — | bearing mice, study by means of |
| | radioactive iron |
| tein-bound derivatives of ——, en- | Cell wall, bacterial, presence of ribitol phos- |
| hancement by benzpyrene pretreat- | phate |
| ment, rat liver | , microorganisms, isolation by frac- |
| Amylase, pancreatic——, changes in intra- | tionation in liquid two-phase systems 378 |
| cellular distribution during secretory | , some marine algae, chemical and |
| cycle, rat | physical investigation 89 |
| Androstenedione, conversion to oestrone | Chloramphenicol, effect on protein and |
| by placental microsomes 658 | nucleic acid synthesis in isolated |
| L-Ascorbic acid, enzymic conversion of D- | thymus nuclei 408 |
| glucuronate to — in animal tissues 221 | Chloroplasts, photosynthesis in isolated |
| , inactivation of T-group bacterio- | |

| Choline, effect on incorporation of 85S-L- | isolation from suprarenal microsomes | -08 |
|---|---|-----|
| | | 590 |
| methionine into liver protein of rats | Electron microscopy, cytochemical studies, | _ |
| with fatty livers 650 | ATPase in rat spermatozoa | 634 |
| Cholinesterase, phosphorylated ——, ef- | Electrophoresis, zone —, egg-white | |
| fect of electrolytes on reactivation . 212 | lysozyme, technique for location on | |
| Chromatography, gas-liquid ——, new par- | papers using plates containing Micro- | |
| tition agent for rapid separation of | coccus lysodeikticus | 200 |
| fatty acid esters 666 | Electroplax, single isolated —— of electric | , |
| | | |
| , on hydroxyl apatite, follicle-stimu- | eel, potassium concentration and | |
| lating hormone 405 | potential difference in —— | |
| , reversed phase partition, some | Embryo, chick, synthesis of desoxyribose | 434 |
| C ₂₇ -steroids 401 | Epinephrine, O-methylation as principal | |
| —, trypsinogen | pathway for metabolism, rat | 210 |
| Chymotrypsin, interaction with an in- | Escherichia coli, production of surplus DNA, | |
| 5 5 L | its effects on bacterial synthesis | 410 |
| soluble substrate 646 | | 414 |
| , rapid and sensitive method for de- | —, protoplasts: effects of diaminopi- | |
| termination of activity 430 | melic acid deprival and penicillin | |
| , reaction with disopropylphosphoro- | addition compared in — | 410 |
| fluoridate 549, 556 | , transfer of phosphorus-containing | |
| Clearing factor, partial purification, post- | material associated with mating | 457 |
| heparin human plasma 612 | Euglena, appearance of white clones in cul- | 137 |
| | | |
| Coenzyme A, function in luminescence 519 | tures treated with streptomycin, | |
| Collagen, developing chick muscle, uptake | mechanism | 145 |
| of glycine-1-14C 161 | Fatty acid esters, new partition agent for | |
| , fractions of rabbit skin, amino acid | rapid separation by gas-liquid chro- | |
| composition 418 | matography | 666 |
| Colostrum, sialido-lactose of cow 490 | Fatty liver, rat, effect of choline on incor- | |
| Contraction cycle, a new — different | poration of 35S-L-methionine into | |
| from muscle contraction, mechanism 247 | protein of — | 650 |
| Creatine, rat uterus, influence of some hor- | Folic acid, enzymic cleavage by extracts | 0)0 |
| | | |
| mones and freezing on content 580 | from human blood cells, liberation of | |
| Cysteine, colorimetric measurement of | active form of enzyme and its spe- | |
| cuprous ion formation to detect 414 | cificity | 345 |
| Cytochrome c, lipid-soluble form from | , enzymic reduction by purified de- | |
| electron transport particle of beef- | hydrogenase | 425 |
| heart mitochondria 203 | Follicle-stimulating hormone, chromatog- | |
| Dehydrogenases, pyridine nucleotide de- | raphy on hydroxyl apatite | 405 |
| | Formic acid dehydrogenase, carbon isotope | 1.3 |
| pendent, enzyme-coenzyme-sub- | | 511 |
| strate complexes 63 | effects, studies | 244 |
| ¹⁴ C-Desoxynucleoside-5'-monophosphates, | Globulin, antibody — synthesis in vitro by | |
| conversion to corresponding di- and | lymphoid tissues, mechanisms | 4 |
| tri-phosphates, soluble mammalian | p-Glucuronate, enzymic conversion to L- | |
| enzymes 643 | ascorbate and L-xylulose in animal | |
| ¹⁴ C-Desoxynucleotides, incorporation into | tissues | 221 |
| into DNA by soluble mammalian | Glucuronides, uridine pyrophosphoglycosyl | |
| into DIVA by soluble mainmanan | compounds and the formation of | |
| enzymes | | 102 |
| Desoxyribonucleic acid, see Nucleic acid | - by isolated enzyme systems. | 103 |
| Desoxyribose, synthesis by chick embryo 434 | Glutamic dehydrogenase, dissociation by | |
| Desulfovibrio desulfuricans, reduction of | DPNH | 431 |
| hydroxylamine linked with hydro- | Glutamine, inhibition of glutamyl trans- | |
| genase activity 569 | ferase formation in cultures of human | |
| Diaminopimelic acid, protoplasts: effects | cells | 435 |
| of — deprival and penicillin addi- | Glutamyl transferase, formation, inhibi- | |
| tion compared in Escherichia coli . 410 | tion by glutamine in cultures of | |
| Diaphragm, rat, diffusion of various sub- | human cells | 135 |
| | Glutathione, colorimetric measurement of | 733 |
| stances through 624 | Giutatmone, commette measurement of | |
| Diisopropylphosphorofluoridate, reaction | cuprous ion formation to detect | 414 |
| with chymotrypsin 549, 556 | Glycine-I-14C, uptake into actomyosin and | |
| Diphosphopyridine nucleotide, reduced, | collagen fractions of developing chick | _ |
| dissociation of glutamic dehydro- | muscle | 191 |
| genase by 431 | Glycolysis, tumour, influence by mitochon- | |
| DPNH-cytochrome c reductase, micro- | dria of different origin | 656 |
| somal — 539 | Guanine-8-14C, metabolism by yeast | 371 |
| DPNH-oxidase, ascorbic acid-dependent, | Haemins a_1 and a_2 , studies | |
| AND A THE CONTINUOUS GROUP GOLD GOLD GODDINGONDS | | • |

| Heart, beef, lipid-soluble form of cyto- | containing Micrococcus lysodeikticus. 209 |
|--|---|
| chrome c from electron transport | Malate synthetase, test for —— in animal |
| particle of mitochrondria 203 | tissues 199 |
| ——, ——, phosphorylating particle types | Maltose, labeled in reducing glucose |
| from — 83 | moiety, metabolism by tobacco leaf |
| Hexahydrobenzoic acid, aromatization by | disks |
| mammalian liver mitochrondria 156 | β -Mercaptopyruvate desulfurase, isolation |
| Homogenizer, "micro" — for small- | and identification 659 |
| volume samples 165 | ³⁵ S-L-Methionine, incorporation into liver |
| Hormone, follicle-stimulating, chro- | protein of rats with fatty livers, |
| matography on hydroxyl apatite 405 | effect of choline 650 |
| Hydrogenase, purified, enzymic reduction | 2-Methoxyoestrone, isolation from urine |
| of folic acid by —— 425 | of pregnant women 213 |
| , reduction of hydroxylamine linked | O-Methylation, principal pathway for |
| with activity of, Desulfovibrio | metabolism of epinephrine and nor- |
| desulfuricans 569 | epinephrine, rat 210 |
| Hydropyrimidine, incorporation of deriva- | Micrococcus lysodeikticus, technique for |
| tives in RNA with liver preparations 226 | location of egg-white lysozyme on |
| Hydroxylamine, reaction with activated | zone electrophoresis papers using |
| acyl groups, mechanism 417 | plates containing —— 209 |
| , reaction with esters of amino acids . 416 | Microsomes, isolation of particulate |
| , reduction linked with hydrogenase | DPNH-cytochrome c reductase 539 |
| activity, Desulfovibrio desulfuricans. 569 | , placental, conversion of androstene- |
| Infrared spectroscopy, spectra of nucleo- | dione to oestrone 658 |
| sides and nucleotides in D ₂ O solution 46 | , suprarenal, isolation of ascorbic acid- |
| myo-Inositol enzymic determination 608 | dependent DPNH-oxidase 598 |
| Iodide, radio, iodinated compounds | Mitochondria, beef heart, lipid-soluble form |
| in milk after administration 422 | of cytochrome c from electron trans- |
| Isocitritase, test for —— in animal tissues 199 | port particle 203 |
| Keratin, wool and horn —, reaction with | —, mammalian liver, aromatization of |
| solutions of sodium hypochlorite 41 | hexahydrobenzoic acid by 156 |
| 5-Ketogluconate, pathways of 5-keto- | —, of different origin, influence on |
| gluconate catabolism 652 | glycolysis of tumour 656 |
| Lactoglobulin, native and denatured, in- | , some effects of thyroxine on oxidative |
| fluence of sodium and potassium | phosphorylation 671 |
| chloride on tryptic hydrolysis 111 | Mitochrome, nature and action of — 663 |
| Lipid, in vitro incorporation of radioacetate | Monophosphoinositide, enzymic break- |
| by adipose tissue | down by phospholipase B prepara- |
| Liver, formation of thiosulphate from in- | tions |
| organic sulphide by —— tissue and | Mucopolysaccharides, acid — of em- |
| heme compounds 324 | bryonic skin 453 |
| —, intracellular RNA composition in | Muscle, developing chick ——, uptake of |
| regenerating cells 395 | glycine-1-14C into actomyosin and |
| , mammalian, aromatization of hexa- | collagen fractions 161 |
| hydrobenzoic acid by mitochondria. 156 | Mycobacteria, pyruvic dehydrogenase sys- |
| , preparations, incorporation of hydro- | tem 513 |
| pyrimidine derivatives in RNA 226 | , pyruvic oxidase 506 |
| , rat, partial purification and properties | Myometrium, human, hormonal influence |
| of RNases 495 | on phosphorylase activity 318 |
| —, slices, action of thienylalanine on | Norepinephrine, O-methylation as prin- |
| protein and RNA synthesis 648 | cipal pathway for metabolism, rat . 210 |
| , tumour-bearing mice, study of syn- | Nuclease, ribo —, action on synthesis of |
| thesis of catalase by means of radio- | phage proteins by an induced |
| active iron 432 | lysogenic bacterium 665 |
| Luminescence, function of coenzyme A in | ,, heterogeneity, thermal melting |
| Tamphaid tipera antiboda alabalia ara | and recrystallization of crystals 503 |
| Lymphoid tissue, antibody globulin syn- | ,, latent activity in a ribonucleo- |
| thesis in vitro, mechanisms 4 | protein |
| Lysozyme, egg-white, peptides of peptic hydrolysate, studies 439 | ,, rat liver, partial purification |
| —, peptides of tryptic hydro- | and properties 495 Nuclei, thymus, effect of chloramphenicol |
| lysate, studies | on protein and nucleic acid synthesis |
| , zone electrophoresis, technique | in isolated —— |
| for location on papers using plates | Nucleic acid, desoxyribo ——, incorpora- |

| tion of ¹⁴ C-desoxynucleotides into —— by soluble mammalian enzymes 661 | Permeability, of biological membranes to |
|--|--|
| | non-electrolytes, thermodynamic a- |
| —, —, production of surplus — | nalysis |
| in Escherichia coli, its effects on | Phenyl acetates, effect of para-substitution |
| bacterial synthesis 412 | on rates of enzymic hydrolysis 210 |
| —, intracellular turnover in resting yeast | Phenylalanine, enzymic conversion to |
| cells | tyrosine, participation of tetra- |
| , ribo, estimation by orcinol | hydrofolic acid 428 |
| method, interference by sucrose 201 | a-Phenylbutyrate, studies on mechanism |
| ,, fractionation by precipitation | of action 592 |
| with neutral salts 420 | Phosphatidyl glycerols, plant phospho- |
| ,, incorporation of hydropyri- | lipids, identification 189 |
| midine derivatives, liver prepa- | Phosphocreatine, rat uterus, influence of |
| rations | |
| | some hormones and freezing on |
| ,, intracellular composition in | Content |
| regenerating liver cells 395 | Phospholipase B, enzymic breakdown of |
| ,, prepared from ascites tumour | monophosphoinositide by prepara- |
| cells, molecular weight 662 | tions of —— |
| , synthesis in liver slices, action | Phospholipids, plant ——, identification of |
| of thienylalanine | phosphatidyl glycerols 189 |
| , synthesis in isolated thymus nuclei, | Phosphorylase, activity of human myome- |
| effect of chloramphenicol 408 | trium, hormonal influence on 318 |
| —, TMV, U.V. absorption studies 1 | Photosynthesis, influence of herbicide, |
| ——, turnover in growing cultures of yeast, | DCMU, on oxygen-evolving system 205 |
| studies | Photosynthetic phosphorylation, rates of |
| Nucleoprotein, ribo, evidence for | conversion of light into chemical |
| hydrogen bonds 207 | energy in — |
| ,, latent RNase activity in a 216 | Pigmented particles, spectrophotometric |
| Nucleosides, in D ₂ O solution, infrared | study of suspensions 173 |
| spectra and tautomeric structure 46 | Pinna nobilis, some physico-chemical prop- |
| Nucleotide, pyridine —, enzyme-coen- | |
| zyme-substrate complexes of —— | Poly I proline solution studies on struc |
| dependent debuttragenesses 62 | Poly-L-proline, solution, studies on struc- |
| -dependent dehydrogenases 63 | ture |
| —, reduced diphosphopyridine —, | Polysaccharides, acid muco — of em- |
| dissociation of glutamic dehydro- | bryonic skin 453 |
| genase by — 431 | Protein, fatty liver of rat, effect of choline |
| Nucleotides, in D ₂ O solution, infrared | on incorporation of 85S-L-methionine |
| spectra and tautomeric structure 46 | into —— |
| , method for separation by concave | ——, intracellular turnover in resting yeast |
| gradient elution 618 | cells |
| Oestrone, conversion of androstenedione | , isolation from wool of readily ex- |
| to — by placental microsomes 658 | tractable — of low sulphur con- |
| Orcinol, estimation of RNA by, inter- | tent |
| ference by sucrose 201 | , ribonucleo, evidence for hy- |
| Oxidative phosphorylation, studies on | drogen bonds 207 |
| mechanism 83 | , latent RNase activity in a 216 |
| , submitochondrial particles and in- | , synthesis, in isolated thymus nuclei, |
| tact mitochondria, some effects of | effect of chloramphenicol 408 |
| | |
| thyroxine 671 | , in liver slices, action of thienyl- |
| Pancreas, rat, changes in intracellular | alanine |
| distribution of amylase during secre- | —, —, of phage — by an induced |
| tory cycle | lysogenic bacterium, action of RNase, |
| Particle fractionation, in liquid two-phase | thiouracil and azaguanine 669 |
| systems | —, —, rat pancreas |
| Particles, pigmented, spectrophotometric | , turnover in growing cultures of |
| study of suspensions | yeast, studies |
| Penicillin, protoplasts: effects of diamino- | Proteinase A, skin, purification 532 |
| pimelic acid deprival and —— addi- | Proteinase C, skin, purification and its |
| tion compared in Escherichia coli 410 | separation from an inhibitor 52 |
| Penicillinase, two antigenically different | Protoplast, bacterial, effects of diamino- |
| states of active — | pimelic acid deprival and penicillin |
| Peptide bond, direct spectrophotometric | addition compared in Escherichia coli 410 |
| measurement, application to deter- | Pyruvic dehydrogenase system, myco- |
| mination of acylase I 168 | bacteria 513 |

| Pyruvic oxidase, mycobacteria 506 | sulphide by liver tissue and heme | |
|---|---|------|
| Respiratory enzymes, homogenates of | compounds | 324 |
| wheat roots, spectrophotometric in- | Thiouracil, action on synthesis of phage | |
| vestigations 355 | proteins by an induced lysogenic | |
| , path of electrons in chain of 653 | bacterium | 665 |
| Ribitol phosphate, presence in bacterial | Thrombin, labeled DIP | 218 |
| cell walls | Thymus, effect of chloramphenicol on | |
| Riboflavin, photo-excited, catalytic effect | protein and nucleic acid synthesis in | |
| on inactivation of T-group bacterio- | isolated nuclei | 408 |
| phages by ascorbate and some poly- | Thyroxine, some effects on oxidative phos- | 7 |
| phenol derivatives 427 | phorylation, submitochondrial par- | |
| Ribonuclease, see Nuclease | ticles and intact mitochondria | 671 |
| Ribonucleic acid, see Nucleic acid | Tropomyosin, Pinna nobilis, some physico- | ٠, ـ |
| Ribonucleoprotein, evidence for hydrogen | chemical properties | 460 |
| | Trypsin, rapid and sensitive method for | 409 |
| bonds 207 | | 420 |
| , latent RNase activity in a 216 | | 430 |
| Sarin, nerve gas, designing of new drug | Tumour, ascites ——, molecular weight of | 407 |
| with antidotal properties against | RNA prepared from cells | 662 |
| Siglida lastona non colostrum | , influence of mitochondria of different | 002 |
| Sialido-lactose, cow colostrum 490 | | 6-6 |
| Skin, embryonic, acid mucopoly- | origin on glycolysis | 050 |
| saccharides of — | , mice bearing, study of synthesis | |
| , purification of proteinase A 532 | of catalase in liver by means of radio- | |
| , purification of proteinase C and its | active iron | 432 |
| separation from an inhibitor 52 | Tyrosine, enzymic conversion of phenyl- | |
| , rabbit, amino acid composition of | alanine to —, participation of | - 0 |
| collagen fractions 418 | tetrahydrofolic acid | 420 |
| Spermatozoa, rat, study of ATPase with | Uridine pyrophosphoglycosyl compounds, | |
| electron microscope 634 | and the formation of glucuronides by | |
| C ₂₇ -Steroids, reversed phase partition chro- | isolated enzyme systems | 103 |
| matography 401 | Uterus, rat, influence of some hormones and | |
| Streptomycin, appearance of white clones | freezing on content of creatine, | |
| in cultures of Euglena treated with | phosphocreatine and ATP | 580 |
| —, mechanism | Virus, tobacco mosaic, U.V. absorp- | |
| Sulphide, oxidation in rat tissues 584 | tion studies on nucleic acid | 1 |
| Tetrahydrofolic acid, participation in | Vitamin K, possible role in respiratory | |
| enzymic conversion of phenylalanine | chain | 122 |
| to tyrosine | Wool, isolation of readily extractable | |
| Tetroses, methods for qualitative and | protein of low sulphur content | 224 |
| quantitative determinations by two | , reaction of keratin with solutions of | |
| new colour reactions 184 | sodium hypochlorite | 41 |
| Tobacco mosaic virus, see Virus | L-Xylulose, enzymic conversion of D-glu- | |
| a-Tocopherol, possible role in respiratory | curonate to —— in animal tissues . | 221 |
| chain | Yeast, intracellular protein and nucleic | |
| Thienylalanine, action on protein and RNA | acid turnover in resting cells | |
| synthesis, liver slices 648 | , metabolism of guanine-8-14C | 371 |
| β -Thiolpyruvic acid, structure 464 | , protein and nucleic acid turnover in | |
| Thiosulphate, formation from inorganic | growing cultures, studies | 267 |