## SUBJECT INDEX

Actin, enzymic interactions of bound nu-	protein synthesis by induced lyso-	
cleotide of ——, studies 436	genic Bacillus megaterium culture	106
Adenine, effect on ATP regeneration and	Bacteriophage T <sub>2</sub> , effects of chloram-	
shape transformation in long-stored	phenicol on RNA metabolism of	
erythrocytes	Escherichia coli infected with —— .	449
[8-14C] Adenine, in vitro uptake by isolated	Bone, some theoretical considerations con-	
nuclei, effect of X-rays and u.vlight 147	cerning crystals with relevance to	
Adenosine monophosphate, transphos-	physical properties of	194
phorylation between —— and nu-	Brain, distribution of catechol compounds	
cleoside triphosphates 422	in human —	586
Adenosine polyphosphate, baker's yeast	L-Canavanine, impaired concentrating	9
phosphopyruvate carboxylase re-	mechanism for amino acids in mu-	
quiring ——	tants of Escherichia coli resistant	
Adenosine triphosphatase, activities in	to ——	582
mitochondria, participation of flavin	Carbohydrate, assimilation in actively	5
in —	growing Saccharomyces cerevisiae 470,	480
effects of promazines on mitochon-	a-Casein, a phosphatase from spleen able	400
drial — reaction	to hydrolyze completely the phos-	
, evidence in support of two	phorus of —, further purification	
pathways in rat-liver mitochondria. 588	and properties	240
Adenosine triphosphate, effect of inosine	Catechol, demonstration of free radical of	349
and adenine on — regeneration	after photochemical or enzymic	
		400
and shape transformation in long-	oxidation	499
stored erythrocytes	, distribution of compounds in	-86
——, estimation of inorganic phosphate in	human brain	500
presence of —	Cellulose ion exchangers, use for chromato-	
, labeling of pH-5 enzyme with la-	graphic separation of nucleotides,	
beled ——	observations	554
, transphosphorylation between	Cerebrospinal fluid, succinyl adenosine, a	
and nucleoside monophosphates 406		566
Albumins, serum — of rat, rabbit and	Chloramphenicol, effects of — on RNA	
guinea-pig, molecular weights 283	metabolism of $T_2$ -infected Escherichia	
Amino acids, impaired concentrating	coli,	449
mechanism for —— in mutants of	Chlorella, new peptide-nucleotide com-	- 0
Escherichia coli resistant to L-cana-	pounds from —	298
vanine and D-serine 582	Chloroplasts, photosynthesis by isolated	
—, incorporation and activation by dis-		47
rupted protoplasts of Escherichia coli 18	[14C]Choline, in vitro incorporation into	
——, uptake in relation to protein synthe-	phospholipids of rat-liver mitochon-	
sis in cells growing in tissue culture 58	dria.	293
Ascites tumour, see Tumour	Chondroitin sulphate, effect of chondroitin	
L-Ascorbate, enzymic conversion of L-	on uptake of radioactive sulphate	
gulonate to —— by rat-liver enzymes 290	into —	559
Azotobacter vinelandii, isolation of co-	Chromatography, behaviour of haemo-	_
enzyme Q from —— 492	globins	258
Bacillus megaterium, action of RNase on	—, luteinizing hormone from sheep	
phage protein synthesis by induced	pituitary glands	305
lysogenic culture 106	—, observations on use of cellulose ion	
, action of RNase on sensitive and	exchangers for separation of nu-	
non-induced lysogenic cells of —— . 99	cleotides	554
Bacteria, nephelometric determination of	, paper, an assay for RNases	
cell count in synchronously dividing	using cyclic mononucleotides as sub-	
cultures 261	strates	551
Bacteriochlorophyll, oxidized — an	Chromatophores, Rhodospirillum rubrum,	
intermediate bacterial photosyn-	photooxidation of cytochrome $c$ by	
thesis?	illuminated — under anaerobic	-0.
Bacteriophage, action of RNase on -	conditions	589


Classical and a second and and a second and	of mother 0 molectoride 1	
Chymotrypsin, effect of —— on molecular	of methyl- $\beta$ -D-galactoside and	
weight of DNA preparations 504	methyl-β-D-thiogalactoside in ——	599
—, with a homologous series of <i>n</i> -fatty	Estrogen, mucopolysaccharides of chick	
acid esters as substrates, kinetics 182	oviduct stimulated by —	315
Chymotrypsinogen, beef —, N- and C-	n-Fatty acid esters, kinetics of chymo-	
terminal residues 256	trypsin with a homologous series of	
Cipridina hilgendorfii, diffusion constant of	— as substrates	182
luciferase from ——	Flavin, participation in mitochondrial	
Coenzyme Q, isolation from beef heart and	ATPase activities	т
beef-heart mitochondria	Folic acid, studies on —— reductions	272
Convection, electromagnetically engen-	Glucose, uptake in relation to protein syn-	4/3
dered —— in electromagnetophoresis 535	thesis in cells growing in tissue	
—, thermal — and similar types of	culture	58
fluid streaming, suppression of —— 538	[14C]Glucose, metabolic pathways for	
Cytochrome c, net synthesis in calf-heart	utilization by Saccharomyces cere-	
mitochondria 597	visiae during aerobic fermentation .	470
, photooxidation by illuminated chro-	[1-14C]Glucose, synthesis of polysaccha-	
matophores of Rhodospirillum rubrum	rides from —— by Saccharomyces	
under anaerobic conditions 589	cerevisiae	48o
Cytochrome oxidase, electrophoretic	L-Gulonate, enzymic conversion to L-	7
studies on — 543	ascorbate by rat-liver enzymes	200
Desoxyribonucleic acid, see Nucleic acid	Haemoglobins, chromatographic behaviour	258
Desoxyribose, degradation by cell-free ex-	HeLa cells, alteration of RNA metabolism	250
, , ,	recation of KNA metabonsm	
tract of Escherichia coli, isolation of	resulting from poliomyelitis virus	
2-desoxy-D-ribose-5-phosphate 117	infection of ——	572
, enzymic degradation of derivatives	Heparin, transfer of radioactive sulfate	
for determination of isotope distri-	from phosphoadenosine phospho-	
bution	sulfate to —	291
2-Desoxy-D-ribose-5-phosphate, isolation	Histidine and methylhistidine, obser-	
of —— after degradation of desoxy-	vations on catalyzed hydrolysis of	
ribose by cell-free extract of Esche-	p-nitrophenyl acetate by peptides	
richia coli 106	of —	267
Desulfovibrio desulfuricans, purification of	Hormone, luteinizing from sheep	207
hydrogenase of — 592	pituitary glands, chromatography .	205
Diaphorase, role in ketoglutarate oxidation 286	Hyaluronic acid, influence of ionic strength	305
	on adimentation and different	
Electromagnetophoresis, electromagneti-	on sedimentation and diffusion	
cally engendered convection in —— 535	properties	155
Electron transport system, isolation of co-	Hydrogenase, Desulfovibrio desulfuricans,	
enzyme Q from Azotobacter vinelandii	purification	592
and Torula utilis 492	Indole, mammalian hydroxylation in 6-	
, isolation of coenzyme Q from beef	position of —— ring	566
heart and beef-heart mitochondria . 73	Inosine, effect on ATP regeneration and	
Electrophoresis, paper —, zone-sharp-	shape transformation in long-stored	
ening in —, a method allowing	erythrocytes	564
application of dilute protein solutions 531	Inositol, conversion to carbon dioxide by	J - T
, studies on cytochrome oxidase 543		26-
pH-5 Enzyme, labeling with labeled ATP 287	rat-kidney preparations	
Erythrocytes, effect of inosine and adenine	rat-kidney preparations	205
	Iododesoxyuridine, analog of thymidine,	
	Iododesoxyuridine, analog of thymidine, synthesis and biological activities	295
on ATP regeneration and shape	Iododesoxyuridine, analog of thymidine, synthesis and biological activities  Keratin, cross-β modification in wool——	295
on ATP regeneration and shape transformation in long-stored — . 564	Iododesoxyuridine, analog of thymidine, synthesis and biological activities  Keratin, cross-β modification in wool———, structural features as suggested by	295 220
on ATP regeneration and shape transformation in long-stored — . 564 Escherichia coli, degradation of desoxy-	Iododesoxyuridine, analog of thymidine, synthesis and biological activities  Keratin, cross-β modification in wool———, structural features as suggested by its mechanical properties	295 220
on ATP regeneration and shape transformation in long-stored — . 564 Escherichia coli, degradation of desoxyribose by cell-free extract, isolation	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties	295 220 596
on ATP regeneration and shape transformation in long-stored — . 564 Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  α-Ketoglutarate, role of diaphorase in oxidation of——	295 220 596
on ATP regeneration and shape transformation in long-stored — . 564  Escherichia coli, degradation of desoxy- ribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117 ——, effects of chloramphenicol on RNA	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties	295 220 596 286
on ATP regeneration and shape transformation in long-stored — . 564 Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties	295 220 596 286
on ATP regeneration and shape transformation in long-stored — . 564  Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117 ——, effects of chloramphenicol on RNA metabolism of T <sub>2</sub> -infected —— 449 ——, incorporation and activation of	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties	295 220 596 286 593
on ATP regeneration and shape transformation in long-stored — . 564  Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117 ——, effects of chloramphenicol on RNA metabolism of T <sub>2</sub> -infected — 449	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties	295 220 596 286 593
on ATP regeneration and shape transformation in long-stored — . 564  Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117 ——, effects of chloramphenicol on RNA metabolism of T <sub>2</sub> -infected —— 449 ——, incorporation and activation of	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  α-Ketoglutarate, role of diaphorase in oxidation of——.  Lactic dehydrogenase, partial modification of baker's yeast——	295 220 596 286 593 510
on ATP regeneration and shape transformation in long-stored — . 564  Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117 ——, effects of chloramphenicol on RNA metabolism of T <sub>2</sub> -infected — 449 ——, incorporation and activation of amino acids by disrupted protoplasts	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  α-Ketoglutarate, role of diaphorase in oxidation of——.  Lactic dehydrogenase, partial modification of baker's yeast——	295 220 596 286 593 510
on ATP regeneration and shape transformation in long-stored — . 564  Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117 —, effects of chloramphenicol on RNA metabolism of T <sub>2</sub> -infected —	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  a-Ketoglutarate, role of diaphorase in oxidation of——.  Lactic dehydrogenase, partial modification of baker's yeast———	295 220 596 286 593 510
on ATP regeneration and shape transformation in long-stored —	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  a-Ketoglutarate, role of diaphorase in oxidation of——.  Lactic dehydrogenase, partial modification of baker's yeast———.  β-Lactoglobulin, kinetic study of proteolysis by trypsin	295 220 596 286 593 510 253
on ATP regeneration and shape transformation in long-stored —	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  a-Ketoglutarate, role of diaphorase in oxidation of——.  Lactic dehydrogenase, partial modification of baker's yeast——.  β-Lactoglobulin, kinetic study of proteolysis by trypsin  Lactonases, microsomal and soluble——.  [14C] Leucine, incorporation into proteins of isolated rat-liver mitochondria, role of cell sap in ——.	295 220 596 286 593 510 253
on ATP regeneration and shape transformation in long-stored — . 564  Escherichia coli, degradation of desoxyribose by cell-free extract, isolation of 2-desoxy-D-ribose-5-phosphate 117 ——, effects of chloramphenicol on RNA metabolism of T <sub>2</sub> -infected —	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  a-Ketoglutarate, role of diaphorase in oxidation of——.  Lactic dehydrogenase, partial modification of baker's yeast——.  β-Lactoglobulin, kinetic study of proteolysis by trypsin	295 220 596 286 593 510 253
on ATP regeneration and shape transformation in long-stored —	Iododesoxyuridine, analog of thymidine, synthesis and biological activities.  Keratin, cross-β modification in wool——, structural features as suggested by its mechanical properties.  a-Ketoglutarate, role of diaphorase in oxidation of——.  Lactic dehydrogenase, partial modification of baker's yeast——.  β-Lactoglobulin, kinetic study of proteolysis by trypsin  Lactonases, microsomal and soluble——.  [14C] Leucine, incorporation into proteins of isolated rat-liver mitochondria, role of cell sap in ——.	295 220 596 286 593 510 253

Luciferase, Cipridina —, diffusion con-	for — using cyclic mononucleotides
stant of ——	as substrates 551
Luteinizing hormone, see Hormone	, spectrophotometric titration
$\beta$ -Mercaptopyruvate, a copper enzyme	of two derivatives of —— 574
cleaving —, isolation and proper-	Nuclei, cytological characteristics of pro-
ties	tein and nucleoprotein fractions of
O-Methylisourea, reactivity towards pro-	cell 301
tein of TMV 557	-, effect of X-rays and u.vlight on
Methyl-β-D-galactoside and methyl-β-D-	in vitro uptake of [8-14C]adenine and
thiogalactoside, separate permeases	[3-14C]phenylalanine by isolated—— 147
for accumulation of —— in Esche-	Nucleic acid, alterations in turnovers of
richia coli 599	- in subcellular components
Mitochandria heef-heart — isolation of	during tryptophan peroxidase in-
Mitochondria, beef-heart —, isolation of coenzyme Q from —,	duction 430
coenzyme Q from 73, calf-heart,——, net synthesis of cyto-	, desoxyribo, effect of chymo-
chrome $c$ in —	trypsin on molecular weight of
	preparations of — 504
inhibition caused by thiol reagents in	—, —, pneumococcus transformation
preparations of ——	during period between incorporation
—, effects of promazines on ATPase re-	of — and appearance of strepto-
action of —	mycin resistance, studies 464
—, isolated rat liver —, role of cell sap	—, interaction with Mg-ions 233
in incorporation of [14C] leucine into	, liver, kinetics of turnovers
proteins of —	during enzyme induction in rat 133
, participation of flavin in ATPase	, ribo, alteration in metabolism
activities of ——	of — resulting from poliomyelitis
, rat-liver —, effects of substrates	virus infection of HeLa cells 572
on the swelling and loss of pyridine	—, —, effects of chloramphenicol on
nucleotides from — 576	metabolism of —— in T <sub>2</sub> -infected
—, —, evidence in support of two	Escherichia coli 449
ATPase pathways in — 588	—, from Escherichia coli, prepa-
, —, in vitro incorporation of [14C]-	ration, characterization and proper-
choline into phospholipids of — . 293	ties
Mucopolysaccharides, of estrogen-stimu-	—, —, infective — isolated from
lated chick oviduct 315	TMV, some physical properties 519
Muscle, response of —— to long chain	—, prepared by phenol extraction,
quaternary ammonium ions 375	evidence for peptides in — 297
Mycobacteria, further studies on pyruvic	,, 5-ribosyl uracil, a carbon-
dehydrogenase system 80	carbon ribofuranosyl nucleoside in
Myoglobin, deuterium exchange between	<del></del>
water and — 579	—, —, studies on isomer of uridine
Myosin, further experiments on heat co-	isolated from —
agulation of ——	—, structural differences in — of some
Myosin B, flow-birefringence properties of	TMV strains
various preparations	Nucleoprotein, fractions of cell nuclei,
Nerve fiber, frog, action of lipid-soluble	cytological characteristics 301
quaternary ammonium ions on	Nucleoside monophosphate kinases,
resting potential of myelinated — 381	studies 406, 422
—, squid —, chemical investigations	Nucleoside monophosphates, transphos-
on giant —	phorylations between ATP and — 406
Neuraminic acid, linkage of —— in oroso-	Nucleoside triphosphates, transphosphor-
mucoid 584	vlations between AMP and — 422
Nitrogen fixation, by nodules formed on	Nucleotide, enzymic interactions of bound
isolated bean roots	—— of actin, studies 436
p-Nitrophenyl acetate, catalyzed hydroly-	Nucleotides, observations on use of cellu-
sis by peptides of histidine and	lose ion exchangers for chromato-
methylhistidine, observations 267	graphic separation of —— 554
Nuclease, ribo ——, action on phage pro-	, peptide, new compounds ob-
tein synthesis by induced Bacillus	tained from Chlorella and yeasts 298
megaterium culture 106	—, pyridine —, effects of substrates
—, —, action on sensitive and non-	on the swelling and loss of —— from
induced lysogenic cells of Bacillus	rat-liver mitochondria 576
megaterium 99	Oligonucleotides, optical changes accom-
, paper chromatographic assay	panying enzymic breakdown of — 578

Orosomucoid, linkage of neuraminic acid	zone-sharpening	531
in ——	—, of isolated rat-liver mitochondria,	
Oviduct, mucopolysaccharides of estrogen-	role of cell sap in incorporation of	
stimulated chick —— 315	[14C]leucine into ——	270
Papain, effect of residual peroxide on en-	, phage, action of RNase on syn-	
zymic digestion of oxidized —— 561	thesis by induced lysogenic Bacillus	_
Peptide-nucleotides, new compounds ob-	megaterium culture	106
tained from yeasts and Chlorella 298	—, proteolytic enzymes as probes of	
Peptides, absorption of —— 69	secondary structure of fibrous ——.	303
—, evidence for — in RNA prepared	, reactivity of O-methylisourea to-	
by phenol extraction 297	wards TMV ——	557
Permeases, separate —— for accumu-	, synthesis in cells growing in tissue	
lation of methyl- $\beta$ -D-galactoside and	culture, amino acid and glucose up-	0
methyl- $\beta$ -D-thiogalactoside in <i>Esche</i> -	take in relation to ——	58
richia coli 599	X-Protein, scattering of light by TMV and	
[3-14C]Phenylalanine, in vitro uptake by	from infected tobacco plants	555
isolated nuclei, effect of X-rays and	Proteolytic enzymes, as probes of second-	
u.vlight	ary structure of fibrous proteins	303
Phosphatase, Fe <sup>++</sup> -dependent alkaline —	Protoplasts, disrupted — of Escherichia	
of yeast 95	coli, incorporation and activation of	- 0
—, from spleen, able to hydrolyze com-	amino acids by ——	18
pletely the phosphorus of $\alpha$ -casein,	Pyridine nucleotides, effects of substrates	
further purification and properties . 349	on the swelling and loss of —— from	
Phosphate, inorganic —, estimation in	rat-liver mitochondria	570
presence of ATP	Pyruvic dehydrogenase system, myco-	ο
Phosphoadenosine phosphosulfate, transfer	bacteria, further studies	80
of radioactive sulfate from —— to	Quaternary ammonium ions, lipid-soluble	
heparin	, action on resting potential of	- 0 -
Phospholipids, rat-liver mitochondria, in	myelinated nerve fibers of frog	301
vitro incorporation of [14C]choline	, long chain, muscle response	
into —	to —	375
Phosphopyruvate carboxylase, from baker's	Rhodospirillum rubrum, photooxidation of	
yeast, adenosine polyphosphate re-	cytochrome c by illuminated chro-	
quirement of —	matophores under anaerobic con-	0.
Phosvitin, a dielectric study of — 514	ditions	509
Pituitary gland, sheep ——, chromatogra-	Riboflavin phosphate, cofactor of cyclic	
phy of luteinizing hormone from —— 305	photophosphorylation	32
Pneumococcus, transformation of —	Ribonuclease, see Nuclease	
during period between incorporation	Ribonucleic acid, see Nucleic acid	
of DNA and appearance of strepto-	5-Ribosyl uracil, a carbon-carbon ribo-	-60
mycin resistance, studies 464	furanosyl nucleoside in RNA	509
Poliomyelitis virus, see Virus	Saccharomyces cerevisiae, metabolic path- ways for [14C]glucose utilization	
Polymetaphosphate, a dielectric study of	during aerobic fermentation	
a — 514		470
Polyriboadenylic acid, influence of various	, synthesis of polysaccharides from [1-14C]glucose	480
factors upon structural transition at	D-Serine, impaired concentrating mecha-	400
acid pH's	nism for amino acids in mutants of	
Photosynthesis, bacterial —, oxidized		-80
bacteriochlorophyll an intermediate	Steroids, enzymic mechanism of 12 $\beta$ -	582
in ——?	hydroxylation	260
Photosynthetic phosphorylation, and gen-	Streptomycin, pneumococcus transfor-	209
eration of assimilatory power 47 —, vitamin K and riboflavin phosphate	mation during period between in- corporation of DNA and appearance	
as cofactors of cyclic — 32	of resistance to —, studies	16
Promazines, effects of —— on mitochon-	Succinyl adenosine, a new substance in	404
drial ATPase reaction	human cerebrospinal fluid	566
Protein, and nucleo ——, fractions of cell	Sulphate, effect of chondroitin on uptake	500
nuclei, cytological characteristics 301	of radioactive — into chondroitin	
—, cell interferometry and specific re-	sulphate	
fraction increment of a crystalline	—, reduction to sulphite by tobacco leaf	457
	Thermal convection, and similar types of	TJ
, method allowing application of dilute	fluid streaming, suppression of —	
solutions in paper electrophoresis by	Thick white, of hen's egg, mechanical	

properties	237	RNA metabolism resulting from in-	
Thiol reagents, effect of phosphate on		fection of HeLa cells with ——	572
respiratory inhibition in mitochon-		——, tipula iridescent ——, crystal struc-	
drial preparations caused by —— . 2	276	ture as determined by Bragg re-	
Thymidine, synthesis and biological activi-		flection of visible light	203
ties of the analog: iododesoxyuridine 2	295 -	—, tobacco mosaic —, di- and tri-	-
Tipula iridescent virus, see Virus		nucleotides in RNase digests of ——	386
Tobacco mosaic virus, see Virus		,, immunochemical studies of	~
Tocopherol, in vitro effect of —— metabo-		structure	140
lites on respiratory decline in dietary		,, reactivity of O-methylisourea	•
necrotic liver degeneration 4	184	towards protein of —	557
Torula utilis, isolation of coenzyme Q		,, scattering of light by and	00.
from ——		X-protein from infected tobacco	
TPNH-neotetrazolium diaphorase, a micro-	• -	plants	555
somal —	568	, some physical properties of	
Trypsin, kinetic study of proteolysis of $\beta$ -		infective RNA isolated from ——	519
lactoglobulin by —— 5	510	Vitamin K, cofactor of cyclic photophos-	
Tryptophan peroxidase, alterations in		phorylation	32
nucleic acid turnovers in subcellular		Yeast, baker's —, adenosine polyphos-	
components during induction of —— 4	430	phate requirement of phosphopyru-	
Tumour, structural factors involved in		vate carboxylase	284
control of metabolism in cells of		,, partial modification of lactic	
ascites ——	281	dehydrogenase of ——	593
Uracil, methylation studies on various		, Fe <sup>++</sup> -dependent alkaline phosphat-	
derivatives of ——	406	ase of ——	95
Uridine, isomer isolated from ribonucleic		, new peptide-nucleotide compounds	
acids, studies	406	from —	298
Uridine diphosphate-glucose pyrophos-		, Saccharomyces cerevisiae, carbohy-	
phorylase, distribution in rat liver . a	251	drate assimilation in actively growing	
Virus, poliomyelitis —, alteration of			480

## ERRATA



BIOCHIMICA ET BIOPHYSICA ACTA, VOL. 30 (1958)

Page 637. Fig. 2 should be as shown on the left.

BIOCHIMICA ET BIOPHYSICA ACTA, VOL. 32 (1959)

Page 38. Table III, line 2: Instead of "10 $^{-3}$  glutathione" read "10 $^{-3}$  M glutathione".