kinase (Roberts)	145	maltose; different responses of Pseudo-	
N-Acetylethanolamine phosphate, free	• • •	monas saccharophila to, (AVERNER,	
energy of hydrolysis of; relation of, to		Klein)	510
phosphatase activity (DAYAN, WILSON)	446	α-Amylases, inactivation of, by Co com-	
a-Acetolactate, formation of, in <i>Phaseolus</i>		plexes (Pomeranz)	45
radiatus (Satyanarayana, Radha-		Apoenzyme, — complex of p-amino acid	
KRISHNAN)	I 2 I	oxidase; conformation of, (Yagi,	
Aerobacter aerogenus, product inhibition of citrate-oxaloacetate lyase from		Ozawa, Ooi)	
(Brown Rogers)	68z	Ascorbate oxidase, valence state and role of prosthetic Cu in denatured and	
Actomyosin, ATPase activity of, at low	005	native - (Poillon, Dawson) 2	7 7
ionic strength; effect of Mg <sup>2+</sup> and Ca <sup>2+</sup>		Barbiturates, inhibition of cerebral	1, 3.
on, (Maruyama, Ishikawa)	682	NAD(P)H: (acceptor) oxidoreductase	
Actinomycin C, inhibition by, of synthesis		by, (Giuditta, Di Prisco)	394
of DPN-dependent glutamate dehydro-		Lirds, salt gland of, see Salt gland	.,
genase in yeast (Holzer, Hierholzer)	329	Brain, - guanine deaminase; purifica-	
Adenosine, — triphosphate metal ion		tion and properties and regional distri-	
complexes; structures of in aqueous		bution of, (Mansoor, Kalyankar,	
solution (BRINTZINGER)	343	TALWAR)	307
Adenosine triphosphatase, — activity		n-Butyl carbamic acid methyl ester,	
of actomyosin at low ionic strength; effect of Mg <sup>2+</sup> and Ca <sup>2+</sup> on, (MARU-		effect of, on hydroxamic acid synthesis catalyzed by canine liver lipase	
YAMA, ISHIKAWA)	682	(Wallach, Ko, Crittenden)	
Adenosine triphosphate, commercial	2	Calcium ion, effect of, on ATPase activity	007
preparations; apparent differences in		of actomyosin at low ionic strength	
enzymic rates of hydrolysis of,		(MARUYAMA, ISHIKAWA)	682
(Lorand et al.)	679	CALF, —— skin, see Skin	
Adenosine triphosphate, Na+ K+-		Candida utilis, ornithine pathway in,	
dependent ouabain-sensitive —— in	_	(MIDDELHOVEN)	152
avian salt gland (Hokin)	108	Catabolite, —— repression in <i>Pediococcus</i>	
Adenosine triphosphate: creatine phos-		pentosaceus; general physiological con-	·
photransferase, activity of; effect of		siderations of, (Dobrogosz, Demoss)	639
trace metal contaminants and EDTA on, (O'Sullivan, Morrison)	1.42	Carbonic anhydrase, Zn-free plant — ;	
Aerobacter aerogenes, lactate dehydro-	142	lack of inhibition of, by sulfonamides (Fellner)	
genases of; stereospecificity and bio-		Carbonic anhydrase X <sub>1</sub> , human ——;	133
synthesis of, (Pascal, Pichinoty)	507	amino acid composition and tryptic	
Aerobic oxidase, —— reaction catalyzed	,	hydrolysis of, (Laurent et al.)	518
by peroxidase; mechanism of, (YAMA-		Carbonic anhydrase X <sub>1</sub> , physical data of,	
zaki, Piette)	47	(Reynaud et al.)	521
Alcohol dehydrogenase, yeast —; potas-		Carbonic anhydrase Y, human;	
sium sorbate inhibition of, (MARTOADI-		amino acid composition and tryptic	
PRAWITO, WHITAKER) 5	536	hydrolysis of, (LAURENT et al.).	518
Aldehyde dehydrogenase, extraction and		Carbonic anhydrase Y, physical data of,	
properties of, from Pseudomonas aeruginosa (Heydeman, Azoulay)5	- 4 5	(Reynaud et al.)	521
Amino acid, complete ———————— sequence in	045	100 (Pettersson)	665
baker's yeast cytochrome c (NARITA		Ceruloplasmin, — activity; effects of	005
et al.) 6	586	EDTA and Fe on, (Levine, Peisach)	602
Amino acid, composition of human		Ceruloplasmin,catalyzed oxida-	
carbonic anhydrases X <sub>1</sub> and Y		tions; mechanism of, (Peisach,	
(LAURENT et al.)	518	Levine)	615
D-Amino acid oxidase, apoenzyme and		Chelates, reaction of Roussin salt with;	
holoenzyme and model of enzyme-		determination of active sites of en-	
substrate complex of; conformations		zymes with (Dobry-Duclaux)	1
of, (YAGI, OZAWA, OOI)  Ammonia, release of, from pyridine nucleo-	20	p-Chloromercuricbenzene sulphonic acid, reaction of bovine-milk xanthine oxi-	
tide in alkali and its importance in		dase with, (GILBERT)	657
enzymic studies of nitrate assimilation		Choline esters, hydrolysis of, in inverte-	V3/
(Sanderson) 6		brate nerve fibers (Dettbarn)	430
Ammonia, synthesis of glutamate from α-		Citrate, — condensing enzyme and	, ,
oxoglutarate and, in rat-liver mito-		citryl-CoA (Srere)	691
chondria (Tager, Slater. Howland,		Citrate-oxaloacetate lyase from	
SNOSWELL) 227, 246, 258, 266, 2	276	A. aerogenus, product inhibition of	
a-Amylase, induction of, by starch and by		(Brown, Rogers)	685

Citryl-CoA, and citrate condensing en-	(Marmasse)
zyme (Srere) 691	Enzyme inhibitors, irreversible ——;
Cobalt complexes, inactivation of $\alpha$ -amy-	calculation of bimolecular rate con-
lases by, (Pomeranz)451	stants for, (WALTER) 523
Collagen, native soluble calf-skin ——;	Enzymes, active sites of; determination of,
enzyme system in gastric secretion	with reaction of Roussin salt with
capable of reducing viscosity of,	chelates (Dobry-Duclaux)
(STEVEN) 466	Enzymes, —— responsible for oxidation
Copper, valence state and role of, in	of hydrocarbons; isolation and charac-
denatured and native ascorbate oxi-	terization of, (Azoulay, Chouteau,
dase (Poillon, Dawson) 27, 37 Cornea-epithelial extract, beef ——; pyri-	DAVIDOVICS)
dine-nucleotide-stimulated production	; presence of, in adult liver
of 3'-phosphoadenosine 5'-phosphate	(WALKER)
by, (Wortman) 65	Enzyme-substrate complex, of D-amino
by, (WORTMAN) 65 Cornea epithelium, bovine ——; TPN-	acid oxidase; conformation of model of,
specific isocitrate dehydrogenase in,	(YAGI, OZAWA, OOI) 20
(Delbrück)	Enzyme system, in gastric secretion
Cortisol, ————————————————————————————————————	capable of reducing viscosity of native
vate carboxylase activity in rat liver	soluble calf-skin collagen (Steven) . 460
(HENNING, SEIFERT, SEUBERT) 345	Equilin dehydrogenase, characterization
Cow, — milk, see Milk	and kinetic of, (MITTERMAYER,
Cytochrome, c-type —— from Pseudo-	Breuer)
monas saccharophila; purification and	Escherichia coli, inhibition of growth in;
properties of, (Yamanaka, Miki,	changes in inducibility of galactokinase
Окиникі) 654	and $\beta$ -galactosidase during, (Paigen). 31
Cytochrome $b_1$ , —— see also Formate de-	Escherichia coli, soluble cytochromes in,
hydrogenase-cytochrome $b_1$ complex	(Fujita, Sato)
Cytochrome $c$ , baker's yeast —; com-	Escherichia coli, soluble formate dehydro-
plete amino acid sequence in, (NARITA	genase-cytochrome $b_1$ complex from
et al.)	electron transport chain of; prepara-
Cytochrome c, Keilin-Hartree — pre-	tion of, (LINNANE, WRIGLEY) 40
paration from beef-heart muscle;	Escherichia coli, streptomycin-dependent
sialic acid in, (Henderson, Ada) 513	strains of; properties of alkaline phos-
Cytochrome c, separation of, and hemo-	phatase of, (Rosenkranz, Bendich,
globin (LEYKO, GONDKO) 500	Beiser) 43 Escherichia coli W, general aromatic path-
Cytochromes, — purified from larvae and pupae and adults of housefly	way in; end-product regulation of,
(Yamanaka, Tokuyama, Okunuki) . 592	(Brown, Doy) 17
Cytochromes, soluble — in E. coli	Ethylenediamine-tetraacetic acid, effect
(FUJITA, SATO) 688	of, on activity of ATP:creatine phos-
Cyanate, — inhibition of nitrate reduc-	photransferase (O'Sullivan, Morri-
tase (Morris, Syrett) 649	SON)
Dehydrogenase, non-protein substances	Ethylenediamine-tetraacetic acid, effect
specially bound to, (Celliers, Stock,	of, on ceruloplasmin activity (Levine,
Pfleiderer) 577	Peisach) 60
Diphosphopyridine nucleotide,	Fatty acids, unsaturated ——; effect of
pendent glutamate dehydrogenase; in-	temperature on enzymatic synthesis of,
hibition of synthesis of, in yeast by	in Torulopsis utilis (MEYER, BLOCH) 67
actinomycin C (Holzer, Hierholzer) 329	Fibroblasts, skin — of maple-syrup-
Dog, —— liver, see Liver	urine disease; leucine metabolism in
Dopamine- $\beta$ -hydroxylase, — activity;	tissue cultures of, (DANCIS et al.) 52
involvement of sulfhydryl sites in,	Flavin, — components of NADH de-
(GOLDSTEIN, McKEREGHAN, LAUBER) 161	hydrogenase of respiratory chain
Earthworm, urea biosynthesis in,	(KANIUGA, VEEGER)
(CAMPBELL, BISHOP)	Flavin-leucoflavin equilibria, evidence
Electron transport chain, of E. coli; pre-	from E.S.Rspectra for metal chela- tion shifting —— towards radical state
paration of soluble formate dehydrogenase-cytochrome $b_1$ complex from,	(Hemmerich, Dervartanian, Vee-
(Linnane, Wrigley) 408	GER, VAN VOORST) 50
Enzymes, hepatic glucose-phosphorylating	Formate dehydrogenase-cytochrome $b_1$
; effect of glucose analogues on,	complex, preparation of soluble ——
(Walker, Rao) 662	from electron transport chain of $E$ .
Enzyme, — inhibition by excess sub-	coli (Linnane, Wrigley) 40
strate; exploitation of kinetic data in,	$\beta$ -Fructuranosidase, localization of, in

Neurospora (Metzenberg) 455	Hydroxamic acid, effects of n-butyl car-	
Galactokinase, changes in inducibility of,	bamic acid methyl ester on synthesis	
during inhibition of growth in E. coli	of, catalyzed by canine liver lipase	
(PAIGEN)	(WALLACH, KO, CRITTENDEN)	067
p-Galactose, see also Thymidine diphos-	D-2-Hydroxyacid: (acceptor) oxydoreduc- tase, of anaerobic yeast; oxidation-	
phate D-galactose pyrophosphory- lase	reduction potential of, (IWATSUBO).	568
$\beta$ -Galactosidase, changes in inducibility	γ-Hydroxy-L-glutamic acid, three and	500
of, during inhibition of growth in $E$ .	erythro isomers of; preparative en-	
coli (PAIGEN) 318	zymatic synthesis of, (ADAMS, GOLD-	
Glucose, ——-phosphorylating enzymes of	STONE)	133
liver; effect of glucose analogues	Hydroxylamine, reactivation of organo-	
(WALKER, RAO)	phosphate-inhibited trypsin by,	
Glucose, soluble —— -phosphorylating	(Mounter)	301
enzymes; presence of, in adult liver (WALKER)	Hydroxylamine oxidase, from Nirosomo- nas europaea; properties of, (FALCONE,	
(WALKER)	Shug, Nicholas)	LOO
glucose-phosphorylating enzymes	$\beta$ -Hydroxysteroid dehydrogenase, inhibi-	-99
(WALKER, RAO) 662	tion of; kinetics and pH effect of, (FER-	
Glutamate, synthesis of, from a-oxoglu-	RARI, ARNOLD)	357
tarate and ammonia in rat-liver mito-	$\beta$ -Hydroxysteroid dehydrogenase, struc-	
chondria (Tager, Slater, Howland,	tural characteristics of steroidal inhi-	
SNOSWELL) 227, 246, 258, 266, 276	hibitors of, (FERRARI, ARNOLD)	349
Glutamate dehydrogenase, pyridine nu-	Invertebrate, nerve fibers of, see Nerve fibers	
cleotide-induced disaggragation of; metal-ion requirement for, (YIELDING,	Iron, effect of, on ceruloplasmin activity	
Tomkins, Trundle) 701	(Levine, Peisach)	602
Glutamate dehydrogenase, synthesis of	Isocitrate dehydrogenase, TPN-specific	
DPN-dependent —— in yeast; inhi-	in bovine cornea epithelium,	
bition of, by actinomycin C (Holzer,	(Delbrück)	138
HIERHOLZER)	Keratinase, — conjugate elaborated by	
Glutamine synthetase, intracellular loca-	Streptomyces fradiae; properties of,	
lization of, in rat liver (Wu) 482	(NICKERSON, NOVAL, ROBISON) Keratinase, crystalline ——; properties of,	73
Glyceraldehyde-3-phosphate dehydroge- nase, subunits in; chemical evidence	(Nickerson, Durand)	87
for, (Dévényi et al.) 164	Lactate dehydrogenase, tissue —; alte-	0,
Glycogen, — see also Uridine diphos-	rations of, in human neoplasms	
phateglucose-glycogen transglucosylase	(GOLDMAN, KAPLAN)	515
Glycolaldehyde, thiamine pyrophosphate	Lactate dehydrogenases, NAD+-indepen-	
activated ——; conversion of, (Schrö-	dent — of Lactobacillus arabinosus	
TER, HOLZER)	17.5 (SNOSWELL)	7
Glycolysis, relation of sarcotubular system	Lactate dehydrogenases, of Aerobacter	
to control of, (MARGRETH) 337 Guanine deaminase, brain ——; purifica-	aerogenes; stereospecificity and biosynthesis of, (PASCAL, PICHINOTY)	507
tion and properties and regional distri-	Lactate dehydrogenases, sulfhydryl con-	307
bution of, (Mansoor, Kalyankar,	tent of, (DI SABATO, PESCE, KAPLAN)	135
	Lactobacillus arabinosus 17.5, NAD+-inde-	
Talwar)	pendent lactate dehydrogenases of,	
Keilin-Hartree cytochrome c prepara-	(SNOSWELL)	7
tion from, (HENDERSON, ADA) 513	Lactoglobulines, — A and B; com-	
Hemoglobin, separation of, and cyto-	parative kinetic study of hydrolysis of,	162
chrome c (LEYKO, GONDKO) 500 Heptane, ———-grown Pseudomonas cells;	(Monnot)	107
epoxidation of $\alpha$ -olefins by, (Van Der	(CAMPBELL, BISHOP)	149
LINDEN) 157	Leucine, — metabolism in tissue cul-	
Holoenzyme, — complex of p-amino	tures of skin fibroblasts of maple-syrup-	
acid oxidase; conformation of, (YAGI,	urine disease (Dancis et al.)	523
Ozawa, Ooi) 20	Leucoflavin, — see also flavin-leuco-	
Housefly, larvae and pupae and adults of; cytochromes purified from, (Yamana-	flavin equilibira Leukocyte, human ——; UDPG-glycogen	
KA, TOKUYAMA, OKUNUKI) 592	transglucosylase of, (MILLER, VAN	
Hydrocarbons, enzymes responsible for	DER WENDE)	494
oxidation of; isolation and characteri-	Liver, adult —; presence of tw soluble	
zation of, (Azoulay, Chouteau, Da-	glucose-phosphorylating enzymes in,	
VIDOVICS)	(WALKER)	209

Liver, canine —— lipase; effects of n-butyl	Muscle, — see also Heart muscle
carbamic acid methyl ester on hydroxa-	NADH dehydrogenase, — see Nicoti-
mic acid synthesis catalyzed by,	namide-adenine dinucleotide
(Wallach, Ko, Crittenden) 667	NAD(P)H:(acceptor) oxidoreductase, in-
Liver, glucose-phosphorylating enzymes	hibition of cerebral —— by barbitura-
of; effect of glucose analogues on,	tes and nervous depressants (GIUDITTA,
(WALKER, RAO) 662	Di Prisco) 394
Liver, rat ——; cortisol-induced increase	1,4-Naphtoquinones, 2-hydroxy-3-alkyl-,
of pyruvate carboxylase activity in,	uncoupling and inhibition of oxidative
(Henning, Seifert, Seubert) 345	phosphorylation by, (Howland) 659
Liver, rat —; intracellular localization	Neoplasms, human ——; alterations of
of glutamine synthetase in, (Wu) 482	tissue lactate dehydrogenase in, (Gold-
Liver, rat — microsomes; inorganic	MAN, KAPLAN) 515
pyrophosphate hydrolysis by, (Nord-	Neotetrazolium reductase, —— see Suc-
LIE, GEHRING) 100	cinate-neotetrazolium reductase system
Liver, rat — mitochondria; phosphory-	Nerve fibers, invertebrate —; hydro-
lation coupled to oxidation of tetra-	lysis of choline esters in, (DETTBARN) 430
methyl-p-phenylenediamine in,	Neurospora, localization of $\beta$ -fructurano-
(Howland) 419	sidase in, (Metzenberg) 45
Liver, rat —— mitochondria; synthesis of	Nicotinamide-adenine dinucleotide, oxi-
glutamate from α-oxoglutarate and	dized —— -independent lactate dehy-
ammonia in, (TAGER, SLATER, How-	drogenases of Lactobacillus arabinosus
LAND, SNOSWELL) . 227, 246, 258, 266, 276	17.5 (SNOSWELL)
Liver, rat ——; succinate-neotetrazolium	Nicotinamide-adenine dinucleotide, re-
reductase system of, (SLATER) 365	duced — dehydrogenase of res-
Magnesium ion, effect of, on ATPase	piratory chain; flavin components of,
activity of actomyosin at low ionic	(KANIUGA, VEEGER)
strength (MARUYAMA, ISHIKAWA) 682	Nicotinamide-adenine dinucleotide, re-
Malate, as hydrogen donor in synthesis of	duction of, coupled with aerobic oxi-
glutamate from a-oxoglutarate and	dation of tetramethyl-p-phenylene-
ammonia in rat-liver mitochondria	diamine in synthesis of glutamate from
(TAGER)	a-oxoglutarate and ammonia in rat- liver mitochondria (TAGER, HOWLAND,
starch; different responses of Pseudo-	
monas saccharophila to, (Averner,	SLATER, SNOSWELL)
KLEIN) 510	nate-linked reduction of, in submito-
Malonyl-CoA, synthesis of, from acetyl-	chondrial particles; kinetic studies and
CoA and oxalosuccinate in mitochon-	studies with inhibitor of, (HOMMES) 173, 183
dria (Hülsmann) 502	Nitrate assimilation, enzymic studies of;
Maple-syrup-urine disease, —— see Urine	importance of ammonia in, (SANDER-
Metal, trace —— contaminants; effect of,	son)
on activity of ATP:creatine phospho-	Nitrate reduction, cyanate inhibition of,
transferase (O'Sullivan, Morrison) 142	(Morris, Syrett) 640
Metal ion, —— requirement for pyridine	Nitrosomonas europaea, hydroxylamine
nucleotide-induced disaggregation of	amine oxidase from; properties of,
glutamate dehydrogenase (YIELDING,	(FALCONE, SHUG, NICHOLAS) 190
TOMKINS, TRUNDLE) 701	Non-protein substances, —— specifically
Microsomes, rat-liver; inorganic	bound to dehydrogenases (Celliers,
pyrophosphate hydrolysis by, (Nord-	STOCK, PFLEIDERER) 577
LIE, GEHRING) 100	a-Olefins, epoxidation of, by heptane-
Milk, bovine — xanthine oxidase; reac-	grown Pseudomonas cells (Van Der
tion of, with p-chloromercuricbenzene	Linden)
sulphonic acid (GILBERT) 657	Ornithine, —— pathway in Candida utilis
Mitochondria, rat-liver ——; phosphory-	(MIDDELHOVEN) 152
lation coupled to oxidation of tetra-	Ouabain, —— -sensitive Na <sup>+</sup> + K <sup>+</sup> -de-
methyl-p-phenylenediamine in, (How-	pendent ATPase in avian salt gland
LAND) 419	(Hokin) 108
Mitochondria, rat-liver ——; synthesis of	Oxalosuccinate, synthesis of malonyl-CoA
glutamate from $\alpha$ -oxoglutarate and	from, and acetyl-CoA in mitochondria
ammonia in, (TAGER, SLATER, How-	(HÜLSMANN) 502
LAND, SNOSWELL) . 227, 246, 258, 266, 276	Ox, ——— cornea-epithelial extract, see
Mitochondria, synthesis of malonyl-CoA	Cornea-epithelial extract
from acetyl-CoA and oxalosuccinate in,	Ox, — cornea epithelium, see Cornea
(HÜLSMANN) 502  Musca domestica L., —— see Housefly	epithelium
musica aomestica L., —— see Houseny	Ox, —— heart muscle, see Heart muscle

Ox, — plasminogen, see Plasminogen	chelates (Dobry-Duclaux)	1
a-Oxoglutarate, synthesis of glutamate	LAND)	419
from, and ammonia in rat-liver mito-	Phosphorylation, oxidative; un-	
chondria (Tager, Slater, Howland,	coupling and inhibition of, by 2-hy-	
Snoswell) 227, 246, 258, 266, 276	droxy-3-alkyl-1,4-naphtoquinones	
Pancreatopeptidase S, purification of, by	(Howland)	650
batch separation on DEAE-cellulose	Phosphorylation, photo; coupling fac-	33
(Baumstark et al.)	tor in, (Avron)	607
Pediococcus pentosaceus, catabolite repres-	Photophosphorylation, —— see Phospho-	-91
sion in; general physiological consider-	rylation	
ations of, (Dobrogosz, Demoss) 639	Plant, —— carbonic anhydrase, see Car-	
	bonic anhydrase	
Pediococcus pentosaceus, regulation of	Plasminogen, bovine; purification of,	
phosphopentoisomerase activity in,	(Procernow)	<i>c</i>
(Dobrogosz, Demoss) 629	(BERGSTRÖM)	673
Pepsin, conversion of pepsinogen to;	Potassium ion, — + Na+-dependent	
effects of salts on, (VARANDANI,	ouabain-sensitive ATPase in avian salt	
SCHLAMOWITZ) 496	gland (Hokin)	108
Pepsinogen, conversion of, to pepsin; effect	Potassium sorbate, —— inhibition of yeast	
of salts on, (VARANDANI, SCHLAMO-	alcohol dehydrogenase (MARTOADIPRA-	
witz) 496	WITO, WHITAKER)	536
Peroxidase, mechanism of aerobic oxidase	Pseudomonas, heptane-grown —— cells;	
reaction catalyzed by, (Yamazaki,	epoxidation of $\alpha$ -olefins by, (Van Der	
PIETTE) 47	LINDEN)	157
Phaseolus aureus, thymidine diphosphate	Pseudomonas aeruginosa, extraction and	-
p-galactose pyrophosphorylase of,	properties of aldehyde dehydrogenase	
(FRYDMAN, NEUFELD, HASSID) 332	from, (HEYDEMAN, AZOULAY)	545
Phaseolus radiatus, formation of a-aceto-	Pseudomonas saccharophila, different res-	073
lactate in, (Satyanarayana, Radha-	ponses of, to induction of a-amylase by	
KRISHNAN)	starch and by maltose (AVERNER,	
Phenylalanine, induced soluble phenyl-	KLEIN)	510
	Pseudomonas saccharophila, purification	510
alanine hydroxylase from Pseudomo-	and properties of c-type cytochrome	
nas sp. grown on, (GUROFF, ITO) 159		6
Phenylalanine hydroxylase, induced solu-	from, (YAMANAKA, MIKI, OKUNUKI) .	<sup>0</sup> 54
ble —— from Pseudomonas sp. grown	Pseudomonas sp., induced soluble phenyl-	
on phenylalanine or tyrosine (Guroff,	alanine hydroxylase from, grown on	
ITO)	phenylalanine or tyrosine (Guroff,	
Phenylglyoxal aminotransferase, —— ac-	ITO)	159
tivity in Rhodopseudomonas spheroides	Pyridine-nucleotide, —————————induced dis-	
(Turner) 694	aggregation of glutamate dehydroge-	
Phosphatase, — activity; relation of	nase; metal-ion requirement for,	
free energy of hydrolysis of serine	(YIELDING, TOMKINS, TRUNDLE)	701
phosphate and N-acetylethanolamine	Pyridine nucleotide, release of ammonia	
phosphate to, (DAYAN, WILSON) 446	from, in alkali (Sanderson)	651
Phosphatase, alkaline —— of streptomy-	Pyridine nucleotide, ——-stimulated pro-	
cin-dependent strains of E. coli; pro-	duction of 3'-phosphoadenosine 5'-	
perties of, (Rosenkranz, Bendich,	phosphate by beef-cornea-epithelial ex-	
BEISER) 436	tract (WORTMAN)	65
Phosphate, organo—; reactivation of	Pyrophosphate, inorganic —— hydrolysis	/
trypsin inhibited by, by hydroxylamine	by rat-liver microsomes (NORDLIE,	
(Mounter) 301	GEHRING)	100
3'-Phosphoadenosine 5'-phosphate, pyri-	Pyruvate carboxylase, cortisol-induced	100
	increase of activity of, in rat liver	
dine nucleotide-stimulated production	(Henning Seigent Spinger)	2.5
of, by beef-cornea-epithelial extract	(Henning, Seifert, Seubert) Rat, —— liver, see Liver	345
(WORTMAN)		
Phosphoglucomutase, phospho and de-	Respiratory chain, NADH dehydrogenase	
phospho forms of; molecular weight of,	of; flavin components of, (Kaniuga,	
(FILMER, KOSHLAND JR.) 334	VEEGER)	339
Phosphoketolase, mechanism of, (schrö-	Respiratory chain, point of coupling of	
TER, HOLZER) 474	succinate-neotetrazolium reductase	_
Phosphopentoisomerase, — activity in	system of rat liver with, (SLATER)	365
Pediococcus pentosaceus; regulation of,	Rhodopseudomonas spheroides, phenyl-	
(Donzogose, Demoss) 629	glyoxal aminotransferase activity in,	
Phosphorylation, —— coupled to oxida-	(TURNER)	694
tion of tetramethyl-p-phenylenedia-	Roussin salt, determination of active sites	
mine in rat-liver mitochondria (How-	of enzymes with reaction of, with	

Salt gland, avian —; Na+ + K+-depen-	oxidation of; reduction of NAD+	
ouabain-sensitive ATPase in, (Нокін) 108	coupled with, in synthesis of glutamate	
Sarcotubular system, relation of, to con-	from $\alpha$ -oxoglutarate and ammonia in	
trol of glycolysis (MARGRETH) 337	rat-liver mitochondria (TAGER, How-	
Serine phosphate, free energy of hydro-	land, Slater, Snoswell)	266
lysis of; relation of, to phosphatase ac-	Tetramethyl- $p$ -phenylenediamine, phos-	
tivity (Dayan, Wilson) 446	phorylation coupled to oxidation of, in	
Sialic acid, in Keilin-Hartree cytochrome	rat-liver mitochondria (HOWLAND)	419
c preparation from beef-heart muscle	Tetrazolium reductase, —— see Succinate-	
(HENDERSON, ADA) 513	tetrazolium reductase systems	
Skin, — fibroblasts, see Fbroblasts	Thiamine pyrophosphate, — activated	
Skin, native soluble calf — collagen;	glycolaldehyde; conversion of, (Schrö-	
enzyme system in gastric secretion	TER, HOLZER)	474
capable of reducing viscosity of,	Thymidine diphosphate p-galactose pyro-	
(STEVEN) 466	phosphorylase, of Phaseolus aureus	
Snail, land —, see Land snail	(FRYDMAN, NEUFELD, HASSID)	332
Sodium ion, — + K+-dependent oua-	Tissue, —— culture of skin fibroblasts of	
bain-sensitive ATPase in avian salt	maple-syrup-urine disease; leucine me-	
gland (Hokin)	tabolism in, (DANCIS et al.)	523
Starch, induction of $\alpha$ -amylase by, and by	Tissue, — lactate dehydrogenase; al-	
maltose; different responses of Pseudo-	terations of, in human neoplasms	
monas saccharophila to, (AVERNER,	(GOLDMAN, KAPLAN)	515
KLEIN) 510	Torulopsis utilis, enzymatic synthesis of	
Steroids, — inhibiting $\beta$ -hydroxysteroid	unsaturated fatty acids in; effect of	
dehydrogenase; structural character-	temperature on, (MEYER, BLOCH)	071
istics of, (FERRARI, ARNOLD) 349	Triphosphopyridine nucleotide, ——-spe-	
Stomach, enzyme system in secretion of,	cific isocitrate dehydrogenase in bovine	
capable of reducing viscosity of native	cornea epithelium (DELBRÜCK)	138
soluble calf-skin collagen (STEVEN) . 466 Strontolinese acetyl esterase activity of	Trypsin, organophosphate-inhibited ——;	
Streptokinase, acetyl esterase activity of,	reactivation of, by hydroxylamine	201
(ROBERTS)	(MOUNTER)	301
tinase conjugate elaborated by,	Tyrosine, induced soluble phenylalanine hydroxylase from Pseudomonas sp.	
	grown on, (Guroff, Ito)	1.50
(NICKERSON, NOVAL, ROBISON) 73 Streptomycin, ————————————————————————————————————	Urea, — biosynthesis in land snail and	1 35
E. coli; properties of alkaline phospha-	earthworm (CAMPBELL, BISHOP)	TAC
tase of, (Rosenkranz, Bendich,	Urine, maple-syrup- —— disease; meta-	149
Beiser) 436	bolism of leucine in tissue culture of	
Submitochondrial particles, succinate	skin fibroblasts of, (Dancis et al.)	523
linked NAD+ reduction in; kinetic	Urine diphosphate glucose-glycogen trans-	5-3
studies and studies with inhibitor of,	glucosylase, of human leukocyte (MIL-	
(Hommes)	LER, VAN DER WENDE)	494
Succinate, as hydrogen donor in synthesis	Xanthine oxidase, bovine-milk; reac-	.,
of glutamate from α-oxoglutarate and	tion of, with p-chloromercuricbenzene	
ammonia in rat-liver mitochondria	sulphonic acid (GILBERT)	657
(TAGER, SLATER) 246	Yeast, — alcohol dehydrogenase; potas-	
Succinate, —— -linked NAD+ reduction	sium sorbate inhibition of, (MARTOADI-	
in submitochondrial particles; kinetic	PRAWITO, WHITAKER)	536
studies and studies with inhibitor of,	Yeast, anaerobic ——; oxidation-reduc-	
(Hommes) 173, 183	tion potential of D-2-hydroxyacid:	
Succinate-neotetrazolium reductase sys-	(acceptor) oxidoreductase from, (IWAT-	
tem, of rat liver; points of coupling of,	subo)	568
with respiratory chain (SLATER) 365	Yeast, baker's —— cytochrome $c$ ; com-	
Succinate-tetrazolium reductase systems,	plete amino acid sequence in, (NARITA	
studies on, (SLATER, SAWYER, STRÄULI) 383	et al.)	686
Sulfhydryl content, of some lactate dehy-	Yeast invertase, substrate constant for,	
drogenases (Di Sabato, Pesce, Kap-	(TRACEY)	147
Sulfhydryl sites involvement of in don	Yeast, synthesis of DPN-dependent gluta-	
Sulfhydryl sites, involvement of, in dop-	mate dehydrogenase in; inhibition of	
amine- $\beta$ -hydroxylase activity (Gold- stein, McKereghan, Lauber) 161	by actinomycin C (Holzer, Hierhol-	220
Sulfonamides, lack of inhibition of Zn-free	Yeast, see also Candida utilis	329
plant carbonic anhydrase by, (Fell-	Zinc, —— -free plant carbonic anhydrase;	
NER)	lack of inhibition of, by sulfonamides	
Tetramethyl-p-phenylenediamine, aerobic	(FELLNER)	155
* * *		55