SUBJECT INDEX

Acyl-coenzyme A dehydrogenase the mitochondrial inner membrane (Pedersen, Flatmark) (275) 135 Phosphorylation coupled to -- - - linked oxidation of fatty acids by liver and heart Calcium ion-activated tension mitochondria (Bremer, Davis) (275) 298 Effects of Mg2+ on submaximum ---- in skinned fibers of frog skeletal muscle Aging of the photosynthetic apparatus. (Kerrick, Donaldson) (275) 117 Calcium ion binding IV. Similarity between the effects of aging - and Ca²⁺-sensitizing functions of and unsaturated fatty acids on isolated spinach choroplasts as expressed by volume cardiac native tropomyosin, troponin, and changes (Siegenthaler) (275) 182 tropomyosin (Surendranath Reddy, Honig) ATP-ADP exchange reaction (275) 453 Carnitine Membrane ATPase of Escherichia coli. I. -: The carrier transporting fatty acyls Ion dependence and ——— (Roisin, Kepes) into mitochondria by means of an electro-(275) 333 ATPase chemical gradient of H⁺ (Levitsky, Skula-Energy transduction in photosynthetic chev) (275) 33 bacteria. IV. Light-dependent - β -Carotene photosynthetic membranes from Rhodo-- film at a water-air interface (Leblanc, Orger) (275) 102 pseudomonas capsulata (Melandri et al.) Chlamvdomonas reinhardti (275) 383 Relationship of structure, composition and **ATPase** Triton X-100 fractionation of chloroplast Membrane ---- of Escherichia coli. I. lamellae in wild type and two non-photo-Ion dependence and ATP-ADP exchange synthetic mutant strains of ——— (Picaud) reaction (Roisin, Kepes) (275) 333 (275)414ATPase Chlamydomonas reinhardti Membrane potential generation by two re-Spectroscopic analysis of low-fluorescent constituted mitochondrial systems: Lipomutants of --- blocked in their watersomes inlayed with cytochrome oxidase or splitting, oxygen-evolving apparatus (Epel with -— (Jasaitis et al.) (275) 485 et al.) (275) 395 Chlorophyll Stimulation of --- activity of 30-S Electron spin resonance in ¹³C-labelled dynein with microtubular protein (Oto-- and ¹³C-labelled algae (Norris et al.) kawa) (275) 464 (275) 161ATP hydrolysis Chloroplasts - and electron transfer in the nitro-Aging of the photosynthetic apparatus. IV. genase reaction with different combinations Similarity between the effects of aging of the iron protein and the molybdenumand unsaturated fatty acids on isolated iron protein (Ljones, Burris) (275) 93 spinach ---- as expressed by volume Bacteriochlorophyll changes (Siegenthaler) (275) 182 as related to the Fluorescence of -Chloroplasts photochemistry of chromatophores of Two-phase kinetics of proton release from photosynthetic bacteria (Suzuki, Takamiya) - by acid-base transition (Nishizaki) (275) 358(275) 177 Bacteriochlorophyll Chloroplast fragments Interaction of photoactive ---Presence of P700 in ---- prepared by primary electron acceptor in the reaction short time incubation with Triton X-100 centre of Ectothiorhodospira shaposhnikovii (Esser) (275) 199 (Kononenko et al.) (275) 130 Chloroplast lamellae Bacteriochlorophylls Relationship of structure, composition and Temperature dependence of absorption and Triton X-100 fractionation of --- in fluorescence spectra of ---- in vivo and wild type and two non-photosynthetic muin vitro (Goedheer) (275) 169 tant strains of Chlamydomonas reinhardti Brown adipose tissue (Picaud) (275) 414 Studies on the energy state of isolated ——— mitochondria. The cytochrome b complex as a probe of the energy state of Chromatophores Fluorescence of bacteriochlorophyll as re-

lated to the photochemistry of -

SUBJECT INDEX 47I

photosynthetic bacteria (Suzuki, Takamiya) Delayed light emission Stimulation of millisecond ——— by KCl (275) 358and NaCl gradients as a means of investi-Chromatophores gating the ionic permeability properties of Kinetics of the fluorescence change and P870 bleaching in ----- from Rhodospirillum the thylakoid membranes (Barber) (275) rubrum (Malkin, Silberstein) (275) 369 Chromatophores 3,5-Di-tert-butyl-4-hydroxybenzylidene-Permeability of Rhodospirillum rubrum malononitrile -to thiocyanate and perchlorate as -; a new powerful uncoupler of detected by light-induced fluorochrome respiratory-chain phosphorylation (Muraofluorescence changes and photophosphorka, Terada) (275) 271 ylation (Gromet-Elhanan) (275) 125 Dynein Cytochrome aa₃ Stimulation of ATPase activity of 30-S Biochemical and biophysical studies on with microtubular protein (Otokawa) (275) 464 -. VIII. Effect of cyanide on the catalytic activity (Nicholls et al.) (275) Ectothiorhodospira shaposhidovii Interaction of phoroactive baceriochlorophyll with the primary electron acceptor Cytochrome b in the reaction centre of -Evidence for the occurrence in submito-— (Kononenko chondrial particles of a dual respiratory et al.) (275) 130 chain containing different forms of -Electrochemical gradient Carnitine: The carrier transporting fatty (Norling et al.) (275) 18 Cytochromes b acyls into mitochondria by means of an of H⁺ (Levitsky, Skulachev) (275) 33 Reactions of ---- in the red alga Porphyridium aerugineum (Amesz et al.) (275) Electron acceptors Oxidation-reduction potentials of the --442 in laccases and stellacyanin (Reinhammar) Cytochromes b Spectral study of ---- in yeast mito-(275) 245 chondria and intact cells (Sato et al.) (275) Electron acceptors - in reaction centre preparations from photosynthetic bacteria (Slooten) Cytochrome b Studies on the energy state of isolated (275) 208brown adipose tissue mitochondria. The Electron spin resonance in ¹³C-labelled chlorophyll and ¹³C-- complex as a probe of the energy labelled algae (Norris et al.) (275) 161 state of the mitochondrial inner membrane (Pedersen, Flatmark) (275) 135 Electron transfer Cytochrome b_5 — in the nitro-ATP hydrolysis and genase reaction with different combinations Soluble - from human erythrocytes (Passon et al.) (275) 51 of the iron protein and the molybdenum-Cytochrome b_5 reductase iron protein (Ljones, Burris) (275) 93 — from human erythrocytes Electron transfer Soluble -(Passon, Hultquist) (275) 62 Energy-linked ---- reactions in Rhodopseudomonas viridis (Jones, Saunders) Cytochrome c peroxidase - isolated from Thiobacillus novellus (275) 427 (Yamanaka) (275) 74 Fatty acids Aging of the photosynthetic apparatus. IV. Cytochrome f 'Autoreduction' — an unusual property Similarity between the effects of aging and of pure spinach ---- (Garewal, Wasserunsaturated ---- on isolated spinach chloroplasts as expressed by volume chanman) (275) 437 ges (Siegenthaler) (275) 182 Cytochrome oxidase Membrane potential generation by two re-Fatty acids Phosphorylation coupled to acyl-coenzyme constituted mitochondrial systems: Lipo-A dehydrogenase-linked oixdation of somes inlayed with ---- or with ATPase (Jasaitis et al.) (275) 485 by liver and heart mitochondria (Bremer, Davis) (275) 298 Cytochrome oxidase New purification procedure and molecular Fatty acyl transport Carnitine: The carrier transporting fatty properties of Pseudomonas -—— (Kuronen, Ellfolk) (275) 308 acyls into mitochondria by means of an electrochemical gradient of H+ (Levitsky, Cytochrome P450 Anaerobic-nitrate, symbiotic and aerobic Skulachev) (275) 33 growth of Rhizobium japonicum: Effects Fluorescence Temperature dependence of absorption and on —, other haemoproteins, nitrate - spectra of bacteriochlorophylls in and nitrite reductases (Daniel, Appleby) vivo and in vitro (Goedheer) (275) 169 (275) 347

472 SUBJECT INDEX

Fluorescence changes acyls into ——— by means of an electro-Permeability of Rhodospirillum rubrum chemical gradient of H+ (Levitsky, Skulachromatophores to thiocyanate and perchev) (275) 33 Mitochondria chlorate as detected by light-induced fluorochrome ---- and by photophosphoryl-Effect of oncotic pressure on heart muscle ation (Gromet-Elhanan) (275) 125 – (Bakeeva et al.) (275) 319 Fuscin Mitochondria , an inhibitor of respiration and Evidence for the transport of manganous oxidative phosphorylation in ox-neck musion against an activity gradient by cle mitochondria (Cheah) (275) 1 (Puskin, Gunter) (275) 302 Mitochondria Growth conditions Study of the effect of ----- on chemostat-Fuscin, an inhibitor of respiration and grown Klebsiella aerogenes and kinetic oxidative phosphorylation in ox-neck changes of a 500-nm absorption band - (Cheah) (275) I muscle – (Harrison) (275) 83 Mitochondria Haem protein Phosphorylation coupled to acyl-coenzyme Preliminary characterization of a variant A dehydrogenase-linked oxidation of fatty - from Nitrosomonas acids by liver and heart ——— (Bremer, co-binding (Erickson, Hooper) (275) 231 Davis) (275) 298 Ionic permeability Mitochondria Stimulation of millisecond delayed light Preparation of intact plant ---- (Douce emission by KCl and NaCl gradients as a et al.) (275) 148 means of investigating the -Mitochondria ---- properties of the thylakoid membranes (Barber) (275) Spectral study of cytochromes b in yeast 105 — and intact cells (Sato et al.) (275) Klebsiella aerogenes 288 Study of the effect of growth conditions on Mitochondria Studies on the energy state of isolated chemostat-grown ——— and kinetic changes of a 500-nm absorption band (Harrison) brown adipose tissue ----. The cytochrome b complex as a probe of the energy (275)83state of the mitochondrial inner membrane Laccases Oxidation-reduction potentials of the elec-(Pedersen, Flatmark) (275) 135 Mitochondrial systems tron acceptors in ----- and stellacyanin (Reinhammar) (275) 245 Membrane potential generation by two reconstituted ---: Liposomes inlayed with Liposomes Membrane potential generation by two recytochrome oxidase or with ATPase (Jasaconstituted mitochondrial systems: itis et al.) (275) 485 inlayed with cytochrome oxidase or with Molybdenum ATPase (Jasaitis et al.) (275) 485 Comparative aspects of incorporation of Magnesium ions vanadium, tungsten or — into protein of nitrate reductase of Spinacea oleracea — on submaximum Ca²⁺-Effects of activating tension in skinned fibers of frog L. leaves (Notton, Hewitt) (275) 355 skeletal muscle (Kerrick, Donaldson) (275) Molybdenum-iron protein ATP hydrolysis and electron transfer in the nitrogenase reaction with different com-Manganous ion Evidence for the transport of binations of the iron protein and the against an activity gradient by mito-(Ljones, Burris) (275) 93 chondria (275) 302 (Puskin, Gunter) Muscle Effects of Mg2+ on submaximum Ca2+-Membranes activated tension in skinned fibers of frog Separation of voltage-dependent photoemfs and conductances in Rudin - Mueller skeletal ——— (Kerrick, Donaldson) (275) - containing magnesium porphyrins 117 Nitrate reductase (Hong, Mauzerall) (275) 479 Activation of ----- by oxidation (Jetsch-Membrane ATPase - of Escherichia coli. I. Ion depenmann et al.) (275) 276 dence and ATP-ADP exchange reaction Nitrate reductase (Roisin, Kepes) (275) 333 Anaerobic-nitrate, symbiotic and aerobic growth of Rhizobium japonicum: Effects Membrane potential generation - by two reconstituted mitochondrial on cytochrome P 450, other haemo-— and nitrite reductase systems: Liposomes inlayed with cytoproteins, — (Daniel, Appleby) (275) 347 chrome oxidase or with ATPase (Jasaitis

Nitrate reductase

Comparative aspects of incorporation of

vanadium, tungsten or molybdenum into

et al.) (275) 485

Carnitine: The carrier transporting fatty

Mitochondria

protein of — of Spinacea oleracea the effects of aging and unsaturated fatty L. leaves (Notton, Hewitt) (275) 355 acids on isolated spinach chloroplasts as expressed by volume changes (Siegen-Nitrite reductase Anaerobic-nitrate, symbiotic and aerobic thaler) (275) 182 growth of Rhizobium japonicum: Effects on Photosynthetic bacteria cytochrome P450, other haemoproteins, ni-Electron acceptors in reaction centre preptrate reductase and ----- (Daniel, Appleby arations from ——— (Slooten) (275) 208 Photosynthetic bacteria (275) 347 Fluorescence of bacteriochlorophyll as Nitrogenase ATP hydrolysis and electron transfer in the related to the photochemistry of chromato---- (Suzuki, Takamiya) (275) reaction with different combinations phores of --of the iron protein and the molybdenum-358 iron protein (Ljones, Burris) (275) 93 Photosynthetic membranes Energy transduction in photosynthetic Nitrosomonas Preliminary characterization of a variant bacteria. IV. Light-dependent ATPase in co-binding haem protein from -(Erickson, Hooper) (275) 231 from Rhodopseudomonas capsulata (Melandri et al.) (275) 383 Oxidation-reduction potentials Photosystems I and II of electron acceptors in laccases Reconstitution of -- using spinach and stellacyanin (Reinhammar) (275) 245 subchloroplast fragments fractionated by Oxidative phosphorylation Triton treatment (Ke, Shaw) (275) 192 Fuscin, an inhibitor of respiration and Plant mitochondria - in ox-neck muscle mitochondria Preparation of intact ——— (Douce et al.) (Cheah) (275) I (275) 148 Oxygen-evolving apparatus Porphyridium aerugineum Spectroscopic analysis of low-fluorescent mutants of Chlamydomonas reinhardti Reactions of cytochromes b in the red - (Amesz et al.) (275) 442 alga blocked in their water-splitting Porphyrins (Epel et al.) (275) 395 Separation of voltage-dependent photoemfs P700 and conductances in Rudin-Mueller mem-Presence of ---- in chloroplast fragbranes containing magnesium —— (Hong, ments prepared by short time incubation Mauzerall) (275) 479 with Triton X-100 (Esser) (275) 199 Primary electron acceptor P870 Interaction of photoactive bacteriochlo-Isolation and partial characterization of a rophyll with the -- in the reaction reaction centre complex from wild centre of Ectothiorhodospira shaposhnitype Rhodospirillum rubrum (Noël et al.) kovii (Kononenko et al.) (275) 130 (275) 219 Proton release Pasteur effect Two-phase kinetics of - from chloro-- in the in vitro vascularly perfused plast by acid-base transition (Nishizaki) rat small intestine (Lamers, Hülsmann) (275) 177 (275)491Phytochrome Permeability Difference spectrum distortion in non-- of Rhodospirillum rubrum chromahomogeneous pigment associations: Abnortophores to thiocyanate and perchlorate as mal -- spectra in vivo (Spruit, Spruit) detected by light-induced fluorochrome (275) 401fluorescence changes and by photophosphor-Reaction centre ylation (Gromet-Elhanan) (275) 125 Electron acceptors in ----- preparations Phosphorylation from photosynthetic bacteria (Slooten) - coupled to acyl-coenzyme A dehy-(275) 208drogenase-linked oxidation of fatty acids Reaction centre by liver and heart mitochondria (Bremer, Interaction of photoactive bacteriochlo-Davis) (275) 298 rophyll with the primary electron acceptor Photophosphorylation --- of Ectothiorhodospira in the Permeability of Rhodospirillum rubrum shaposhnikovii (Kononenko et al.) (275) 130 chromatophores to thiocyanate and per-Reaction centre chlorate as detected by light-induced Isolation and partial characterization of a fluorochrome fluorescence changes and by (Gromet-Elhanan) (275) 125 P₈₇₀ ——— complex from wild type Rhodospirillum rubrum (Noël et al.) (275) 219 Photoregeneration Intermediate in the ---- of squid rho-Respiration dopsin (Suzuki et al.) (275) 260 Fuscin, an inhibitor of --dative phosphorylation in ox-neck muscle Photosynthetic apparatus IV. Similarity between mitochondria (Cheah) (275) 1 Aging of the —

474 SUBJECT INDEX

Respiratory chain Evidence for the occurrence in submitochondrial particles of a dual ————————————————————————————————————	Evidence for the occurrence in ———————————————————————————————————
Rhodopsin	Shaw) (275) 192
Intermediate in the photoregeneration of	Triton X-100
squid ——— (Suzuki et al.) (275) 260 Rhodospirillum rubrum Isolation and partial characterization of a	Presence of P700 in chloroplast fragments prepared by short time incubation with ——— (Esser) (275) 199
P ₈₇₀ reaction centre complex from wild	Tropomyosin
type ——— (Noël et al.) (275) 219 Rhodospirillum rubrum	Ca ²⁺ -binding and Ca ²⁺ -sensitizing functions of cardiac native ———, troponin,
Kinetics of the fluorescence change and	and tropomyosin (Surendranath Reddy,
P870 bleaching in chromatophores from	Honig) (275) 453
(Malkin, Silberstein) (275) 369	Troponin
Rhodospirillum rubrum Permeability of ———————————————————————————————————	Ca ²⁺ -binding and Ca ²⁺ -sensitizing functions of cardiac native tropomyosin, ——, and tropomyosin (Surendranath Reddy, Honig) (275) 453 Tungsten
(Gromet-Elhanan) (275) 125	Comparative aspects of incorporation of
Rudin-Mueller membranes Separation of voltage-dependent photoemfs and conductances in ———————————————————————————————————	vanadium, ——— or molybdenum into protein of nitrate reductase of Spinacea oleracea L. leaves (Notton, Hewitt) (275) 355 Ubiquinone
(275) 479	and related compounds. XX. Co-
Small intestine	enzymatic activity of ubiquinone and
Pasteur effect in the in vitro vascularly per-	related compounds (II) (Morimoto, Imada)
fused rat ——— (Lamers, Hülsmann) (275)	(275) 10
491 Stellacyanin	Vanadium Comparative aspects of incorporation of
Oxidation-reduction potentials of the electron acceptors in laccases and (Reinhammar) (275) 245 Subchloroplast fragments	, tungsten or molybdenum into protein of nitrate reductase of Spinacea oleracea L. leaves (Notton, Hewitt) (275) 355 Water-splitting
Reconstitution of Photosystems I and II using spinach ———— fractionated by Triton treatment (Ke, Shaw) (275) 192 Submitochondrial particles	Spectroscopic analysis of low-fluorescent mutants of Chlamydomonas reinhardti blocked in their ——— oxygen-evolving apparatus (Epel et al.) (275) 395