ELSEVIED

Bioenergetics

(including Reviews on Bioenergetics) Vol. 1229, 1995



Cumulative Contents ____

Information for Contributors	vii	Sodium ion dependence of inhibition of the Na ⁺ -translocating F ₁ F ₀ -ATPase from Acetobacterium	
Reviews		woodii. Probing the site(s) involved in ion transport	
Cytochromes of archaeal electron transfer chains M. Lübben (Germany)	1	M. Spruth, J. Reidlinger and V. Müller (Germany) Analysis of the inhibitory non-catalytic ADP binding	96
Cyclic photophosphorylation and electron transport D.S. Bendall and R.S. Manasse (UK)	23	site on mitochondrial F ₁ , using NAP ₃ -2N ₃ ADP as probe. Effects of the modification on ATPase and ITPase activity	
Regular Papers		C.M. Edel, A.F. Hartog and J.A. Berden (The Netherlands)	103
Study on the energy transfer processes in phycobilisomes from blue-green algae by the use of stochastic simulation approach		Photosystem I from Synechococcus elongatus: preparation and crystallization of monomers with varying subunit compositions	
J. Zhao, J. Zhu and L. Jiang (China) The involvement of NADP(H) binding and release	39	P. Jekow, P. Fromme, H.T. Witt and W. Saenger (Germany)	115
in energy transduction by proton-translocating nicotinamide nucleotide transhydrogenase from <i>Escherichia coli</i>		Enzyme turnover is essential for deactivation of F_0F_1 -ATPase in plant mitochondria B.V. Chernyak, C. Sigalat, P. Diolez and F. Ha-	
T. Bizouarn, R.L. Grimley, N.P.J. Cotton, S.N. Stilwell, M. Hutton and J.B. Jackson (UK)	49	raux (France, Russian Federation)	121
A Stepanov relation analysis of steady-state absorption and fluorescence spectra in the isolated		Review	
D1/D2/cytochrome b-559 complex G. Zucchelli, F.M. Garlaschi, R. Croce, R. Bassi and R.C. Jennings (Italy)	59	Fast reactions of cytochrome oxidase Ó. Einarsdóttir (USA)	129
Characterization of the interaction of NADH with proton pumping E. coli transhydrogenase recon-		Regular Papers	
stituted in the absence and in the presence of bacteriorhodopsin X. Hu, JW. Zhang, A. Persson and J. Rydström		A model of antimycin A binding based on structure-activity studies of synthetic antimycin A analogues	
(Sweden) The electron transport system of the facultative pho-	64	H. Miyoshi, N. Tokutake, Y. Imaeda, T. Akagi and H. Iwamura (Japan)	149
totroph Rhodoferax fermentans. I. A functional, thermodynamic and spectroscopic study of the respiratory chain of dark- and light-grown cells		Formation and decay of monodehydroascorbate radicals in illuminated thylakoids as determined by EPR spectroscopy S. Grace, R. Pace and T. Wydrzynski (USA, Aus-	11,5
A. Hochkoeppler, G. Moschettini and D. Zannoni (Italy)	73	tralia)	155
The electron transport system of the facultative phototroph <i>Rhodoferax fermentans</i> . II. Flash-induced oxidation of membrane-bound cytochromes c A. Hochkoeppler, D. Zannoni and G. Venturoli		Effects of in vivo CO ₂ -depletion on electron transport and photoinhibition in the green algae, Chlamydobotrys stellata and Chlamydomonas reinhardtii	
(Italy) Persisting in vitro motility of actin filaments at nanomolar ATP concentrations after ATP pretreatment	81	S. Demeter, T. Janda, L. Kovács, D. Mende and W. Wiessner (Hungary, Germany) Primary structure and properties of the inhibitory	166
M.S.Z. Kellermayer, T.R. Hinds and G.H. Pollack (USA)	89	protein of the mitochondrial ATPase (H ⁺ -ATP synthase) from potato	

K.E. Polgreen, J. Featherstone, A.C. Willis and D.A. Harris (UK) Molecular structure of the 8.0 kDa subunit of cy-	175	Lipid peroxidation in tobacco leaves treated with the elicitor cryptogein: evaluation by high-tempera- ture thermoluminescence emission and chloro-	
tochrome- c reductase from potato and its $\Delta\Psi$ -dependent import into isolated mitochondria		phyll fluorescence V.M. Stallaert, JM. Ducruet, E. Tavernier and	
HP. Braun and U.K. Schmitz (Germany)	181	JP. Blein (France)	290
Mitochondrial bioenergetics is affected by the herbi-		Differential effects of formate in single and double	
cide paraquat		mutants of D ₁ in Synechocystis sp. PCC 6714	
C.M. Palmeira, A.J. Moreno and V.M.C. Madeira		C. Vernotte, JM. Briantais, C. Astier and Go-	
(Portugal)	187	vindjee (France, USA)	296
On the determination of redox midpoint potential of			
the primary quinone electron acceptor, QA, in		Review	
Photosystem II			
A. Krieger, A.W. Rutherford and G.N. Johnson		The respiratory chain of alkaliphilic bacteria	
(France)	193	D.B. Hicks and T.A. Krulwich (USA)	303
A change in the midpoint potential of the quinone			
Q _A in Photosystem II associated with photoactiva-		Regular Papers	
tion of oxygen evolution		8 r	
G.N. Johnson, A.W. Rutherford and A. Krieger		Proportional activation coefficients during stimula-	
(France)	202	tion of oxidative phosphorylation by lactate and	
The kinetics of photophosphorylation at clamped		pyruvate or by vasopressin	
Δ pH indicate a random order of substrate binding		B. Korzeniewski, ME. Harper and M.D. Brand	
G. Kothen, O. Schwarz and H. Strotmann (Ger-		(UK, Poland)	315
many)	208	Pyrophosphate and H ⁺ -pyrophosphatase maintain the	
Vibrational coherence and relaxation dynamics in the		vacuolar proton gradient in metabolic inhibitor-	
primary donor state of the mutant reaction center		treated Acer pseudoplatanus cells	
of Rhodobacter capsulatus: Theoretical analysis		F. Macrì, M. Zancani, E. Petrussa, P. Dell'An-	
of pump-probe stimulated emission		tone and A. Vianello (Italy)	323
X.Z. Gu, M. Hayashi, S. Suzuki and S.H. Lin		Spatial and electrogenic properties of superoxide-	
(USA, Taiwan, Republic of China)	215	producing cytochrome b-559 incorporated into	
F_1 -ATPase α -subunit made up from two fragments		liposomes	
(1-395, 396-503) is stabilized by ATP and com-		V. Koshkin (Israel)	329
plexes containing it obey altered kinetics		Bradhyrhizobium japonicum hydrogen-ubiquinone	
M. Miyauchi, K. Tozawa and M. Yoshida (Japan)	225	oxidoreductase activity: quinone specificity, inhi-	
Functional expression of the ENA1(PMR2)-ATPase		bition by quinone analogs, and evidence for sepa-	
of Saccharomyces cerevisiae in Schizosaccha-		rate sites of electron acceptor reactivity	
romyces pombe		D.M. Ferber, B. Moy and R.J. Maier (USA)	334
M.A. Bañuelos, F.J. Quintero and A. Rodríguez-		Purification of three catalase isozymes from faculta-	
Navarro (Spain)	233	tively alkaliphilic Bacillus firmus OF4	
Characteristic changes of function and structure of		D.B. Hicks (USA)	347
Photosystem II during strong-light photoinhibition		The trinuclear iron-sulfur cluster S3 in Bacillus sub-	
under aerobic conditions		tilis succinate:menaquinone reductase; effects of a	
Ta. Ono, T. Noguchi and Y. Nakajima (Japan)	239	mutation in the putative cluster ligation motif on	
Is monoamine oxidase activity in the outer mito-		enzyme activity and EPR properties	
chondrial membrane influenced by the mitochon-		C. Hägerhäll, V. Sled', L. Hederstedt and T.	
drial respiratory state?		Ohnishi (USA, Sweden)	356
A.B. Wojtczak, D. Brdiczka and L. Wojtczak (Po-		A metabolite of carcinogenic 2-acetylaminofluorene,	
land, Germany)	249	2-nitrosofluorene, induces redox cycling in mito-	
Control theory of group transfer pathways		chondria	
B.N. Kholodenko and H.V. Westerhoff (Russia,		PC. Klöhn, H. Massalha and HG. Neumann	
The Netherlands)	256	(Germany)	363
How to reveal various aspects of regulation in		Low-temperature absorption and site-selected fluo-	
group-transfer pathways		rescence of the light-harvesting antenna of	
B.N. Kholodenko and H.V. Westerhoff (Russia,		Rhodopseudomonas viridis. Evidence for hetero-	
The Netherlands)	275	geneity	

R. Monshouwer, R.W. Visschers, F. Van Mourik, A. Freiberg and R. Van Grondelle (The Nether-	252	H. Boumans, J.A. Berden and L.A. Grivell (The Netherlands)	386
lands, Estonia)	373	The genomic organization of the gene encoding a	
Changes in secondary structure and flavin microen-		nitrate-inducible ferredoxin-NADP+ oxidoreduc-	
vironment between Azotobacter vinelandii		tase from rice roots	
lipoamide dehydrogenase and several deletion		H. Aoki, K. Tanaka and S. Ida (Japan)	389
mutants from circular dichroism		The Na ⁺ -translocating ATPase of Acetobacterium	
A.J.W.G. Visser, W.J.H. Van Berkel and A.		woodii is a F ₁ F ₀ -type enzyme as deduced from	
De Kok (The Netherlands)	381	the primary structure of its β , γ and ϵ subunits	
		A. Forster, R. Daniel and V. Müller (Germany)	393
Short Sequence-Papers			
T T		Cumulative Contents, Vol. 1229	399
cDNA sequence of subunit VIII of ubiquinol-cyto-			
chrome-c oxidoreductase from Schizosaccha- romyces pombe		Author Index	402