## SUBJECT INDEX

Active transport	the rabbit ——— (Jensen) (183) 204
Induction of ——— of neutral amino acids	ATPase
in Streptomyces hydrogenans (Ring) (183) 375	Comments on recent efforts to estimate the
Adipose tissue	molecular weight of the (Na+-K+) ———
Relationship between glucose transport and	(Kepner, Macey) (183) 241
cation transport across cell membranes in	ATPase
isolated tissues. V. Stimulating effect of	Dio 9 and chlorhexidine: Inhibitors of mem-
ouabain, K <sup>+</sup> -free medium and insulin on	brane-bound ——— and of cation transport
efflux of 3-O-methylglucose from epididymal	in Streptococcus faecalis (Harold et al.)
(Clausen) (183) 625 Air-water interface	(183) 129 ATPase
	Preparation of (Na <sup>+</sup> -K <sup>+</sup> )-dependent ———
Interaction energies of cholesterol and leci- thin in spread mixed monolayers at the	from human gastric mucosa (Mózsik, Øye)
(Joos, Demel) (183) 447	(183) 640
L-Alanine transport	ATPase
Absence of an effect of vitamin $B_6$ defi-	Variability in ouabain-induced inhibition of
ciency on $\longrightarrow$ across rabbit ileum in	human erythrocyte membrane (Na+-K+)
vitro (Chez et al.) (183) 244	(Schrier et al.) (183) 397
Amino acids	Axons
Induction of active transport of neutral	Maintenance of sodium transport in per-
——— in Streptomyces hydrogenans (Ring)	fused ——— (Foster et al.) (183) 401
(183) 375	Bone
Amino acid binding	Amino acid transport in adult diaphyseal
Preferential — to isolated mucosal	: Contrast with amino acid transport
brush borders from hamster jejunum	mechanisms in fetal membranous bone
(Burns, Faust) (183) 642	(Hahn et al.) (183) 194
Amino acid transfer systems	Brain esterases
Stereochemical specificity of neutral———	Redistribution of rat ——— during subcel-
in rat small intestine (Daniels et al.) (183) 637	lular fractionation (Koeppen et al.) (183) 253
Amino acid transport	Brain microsomes
—— in adult diaphyseal bone: Contrast	Light-scattering studies on rabbit ——.
with amino acid transport mechanisms in	I. Evidence for osmotic behaviour (Ka-
fetal membranous bone (Hahn et al.) (183)	mino, Inouye) (183) 36
194	Brain microsomes
Amino acid transport	Light-scattering studies on rabbit ——.
Cross-inhibition of basic — by neutral	II. Effects of ATP and chelation of Mg <sup>2+</sup> on
amino acids (Reiser, Christiansen) (183) 611 Amino acid transport	microsomal contraction (Kamino) (183) 48 Brush border
Nonmetabolizable —————————— in rat liver slices	Enzymatic distinction of rat intestinal cell
(Tews, Harper) (183) 601	and endoplasmic reticular mem-
An nino acid transport	branes (Clark et al.) (183) 233
—— in rat-liver slices during develop-	Brush borders
ment (Tews, Harper) (183) 635	Preferential amino acid binding to isolated
Anaesthetic	mucosal —— from hamster jejunum (Burns,
Membrane concentration of a local ———	Faust) (183) 642
(chlorpromazine) (Kwant, Seeman) (183) 530	Calcium accumulation
Anaesthetics	in laying fowl intestine in vitro (Bar,
Membrane expansion of erythrocyte ghost	Hurwitz) (183) 591
by tranquilizers and ——— (Seeman et al.)	Cation transport
(183) 499	Dio 9 and chlorhexidine: Inhibitors of mem-
Anaesthetics	brane-bound ATPase and of —— in Strep-
Membrane expansion of intact erythrocytes	tococcus faecalis (Harold et al.) (183) 129
by ——— (Seeman et al.) (183) 490	Cation transport
Anaesthetics	Relationship between glucose transport and
Temperature dependence of erythrocyte membrane expansion by alcohol ———.	across cell membranes in isolated tissues. V. Stimulating effect of ouabain,
Possible support for the partition theory of	K <sup>+</sup> -free medium and insulin on efflux of
anaesthesia (Seeman) (183) 520	3-O-methylglucose from epididymal adipose
Aorta	tissue (Clausen) (183) 625
Relationship between metabolic activity	Cell membranes
and cholesterol uptake by intima-media of	Improved, reproducible method of pre-
- "	•

maning mat lives mlasma in huffaned	(Nilsson Dongwict) (19a) 1
paring rat liver plasma —— in buffered	(Nilsson, Ronquist) (183) I
isotonic sucrose (Berman et al.) (183) 10	Erythrocytes
Cell membranes	Hydrational effect of leptazol and its theoret-
Number of sodium pumping sites in ———	ical connection with glucose deficiency in
(Baker, Willis) (183) 646	the haemolysis of rabbit — (Coldman,
Cell membranes	Good) (183) 346
Relationship between glucose transport and	Erythrocyte
cation transport across ——— in isolated	Membrane expansion of the ——— by both
tissues. V. Stimulating effect of ouabain,	the neutral and ionized forms of chlorpro-
K <sup>+</sup> -free medium and insulin on efflux of	mazine (Seeman, Kwant) (183) 512
3-O-methylglucose from epididymal adipose	Erythrocytes
tissue (Clausen) (183) 625	Membrane expansion of intact — by
Cell wall fraction	by anaesthetics (Seeman et al.) (183) 490
Composition of the ——— of the fungus,	Erythrocyte
Cordyceps militaris (Marks et al.) (183) 58	Temperature dependence of ——— mem-
Chara corallina	brane expansion by alcohol anaesthetics.
Ionic fluxes in cells of ——— (Findlay et	Possible support for the partition theory of
al.) (183)-565	anaesthesia (Seeman) (183) 520
Chlorpromazine	Erythrocyte fragility
Membrane concentration of a local anaes-	Effect of membrane-strain rate and of tem-
thetic () (Kwant, Seeman) (183) 530	perature on ——— and critical haemolytic
Chlorpromazine	volume (Seeman et al.) (183) 476
Membrane expansion of the erythrocyte by	Erythrocyte ghost
both the neutral and ionized forms of	Membrane expansion of —— by tran-
(Seeman, Kwant) (183) 512	quilizers and anaesthetics (Seeman et al.)
Cholesterol	(183) 499
Interaction energies of ——— and lecithin	Erythrocyte membrane
in spread mixed monolayers at the air-	Sulphanilic acid diazonium salt: A label for
water interface (Joos, Demel) (183) 447	the outside of the human ——— (Berg)
Cholesterol	(183) 65
Mixed monolayers of phospholipids and	Erythrocyte membrane
(Chapman et al.) (183) 458	Variability in ouabain-induced inhibition of
Cholesterol uptake	human — (Na+-K+)-ATPase (Schrier
Relationship between metabolic activity	et al.) (183) 397
and — by intima-media of the rabbit	Esterases
aorta (Jensen) (183) 204	Redistribution of rat brain ———— during
Cordyceps militaris	subcellular fractionation (Koeppen et al.)
Composition of the cell wall fraction of the	(183) 253
fungus, ——— (Marks et al.) (183) 58	Glucose transport
Corticosterone biosynthesis	Ionic effects on ——— and metabolism by
Effect of ouabain on ——— and on potas-	isolated mouse fat cells incubated with or
sium and sodium concentration in calf adre-	without insulin. I. Lack of effect of medium
nal tissue in vitro (Wellen, Benraad) (183) 110	Ca <sup>2+</sup> , Mg <sup>2+</sup> or PO <sub>4</sub> <sup>3-</sup> (Letarte, Renold) (183)
L-α-Dipalmitoyl lecithin monolayers	350
Interactions of ——— with Na <sup>+</sup> , K <sup>+</sup> or Li <sup>+</sup> ,	Glucose transport
and its possible role in membrane phenom-	Ionic effects on ——— and metabolism by
	isolated mouse fat cells incubated with or
ena (Vilallonga et al.) (183) 98 Electroosmosis theory	without insulin. II. Effect of replacement of
Evidence for the ——— of transport in the	K <sup>+</sup> and of ouabain (Letarte et al.) (183) 357
phloem (Bowling) (183) 230	Glucose transport  Ionic effects on ——— and metabolism by
Endoplasmic reticular membranes Enzymatic distinction of rat intestinal cell	isolated mouse fat cells incubated with or
	without insulin III Effects of replacement
brush border and —— (Clark et al.) (183) 233	without insulin. III. Effects of replacement
Endothelial cells	of Na <sup>+</sup> (Letarte, Renold) (183) 366
Vesicular transport across — (Tomlin)	Glucose transport
(183) 559	Relationship between ——— and cation
	transport serves call memberses in icalated
Erythrocytes	transport across cell membranes in isolated
Effect of partial replacements of membrane	tissues. V. Stimulating effect of ouabain,
Effect of partial replacements of membrane cholesterol by other steroids on the osmotic	tissues. V. Stimulating effect of ouabain, K <sup>+</sup> -free medium and insulin on efflux of
Effect of partial replacements of membrane cholesterol by other steroids on the osmotic fragility and glycerol permeability of	tissues. V. Stimulating effect of ouabain, K <sup>+</sup> -free medium and insulin on efflux of 3-O-methylglucose from epididymal adipose
Effect of partial replacements of membrane cholesterol by other steroids on the osmotic fragility and glycerol permeability of ———————————————————————————————————	tissues. V. Stimulating effect of ouabain, K <sup>+</sup> -free medium and insulin on efflux of 3-O-methylglucose from epididymal adipose tissue (Clausen) (183) 625
Effect of partial replacements of membrane cholesterol by other steroids on the osmotic fragility and glycerol permeability of ———————————————————————————————————	tissues. V. Stimulating effect of ouabain, K <sup>+</sup> -free medium and insulin on efflux of 3-O-methylglucose from epididymal adipose tissue (Clausen) (183) 625 Glycerol permeability
Effect of partial replacements of membrane cholesterol by other steroids on the osmotic fragility and glycerol permeability of ———————————————————————————————————	tissues. V. Stimulating effect of ouabain, K <sup>+</sup> -free medium and insulin on efflux of 3-O-methylglucose from epididymal adipose tissue (Clausen) (183) 625

of erythrocytes (Bruck-Lecithin fragility and dorfer et al.) (183) 334 Interaction energies of cholesterol and Glycosidase activity - in spread mixed monolayers at the - of bovine liver plasma membranes air-water interface (Joos, Demel) (183) 447 (Fleischer, Fleischer) (183) 265 Lecithin-water systems Haemolysis Physical studies of phospholipids. XII. Hydrational effect of leptazol and its theo-Nuclear magnetic resonance studies of moretical connection with glucose deficiency in lecular motion in some pure ——— (Veksli of rabbit erythrocytes (Coldet al.) (183) 434 man, Good) (183) 346 Leptazol Hydrational effect of ---- and its theoret-Haemolytic volume Effect of membrane-strain rate and of temical connection with glucose deficiency in perature on erythrocyte fragility and critical the haemolysis of rabbit erythrocytes (Cold-(Seeman et al.) (183) 476 man, Good) (183) 346 Ileum Leucine transport Interactions between ---- and lysine Interactions between leucine transport and transport in rabbit ileum (Munck, Schultz) lysine transport in rabbit — (Munck, Schultz) (183) 182 (183) 182Insulin Lipid-water interfaces Ionic effects on glucose transport and metab-Nuclear magnetic resonance spectroscopic olism by isolated mouse fat cells incubated studies of procaine hydrochloride and tetrawith or without — ... I. Lack of effect of caine hydrochloride at ---- (Hauser et medium Ca2+, Mg2+ or PO43- (Letarte, Real.) (183) 466 nold) (183) 350 Lysine transport Insulin Interactions between leucine transport and — in rabbit ileum (Munck, Schultz) Ionic effects on glucose transport and metabolism by isolated mouse fat cells incubated (183) 182Lysolecithin ment of K<sup>+</sup> and of ouabain (Letarte et al.) Optical activity of plasma membranes and (183) 357its modification by ——, phospholipase A and phospholipase C (Gordon et al.) (183) Insulin Ionic effects on glucose transport and metab-405 olism by isolated mouse fat cells incubated Medulla slices with or without ----. III. Effects of Effect of calcium, potassium and ouabain replacement of Na+ (Letarte, Renold) (183) on the oxygen consumption of external - from dog kidney (De Jairala et al.) 366 [<sup>125</sup>I]Insulin (183) 137 Passage of ——— across isolated mesentery. Membrane-bound ATPase Effect of anti-insulin serum (Brachet, Rasio) Dio 9 and chlorhexidine: Inhibitors of (183) 162 and of cation transport in Streptococcus faecalis (Harold et al.) (183) 129 Insulin Relationship between glucose transport and Membrane cholesterol Effect of partial replacement of ----- by cation transport across cell membranes in isolated tissues. V. Stimulating effect of other steroids on the osmotic fragility and ouabain, K+-free medium and glycerol permeability of erythrocytes efflux of 3-O-methyl glucose from epididy-(Bruckdorfer et al.) (183) 334 mal adipose tissue (Clausen) (183) 625 Membrane concentration Intestine of a local anaesthetic (chlorpro-Calcium accumulation in laying fowl mazine) (Kwant, Seeman) (183) 530 in vitro (Bar, Hurwitz) (183) 591 Membrane electrodes Use of ——— in potentiometric titrations Intestine of living cells (Botré et al.) (183) 249 Stereochemical specificity of neutral amino acid transfer systems in rat small -Membrane expansion (Daniels et al.) (183) 637 of the erythrocyte by both the neu-Intracellular potential tral and ionized forms of chlorpromazine (Seeman, Kwant) (183) 512 of regenerating liver (Humphrey, Membrane expansion Maeno) (183) 236 Ionic fluxes of erythrocyte ghost by tranquilizers - in cells of Chara corallina (Findlay and anaesthetics (Seeman et al.) (183) 499 et al.) (183) 565 Membrane expansion Jejunum of intact erythrocytes by anaesthet-Preferential amino acid binding to isolated ics (Seeman et al.) (183) 490 mucosal brush borders from hamster — Membrane expansion (Burns, Faust) (183) 642 Temperature dependence of erythrocyte

membrane protein and lipid Synthesis and turnover of in Mycoplasma laidlawii (Kahane, Razin) (183) 79 Mesentery Passage of [1251]insulin across isolated Effect of anti-insulin serum (Brachet, Rasio) (183) 162 Microsomal contraction Light-scattering studies on rabbit brain microsomes. II. Effects of ATP and chelation of Mg2+ on (Kamino) (183) 48 Microsomes Light-scattering studies on rabbit brain I. Evidence for osmotic behaviour (Kamino, Inouye) (183) 36 Mitochondrial membrane proteins Solubility of in acidic organic solvents (Curtis) (183) 239 Monolayers Interaction energies of cholesterol and lecithin in spread mixed at the airwater interface (Joos, Demel) (183) 447 Monolayers Mixed of phospholipids and cholesterol (Chapman et al.) (183) 458 Mucosal brush borders Preferential amino acid binding to isolated from hamster jejunum (Burns, Faust (183) 642 Muscle membrane Estimation of the sodium and potassium equilibrium potentials in the of the earthworm, Pheretima hawayana R. (Chang, Ritzmann) (183) 246 Myelin Physical studies of II. Proton magnetic resonance and infrared spectroscopy (Jenkinson et al.) (183) 427 Nucleosidediphosphate activity in plasma membrane of rat liver (Wattiaux-De Coninck, Wattiaux) (181) 118 Oxygen consumption Dual effect of sodium on in toad bladder (Hersey) (183) 155 Oxygen consumption Effect of calcium, potassium and ouabain on the of external medulla slices from dog kidney (De Jairala et al.) (183) 137 Pheophytin-protein-carbohydrate complex Morphogenesis of the bacterial photosynthetic apparatus. III. The features of a excreted by the mutant M 46 of Rhodospirillum rubrum (Schick, Drews) (183) 215 Phloem	Phosphatidylinositol Physical studies of phospholipids. XI. Ca²+ binding to monolayers of phosphatidylserine and ———————————————————————————————————
——— excreted by the mutant M 46 of Rhodospirillum rubrum (Schick, Drews) (183) 215 Phloem Evidence for the electroosmosis theory of	Plasma membranes Glycosidase activity of bovine liver——— (Fleischer, Fleischer) (183) 265 Plasma membranes Nucleosidediphosphate activity in——— of
transport in the ——— (Bowling) (183) 230 Phosphatidylethanolamine Liquid crystalline phases of hydrated ———— (Junger, Reinauer) (183) 304	rat liver, (Wattiaux-De Coninck, Wattiaux) (183) 118  Plasma membranes Optical activity of ———————————————————————————————————

cation by lysolecithin, phospholipase A and	Sodium-potassium-dependent ATPase
phospholipase C (Gordon et al.) (183) 405	Preparation of from human gastric
Potassium transport	mucosa (Mözsik, Øye) (183) 640
Characterization of the plasma membrane of	Sodium pumping sites
Mycoplasma laidlawii. VI. — (Cho,	Number of in cell membranes
Morowitz) (183) 295	(Baker, Willis) (183) 646
Potentiometric titrations	Sodium transport
Use of membrane electrodes in of	Maintenance of — in perfused axons
living cells, (Botré et al.) (183) 249	(Foster et al.) (183) 401
Procaine hydrochloride	Sodium transport
Nuclear magnetic resonance spectroscopic	Slow cis-stimulation of —— across isolated
studies of — and tetracaine hydro-	urinary bladders of the fresh-water turtle,
chloride at lipid-water interfaces (Hauser	Pseudemys scripta (Wyssbrod) (183) 577
et al.) (183) 466	Sugar transport
Proton uptake	Intestinal ——: Ionic activation and
Light-induced ——— in whole cells of Du-	chemical specificity (Bihler) (183) 169
naliella parva (Ben-Amotz, Ginzburg) (183)	Sulphanilic acid diazonium salt
144	: A label for the outside of the human
Protoplasts	erythrocyte membrane (Berg) (183) 65
Why do bacterial ——— burst in hypotonic	Tetracaine hydrochloride
solutions? (Corner, Marquis) (183) 544	Nuclear magnetic resonance spectroscopic
Regenerating liver	studies of procaine hydrochloride and
Intracellular potential of ——— (Hum-	at lipid-water interfaces, (Hauser
phrey, Maeno) (183) 236	et al.) (183) 466
Retina	Toad bladder
Active sodium extrusion in the isolated frog	Dual effect of sodium on oxygen consump-
——— (Buckser) (183) 394	tion in ——— (Hersey) (183) 155
Ribonuclease	Tranquilizers (Transpired Transpired Transpi
Adsorption of ——— at the air—water inter-	Membrane expansion of erythrocyte ghost
face and on phospholipid monolayers	by —— and anaesthetics (Seeman et al.)
(Khaïat, Miller) (183) 309	(183) 499
Sarcoplasmic reticulum	Urmary bladders
Properties of particles prepared from ———	Slow cis-stimulation of sodium transport
by deoxycholate, (Selinger et al.) (183) 19	across isolated ——— of the fresh-water
Sarcoplasmic reticulum membranes	turtle, Pseudemys scripta (Wyssbrod) (183)
Calcium-binding properties of ——— (Co-	577
hen, Selinger) (183) 27	Vesicular transport
Sodium extrusion	across endothelial cells (Tomlin)
Active —— in the isolated frog retina	(183) 559
(Buckser) (183) 394	Visual process
Sodium-potassium ATPase	Biochemical aspects of the ———. IV. Al-
Comments on recent efforts to estimate the	dehydes and cation permeability of arti-
molecular weight of the ——— (Kepner,	ficial phospholipid micelles (Daemen, Bon-
Macey) (183) 241	ting) (183) 90
Sodium-potassium ATPase	Vitamin B <sub>6</sub> deficiency
Variability in ouabain-induced inhibition of	Absence of an effect of ——— on L-alanine
human erythrocyte membrane ——— (Schrier	transport across rabbit ileum in vitro (Chez
et al.) (183) 397	et al.) (183) 244
00 mil (203) 39)	