

AUTHOR INDEX

- Ahmed, K., see Moake, J. L. (211) 337
- Akers, C. K. and Parsons, D. F.
Small angle X-ray diffraction of myelin membrane: Lack of effect of deuterium oxide on myelin (211) 95
- Alamuti, N. and Luger, P. (211) 362
Fluorescence of thin chlorophyll membranes in aqueous phase
- Almendares, J. A., see Kleinzeller, A. (211) 293
- Ausiello, D. A., see Kleinzeller, A. (211) 293
- Awasthi, Y. C., see Chuang, T. F. (211) 599
- Bachur, N. R., see Moake, J. L. (211) 337
- Banerjee, S. P., Dwosh, I. L., Khanna, V. K. and Sen, A. K. (211) 345
Solubilization of guinea pig kidney ($\text{Na}^+ + \text{K}^+$)-ATPase with Lubrol W and Triton X-100
- Bassett, R. J. and Schultz, J. S. (211) 194
Nonequilibrium-facilitated diffusion of oxygen through membranes of aqueous cobaltodihistidine
- Beauchesne, G., see Seufert, W. D. (211) 356
- Belanger, M., see Seufert, W. D. (211) 356
- Blaszkowski, T. P., see Bogdanski, D. F. (211) 521
- Blumenfeld, O. O., Gallop, P. M., Howe, C. and Lee, L. T.
Erythrocyte membrane proteins ——— their study using aqueous pyridine solutions (211) 109
- Bogdanski, D. F., Blaszkowski, T. P., Tissari, A. H. (211) 521
Mechanisms of biogenic amine transport and storage. IV. Relationship between K^+ and the Na^+ requirement for transport and storage of 5-hydroxytryptamine and norepinephrine in synaptosomes
- Bos, C. J., see Emmelot, P. (211) 169
- Brodsky, W. A., see Shamoo, Y. E. (211) 565
- Bulkin, B. J., Krishnamachari, N. I. (211) 592
Infrared spectroscopic measurements of phosphatidyl ethanolamine–water liquid crystals
- Cassidy, M. M., see Jackson, M. J. (211) 425
- Cassidy, M. M., see Jackson, M. J. (211) 436
- Castleden, J. A., Fleming, R. (211) 478
Measurement of the permeability coefficient of $^{22}\text{Na}^+$ through a synthetic phospholipid–protein membrane
- Cerbon, J. (211) 389
The influence of pH and temperature on the limited rotational freedom of the structured water and lipid hydrocarbon chains of natural membranes
- Chapman, D., see Cherry, R. J. (211) 409
- Cherry, R. J., Dodd, G. H., Chapman, D. (211) 409
Small molecule–lipid membrane interactions and the puncturing theory of olfaction
- Chuang, T. F., Awasthi, Y. C., Funk, L., Crane, F. L. (211) 599
Involvement of hydrophobic and hydrophilic groups of phospholipids in membrane formation
- Clausen, T., Gliemann, J., Vinten, J. and Kohn, P. G. (211) 233
Stimulating effect of hyperosmolarity on glucose transport in adipocytes and muscle cells
- Crane, F. L., see Chuang, T. F. (211) 599
- Crane, R. K., see Critchley, D. R. (211) 244
- Critchley, D. R., Eichholz, A. and Crane, R. K. (211) 244
Transport of 5-thio-D-glucose in hamster small intestine
- Curtis, P. J. (211) 575
The molecular weight of the major protein component from mitochondrial membranes
- Davis, A. H., see Kleinzeller, A. (211) 293
- De Bruijne, A. W., Van Steveninck, J. (211) 555
Asymmetry of the yeast cell membrane with respect to influx and efflux of dimethylsulfoxide
- De Gier, J., Haest, C. W. M., Mandersloot, J. G. and Van Deenen, L. L. M. (211) 373
Valinomycin-induced permeation of $^{86}\text{Rb}^+$ of liposomes with varying composition through the bilayers
- Demus, H. and Mehl, E.
Identification of water-insoluble membrane proteins by immunoelectrophoresis in a solubilizing urea–Triton solvent (211) 148
- Denier van der Gon, J. J., see Siegenbeek van Heukelom, J. (211) 98
- Deuticke, B. and Gruber, W. (211) 369
Anion permeability of mammalian red blood cells: Possible relation to membrane phospholipid patterns
- Dodd, G. H., see Cherry, R. J. (211) 409
- Downing, S. J., see Phang, J. M. (211) 605
- Drane, W. and Vanatta, J. C.
Comparison of rates of elution of $^{24}\text{Na}^+$ from the mucosal and serosal sides of the toad bladder (211) 56
- Dunnick, J., see Tomasi, V. (211) 31
- Dwosh, I. L., see Banerjee, S. P. (211) 345
- Eichholz, A., see Critchley, D. R. (211) 244
- Emmelot, P. and Bos, C. J.
Studies on plasma membranes. XI. Inorganic pyrophosphatase, PP_1 –glucose phosphotransferase and glucose-6-phosphate in plasma membranes and microsomes isolated from rat and mouse livers and hepatomas (211) 169

- Emmelot, P., Feltkamp, C. A. and Vaz Dias, H.
Studies on plasma membranes. XII. Fractionation of the ATPase of deoxycholate-solubilized rat liver and hepatoma plasma membranes and the morphological appearance of the preparations (211) 43
- Estes, L. W., see Leclavathi, D. E. (211) 124
- Evans, W. H. (211) 575
Glycoproteins of mouse liver smooth microsomal and plasma membrane fractions
- Farmer, R. E. L., see Macey, R. I. (211) 104
- Feingold, D. S., see Leclavathi, D. E. (211) 124
- Feltkamp, C. A., see Emmelot, P. (211) 43
- Fleischer, S., see Nielsen, N. C. (211) 10
- Fleming, R., see Castleden, J. A. (211) 478
- Frizzell, R. A., Schultz, S. G. (211) 589
Effect of bile salts on transport across brush border of rabbit ileum
- Funk, L., see Chuang, T. F. (211) 599
- Galey, W. R., see Seeman, P. (211) 365
- Gallop, P. M. see Blumenfeld, O. O. (211) 109
- Gamble, J. L., Jr. and Garlid, K. D. (211) 223
The permeability of the mitochondrial inner membrane to sucrose
- Garlid, K. D., see Gamble, J. L., Jr. (211)
- Gil-Av, E., Korman R. Z. and Weinstein, S.
Gas chromatographic determination of the configuration of alanine and serine in staphylococcal cell walls (211) 101
- Gliemann, J., see Clausen, T. (211) 233
- Green, D. H. and Salton, M. R. J.
Infrared spectroscopy of *Micrococcus lysodeikticus* membranes and membrane fractions (211) 139
- Gruber, W., see Deuticke, B. (211) 369
- Gutfreund, D. E., see Moake, J. L. (211) 337
- Haest, C. W. M., see De Gier, J. (211) 373
- Hahn, M. H., see Junger, E. (211) 381
- Hall, T. C., see Kessel, D. (211) 88
- Hill, A. E., see Shachar-Hill (211) 313
- Hillman, R. E. and Rosenberg, L. E. (211) 318
Amino acid transport by isolated mammalian renal tubules. III. Binding of L-proline by proximal tubule membranes
- Hogg, J., see Shamoo, Y. E. (211) 565
- Howe, C., see Blumenfeld, O. O. (211) 109
- Hunter, F. R. (211) 216
Facilitated diffusion in human erythrocytes
- Ilse, D., Ong, S. (211) 602
Studies on the sugar carrier in skeletal muscle
- Jackson, M. J., Cassidy, M. M. (211) 436
Studies on intestinal fluid transport. II. The location of fluid accumulated in the wall of rat jejunum during incubation in vitro
- Jackson, M. J., Cassidy, M. M., Weller, R.S. (211) 425
Studies on intestinal fluid transport. I. Estimation of the extracellular space of everted sacs of rat small intestine
- Junger, E., Hahn, M. H., Reinauer, H. (211) 381
The structure of lysolecithin-water phases (negative staining and optical diffraction analysis of the electron micrographs)
- Kallus, E. T. and Vanatta, J. C.
Compartmentation and exchange of potassium in the toad bladder (211) 61
- Kagawa, H. (211) 417
Solubilization of the factor required for polymerization of flagelling into P-filament
- Kaplan, D. (211) 396
The isolation and characterization of a membrane protein component from rat liver endoplasmic reticulum
- Kessel, D. and Hall, T. C.
Effects of persantin on deoxycytidine transport by murine leukemia cells (211) 88
- Khanna, V. K., see Banerjee, S. P. (211) 345
- Kleinzeller, A. (211) 264
The specificity of the active sugar transport in kidney cortex cells
- Kleinzeller, A. (211) 277
Active sugar transport in renal cortex cells: The electrolyte requirement
- Kleinzeller, A., Ausiello, D. A., Almendares, J. A. and Davis, A. H. (211) 293
The effect of pH on sugar transport and ion distribution in kidney cortex cells
- Kohn, P. G., see Clausen, T. (211) 233
- Koretz, S., see Tomasi, V. (211) 31
- Korman, R. Z., see Gil-Av, E. (211) 101
- Krisnamachari, N. I., see Bulkin, B. J. (211) 592
- Läuger, P., see Alamuti, N. (211) 362
- Läuger, P., Stark, G. (211) 458
Kinetics of carrier-mediated ion transport across lipid bilayer membranes
- Lee, D. (211) 550
The relative permeability of lysosomes from *Tetrahymena pyriformis* to carbohydrates, lactate and the cryoprotective nonelectrolytes glycerol and dimethyl sulphoxide
- Lee, L. T., see Blumenfeld, O. O. (211) 109
- Leclavathi, D. E., Estes, L. W., Feingold, D.S. and Lombardi, B.
Isolation of a Golgi-rich fraction from rat liver (211) 124
- Lis, H., Sela, B.-A., Sachs, L., Sharon, N. (211) 582
Specific inhibition by N-acetyl-D-galactosamine of the interaction between soybean agglutinin and animal cell surfaces
- Lombardi, B., see Leclavathi, D. E. (211) 124
- Macey, R. I. and Farmer, R. E. L.
Inhibition of dater and solute permeability in human red cells (211) 104
- Mandersloot, J. G., see De Gier, J. (211) 373
- Marinetti, G. V., see Ray, T. K. (211) 20
- Marinetti, G. V., see Tomasi, V. (211) 31
- McConnell, D. G., see Nielsen, N. C. (211) 10
- Medveczky, N. and Rosenberg, H.
The phosphate-binding protein of *Escherichia coli* (211) 158
- Mehl, E., see Demus, H. (211) 148
- Moake, J. L., Ahmed, K., Bachur, N. R. and Gutfreund, D. E. (211) 337
Mg²⁺-dependent, (Na⁺ + K⁺)-stimulated ATPase of human platelets. Properties and inhibition by ADP

- Naftalin, R. J. (211) 65
A model for sugar transport across red cell membranes without carriers
- Nielsen, N. C., Fleischer, S. and McConnell, D. G. (211) 10
Lipid composition of bovine retinal outer segment fragments
- Nobel, P. S. and Wang, C.-T. (211) 79
Amino acid permeability of pea chloroplasts as measured by osmotically determined reflection coefficients
- Ong, S., see Ilse, D. (211) 602
- Pall, M. L. (211) 513
Amino acid transport in *Neurospora crassa*. III. Acidic amino acid transport
- Papahadjopoulos, D. (211) 467
Phospholipid model membranes. III. Antagonistic effects of Ca^{2+} and local anesthetics on the permeability of phosphatidylserine vesicles
- Parsons, D. F., see Akers, C. K. (211) 95
- Perdue, J. F. (211) 184
The nucleotide phosphohydrolase activity of chick embryo fibroblasts
- Phang, J. M., Downing, S. J., Weiss, I. W. (211) 605
Cyclic AMP stimulation of amino acid uptake in bone and kidney
- Porter, G. A. (211) 487
Temperature dependence of Na^+ transport in the isolated toad bladder
- Prop, F. J. A., see Siegenbeek van Heukelom, J. (211) 98
- Proverbio, F., Robinson, J. V. L. and Whitembury, G. (211) 327
Sensitivities of $(\text{Na}^+-\text{K}^+)\text{-ATPase}$ and Na^+ extrusion mechanisms to ouabain and ethacrynic acid in the cortex of the guinea pig kidney
- Ray, T. K., Tomasi, V. and Marinetti, G. V. (211) 20
Hormone action at the membrane level. I. Properties of adenylyl cyclase in isolated plasma membranes of rat liver
- Ray, T. K., see Tomasi, V. (211) 31
- Reinauer, H., see Junger, E. (211) 381
- Robinson, J. W. L., see Proverbio, F. (211) 327
- Rodriguez de Lores Arnaiz, G., see Seijo, L. (211) 595
- Rogers, D. (211) 255
Dissociation of a galactose transport system by warm-water treatment
- Rose, R. C. and Schultz, S. G. (211) 376
Alanine and glucose effects on the intracellular electrical potential of rabbit ileum
- Rosenberg, H., see Medveczky, N. (211) 158
- Rosenberg, L. E., see Hillman, R. E. (211) 318
- Sachs, L., see Lis, H. (211) 582
- Salton, M. R. J., see Green, D. H. (211) 139
- Schultz, J. S., see Bassett, R. J. (211) 194
- Schultz, S. G. (211) 589
- Schultz, S. G., see Rose, R. C. (211) 376
- Schultz, S. G., Strecker, C. K. (211) 586
Fructose influx across the brush border of rabbit ileum
- Scott, W. N., see Shamoo, Y. E. (211) 565
- Seeman, P., Sha'afi, R. I., Galey, W. R. and Solomon, A. K. (211) 365
The effect of anesthetics (chlorpromazine, ethanol) on erythrocyte permeability to water
- Seijo, L., Rodriguez de Lores Arnaiz, G. (211) 595
Subcellular distribution of thiamine pyrophosphatase in rat cerebral cortex
- Sela, B.-A., see Lis, H. (211) 582
- Sen, A. K., see Banerjee, S. P. (211) 345
- Seshadri, M. S., see Vaidhyanathan, V. S. (211) 1
- Seufert, W. D., Beauchesne, G. and Bélanger, M. (211) 356
Thin α -tocopherol films separating two aqueous phases
- Sha'afi, R. I., see Seeman, P. (211) 365
- Shachar-Hill, B. and Hill, A. E. (211) 313
Ion and water transport in *Limonium*. VI. The induction of chloride pumping
- Shah, D. O. (211) 358
The effect of KMnO_4 on lecithin and cholesterol monolayers
- Shamoo, Y. E., Scott, W. N., Hogg, J., Brodsky, W. A. (211) 565
p-Nitrophenyl phosphatase activity in the microsomal fraction of turtle bladder mucosal cells
- Sharon, N., see Lis, H. (211) 582
- Shimmin, E. R. A. and Stein, W. D. (211) 308
The influence of analogues of 1-fluoro-2,4-dinitrobenzene on the kinetics of irreversible inhibition of sugar transport in the human erythrocyte
- Siegenbeek van Heukelom, J., Denier van der Gon, J. J. and Prop, F. J. A. (211) 98
Epithelial monolayers: A study object for cell communication
- Simons, R., Taloni, A. (211) 448
Ionic permeative properties of lipid bilayer membranes
- Slayman, C. W. (211) 502
Net potassium transport in *Neurospora*. Properties of a transport mutant
- Solomon, A. K., see Seeman, P. (211) 365
- Stark, G., see Lauser, P. (211) 458
- Stein, W. D., see Shimmin, E. R. A. (211) 308
- Strecker, C. K., see Schultz, S. G. (211) 586
- Taloni, A., see Simons, R. (211) 448
- Tissari, A. H., see Bogdanski, D. F. (211) 521
- Tomasi, V., Koretz, S., Ray, T. K., Dunnick, J. and Marinetti, G. V. (211) 31
Hormone action at the membrane level. II. The binding of epinephrine and glucagon to the rat liver plasma membrane
- Tomasi, V., see Ray, T. K. (211) 20
- Ulitzur, S. (211) 533
The transport of β -galactosides across the membrane of permeaseless *Escherichia coli* ML35 cells after treatment with cetyltrimethylammonium bromide
- Ulitzur, S. (211) 542
Cation repair of toluene-treated *Escherichia*

- coli ML35 cells and the transport of O-nitrophenyl-D- β -pyranoside-galactoside across the repaired membrane
 Vaidhyanathan, V. S. and Seshadri, M. S. (211) 1
 Reaction rate profiles in membrane systems
 Vanatta, J. C., see Drane (211) 56
 Vanatta, J. C., see Kallus, F. T. (211) 61
 Van Deenen, L. L. M., see De Gier, J. (211) 373

- Van Steveninck, J., see De Bruijne, A. W. (211) 555
 Vaz Dias, H., see Emmelot, P. (211) 43
 Vinten, J. see Clausen, T. (211) 233
 Wang, C.-T., see Nobel, P. S. (211) 79
 Weinstein, S., see Gil-av, E. (211) 101
 Weiss, I. W., see Phang, J. M. (211) 605
 Weller, R. S., see Jackson, M. J. (211) 425
 Whittembury, G., see Proverbio, F. (211) 327

SUBJECT INDEX

- N-Acetyl-D-galactosamine
 Specific inhibition by — of the interaction between soybean agglutinin and animal cell surfaces (Lis et al.) (211) 582
 Active sugar transport
 — in renal cortex cells: The electrolyte requirement (Kleinzeller) (211) 277
 Adenyl cyclase
 Hormone action at the membrane level. I. Properties of — in isolated plasma membranes of rat liver (Ray et al.) (211) 20
 Agglutinin
 Specific inhibition by N-acetyl-D-galactosamine of the interaction between soybean — and animal cell surfaces (Lis et al.) (211) 582
 Amino acid permeability
 — of pea chloroplasts as measured by osmotically determined reflection coefficients (Nobel, Wang) (211) 79
 Amino acid transport
 — by isolated mammalian renal tubules. III. Binding of L-proline by proximal tubule membranes (Hillman, Rosenberg) (211) 318
 Amino acid transport
 — in *Neurospora crassa*. III. Acidic amino acid transport (Pall) (211) 513
 Amino acid uptake
 Cyclic AMP stimulation of — in bone and kidney (Phang et al.) (211) 605
 Anaesthetics
 Effect of — (chlorpromazine, ethanol) on erythrocyte permeability to water (Seeman et al.) (211) 365
 Anaesthetics
 Phospholipid model membranes: Antagonistic effects of Ca^{2+} and local — on the permeability of phosphatidylserine vesicles (Papahadjopoulos) (211) 467
 Anion permeability
 — of mammalian red blood cells: Possible relation to membrane phospholipid patterns (Deuticke, Gruber) (211) 369
 ATPase
 Mg^{2+} -dependent, ($\text{Na}^+ + \text{K}^+$)-stimulated — of human platelets. Properties and inhibition by ADP (Moake et al.) (211) 337
 ATPase
 Studies on plasma membranes. XII. Fractionation of the — of deoxycholate-solubilized rat liver and hepatoma plasma membranes and the morphological appearance of the preparations (Emmelot et al.) (211) 43
 Bilayers
 Valinomycin-induced permeation of $^{86}\text{Rb}^+$ of liposomes with varying composition through the — (De Gier et al.) (211) 373
 Bilayer membranes
 Ionic permeative properties of lipid — (Simons, Taloni) (211) 448
 Bilayer membranes
 Kinetics of carrier-mediated ion transport across lipid — (Läuger, Stark) (211) 458
 Bile salts
 Effect of — on transport across brush border of rabbit ileum (Frizzell, Schultz) (211) 589
 Biogenic amine transport
 Mechanisms of — and storage. IV. Relationship between K^+ and the Na^+ requirement for transport and storage of 5-hydroxytryptamine and norepinephrine in synaptosomes (Bogdanski et al.) (211) 521
 Bladder
 Comparison of rates elution of $^{24}\text{Na}^+$ from the mucosal and serosal sides of the toad — (Drane, Vanatta) (211) 56
 Bladder
 Compartmentation and exchange of potassium in the toad — (Kallus, Vanatta) (211) 61
 Bladder
 Temperature dependence of Na^+ transport in the isolated toad — (Porter) (211) 487
 Bladder mucosal cells
 p-Nitrophenylphosphatase activity in the microsomal fraction of turtle — (Shamoo et al.) (211) 565
 Brush border
 Effect of bile salts on transport across