

AUTHOR INDEX

- Ashe, G. B. and Steim, J. M.
Membrane transitions in Gram-positive bacteria (233) 810
- Avruch, J. and Wallach, D. F. H.
Preparation and properties of plasma membrane and endoplasmic reticulum fragments from isolated rat fat cells (233) 334
- Bangham, A. D., see Johnson, S. M., (233) 820
- Bar  c-Nieto, M.
Renal uptake of *p*-aminohippuric acid in vitro. Effects of palmitate and L-carnitine (233) 446
- Barber, J., see Shieh, Y. J. (233) 594
- Batt, E. R. and Schachter, D.
Effects of phloretin and synthetic estrogens on β -galactoside transport in *Escherichia coli* (233) 189
- Van Beek, W. P., see De Gier, J. (233) 610
- Bikhazi, A. B. and Higuchi, W. I.
Interfacial barriers to the transport of sterols and other organic compounds at the aqueous polysorbate 80-hexadecane interface (233) 676
- Blok, M. C., Wirtz, K. W. A. and Scherphof, G. L.
Exchange of phospholipids between microsomes and inner and outer mitochondrial membranes of rat liver (233) 61
- Blomberg, F. and Perlmann, P.
Immunochemical studies of detergent-soluble nucleoside phosphatases in rat liver plasma membranes (233) 53
- Bolis, L., see Luly, P. (233) 730
- Bonsen, P. P. M., see Kinsky, S. C. (233) 815
- Branton, D., see James, R. (233) 504
- Braunstein, S. N., see Franklin, R. M. (233) 521
- Bronskill, P. M., see J. T.-F. Wong (233) 176
- Brown, D. M. and Michael A. F.
Effects of Ca^{2+} and Mg^{2+} upon amino acid transport in rat renal cortex slices (233) 215
- Buckelew, A. R., Jr. and Colacicco, G.
Lipid monolayers. Interactions with staphylococcal α -toxin (233) 7
- Burgen, A. S. V., see Colley, C. M. (233) 720
- Carvalho Guerra, F., see Silva, M. T. (233) 513
- Chan K., see Wheeldon, L. W. (233) 37
- Chanoock, R. M., see Cole, R. M. (233) 76
- Chez, R. A., Strecker, C. K., Curran, P. F. and Schultz, S. G.
Histidine influx across brush border of rabbit ileum (233) 222
- Christiansen, P. A., see Reiser, S. (233) 480
- Ciddor, P. E., see Simons, R. (233) 296
- Cleve, H., see Hamaguchi, H. (233) 320
- Cohen, M. A., see Glick, M. C. (233) 247
- Colacicco, G., see Buckelew, A. R., Jr. (233) 7
- Cole, R. M., Popkin, T. J., Prescott, B., Chanoock, R. M. and Razin, S.
Electron microscopy of solubilized *Acholeplasma laidlawii* membrane proteins re-aggregated with *Mycoplasma pneumoniae* glycolipids (233) 76
- Colley, C. M., Metcalfe, S. M., Turner, B., Burgen, A. S. V. and Metcalfe, J. C.
The binding of benzyl alcohol to erythrocyte membranes (233) 720
- Collings, F. D., and Roberts, W. K.
The effect of dimethyl sulfoxide on nucleoside transport in L-cells (233) 459
- Comfurius, P., see Zwaal, R. F. A. (233) 474
- Comstock, C. A., see Glick, M. C., (233) 247
- Crampton, R. F., see Lis, M. T. (233) 453
- Curran, P. F., see Chez, R. A. (233) 222
- Dahlberg, J. E., see Franklin, R. M. (233) 521
- Daniel, E. E., see Kidwai, A. M. (233) 538
- Datta, A., see Franklin, R. M. (233) 521
- Donaldson, R. M., Jr., see Robins, S. J. (233) 550
- Etheredge, E., Haaland, J. E. and Rosenberg, M. D.
The functional properties of ATPases bound to and solubilized from the membrane complex of the hen's egg (233) 145
- Etheredge, E., see Haaland, J. E. (233) 137
- Findlay, G. P., Hope, A. B. and Walker, N. A.
Quantization of a flux ratio in charophytes? (233) 155
- Fleck, J., Mock, M., Minck, R. and Ghuyssen, J. M.
The cell envelope in *Proteus vulgaris* P 18. Isolation and characterization of the peptidoglycan component (233) 489
- Franklin, R. M., Datta, A., Dahlberg, J. E. and Braunstein, S. N.
The cell membranes of a marine pseudomonad, *Pseudomonas* BAL-31: Physical, chemical and biochemical properties (233) 521
- Frizzell, R. A. and Schultz, S. G.
Distinction between galactose and phenylalanine effects on alanine transport in rabbit ileum (233) 485
- Fujita, M., Matsui, H., Nagano, K. and Nakao, M.
Asymmetric distribution of ouabain-sensitive ATPase activity in rat intestinal mucosa (233) 404
- Gale, E. F. and Llewellyn, J. M.
Effect of unsaturated fatty acids on aspartate transport in *Staphylococcus aureus* and on staphylococcal lipid monolayers (233) 237
- Gary-Bobo, C. M., Lange, Y. and Rigaud, J. L.

- Water diffusion in lecithin-water and lecithin-cholesterol-water lamellar phases at 22° (233) 243
- Ghosh, S. B., see Stetten, M. R. (233) 163
- Ghuysen, J. M., see Fleck, J. (233) 489
- De Gier, J., Mandersloot, J. G., Hupkes, J. V., McElhaney, R. N. and Van Beek, W. P. On the mechanism of non-electrolyte permeation through lipid bilayers and through biomembranes (233) 610
- Glick, M. C., Comstock, C. A., Cohen, M. A. and Warren, L. Membranes of animal cells. VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (233) 247
- Godin, D., see Schrier, S. L. (233) 26
- Goldman, I. D. A model system for the study of hetero-exchange diffusion: Methotrexate-folate interactions in L1210 leukemia and Ehrlich ascites tumor cells (233) 624
- Gould, R. G., see Schrier, S. L. (233) 26
- Gross, W. and Ring, K. Active transport of glutamate in *Streptomyces hydrogenans*. I. Studies on uptake and pool size, and their interrelationship, (233) 652
- Gutman, Y. and Katzper-Shamir, Y. The effect of urea, sodium and calcium on microsomal ATPase activity in different parts of the kidney (233) 133
- Haaland, J. E., Etheredge, E. and Rosenberg, M. D. Isolation of an ATPase from the membrane complex of the hen's egg (233) 137
- Haaland, J. E., see Etheredge, E. (233) 145
- Hamaguchi, H. and Cleve, H. Properties of the water-dissolved membrane proteins of human erythrocytes (233) 320
- Hammes, G. G. and Hilborn, D. A. Steady state kinetics of soluble and membrane-bound mitochondrial ATPase (233) 580
- Hammes, G. G. and Tallman, D. E. A nuclear magnetic resonance study of the interaction of L-epinephrine with phospholipid vesicles (233) 17
- Hansen, O. The relationship between *g*-strophanthin-binding capacity and ATPase activity in plasma-membrane fragments from ox brain (233) 122
- Heap, R. B., Symons, A. M. and Watkins, J. C. An interaction between oestradiol and progesterone in aqueous solutions and in a model membrane system (233) 307
- Helmkamp, R. W., see Sears, D. A. (233) 716
- Hersey, S. J. and High, W. L. On the mechanism of acid secretory inhibition by acetazolamide (233) 604
- High, W. L., see Hersey, S. J. (233) 604
- Higuchi, W. I., see Bikhazi, A. B. (233) 676
- Hilborn, D. A., see Hammes, G. G. (233) 580
- Hill, M. W., see Johnson, S. M. (233) 820
- Hirschowitz, B. E., see Sachs G. (233) 117
- Hoffman, N. E. and Yeoh, V. J. The relationship between concentration and uptake by rat small intestine, in vitro, for two micellar solutes (233) 49
- Holt, S. C., see Takacs, B. J. (233) 258
- Holt, S. C., see Takacs, B. J. (233) 278
- Hope, A. B., see Findlay, G. P. (233) 155
- Hupkes, J. V., see De Gier, J. (233) 610
- Iida, S., see Taniguchi, K. (233) 831
- James, R. and Branton, D. The correlation between the saturation of membrane fatty acids and the presence of membrane fracture faces after osmium fixation (233) 504
- Jensen, J. and Nørby, J. G. On the specificity of the ATP-binding site of (Na⁺ + K⁺)-activated ATPase from brain microsomes (233) 395
- Jensen, J., see Nørby, J. G. (233) 104
- Johnson S. M., Bangham, A. D., Hill, M. W. and Korn, E. D. Single bilayer liposomes (233) 820
- Johnson, G. A., see Luly, P. (233) 730
- Johnstone, R. M., see Potashner, S. J. (233) 91
- Jørgensen, P. L. and Skou, J. C. Purification and characterization of (Na⁺ + K⁺)-ATPase. I. The influence of detergents on the activity of (Na⁺ + K⁺)-ATPase in preparations from the outer medulla of rabbit kidney (233) 366
- Jørgensen, P. L., Skou, J. C. and Solomonson, L. P. Purification and characterization of (Na⁺ + K⁺)-ATPase. II. Preparation by zonal centrifugation of highly active (Na⁺ + K⁺)-ATPase from the outer medulla of rabbit kidneys (233) 381
- Junga, I., see Schrier, S. L. (233) 26
- Kasper, C. B., see Khandwala, A. S. (233) 348
- Katzper-Shamir, Y., see Gutman, Y. (233) 133
- Khandwala, A. S. and Kasper, C. B. Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of the microsomal membrane (233) 348
- Kidwai, A. M., Radcliffe, M. A. and Daniel, E. E. Studies on smooth muscle plasma membrane. I. Isolation and characterization of plasma membrane from rat myometrium (233) 538
- Kimelberg, H. K. and Papahadjopoulos, D. Phospholipid-protein interactions: Membrane permeability correlated with monolayer "penetration" (233) 805
- Kinsky, S. C., Bonsen, P. P. M., Kinsky, C. B., Van Deenen, L. L. M. and Rosenthal, A. F. Preparation of immunologically responsive liposomes with phosphonyl and phosphinyl analogs of lecithin (233) 815
- Kinsky, C. B., see Kinsky, S. C. (233) 815
- Kirschmann, C., Ten-Ami, I., Smorodinski, I. and De Vries, A. Effect of phospholipase and trypsin on histidine uptake by mouse brain slices (233) 644

- Klein, R. A., Moore, M. J. and Smith, M. W.
Selective diffusion of neutral amino acids
across lipid bilayers (233) 420
- Kleining, H., see Stadler, J. (233) 315
- Korn, E. D., see Johnson, S. M. (233) 820
- Lai, Y. F. and Thompson, J. E.
The preparation and properties of an
isolated plant membrane fraction enriched
in $(\text{Na}^+ + \text{K}^+)\text{-stimulated ATPase}$ (233)
84
- Lange, Y., see Gary-Bobo, C. M. (233) 243
- Lee, D.
The effect of dimethylsulphoxide on the
permeability of the lysosomal membrane
(233) 619
- Lee, E. C., see Sperelakis, N. (233) 562
- Lew, V. L.
On the ATP dependence of the Ca^{2+} -induced
increase in K^+ permeability observed in
human red cells (233) 827
- Lis, M. T., Crampton, R. F. and Matthews, D. M.
Rates of absorption of a dipeptide and the
equivalent free amino acid in various mam-
malian species (233) 453
- Llewellyn, J. M., see Gale, E. F. (233) 237
- Long, M. M., see Sachs, G. (233) 117
- Luly, P., Johnson, G. A., Bolis, L. and Pethica,
B. A.
The agglutination of erythrocytes by cal-
cium phosphate sols (233) 730
- Mandersloot, J. G., see De Gier, J. (233) 610
- Marinetti, G. V., see Ray, T. K. (233) 787
- Matsui, H., see Fujita, M. (233) 404
- Matthews, D. M., see Lis, M. T. (233) 453
- Maxild, J.
Role of fatty acid metabolism on renal
transport of *p*-aminohippurate in vitro (233)
434
- McElhaney, R. N., see De Gier, J. (233) 610
- Melo, J. V. C., see Silva, M. T. (233) 513
- Metcalf, J. C., see Colley, C. M. (233) 720
- Michael, A. F., see Brown, D. M. (233) 215
- Minck, R., see Fleck, J. (233) 489
- Mock, M., see Fleck, J. (233) 489
- Moore, M. J., see Klein, R. A. (233) 420
- Naftalin, R. J.
The role of unstirred layers in control of
sugar movements across erythrocyte mem-
branes (233) 635
- Nagano, K., see Fujita, M. (233) 404
- Nakagaki, M., see Takeguchi, N. (233) 753
- Nakao, M., see Fujita, M. (233) 404
- Nørby, J. G. and Jensen, J.
Binding of ATP to brain microsomal
ATPase. Determination of the ATP-binding
capacity and the dissociation constant of
the enzyme-ATP complex as a function of
 K^+ concentration (233) 104
- Nørby, J. G., see Jensen, J. (233) 395
- Orrenius, S., see Raftell, M. (233) 358
- Osman, F. H. and Paton, D. M.
Transport of α -aminoisobutyric acid in rab-
bit detrusor muscle. I. General character-
istics of the uptake in vitro (233) 666
- Pall, M. L.
Amino acid transport in *Neurospora crassa*.
IV. Properties and regulation of a methio-
nine transport system (233) 201
- Papahadjopoulos, D., see Kimelberg, H. K.
(233) 805
- Parisi, M. and Rivas, E.
Transient conductance changes induced by
pressure in artificial lipidic membranes (233)
469
- Paton, D. M., see Osman, F. H. (233) 666
- Perlmann, P., see Blomberg, F. (233) 53
- Peters, R.
Study of membrane thickness by energy
transfer (233) 465
- Pethica, B. A., see Luly, P. (233) 730
- Pfeiffer, F. R., see Redwood, W. R. (233) 1
- Pincock, A., see Wong, J. T.-F. (233) 176
- Plagemann, P. G. W.
Nucleoside transport by Novikoff rat hepa-
toma cells growing in suspension culture.
Specificity and mechanism of transport re-
actions and relationship to nucleoside in-
corporation (233) 688
- Popkin, T. J., see Cole, R. M. (233) 76
- Potashner, S. J. and Johnstone, R. M.
Cation gradients, ATP and amino acid
accumulation in Ehrlich ascites cells (233)
91
- Prescott, B., see Cole, R. M. (233) 76
- Quinn, P. J. and Sherman, W. R.
Monolayer characteristics and calcium ad-
sorption to cerebroside and cerebroside
sulphate orientated at the air-water inter-
face (233) 734
- Radcliffe, M. A., see Kidwai, A. M. (233) 538
- Raftell, M. and Orrenius, S.
Preparation of antisera against cytochrome
 b_5 and NADPH-cytochrome c reductase
from rat liver microsomes (233) 358
- Ray, T. K. and Marinetti, G. V.
The separation of membrane proteins by
polyacrylamide gel electrophoresis (233) 787
- Razin, S., see Cole, R. M. (233) 76
- Redwood, W. R., Pfeiffer, F. R., Weisbach,
J. A. and Thompson, T. E.
Physical properties of bilayer membranes
formed from a synthetic saturated phos-
pholipid in *n*-decane (233) 1
- Reed, C. F., see Sears, D. A. (233) 716
- Reiser, S. and Christiansen, P. A.
Inhibition of amino acid uptake by ATP in
isolated intestinal epithelial cells (233) 480
- Rigaud, J. L., see Gary-Bobo, C. M. (233) 243
- Ring, K., see Gross, W. (233) 652
- Rivas, E., see Parisi, M. (233) 469
- Roberts, W. K. see Collings, F. D. (233) 459
- Robins, S. J., Small, D. M., Trier, J. S.,
Donaldson, R. M., Jr.
Localization of fatty acid reesterification in
the brush border of intestinal absorptive
cells (233) 550
- Roelofsen, B., see Zwaal, R. F. A. (233) 474
- Rosenberg, M. D., see Etheredge, E. (233) 145

- Rosenberg, M. D., see Haaland, J. E. (233) 137
- Rosenthal, A. F., see Kinsky, S. C. (233) 815
- Rousseau, B. and Sladen, G. E.
Effect of luminal pH on the absorption of water, Na^+ and Cl^- by rat intestine in vivo (233) 591
- Sachs, G., Long, M. M., Tsuji, T. and Hirschowitz, B. I.
The effect of hydroxylamine on transport ATPase (233) 117
- Santos Mota, J. M., see Silva, M. T. (233) 513
- Schachter, D., see Batt, E. R. (233) 189
- Scherphof, G. L., see Blok, M. C. (233) 61
- Schmidt, P. P.
The physical basis of nerve impulse conduction: The irreversible thermodynamic analysis of the active state (233) 765
- Schrier, S. L., Godin, D., Gould, R. G., Swyryd, B., Junga, I. and Seeger, M.
Characterization of microvesicles produced by shearing of human erythrocyte membranes (233) 26
- Schultz, S. G., see Chez, R. A. (233) 222
- Schultz, S. G., see Frizzell (233) 485
- Sears, D. A., Reed, C. F. and Helmkamp, R. W.
A radioactive label for the erythrocyte membrane (233) 716
- Seeger, M., see Schrier, S. L. (233) 26
- Shamoo, Y. E.
Effect on *p*-nitrophenyl phosphate on the short-circuiting current in the turtle bladder (233) 409
- Sherman, W. R., see Quinn, P. J. (233) 734
- Shieh, Y. J. and Barber, J.
Intracellular sodium and potassium concentrations and net cation movements in *Chlorella pyrenoidosa* (233) 594
- Silva, M. T., Santos Mota, J. M., Melo, J. V. C. and Carvalho Guerra, F.
Uranyl salts as fixatives for electron microscopy. Study of the membrane ultrastructure and phospholipid loss in *Bacilli* (233) 513
- Simons, R. and Ciddor, P. E.
Optical properties of membrane models at arbitrary angles of incidence (233) 296
- Skou, J. C., see Jørgensen, P. L. (233) 366
- Skou, J. C., see Jørgensen, P. L. (233) 381
- Sladen, G. E., see Rousseau, B. (233) 591
- Small, D. M., see Robins, S. J. (233) 550
- Smith, M. W., see Klein, R. A. (233) 420
- Smorodinski, I., see Kirschmann, C. (233) 644
- Solomonson, L. P., see Jørgensen, P. L. (233) 381
- Sperelakis, N. and Lee, E. C.
Characterization of $(\text{Na}^+, \text{K}^+)\text{-ATPase}$ isolated from embryonic chick hearts and cultured chick heart cells (233) 562
- Stadler, J. and Kleinig, H.
Nuclear membranes from mammalian liver. III. Fatty acids (233) 315
- Steim, J. M., see Ashe, G. B. (233) 810
- Stetten, M. R. and Ghosh, S. B.
Different properties of glucose-6-phosphatase and related enzymes in rough and smooth endoplasmic reticular membranes (233) 163
- Strecker, C. K., see Chez, R. A. (233) 222
- Symons, A. M., see Heap, R. B. (233) 307
- Swyryd, B., see Schrier, S. L. (233) 26
- Takacs, B. J. and Holt, S. C.
Thiocapsa floridana; a cytological, physical and chemical characterization. I. Cytology of whole cells and isolated chromatophore membranes (233) 258
- Takacs, B. J. and Holt, S. C.
Thiocapsa floridana; a cytological, physical and chemical characterization. II. Physical and chemical characteristics of isolated and reconstituted chromatophores (233) 278
- Takeguchi, N. and Nakagaki, M.
Bi-ionic potentials of bovine lens capsules and collodion membranes (233) 753
- Tallman, D. E., see Hammes, G. G. (233) 17
- Taniguchi, K. and Iida, S.
The binding of ouabain to $\text{Na}^+\text{-K}^+$ -dependent ATPase treated with phospholipase (233) 831
- Ten-Ami, I., see Kirschmann, C. (233) 644
- Thompson, J. E., see Lai, Y. F. (233) 84
- Thomson, T. E. see Redwood, W. R. (233) 1
- Trier, J. S., see Robins, S. J. (233) 550
- Tsuji, T., see Sachs, G. (233) 117
- Turner, B., see Colley, C. M. (233) 720
- Van Deenen, L. L. M., see Kinsky, S. C., (233) 815
- Van Deenen, L. L. M., see Zwaal, R. F. A., (233) 474
- Vidaver, G. A.
Glycine transport by pigeon red cells: Calculation of glycine accumulation ratios by numerical integration of entry and exit rate equations (233) 231
- De Vries, A., see Kirschmann, C. (233) 644
- Walker, N. A., see Findlay, G. P. (233) 155
- Wallach, D. F. H., see Avruch, J. (233) 334
- Warren, L., see Glick, M. C. (233) 247
- Watkins, J. C., see Heap, R. B. (233) 307
- Weisbach, J. A., see Redwood, W. R. (233) 1
- Wheeldon, L. W., and Chan, K.
Resolution of fragments of plasma and sarcotubular membranes in heart muscle microsomes (233) 37
- Wieneke, A. A., see Woodin, A. M. (233) 702
- Wirtz, K. W. A., see Blok, M. C. (233) 61
- Wong, J. T.-F., Pincock, A. and Bronskill, P. M.
Site of energy coupling in the carrier mechanism for β -galactoside transport (233) 176
- Woodin, A. M. and Wieneke, A. A.
Action of phospholipids and leucocidin on the *p*-nitrophenyl phosphatase of the leucocyte membrane (233) 702
- Yeoh, V. J., see Hoffman, N. E. (233) 49
- Zwaal, R. F. A., Roelofsens, B., Comfurius, P. and Van Deenen, L. L. M.
Complete purification and some properties of phospholipase C from *Bacillus cereus*, (233) 474