SUBJECT INDEX

Acetazolamide Mechanism of acid secretory inhibition by	Artificial lipidic membranes Transient conductance changes induced by
——— (Hersey, High) (233) 604	pressure in ——— (Parisi, Rivas) (233) 469
Acholeplasma laidwaii	Aspartate transport
Electron microscopy of solubilized ———	Effect of unsaturated fatty acids on-
membrane proteins reaggregated with My-	in Staphylococcus aureus and on staphylo-
coplasma pneumoniae glycolipids (Cole et	coccal lipid monolayers (Gale, Llewellin)
al.) (233) 76	(233) 237
Acid secretory inhibition	ATPase
Mechanism of ——— by acetazolamide	Asymmetric distribution of ouabain-sensi-
(Hersey, High) (233) 604	tive ———— activity in rat intestinal mucosa
Active transport	(Fujita et al) (233) 404
——— of glumate in Streptomyces hydro-	ATPase
genans. I. Studies on uptake and pool size,	Binding of ATP to brain microsomal——.
and their interrelationship (Gross, Ring)	Determination of the APT-binding capacity
(233) 652	and the dissociation constant of the enzyme-
Agglutination of erythrocytes	ATP complex as a function of K ⁺ concen-
by calcium phosphate sols (Luly et	tration (Nørby, Jensen), (233) 104 ATPase
al.) (233) 730 Alanine transport	Binding of ouabain to Na ⁺ -K ⁺ -dependent
Distinction between galactose and phenyl-	——— treated with phospholipase (Tani-
alanine effects on ——— in rabbit ileum	guchi, Iida) (233) 831
(Frizzell, Schultz) (233) 485	ATPase
Amino acids	Characterization of (Na+ K+)-
Selective diffusion of neutral ———— across	isolated from embryonic chick hearts and
lipid bilayers (Klein et al.) (233) 420	cultured chick heart cells (Sperelakis, Lee)
Amino acid absorption	(233) 562
Rates of absorption of a dipeptide and the	ATPase
equivalent free ——— in various mamma-	Effect of hydroxylamine on transport
lian species (Lis et al.) (233) 453	(Sachs et al.) (233) 117
Amino acid accumulation	ATPase
Cation gradients, ATP and ———— in Ehr-	Effect of urea, sodium and calcium on micro-
lich ascites cells (Potashner, Johnstone)	somal —— activity in different parts of
(233) 91 Amino acid transport	the kidney (Gutman, Katzper-Shamir) (233)
Amino acid transport Effects of Ca ²⁺ and Mg ²⁺ upon ——— in rat	133 ATPase
renal cortex slices (Brown, Michael) (233)	Isolation of an ——— from the membrane
215	complex of the hens' egg (Haaland et al.)
Amino acid transport	(233) 137
—— in Neurospora crassa. IV. Properties	ATPase
and regulation of a methionine transport	Specificity of the ATP-binding site of
system (Pall) (233) 201	$(Na^+ + K^+)$ -activated — from brain
Amino acid uptake	microsomes (Jensen, Norby) (233) 395
Inhibition of ——— by ATP in isolated	ATPase
intestinal epithelial cells (Reiser, Chris-	Steady state kinetics of soluble and mem-
tiansen) (233) 480	brane-bound mitochondrial ——— (Ham-
p-Aminohippurate transport	mes, Hilborn) (233) 580
Role of fatty acid metabolism on renal	ATPase
in vitro (Maxild) (233) 434	Preparation and properties of an isolated
p-Aminohippuric acid Renal uptake of ————————————————in vitro. Effects of	plant membrane fraction enriched in (Na+-
palmitate and L-carnitine (Barác-Nieto)	K ⁺)-stimulated ——— (Lai, Thompson), (233) 84
(233) 446	ATPase
α-Aminoisobutyric acid	Purification and characterization of (Na+
Transport of —— in rabbit detrusor	+ K ⁺)- — I. The influence of deter-
muscle. I. General characterization of the	gents on the activity of $(Na^+ + K^+)$ -
uptake in vitro (Osman, Paton) (233) 666	ATPase in preparations from the outer

medulla of rabbit kidney (Jørgensen, Skou)	parts of the kidney (Gutman, Katzper-
(233) 366	Shamir) (233) 133
ATPase	Calcium adsorption
Purification and characterization of (Na ⁺	Monolayer characteristics and ——— to
+ K ⁺)- ———. II. Preparation by zonal	cerebroside and cerebroside sulphate orien-
centrifugation of highly active $(Na^+ + K^+)$	tated at the air-water interface (Quinn,
ATPase from the outer medulla of rabbit	Sherman) (233) 734
kidneys (Jørgensen et al.) (233) 381	Calcium phosphate sols
ATPase	Agglutination of erythrocytes by ——
Functional properties of —— bound to and	(Luly et al.) (233) 730
solubilized from the membrane complex of	L-Carnitine
the hen's egg (Etheredge et al.) (233) 145	Renal uptake of p-aminohippuric acid in
ATPase activity	vitro. Effects of palmitate and ——
Relationship between g-strophanthin-bind-	(Barác-Nieto) (233) 446
ing capacity and ———————————————————————————————————	Carrier mechanism
brane fragments from ox brain (Hansen)	Site of energy coupling in the ——— for β -
(233) 122 ATB accumulation	galactoside transport (Wong et al.) (233) 176
ATP accumulation	Cation gradients
Cation gradients, amino acid and ——————————————————————————————————	——, ATP and amino acid accumulation
Ehrlich ascites cells (Potashner, Johnstone)	in Ehrlich ascites cells (Potashner, John-
(233) 91 ATR binding conscity	stone) (233) 91
ATP-binding capacity Binding of ATP to brain microsomal	Cation movements
ATPase. Determination of the ——— and	Intracellular sodium and potassium concentrations and net ——— in Chlorella pyre-
the dissociation constant of the enzyme-	noidosa (Shieh, Barber) (233) 594
ATP complex as a function of K ⁺ concentra-	Cell envelope
tion (Nørby, Jensen) (233) 104	—— in Proteus vulgaris P 18. Isolation
ATP dependence	and characterization of the peptidoglycan
—— of the Ca ²⁺ -induced increase in K ⁺	component (Fleck et al.) (233) 489
permeability observed in human red cells	Cell membranes
(Lew) (233) 327	—— of a marine pseudomonad, Pseudo-
Benzyl alcohol	monas BAL-31: Physical, chemical and
Binding of — to erythrocyte mem-	biochemical properties (Franklin et al.)
branes (Colley et al.) (233) 720	(233) 521
Bi-ionic potentials	Cerebroside
——— of bovine lens capsules and collodion	Monolayer characteristics and calcium ad-
membranes (Takeguchi, Nagaki) (233) 753	sorption to ——— and cerebroside sulphate
Bilayers	orientated at the air-water interface (Quinn,
Selective diffusion of neutral amino acids	Sherman) (233) 734
across lipid ——— (Klein et al.) (233) 420	Cerebroside sulphate
Bilayer liposomes	Monolayer characteristics and calcium ad-
Single ——— (Johnson et al.) (233) 820	sorption to cerebroside and ——— orien-
Bilayer membranes	tated at the air-water interface (Quinn,
Physical properties of ——— formed from a	Sherman) (233) 734
synthetic saturated phospholipid in n-	Charophytes
decane (Redwood et al.) (233) 1	Quantization of a flux ratio in ———?
Biomembranes	(Findlay et al.) (233) 155
Mechanism of non-electrolyte permeation	Chlorella pyrenoidosa
through lipid bilayers and through ———	Intracellular sodium and potassium con-
(De Gier et al.) (233) 610 Bladder	centrations and net cation movements in
	Chlorida (Shieh, Barber) (233) 594
Effect on <i>p</i> -nitrophenyl phosphate on the short-circuiting current in the turtle	Chloride Effect of luminal pH on the absorption of
(Shamoo) (233) 409 Brush border	water, sodium and ———— by rat intestine
Histidine influx across ———————————————————————————————————	in vivo (Rousseau, Sladen) (233) 591 Chromatophores
ileum (Chez at el.) (233) 222	Thiocapsa floridana; a cytological, physical
Brush border	and chemical characterization. II. Physical
Localization of fatty acid reesterification in	and chemical characteristics of isolated and
the —— region of intestinal absorptive	reconstituted ——— (Takacs, Holt) (233)
cells (Robins et al.) (233) 550	278
Calcium	Chromatophore membranes
Effect of urea, sodium and on	Thiocapsa floridana; a cytological, physical
microsomal ATPase activity in different	and chemical characterization. I. Cytology

of whole cells and isolated ——— (Takacs,	Erythrocyte membranes
Holt) (233) 258	Binding of benzyl alcohol to ——— (Colley
Collodion membranes	et al.) (233) 720
Bi-ionic potentials of bovine lens capsules	Erythrocyte membranes
and ——— (Takeguchi, Nakagaki) (233) 753	Characterization of microvesicles produced
Conductance changes	by shearing of human ——— (Schrier et al.)
Transient — induced by pressure in	(233) 26
artificial lipidic membranes (Parisi, Rivas)	Erythrocyte membranes
(233) 469	Role of unstirred layers in control of sugar
Cytochrome b ₅	movements across ——— (Naftalin) (233) 635
Preparation of antisera against ——— and	Fatty acids
NADPH-cytochrome c reductase from rat	Effect of unsaturated ——— on aspartate
liver microsomes (Raftell, Orrenius) (233)	transport in Staphylococcus aureus and on
358 n-Decane	staphylococcal lipid monolayers (Gale, Lle-
Physical properties of bilayer membranes	wellin) (233) 237 Fatty acid metabolism
formed from a synthetic saturated phos-	Role of —— on renal transport of p -
pholipid in ——— (Redwood et al.) (233) I	aminohippurate in vitro (Maxild) (233) 434
Dimethyl sulphoxide	Fatty acid reesterification
Effect of ——— on nucleoside transport in	Localization of ——— in the brush border
L-cells (Collings, Roberts) (233) 459	region of intestinal absorptive cells (Robins
Dimethylsulphoxide	et al.) (233) 550
Effect of on the permeability of the	Flux ratio
lysosomal membrane (Lee) (233) 619	Quantization of a ——— in charophytes?
Dipeptide absorption	(Findley et al.) (233) 155
Rates of ——— and the equivalent free	Folate-methotrexate interactions
amino acid absorption in various mamma-	Model system for the study of heteroex-
lian species (Lis et al.) (233) 453	change diffusion: ——— in L1210 leucemia
Electron microscopy	and Ehrlich ascites tumour cells (Goldman)
Uranyl salts as fixatives for ———. Study	(233) 624
of the membrane ultrastructure and phos-	Galactose
pholipid loss in Bacilli (Silva et al.) (233)	Distinction between ——— and phenyl-
513 Endominamia rationlum	alanine effects on alanine transport in rab-
Endoplasmic reticulum Preparation and properties of plasma mem-	bit ileum (Frizzell, Schultz) (233) 485 β-Galactoside transport
Preparation and properties of plasma membrane and ———— fragments from isolated	Effects of phloretin and synthetic oestro-
rat fat cells (Avruch, Wallach) (233) 334	gens on ——— in Escherichia coli (Batt,
Endoplasmic reticular membranes	Schachter) (233) 189
Different properties of glucose-6-phospha-	β-Galactoside transport
tase and related enzymes in rough and	Site of energy coupling in the carrier mecha-
smooth — (Stetten, Gosh) (233) 163	nism for (Wong et al.) (233) 176
Energy coupling	Glucose-6-phosphatase
Site of in the carrier mechanism for	Different properties of ——— and related
β -galactoside transport (Wong et al.) (233)	enzymes in rough and smooth endoplasmic
176	reticular membranes (Stetten, Ghosh) (233)
L-Epinephrine	163
Nuclear magnetic resonance study of the	Glumate
interaction of ——— with phospholipid	Active transport of ——— in Streptomyces
vesicles (Hammes, Tallman) (233) 17	hydrogenans. I. Studies on uptake and pool
Erythrocytes Agglutination of ——— by calcium phos-	size, and their interrelationship (Gross,
phate sols (Luly et al.) (233) 730	Ring) (233) 652 Glycine transport
Erythrocytes	—— by pigeon red cells: Calculation of
Glycine transport by pigeon ———: Calcu-	glycine accumulation ratios by numerical
lation of glycine accumulation ratios by	intergration of entry and exit rate equations
numerical intergration of entry and exit	(Vidaver) (233) 231
equations (Vidaver) (233) 231	Glycolipids
Erythrocytes	Electron microscopy of solubilized Achole-
Properties of the water dissolved membrane	plasma laidwii membrane proteins reag-
proteins of human ——— (Hamaguchi,	gregated with Mycoplasma pneumoniae
Cleve) (233) 320	Cram positive bacteria
Erythrocyte membrane Radioactive label for the ——— (Sears et	Gram-positive bacteria
al.) (233) 716	Membrane transitions in ——— (Ashe, Steim) (233) 810
···/ \#33/ /*·	2501111/ (233) 010

SUBJECT INDEX 799

Heteroexchange diffusion	through ——— and through biomembranes
Model system for the study of ——:	(De Gier et al.) (233) 610
Methotrexate-folate interactions in L1210	Lipid bilayers
leucemia and Ehrlich ascites tumour cells	Selective diffusion of neutral amino acids
(Goldman) (233) 624 Hexosamines	across — (Klein et al.) (233) 420 Lipid monolayers
Membranes of animal cells. VIII. Distribu-	——. Interactions with staphylococal
tion of sialic acid, ——— and sialidase in the	α-toxin (Buckelew Jr. and Colacicco) (233) 7
L cell (Glick et al.) (233) 247	Lipid monolayers
Histidine influx	Effect of unsaturated fatty acids on as-
across brush border of rabbit ileum	partate transport in Staphylococcus aureus
(Chez et al.) (233) 222 Histidine uptake	and on staphylococcus ——— (Gale, Llewel-
Effect of phospholipase and trypsin on	lin) (233) 237 Liposomes
by mouse brain slices (Kirschmann	Preparation of immunologically responsive
et al.) (233) 644	— with phosphonyl and phosphinyl
Hydroxylamine	analogs of lecithin (Kinsky et al.) (233) 815
Effect of ——— on transport ATPase (Sachs	Liposomes
et al.) (233) 117 Ileum	Single bilayer ——— (Johnson et al.) (233)
Histidine influx across brush border of	Lysosomal membrane
rabbit ——— (Chez et al.) (233) 222	Effect of dimethylsulphoxide on the per-
Interface	meability of the ——— (Lee) (233) 619
Monolayer characteristics and calcium ad-	Membrane
sorption to cerebroside and cerebroside sul-	Functional properties of ATPases bound to
phate orientated at the air-water ————————————————————————————————————	and solubilized from the ——— complex of the hen's egg (Etheredge et al.) (233) 145
Intestine	Membrane
Effect of luminal pH on the absorption of	Isolation of an ATPase from the
water, Na ⁺ and Cl ⁻ by rat — in vivo	complex of the hen's egg (Haaland et al.)
(Rousseau, Sladen), (233) 591	(233) 137
Intestine Relationship between concentration and	Membrane fatty acids Correlation between the saturation of
uptake by rat small ———, in vitro, for two	and the presence of membrane fracture
micellar solutes (Hoffman, Yeoh) (233) 49	faces after osmium fixation (James, Bran-
Intestinal epithelial cells	ton) (233) 504
Inhibition of amino acid uptake by ATP in	Membrane fraction
isolated —— (Reiser, Christiansen) (233) 480	Preparation and properties of an isolated
Lecithin Preparation of immunologically responsive	plant ——— enriched in (Na+-K+)-stimu- lated ATPase (Lai, Thompson) (233) 84
liposomes with phosphonyl and phosphinyl	Membrane fracture faces
analogs of ——— (Kinsky et al.) (233) 815	Correlation between the saturation of
Lecithin-cholesterol-water	membrane fatty acids and the presence of
Water diffusion in lecithin-water and ———	after osmium fixation (James, Bran-
lamellar phases at 22° (Gary-Bobo et al.) (233) 243	ton) (233) 504 Membrane models
Lecithin-water	Optical properties of ——— at arbitrary
Water diffusion in ——— and lecithin—	angles of incidence (Simons, Ciddor) (233) 296
cholesterol-water lamellar phases at 22°	Membrane permeability
(Gary-Bobo et al.) (233) 243	Phospholipid-protein interactions: ———
Lens capsules Ri ionia patentials of boving	correlated with monolayer "penetration"
Bi-ionic potentials of bovine ——— and collodion membranes (Takeguchi, Naka-	(Kimelberg, Papahadjopoulos) (233) 805 Membrane proteins
gaki) (233) 753	Electron microscopy of solubilized Achole-
Leucocidin	plasma laidlawii ——— reaggregated with
Action of phospholipids and ——— on the	Mycoplasma pneumoniae glycolipids (Cole
p-nitrophenyl phosphatase of the leucocyte	et al.) (233) 76
membrane (Woodin, Wieneke) (233) 702 Leucocyte membrane	Membrane proteins Properties of the water dissolved ———— of
Action of phospholipids and leucocidin on	human erythrocytes (Hamaguchi, Cleve)
the p-nitrophenyl phosphatase of the ———	(233) 320
(Woodin, Wieneke) (233) 702	Membrane proteins
Lipid bilayers Mechanism of non electrolyte permeation	Separation of ——— by polyacrylamide gel
Mechanism of non-electrolyte permeation	electrophoresis (Ray, Marinetti) (233) 787

Characterization of — produced by shearing of human crythrocyte membrane membrane (Khandwala, Kasper) (233) 348 Membrane (Khandwala, Kasper) (233) 348 Membrane thickness Study of — by energy transfer (Peters) (233) 465 Membrane transitions —— in Gram-positive bacteria (Ashe, Steim) (233) 870 Membrane ultrastructure Uranyl salls as fixatives for electron microscopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— (VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methorie transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a —— (Pall) (233) 27 Methotrexate-folate interactions Model system for the study of heteroex-change diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between —— (Sall) (233) 27 Microsomes Exchange of phospholipids (Cole et al.) (233) 358 Microsomes Exchange of phospholipids (Cole et al.) (233) 369 Microsomes Exchange of phospholipids (Cole et al.) (233) 369 Microsomes Exchange of phospholipids (Cole et al.) (233) 374 Microsomes Exchange of phospholipids (Cole et al.) (233) 369 Microsomes Exchange of phospholipids (Cole et al.) (233) 374 Microsomes Exchange of phospholipids (Cole et al.) (233) 375 Microsomes Exchange of phospholipids (Cole et al.) (233) 374 Microsomes Exchange of phospholipids (Cole et al.) (233) 378 Microsomes Exchange of phospholipids between —— (Raftell, Orrenius) (233) 580 Microsomes Exchange of phospholipids between of tall interaction between oestradiol and progressive in artificial lipidic —— (Parisi, Raftell ——	Membrane structure	Microvesicles
membrane (Khandwala, Kasper) (233) 348 Membrane thickness Study of — by energy transfer (Peters) (233) 465 Membrane transitions — in Gram-positive bacteria (Ashe, Steim) (233) 870 Membrane ultrastructure Uranyl salts as fixatives for electron microscopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells ——. VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methorex change diffusion: — in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids (Cole et al.) (233) 376 Myopalsam pneumoniae Electron microscopy of solubilized Achole-plasma laidwii membrane proteins reaggregated with —— glycolipids (Cole et al.) (233) 376 Myopetrium Studies on smooth muscle plasma membrane. I. Isolation and characterization of plasma membrane from rat liver microsomes (Raftell, Orrenius) (233) 358 Nationsomes Exchange of phospholipids between oestradiol and progesterone in aquous solutions and in a —— (Heap et al.) (233) 307 Myopetrium Studies on smooth muscle plasma membrane. I. Isolation and characterization of plasma membrane from rat liver microsomes (Raftell, Orrenius) (233) 358 Nationsomes Exchange of phospholipids (Cole et al.) (233) 76 Myopetrium Studies on smooth muscle plasma membrane. Insolation and characterization of plasma membrane from rat liver microsomes (Raftell, Orrenius) (233) 358 Nationsomes Exchange of phospholipids (Cole et al.) (233) 307 Myopetrium Studies on smooth muscle plasma membrane. Insolation and characterization of plasma membrane from rat liver microsomes (Raftell, Orrenius) (233) 358 Nationsommes Exchange of phospholipids between microsomes (Raftell, Orrenius) (233) 376 Nyopetrium Studies on smooth muscle plasma membrane. Insolation and characterization of plasma membrane from rat liver (Blok et al.) (233) 61 National Alphane (Raftell, Orrenius	——: Reactivity of tryptophan, tyrosine and lysine in proteins of the microsomal	Characterization of ——— produced by shearing of human erythrocyte membranes
Membrane transitions —— in Gram-positive bacteria (Ashe, Steim) (233) 450 Membrane ultrastructure Uranyl salts as fixatives for electron microscopy. Study of the —— and phospholipid between of ratificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methione transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a —— (Pall) (233) 201 Methotrexate-folate interactions Model system for the study of heteroex-change diffusion: — in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between —— and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 64 Microsomes for all iver (Blok et al.) (233) 76 Microsomes of rat liver (Blok et al.) (233) 76 Microsomes of a solidades in the L cell (Glick et al.) (233) 76 Microsomes of a solidades in the L cell (Glick et al.) (233) 76 Microsomes of a solidades in the L cell (Glick et al.) (233) 76 Microsomes of a solidades in the L cell (Glick et al.) (233) 76 Microsomes (Pall) (233) 24 Membranes of animal cells —— (Pall) (233) 24 Microsomes (Pall) (Pa	membrane (Khandwala, Kasper) (233)	(Schrier et al.) (233) 26
Study of —— by energy transfer (Peters) (233) 4695 Membrane transitions —— in Gram-positive bacteria (Ashe, Steim) (233) 870 Membrane ultrastructure Uranyi salts as fixatives for electron microscopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methione transport system —— (Pall) (233) 247 Methione transport system Model system for the study of heteroex-change diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 524 Microsomes Model system for the study of heteroex-change diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 524 Microsomes Exchange of phospholipids between and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 469 Microsomes Specificity of the ATP-binding site of (Na*+ k*)-activated ATP-ase from brain——— (Jensen, Norby) (233) 395 Microsomal membranes in heart muscle———— (Wheeldon, Gan) (233) 37 Microsomal MTP-ase Binding of ATP to brain ——— Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K*r concentration (Norby, Jensen) (233) 104 Microsomal MTP-ase Effect of urea, sodium and calcium on————————————————————————————————————		
(233) 456 Membrane ultrastructure Uranyl salts as fixatives for electron microscopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— VIII. Distribution of sialic acid, hexosamines and salidase in the L cell (Glick et al.) (233) 3247 Methione transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a —— (Pall) (233) 201 Methortexate-folate interactions Model system for the study of heteroexchange diffusion: —— in L1210 leucemia and Ebritch ascites tumour cells (Goldman) (233) 528 Microsomes Exchange of phospholipids between —— the parameter of the study of heteroexchange diffusion: —— in L1210 leucemia and Ebritch ascites tumour cells (Goldman) (233) 528 Microsomes Preparation of antisera against cytochrome b ₄ and NADPH-cytochrome c reductase from rat liver (Blok et al.) (233) 61 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K ⁺ concentration (Norby, Jensen) (233) 379 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K ⁺ concentration (Norby, Jensen) (233) 379 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of the concentration of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of the concentration of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of the concentration of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of the concentration of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of the Co		_ · · · · · · · · · · · · · · · · · · ·
Membrane transitions ——in Gram-positive bacteria (Ashe, Steim) (233) 810 Membrane ultrastructure Uranyi salts as fixatives for electron microscopy. Study of the —— and phospholipids loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methoreact folate interactions Amino acid transport in Neurospora crassa. IV. Properties and regulation of a —— (Pall) (233) 201 Methoreactae-folate interactions Model system for the study of heteroex-change diffusion: —— in L1210 leucemia and Ebrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between —— and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 67 Microsomes Preparation of antisera against cytochrome by and NADPH-cytochrome c reductase from rat liver (Blok et al.) (233) 378 Microsomes Resolution of fragments of plasma and sarroutubular membranes in heart muscle—— (Wheeldon, Gam) (233) 37 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K+ concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K+ concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination (Norby, Jensen) (233) 104 Microsomal membrane Effect of urea, sodium and calcium on —— activity in different parts of the kidney (Guttman, Katzper-Shamir) (233) Microsomal membrane and lysine in proteins of transport reactions and interaction between our in the cell loss of detergent-solution of the ATP-binding capacity and through biomembranes (Bob		
Steimi (1233) 810 Membrane ultrastructure Uranyl salts as fixatives for electron microscopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methione transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a —— (Pall) (233) 201 Methotrexate-folate interactions Model system for the study of heteroex-change diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between —— and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome by and NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Preparation of antisera against cytochrome by and NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Specificity of the ATP-binding site of (Na** + K**)-activated ATPase from brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K** concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K** concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of the concentration (Norby, Jensen) (233) 104 Microsomal membrane Membrane structure: The reactivity of tryp-tophan, tyrosine and lysine in proteins reagainst cytochrome by and —— (From rat liver microsomes (Raftell, Orrenius) (233) 350 Non-electrolyte permeation Mechanism of ———————————————————————————————————		
Steim) (233) 870 Membrane ultrastructure Uranyl salts as fixatives for electron microscopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methother transport in Neurospora crassa. IV. Properties and regulation of a —— (Pall) (233) 201 Methotrexate-folate interactions Model system for the study of heteroexchange diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 564 Microsomes Exchange of phospholipids between —— and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 64 Microsomes Preparation of antisera against cytochrome by and nat NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Resolution of fragments of plasma and saroctubular membranes in heart muscle —— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding gaacity and the dissociation constant of the enzyme-ATP complex as a function of K+ concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K+ concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of the concentration (Norby, Jensen) (233) 104 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and phospholipids and leucocidin on the —— of the leucocyte membranes (Blodier, Kleinig) (233) 350 Nucleoside transport Effect of urea, sodium and calcium on —— of the leucocyte membranes (Blodier, Kleinig) (233) 353 Nucleoside transport Effect of urea, sodium and calcium on —— of the leucocyte membrane		Exchange of phospholipids between micro-
Uranyl salts as fixatives for electron microscopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidic —— (Parisi, Rivas) (233) 469 Membranes of animal cells —— VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methotroxamines and sialidase in the L cell (Glick et al.) (233) 247 Methotroxate-folate interactions Model system for the study of heteroexchange diffusion: —— in L1210 leucemia, and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between—and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 64 Microsomes Preparation of antisera against cytochrome by and ANDPH-cytochrome c reductase from rat liver—— (Raftell, Orrenius) (233) 358 Microsomes Resolution of tagments of plasma and saroctubular membranes in heart muscle—— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K* concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K* concentration (Norby, Jensen) (233) 104 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K* concentration (Norby, Jensen) (233) 104 Microsomal Membrane Membranes tructure: The reactivity of tryptophan, tyrosine and lysine in proteins of the Microsomal membrane Membranes of animal cells in acid, hexosamines and sialidase in the L cell (Gilck et al.) (233) 610 Myometrium Studies on smooth muscle plasma membrane from rat — (Kidwai et al.) (233) 558 NaDPH-cytochrome c reductase Preparation of antisera against cytochrome by and ———————————————————————————————————		
scopy. Study of the —— and phospholipid loss in Bacilli (Silva et al.) (233) 513 Membranes Transient conductance changes induced by pressure in artificial lipidie —— (Parisi, Rivas) (233) 469 Membranes of animal cells ——————————————————————————————————		
Membranes Transient conductance changes induced by pressure in artificial lipidic ———————————————————————————————————		
—————————————————————————————————————		
Transient conductance changes induced by pressure in artificial lipidic ———————————————————————————————————		
pressure in artificial lipidic ———— (Parisi, Rivas) (233) 459 Membranes of animal cells ———————————————————————————————————		
Rivas) (233) 469 Membranes of animal cells ——————————————————————————————————		
Membranes of animal cells — VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methione transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a — (Pall) (233) 207 Methotrexate-folate interactions Model system for the study of heteroexchange diffusion: — in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes — Exchange of phospholipids between — and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 654 Microsomes — Preparation of antisera against cytochrome by and NADPH-cytochrome c reductase from rat liver — (Raftell, Orrenius) (233) 358 Microsomes — (Raftell, Orrenius) (233) 358 Microsomes — (Jensen, Nørby) (233) 395 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain — Determination of the ATP-binding capacity and the dissociation constant of the enzyme— ATP complex as a function of K ⁺ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on — activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of the classical concorpation into elements of transport reactions and membrane functions in proteins of the capacity and mechanism of transport reactions and membrane function in the capacity and mechanism of transport reactions and membrane function in the capacity and studies on smooth muscle plasma membrane from rat — (Kidwai et al.) (233) 538 NADPH-cytochrome c reductase Preparation of antisera against cytochrome brane in the capacity and characterization of plasma membrane from rat liver microsomes (Raftell, Orrenius) (233) 558 Neutral amino acids Sective diffusion of — across lipid bilayers (Klein et al.) (233) 420 P-Nitrophenyl phosphataes — (Henchaism of the encoyence in the turtle bladder (Shamoo		
——. VIII. Distribution of sialic acid, hexosamines and sialidase in the L cell (Glick et al.) (233) 247 Methione transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a ——————————————————————————————————		
Methione transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a	——. VIII. Distribution of sialic acid,	
Methione transport system Amino acid transport in Neurospora crassa. IV. Properties and regulation of a — (Pall) (233) 201 Methotrexate-folate interactions Model system for the study of heteroexchange diffusion: ——in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between ——and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome b ₃ and NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Preparation of antisera against cytochrome b ₅ and NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Specificity of the ATP-binding site of (Na ⁺ + K ⁺)-activated ATPase from brain —— (Jensen, Nørby) (233) 395 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle —— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K ⁺ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on —— activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
Amino acid transport in Neurospora crassa. IV. Properties and regulation of a ——————————————————————————————————		
IV. Properties and regulation of a —— (Pall) (233) 201 Methotrexate-folate interactions Model system for the study of heteroexchange diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 524 Microsomes Exchange of phospholipids between —— and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome bs and NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Microsomes Microsomes Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle —— (Wheeldon, Gan) (233) 37 Microsomal ATPase Biding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K+ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on —— activity in different parts of kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membranes Model system for the study of heteroexchange diffusion: —— in Interversible thermodynamic analysis of the active state (Schmidt) (233) 358 NADPH-cytochrome c reductase Preparation of antisera against cytochrome bs and —— from rat liver microsomes (Raftell, Orrenius) (233) 358 NaDPH-cytochrome c reductase Preparation of antisera against cytochrome bs and —— from rat liver microsomes (Raftell, Orrenius) (233) 358 NaDPH-cytochrome c reductase Preparation of rat liver microsomes (Raftell, Orrenius) (233) 358 NaDerosimal spinel processors of the active state (Schmidt) (233) 765 Neutral amino acids Effect on —— on the short-circuiting current in the turtle bladder (Shamoo) (233) 409 P-Nitrophenyl phosphatase Action of phospholipids and leucocidin on the embranes (De Gier et al.) (233) 610 Nuclear membranes [Sand ——— from rat liver microsomes (Raftell, Orrenius) (233) 420 P-Nitrophenyl phosphatase Action of phospholipids and leucocidin on the embranes in heart muscle embranes (Scadler, Kleinig) (233) 310 Nucleoside phosphatases		
Methotrexate-folate interactions Model system for the study of heteroexchange diffusion: — in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between — and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome bs and NADPH-cytochrome c reductase from rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome bs and NADPH-cytochrome c reductase from rat liver (Maftell, Orrenius) (233) 358 Microsomes Microsomes Resolution of fargments of plasma and sarcotubular membranes in heart muscles— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain — Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K+ concentration (Norby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on — activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of	IV Properties and regulation of a	
Methotrexate-folate interactions Model system for the study of heteroexchange diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between —— and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome by and NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Specificity of the ATP-binding site of (Na+ + K+)-activated ATPase from brain —— (Jensen, Nørby) (233) 395 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle ——— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K+ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on —— activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
b, and — from rat liver microsomes (Raftell, Orrenius) (233) 358 Microsomes Exchange of phospholipids between — and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome b, and NADPH-cytochrome c reductase from rat liver — (Raftell, Orrenius) (233) 358 Microsomes Specificity of the ATP-binding site of (Na ⁺ + K ⁺)-activated ATPase from brain — (Jensen, Nørby) (233) 395 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle —— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain —— Determination of the ATP-binding capacity and the dissociation constant of the enzyme-ATP complex as a function of K ⁺ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on —— activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptotophan, tyrosine and lysine in proteins of	, , , , , , , , , , , , , , , , , , , ,	
change diffusion: —— in L1210 leucemia and Ehrlich ascites tumour cells (Goldman) (233) 624 Microsomes Exchange of phospholipids between —— and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome b ₅ and NADPH-cytochrome c reductase from rat liver —— (Raftell, Orrenius) (233) 358 Microsomes Specificity of the ATP-binding site of (Na ⁺ + K ⁺)-activated ATPase from brain —— (Jensen, Nørby) (233) 395 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle ——— (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain ——— Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K ⁺ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on ——— activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptotophan, tyrosine and lysine in proteins of		
Physical basis of; The irreversible thermodynamic analysis of the active state (Schmidt) (233) 765	change diffusion: ——— in L1210 leucemia	(Raftell, Orrenius) (233) 358
Hermodynamic analysis of the active state Exchange of phospholipids between — and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome b ₈ and NADPH-cytochrome c reductase from rat liver ————————————————————————————————————	· · · · · · · · · · · · · · · · · · ·	
Exchange of phospholipids between—and inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome b ₅ and NADPH-cytochrome c reductase from rat liver————————————————————————————————————	·	Physical basis of ———: The irreversible
And inner and outer mitochondrial membranes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome b ₅ and NADPH-cytochrome c reductase from rat liver ————————————————————————————————————		
branes of rat liver (Blok et al.) (233) 61 Microsomes Preparation of antisera against cytochrome b ₅ and NADPH-cytochrome c reductase from rat liver ————————————————————————————————————	and inner and outer mitochondrial mam	
Microsomes Preparation of antisera against cytochrome b ₅ and NADPH-cytochrome c reductase from rat liver ————————————————————————————————————		
Preparation of antisera against cytochrome b ₅ and NADPH-cytochrome c reductase from rat liver ————————————————————————————————————		
b ₅ and NADPH-cytochrome c reductase from rat liver ————————————————————————————————————		
Microsomes Microsomes Microsomes Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle ————————————————————————————————————		
Microsomes Specificity of the ATP-binding site of (Na+ + K+)-activated ATPase from brain — (Jensen, Nørby) (233) 395 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle — (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain — Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K+ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on — activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
Specificity of the ATP-binding site of (Na ⁺ + K ⁺)-activated ATPase from brain — (Jensen, Nørby) (233) 395 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle — (Wheeldon, Gan) (233) 37 Microsomal ATPase Binding of ATP to brain — Determination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K ⁺ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on — activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) I33 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
(Woodin, Wieneke) (233) 702 Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle————————————————————————————————————		
Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle ————————————————————————————————————		
Microsomes Resolution of fragments of plasma and sarcotubular membranes in heart muscle ————————————————————————————————————		
sarcotubular membranes in heart muscle ————————————————————————————————————		
Microsomal ATPase Binding of ATP to brain ————————————————————————————————————		and through biomembranes (De Gier et al.)
Microsomal ATPase Binding of ATP to brain ————————————————————————————————————		
Binding of ATP to brain ————————————————————————————————————		
mination of the ATP-binding capacity and the dissociation constant of the enzyme—ATP complex as a function of K+ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on —activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
the dissociation constant of the enzyme— ATP complex as a function of K+ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on —— activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of	mination of the ATP-hinding capacity and	
ATP complex as a function of K ⁺ concentration (Nørby, Jensen) (233) 104 Microsomal ATPase Effect of urea, sodium and calcium on activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of	the dissociation constant of the enzyme-	Immunochemical studies of detergent-solu-
Microsomal ATPase Effect of urea, sodium and calcium on activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
Effect of urea, sodium and calcium on —— activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
—— activity in different parts of the kidney (Gutman, Katzper-Shamir) (233) 133		
kidney (Gutman, Katzper-Shamir) (233) 133 Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of		
133 —— by Novikoff rat hepatoma cells growing in suspension culture. Specificity and mechanism of transport reactions and relationship to nucleoside incorporation into		
Microsomal membrane Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of mechanism of transport reactions and relationship to nucleoside incorporation into		
Membrane structure: The reactivity of tryptophan, tyrosine and lysine in proteins of relationship to nucleoside incorporation into		
tophan, tyrosine and lysine in proteins of the ——— (Khandwala, Kasper) (233) 348 relationship to nucleoside incorporation into nucleic acids (Plagemann) (233) 688	Membrane structure: The reactivity of tryp-	and mechanism of transport reactions and
tne ——— (Khandwala, Kasper) (233) 348 — nucleic acids (Plagemann) (233) 688	tophan, tyrosine and lysine in proteins of	
	tne ——— (Knandwaia, Kasper) (233) 348	nucleic acids (Plagemann) (233) 688

Oestradiol	Phospholipids
Interaction between — and progester-	Action of ——— and leucocidin on the
one in aquous solutions and in a model mem-	p-nitrophenyl phosphatase of the leucocyte
brane system (Heap et al.) (233) 307	membrane (Woodin, Wieneke) (233) 702
Oestrogens	Phosphonyl and phosphinyl analogs of lecithin
Effects of phloretin and synthetic — on	Preparation of immunologically responsive
β -galactoside transport in Escherichia coli	liposomes with ——— (Kinsky et al.) (233)
(Batt, Schachter) (233) 189	815
Ouabain	Plasma membrane
Binding of ——— to Na ⁺ -K ⁺ -dependent	Preparation and properties of ——— and
ATPase treated with phospholipase (Tani-	endoplasmic reticulum fragments from iso-
guchi, Iida) (233) 831	latedrat fat cells (Avruch, Wallach) (233) 334
Ouabain-sensitive ATPase	Plasma membrane
Asymmetric distribution of ——— activity	Studies on smooth muscle ———. I. Isola-
in rat intestinal mucosa (Fujita et al.) (233)	tion and characterization of plasma mem-
404	brane from rat myometrium (Kidwai et al.)
Palmitate	(233) 538 Diama mambana fasamanta
Renal uptake of p-aminohippuric acid in	Plasma-membrane fragments
vitro. Effects of ——— and L-carnitine	Relationship between g-strophanthin-bind-
(Barác-Nieto) (233) 446	ing capacity and ATPase activity in ———
Peptidoglycan	from ox brain (Hansen) (233) 122 Plasma membranes
Cell envelope in Proteus vulgaris P 18. Isolation and characterization of the ———	Immunochemical studies of detergent-solu-
component (Fleck et al.) (233) 489	ble nucleoside phosphatases in rat liver
	——— (Blomberg, Perlmann) (233) 53
Permeability Effect of dimethylsulphoxide on the	Plasma membranes
of the lysosomal membrane (Lee) (233) 619	Resolution of fragments of sarcotubular and
Phenylalanine	in heart muscle microsomes (Wheel-
Distinction between galactose and ———	don, Gan) (233) 37
effects on alanine transport in rabbit ileum	Polysorbate 80-hexadecane interface
(Frizzell, Schultz) (233) 485	Interfacial barriers to the transport of
Phloretin	sterols and other organic compounds at the
Effects of ——— and synthetic oestrogens	aqueous ——— (Bikhazi, Higuchi) (233)
on β -galactoside transport in Escherichia	676
coli (Batt, Schachter) (233) 189	Potassium
Phospholipase	Intracellular sodium and ——— concentra-
Effect of ——— and trypsin on histidine up-	tions and net cation movements in Chlorella
take by mouse brain slices (Kirschmann et	pyrenoidosa (Shih, Barber) (233) 594
al.) (233) 644	Potassium permeability
Phospholipase C	ATP dependence of the Ca ²⁺ -induced in-
Complete purification and some properties	crease in —— observed in human red cells
of ——— from Bacillus cereus (Zwaal et al.)	(Lew) (233) 827
(233) 474 Dhaanhaliaid	Progesterone Interaction between oestradiol and ———
Phospholipid Physical propreties of bilayer membranes	in aqueous solutions and in a model mem-
formed from a synthetic saturated ———	brane system (Heap et al.) (233) 307
in <i>n</i> -decane (Redwood et al.) (233) 1	Protein-phospholipid interactions
Phospholipid	: Membrane permeability correlated
Uranyl salts as fixatives for electron micro-	with monolayer "penetration" (Kimelberg,
scopy. Study of the membrane ultrastruc-	Papahadjopoulos) (233) 805
ture and ———— loss in Bacilli (Silva et al.)	Proteus vulgaris
(233) 513	Cell envelope in ——— P 18. Isolation and
Phospholipids	characterization of the peptidoglycan com-
Exchange of — between microsomes	ponent (Fleck et al.) (233) 489
and inner and outer mitochondrial mem-	Pseudomonas BAL-31
branes of rat liver (Blok et al.) (233) 61	Cell membranes of a marine pseudomonad,
Phospholipid-protein interactions	: Physical, chemical and biochemical
———: Membrane permeability correlated	properties (Franklin et al.) (233) 521
with monolayer "penetration" (Kimelberg,	Renal cortex slices
Papahadjopoulos) (233) 805	Effects of Ca ²⁺ and Mg ²⁺ upon amino acid
Phospholipid vesicles	transport in rat ——— (Brown, Michael)
Nuclear resonance study of the interaction	(233) 215 Sarcotubular membranes
of L-epinephrine with ——— (Hammes, Tallman) (233) 17	Resolutions of fragments of plasma and
1 millian (233) 1/	Tiportations of Traditions of Branching and

802 SUBJECT INDEX

- in heart muscle microsomes (Wheelcoccal lipid monolayers (Gale, Llewellin) don, Gan) (233) 37 (233) 237 Sterols Short-circuiting current Effect on p-nitrophenyl phosphate on the Interfacial barriers to the transport of in the turtle bladder (Shamoo) (233) and other organic compounds at the aqueous polysorbate 80-hexadecane inter-409 face (Bikhazi, Higuchi) (233) 676 Sialic acid Membranes of animal cells. VIII. Distribu-Streptomyces hydrogenans tion of ----, hexosamines and sialidase in Active transport of glumate in ---. I. the L cell (Glick et al.) (233) 247 Studies on uptake and pool size, and their interrelationship (Cross, Ring) (233) 652 Sialidase Membranes of animal cells. VIII. Distribug-Strophanthin-binding capacity tion of sialic acid, hexosamines and Relationship between ——— and ATPase in the L cell (Glick et al.) (233) 247 activity in plasma-membrane fragments from ox brain (Hansen) (233) 122 Small intestine Relationship between concentration and Sugar movements uptake by rat ——, in vitro, for two Role of unstirred layers in control of micellar solutes (Hoffman, Yeoh) (233) 49 across erythrocyte membranes (Naftalin) Sodium (233) 635Effect of luminal pH on the absorption of Thiocapsa floridana water, —— and chloride by rat intestine -; cytological, physical and chemical characterization. I. Cytology of whole cells in vivo (Rousseau, Sladen) (233) 591 and isolated chromatophore membranes Effect of urea, ——— and calcium on (Takacs, Holt) (233) 258 microsomal ATPase activity in different Thiocapsa floridana ; cytological, physical and chemical characterization. II. Physical and chemical parts of the kidney (Gutman, Katzper-Shamir) (233) 133 Sodium characteristics of isolated and reconstituted chromatophores (Takacs, Holt) (233) 278 Intracellular — — and potassium concentrations and net cation movements in α-Toxin Chlorella pyrenoidosa (Shieh, Barber) (233) Lipid monolayers. Interactions with staphylococcal — (Buckelew Jr. and Colacicco) (233) 7 (Sodium + potassium)-activated ATPase Specificity of the ATP-binding site of -Transport Interfacial barriers to the ——— of sterols from brain microsomes (Jensen, Nørby) (233) 395 and other organic compounds at the aque-(Sodium + potassium)-ATPase ous polysorbate 80-hexadecane interface (Bikhazi, Higuchi) (233) 676 Characterization of ——— isolated from embryonic chick hearts and cultured chick Transport ATPase heart cells (Sperelakis, Lee) (233) 562 Effect of hydroxylamine on ——— (Sachs (Sodium + potassium)-ATPase et al.) (233) 117 Purification and characterization of — Trypsin I. The influence of detergents on the activity Effect of phospholipase and --- on of (Na+ + K+)-ATPase in preparations histidine uptake by mouse brain slices from the outer medulla of rabbit kidney (Kirschmann et al.) (233) 644 (Jørgensen, Skou) (233) 366 (Sodium + potassium)-ATPase Relationship between concentration and Purification and characterization of -- by rat small intestine, in vitro, for II. Preparation by zonal centrifugation of two micellar solutes (Hoffman, Yeoh) (233) 49 highly active (Na+ + K+)-ATPase from the Urea. outer medulla of rabbit kidneys (Jørgensen Effect of --, sodium and calcium on et al.) (233) 381 microsomal ATPase activity in different Sodium-potassium-dependent ATPase parts of the kidney (Gutman, Katzper-Binding of ouabain to ———— treated with Shamir) (233) 133 phospholipase (Taniguchi, Iida) (233) 831 (Sodium-potassium)-stimulated ATPase Effect of luminal pH on the absorption of -, Na+ and Cl- by rat intestine in Preparation and properties of an isolated plant membrane fraction enriched in vivo (Rousseau, Sladen) (233) 591 (Lai, Thompson) (233) 84 Water diffusion Staphylococcus aureus - in lecithin-water and lecithin-cho-Effect of unsaturated fatty acids on asparlesterol-water lamellar phases at 22° (Garytate transport in ——— and on staphylo-Bobo et al.) (233) 243