

AUTHOR INDEX

- Adamson, J. S., see Robin, E. D. (241) 117
- Askari, A. and Rao, S. N.
Studies on the partial reactions catalyzed by the ($\text{Na}^+ + \text{K}^+$)-activated ATPase. III. Relation of K^+ -dependent p-nitrophenylphosphatase to Na^+ transport in red cell ghosts (241) 75
- Avruch, J. and Wallach, D. F. H.
Spectroscopic evidence for β structure in rat adipocyte plasma membrane protein (241) 249
- Azerad, R., see Shechter, E. (241) 431
- Bader, H., see Bond, G. H. (241) 57
- Bangham, A. D., see Singer, M. A. (241) 687
- Barlow, V., see Mirsky, R. (241) 835
- Berlin, R. D., see Tsan, M.-F. (241) 155
- Bihler, I. and Sawh, P. C.
Regulation of sugar transport in muscle: Effect of increased external potassium *in vitro* (241) 302
- Birdsall, N. J. M., Lee, A. G., Levine, Y. K. and Metcalfe, J. C.
 ^{19}F NMR of monofluorostearic acids in lecithin vesicles (241) 693
- Blasie, J. K., see Lesslauer, W. (241) 547
- Blostein, R. and Burt, V. K.
Interaction of N-ethylmaleimide and Ca^{2+} with human erythrocyte membrane ATPase (241) 68
- Blum, A. L., Hirschowitz, B. I., Helander, H. F. and Sachs, G.
Electrical properties of *Necturus* gastric mucosa isolated cells (241) 261
- Blum, A. L., see Wiebelhaus, V. D. (241) 49
- Bond, G. H., Bader, H. and Post, R. L.
Acetyl phosphate as a substitute for ATP in ($\text{Na}^+ + \text{K}^+$)-dependent ATPase (241) 57
- Bond, G. H. and Green, J. W.
Effects of monovalent cations on the ($\text{Mg}^{2+} + \text{Ca}^{2+}$)-dependent ATPase of the erythrocyte membrane (241) 393
- Borghetti, A. F., see Manchester, K. L. (241) 226
- Bourguet, J., see Ripoche, P. (241) 716
- Bramley, T. A., Coleman, R. and Finean, J. B.
Chemical, enzymological and permeability properties of human erythrocyte ghosts prepared by hypotonic lysis in media of different osmolarities (241) 752
- Brodsky, W. A., see LeFevre, M. E. (241) 628
- Brodsky, W. A., see Shamoo, A. E. (241) 846
- Brown, R. K., see Lieu, T. S. (241) 884
- Bruni, A., see Contessa, A. R. (241) 334
- Burt, V. K., see Blostein, R. (241) 68
- Butler, K. W., see Skou, J. C. (241) 443
- Cadenhead, D. A. and Katti, S. S.
A comparative study of cholesterol and a cholesterol-like ESR probe in pure and mixed monomolecular films (241) 709
- Cain, J., see Lesslauer, W. (241) 547
- Carlson, L. M., see Jung, C. Y. (241) 613
- Carraway, K. L., Kobylka, D. and Triplett, R. B.
Surface proteins of erythrocyte membranes (241) 934
- Chau-Wong, M. and Seeman, P.
The control of membrane-bound Ca^{2+} ion by ATP (241) 473
- Chau-Wong, M., see Seeman, P. (241) 349
- Chen, L. C., see Kirchberger, M. A. (241) 861
- Christensen, H. N., Hellman, B., Lernmark, Å., Sehlin, J., Tager, H. S. and Täljedal, I.-B.
In vitro stimulation of insulin release by non-metabolizable, transport-specific amino acids (241) 341
- Christensen, H. N., see Koser, B. H. (241) 9
- Christiansen, P. A., see Reiser, S. (241) 102
- Citri, N., see Rottem, S. (241) 593
- Coleman, R., see Bramley, T. A. (241) 752
- Comfurius, P., see Roelofsens, B. (241) 925
- Contessa, A. R. and Bruni, A.
Different effects of oligomycin and dicyclohexylcarbodiimide on ATPases from mammalian cells (241) 334
- Cotlier, E.
Lysine transport and protein incorporation by the lens (241) 798
- Crane, F. L., see Hall, J. D. (241) 682
- Cuthbert, A. W. and Wong, P. Y. D.
Amiloride, Ca^{2+} and oxygen consumption of the urinary bladders of toads (241) 713
- Davis, D. G. and Inesi, G.
Proton nuclear magnetic resonance studies of sarcoplasmic reticulum membranes. Correlation of the temperature-dependent Ca^{2+} efflux with a reversible structural transition (241) 1
- Davis, J. L., see Reinert, J. C. (241) 921
- De Busk, A. Gib, see Wolfenbarger, Jr., L. (241) 677
- De Gier, J., see Scarpa, A. (241) 789
- Demel, R. A., see Van Zutphen, H., (241) 310
- Dox, L. J., see LeFevre, M. E. (241) 628
- Dudding, W. F. and Winter, C. G.
On the reaction sequence of the K^+ -dependent acetyl phosphatase activity of the Na^+ pump (241) 650
- Dunham, P. B. and Hoffman, J. F.
The number of $\text{Na}^+:\text{K}^+$ pump sites on erythrocytes from HK and LK lambs (241) 399
- Eggenton, J., see Hardcastle, P. T. (241) 930
- Emmelot, P. and Visser, A.
Studies on plasma membranes. XIII. Co^{2+} -activated aminopeptidase(s) in the globular

- units locally coating rat-liver plasma membranes (241) 273
- Engelman, D. M., see Metcalfe, J. C. (241) 412
- Engelman, D. M., see Metcalfe, S. M. (241) 422
- Finean, J. B., see Bramley, T. A. (241) 752
- Fischer, H., see Weidekamm, E. (241) 770
- Fishman, S. N. and Volkenstein, M. V.,
Physicochemical model of Na^+ inactivation (241) 697
- Fleischer, S., see Meissner, G. (241) 356
- Foulkes, E. C.
Effects of heavy metals on renal aspartate transport and the nature of solute movement in kidney cortex slices (241) 815
- Frazier, L. W. and Vanatta, J. C.
Excretion of H^+ and NH_4^+ by the urinary bladder of the acidotic toad and the effect of short-circuit current on the excretion (241) 20
- Fukui, Y., Nachbar, M. S. and Salton, M. R. J.
Immunochemistry and peptide mapping of *Micrococcus lysodeikticus* membrane proteins (241) 30
- Furuya, S. and Yugari, Y.
Daily rhythmic change in the transport of histidine by everted sacs of rat small intestine (241) 245
- Geck, P.
Eigenschaften eines asymmetrischen Carrier-Modells für den Zuckertransport am menschlichen Erythrozyten (241) 462
- Genel, M., Rea, C. F., and Segal S.
Interaction of sugar transport and amino acid transport in mammalian kidney (241) 779
- Gennaro, J. F., see LeFevre, M. E. (241) 628
- Goldberg, M., see Seeman, P. (241) 349
- Gombos, G., see Morgan, I. G. (241) 737
- Graham, J. M. and Wallach, D. F. H.
Protein conformational transitions in the erythrocyte membrane (241) 180
- Green, J. W., see Bond, G. H. (241) 393
- Gros, C., see Shechter, E. (241) 431
- Guidotti, G. G., see Manchester, K. L. (241) 226
- Gulik-Krzywicki, T., see Shechter, E. (241) 431
- Hall, J. D. and Crane, F. L.
Disruption of mitochondrial membrane by acetone extraction, (241) 682
- Hansen, O., see Skou, J. C. (241) 443
- Hardcastle, P. T. and Eggenton, J.
The effect of EDTA on the electrical activity of rat jejunum, (241) 930
- Heber, U., Tyankova, L. and Santarius, K. A.
Stabilization and inactivation of biological membranes during freezing in the presence of amino acids (241) 578
- Helander, H. F., see Wiebelhaus, V. D. (241) 49
- Hellman, B., Sehlin, J. and Täljedal, I.-B.
Evidence for mediated transport of glucose in mammalian pancreatic β -cells (241) 147
- Hellman, B., see Christensen, H. N. (241) 341
- Hirschowitz, B. I., see Blum, A. L. (241) 261
- Hoffman, J. F., see Dunham, P. B. (241) 399
- Hoffman, N. E. and Simmonds, W. J.
The intestinal uptake and esterification, in vitro, of fatty acid as a diffusion limited process (241) 331
- Holander, H. F., see Blum, A. L. (241) 261
- Hudson, R. A., see Lieu, T. S. (241) 884
- Ilse, D.
Studies on the sugar carrier in skeletal muscle: Modification of carrier mobility by nitrogen mustard in vitro (241) 704
- Inesi, G., see Davis, D. G. (241) 1
- Janáček, K., see Sigler, K. (241) 528
- Janáček, K., see Sigler, K. (241) 539
- Juliano, R. L., Kimelberg, K. H. and Papahadjopoulos, D.
Synergistic effects of a membrane protein (spectrin) and calcium on the sodium permeability of phospholipid vesicles (241) 894
- Jung, C. Y., Carlson, L. M. and Whaley, D. A.
Glucose transport carrier activities in extensively washed human erythrocyte ghosts (241) 613
- Kalkstein, A., see Rottem, S. (241) 593
- Katti, S. S., see Cadenhead, D. A. (241) 709
- Kelly, P. G., see Maddy, A. H. (241) 114
- Kelly, P. G., see Maddy, A. H. (241) 290
- Kimelberg, H. K., see Juliano, R. L. (241) 894
- Kirchberger, M. A., Chen, L. C. and Sharp, G. W. G.
Further studies on the effect of aldosterone on glucose metabolism in toad bladder (241) 861
- Kirchberger, M. A., Witkum, P. and Sharp, G. W. G.
On the similarity of effects of aldosterone and adenosine 3',5'-phosphate on Na^+ transport and glucose metabolism in toad bladder (241) 876
- Kobamoto, U. and Ti Tien, K.
Light-induced electrical effects in a retinal bilayer lipid membrane (241) 129
- Kobylka, D., see Carraway, K. L. (241) 934
- Komor, E. and Tanner, W.
Characterization of the active hexose transport system of *Chlorella vulgaris* (241) 170
- Koser, B. H. and Christensen, H. N.
Effect of substrate structure on coupling ratio for Na^+ -dependent transport of amino acids (241) 9
- Koyama, N., Sawada, K. and Kurihara, K.
Isolation and some properties of plasma membranes from bovine olfactory epithelium (241) 42
- Krivacic, J. R., see Urry, D. W. (241) 600
- Kurihara, K., see Koyama, N. (241) 42
- Kwant, W. O., see Seeman, P. (241) 349
- Lee, A. G., see Birdsall, N. J. M. (241) 693
- LeFevre, M. E., Dox, L. J., Gennaro, J. F. and Brodsky, W. A.
Glycogen in isolated mucosal and serosal fractions of turtle bladder (241) 628
- Lernmark, Å., see Christensen, H. N. (241) 341
- Lesslauer, W., Cain, J. and Blasie, J. K.
On the location of 1-anilino-8-naphthalene-

- sulfonate (ANS) in lipid model systems. An X-ray diffraction study (241) 547
- Levine, Y. K., see Birdsall, N. J. M. (241) 693
- Lévy, M., see Sauner, M.-T. (241) 97
- Lieu, T. S., Hudson, R. A., Brown, R. K. and White, B. C.
Pyrimidine nucleosides transport across human erythrocyte membranes (241) 884
- Loyter, A., see Toister, Z. (241) 719
- Lüneburg, B., see Manchester, K. L. (241) 226
- Mackenzie, S., and Scriver, Ch. R.
L-proline transport and α -aminoisobutyric acid transport in the isolated rat kidney glomerules (241) 725
- Maddy, A. H. and Kelly, P. G.
Acetic acid as a solvent for erythrocyte membrane proteins (241) 290
- Maddy, A. H. and Kelly, P. G.
The inadequacy of 6 M guanidine hydrochloride as a dispersive agent for membrane proteins (241) 114
- Magaña-Schwencke, N., see Schwencke, J. (241) 513
- Makita, A. and Seyama, Y.
Alterations of Forssman-antigenic reactivity and of monosaccharide composition in plasma membrane from polyoma-transformed hamster cells (241) 403
- Manchester, K. L., Guidotti, G. G., Borghetti, A. F. and Lüneburg, B.
Evaluation of kinetic parameters for uptake of amino acids by cells: Effect of insulin on the accumulation of aminoisobutyrate and cycloleucine by isolated rat diaphragm muscle and chick embryo hearts (241) 226
- Mandel, P., see Morgan, I. G. (241) 737
- Markscheid-Kaspi, L., see Schultz, S. G. (241) 857
- Martin, D. F. and Padilla, G. M.
Hemolysis induced by Prynmesium parvum toxin. Kinetics and binding (241) 213
- Masotti, L., see Urry, D. W. (241) 600
- Massey, H. T. and McColloch, R. J.
Langmuir adsorption behavior with cation-induced voltages across bimolecular lipid membranes (241) 661
- McColloch, R. J., see Massey, T. K. (245) 661
- McMullen, O. I. and Stirrup, J. O.
The aggregation of alamethicin (241) 807
- Medveczky, N. and Rosenberg, H.
Phosphate transport in *Escherichia coli* (241) 494
- Meissner, G. and Fleischer, S.
Characterization of sarcoplasmic reticulum from skeletal muscle (241) 356
- Metcalfe, J. C., Metcalfe, S. M. and Engelman, D. M.
Structural comparisons of native and reaggregated membranes from *Mycoplasma laidlawii* and erythrocytes by X-ray diffraction and nuclear magnetic resonance techniques (241) 412
- Metcalfe, J. C., see Birdsall, N. J. M. (241) 693
- Metcalfe, J. C., see Metcalfe, S. M. (241) 422
- Metcalfe, S. M., Metcalfe, J. C. and Engelman, D. M.
Structural comparisons of native and reaggregated membranes from *Mycoplasma laidlawii* and erythrocytes using a fluorescence probe (241) 422
- Metcalfe, S. M., see Metcalfe, J. C. (241) 412
- Millen, J. E., see Robin, E. D. (241) 117
- Mirsky, R. and Barlow, V.
Purification and properties of ATPase from the cytoplasmic membrane of *Bacillus megaterium* KM (241) 835
- Morgan, I. G., Wolfe, L. S., Mandel, P. and Gombos, G.
Isolation of plasma membranes from rat brain (241) 737
- Muramatsu, T. and Nathenson, S. G.
Comparison of the carbohydrate portion of membrane H-2 alloantigens isolated from spleen cells and tumor cells (241) 195
- Nachbar, M. S., see Fukui, Y. (241) 30
- Nathenson, S. G., see Muramatsu, T. (241) 195
- Nielsen, A.-M. T., see Simonsen, L. O. (241) 522
- Nobel, P. S., see Wang, C.-T. (241) 200
- Norman, A. W., see Van Zutphen, H. (241) 310
- Packer, B., see Robin, E. D. (241) 117
- Padilla, G. M., see Martin, D. F. (241) 213
- Papahadjopoulos, D.
Na⁺-K⁺ discrimination by "pure" phospholipid membranes, (241) 254
- Papahadjopoulos, D., see Juliano, R. L. (241) 894
- Parisi, M., see Ripoche, P. (241) 716
- Parkins, F. M.
Active F⁻ transport: Species and age effects with rodent intestine, in vitro (241) 507
- Pinteric, L., see Wills, M. C. (241) 483
- Post, R. L., see Bond, G. H. (241) 57
- Rand, R. P.
Structural studies by X-ray diffraction of model lipid-protein membranes of serum albumin-cardiolipin (241) 823
- Rao, S. N., see Askari, A. (241) 75
- Rea, C. F., see Genel, M. (241) 779
- Reinert, J. C. and Davis, J. L.
The circular dichroism spectrum of microsomal membranes. Magnesium-induced aggregation (241) 921
- Reiser, S. and Christiansen, P. A.
Stimulation of basic amino acid uptake by specific neutral amino acids in isolated intestinal epithelial cells (241) 102
- Ripoche, P., Parisi, M. and Bourguet, J.
Effect of hypertonic media on the reversal of the hydrosmotic action of antidiuretic hormone in frog urinary bladder (241) 716
- Robin, E. D., Smith, J. D., Tanser, A. R., Adamson, J. S., Millen, J. E. and Packer, B.
Ion and macromolecular transport in the alveolar macrophage (241) 117
- Roelofsen, B., Zwaal, R. F. A., Comfurius, P., Woodward, C. B. and Van Deenen, L. L. M.
Action of pure phospholipase A₂ and phospholipase C on human erythrocytes and ghosts (241) 925

- Rosenberg, H., see Medveczky, N. (241) 494
- Rossi, G. L., see Schatzmann, H. J. (241) 379
- Rothman, S. S.
The behavior of isolated zymogen granules: pH-dependent release and reassociation of protein (241) 567
- Rottem, S., Kalkstein, A. and Citri, N.
Incorporation of penicillinase into regregated mycoplasma membranes (241) 593
- Sachs, G., see Blum, A. L. (241) 261
- Sachs, G., see Wiebelhaus, V. D. (241) 49
- Salton, M. R. J., see Fukui, Y. (241) 30
- Santarius, K. A., see Heber, U. (241) 578
- Sauner, M.-T. and Lévy, M.
Liaisons des lipides dans le réticulum endoplasmique et les membranes mitochondriales (241) 97
- Sawada, K., see Koyama, N. (241) 42
- Sawh, P. C., see Bihler, I. (241) 302
- Scarpa, A. and De Gier, J.
Cation permeability of liposomes as a function of the chemical composition of the lipid bilayers (241) 789
- Schatzmann, H. J. and Rossi, G. L.
(Ca²⁺ + Mg²⁺)-activated membrane ATPases in human red cells and their possible relations to cation transport (241) 379
- Schultz, S. G. and Markscheid-Kaspi, L.
Competitive interactions between L-alanine and L-phenylalanine in rabbit ileum (241) 857
- Schwencke, J. and Magaña-Schwencke, N.
Temperature effects on the proline transport system in *Saccharomyces chevalieri* (241) 513
- Scriven, Ch. R., see Mackenzie, S. (241) 725
- Seeman, P., see Chau-Wong, M. (241) 473
- Seeman, P., Kwant, W. O., Goldberg, M. and Chau-Wong, M.
The effects of ethanol and chlorpromazine on the passive membrane permeability to sodium (241) 349
- Segal, S., see Genel, M. (241) 779
- Sehlin, J., see Christensen, H. N. (241) 341
- Sehlin, J., see Hellman, B. (241) 147
- Semenza, G.
On the mechanism of mutual inhibition among sodium-dependent transport systems in the small intestine. A hypothesis (241) 637
- Seyama, Y., see Makita, A. (241) 403
- Shah, G., see Wiebelhaus, V. D. (241) 49
- Shamoo, A. E. and Brodsky, W. O.
Identification of intact ATP bound to (Na⁺ + K⁺)-ATPase (241) 846
- Sharp, G. W. G., see Kirchberger, M. A. (241) 861
- Sharp, G. W. G., see Kirchberger, M. A. (241) 876
- Shechter E., Gulik-Krzywicki, T., Azerad, R. and Gros, C.
Correlations between structure and spectroscopic properties in membrane model systems. Fluorescence of dansylated protein and dansylated lipid in protein-lipid-water phases (241) 431
- Sigler, K. and Janáček, K.
The effect of non-electrolyte osmolarity on frog oocytes. I. Volume changes (241) 528
- Sigler, K. and Janáček, K.
The effect of non-electrolyte osmolarity on frog oocytes. II. Intracellular potential (241) 539
- Simmonds, W. J., see Hoffman, N. E. (241) 331
- Simonsen, L. O. and Nielsen, A.-M. T.
Exchangeability of chloride in Ehrlich ascites tumor cells (241) 522
- Singer, M. A. and Bangham, A. D.
The consequences of inducing salt permeability in liposomes (241) 687
- Skou, J. C., Butler, K. W. and Hansen, O.
The effect of magnesium, ATP, P_i, and sodium on the inhibition of the (Na⁺ + K⁺)-activated enzyme system by g-strophanthin (241) 443
- Slegers, J. F. G., see Van Os, C. H. (241) 89
- Smith, J. D., see Robin, E. D. (241) 117
- Stirrup, J. A., see McMullen, A. I. (241) 807
- Sung, C. P., see Wiebelhaus, V. D. (241) 49
- Tager, H. S., see Christensen, H. N. (241) 341
- Täljedal, I.-B., see Christensen, H. N. (241) 341
- Täljedal, I.-B., see Hellman, B. (241) 147
- Tanner, W., see Komor, E. (241) 170
- Tanser, A. R., see Robin, E. D. (241) 117
- Taraskevich, P. S.
Reversal potentials of L-glutamate and the excitatory transmitter at the neuromuscular junction of the crayfish (241) 700
- Tinker, D. O., see Wills, M. C. (241) 483
- Ti Tien, H., see Kobamoto, N. (241) 129
- Toister, Z. and Loyter, A.
Ca²⁺-induced fusion of avian erythrocytes (241) 719
- Triplett, R. B., see Carraway, K. L. (241) 934
- Tsan, M.-F. and Berlin, R. D.
Membrane transport in the rabbit alveolar macrophage. The specificity and characteristics of amino acid transport systems (241) 155
- Tyankova, L., see Heber, U. (241) 578
- Urry, D. W., Masotti, L. and Krivacic, J. R.
Circular dichroism of biological membranes. I. Mitochondria and erythrocyte ghosts (241) 600
- Vanatta, J. C., see Frazier, L. W. (241) 20
- Van Deenen, L. L. M., see Roelofsen, B. (241) 925
- Van Deenen, L. L. M., see Van Zutphen, H. (241) 310
- Van Os, C. H. and Slegers, J. F. G.
Correlation between (Na⁺ + K⁺)-activated ATPase activities and the rate of isotonic fluid transport of gallbladder epithelium (241) 89
- Van Zutphen, H., Demel, R. A., Norman, A. W. and Van Deenen, L. L. M.
The action of polyene antibiotics on lipid bilayer membranes in the presence of several cations and anions (241) 310

- Visser, A., see Emmelot, P. (241) 273
Volkenstein, M. V., see Fishman, S. N. (241) 697
Wallach, D. F. H., see Avruch, J. (241) 249
Wallach, D. F. H., see Graham, J. M. (241) 180
Wallach, D. F. H. see Weidekamm, E. (241) 770
Wang, C.-T. and Nobel, P. S.
 Permeability of pea chloroplasts to alcohols
 and aldoses as measured by reflection coef-
 ficients (241) 200
Wiedekamm, E., Wallach, D. F. H., and
 Fischer, H.
 The effect of phospholipase A upon the
 interaction of 1-anilinonaphthalene-8-sul-
 fonate with erythrocyte membranes (241)
 770
Whaley, D. A., see Jung, C. Y. (241) 613
White, B. C., see Lieu, T. S. (241) 884
Wiebelhaus, V. D., Sung, C. P., Helander, H.
 F., Shah, G., Blum, A. L. and Sachs, G.
 Solubilization of anion ATPase from *Nectur-*
 us oxyntic cells (241) 49
Wills, M. C., Tinker, D. O. and Pinteric, L.
 Proton binding by phosphatidyl inositol in
 aqueous dispersion (241) 483
Winter, C. G., see Dudding, W. F. (241) 650
Witkum, P., see Kirchberger, M. A. (241) 876
Wolfe, L. S., see Morgan, I. G. (241) 737
Wolfenbarger, Jr., L. and Gibdebusk, A.
 An inducible amino acid transport system in
 Neurospora crassa (241) 677
Wong, P. Y. D., see Cuthbert, A. W. (241) 713
Woodward, C. B., see Roelofsen, B. (241) 925
Yugari, Y., see Furuya, S. (241) 245
Zwaal, R. F. A., see Roelofsen, B. (241) 925