

## AUTHOR INDEX

- Abrams, M. L., see Meins, F. (266) 307
- Atkinson, A. and Lowe, A. G.  
The pH-dependence of the effects of  $\text{Na}^+$ ,  $\text{K}^+$  and ouabain on the ATPase activity of NaI-treated brain microsomes with  $\text{Mg}^{2+}$ ,  $\text{Mn}^{2+}$ ,  $\text{Ca}^{2+}$  and  $\text{Zn}^{2+}$  as divalent metal activators (266) 103
- Atkinson, P. H., see Nowakowski, M. (266) 154
- Barnett, R. E., see Grisham, C. M. (266) 613
- Bentley, P. J. and Wasserman, A.  
The effects of lithium on the permeability of an epithelial membrane, the toad urinary bladder (266) 285
- Benz, R., see Stark, G. (266) 603
- Berndt, W. O. and Miller, R. K.  
The accumulation and metabolism of [ $^{14}\text{C}$ ]-hypoxanthine by slices of rabbit renal medulla (266) 453
- Bitsensky, M. W., see Neufeld, A. H. (266) 67
- Blaustein, J., see Nicolson, G. L. (266) 543
- Blazyk, J. F. and Steim, J. M.  
Phase transitions in mammalian membranes (266) 737
- Boggs, J. M., see Hsia, J. C. (266) 18
- Bohn, E., see Lankisch, P. G. (266) 133
- Bragg, P. D., see Davies, P. L. (266) 273
- Breckenridge, W. C., Gombos, G. and Morgan, I. G.  
The lipid composition of adult rat brain synaptosomal plasma membranes (266) 695
- Burke, V., see Gracey, M. (266) 397
- Butler, K. W., see Paterson, S. J. (266) 597
- Butler, T. C., see Poole, D. T. (266) 463
- Carraway, K. L., see Triplett, R. B. (266) 484
- Carvalho, A. P., see Madeira, V. M. C. (266) 670
- Chang, Y.-O., see Varnell, T. R. (266) 444
- Chao, D. L. S., Kimball, A. P.  
The determination of the uptake of arabinosyl-6-mercaptapurine by L1210 cells (266) 721
- Chowhan, Z. T., Yotsuyanagi, T. and Higuchi, W. I.  
Model transport studies utilizing lecithin spherules I. Critical evaluations of several physical models in the determination of the permeability coefficient for glucose (266) 320
- Christiansen, P. A., see Reiser, S. (266) 217
- Cline, G., see Sachs, G. (266) 625
- Colacicco, G.  
Lipid monolayers: Surface potential of dipalmitoylecithin with regard to ion sorption and  $\text{Ca}^{2+}$  binding (266) 313
- Cooper, J. R., see Itokawa, Y. (266) 293
- Davies, P. L. and Bragg, P. D.  
Properties of a soluble  $\text{Ca}^{2+}$ - and  $\text{Mg}^{2+}$ -activated ATPase released from *Escherichia coli* membranes (266) 273
- Decker, M. and Tanner, W.  
Respiratory increase and active hexose uptake of *Chlorella vulgaris* (266) 661
- Demel, R. A., Geurts van Kessel, W. S. M. and van Deenen, L. L. M.  
The properties of polyunsaturated lecithins in monolayers and liposomes and the interactions of these lecithins with cholesterol (266) 26
- De Robertis, E., see Füzér de Plazas, S. (266) 246
- Dettmer, D., Glander, H. J. and Müller, F.  
Effects of monosaccharides on the sodium activation curve of the intestinal ( $\text{Na}^+$ - $\text{K}^+$ )-ATPase (266) 128
- Deuticke, B. and Zöllner, Chr.  
Lack of influence of membrane cholesterol depletion on anion and nonelectrolyte permeability of pig erythrocytes (266) 726
- Dunnick, J. K., Marinetti, G. V. and Greenland, P.  
Effects of detergents and sodium fluoride on the enzyme activities of the rat liver plasma membrane (266) 684
- Eilam, Y. and Stein, W. D.  
A simple resolution of the kinetic anomaly in the exchange of different sugars across the membrane of the human red blood cell (266) 161
- Ellis, D. E., see Triplett, R. B. (266) 484
- Ferber, E., Resch, K., Wallach, D. F. H. and Imm, W.  
Isolation and characterization of lymphocyte plasma membranes (266) 494
- Forte, L. R.  
Characterization of the adenyl cyclase of rat kidney plasma membranes (266) 524
- Franchi, R., see Gazzola, G. C. (266) 407
- Füzér de Plazas, S. and De Robertis, E.  
Isolation of a proteolipid from spleen capsule binding ( $\pm$ )-[ $^3\text{H}$ ]norepinephrine (266) 246
- Gale, E. F. and Llewellyn, J. M.  
The role of hydrogen and potassium ions in the transport of acidic amino acids in *Staphylococcus aureus* (266) 182
- Garry-Bobo, C. M., see Rigaud, J.-L. (266) 72
- Gazzola, G. C., Franchi, R., Saibene, V., Ronchi, P. and Guidotti, G. G.  
Regulation of amino acid transport in chick embryo heart cells. I. Adaptive system of mediation for neutral amino acids (266) 407
- Geurts van Kessel, W. S. M., see Demel, R. A. (266) 26
- Ghosh, D. and Tinoco, J.  
Monolayer interactions of individual lecithins with natural sterols (266) 41

- Glander, H. J., see Dettmer, D. (266) 128
- Gombos, G., see Breckenridge, W. C. (266) 695
- Gracey, M., Burke, V. and Oshin, A.  
Active intestinal transport of D-fructose (266) 397
- Greenland, P., see Dunnick, J. K. (266) 684
- Grisham, C. M. and Barnett, R. E.  
The interrelationship of membrane and protein structure in the functioning of the sodium, potassium-activated ATPase (266) 613
- Guidotti, G. G., see Gazzola, G. C. (266) 407
- Haass, D., see Komor, E. (266) 649
- Hafemann, D. R.  
Binding of radioactive tetrodotoxin to nerve membrane preparations (266) 548
- Handler-Bernich, E., Lotke, P., Rubenstein, R.  
Membrane characteristics of human articular cartilage (266) 732
- Hellman, B., Sehlin, J. and Täljedal, I.-B.  
Transport of L-leucine and D-leucine into pancreatic  $\beta$ -cells with reference to the mechanism of amino acid induced insulin release (266) 436
- Higuchi, W. I., see Chowhan, Z. T. (266) 320
- Hirschowitz, B. I., see Sachs, G. (266) 625
- Hoffmann, E. K. and Rasmussen, L.  
Phenylalanine and methionine transport in *Tetrahymena pyriformis*. Characteristics of a concentrating, inducible transport system (266) 206
- Hoss, R. T., Tarpley, H. L. and Regen, D. M.  
Sugar transport in beef erythrocytes (266) 174
- Hsia, J. C. and Boggs, J. M.  
Influence of pH and cholesterol on the structure of phosphatidylethanolamine multibilayers (266) 18
- Huang, P., see Paterson, S. J. (266) 597
- Imm, W., see Ferber, E. (266) 494
- Itokawa, Y., Schulz, R. A. and Cooper, J. R.  
Thiamine in nerve membranes (266) 293
- Janko, K., see Stark, G. (266) 603
- Järnefelt, J.  
Lipid requirements of functional membranes structures as indicated by the reversible inactivation of  $(\text{Na}^+-\text{K}^+)\text{-ATPase}$  (266) 91
- Juliano, R. L.  
The solubilization and fractionation of human erythrocyte membrane proteins (266) 301
- Katzman, R. L.  
The inadequacy of sodium dodecyl sulfate as a dissociative agent for brain proteins and glycoproteins (266) 269
- Kepner, G. R. and Tosteson, D. C.  
Incubation of HK and LK sheep red cells in vitro for long periods (266) 471
- Kimball, A. P., see Chao, D. L. S. (266) 721
- Kleinzeller, A., see Rorive, G. (266) 376
- Kletzien, R., see Perdue, J. F. (266) 505
- Kobamoto, N. and Tien, H. T.  
The effect of temperature on the biphasic photoresponses of an all-trans-retinal bimolecular lipid membrane (266) 56
- Komor, E., Haass, D. and Tanner, W.  
Unusual features of the active hexose uptake system of *Chlorella vulgaris* (266) 649
- Kovartovsky, J., see Ne'eman, Z. (266) 255
- Krivacic, J. R., see Masotti, L. (266) 7
- Kuhn, H., see Ullrich, H.-M. (266) 584
- Kunze, K., see Lankisch, P. G. (266) 133
- Labelle, J., see Paterson, S. J. (266) 597
- Lack, L., see Singletary Jr, W. V. (266) 238
- Lajtha, A., see Yamaguchi, T. (266) 422
- Landsberger, F. R., Paxton, J. and Lenard, J.  
A study of intact erythrocytes and their ghosts using stearic acid spin labels (266) 1
- Lange, Y., see Rigaud, J.-L. (266) 72
- Lankisch, P. G., Schoner, K., Schoner, H., Kunze, K., Bohn, E. and Vogt, W.  
Inhibition of  $\text{Na}^+$ - and  $\text{K}^+$ -activated ATPase by the direct lytic factor of cobra venom (*Naja naja*) (266) 133
- Lauter, C. J., Solyom, A. E. and Trams, E. G.  
Comparative studies on enzyme markers of liver plasma membranes (266) 511
- Lee, D.  
The effect of glycerol, ethanol and dimethylsulphoxide on rat liver lysosomes (266) 50
- Lenard, J., see Landsberger, F. R. (266) 1
- Llewellyn, J. M., see Gale, E. F. (266) 182
- Long, M. M., see Masotti, L. (266) 7
- Lotke, P., see Handler-Bernich, E. (266) 732
- Lowe, A. G., see Atkinson, A. (266) 103
- Madeira, V. M. C. and Carvalho, A. P.  
Interaction of cations and local anesthetics with isolated sarcolemma (266) 670
- Marinetti, G. V., see Dunnick, J. K. (266) 684
- Masotti, L., Urry, D. W., Krivacic, J. R. and Long, M. M.  
Circular dichroism of biological membranes. II. Plasma membranes and sarcotubular vesicles (266) 7
- Meins, F. and Abrams, M. L.  
How methionine and glutamine prevent inhibition of growth by methionine sulfoximine (266) 307
- Miller, D. M.  
The effect of unstirred layers on the measurement of transport rates in individual cells (266) 85
- Miller, R. K., see Berndt, W. O. (266) 453
- Miller, W. H., see Neufeld, A. H. (266) 67
- Morgan, I. G., see Breckenridge, W. C. (266) 695
- Müller, F., see Dettmer, D. (266) 128
- Munck, B. G.  
Amino acid transport by rat small intestine. Galactose inhibition of transepithelial net transport as a result of stimulation of bidirectional efflux from the epithelium (266) 630
- Ne'eman, Z., Kahane, I., Kovartovsky, J. and Razin, S.  
Characterization of the mycoplasma membrane proteins. III. Gel filtration and im-

- munological characterization of Acholeplasma laidlawii membrane proteins (266) 255
- Neufeld, A. H., Miller, W. H. and Bitensky, M. W.  
Calcium binding to retinal rod disk membranes (266) 67
- Nicolson, G. L. and Blaustein, J.  
The interaction of Ricinus communis agglutinin with normal and tumor cell surfaces (266) 543
- Nielsen, R., see Rorive, G. (266) 376
- Nir, S., see Papahadjopoulos, D. (266) 561
- Novogrodsky, A.  
Concanavalin A stimulation of rat lymphocyte ATPase (266) 343
- Nowakowski, M., Atkinson, P. H. and Summers, D. F.  
Incorporation of fucose into HeLa cell plasma membranes during the cell cycle (266) 154
- Ohki, S., see Papahadjopoulos, D. (266) 561
- Oshin, A., see Gracey, M. (266) 397
- Papahadjopoulos, D., Nir, S. and Oyki, S.  
Permeability properties of phospholipid membranes: Effect of cholesterol and temperature (266) 561
- Paterson, S. J., Butler, K. W., Huang, P., Labelle, J., Smith, I. C.P. and Scheider, H.  
The effect of alcohols on lipid bilayers: A spin label study (266) 597
- Paton, D. M., see White, T. D. (266) 116
- Paxton, J., see Landsberger, F. R. (266) 1
- Perdue, J. F., Kletzien, R. and Wray, V. L.  
The isolation and characterization of plasma membrane from cultured cells. IV. The carbohydrate composition of membranes isolated from oncogenic RNA virus converted chick embryo fibroblasts (266) 505
- Pohl, G. W., see Stark, G. (266) 603
- Poole, D. T., Butler, T. C. and Williams, M. E.  
The effects of nigericin, valinomycin, and 2,4-dinitrophenol on intracellular pH, glycolysis, and potassium concentration of Ehrlich ascites tumor cells (266) 463
- Rasmussen, L., see Hoffmann, E. K. (266) 206
- Razin, S., see Ne'eman, Z. (266) 255
- Regen, D. M., see Hoss, R. T. (266) 174
- Reiser, S. and Christiansen, P. A.  
A basis for the difference in the inhibition of the uptake of various neutral amino acids by lysine in intestinal epithelial cells (266) 217
- Resch, K., see Ferber, E. (266) 494
- Rigaud, J.-L., Gary-Bobo, C. M. and Lange, Y.  
Diffusion processes in lipid-water lamellar phases (266) 72
- Robinson, J. D.  
Divalent cations as allosteric modifiers of the  $(\text{Na}^+ + \text{K}^+)$  dependent ATPase (266) 97
- Ronchi, P., see Gazzola, G. C. (266) 407
- Rorive, G., Nielsen R. and Kleinzeller, A.  
Effect of pH on the water and electrolyte content of renal cells (266) 376
- Rubenstein, R., see Handler-Bernich, E. (266) 732
- Sachs, G., Shah, G., Strych, A., Cline, G. and Hirschowitz, B. I.  
Properties of ATPase of gastric mucosa. III. Distribution of  $\text{HCO}_3^-$ -stimulated ATPase in gastric mucosa (266) 625
- Saibene, V., see Gazzola, G. C. (266) 407
- Schneider, H., see Paterson, S. J. (266) 597
- Schoner, H., see Lankisch, P. G. (266) 133
- Schoner, K., see Lankisch, P. G. (266) 133
- Schulz, R. A., see Itokawa, Y. (266) 293
- Sehlin, J., see Hellman, B. (266) 436
- Shah, G., see Sachs, G. (266) 625
- Singletary, Jr, W. V., Walker, J. T. and Lack, L.  
Ileal transport of bile acids conjugated with norleucine and lysine (266) 238
- Smith, I. C.P., see Paterson, S. J. (266) 597
- Solyom, A. E., see Lauter, C. J. (266) 511
- Sperelakis, N.  
 $(\text{Na}^+, \text{K}^+)$ -ATPase activity of embryonic chick heart skeletal muscles as a function of age (266) 230
- Stark, G., Benz, R., Pohl, G. W. and Janko, K.  
Valinomycin as a probe for the study of structural changes of black lipid membranes (266) 603
- Steim, J. M., see Blazyk, J. F. (266) 737
- Stein, W. D., see Eilam, Y. (266) 161
- Stevenson, F. K.  
The disaccharidase activity of a membrane fraction obtained from the rabbit renal cortex (266) 144
- Strych, A., see Sachs, G. (266) 625
- Summers, D. F., see Nowakowski, M. (266) 154
- Summers, J., see Triplett, R. B. (266) 484
- Sun, A. Y.  
The effect of lipoxidation on synaptosomal  $(\text{Na}^+ + \text{K}^+)$ -ATPase isolated from the cerebral cortex of squirrel monkey (266) 350
- Täljedal, I.-B., see Hellman, B. (266) 436
- Tanner, W., see Komor, E. (266) 649
- Tanner, W., see Decker, M. (266) 661
- Tarpley, H. L., see Hoss, R. T. (266) 174
- Tien, H. T., see Kobamoto, N. (266) 56
- Tinoco, J., see Ghosh, D. (266) 41
- Tosteston, D. C., see Kepner, G. R. (266) 471
- Trams, E. G., see Lauter, C. J. (266) 511
- Triplett, R. B., Summers, J., Ellis, D. E. and Carraway, K. L.  
Solubilization, disaggregation and chromatography of erythrocyte membranes (266) 484
- Ullrich, H.-M. and Kuhn, H.  
Photoelectric effects in bimolecular lipid-dye membranes (266) 584
- Urry, D. W., see Masotti, L. (266) 7
- van Deenen, L. L. M., see Demel, R. A. (266) 1
- Varnell, T. R. and Chang, Y.-O.  
Serosal accumulation of amino acids and hepatic lipid levels of rats fed several carbohydrates (266) 444
- Vogt, W., see Lankisch, P. G. (266) 133

- Walker, J. T., see Singletary Jr, W. V., (266) 238  
Wallach, D. F. H., see Ferber, E. (266) 494  
Wasserman, A., see Bentley, P. J. (266) 285  
White, T. D. and Paton, D. M.  
    Effects of external  $\text{Na}^+$  and  $\text{K}^+$  on the initial  
    rates of noradrenaline uptake by synap-  
    somes prepared from rat brain (266) 116  
Williams, M. E., see Poole, D. T. (266) 463  
Winter, C. G.  
    Differential effects of digitonin on some en-  
    zyme activities of the sodium pump (266)  
    135  
Wolf, H. U.  
    Studies on a  $\text{Ca}^{2+}$ -dependent ATPase of  
    human erythrocyte membranes. Effects of  
     $\text{Ca}^{2+}$  and  $\text{H}^+$  (266) 361  
Wray, V. L., see Perdue, J. F. (266) 505  
Yamaguchi, M., see Yamaguchi, T. (266) 422  
Yamaguchi, T., Yamaguchi, M. and Lajtha, A.  
    Selective inhibition by heat of amino acid  
    transport in slices of mouse brain (266) 422  
Yotsuyanagi, T., see Chowhan, Z. T. (266)  
    320  
Zöllner, Chr., see Deuticke, B. (266) 726