Acholeplasma laidlawii	ATPase
Characterization of the mycoplasma mem-	Divalent cations as allosteric modifiers of
brane proteins. III. Gel filtration and im-	the sodium-potassium-dependent ———
munological characterization of ——	(Robinson) (266) 1
membrane proteins (Ne'eman et al.) (266)	ATPase
255	Effect of lipoxidation on synaptosomal so-
Adenyl cyclase	dium, potassium-stimulated ——— isolated
Characterization of the ——— of rat kidney	from the cerebral cortex of squirrel monkey
plasma membranes (Forte)(266) 524	(Sun) (266) 350
Agglutinin	ATPase
Interaction of Ricinus communis	Effects of monosaccharides on the sodium
with normal and tumor cell surfaces (Ni-	activation curve of the intestinal sodium-
colson, Blaunstein) (266) 543	potassium dependent — (Dettmer et
Alcohols	al.) (266) 128
Effects of ———— on lipid bilayers: A spin	ATPase
label study (Paterson et al.) (266) 597	Inhibition of sodium-potassium activated
All-trans-retinal	by the direct lytic factor of cobra
Effect of temperature on the biphasic pho-	venom (Naja naja) (Lankisch et al.) (266) 133
toresponses of an ——— bimolecular lipid	ATPase
membrane (Kobamoto, Tien) (266) 56	pH dependence of the effects of sodium, po-
Amino acid-induced insulin release	tassium and quabain on the ——— activity
L-Leucine and D-leucine transport into pan-	of NaI-treated brain microsomes with mag-
creatic β -cells with reference to the mecha-	nesium, manganese, calcium and zinc as
nisms of ——— (Hellman et al.) (266) 436	divalent metal activaters (Atkinson, Lowe)
Amino acids	(266) 103
Basis for the difference in the inhibition of	ATPase
the uptake of various neutral — by	Properties of ——— of gastric mucosa. III.
lysine in intestinal epithelial cells (Reiser,	Distribution of HCO ₃ ⁻ -stimulated ATPase
Christiansen) (266) 217	in gastric mucosa (Sachs et al.) (266) 625
Amino acids accumulation	ATPase
Serosal ——— and hepatic lipid levels of	Properties of a soluble calcium- and mag-
rats fed several carbohydrates (Varnell,	nesium-activated —— released from
Chang) (266) 444	Escherichia coli membranes (Davies, Bragg)
Amino acid transport	(266) 273
— by rat small intestine. Galactose in-	ATPase
hibition of transepithelial net transport as a	Studies on a Ca ²⁺ -dependent — of
result of stimulation of bidirectional efflux	human erythrocyte membranes. Effects of
from the epithelium (Munck) (266) 639	Ca ²⁺ and hydrogen ions (Wolf) (266) 361
Amino acid transport	Bicarbonate ion-stimulated ATPase
Regulation of ——— in chick embryo heart	Properties of ATPase of gastric mucosa. III.
cells. I. Adaptive system of mediation for	Distribution of —————————in gastric mucosa
neutral amino acids (Gazzola et al.) (266)	(Sachs et al.) (266) 625
407	Bilayers
Amino acid transport	The effects of alcohols on lipid ——— A
Selective inhibition by heat of in	spin label study (Paterson et al.) (266) 597
slices of mouse brain (Yamaguchi et al.)	Bile acid transport
(266) 422	Ileal ——— conjugated with norleucine and
Anaesthetics	Iysine (Singletary et al.) (266) 238
Interaction of cations and local ——— with	Bimolecular lipid—dye membranes
isolated sarcolemma (Madeira, Carvalho)	Photoelectric effects in ——— (Ullrich, Kuhn) (266) 584
(266) 670	
Arabinosyl-6-mercaptopurine uptake The determination of the —— by L1210	Bimolecular lipid membrane Effect of temperature on the hiphasic photo-
The determination of the — by L1210 cells (Chao, Kimball) (266) 721	Effect of temperature on the biphasic photo- responses of an all-trans-retinal
ATPase	(Kobamoto, Tien) (266) 56
Concanavalin A stimulation of rat lym-	Black lipid membranes
phocyte ——— (Novogrodsky) (266) 343	Valinomycin as a probe for the study of
photyte ——— (Novogrodsky) (200) 343	various your as a probe for the study of

SUBJECT INDEX	713
structural changes of ——— (Stark et al.) (266) 603 Bladder Effects of lithium on the permeability of an epithelial membrane, the toad urinary ———— (Bentley, Wasserman) (266) 285 Brain microsomes pH dependence of the effects of sodium,	isolated from oncogenic RNA virus-converted chick embryo fibroblasts (Perdue et al.) (266) 505 β-Cells L-Leucine and D-leucine transport into pancreatic — with reference to the mechanisms of amino acid-induced insulin release (Hellman et al.) (266) 436
potassium and ouabain on the ATPase activity of NaI-treated —— with magnesium, manganese, calcium and zinc as divalent metal activaters (Atkinson, Lowe) (266) 103	Cerebral cortex Effect of lipoxidation on synaptosomal sodium potassium-stimulated-ATPase isolated from the ———— (Sun) (266) 350 Cholesterol
Brain proteins Inadequacy of sodium dodecyl sulfate as a dissociative agent for ———————————————————————————————————	Influence of pH and — on the structure of phosphatidylethanolamine multibilayers (Hsia, Boggs) (266) 18 Cholesterol
Brain slices Selective inhibition by heat of amino acid transport in mouse ————————————————————————————————————	Lack of influence of membrane — depletion on anion and nonelectrolyte permeability of pig erythrocytes (Deuticke, Zöllner) (266) 726 Cholesterol
Properties of a soluble —— released from Escherichia coli membranes (Davies, Bragg) (266) 273 Calcium binding	Permeability properties of phospholipid membranes: Effect of ———————————————————————————————————
to retinal rod disk membranes (Neufeld et al.) (266) 67 Calcium ion-dependent ATPase Studies on a — of human erythrocyte membranes. Effects of Ca ²⁺ and hydrogen	Properties of polyunsaturated lecithins in monolayers and liposomes and the interactions of these lecithins with (Demel et al.) (266) 26 Cobra venom
ions (Wolf) (266) 361 Calcium ion binding Lipid monolayers: Surface potential of dipalmitoyllecithin with regard to ion sorp- tion and ——————————————————————————————————	Inhibition of sodium and potasium-activated ATPase by the direct lytic factor of ——— (Naja naja) (Lankisch et al.) (266) 133 Concanavalin A ———— stimulation of rat lymphocyte
Cartilage Membrane characteristics of human articular ular ——— (Handler-Bernich et al.) (266) 732 Cations	ATPase (Novogrodsky) (266) 343 Diffusion —— processes in lipid—water lamellar phases (Rigaud et al.) (266) 72 Digitonin
Divalent ——— as allosteric modifiers of the sodium-potassium-dependent ATPase (Robinson) (266) 97 Cations	Differential effects of —— on some enzyme activities of the sodium pump (Winter) (266) 135 Dimethylsulphoxide
Interaction of ——— and local anesthetics with isolated sarcolemma (Madeira, Carvalho) (266) 670 Cell	Effect of glycerol, ethanol and ——— on rat liver lysosomes (Lee) (255) 50 2,4-Dinitrophenol Effects of nigericin, valinomycin, and
Interaction of Ricinus communis agglutinin with normal and tumor ————————————————————————————————————	on intracellular pH, glycolysis, and potassium concentration of Ehrlich ascites tumor cells (Poole et al.) (266) 463 Dipalmitoyllecithin
Determination of the uptake of arabinosyl- 6-mercaptopurine by L1210 ——— (Chao, Kimball) (266) 721 Cells Effect of unstirred layers on the measure-	Lipid monolayers: Surface potential of —— with regard to ion sorption and Ca ²⁺ binding (Colacicco) (266) 313 Direct lytic factor Inhibition of sodium-potassium-activated
ment of transport rates in individual (Miller) (266) 85 Cells Isolation and characterization of plasma	ATPase by the ———————————————————————————————————
membrane from cultured ———. IV. The carbohydrate composition of membranes	from the rabbit renal cortex (Stevenson) (266) 144

Ehrlich ascites tumor cells	transport as a result of stimulation of bi-
Effects of nigericin, valinomycin, and 2,4-	directional efflux from the epithelium
dinitrophenol on intracellular pH, glyco-	(Munck) (266) 639
lysis, and potassium concentration of	Glucose
(Poole et al.) (266) 463	Model transport studies utilizing lecithin
Electrolyte	spherules. I. Critical evaluations of several
Effect of pH on the water and ——— con-	physical models in the determination of the
tent of renal cells (Rorive et al.) (266) 376	permeability coefficient for — (Chow-
Epithelial cells	han et al.) (266) 320
Basis for the difference in the inhibition of	Glutamine
the uptake of various neutral amino acids	How methionine and ——— prevent in-
by lysine in intestinal ——— (Reiser,	
	hibition of growth by methionine sulfox-
Christiansen) (266) 217	imine (Meins, Abrams) (266) 307
Epithelial membrane	Glycerol otherol and dimethyl
Effects of lithium on the permeability of	Effect of ——, ethanol and dimethyl-
——, the toad urinary bladder (Bentley,	sulphoxide on rat liver lysosomes (Lee) (266)
Wasserman) (266) 285	50
Erythrocyte ghosts	Glycoproteins
Study of intact erythrocytes and ——	Inadequacy of sodium dodecyl sulphate as a
using stearic acid spin labels (Landsberger	dissociative agent for brain proteins and
et al.) (266) I	——— (Katzman) (266) 269
Erythrocyte membrane	Heart cells
Simple resolution of the kinetic anomaly in	Regulation of amino acid transport in
the sugar exchange of different sugars across	chick embryo ——— I. Adaptive system of
the human ——— (Eilam, Stein) (266) 161	mediation for neutral amino acids (Gazzola
Erythrocyte membrane proteins	et al.) (266) 407
Solubilization and fractionation of human	Hexose uptake
——— (Juliano) (266) 301	Respiratory increase and active ——— of
Erythrocyte membranes	Chlorella vulgaris (Decker, Tanner) (266)
Solubilization, disaggregation and chro-	661
matography of ——— (Triplett et al.) (266)	Hexose uptake
484	Unusual features of the active ——— sys-
Erythrocyte membranes	tem of Chlorella vulgaris (Komor et al.)
Studies on a Ca ²⁺ -dependent ATPase of	(266) 649
human ———. Effects of Ca ²⁺ and hydrogen	Hydrogen
ions (Wolf) (266) 361	Role of ——— and potassium ions in the
Erythrocytes	transport of acidic amino acids in Sta-
Incubation of HK and LK sheep ——— in	phylococcus aureus (Gale, Llewellin) (266)
vitro for long periods (Kepner, Tosteson)	182
(266) 471	Hydrogen ions
Erythrocytes	Studies on a Ca ²⁺ -dependent ATPase of
Lack of influence of membrane cholesterol	human erythrocyte membranes. Effects of
depletion on anion and nonelectrolyte per-	Ca^{2+} and ——— (Wolf) (266) 361
mability of pig ——— (Deuticke, Zöllner)	[114C]Hypoxanthine accumulation
(266) 726	and metabolism by slices of rabbit
Erythrocytes	renal medulla (Berndt, Miller) (266) 453
Sugar transport in beef ——— (Hoss et al.)	Incorporation of Fucose
(266) 174	— into HeLa cell plasma membranes
Ethanol	during the cell cycle (Nowakowski et al.)
Effect of glycerol, —— and dimethyl-	(266) 154
sulphoxide on rat liver lysosomes (Lee) (266)	Insulin
50	L-Leucine and D-leucine transport into pan-
Fibroblasts	creatic β -cells with reference to the mecha-
Isolation and characterization of plasma	nism of amino acid-induced ——— release
membrane from cultured cells. IV. The car-	(Hellman et al.) (266) 436
bohydrate composition of membranes iso-	Lecithin
	Model transport studies utilizing —
lated from oncogenic RNA virus-converted chick embryo ——— (Perdue et al.) (266)	spherules. I. Critical evaluations of several
505 D Francisco transport	physical models in the determination of the
D-Fructose transport	permeability coefficient for glucose (Chow-
Active intestinal ——— (Gracey) (266) 397	han et al.) (266) 320 Lecithins
Galactose Amino acid transport by rat small intestine.	
Ammo acid transport by fat sman intestine.	
——— inhibition of transepithelial net	Monolayer interactions of individual ———with natural sterols (Ghosh, Tinoco) (266) 41

Lecithins	, manganese, calcium and zinc as
Properties of polyunsaturated — in	divalent metal activaters (Atkinson, Lowe)
monolayers and liposomes and the interac-	(266) 103
tions of these lecithins with cholesterol	Manganese
	The pH-dependence of the effects of sodium,
(Demel et al.) (266) 26	
L-Leucine	potassium and ouabain on the ATPase ac-
and p-leucine transport into pan-	tivity of NaI-treated brain microsomes
creatic β -cells with reference to the mecha-	with magnesium, ——— and zinc as diva-
nisms of amino acid-induced insulin release	lent metal activaters (Atkinson, Lowe) (266)
(Hellman et al.) (266) 436	103
Lipid bilayers	Membrane
Effects of alcohols on ———: A spin label	Binding of Tradioactive tetrodotoxin to
study (Paterson et al.) (266) 597	nerve —— preparations (Hafeman) (266)
Lipid composition	548
of adult rat brain synaptosomal	Membrane
plasma membranes (Breckenridge et al.)	Disaccharidase activity of a ——— fraction
	obtained from the rabbit renal cortex
(266) 695	
Lipid levels	(Stevenson) (266) 144
Serosal accumulation of amino acids and	Membrane
hepatic — of rats fed several carbo-	Effect of detergents and sodium fluoride on
hydrates (Varnell, Chang) (266) 444	the enzyme activities of the rat liver plasma
Lipid monolayers	———— (Dunnick et al.) (266) 684
——: Surface potential of dipalmitoyl	Membrane
lecithin with regard to ion sorption and Ca2+	characteristics of human articular
binding (Colacicco) (266) 313	cartilage (Handler-Bernich et al.) (266) 732
Lipid requirements	Membrane cholesterol depletion
of functional membrane structures	Lack of influence of —— on anion and
as indicated by the reversible inactivations	nonelectrolyte permeability of pig erythro-
of sodium-potassium-dependent ATPase	cytes (Deuticke, Zöllner) (266) 726
(Järnefelt) (266) 91	Membranes
Lipid-water lamellar phases	Circular dichroism of biological ———— II.
Diffusion processes in ——— (Rigaud et al.)	Plasma membranes and sarcotubular ves-
(266) 72	icles (Masotti et al.) (266) 7
Lithium	Membranes
Effects of ——— on the permeability of an	Isolation and characterization of plasma
epithelial membrane, the toad urinary	membrane from cultured cells. IV. The car-
bladder (Bentley, Wasserman) (266) 285	bohydrate composition of ——— isolated
Liposomes	from oncogenic RNA virus-converted chick
Properties of polyunsaturated lecithins in	embryo fibroblasts (Perdue et al.) (266) 505
monolayers and ———————— and the interactions	Membranes
of these lecithins with cholesterol (Demel et	Lipid composition of adult rat brain syn-
	aptosomal plasma ——— (Breckenridge et
al.) (266) 26	al.) (266) 695
Lymphocyte ATPase	
Concanavalin A stimulation of rat —	Membranes
(Novogrodsky) (266) 343	Permeability properties of phospholipid
Lymphocyte plasma membranes	———: Effect of cholesterol and temper-
Isolation and characterization of ———	ature (Papahadjopoulos et al.) (266) 561
(Ferber et al.) (266) 494	Membranes
Lysine	Phase transitions in mammalian ———
Basis for the difference in the inhibition of	(Blazyk, Steim) (266) 737
the uptake of various neutral amino acids	Membranes
by — in intestinal epithelial cells (Rei-	Photoelectric effects in bimolecular lipid-
ser, Christiansen) (266) 217	dye ——— (Ullrich, Kuhn) (266) 584
Lysine	Membranes
Ileal bile acid transport conjugated with	Properties of a soluble calcium- and magnesium-activated ATPase released from
norleucine and ——— (Singletary et al.)	
(266) 238	Escherichia coli —— (Davies, Bragg)
Lysosomes	(266) 273
Effect of glycerol, ethanol and dimethyl-	Membrane proteins
sulphoxide on rat liver ——— (Lee) (266) 50	Characterization of the mycoplasma
Magnesium	III. Gel filtration and immunological
pH dependence of the effects of sodium, po-	characterization of Acholeplasma laidlawii
tassium and ouabain on the ATPase activ-	membrane proteins (Ne'eman et al.) (266)
ity of NaI-treated brain microsomes with,	255

716 Subject index

Membrane proteins Norepinephrine Solubilization and fractionation of human Isolation of a proteolipid from spleen capsule binding (±)-[3H]——— (Füzer de erythrocyte ---- (Juliano) (266) 301 Plazas, Robetis) (266) 246 Membranes Valinomycin as a probe for the study of Norleucine structural changes of black lipid -Ileal bile acid transport conjugated with ——— and lysin (Singletary et al.) (266) 238 (Stark et al.) (266) 603 Ouabain Membrane structure Interrelationship of ---- and protein pH dependence of the effects of sodium, structure in the functioning of the sodium, potassium and ---- on the ATPase activity of NaI-treated brain microsomes with potassium-activated ATPase (Grisham, Barnett) (266) 613 magnesium, manganese, calcium and zinc as divalent metal activaters (Atkinson, Membrane structures Lipid requirements of functional --- as Lowe) (266) 103 indicated by the reversible inactivation Permeability of sodium-potassium-dependent ATPase Effects of lithium on the --- of an epithelial membrane, the toad urinary (Järnefelt) (266) 91 bladder (Bentley, Wasserman) (266) 285 Methionine $_{\mathrm{How}}$ and glutamine prevent inhibi-Permeability tion of growth by methionine sulfoximine Model transport studies utilizing lecithin (Meins, Abrams) (266) 307 spherules. I. Critical evaluations of several Methionine sulphoximine physical models in the determination of the How methionine and glutamine prevent inhibition of growth by ——— (Meins, - coefficient for glucose (Chowhan et al.) (266) 320 Abrams) (266) 307 Phenylalanine transport Methionine transport - aud methionine transport in Tetra-Phenylalanine and ——— in Tetrahymena hymea pyriformis. Characteristics of a conpyriformis. Characteristics of a concentratcentrating, inducible transport system (Hoffmann, Rasmussen) (266) 206 ing, inducible transport system (Hoffmann, Phosphatidylethanolamine multibilayers Rasmussen) (266) 206 Influence of pH and cholesterol on the Microsomes pH dependence of the effects of sodium, structure of ——— (Hsia, Boggs) (266) 18 potassium and ouabain on the ATPase Phospholipid membranes activity of NaI-treated brain - with Permeability properties of ———: Effect of cholesterol and temperature (Papahadjomagnesium, manganese, calcium and zinc as divalent metal activators (Atkinson, Lowe) poulos et al.) (266) 561 Photoresponses (266) 103 Monosaccharides Effect of temperature on the biphasic Effects of - on the sodium activation - of an all-trans-retinal bimolecular curve of the intestinal sodium-potassiumlipid membrane (Kobamoto, Tien) (266) 56 Plasma membrane dependent ATPase (Dettmer et al.) (266) 128 Effect of detergents and sodium fluoride on Mycoplasma membrane proteins the enzyme activities of the rat liver ----(Dunnick et al.) (266) 684 filtration and immunological characteriza-Plasma membrane tion of Acholeplasma laidlawii membrane Isolation and characterization of from cultured cells. IV. The carbohydrate proteins (Ne'eman et al. (266) 255 Nerve membrane composition of membranes isolated from Binding of radioactive tetrodotoxin to oncogenic RNA virus-converted chick empreparations (Hafemann) (266) 548 bryo fibroblasts (Perdue et al.) (266) 505 Nerve membranes Plasma membranes Characterization of the adenyl cyclase of rat Thiamine in ——— (Itokawa et al.) (266) kidney -- (Forte) (266) 524 293 Nigericin Plasma membranes Effects of —, valinomycin, and 2,4-Circular dichroism of biological membranes. dinitrophenol on intracellular pH, glyco-II. — and sarcotubular vesicles (Malysis, and potassium concentration of Ehrsotti et al.) (266) 1 lich ascites tumor cells (Poole et al.) (266) Plasma membranes Comparative studies on enzyme markers of Noradrenaline uptake liver — (Lauter et al.) (266) 511 Effects of external sodium and potassium Plasma membranes Incorporation of Fucose into HeLa cell on the initial rates of ----- by snyap-

tosomes prepared from rat brain (White,

Paton) (266) 116

during the cell cycle (Nowakowski

et al.) (266) 1

Plasma membranes Isolation and characterization of lymphocyte — (Ferber et al.) (266) 494 Plasma membranes Lipid composition of adult rat brain synaptosomal — (Breckenridge et al.) (269 904 Potassium Effects of external sodium and — on the initial rates of noradrenaline uptake by synaptosomes prepared from rat brain with magnesium, manganese, calcium and zinc as divalent metal activaters (Atkimson, Lowe) Potassium pH dependence of the effects of sodium, ————————————————————————————————————		/-/
tor of cobra venom (Naja naja) (Lankisch of Nal-treated brain microsomes with magnesium, manganese, calcium and zinc as divalent metal activators (Atkinson, Lowe) (206) 103 Potassium concentration Effects of nigericin, valinomycin, and 2,4-dimitrophenol on intracellular pH, glycolysis, and — of Ehrlich ascites tumor cells (Poole et al.) (266) 463 Potassium ions Role of hydrogen and in the transport of acidic amino acids in Staphylococcus aureus (Gale, Llewellin) (266) 182 Protein structure Interrelationship of membrane structure and — in the functioning of the sodium potassium-activated ATPase Divalent cations as allosteric modifiers of the — (Robinson) (266) 97 Sodium-potassium-dependent ATPase Divalent cations as allosteric modifiers of the — (Robinson) (266) 97 Sodium-potassium-dependent ATPase Divalent cations as allosteric modifiers of the — (Robinson) (266) 97 Sodium-potassium-dependent ATPase Divalent cations as allosteric modifiers of the — (Robinson) (266) 97 Sodium-potassium-dependent ATPase Divalent cations as allosteric modifiers of the — (Robinson) (266) 97 Sodium-potassium-dependent ATPase Divalent cations as allosteric modifiers of the — (Robinson) (266) 97 Sodium-potassium-dependent ATPase Divalent cationship of membrane and protein structure in the functioning of the sodium-potassium-dependent ATPase Divalent cationship of membrane and protein structure in the functioning of the sodium-potassium-dependent ATPase Divalent cationship of membrane and protein structure in the functioning of the sodium-potassium-dependent ATPase Divalent cationship of membrane and protein structure in the functioning of the sodium-potassium-dependent ATPase Divalent cationship of membrane and protein structure in the functioning of the sodium-potassium-dependent ATPase Divalent cationship of membrane and in the transport of the sodium-potassium-dependent ATPase Divalent cationship of membrane structure as a function of age (Sperelakis) (266) 235 Sodium-potassium-dependent ATPase Divalent cationship of memb	Isolation and characterization of lymphocyte ——— (Ferber et al.) (266) 494 Plasma membranes Lipid composition of adult rat brain synaptosomal ———— (Breckenridge et al.) (266) 695 Potassium Effects of external sodium and ———————————————————————————————————	with magnesium, manganese, calcium and zinc as divalent metal activaters (Atkinson, Lowe) (266) 103 Sodium activation Effects of monosaccharides on the ———————————————————————————————————
rells (Poole et al.) (266) 463 Potassium ions Role of hydrogen and — in the transport of acidic amino acids in Staphylococcus aureus (Gale, Llewellin) (266) 182 Protein structure Interrelationship of membrane structure and — in the functioning of the sodium potassium-activated ATPase (Grisham, Barnett) (266) 613 Proteolipid Isolation of — from spleen capsule binding (±)-[³H]norepinephrine (Plazas, Robertis) (266) 246 Renal Cortex Disaccharidase activity of a membrane fraction obtained from the rabbit — (Stevenson) (266) 144 Renal medulla Accumulation and metabolism of [¹⁴]hypoxanthine by slices of rabbit — (Berndt, Miller) (266) 453 Retinal rod disk membranes Calcium binding to — (Neufeld et al.) (266) 67 Sarcotubular vesicles Circular dichroism of biological membranes II. Plasma membranes and — (Masotti et al.) (266) 7 Sodium Effects of external — and potassium on the initial rates of noradrenaline uptake by synaptosomes prepared from rat brain (White, Paton) (266) 116 Sodium pH dependence of the effects of — potassium and ouabain on the ATPase Interrelationship of membrane structure as indicated by the reversible inactivation of functional membrane structures as indicated by the reversible inactivation of — (Järnevelt) (260 9 97 Sodium-potassium-dependent ATPase Lipid requirements of functional membrane structures as indicated by the reversible inactivation of — (Järnevelt) (260 9 97 Sodium, potassium-dependent ATPase Lipid requirements of functional membrane structures as indicated by the reversible inactivation of — (Järnevelt) (260 9 350 Sodium, potassium-dependent ATPase Lipid requirements of functional membrane structures as indicated by the reversible inactivation of — (Järnevelt) (260 9 350 Sodium, potassium-dependent ATPase Lipid requirements of functional membrane structures as indicated by the reversible inactivation of functional membrane structures as indicated by the reversible inactivation of functional mebrane structures as indicated by the reversible inactivation of	and ouabain on the ATPase activity of NaI-treated brain microsomes with magnesium, manganese, calcium and zinc as divalent metal activaters (Atkinson, Lowe) (266) 103 Potassium concentration Effects of nigericin, valinomycin, and 2,4-	tor of cobra venom (Naja naja) (Lankisch et al.) (266) 133 Sodium, potassium-activated ATPase Interrelationship of membrane and protein structure in the functioning of the ———————————————————————————————————
and ——in the functioning of the sodium potassium-activated ATPase (Grisham, Barnett) (266) 613 Proteolipid Isolation of —— from spleen capsule binding (±)-[³H]norepinephrine (Plazas, Robertis) (266) 246 Renal cells Effect of pH on the water and electrolyte content of —— (Rorive et al.) (266) 376 Renal Cortex Disaccharidase activity of a membrane fraction obtained from the rabbit —— (Stevenson) (266) 144 Renal medulla Accumulation and metabolism of [¹⁴]hypoxanthine by slices of rabbit —— (Berndt, Miller) (266) 453 Retinal rod disk membranes Calcium binding to —— (Neufeld et al.) (266) 67 Sarcotubular vesicles Circular dichroism of biological membranes. II. Plasma membranes and —— (Masotti et al.) (266) 7 Sodium Effects of external —— and potassium on the initial rates of noradrenaline uptake by synaptosomes prepared from rat brain (White, Paton) (266) 116 Sodium PH dependence of the effects of ——, potassium and ouabain on the ATPase Sodium, potassium-stimulated-ATPase Effect of lipoxidation on synaptosomal —— isolated from the cerebral cortex of squirrel monkey (Sun) (266) 350 Sodium, potassium-stimulated-ATPase Effect of lipoxidation on synaptosome arginated in the cerebral cortex of squirrel monkey (Sun) (266) 350 Sodium pump Differential effects of digitonin on some enzyme activities of the —— (Winter) (266) Stearic acid Study of intact human erythrocytes and erythrocyte ghosts using —— spin labels (Landsberger et al.) (266) 1 Sterols Monolayer interactions of individual lecithins with natural —— (Ghosh, Tinoco) (266) 41 Sugar exchange Simple resolution of the kinetic anomaly in in the —— of different sugars across the human erythrocyte membrane (Eilam, Stein) (266) 161 Sugar transport Circular dichrorism of biological membranes. II. Plasma membranes and —— (Masotti et al.) (266) 161 Sugar transport Circular dichrorism of biological membranes of noradrenaline uptake by synaptosomes prepared from rat brain (White, Paton) (266) 116 Tetrodotoxin Ph dependence of the effects of ——, pot	cells (Poole et al.) (266) 463 Potassium ions Role of hydrogen and ——————————————————————————————————	(266) 230 Sodium-potasium-dependent ATPase Divalent cations as allosteric modifiers of the ———————————————————————————————————
Renal cells Effect of pH on the water and electrolyte content of ———————————————————————————————————	and —— in the functioning of the sodium potassium-activated ATPase (Grisham, Barnett) (266) 613 Proteolipid Isolation of —— from spleen capsule binding (±)-[³ H]norepinephrine (Plazas,	inactivation of ——— (Järnevelt) (266) 91 Sodium, potassium-stimulated-ATPase Effect of lipoxidation on synaptosomal ————————————————————————————————————
Renal medulla Accumulation and metabolism of [14]hypo- xanthine by slices of rabbit ———————————————————————————————————	Renal cells Effect of pH on the water and electrolyte content of ———— (Rorive et al.) (266) 376 Renal Cortex Disaccharidase activity of a membrane	zyme activities of the ———— (Winter) (266) 135 Stearic acid Study of intact human erythrocytes and erythrocyte ghosts using ————————— spin labels
(266) 67 Sarcotubular vesicles Circular dichroism of biological membranes. II. Plasma membranes and ———————————————————————————————————	Renal medulla Accumulation and metabolism of [14]hypo- xanthine by slices of rabbit — (Berndt, Miller) (266) 453 Retinal rod disk membranes	Monolayer interactions of individual leci- thins with natural ———— (Ghosh, Tinoco) (266) 41 Sugar exchange Simple resolution of the kinetic anomaly in
on the initial rates of noradrenaline uptake by synaptosomes prepared from rat brain (White, Paton) (266) 116 Sodium pH dependence of the effects of, potassium and ouabain on the ATPase on the initial rates of noradrenaline uptake by prepared from rat brain (White, Paton) (266) 116 Tetrodotoxin Binding of radioactive to nerve membrane preparations (Hafeman) (266)	(266) 67 Sarcotubular vesicles Circular dichroism of biological membranes. II. Plasma membranes and — (Masotti et al.) (266) 7 Sodium	human erythrocyte membrane (Eilam, Stein) (266) 161 Sugar transport ————————————————————————————————————
	on the initial rates of noradrenaline uptake by synaptosomes prepared from rat brain (White, Paton) (266) 116 Sodium pH dependence of the effects of, potassium and ouabain on the ATPase	on the initial rates of noradrenaline uptake by —— prepared from rat brain (White, Paton) (266) 116 Tetrodotoxin Binding of radioactive —— to nerve membrane preparations (Hafeman) (266)

with normal and ---- surfaces (Nicolson, Thiamine in nerve membrane (Itokawa et al.) Blaustein) (266) 543 Valinomycin (266) 293 - as a probe for the study of structural Transport studies utilizing lecithin changes of black lipid membranes (Stark et Model --spherules. I. Critical evaluations of several al.) (266) 603 physical models in the determination of the Valinomycin coefficient for glucose (Chowhan et al.) (266) Effects of nigericin, —, and 2,4-dinitro-320 phenol on intracellular pH, glycolysis, and Transport of acidic amino acids potassium concentration of Ehrlich ascites Role of hydrogen and potassium ions in the tumor cells (Poole et al.) (266) 463 - in Staphylococcus aureus (Gale, Water Effects of pH on the ——— and electrolyte Llewellin) (266) 182 content of renal cells (Rorive et al.) (266) 376 Transport rates Water-lipid lamellar phases Effect of unstirred layers on the measurement of — in individual cells (Miller) Diffusion processes in — — (Rigaud et al.) (266) 85 (266) 72 Transport System Zinc pH dependence of the effects of sodium, po-Phenylalanine and methionine transport in Tetrahymena pyriformis. Characteristics of tassium and ouabain on the ATPase activity a concentrating, inducible ---- (Hoffof NaI-treated brain microsomes with magmann, Rasmussen) (266) 206 nesium, manganese and ---- as divalent metal activaters (Atkinson, Lowe) (266) Tumor cell Interaction of Ricinus communis agglutinin 103