

SUBJECT INDEX

- Acetylcholinesterase
 Membrane lipid fatty acids and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+} -ATPase, $(Na^+ + K^+)$ -ATPase and — from rats fed different fat-supplemented diets (Bloj et al.) (311) 67
- Adenosine binding
 Steric requirements for — to a membrane carrier in canine heart (Olsson et al.) (311) 240
- Adenosine 3':5'-monophosphate
 Effect of guanosine 3':5'-monophosphate on the hydroosmotic activity of — in toad urinary bladder (Piccinni, Parisi) (311) 625
- Alcohols
 Effects of long-chain — on membrane lipids and the $(Na^+ + K^+)$ -ATPase (Grisham, Barnett) (311) 417
- n-Alcohols
 Effects of — on sarcoplasmic reticulum vesicles (Kondo, Kasai) (311) 391
- Amino acid analogue transport
 — transport of 2-aminobicyclo(2,2,1)-heptane-2-carboxylic acid by Ehrlich ascites tumour cells (McClellan, Schafer) (311) 462
- Amino acid transport
 Regulation of — in chick embryo heart cells-III. Formal identification of the "A mediation" as adaptive transport system (Gazzola et al.) (311) 292
- Amino acid uptake
 Effects of colicin A and staphylococcin 1580 on — into membrane vesicles of *Escherichia coli* and *Staphylococcus aureus* (311) 483
- Ammonium ion excretion
 Characteristics of H^+ excretion and — by the urinary bladder of the toad (Frazier, Vanatta) (311) 98
- Anion diffusion
 Effects of lysozyme on cation and — from phospholipid liposomes (Kaplan) (311) 1
- ATPase
 Effects of gastric acid stimulants and inhibitors on the activities of HCO_3^- -stimulated, Mg^{2+} -dependent — and carbonic anhydrase in rat gastric mucosa (Narumi, Kanno) (311) 80
- ATPase
 Effects of long-chain alcohols on membrane lipids and the $(Na^+ + K^+)$ - — (Grisham and Barnett) (311) 417
- ATPase
 Effects of some organic solvents on the reactivity of sodium plus potassium ion-transport — (Hegyvary) (311) 272
- ATPase
 Membrane lipid fatty acids and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+} - —, $(Na^+ + K^+)$ -ATPase and acetylcholinesterase from rats fed different supplemented diets (Bloj et al.) (311) 67
- ATPase
 Properties of — of gastric mucosa. V. Preparation of membranes and mitochondria by zonal centrifugation (Spennay et al.) (311) 545
- ATPase
 Study on the influence of the concentration of Mg^{2+} , P_i , K^+ , Na^+ , and Tris on $(Mg^{2+} + P_i)$ -supported g-strophanthin binding to $(Na^+ + K^+)$ -activated — from ox brain (Hansen, Skou) (311) 51
- Bicarbonate-stimulated, Mg^{2+} -dependent ATPase
 Effects of gastric acid stimulants and inhibitors on the activities of — and carbonic anhydrase in rat gastric mucosa (Narumi, Kanno) (311) 80
- Bilayer
 Identification and extent of fluid — regions in membranous cytochrome oxidase (Jost et al.) (311) 141
- Bile acids
 Diffusion studies of —, fatty acids and sucrose-NaCl-water systems at 37 °C by a modified capillary cell apparatus and their application to membrane transport studies (Sherrill et al.) (311) 261
- Bladder
 Characteristics of H^+ and NH_4^+ excretion by the urinary — of the toad (Frazier, Vanatta) (311) 98
- Bladder
 Effect of guanosine 3':5'-monophosphate on the hydroosmotic activity of adenosine 3':5'-monophosphate in toad urinary — (Piccinni, Parisi) (311) 625
- Bladder epithelial cells
 Studies of the chemistry of the luminal

- plasma membrane of rat — (Ketterer et al.) (311) 180
- Carbonic anhydrase
Effects of gastric acid stimulants and inhibitors on the activities of HCO_3^- -stimulated, Mg^{2+} -dependent ATPase and — in rat gastric mucosa (Narumi, Kanno) (311) 80
- Carbonic anhydrase
Possible role of cyclic AMP in gastric acid secretion in rat. Activation of — (Narumi, Maki) (311) 90
- β -Carotene
Preparation of stable mixed monolayers of — and their transfer to glass slides (Pincus et al.) (311) 317
- Cation diffusion
Effects of lysozyme on anion and — from phospholipid liposomes (Kaplan) (311) 1
- Cell envelope
Proteins of the — of a marine pseudomonad, *Pseudomonas* BAL-31 (Datta et al.) (311) 163
- Cell membranes
Molecular organization in bacterial — II. Reevaluation and identification of some chemical components of *Micrococcus lysodeikticus* membranes (Estrugo et al.) (311) 153
- Cell surface
Studies on the — maltase of the rabbit renal cortex (Stevenson) (311) 409
- Cell surface membrane
Inhibition of lectin agglutinability by fixation of the — (Inbar et al.) (311) 594
- Cholesterol
Phase transitions in phospholipid vesicles: Fluorescence polarization and permeability measurements concerning the effect of temperature and — (Papahadjopoulos et al.) (311) 330
- Choline transport
Evidence for the carrier model of transport from the inhibition by N-ethylmaleimide of — across the human erythrocyte membrane (Edwards) (311) 123
- Colicin A
Effects of — and staphylococin 1580 on amino acid uptake into membrane vesicles of *Escherichia coli* and *Staphylococcus aureus* (Jetten, Vogels) (311) 483
- Cyclic AMP
Possible role of — in gastric acid secretion in rat. Activation of carbonic anhydrase (Narumi, Maki) (311) 90
- Cytochrome oxidase
Identification and extent of fluid bilayer regions in membranous — (Jost et al.) (311) 141
- Deoxytidine uptake
— by isolated membrane vesicles from *Escherichia coli* K 12 (Komatsu, Tanaka) (311) 496
- Dibutyl cyclic adenosine monophosphate
— enhancement of α -methyl-D-glucoside accumulation by kidney cortex slices (Rea, Segal) (311) 615
- Digalactosyl diglyceride
Phase behaviour of monogalactosyl, —, and sulphoquinovosyl diglycerides (Shipley et al.) (311) 531
- Diglycerides
Phase behaviour of monogalactosyl, digalactosyl, and sulphoquinovosyl — (Shipley et al.) (311) 531
- Disulphide groups
Sulphydryl and disulphide groups of platelet membranes: II. Determination of — (Ando, Steiner) (311) 38
- Enzymes
Localization of an RNA-degrading system of — on the rat liver plasma membrane (Yannarell, Aronson, Jr) (311) 191
- Erythrocytes
Differential effects of lipids on the osmotic fragility of — (Raz, Livne) (311) 222
- Erythrocytes
Nuclear membranes and plasma membranes from hen — III. Localization of activities incorporating fatty acids into phospholipids (Stadler, Franke) (311) 205
- Erythrocyte
Recombination of human — membrane protein fractions with homologous lipids (Barzilay et al.) (311) 576
- Erythrocyte membrane
Evidence for the carrier model of transport from the inhibition by N-ethylmaleimide of choline transport across the human — (Edwards) (311) 123
- Erythrocyte membrane
Properties of the major glycoprotein of the beef — (Capaldi) (311) 386
- Erythrocyte membrane proteins
Affinity chromatography purification of — after selective labelling with trinitrobenzene sodium sulphonate (Tarone et al.) (311) 214
- Erythrocyte membrane proteins
Method of solubilizing human — using mersalyl (Cantrell) (311) 381
- N-Ethylmaleimide
Evidence for the carrier model of transport

- from the inhibition by — of choline transport across the human erythrocyte membrane (Edwards) (311) 123
- Fatty acids
- Diffusion studies of bile acids, — and sucrose NaCl-water systems at 37° C by a modified capillary cell apparatus and their application to membrane transport studies (Sherrill et al.) (311) 261
- Fatty acids
- Nuclear membranes and plasma membranes from hen erythrocytes. III. Localization of activities incorporating — into phospholipids (Stadler, Franke) (311) 205
- Fatty acid
- Unsaturated — requirement in *Escherichia coli*: Temperature dependence and total replacement by branched-chain fatty acids (Silbert et al.) (311) 349
- Frog skin
- Effect of the composition of the inner bathing solution on transport properties of the — (Rabito et al.) (311) 630
- β -Galactoside accumulation
- Effect of — on the uptake of phosphate into cells and cell nucleotides of *Escherichia coli* (Byard) (311) 452
- Gastric acid secretion
- Possible role of cyclic AMP in — in rat. Activation of carbonic anhydrase (Narumi, Maki) (311) 90
- L-Glutamate uptake
- by the peripheral nerves of the crab, *Carcinus maenas* (L.) (Evans) (311) 302
- Glycoprotein
- Properties of the major — of the beef erythrocyte membrane (Capaldi) (311) 386
- Guanosine 3':5'-monophosphate
- Effect of — on the hydroosmotic activity of adenosine 3':5'-monophosphate in toad urinary bladder (Piccinni, Parisi) (311) 625
- Haemolytic phosphatides
- Slow-reacting —: Benzylated lysolecithins (Weltzien) (311) 6
- Heart
- Steric requirements for binding of adenosine to a membrane carrier in canine — (Olsson et al.) (311) 242
- Heart cells
- Regulation of amino acid transport in chick embryo —. III. Formal identification of the 'A mediation' as adaptive transport system (Gazzola et al.) (311) 292
- Hydrogen ion excretion
- Characteristics of — and NH_4^+ excretion by the urinary bladder of the toad (Frazier, Vanatta) (311) 98
- Ileal surface area
- Receptors for vitamin B_{12} related to — and absorptive capacity (Donaldson et al.) (311) 477
- Interface
- Protection of A_1 myelin basic protein against the action of proteolytic enzymes after interaction of the protein with lipids at the air-water — (London et al.) (311) 520
- Interface
- Specific interaction of myelin basic protein with lipids at the air-water — (Demel et al.) (311) 507
- Ion transport
- through pores: A rate-theory analysis (Läuger) (311) 423
- Lactose transport
- Defective lactose utilization by a mutant of *Escherichia coli* energy-uncoupled for —: The advantages of active transport versus facilitated diffusion (Kusch, Wilson) (311) 109
- Lecithin liposomes
- Analysis of the crystallization process in —: a freeze-etch study (Ververgaert et al.) (311) 320
- Lectin agglutinability
- Inhibition of — by fixation of the cell surface membrane (Inbar et al.) (311) 594
- Lipids
- Differential effects of — on the osmotic fragility of erythrocytes (Raz, Livne) (311) 222
- Lipids
- Effects of long-chain alcohols on membrane — and the $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ (Grisham, Barnett) (311) 417
- Lipid
- Spin labels as enzyme substrates: Heterogeneous — distribution in liver microsomal membranes (Stier, Sackmann) (311) 400
- Liposomes
- Analysis of the crystallization process in lecithin —: a freeze-etch study (Ververgaert et al.) (311) 320
- Liposomes
- Effects of lysozyme on anion and cation diffusion from phospholipid — (Kaplan) (311) 1
- Liposomes
- Spray-freezing of — (Ververgaert et al.) (311) 651
- Lysolecithins
- Slow-reacting haemolytic phosphatides; benzylated — (Weltzien) (311) 6
- Lysozyme

- Effects of — on anion and cation diffusion from phospholipid liposomes (Kaplan) (311) 1
- Macrophages**
Binding of 8-anilino-1-naphthalene sulphonic acid to viable pulmonary — (Pecci, Ulrich) (311) 251
- Magnesium-ATPase**
Membrane lipid fatty acids and regulation of membrane-bound enzymes. Allosteric behaviour of erythrocyte —, ($\text{Na}^+ + \text{K}^+$)-ATPase and acetylcholinesterase from rats fed different fat-supplemented diets (Bloj et al.) (311) 67
- Magnesium ion**
Study on the influence of the concentration of —, P_i , K^+ , Na^+ , and Tris on ($\text{Mg}^{2+} + \text{P}_i$)-supported g-strophanthin binding to ($\text{Na}^+ + \text{K}^+$)-activated ATPase from ox brain (Hansen, Skou) (311) 51
- Maltase**
Studies on the cell surface — of the rabbit renal cortex (Stevenson) (311) 409
- Membrane-bound enzymes**
Membrane lipid fatty acids and regulation of —. Allosteric behaviour of erythrocyte Mg^{2+} -ATPase, ($\text{Na}^+ + \text{K}^+$)-ATPase and acetylcholinesterase from rats fed different fat-supplemented diets (Bloj et al.) (311) 67
- Membrane carrier**
Steric requirements for binding of adenosine to a — in canine heart (Olsson et al.) (311) 242
- Membrane lipids**
Effects of long-chain alcohols on — and the ($\text{Na}^+ + \text{K}^+$)-ATPase (Grisham, Barnett) (311) 417
- Membrane lipid fatty acids**
— and regulation of membrane-bound enzymes. Allosteric behaviour of erythrocyte Mg^{2+} -ATPase, ($\text{Na}^+ + \text{K}^+$)-ATPase and acetylcholinesterase from rats fed different fat-supplemented diets (Bloj et al.) (311) 67
- Membrane protein**
Recombination of human red cell — — fractions with homologous lipids (Barzilay et al.) (311) 576
- Membrane transport**
Diffusion studies of bile acids, fatty acids and sucrose- NaCl -water systems at 37°C by a modified capillary cell apparatus and their application to — studies (Sherrill et al.) (311) 261
- Membrane vesicles**
Deoxycytidine uptake by isolated — from *Escherichia coli* K 12 (Komatsu, Tanaka) (311) 496
- Membrane vesicles**
Effects of colicin A and staphylococin 1580 on amino acid uptake into — of *Escherichia coli* and *Staphylococcus aureus* (Jetten, Vogels) (311) 483
- α -Methyl-D-glucoside accumulation
Dibutyl cyclic adenosine monophosphate enhancement of — by kidney cortex slices (Rea, Segal) (311) 615
- Microsomal membranes**
Spin labels as enzyme substrates: Heterogeneous lipid distribution in liver — (Stier, Sackmann) (311) 400
- Milk fat globule membranes**
— Preparation, morphological study and chemical composition (Martel et al.) (311) 565
- Mitochondrial proteins**
Studies on — I. Separation and characterization by polyacrylamide gel electrophoresis (Melnick et al.) (311) 230
- Monogalactosyl diglyceride**
Phase behaviour of —, digalactosyl, and sulphoquinovosyl diglycerides (Shipley et al.) (311) 531
- Monolayers**
Preparation of stable mixed — of β -carotene and their transfer to glass slides (Pincus et al.) (311) 317
- Myelin basic protein**
Protection of A_1 — against the action of proteolytic enzymes after interaction of the protein with lipids at the air-water interface (London et al.) (311) 520
- Myelin basic protein**
Specific interaction of — with lipids at the air-water interface (Demel et al.) (311) 507
- Nerves**
Uptake of L-glutamate by the peripheral — of the crab, *Carcinus maenas* (L.) (Evans) (311) 302
- Nuclear membranes**
— and plasma membranes from hen erythrocytes. III. Localization of activities incorporating fatty acids into phospholipids (Stadler, Franke) (311) 205
- Nucleotides**
Effect of β -galactoside accumulation on the uptake of phosphate into cells and cell — of *Escherichia coli* (Byard) (311) 452
- Phase behaviour**
— of monogalactosyl, digalactosyl, and sulphoquinovosyl diglycerides (Shipley et al.) (311) 531
- Phosphate**

- Study on the influence of the concentration of Mg^{2+} , —, K^+ , Na^+ , and Tris on ($Mg^{2+} + P_i$)-supported g-strophanthin binding to ($Na^+ + K^+$)-activated ATPase from ox brain (Hansen, Skou) (311) 51
- Phosphate uptake
Effect of β -galactoside accumulation on the — into cells and cell nucleotides of *Escherichia coli* (Byard) (311) 452
- Phosphatides
Slow-reacting haemolytic —: benzylated lysolecithins (Weltzien) (311) 6
- Phospholipids
Nuclear membranes and plasma membranes from hen erythrocytes. III. Localization of activities incorporating fatty acids into — (Stadler, Franke) (311) 205
- Phospholipid liposomes
Effects of lysozyme on anion and cation diffusion from — (Kaplan) (311) 1
- Phospholipid vesicles
Phase transitions in —. Fluorescence polarization and permeability measurements concerning the effect of temperature and cholesterol (Papahadjopoulos et al.) (311) 330
- Plasma membrane
Isolation and identification of yeast — (Schibeci et al.) (311) 15
- Plasma membrane
Localization of an RNA-degrading system of enzymes on the rat liver — (Yannarell, Aronson, Jr) (311) 191
- Plasma membranes
Nuclear membranes and — from hen erythrocytes. III. Localization of activities incorporating fatty acids into phospholipids (Stadler, Franke) (311) 205
- Plasma membrane
Rapid method for the isolation of rat liver — using an aqueous two-phase polymer system (Lesko et al.) (311) 173
- Plasma membrane
Studies of the chemistry of the luminal — of rat bladder epithelial cells (Ketterer et al.) (311) 180
- Plasma membrane vesicles
Preparation of inverted — from isolated adipocytes (Bennett, Cuatrecasas) (311) 362
- Platelet membranes
Sulphydryl and disulphide groups of — I. Determination of sulphydryl groups (Ando, Steiner) (311) 26
- Platelet membranes
Sulphydryl and disulphide groups of — II. Determination of disulphide groups (Ando, Steiner) (311) 38
- Polyacrylamide gel electrophoresis
Purification of membrane-associated tumour antigens by preparative — (Harris et al.) (311) 600
- Pores
Ion transport through —: a rate-theory analysis (Läuger) (311) 423
- Potassium concentration
Regulation of the intracellular — in *Escherichia coli* B 525 (Zimmermann et al.) (311) 442
- Potassium ion
Study on the influence of the concentration of Mg^{2+} , P_i , —, Na^+ , and Tris on ($Mg^{2+} + P_i$)-supported g-strophanthin binding to ($Na^+ + K^+$)-activated ATPase from ox brain (Hansen, Skou) (311) 51
- Proteins
Affinity chromatography purification of erythrocyte membrane — after selective labelling with trinitrobenzene sodium sulphinate (Tarone et al.) (311) 214
- Proteins
Method of solubilizing human erythrocyte membrane — using mersalyl (Cantrell) (311) 381
- Proteins
— of the cell envelope of a marine pseudomonad, *Pseudomonas* BAL-31 (Datta et al.) (311) 163
- Proteins
Studies on mitochondrial —. I. Separation and characterization by polyacrylamide gel electrophoresis (Melnick et al.) (311) 230
- RNA
Localization of an —-degrading system of enzymes on the rat liver plasma membrane (Yannarell, Aronson, Jr) (311) 191
- Sarcoplasmic reticulum vesicles
Effects of n-alcohols on — (Kondo, Kasai) (311) 391
- Sodium ion
Study on the influence of the concentration of Mg^{2+} , P_i , K^+ , —, and Tris on ($Mg^{2+} + P_i$)-supported g-strophanthin binding to ($Na^+ + K^+$)-activated ATPase from ox brain (Hansen, Skou) (311) 51
- Sodium+potassium-activated ATPase
Study on the influence of the concentration of Mg^{2+} , P_i , K^+ , Na^+ , and Tris on ($Mg^{2+} + P_i$)-supported g-strophanthin binding to — from ox brain (Hansen, Skou) (311) 51
- (Sodium + potassium)-ATPase
Effects of long-chain alcohols on membrane lipids and the — (Grisham, Barnett) (311) 417
- (Sodium + potassium)-ATPase

- Membrane lipid fatty acids and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+} -ATPase, — and acetylcholinesterase from rats fed different fat-supplemented diets (Bloj et al.) (311) 67
- Staphylococcin
Effects of colicin A and — 1580 on amino acid uptake into membrane vesicles of *Escherichia coli* and *Staphylococcus aureus* (Jetten, Vogels) (311) 483
- g-Strophanthin
Study on the influence of the concentration of Mg^{2+} , P_i , K^+ , Na^+ , and Tris on ($Mg^{2+} + P_i$)-supported — binding to ($Na^+ + K^+$)-activated ATPase from ox brain (Hansen, Skou) (311) 51
- Sucrose
Diffusion studies of bile acids, fatty acids and — NaCl-water systems at 37 °C by a modified capillary cell apparatus and their application to membrane transport studies (Sherrill et al.) (311) 261
- Sulphoquinovosyl diglyceride
Phase behaviour of monogalactosyl, digalactosyl diglycerides and — (Shipley et al.) (311) 531
- Sulphydryl groups
Sulphydryl and disulphide groups of platelet membranes. I. Determination of — (Ando, Steiner) (311) 26
- Transport
Effect of the composition of the inner bathing solution on — properties of the frog skin (Rabito et al.) (311) 630
- Tumour antigens
Purification of membrane-associated — by preparative polyacrylamide gel electrophoresis (Harris et al.) (311) 600
- Tumour cells
Transport of the amino acid analogue, 2-aminobicyclo(2,2,1)heptane-2-carboxylic acid, by Ehrlich ascites — (McClellan, Schafer) (311) 462
- UDPGlucuronyltransferase
Factors affecting the response of microsomal — to membrane perturbants (Graham, Wood) (311) 45
- Yeast plasma membrane
Isolation and identification of — (Schibeci et al.) (311) 15
- Zonal centrifugation
Properties of ATPase of gastric mucosa. V. Preparation of membranes and mitochondria by — (Spenney et al.) (311) 545